

Characterization and stability evaluation of nanoencapsulated epoxylignans

by Latifai Rahman

Submission date: 26-Mar-2019 02:24PM (UTC+0700)

Submission ID: 1100014466

File name: f1000research-7-17172.pdf (1.93M)

Word count: 3723

Character count: 21161



RESEARCH NOTE

REVISED Characterization and stability evaluation of nanoencapsulated epoxy lignans [version 2; referees: 2 approved]Yusnita Rifai ¹, Radhia Riski¹, Gemini Alam¹, Magdalena Litaay², Latifah Rahman¹¹Pharmaceutical Chemistry Laboratory, Faculty of Pharmacy, Hasanuddin University, Makassar, 90245, Indonesia²Biology Department, Faculty of Mathematics and Natural Sciences, Hasanuddin University, Makassar, 90245, Indonesia**v2** First published: 01 Mar 2018, 7:253 (doi: [10.12688/f1000research.13047.1](https://doi.org/10.12688/f1000research.13047.1))
Latest published: 30 Jul 2018, 7:253 (doi: [10.12688/f1000research.13047.2](https://doi.org/10.12688/f1000research.13047.2))**Abstract**

3',6-dimethoxy-3",4"--(methylenedioxy)-2,5-epoxylignan-4'-ol (DMEO), an epoxylignan isolated from *Piper nigrum*, has currently captured attention for its potential antitumor effect. However, low stability is limiting its therapeutic application. The application of nanocapsulation would be the main strategy for overcoming this problem. DMEO-loaded nanocapsules were prepared by an emulsion-diffusion method using Eudragit RL 100 (at concentrations of 1, 1.5 and 2%) and polyvinyl alcohol. As the polymer content increased, the encapsulation efficiency and mean particle size also increased. After 6 months of storage at 25°C (0% RH), no crystalline peaks were observed in the diffraction patterns of all nanocapsules, thereby suggested that the physical stability of nanoencapsulated DMEO was not affected by the concentration ratio of the polymer–stabilizer combinations.

Keywords

nanocapsules, Eudragit RL 100, Glioma, Piper nigrum

Open Peer Review

Referee Status:

	Invited Referees	
	1	2
REVISED		
version 2		report
published 30 Jul 2018		
version 1		
published 01 Mar 2018	report	report

1 **Rani Sauriasari**, Universitas Indonesia, Indonesia2 **Heni Rachmawati**, Bandung Institute of Technology, Indonesia**Discuss this article**

Comments (0)

Corresponding author: Yusnita Rifai (yusnitarifai@gmail.com)

Author roles: **Rifai Y:** Conceptualization, Formal Analysis, Project Administration, Supervision, Validation, Writing – Original Draft Preparation; **Riski R:** Investigation, Methodology, Resources, Software; **Alam G:** Data Curation, Formal Analysis, Resources, Validation; **Litaay M:** Data Curation, Funding Acquisition, Software, Writing – Review & Editing; **Rahman L:** Formal Analysis, Methodology, Resources, Supervision

Competing interests: No competing interests were disclosed.

Grant information: This work was supported by the Ministry of Research, Technology and Higher Education of Indonesia through a grant from WCU UNHAS 2016-2017.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2018 Rifai Y *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution Licence](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Data associated with the article are available under the terms of the [Creative Commons Zero "No rights reserved" data waiver](#) (CC0 1.0 Public domain dedication).

How to cite this article: Rifai Y, Riski R, Alam G *et al.* **Characterization and stability evaluation of nanoencapsulated epoxy lignans** [version 2; referees: 2 approved] *F1000Research* 2018, 7:253 (doi: [10.12688/f1000research.13047.2](https://doi.org/10.12688/f1000research.13047.2))

First published: 01 Mar 2018, 7:253 (doi: [10.12688/f1000research.13047.1](https://doi.org/10.12688/f1000research.13047.1))

REVISED Amendments from Version 1

We added some more explanation in the method session of the revised manuscript about how the drug-loaded nanocapsules were formed, the sample preparation and the detail on SEM analysis (magnification at 600x). As for the preparation of nanocapsules, the DMEO can be encapsulated into nanocapsules at a maximum concentration of 1 mg/ml with the ratio maintained at the 1:40; 1:45; and 1:50 drug/polymer ratio. We replaced "polymerized nanocapsules" with "polymeric nanocapsules". Meanwhile, we highlighted that the PXRD data aimed to characterize the crystallinity of DMEO in the formulated nanocapsules.

See referee reports

Introduction

The hedgehog (Hh) pathway is required for the growth and proliferation of various cancers¹. The signaling begins with the binding of Hh protein ligand to its membrane receptor Ptch, which represses the activity of Smoothened (Smo). Smo in turn promotes the expression of the GLI (Glioma-associated oncogene) family of transcription factors, leading to tumor development². The direct association of GLI with a specific binding site (5'-GACCACCA-3') in the promoter region of the target gene has been reported to contribute to pancreatic and prostate cancer cells³. We previously reported Hedgehog/GLI inhibitors from various plants⁴⁻⁶. We also isolated five lignans ((8*R**,8'*R**)-9-hydroxy-3,4-dimethoxy-3',4'-methylenedioxy-9,9'-epoxylignan, kusunokinin, haplomyrfolol, dihydroclusin) including a new epoxy lignan DMEO from *Piper nigrum* using the immobilization of GLI-GST on carboxylic acid magnetic dynabeads. DMEO was confirmed to have Hh signaling inhibitory activity and to be selectively cytotoxic against PANC1. Meanwhile the synthetic epoxy lignan of DMEO related compound was reported to inhibit the mRNA expression of protein patched homolog (Ptch) in human pancreatic cancer cells (PANC1) and thus is considered to be a prospective drug candidate to treat cancer related to the GLI signaling pathway. However, poor solubility remains the main limitation of DMEO⁷, hence making drug administration *in vivo* difficult. The nanoencapsulation of DMEO is one of the ways of overcoming the problem.

Nanoencapsulation techniques are particularly important to protect drugs from degradation in biological fluids and improve their penetration into cells. The techniques are also beneficial for hydrophobic molecules because the ultra-dispersed pharmaceutical dosage forms that nanoencapsulation provides allow rapid drug dissolution⁸. The nanoencapsulation of DMEO within a suitable polymer is considered to be a good way to ameliorate its poor solubility, because the polymer acts as a rate-controlling membrane to obtain the desired controlled release. The physical stability of pure compounds remains the greatest challenge for pharmaceutical scientists seeking to exploit higher solubility properties. A gold standard revealed by the International Council for Harmonization (ICH) stated that physical stability tests of compounds should be performed within accelerated (6 months) and/or long-term (12 months) storage conditions⁹. The physical stability was examined using powder X-ray diffraction (PXRD) analysis.

The objective of this study was to characterize the physical stability of DMEO-loaded nanocapsules, which were optimized by varying the polymer concentration to obtain stable spherical particles. The most stable particles would result from the best concentration ratio between polymers and stabilizers, ultimately improving the dissolution rate of poorly water soluble drugs.

Methods**Materials**

Eudragit RL 100 and polyvinyl alcohol were purchased from Sigma-Aldrich Ltd. (St Louis, MO, USA). DMEO was obtained from the Pharmaceutical Chemistry Laboratory of Hasanuddin University (Indonesia). Methanol, ethyl acetate, acetonitrile, chlorophorm and demineralized water were purchased from Merck, Indonesia. All chemicals and solvents were of analytical or pharmaceutical grade.

Preparation of nanocapsules

Nanocapsules were prepared by an emulsion-diffusion method using Eudragit RL (ERL, Merck Ltd) at various concentrations (1%, 1.5% and 2%). Briefly, the ERL polymer (100, 150 and 200 mg) were dissolved respectively in 10 mL of ethyl acetate saturated with water. Each of this organic phase was then emulsified with 40 mL of aqueous phase, saturated with ethyl acetate, containing 300 mg of Polyvinyl alcohol (PVA) using a high speed homogenizer (ultra-turax T 25, Germany) 1500 rpm for 60 minutes. Deionized water (150 mL) was then added to the emulsion to induce the diffusion of ethyl acetate into the continuous phase leading to the formation of nanocapsules. The organic solvent and the water phase were evaporated under reduced pressure to obtain a concentrated suspension of 40 mL.

Preparation of DMEO-loaded nanocapsules

DMEO was previously synthesized and characterized as a white powder¹⁰. 10 mg of DMEO was dissolved in 10 mL of methanol, which was then added to polymeric nanocapsules. The DMEO can be encapsulated into nanocapsules at a maximum concentration of 1 mg/ml with the ratio maintained at the 1:40; 1:45; and 1:50 drug/polymer ratio. DMEO-loaded nanocapsules were dried in a desiccator until constant weight. They were then kept in a closed glass vial and stored at 25°C.

Characterization of DMEO-loaded nanocapsules

The size of DMEO-loaded nanocapsules was analyzed by laser diffraction using a Partica LA-950 laser diffraction particle size analyzer (Horiba Ltd, Japan). Dried particles (5 mg) were dispersed in Miglyol 812 using a UP50H ultrasound processor (Hielscher, Germany) and analyzed in triplicate. The surface characteristics of the particles were observed by scanning electron microscopy (SEM) (Jeol, JSM-5600 LV, Japan) magnification at 600x. The yields of the particles were calculated the sum of the weights of all components, discounting the content of water in the suspensions. After stirring the powders in acetonitrile for 90 minutes at room temperature followed by centrifugation and filtration (GVWP membrane, 0.45 µm, Millipore), the nanoencapsulation efficiency of DMEO was determined by UV-Vis spectroscopy (Shimadzu; 229 nm absorbance detector). The nanoencapsulation efficiency (%) of the

4 powder was calculated from the correlation of the theoretical and experimental DMEO concentration. The onset of its crystallization was examined before and after 6 months of storage at 25°C, using an X-Ray Diffractometer (XRD-7000, SHIMADZU) with Cu K α radiation ($\lambda = 0.154$ nm). The diffraction patterns were analyzed using X'Pert Highscore Plus (version 2.2d).

Results

SEM analysis reveals that all DMEO-loaded nanocapsules are mostly spherical (Figure 1). As the polymer content increased, the encapsulation efficiency and mean particle size also increased, as seen in Table 1, suggesting that nanoencapsulation minimized deactivation of the drugs during the delivery process due to the protection from the polymer shell. This might ensure sufficient amounts of drug reaching the targeted areas. ERL is a copolymer of partial esters of acrylic acid containing low amounts of a quaternary ammonium group. ERL is a water-soluble polymer that plays a crucial role in controlling drug release because its water uptake characteristic contributes to the swelling of the polymers.

In crystalline materials, atoms are periodically arranged, but in non-crystalline materials, atoms are randomly arranged. Figure 2 shows that the peaks of DMEO do not possess that

periodicity, while the characteristic peak falls at $19.3^\circ 2\theta$. After the physical mixtures were subjected to various concentrations of polymers and stabilizers, all the peaks were re-observed at 0 and 6 months of storage. No crystalline peaks were observed in the diffraction patterns, as shown in Figure 2a, 2b and 2c (upper, down), suggesting that the particles remain spherical throughout the duration of the stability study. The unchanged position of the largest peak of DMEO, which remains at $19.3^\circ 2\theta$ (Figure 2a, 2b and 2c (upper, down)), indicates that there is no change in the diffraction pattern of DMEO after 6 months of storage. It is important for the DMEO particles to remain stable during 6 months of storage to ensure that the resulting DMEO-loaded nanocapsules meet the minimal standard requirements of drug formulation stability.

Dataset 1. Raw data for particle size, particle yields, nanoencapsulation efficiencies and X-ray diffraction pattern values

<http://dx.doi.org/10.5256/f1000research.13047.d195348>

Discussion

The polymer-based encapsulation may be beneficial regarding improved short-term physical stability. The nanoencapsulation




Figure 1. SEM images of sprayed-dried powder in formulations (A) F1 (B) F2 and (C) F3.

Table 1. The observed mean particle sizes and encapsulation efficiencies of DMEO-loaded nanocapsules.

Sample Code	DMEO (mg)	Polymer (mg)		Mean Particle Size (nm)	Encapsulation Efficiency (%)
		PVA	ERL		
F1	10	300	100	227.55±0.231	89.53±0.307
F2	10	300	150	253.96±0.012	89.46±0.211
F3	10	300	200	255.09±0.455	90.31±0.352




Figure 2. (A) X-ray diffraction patterns of DMEO-loaded nanocapsules of F1 after 0 and 6 months of storage (B) X-ray diffraction patterns of DMEO-loaded nanocapsules of F2 after 0 and 6 months of storage (C) X-ray diffraction patterns of DMEO-loaded nanocapsules of F3 after 0 and 6 months of storage.

of DMEO yielded entrapment efficiencies of 89.53 ± 0.307 , 89.46 ± 0.211 , $90.31 \pm 0.352\%$ with particle sizes of 227.55 ± 0.231 , 253.96 ± 0.012 , and 255.09 ± 0.455 nm, respectively. It is generally considered that higher molecular weight polymers have less entropy loss related to their fast motion, which results in a higher affinity to drug surface¹⁰, and they therefore perhaps have better steric formation. The charge along the polymer chains can build a strong double layer surrounding the particles, granting electrostatic stabilization and therefore smaller particle size¹¹.

The results showed that the polymer concentration influenced the particle size and entrapment efficiency. The 1% polymer concentration formula (F1) fulfilled the requirement of stable nanocapsules, including spherical and uniform surface morphology. This formula exhibited the greatest percentage of nanocapsules' weight (10.24%) but had the smallest particle size (227.55 nm). Meanwhile, F3 showed the greatest entrapment efficiency (90.31%). We chose F1, F2 and F3 for the further physical stability study using XRD to see whether the different concentrations of polymer interfered with the stability of DMEO in nanocapsules. Polymers were expected to adsorb to the surface of the nanocapsules, providing both electrostatic and steric repulsion among particles, therefore producing nanoparticles with decreased particle sizes and improved physical stability. The polymers may adsorb to the drug surfaces through several points along the polymer chains, enabling the loops and tails of the polymers to extend into the liquid medium, providing a steric effect.

Supplementary material

Supplementary File 1: Structure of 3',6-dimethoxy-3'',4''-(methylenedioxy)-2,5-epoxylignan-4'-ol (DMEO). ¹H and ¹³C NMR Data of DMEO

[Click here to access the data.](#)

The key finding in this work was that higher concentrations of polymer in the stirring solution during the production process yielded higher encapsulation efficiencies and smaller particle sizes. Tuning the polymer ratio was essential to obtaining spherical particles, without necessarily affecting the stability of the obtained nanocapsules.

Data availability

Dataset 1: Raw data for particle size, particle yields, nanocapsulation efficiencies and X-ray diffraction pattern values. [10.5256/f1000research.13047.d195348](https://doi.org/10.5256/f1000research.13047.d195348)¹²

6 Competing interests

No competing interests were disclosed.

Grant information

This work was supported by the Ministry of Research, Technology and Higher Education of Indonesia through a grant from WCU-UNHAS 2016-2017.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Acknowledgments

We are grateful to Dahlan Tahir from the Department of Physics, Faculty of Life Sciences for providing necessary research facilities.

References

1. Lauth M, Bergström A, Shimokawa T, *et al.*: **Inhibition of GLI-mediated transcription and tumor cell growth by small-molecule antagonists.** *Proc Natl Acad Sci U S A.* 2007; **104**(20): 8455–8460.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
2. Lee Y, Kawagoe R, Sasai K, *et al.*: **Loss of suppressor-of-fused function promotes tumorigenesis.** *Oncogene.* 2007; **26**(44): 6442–6447.
[PubMed Abstract](#) | [Publisher Full Text](#)
3. Altaba AR, Sánchez P, Dahmane N: **Gli and Hedgehog in cancer: tumours, embryos and stem cells.** *Nat Rev Cancer.* 2002; **2**(5): 361–367.
[PubMed Abstract](#) | [Publisher Full Text](#)
4. Rifai Y, Arai MA, Koyano T, *et al.*: **Terpenoids and a flavonoid glycoside from *Acacia pennata* leaves as hedgehog/GLI-mediated transcriptional inhibitors.** *J Nat Prod.* 2010; **73**(5): 995–997.
[PubMed Abstract](#) | [Publisher Full Text](#)
5. Rifai Y, Arai MA, Sadhu SK, *et al.*: **New Hedgehog/GLI signaling inhibitors from *Excocaria agallocha*.** *Bioorg Med Chem Lett.* 2011; **21**(2): 718–722.
[PubMed Abstract](#) | [Publisher Full Text](#)
6. Rifai Y, Arai MA, Koyano T, *et al.*: **Acoschimperoside P, 2'-acetate: a Hedgehog signaling inhibitory constituent from *Vallis glabra*.** *J Nat Med.* 2011; **65**(3–4): 629–632.
[PubMed Abstract](#) | [Publisher Full Text](#)
7. Rifai Y, Tani HB, Nur M, *et al.*: **Synthesis, Molecular Mechanism and Pharmacokinetic Studies of New Epoxy Lignan-Based Derivatives.** *Arch Pharm (Weinheim).* 2016; **349**(11): 848–852.
[PubMed Abstract](#) | [Publisher Full Text](#)
8. Brigger I, Dubemet C, Couvreur P: **Nanoparticles in cancer therapy and diagnosis.** *Adv Drug Deliv Rev.* 2002; **54**(5): 631–651.
[PubMed Abstract](#) | [Publisher Full Text](#)
9. Huynh-Ba K, Zahn M: **Understanding ICH Guidelines Applicable to Stability Testing.** *Handbook of Stability Testing in Pharmaceutical Development.* 1st ed. New York: Springer. 2009.
[Publisher Full Text](#)
10. Choi JY, Park CH, Lee J: **Effect of polymer molecular weight on nanocomminution of poorly soluble drug.** *Drug Deliv.* 2008; **15**(5): 347–353.
[PubMed Abstract](#) | [Publisher Full Text](#)
11. Duro R, Alvarez C, Martínez-Pacheco R, *et al.*: **The adsorption of cellulose ethers in aqueous suspensions of pyrantel pamoate: effects on zeta potential and stability.** *Eur J Pharm Biopharm.* 1998; **45**(2): 181–188.
[PubMed Abstract](#) | [Publisher Full Text](#)
12. Rifai Y, Riski R, Alam G, *et al.*: **Dataset 1 in: Characterization and stability evaluation of nanoencapsulated epoxyignans.** *F1000Research.* 2018.
<http://www.doi.org/10.5256/f1000research.13047.d195348>

Open Peer Review

Current Referee Status:  

Version 2

Referee Report 06 August 2018

doi:10.5256/f1000research.17172.r36598



Heni Rachmawati

School of Pharmacy, Research Center for Nanosciences and Nanotechnology, Bandung Institute of Technology, Bandung, Indonesia

The revised manuscript presents improved information and explanation regarding my previous comments. The manuscript is well written followed by clear figures which convince the basic findings. Although this is a small work, there are sufficient data to conclude early successful approach to improve the physicochemical lack of the active compound through encapsulation in the nanocarrier system.

Competing Interests: No competing interests were disclosed.

Referee Expertise: Pharmaceutics with focusing on nanotechnology-based drug formulation and delivery

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 1

Referee Report 23 May 2018

doi:10.5256/f1000research.14146.r33856



Heni Rachmawati

School of Pharmacy, Research Center for Nanosciences and Nanotechnology, Bandung Institute of Technology, Bandung, Indonesia

This article describes the strategy to improve the lack of physical characteristic of such natural active compound by developing the nanocarrier system based on polymer. The authors discussed the correlation between polymer concentration and the drug loading efficiency. The main objective as well as the concept is acceptable in term of scientific perspective. However, some lack important information in particular in the method session: how the drug-loaded nanocapsules was formed, the sample preparation on such evaluation e.g PXRD, and the detail on SEM analysis (magnification etc). The important data to conclude the successful approach are missing: solubility and/or dissolution rate. Also, the only PXRD data

is not sufficient to conclude the stability issue of the drug-loaded nanocapsules. The description presented in the result section is not sufficient to explain the phenomenon found in this study.

Is the work clearly and accurately presented and does it cite the current literature?

Partly

Is the study design appropriate and is the work technically sound?

Partly

Are sufficient details of methods and analysis provided to allow replication by others?

Partly

If applicable, is the statistical analysis and its interpretation appropriate?

Not applicable

Are all the source data underlying the results available to ensure full reproducibility?

Partly

Are the conclusions drawn adequately supported by the results?

Partly

Competing Interests: No competing interests were disclosed.

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 23 Jul 2018

Yusnita Rifai, Hasanuddin University, Indonesia

Thanks for valuable scientific feedback. We add some more explanation in the method session of the revised manuscript associated with how the drug-loaded nanocapsules are formed, the sample preparation and the detail on SEM analysis (magnification at 600x). As for the preparation of nanocapsules, the DMEQ can be encapsulated into nanocapsules at a maximum concentration of 1 mg/ml with the ratio maintained at the 1:40; 1:45; and 1:50 drug/polymer ratio.

Meanwhile, the diffraction patterns of the DMEQ-loaded nanocapsules exhibit a diffraction peak at $19.3^\circ 2\theta$. These results indicate that DMEQ-loaded nanocapsules are not present as a crystalline state, but are probably dissolved within the nanocapsule's core. It is noted that the only PXRD data is not sufficient to conclude the stability issue of the drug-loaded nanocapsules, the PXRD data aimed to characterize the crystallinity of DMEQ in the formulated nanocapsules.

Competing Interests: No competing interests were disclosed.

Referee Report 10 April 2018

doi:10.5256/f1000research.14146.r31917



Rani Sauriasari

Department of Pharmacy, Faculty of Pharmacy, Universitas Indonesia, Depok, Indonesia

The overall construct of the manuscript is generally concise. The authors highlight the higher concentrations of polymer in the stirring solution during the production process yielded higher encapsulation efficiencies and smaller particle sizes. However, it is better to add statistical analysis to show the correlation between concentration of polymer with encapsulation efficiency and particle size.

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Not applicable

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 23 Jul 2018

Yusnita Rifai, Hasanuddin University, Indonesia

Thanks for the valuable feedback. Statistical analysis is important to correctly interpret the data. However, because of the small number of sample formula and their repetitious treatment (n=3), we did not do any statistical analysis.

Competing Interests: No competing interests were disclosed.

The benefits of publishing with F1000Research:

- Your article is published within days, with no editorial bias
- You can publish traditional articles, null/negative results, case reports, data notes and more
- The peer review process is transparent and collaborative
- Your article is indexed in PubMed after passing peer review
- Dedicated customer support at every stage

For pre-submission enquiries, contact research@f1000.com

F1000Research

Characterization and stability evaluation of nanoencapsulated epoxy lignans

ORIGINALITY REPORT

16%

SIMILARITY INDEX

5%

INTERNET SOURCES

13%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

- 1** Wei Sun, Wei Tian, Yuyang Zhang, Jianyong He, Shirui Mao, Liang Fang. "Effect of novel stabilizers—cationic polymers on the particle size and physical stability of poorly soluble drug nanocrystals", *Nanomedicine: Nanotechnology, Biology and Medicine*, 2012
Publication 4%
- 2** eprints.gla.ac.uk
Internet Source 3%
- 3** Abdelwahed, W.. "A pilot study of freeze drying of poly(epsilon-caprolactone) nanocapsules stabilized by poly(vinyl alcohol): Formulation and process optimization", *International Journal of Pharmaceutics*, 20060217
Publication 3%
- 4** Schaffazick, Scheila R., Adriana R. Pohlmann, Graziela Mezzalira, and Sãlvia S. Guterres. "Development of nanocapsule suspensions and nanocapsule spray-dried powders 2%

containing melatonin", Journal of the Brazilian
Chemical Society, 2006.

Publication

5

Submitted to Oklahoma State University

Student Paper

2%

6

d2105gzef9joy6.cloudfront.net

Internet Source

2%

Exclude quotes On

Exclude matches < 2%

Exclude bibliography On