

Tris(N-benzyl-N-methyldithiocarbamatoj2 S,S0)  
(1,10-phenanthroline-j2 N,N0)-  
europium(III)  
*by*

---

FILE IUCR\_SEIK\_WENG.PDF (447.4K)  
TIME SUBMITTED 06-AUG-2019 10:47AM (UTC+0700)  
SUBMISSION ID 1157988728

WORD COUNT 5791  
CHARACTER COUNT 19962

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

## Tris(*N*-benzyl-*N*-methyldithiocarbamate- $\kappa^2$ S,S')(1,10-phenanthroline- $\kappa^2$ N,N')-europium(III)

Ibrahim Baba,<sup>a</sup> Indah Raya,<sup>a</sup> Bohari M. Yamin<sup>a</sup> and Seik Weng Ng<sup>b\*</sup>

<sup>a</sup>School of Chemical Sciences, Universiti Kebangsaan Malaysia, 43600 Bangi, Selangor Darul Ehsan, Malaysia, and <sup>b</sup>Department of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia

Correspondence e-mail: seikweng@um.edu.my


Received 9 October 2009; accepted 9 October 2009

Key indicators: single-crystal X-ray study;  $T = 293$  K; mean  $\sigma(\text{C}-\text{C}) = 0.009$  Å;  $R$  factor = 0.051;  $wR$  factor = 0.141; data-to-parameter ratio = 18.8.

In the title compound,  $[\text{Eu}(\text{C}_9\text{H}_{10}\text{NS}_2)_3(\text{C}_{12}\text{H}_8\text{N}_2)]$ , the Eu<sup>III</sup> atom exists in a distorted square-antiprismatic coordination geometry. Both dithiocarbamate and the *N*-heterocyclic ligands function in a chelating mode.

### Related literature

For the crystal structures of other europium dithiocarbamate-1,10-phenanthroline adducts see: Regulacio *et al.* (2005); Su *et al.* (1996); Varand *et al.* (1996).



### Experimental

#### Crystal data

$[\text{Eu}(\text{C}_9\text{H}_{10}\text{NS}_2)_3(\text{C}_{12}\text{H}_8\text{N}_2)]$   
 $M_r = 921.06$   
 Triclinic,  $P\bar{1}$   
 $a = 10.691$  (1) Å  
 $b = 12.288$  (1) Å  
 $c = 16.553$  (2) Å  
 $\alpha = 73.652$  (2)°  
 $\beta = 74.720$  (2)°

$\gamma = 71.629$  (2)°  
 $V = 1943.5$  (3) Å<sup>3</sup>  
 $Z = 2$   
 Mo  $K\alpha$  radiation  
 $\lambda = 1.97$  mm<sup>-1</sup>  
 $T = 293$  K  
 $0.48 \times 0.35 \times 0.20$  mm

#### Data collection

Bruker SMART APEX  
 22 diffractometer  
 Absorption correction: multi-scan  
 (SADABS; Sheldrick, 1996)  
 $T_{\min} = 0.451$ ,  $T_{\max} = 0.694$

21775 measured reflections  
 8695 independent reflections  
 7425 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.040$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.051$   
 $wR(F^2) = 0.141$   
 $S = 1.08$   
 8695 reflections

463 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 3.56$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -1.65$  e Å<sup>-3</sup>

Table 1

Selected bond lengths (Å).

Eu1—N5	2.540 (4)	Eu1—S2	2.8627 (13)
Eu1—N4	2.569 (4)	Eu1—S5	2.8781 (12)
Eu1—S4	2.8451 (13)	Eu1—S6	2.8859 (12)
Eu1—S3	2.8523 (14)	Eu1—S1	2.8970 (12)

4 Data collection: SMART (Bruker, 2000); cell refinement: SAINT (Bruker, 2000); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: X-SEED (Barbour, 2001); software used to prepare material for publication: publCIF (Westrip, 2009).

We thank Universiti Kebangsaan Malaysia (UKM-GUP-NBT-08-27-111 and 06-01-02-SF0539) and the University of Malaya for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU2634).

### References

- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.  
 Bruker (2000). SAINT and SMART. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Regulacio, M. D., Tomson, N. & Stoll, S. L. (2005). *Chem. Mater.* **17**, 3114–3121.  
 Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Su, C.-Y., Tan, M.-Y., Tang, N., Gan, X.-M., Lu, W.-S. & Wang, X. (1996). *J. Coord. Chem.* **38**, 207–218.  
 Varand, V. L., Glinskaya, L. A., Klevtsova, R. F. & Larionov, S. V. (1996). *Zh. Strukt. Khim.* **39**, 300–309.  
 Westrip, S. P. (2009). publCIF. In preparation.

## supporting information

*Acta Cryst.* (2009). E65, m1376 [https://doi.org/10.1107/S160053680904135X]

**Tris(*N*-benzyl-*N*-methyldithiocarbamato- $\kappa^2S,S'$ )(1,10-phenanthroline- $\kappa^2N,N'$ )europium(III)**


**Ibrahim Baba, Indah Raya, Bohari M. Yamin and Seik Weng Ng**

**S1. Experimental**

Europium(III) chloride (10 mmol) was reacted with 1,10-phenanthroline (10 mmol) in boiling water (15 ml). The solution was then cooled to 280 K. Separately, benzylmethylamine (30 mmol), carbon disulfide (30 mmol) and potassium hydroxide (30 mmol) were reacted in ethanol (15 ml) at 280 K. The two solutions were mixed. The white solid that precipitated was collected and recrystallized from ethanol.

**S2. Refinement**

Carbon-bound H-atoms were placed in calculated positions (C—H 0.93 to 0.97 Å) and were included in the refinement in the riding model approximation, with  $U(H)$  set to 1.2 to 1.5 $U(C)$ . The final difference Fourier map has a large peak/deep hole in the vicinity of Eu1.



**Figure 1**

Thermal ellipsoid plot (Barbour, 2001) of  $\text{Eu}(\text{C}_{12}\text{H}_8\text{N}_2)(\text{C}_9\text{H}_8\text{NS}_2)_3$  at the 50% probability level. Hydrogen atoms are drawn as spheres of arbitrary radius.




Figure 2

Eight-coordinate coordination geometry of Eu.

Tris(*N*-benzyl-*N*-methyldithiocarbamato- $\kappa^2S,S'$ )(1,10-phenanthroline- $\kappa^2N,N'$ )europium(III)

#### Crystal data

[Eu(C<sub>9</sub>H<sub>10</sub>NS<sub>2</sub>)<sub>3</sub>(C<sub>12</sub>H<sub>8</sub>N<sub>2</sub>)]

$M_r = 921.06$

Triclinic,  $P\bar{1}$

Hall symbol:  $-P\ 1$

$a = 10.691\ (1)\ \text{\AA}$

$b = 12.288\ (1)\ \text{\AA}$

$c = 16.553\ (2)\ \text{\AA}$

$\alpha = 73.652\ (2)^\circ$

$\beta = 74.720\ (2)^\circ$

$\gamma = 71.629\ (2)^\circ$

$V = 1943.5\ (3)\ \text{\AA}^3$

$Z = 2$

$F(000) = 932$

$D_x = 1.574\ \text{Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 946 reflections

$\theta = 2.3\text{--}28.1^\circ$

$\mu = 1.978\ \text{mm}^{-1}$

$T = 293\ \text{K}$

Block, brown

$0.48 \times 0.35 \times 0.20\ \text{mm}$

#### Data collection

Bruker SMART APEX

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution:  $8.33\ \text{pixels mm}^{-1}$

$\varphi$  and  $\omega$  scans

Absorption correction: multi-scan

(1) (SADABS; Sheldrick, 1996)

$T_{\min} = 0.451$ ,  $T_{\max} = 0.694$

21775 measured reflections

8695 independent reflections

7425 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.040$

$\theta_{\max} = 27.5^\circ$ ,  $\theta_{\min} = 1.3^\circ$

$h = -13 \rightarrow 13$

$k = -15 \rightarrow 15$

$l = -21 \rightarrow 21$

Refinement

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.051$   
 $wR(F^2) = 0.141$   
 $S = 1.08$   
 8695 reflections  
 463 parameters  
 0 restraints  
 Primary atom site location: structure-invariant  
 direct methods

Secondary atom site location: difference Fourier  
 map  
 Hydrogen site location: inferred from  
 neighbouring sites  
 H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0982P)^2]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} = 0.001$   
 $\Delta\rho_{\max} = 3.56 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\min} = -1.65 \text{ e } \text{\AA}^{-3}$

Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Eu1	0.74676 (2)	0.689048 (17)	0.257329 (13)	0.03679 (10)
S1	0.66925 (12)	0.77165 (10)	0.09104 (7)	0.0440 (3)
S2	0.81829 (16)	0.89432 (12)	0.14613 (9)	0.0563 (3)
S3	0.58827 (15)	0.68170 (17)	0.42600 (9)	0.0732 (5)
S4	0.46969 (14)	0.81089 (12)	0.27570 (8)	0.0568 (3)
S5	0.88318 (12)	0.48647 (10)	0.36901 (8)	0.0437 (2)
S6	0.97198 (13)	0.70423 (10)	0.31481 (8)	0.0460 (3)
N1	0.7477 (4)	0.9584 (3)	-0.0077 (2)	0.0444 (8)
N2	0.3278 (4)	0.7922 (4)	0.4342 (3)	0.0479 (9)
N3	1.1131 (4)	0.5000 (3)	0.3939 (2)	0.0439 (8)
N4	0.9334 (4)	0.5677 (3)	0.1596 (2)	0.0393 (8)
N5	0.6988 (4)	0.5086 (3)	0.2389 (2)	0.0389 (8)
C1	0.7458 (4)	0.8818 (4)	0.0689 (3)	0.0407 (9)
C2	0.6808 (6)	0.9534 (5)	-0.0728 (3)	0.0577 (13)
H2A	0.6126	0.9121	-0.0458	0.087*
H2B	0.7455	0.9132	-0.1143	0.087*
H2C	0.6403	1.0318	-0.1008	0.087*
C3	0.8156 (5)	1.0535 (4)	-0.0322 (3)	0.0526 (12)
H3A	0.8786	1.0477	-0.0860	0.063*
H3B	0.8660	1.0445	0.0112	0.063*
C4	0.7169 (5)	1.1726 (4)	-0.0420 (3)	0.0465 (10)
C5	0.6238 (6)	1.2077 (5)	0.0273 (3)	0.0554 (12)
H5	0.6231	1.1579	0.0813	0.066*
C6	0.5311 (6)	1.3166 (5)	0.0173 (4)	0.0627 (14)
H6	0.4688	1.3392	0.0646	0.075*
C7	0.5309 (6)	1.3905 (5)	-0.0613 (5)	0.0666 (15)
H7	0.4679	1.4631	-0.0680	0.080*
C8	0.6242 (7)	1.3573 (5)	-0.1307 (4)	0.0667 (15)

H8	0.6256	1.4082	-0.1842	0.080*
C9	0.7156 (6)	1.2490 (5)	-0.1215 (3)	0.0551 (12)
H9	0.7772	1.2269	-0.1692	0.066*
C10	0.4478 (5)	0.7666 (4)	0.3853 (3)	0.0414 (9)
C11	0.2099 (6)	0.8641 (6)	0.3984 (4)	0.0676 (16)
H11A	0.2361	0.9200	0.3479	0.101*
H11B	0.1466	0.9051	0.4400	0.101*
H11C	0.1694	0.8148	0.3836	0.101*
C12	0.3024 (6)	0.7410 (4)	0.5268 (3)	0.0590 (14)
H12A	0.3876	0.6988	0.5443	0.071*
H12B	0.2505	0.6846	0.5374	0.071*
C13	0.2287 (5)	0.8296 (4)	0.5812 (3)	0.0501 (11)
C14	0.1026 (6)	0.8280 (5)	0.6291 (3)	0.0581 (13)
H14	0.0611	0.7740	0.6254	0.070*
C15	0.0368 (7)	0.9051 (5)	0.6825 (4)	0.0694 (16)
H15	-0.0477	0.9021	0.7154	0.083*
C16	0.0970 (9)	0.9863 (6)	0.6868 (4)	0.086 (2)
H16	0.0530	1.0383	0.7229	0.103*
C17	0.2201 (10)	0.9912 (7)	0.6387 (5)	0.091 (2)
H17	0.2589	1.0481	0.6407	0.110*
C18	0.2885 (7)	0.9115 (6)	0.5866 (4)	0.0727 (17)
H18	0.3743	0.9131	0.5554	0.087*
C19	1.0011 (4)	0.5575 (4)	0.3627 (3)	0.0364 (8)
C20	1.2179 (5)	0.5553 (5)	0.3872 (4)	0.0560 (12)
H20A	1.2487	0.5880	0.3279	0.084*
H20B	1.2915	0.4979	0.4104	0.084*
H20C	1.1830	0.6168	0.4186	0.084*
C21	1.1386 (5)	0.3742 (4)	0.4357 (3)	0.0471 (11)
H21A	1.0532	0.3546	0.4591	0.057*
H21B	1.1829	0.3602	0.4832	0.057*
C22	1.2240 (5)	0.2934 (4)	0.3764 (3)	0.0437 (10)
C23	1.3054 (7)	0.1868 (5)	0.4098 (4)	0.0637 (15)
H23	1.3098	0.1671	0.4676	0.076*
C24	1.3804 (8)	0.1091 (5)	0.3577 (5)	0.0799 (19)
H24	1.4345	0.0375	0.3811	0.096*
C25	1.3762 (7)	0.1359 (5)	0.2727 (4)	0.0694 (16)
H25	1.4265	0.0832	0.2381	0.083*
C26	1.2970 (6)	0.2412 (6)	0.2395 (4)	0.0661 (15)
H26	1.2938	0.2605	0.1814	0.079*
C27	1.2210 (5)	0.3205 (5)	0.2903 (3)	0.0553 (12)
H27	1.1678	0.3922	0.2662	0.066*
C28	0.5873 (5)	0.4759 (4)	0.2804 (3)	0.0488 (11)
H28	0.5237	0.5229	0.3155	0.059*
C29	0.5608 (5)	0.3747 (5)	0.2739 (4)	0.0550 (12)
H29	0.4805	0.3563	0.3031	0.066*
C30	0.6523 (6)	0.3040 (4)	0.2252 (3)	0.0540 (12)
H30	0.6361	0.2358	0.2211	0.065*
C31	0.7737 (5)	0.3339 (4)	0.1800 (3)	0.0438 (10)

C32	0.7923 (4)	0.4368 (4)	0.1904 (3)	0.0376 (9)
C33	0.8754 (6)	0.2628 (4)	0.1285 (3)	0.0550 (13)
H33	0.8613	0.1956	0.1211	0.066*
C34	0.9919 (6)	0.2908 (4)	0.0902 (3)	0.0537 (12)
H34	1.0576	0.2424	0.0571	0.064*
C35	1.0163 (5)	0.3941 (4)	0.0998 (3)	0.0443 (10)
C36	0.9166 (4)	0.4682 (4)	0.1487 (3)	0.0372 (9)
C37	1.1370 (5)	0.4265 (5)	0.0607 (3)	0.0520 (12)
H37	1.2053	0.3799	0.0276	0.062*
C38	1.1533 (5)	0.5270 (5)	0.0718 (3)	0.0529 (12)
H38	1.2324	0.5498	0.0464	0.063*
C39	1.0476 (5)	0.5953 (5)	0.1225 (3)	0.0459 (10)
H39	1.0591	0.6634	0.1302	0.055*

11

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Eu1	0.03964 (14)	0.02894 (13)	0.04105 (14)	-0.00537 (9)	-0.00616 (9)	-0.01192 (9)
S1	0.0525 (6)	0.0400 (6)	0.0444 (6)	-0.0150 (5)	-0.0092 (5)	-0.0136 (4)
S2	0.0776 (9)	0.0503 (7)	0.0541 (7)	-0.0315 (7)	-0.0285 (6)	-0.0003 (5)
S3	0.0493 (8)	0.1024 (13)	0.0442 (7)	0.0127 (7)	-0.0121 (6)	-0.0132 (7)
S4	0.0528 (7)	0.0582 (8)	0.0435 (6)	0.0107 (6)	-0.0115 (5)	-0.0126 (5)
S5	0.0435 (6)	0.0329 (5)	0.0548 (6)	-0.0110 (4)	-0.0120 (5)	-0.0060 (4)
S6	0.0527 (7)	0.0319 (5)	0.0566 (7)	-0.0130 (5)	-0.0139 (5)	-0.0089 (5)
N1	0.049 (2)	0.0374 (19)	0.044 (2)	-0.0091 (16)	-0.0110 (17)	-0.0051 (15)
N2	0.041 (2)	0.045 (2)	0.051 (2)	-0.0045 (17)	-0.0038 (17)	-0.0131 (17)
N3	0.045 (2)	0.042 (2)	0.047 (2)	-0.0088 (16)	-0.0111 (16)	-0.0130 (16)
N4	0.0377 (19)	0.0356 (18)	0.0443 (19)	-0.0076 (15)	-0.0053 (15)	-0.0126 (15)
N5	0.0360 (18)	0.0360 (18)	0.0449 (19)	-0.0065 (14)	-0.0098 (15)	-0.0105 (15)
C1	0.043 (2)	0.037 (2)	0.042 (2)	-0.0056 (18)	-0.0112 (18)	-0.0116 (17)
C2	0.073 (4)	0.058 (3)	0.046 (3)	-0.012 (3)	-0.022 (2)	-0.012 (2)
C3	0.047 (3)	0.049 (3)	0.055 (3)	-0.015 (2)	-0.010 (2)	0.001 (2)
C4	0.048 (3)	0.044 (2)	0.051 (3)	-0.020 (2)	-0.014 (2)	-0.002 (2)
C5	0.064 (3)	0.056 (3)	0.051 (3)	-0.025 (3)	-0.009 (2)	-0.009 (2)
C6	0.061 (3)	0.062 (3)	0.073 (4)	-0.019 (3)	-0.005 (3)	-0.030 (3)
C7	0.069 (4)	0.043 (3)	0.097 (5)	-0.012 (3)	-0.031 (3)	-0.018 (3)
C8	0.082 (4)	0.047 (3)	0.073 (4)	-0.019 (3)	-0.032 (3)	0.002 (3)
C9	0.063 (3)	0.050 (3)	0.050 (3)	-0.017 (2)	-0.012 (2)	-0.005 (2)
C10	0.043 (2)	0.038 (2)	0.041 (2)	-0.0041 (18)	-0.0064 (18)	-0.0127 (17)
C11	0.047 (3)	0.071 (4)	0.080 (4)	0.001 (3)	-0.018 (3)	-0.022 (3)
C12	0.068 (3)	0.038 (3)	0.058 (3)	-0.009 (2)	0.006 (3)	-0.011 (2)
C13	0.062 (3)	0.035 (2)	0.047 (2)	-0.009 (2)	-0.006 (2)	-0.0068 (19)
C14	0.059 (3)	0.049 (3)	0.057 (3)	-0.003 (2)	-0.003 (2)	-0.016 (2)
C15	0.066 (4)	0.056 (3)	0.063 (3)	0.010 (3)	-0.005 (3)	-0.015 (3)
C16	0.136 (7)	0.045 (3)	0.065 (4)	0.001 (4)	-0.020 (4)	-0.021 (3)
C17	0.140 (7)	0.064 (4)	0.087 (5)	-0.042 (5)	-0.022 (5)	-0.027 (4)
C18	0.083 (4)	0.065 (4)	0.071 (4)	-0.032 (3)	-0.005 (3)	-0.011 (3)
C19	0.040 (2)	0.034 (2)	0.0358 (19)	-0.0082 (17)	-0.0032 (16)	-0.0135 (16)

C20	0.050 (3)	0.061 (3)	0.064 (3)	-0.017 (2)	-0.015 (2)	-0.017 (3)
C21	0.045 (2)	0.048 (3)	0.042 (2)	-0.004 (2)	-0.0115 (19)	-0.0051 (19)
C22	0.045 (2)	0.039 (2)	0.050 (2)	-0.0120 (19)	-0.011 (2)	-0.0097 (19)
C23	0.087 (4)	0.040 (3)	0.059 (3)	-0.004 (3)	-0.023 (3)	-0.007 (2)
C24	0.105 (5)	0.036 (3)	0.092 (5)	0.003 (3)	-0.031 (4)	-0.017 (3)
C25	0.073 (4)	0.051 (3)	0.085 (4)	-0.011 (3)	-0.005 (3)	-0.033 (3)
C26	0.073 (4)	0.065 (4)	0.058 (3)	-0.010 (3)	-0.008 (3)	-0.023 (3)
C27	0.053 (3)	0.052 (3)	0.052 (3)	-0.001 (2)	-0.009 (2)	-0.013 (2)
C28	0.043 (2)	0.047 (3)	0.058 (3)	-0.013 (2)	-0.007 (2)	-0.013 (2)
C29	0.050 (3)	0.049 (3)	0.069 (3)	-0.019 (2)	-0.014 (2)	-0.009 (2)
C30	0.068 (3)	0.038 (2)	0.065 (3)	-0.023 (2)	-0.020 (3)	-0.008 (2)
C31	0.056 (3)	0.032 (2)	0.047 (2)	-0.0099 (19)	-0.020 (2)	-0.0066 (18)
C32	0.042 (2)	0.0299 (19)	0.044 (2)	-0.0044 (16)	-0.0164 (18)	-0.0099 (16)
C33	0.077 (4)	0.037 (2)	0.057 (3)	-0.007 (2)	-0.024 (3)	-0.018 (2)
C34	0.064 (3)	0.041 (3)	0.053 (3)	0.002 (2)	-0.013 (2)	-0.022 (2)
C35	0.047 (2)	0.041 (2)	0.039 (2)	0.0018 (19)	-0.0105 (19)	-0.0123 (18)
C36	0.040 (2)	0.034 (2)	0.037 (2)	-0.0033 (17)	-0.0100 (17)	-0.0114 (16)
C37	0.042 (3)	0.061 (3)	0.048 (3)	0.003 (2)	-0.007 (2)	-0.024 (2)
C38	0.041 (2)	0.066 (3)	0.049 (3)	-0.013 (2)	0.000 (2)	-0.017 (2)
C39	0.039 (2)	0.052 (3)	0.047 (2)	-0.013 (2)	-0.0019 (19)	-0.016 (2)

*Geometric parameters (Å, °)*

Eu1—N5	2.540 (4)	C12—H12B	0.9700
Eu1—N4	2.569 (4)	C13—C14	1.375 (7)
Eu1—S4	2.8451 (13)	C13—C18	1.384 (8)
Eu1—S3	2.8523 (14)	C14—C15	1.377 (8)
Eu1—S2	2.8627 (13)	C14—H14	0.9300
Eu1—S5	2.8781 (12)	C15—C16	1.372 (10)
Eu1—S6	2.8859 (12)	C15—H15	0.9300
Eu1—S1	2.8970 (12)	C16—C17	1.357 (12)
S1—C1	1.702 (5)	C16—H16	0.9300
S2—C1	1.723 (5)	C17—C18	1.389 (10)
S3—C10	1.717 (5)	C17—H17	0.9300
S4—C10	1.716 (5)	C18—H18	0.9300
S5—C19	1.713 (4)	C20—H20A	0.9600
S6—C19	1.717 (4)	C20—H20B	0.9600
N1—C1	1.349 (6)	C20—H20C	0.9600
N1—C2	1.465 (6)	C21—C22	1.512 (7)
N1—C3	1.473 (6)	C21—H21A	0.9700
N2—C10	1.320 (6)	C21—H21B	0.9700
N2—C11	1.455 (7)	C22—C27	1.376 (7)
N2—C12	1.471 (7)	C22—C23	1.380 (7)
N3—C19	1.337 (6)	C23—C24	1.384 (9)
N3—C20	1.450 (6)	C23—H23	0.9300
N3—C21	1.475 (6)	C24—C25	1.360 (10)
N4—C39	1.315 (6)	C24—H24	0.9300
N4—C36	1.357 (5)	C25—C26	1.360 (9)

N5—C28	1.330 (6)	C25—H25	0.9300
N5—C32	1.357 (5)	C26—C27	1.385 (8)
C2—H2A	0.9600	<b>2</b> C26—H26	0.9300
C2—H2B	0.9600	C27—H27	0.9300
<b>2</b> C2—H2C	0.9600	C28—C29	1.397 (7)
C3—C4	1.505 (7)	C28—H28	0.9300
C3—H3A	0.9700	C29—C30	1.344 (8)
C3—H3B	0.9700	C29—H29	0.9300
C4—C5	1.377 (7)	C30—C31	1.419 (7)
C4—C9	1.386 (7)	C30—H30	0.9300
C5—C6	1.388 (8)	C31—C32	1.402 (6)
C5—H5	0.9300	C31—C33	1.415 (7)
C6—C7	1.361 (9)	C32—C36	1.443 (6)
C6—H6	0.9300	C33—C34	1.343 (8)
C7—C8	1.372 (9)	C33—H33	0.9300
C7—H7	0.9300	C34—C35	1.431 (7)
C8—C9	1.376 (8)	C34—H34	0.9300
C8—H8	0.9300	C35—C36	1.403 (6)
C9—H9	0.9300	<b>2</b> C35—C37	1.408 (7)
C11—H11A	0.9600	C37—C38	1.367 (8)
C11—H11B	0.9600	C37—H37	0.9300
C11—H11C	0.9600	C38—C39	1.410 (7)
C12—C13	1.501 (7)	C38—H38	0.9300
C12—H12A	0.9700	C39—H39	0.9300
		<b>1</b>	
N5—Eu1—N4	64.41 (11)	N2—C12—H12A	108.7
N5—Eu1—S4	91.49 (9)	C13—C12—H12A	108.7
N4—Eu1—S4	141.09 (9)	N2—C12—H12B	108.7
N5—Eu1—S3	94.45 (9)	C13—C12—H12B	108.7
N4—Eu1—S3	144.46 (9)	H12A— <b>4</b> C12—H12B	107.6
S4—Eu1—S3	61.51 (4)	C14—C13—C18	118.7 (5)
N5—Eu1—S2	136.16 (9)	C14—C13—C12	120.6 (5)
N4—Eu1—S2	87.66 (9)	C18—C13—C12	120.6 (5)
S4—Eu1—S2	90.73 (4)	C13—C14—C15	121.1 (6)
S3—Eu1—S2	124.44 (5)	C13—C14—H14	119.4
N5—Eu1—S5	71.80 (8)	C15—C14—H14	119.4
N4—Eu1—S5	73.60 (9)	C16—C15—C14	119.4 (6)
S4—Eu1—S5	129.73 (4)	C16—C15—H15	120.3
S3—Eu1—S5	72.65 (4)	C14—C15—H15	120.3
S2—Eu1—S5	134.15 (4)	C17—C16—C15	120.5 (6)
N5—Eu1—S6	128.70 (8)	C17—C16—H16	119.7
N4—Eu1—S6	82.53 (9)	C15—C16—H16	119.7
S4—Eu1—S6	134.30 (4)	C16—C17—C18	120.2 (7)
S3—Eu1—S6	90.97 (4)	C16—C17—H17	119.9
S2—Eu1—S6	75.11 (4)	C18—C17—H17	119.9
S5—Eu1—S6	61.43 (3)	C13—C18—C17	119.9 (7)
N5—Eu1—S1	78.24 (8)	C13—C18—H18	120.0
N4—Eu1—S1	75.12 (9)	C17—C18—H18	120.0

S4—Eu1—S1	70.08 (4)	N3—C19—S5	120.9 (3)
S3—Eu1—S1	130.85 (4)	N3—C19—S6	120.9 (3)
S2—Eu1—S1	61.59 (3)	S5— <b>14</b> —S6	118.2 (3)
S5—Eu1— <b>25</b>	143.61 (3)	N3—C20—H20A	109.5
S6—Eu1—S1	131.41 (3)	N3—C20—H20B	109.5
C1—S1—Eu1	89.39 (15)	H20A—C20—H20B	109.5
C1—S2—Eu1	90.12 (16)	N3—C20—H20C	109.5
C10—S3—Eu1	91.03 (16)	H20A—C20—H20C	109.5
C10—S4—Eu1	91.30 (16)	H20B—C20—H20C	109.5
C19—S5—Eu1	89.86 (15)	N3—C21—C22	113.9 (4)
<b>10</b> —S6—Eu1	89.51 (15)	N3—C21—H21A	108.8
C1—N1—C2	122.1 (4)	C22—C21—H21A	108.8
C1—N1—C3	123.1 (4)	N3—C21—H21B	108.8
C2—N1—C <b>24</b>	114.8 (4)	C22—C21—H21B	108.8
C10—N2—C11	121.8 (4)	H21A—C21—H21B	107.7
C10—N2—C12	122.2 (4)	C27—C22—C23	118.3 (5)
C11—N2—C12	115.7 (4)	C27—C22—C21	122.5 (4)
C19—N3—C20	122.8 (4)	<b>6</b> —C3—C22—C21	119.2 (4)
C19— <b>1</b> —C21	121.3 (4)	C24—C23—C22	120.4 (6)
C20—N3—C21	115.9 (4)	C24—C23—H23	119.8
C39—N4—C36	118.3 (4)	C22—C23—H23	119.8
C39—N4—Eu1	122.7 (3)	C25—C24—C23	121.0 (6)
C36—N4—Eu1	119.0 (3)	C25—C24—H24	119.5
C28—N5—C32	117.4 (4)	C23—C24—H24	119.5
C28—N5—Eu1	122.1 (3)	C26—C25—C24	118.7 (6)
<b>20</b> —N5—Eu1	120.3 (3)	C26—C25—H25	120.6
N1—C1—S1	120.1 (3)	C24—C25—H25	120.6
N1—C1—S2	121.0 (3)	C25—C26—C27	121.3 (6)
<b>16</b> —C1—S2	118.9 (3)	C25—C26—H26	119.3
N1—C2—H2A	109.5	C27— <b>2</b> —H26	119.3
N1—C2—H2B	109.5	C22—C27—C26	120.2 (5)
H2A—C2—H2B	109.5	C22—C27—H27	119.9
N1—C2—H2C	109.5	C26—C27—H27	119.9
H2A—C2—H2C	109.5	N5—C28—C29	123.3 (5)
H2B— <b>13</b> —H2C	109.5	N5—C28—H28	118.4
N1—C3—C4	111.7 (4)	C29—C28—H28	118.4
N1—C3—H3A	109.3	C30—C29—C28	119.6 (5)
C4—C3—H3A	109.3	C30—C29—H29	120.2
N1—C3—H3B	109.3	C28—C29—H29	120.2
C4—C3—H3B	109.3	C29—C30—C31	119.6 (4)
H3A—C3—H3B	107.9	C29—C30—H30	120.2
C5—C4—C9	118.2 (5)	C31—C30—H30	120.2
C5—C4—C3	121.1 (4)	C32—C31—C30	117.1 (4)
C9—C4—C3	120.7 (5)	<b>21</b> —C31—C33	120.2 (5)
C4—C5—C6	120.7 (5)	C30—C31—C33	122.7 (4)
C4—C5—H5	119.7	N5—C32—C31	123.0 (4)
C6—C5—H5	119.7	N5—C32—C36	117.9 (4)
C7—C6—C5	120.4 (6)	C31—C32—C36	119.1 (4)

<b>9</b>		<b>6</b>	
C7—C6—H6	119.8	C34—C33—C31	121.1 (5)
C5—C6—H6	119.8	C34—C33—H33	119.5
C6—C7—C8	119.5 (6)	C31—C33—H33	119.5
C6—C7—H7	120.3	C33—C34—C35	120.8 (4)
C8—C7—H7	120.3	C33—C34—H34	119.6
C9—C8—C7	120.5 (6)	C35—C34—H34	119.6
C9—C8—H8	119.8	C36—C35—C37	117.7 (4)
C7—C8—H8	119.8	C36—C35—C34	119.7 (4)
C8—C9—C4	120.7 (6)	C37—C35—C34	122.6 (4)
C8—C9—H9	119.6	N4—C36—C35	122.5 (4)
C4—C9—H9	119.6	N4—C36—C32	118.4 (4)
N2—C10—S4	121.0 (4)	C35—C36—C32	119.1 (4)
N2—C10—S3	122.7 (4)	C38—C37—C35	119.7 (4)
S4—C10—S3	116.2 (3)	C38—C37—H37	120.2
N2—C11—H11A	109.5	C35—C37—H37	120.2
N2—C11—H11B	109.5	C37—C38—C39	118.5 (5)
H11A—C11—H11B	109.5	C37—C38—H38	120.8
N2—C11—H11C	109.5	C39—C38—H38	120.8
H11A—C11—H11C	109.5	N4—C39—C38	123.4 (5)
H11B—C11—H11C	109.5	N4—C39—H39	118.3
N2—C12—C13	114.0 (4)	C38—C39—H39	118.3
		<b>10</b>	
N5—Eu1—S1—C1	-160.64 (18)	C4—C5—C6—C7	0.0 (8)
N4—Eu1—S1—C1	-94.29 (17)	C5—C6—C7—C8	-0.8 (9)
S4—Eu1—S1—C1	103.41 (16)	C6—C7—C8—C9	1.4 (9)
S3—Eu1—S1—C1	113.68 (16)	C7—C8—C9—C4	-1.2 (9)
S2—Eu1—S1—C1	1.20 (16)	C5—C4—C9—C8	0.4 (8)
S5—Eu1—S1—C1	-125.73 (16)	C3—C4—C9—C8	179.1 (5)
S6—Eu1—S1—C1	-28.73 (16)	C11—N2—C10—S4	-3.4 (7)
N5—Eu1—S2—C1	24.9 (2)	C12—N2—C10—S4	170.7 (4)
N4—Eu1—S2—C1	73.14 (18)	C11—N2—C10—S3	-179.8 (4)
S4—Eu1—S2—C1	-67.97 (16)	C12—N2—C10—S3	-5.8 (7)
S3—Eu1—S2—C1	-123.24 (16)	Eu1—S4—C10—N2	-175.9 (4)
S5—Eu1—S2—C1	137.44 (15)	Eu1—S4—C10—S3	0.8 (3)
S6—Eu1—S2—C1	156.03 (16)	Eu1—S3—C10—N2	175.9 (4)
S1—Eu1—S2—C1	-1.19 (15)	N1—S3—C10—S4	-0.8 (3)
N5—Eu1—S3—C10	-88.80 (19)	C10—N2—C12—C13	130.3 (5)
N4—Eu1—S3—C10	-139.3 (2)	C11—N2—C12—C13	-55.4 (7)
S4—Eu1—S3—C10	0.48 (17)	N2—C12—C13—C14	115.9 (6)
S2—Eu1—S3—C10	69.71 (18)	N2—C12—C13—C18	-66.7 (7)
S5—Eu1—S3—C10	-158.17 (18)	C18—C13—C14—C15	-0.8 (9)
S6—Eu1—S3—C10	142.26 (17)	C12—C13—C14—C15	176.7 (6)
S1—Eu1—S3—C10	-10.51 (19)	C13—C14—C15—C16	1.3 (9)
N5—Eu1—S4—C10	93.77 (18)	C14—C15—C16—C17	0.2 (11)
N4—Eu1—S4—C10	142.8 (2)	C15—C16—C17—C18	-2.0 (12)
S3—Eu1—S4—C10	-0.48 (17)	C14—C13—C18—C17	-1.1 (10)
S2—Eu1—S4—C10	-130.01 (17)	C12—C13—C18—C17	-178.5 (6)
S5—Eu1—S4—C10	26.39 (18)	C16—C17—C18—C13	2.5 (12)

## supporting information

S6—Eu1—S4—C10	-60.29 (17)	C20—23—C19—S5	177.6 (4)
S1—Eu1—S4—C10	170.70 (17)	C21—N3—C19—S5	-0.7 (6)
N5—Eu1—S5—C19	152.45 (16)	C20—N3—C19—S6	-2.1 (6)
N4—Eu1—S5—C19	84.61 (16)	C21—N3—C19—S6	179.6 (3)
S4—Eu1—S5—C19	-131.30 (14)	Eu1—S5—C19—N3	-170.0 (3)
S3—Eu1—S5—C19	-106.71 (14)	Eu1—S5—C19—S6	9.6 (2)
S2—Eu1—S5—C19	14.80 (15)	Eu1—S6—C19—N3	170.0 (3)
S6—Eu1—S5—C19	-5.74 (14)	Eu1—S6—3—9—S5	-9.6 (2)
S1—Eu1—S5—C19	116.31 (14)	C19—N3—C21—C22	95.4 (5)
N5—Eu1—S6—C19	-21.16 (18)	C20—N3—C21—C22	-83.0 (5)
N4—Eu1—S6—C19	-69.62 (16)	N3—C21—C22—C27	-31.9 (7)
S4—Eu1—S6—C19	124.76 (14)	N3—C21—C22—C23	150.1 (5)
S3—Eu1—S6—C19	75.32 (14)	C27—C22—C23—C24	-0.7 (9)
S2—Eu1—S6—C19	-159.18 (14)	C21—C22—C23—C24	177.3 (6)
S5—Eu1—S6—C19	5.73 (14)	C22—C23—C24—C25	0.2 (11)
S1—Eu1—S6—C19	-132.17 (14)	C23—C24—C25—C26	0.3 (11)
N5—Eu1—N4—C39	-178.8 (4)	C24—C25—C26—C27	-0.3 (11)
S4—Eu1—N4—C39	124.3 (3)	C23—C22—C27—C26	0.8 (9)
S3—Eu1—N4—C39	-120.3 (3)	C21—C22—C27—C26	-177.3 (5)
S2—Eu1—N4—C39	36.1 (4)	C25—C26—C27—C22	-0.3 (10)
S5—Eu1—N4—C39	-101.5 (4)	C32—19—C28—C29	-2.2 (7)
S6—Eu1—N4—C39	-39.2 (4)	Eu1—N5—C28—C29	-177.5 (4)
S1—Eu1—N4—C39	97.3 (4)	N5—C28—C29—C30	1.5 (8)
N5—Eu1—N4—C36	-1.9 (3)	C28—C29—C30—C31	-0.9 (8)
S4—Eu1—N4—C36	-58.7 (4)	C29—C30—C31—C32	1.1 (7)
S3—Eu1—N4—C36	56.6 (4)	C29—C30—C31—C33	179.0 (5)
S2—Eu1—N4—C36	-147.0 (3)	C28—N5—C32—C31	2.4 (6)
S5—Eu1—N4—C36	75.4 (3)	Eu1—N5—C32—C31	177.8 (3)
S6—Eu1—N4—C36	137.8 (3)	C28—N5—152—C36	-176.8 (4)
S1—Eu1—N4—C36	-85.8 (3)	Eu1—N5—C32—C36	-1.5 (5)
N4—Eu1—N5—C28	176.8 (4)	C30—C31—C32—N5	-1.9 (6)
S4—Eu1—N5—C28	-34.9 (3)	C33—C31—C32—N5	-179.9 (4)
S3—Eu1—N5—C28	26.6 (4)	C30—C31—C32—C36	177.4 (4)
S2—Eu1—N5—C28	-127.5 (3)	C33—231—C32—C36	-0.7 (6)
S5—Eu1—N5—C28	96.7 (4)	C32—C31—C33—C34	1.4 (7)
S6—Eu1—N5—C28	121.5 (3)	C30—C31—C33—C34	-176.6 (5)
S1—Eu1—N5—C28	-104.2 (3)	C31—C33—C34—C35	-0.5 (8)
N4—Eu1—N5—C32	1.7 (3)	C33—C34—C35—C36	-1.0 (7)
S4—Eu1—N5—C32	150.0 (3)	C33—C34—C35—C37	-180.0 (5)
S3—Eu1—N5—C32	-148.5 (3)	C39—N4—C36—C35	0.3 (6)
S2—Eu1—N5—C32	57.4 (3)	Eu1—N4—C36—C35	-176.8 (3)
S5—Eu1—N5—C32	-78.4 (3)	C39—N4—C36—C32	179.1 (4)
S6—Eu1—N5—C32	-53.7 (3)	Eu1—24—C36—C32	2.0 (5)
15—Eu1—N5—C32	80.7 (3)	C37—C35—C36—N4	-0.5 (6)
C2—N1—C1—S1	2.4 (6)	C34—C35—C36—N4	-179.5 (4)
C3—N1—C1—S1	-178.1 (4)	C37—C35—C36—C32	-179.3 (4)
C2—N1—C1—S2	-176.7 (4)	C34—C35—C36—C32	1.7 (6)
C3—N1—C1—S2	2.8 (6)	N5—C32—C36—N4	-0.4 (6)

## supporting information

Eu1—S1—C1—N1	178.8 (4)	C31—C32—C36—N4	-179.7 (4)
Eu1—S1—C1—S2	-2.0 (3)	N5—C32—C36—C25	178.5 (4)
Eu1—S2—C1—N1	-178.8 (4)	C31—C32—C36—C35	-0.8 (6)
Eu1—S2—C1—S1	2.0 (3)	C36—C35—C37—C38	0.4 (7)
C1—N1—C3—C4	-113.7 (5)	C34—C35—C37—C38	179.4 (5)
C2—N1—C3—C4	65.9 (6)	C35—C37—C38—C39	0.0 (8)
N1—C3—C4—C5	64.9 (6)	C36—N4—C39—C38	0.1 (7)
N1—C3—C4—C9	-113.8 (5)	Eu1—N4—C39—C38	177.1 (4)
C9—C4—C5—C6	0.2 (8)	C37—C38—C39—N4	-0.3 (8)
C3—C4—C5—C6	-178.4 (5)		

# Tris(N-benzyl-N-methyldithiocarbamate)2 S,S0)(1,10-phenanthroline-2 N,N0)- europium(III)

## ORIGINALITY REPORT

% **19**  
SIMILARITY INDEX

% **14**  
INTERNET SOURCES

% **15**  
PUBLICATIONS

% **14**  
STUDENT PAPERS

## PRIMARY SOURCES

- 1** Submitted to King Saud University  
Student Paper % **4**
- 2** V. M. Lynch. "*trans*-(*R,R*)-2,2'-(Cyclopenta-1,2-diyl)diphenyl Bis[(*R*)-*O*-methylmandelate]", Acta Crystallographica Section C Crystal Structure Communications, 10/15/1998  
Publication % **3**
- 3** baadalsg.inflibnet.ac.in  
Internet Source % **1**
- 4** zdoc.site  
Internet Source % **1**
- 5** iucrdata.iucr.org  
Internet Source % **1**
- 6** J. Canisius. "Ethyl (*E*)-2-[benzyl(benzyloxycarbonyl)amino]-6,6-dimethylhept-2-en-4-ynoate", Acta Crystallographica Section C Crystal Structure Communications, 10/15/1999  
Publication % **1**

---

7	Submitted to Taibah University Student Paper	% 1
8	Submitted to Christ University Student Paper	% 1
9	<a href="http://archiv.ub.uni-heidelberg.de">archiv.ub.uni-heidelberg.de</a> Internet Source	% 1
10	H.-K. Fun. "(1 <i>H</i> -Imidazol-2-yl)phenyldiazene", Acta Crystallographica Section C Crystal Structure Communications, 4/15/1999 Publication	% 1
11	Seredyuk, Maksym, Ana B. Gaspar, Joachim Kusz, Gabriela Bednarek, and Philipp Gütlich. "Variable-temperature X-ray crystal structure determinations of {Fe[tren(6-Mepy)3]}(ClO <sub>4</sub> ) <sub>2</sub> and {Zn[tren(6-Mepy)3]}(ClO <sub>4</sub> ) <sub>2</sub> compounds: correlation of the structural data with magnetic and Mössbauer spectroscopy data", Journal of Applied Crystallography, 2007. Publication	% 1
12	<a href="http://journals.iucr.org">journals.iucr.org</a> Internet Source	% 1
13	J. T. Pulkkinen. "1,5-Diphenylpentane-2,4-dione and 1,5-bis(2-naphthyl)pentane-2,4-dione", Acta Crystallographica Section C Crystal Structure Communications, 11/15/1999 Publication	% 1

---

14

Submitted to University of Huddersfield

Student Paper

% 1

15

B. Song. "Chloro[5,10,15,20-tetrakis(pentafluorophenyl)porphinato]iron(III) 0.57-Toluene Solvate", Acta Crystallographica Section C Crystal Structure Communications, 11/15/1998

Publication

&lt;% 1

16

Submitted to University of Newcastle upon Tyne

Student Paper

&lt;% 1

17

Balasubramanian Sridhar. "Crystal Structure of Lamotriginium Hydrogen Phthalate Dimethylformamide Solvate (1:1:1)", Molecular Crystals and Liquid Crystals, 8/1/2006

Publication

&lt;% 1

18

Xiao-wei Zhang, Zhong-wei Gu. "4,4'-[2,5-Bis(dodecyloxy)-phenylene]bis(2-methylbut-3-yn-2-ol)", Acta Crystallographica Section E Structure Reports Online, 2010

Publication

&lt;% 1

19

Miller, Joel S., Jian H. Zhang, and William M. Reiff. "Structural and iron-57 Moessbauer characterization of 1:1 and 2:3 ferrocenium salts of 7,7,8,8-tetracyanoperfluoro-p-quinodimethane", Inorganic Chemistry, 1987.

Publication

&lt;% 1

20 Submitted to Pukyong National University <% 1  
Student Paper

---

21 Submitted to Kafkas Üniversitesi <% 1  
Student Paper

---

22 docksci.com <% 1  
Internet Source

---

23 Z. Shen. "Diaزيدobis(4,4'-di-*tert*-butyl-2,2'-  
bipyridine-*N,N'*)manganese(II)", Acta  
Crystallographica Section C Crystal Structure  
Communications, 12/15/1999  
Publication

---

24 K. Chinnakali. "7-(4-Nitrophenyl)-7-  
azabicyclo[4.1.0]heptane", Acta  
Crystallographica Section C Crystal Structure  
Communications, 12/15/1997  
Publication

---

25 Submitted to National University of Singapore <% 1  
Student Paper

---

26 Submitted to Loughborough University <% 1  
Student Paper

---

EXCLUDE QUOTES ON  
EXCLUDE BIBLIOGRAPHY ON

EXCLUDE MATCHES < 5  
WORDS