

ISSN 2338-0128
VOLUME 2

PROCEEDINGS BOOK THE 7TH ANNUAL BASIC SCIENCE INTERNATIONAL CONFERENCE

7-8 March 2017

Ijen Suites Resort and Convention
Malang, Indonesia

**Basic Science for Improving
Survival & Quality of Life**

Sub Topics:

Material Science and Technology
Mathematics, Statistics, and Modelling



Faculty of Science
Brawijaya University



ISSN 2338-0128

Volume 2

BaSIC 2017

The 7th Basic Science International Conference

Basics Science for Improving Survival and Quality of Life

7 – 8 March 2017

Ijen Suites Resorts & Convention

Malang, East Java

Indonesia

Proceedings Books

Sub Topics:

- ✓ Material Science and Technology
- ✓ Mathematics, Statistics and Modelling

BRIEF CONTENTS

BRIEF CONTENTS.....	i
BASIC 2017 COMMITTEE	ii
ABOUT BASIC	vi
WELCOME MESSAGE.....	vii
CONFERENCE VENUE.....	ix
CONFERENCE PROGRAM.....	x
TABLE OF CONTENTS.....	xi
PLENARY LECTURES.....	1
SCIENTIFIC PAPERS	
A. Invited Papers	12
B. Material Science and Technology	28
C. Mathematics, Statistics and Modelling.....	112
COMMERCIAL SUPPORT.....	252

BASIC 2017 COMMITTEE

Steering Committee

Prof. Dr. Ir. Mohammad Bisri, M.S.
Rector, Brawijaya University

Adi Susilo, M.Si., Ph.D
Dean, Faculty of Mathematics and Natural Sciences
Brawijaya University

Dr. Agung Pramana Warih Marhendra, M.S.
Vice Dean I, Faculty of Mathematics and Natural
Sciences
Brawijaya University

Moh. Farid Rahman, S.Si., M.Si.
Vice Dean II, Faculty of Mathematics and Natural
Sciences Brawijaya University

Organizing Committee

Hari Arief Dharmawan, M. Eng., Ph.D
Chairperson
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Chomsin S. Widodo, Ph.D Vice chairperson I
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dian Siswanto, Ph.D Vice chairperson II
Department of Biology, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dr. Eng. Masruroh, M.Si Secretary
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dr. Istiroyah, M.Si Treasury
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Surakhman, S.AP., MM Treasury
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Lisfadiana Ekakurniawati, S.E. Treasury
Faculty of Mathematics and Natural Sciences,
Brawijaya University
Indonesia

Advisor

Johan A. E. Noor, Ph.D
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Achmad Efendi, Ph.D
Department of Mathematics, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Dr. Ing Setyawan P. Sakti, M.Eng
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Sunarti Treasury
Faculty of Mathematics and Natural Sciences,
Brawijaya University
Indonesia

Rustika Adiningrum, SE. Treasury
Faculty of Mathematics and Natural Sciences,
Brawijaya University
Indonesia

Muhammad Ghufron, M.Si Secretariat
Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Cholisina Anik Perwira, S.Si, M.Si Secretariat
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Susilo Purwanto Secretariat
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Sahri Secretariat
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Ir. Tjujuk Usmanhadi Secretariat
Faculty of Mathematics and Natural Sciences,
Brawijaya University
Indonesia

Trivira Meirany Secretariat
Faculty of Mathematics and Natural Sciences,
Brawijaya University
Indonesia

Dr. Eng. Agus Naba, MT
Web and IT Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Fransiscus Adi Purwanto Web and IT Division
Faculty of Mathematics and Natural Sciences,
Brawijaya University
Indonesia

Dr. Alamsyah M. juwono, M.Sc.
Program Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Sukir Maryanto, S.Si.,M.Si.,Ph.D
Program Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Zulfaida P. G., Ph.D. Program Division
Department of Biology, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dra. Lailatin Nuriyah, M.Si
Banquet Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Firdy Yuana, S.Si., M.Si. Banquet Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Achmad Hidayat, S.Si., M.Si
Equipment Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dr. Sunaryo, S.Si.,M.Si Equipment Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Purnomo Equipment Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Karyadi Eka Putra, A.Md. Equipment Division
Faculty of Mathematics and Natural Sciences
Brawijaya University
Indonesia

Agung Kurniawan Equipment Division
Faculty of Mathematics and Natural Sciences
Brawijaya University
Indonesia

Hasan Muhajir Equipment Division
Faculty of Mathematics and Natural Sciences,
Brawijaya University
Indonesia

Suliono Equipment Division
Faculty of Mathematics and Natural Sciences
Brawijaya University
Indonesia

Deny Equipment Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Drs. Wasis, MAB
Accommodation Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Drs. Arinto Yudi Ponco Wardoyo, M.Sc., Ph.D
Accommodation Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dr. Heru Harsono, M.Si.
Funding Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Ir. Mochammad Djamil, MT Funding Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Gancang Saroja, S. Si., MT
Proceeding Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Mauludi Ariesto Pamungkas, S.Si., M.Si, Ph.D.
Proceeding Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Ahmad Nadhir, S.Si., MT., Ph.D.
Proceeding Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

DR.rer.nat Abdurrouf, S.Si., M.Si
Proceeding Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

International Scientific Committee

Prof. Dr. Wolfgang Nellen
Institut für biologie, Germany

Dr. Guillaume Mauri
Neuchatel University, Switzerland

Prof. Peter Andrew Lay
Sydney University, Australia

Dr. Drs. Sugeng Rianto, M.Sc
Proceeding Division
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Prof. Tatsuhiko Aizawa
Shibaura Institute of Technology (SIT), Japan

Dr. Ing. Setyawan P. Sakti, M.Eng
Department of Physics, Brawijaya University
Indonesia

Prof. Dr. Agus Suryanto, M.Sc.
Department of Mathematics, Brawijaya University
Indonesia

Local Scientific Committee

Prof. Dr. M. Nurhuda
Scientific Division Coordinator
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Drs. Unggul Pundjung Juswono, M.Sc.
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dr. Eng. Didik Rahadi Santoso, M.Si.
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Ir. D. J. Djoko H. Santjojo, M.Phill., Ph.D
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Prof. Muhaimin Rifa'I, S.Si., Ph.D..Med.Sc
Department of Biology, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Drs. Adi Susilo, M.Si., Ph.D.
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Ir. Retno Mastuti, M.Ag.Sc., D.Agr.Sc
Department of Biology, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Dr. Suharjono, MS
Department of Biology, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Dr. Dra. Catur Retnaningdyah, M.Si
Department of Biology, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Widodo, S.Si., M.Si., Ph.D.Med.Sc
Department of Biology, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Masruri, S.Si., M.Si., Ph.D.
Department of Chemistry, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Akhmad Sabarudin, S.Si., M.Sc., Dr.Sc
Department of Chemistry, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Lukman Hakim, S.Si., M.Sc., Dr. Sc
Department of Chemistry, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Dr. rer. nat. Rachmat Triandi Tjahjanto, M.Si
Department of Chemistry, Faculty of Mathematics
and Natural Sciences, Brawijaya University
Indonesia

Drs. Abdul Rouf Alghofari, S.Si., M.Si., Ph.D
Department of Mathematics, Faculty of
Mathematics and Natural Sciences, Brawijaya
University
Indonesia

Achmad Efendi, S.Si., M.Sc., Ph.D
Department of Mathematics, Faculty of
Mathematics and Natural Sciences, Brawijaya
University
Indonesia

Student Committee

Bagas Adi Saputra
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Adwi Arifin
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Muhamad Abdullah Faqih, S.Si,
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Uly Mamba'atul Mukarromah, S.Si,
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Mira Setiana S.Si,
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Muhammad Warits Ishari
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Lalu Muhammad Shirr Wujudulhaq
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Rahma Fitriani, S.Si., M.Sc., Ph.D
Department of Mathematics, Faculty of
Mathematics and Natural Sciences, Brawijaya
University
Indonesia

**Dr. Adji Achmad Rinaldo Fernandes, S.Si.,
M.Sc**
Department of Mathematics, Faculty of
Mathematics and Natural Sciences, Brawijaya
University
Indonesia

Dr. Suci Astutik, S.Si., M.Si.
Department of Mathematics, Faculty of
Mathematics and Natural Sciences, Brawijaya
University
Indonesia

Arin Siska Indarwatin
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Ragil Danang Kusuma
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Citra Anggun Noorjannah
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Pramita Dhealia Larasati
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Dimmy Kurniawan Irwanto
Department of Physics, Faculty of Mathematics and
Natural Sciences, Brawijaya University
Indonesia

Conference Secretariat

Departement of Physics,
Faculty of Mathematics and Natural Sciences
Brawijaya University
Jl. Veteran, Malang, East Java, Indonesia 65145
Phone: +62 0341 575833
Fax: +62 0341 575834
E-mail: basicsciences2017@gmail.com
Website: <http://basic.ub.ac.id>

An Explicit Formula for Angles between Subspaces of an n -Inner Product Space

M. Nur 1*, H. Gunawan 2, O. Neswan 3

^{1,2,3} Analysis and Geometry Group, Faculty of Mathematics and Natural Sciences, Bandung Institute of Technology, Jl. Ganesha 10, Bandung 40132

* Corresponding authors: [nur_math@yahoo.com]

Abstract – We discuss angles between two subspaces of an inner product space. This paper is an extension of the work by Gunawan et al [7]. We present an explicit formula for angles between two subspaces of an n -inner product space. Moreover, we study its connection with angles in an inner product space.

Keywords: angles, inner product space, n -inner product space.

1. INTRODUCTION

In an inner product space, we can calculate angles between two subspaces. Since the 1950's, the concept of angles between two subspaces of the Euclidean space \mathbb{R}^d has been studied by many researchers [2]. Application of angles between two subspaces in an inner product space can be found in the fields of computing and statistics. For example, measuring the similarity of images of three-dimensional objects is invariant under the displacement of the object and the physic of the camera [8]. In statistics, the angle between two subspaces is related to canonical (or principal) angles which are measures of dependency of one set of random variables on another [1]. In 2001, Risteksi and Trencovski [10] introduced a definition of angles between two subspaces of \mathbb{R}^d using determinant Gram and explained their connection with canonical angles. Gunawan *et al.* [6,7] refined their definition and gave the formulas for angles between two subspaces in an inner product space of arbitrary dimension. They also explained the connection with canonical angles by using elementary calculus and linear algebra and some application examples.

Let $(X, \langle \cdot, \cdot \rangle)$ be a real inner product space. If $U = \text{span}\{u\}$ is a 1-dimensional subspace and $V = \text{span}\{v_1, \dots, v_q\}$ is a q -dimensional subspace of X , then the angle between subspaces U and V is defined by θ with $0 \leq \theta \leq \frac{\pi}{2}$ and $\cos^2 \theta = \frac{\langle u, u_V \rangle^2}{\|u\|^2 \|u_V\|^2}$. In formula, u_V denotes the (orthogonal) projection of u on V and $\|\cdot\| = \langle \cdot, \cdot \rangle^{1/2}$. Gunawan *et al* [7] showed that the value of $\cos \theta$ is equal to the ratio between the length of the projection of u on V and the length of u ($\cos \theta = \frac{\|u_V\|}{\|u\|}$). Likewise, if $U = \text{span}\{u, w_2, \dots, w_p\}$ and $V = \text{span}\{v, w_2, \dots, w_p\}$ are p -dimensional subspaces of X that intersects on $(p - 1)$ -dimensional subspace $W = \text{span}\{w_2, \dots, w_p\}$ with $p \geq 2$ then the value of $\cos \theta$ is equal to the ratio between the volume of the p -dimensional parallelepiped spanned by the projection of u, w_2, \dots, w_p on V and the volume of the p -dimensional parallelepiped spanned by u, w_2, \dots, w_p [7].

In this paper, we will give some explicit formulas for angles between two subspaces in various cases of an inner product space of arbitrary dimension. This research is a further development of the work of Gunawan *et al.* In the next section, we will formulate angles in an n -inner product space and will show the connection between angles in an inner product space and in an n -inner product space.

2. METHODS

We have a method to obtain the result in this research. The first study, we study about angles between subspaces in an inner product space and give some explicit formulas. After that, we will formulate angles in an n -inner product space. To obtain the result, we use norm equivalent for showing the connection between angles in an inner product space and in an n -inner product space.

3. RESULTS AND DISCUSSION

3.1 Angles between subspaces in an inner product space

In this subsection, we will discuss angles between subspaces in an inner product space. Let $(X, \langle \cdot, \cdot \rangle)$ be an inner product space and consider the standar n -inner product

$$\langle x_0, x_1 | x_2, \dots, x_n \rangle = \begin{pmatrix} \langle x_0, x_1 \rangle & \langle x_0, x_2 \rangle & \dots & \langle x_0, x_n \rangle \\ \langle x_2, x_1 \rangle & \langle x_2, x_2 \rangle & \dots & \langle x_2, x_n \rangle \\ \vdots & \vdots & \ddots & \vdots \\ \langle x_n, x_1 \rangle & \langle x_n, x_2 \rangle & \dots & \langle x_n, x_n \rangle \end{pmatrix}$$

as in [4,9]. Then, the following function $\|x_1, \dots, x_n\| := \langle x_1, x_1 | x_2, \dots, x_n \rangle^{\frac{1}{2}}$ defines the standard n -norm. Geometrically, $\|x_1, \dots, x_n\|$ represents the volume of the n -dimensional parallelepiped spanned by x_1, \dots, x_n (see[4,5]. Using definition in [7], we will determine an formula for the cosine of the angle between subspaces U and V that intersects on subspaces W of $(X, \langle \cdot, \cdot \rangle)$ as follows.

Proposition 1. Let $(X, \langle \cdot, \cdot \rangle)$ be a real inner product space. If $U = span\{u, w_1, \dots, w_r\}$ is a $1 + r$ -dimensional subspace and $V = span\{v_1, \dots, v_q, w_1, \dots, w_r\}$ is a $(q + r)$ -dimensional subspace of X that intersects on r -dimensional subspace $W = span\{w_1, \dots, w_r\}$ with $q, r \geq 1$ then the angle between subspaces U and V is θ with $\cos^2 \theta = \frac{\|(u^V)^\perp_W\|^2}{\|u^\perp_W\|^2}$ where $(u^V)^\perp_W$ and u^\perp_W are the orthogonal complement of u^V and u , respectively, on W .

Proof. The projection of u on V is u^V . Next, we may write $u^V = (u^V)_W + (u^V)^\perp_W$ where $(u^V)_W$ is the projection of u^V on W and $(u^V)^\perp_W$ is the orthogonal complement of u^V on W . In line with this, we may write $u = u_W + u^\perp_W$ where u_W is the projection of u on W and u^\perp_W is the orthogonal complement of u on W . Using the standard $(1 + r)$ -norm, we obtain

$$\begin{aligned} \cos^2 \theta &= \frac{\|u^V, w_1, \dots, w_r\|_{1+r}^2}{\|u, w_1, \dots, w_r\|_{1+r}^2} = \frac{\|(u^V)_W + (u^V)^\perp_W, w_1, \dots, w_r\|_{1+r}^2}{\|u_W + u^\perp_W, w_1, \dots, w_r\|_{1+r}^2} \\ &= \frac{\|(u^V)^\perp_W, w_1, \dots, w_r\|_{1+r}^2}{\|u^\perp_W, w_1, \dots, w_r\|_{1+r}^2} = \frac{\|(u^V)^\perp_W\|^2}{\|u^\perp_W\|^2}. \end{aligned}$$

This formula tells us that the value of $\cos^2 \theta$ is equal to the ratio between the length of the orthogonal complement of u^V on W and the length of the projection of u on W . More generally, the angle that intersects on subspaces $W = span\{w_1, \dots, w_r\}$ of X is poured in following theorem:

Theorem 2. Let $(X, \langle \cdot, \cdot \rangle)$ be a real inner product space. If $U = span\{u_1, \dots, u_p, w_1, \dots, w_r\}$ is a $(p + r)$ -dimensional subspace and $V = span\{v_1, \dots, v_q, w_1, \dots, w_r\}$ is a $(q + r)$ -dimensional subspace on X with $p \leq q$ that intersects on r -dimensional subspace $W = span\{w_1, \dots, w_r\}$ with $r \geq 1$ then the angle between subspaces U and V is θ with

$$\cos^2 \theta = \frac{\|(u_1^V)^\perp_W, \dots, (u_p^V)^\perp_W\|_p^2}{\|(u_1)^\perp_W, \dots, (u_p)^\perp_W\|_p^2}, \text{ where } (u_i^V)^\perp_W \text{ and } (u_i)^\perp_W \text{ are the orthogonal complement of } u_i^V \text{ and } u_i, \text{ respectively, on } W \text{ for } i = 1, \dots, p.$$

Proof. The projection of u_i on V is u_i^V . Next, we may write $u_i^V = (u_i^V)_W + (u_i^V)^\perp_W$ where $(u_i^V)_W$ is the projection of u_i^V on W and $(u_i^V)^\perp_W$ is the orthogonal complement of u_i^V on W . In line with this, we may write $u_i = (u_i)_W + (u_i)^\perp_W$ where $(u_i)_W$ is the projection of u_i on W and $(u_i)^\perp_W$ is the orthogonal complement of u_i on W for $i = 1, \dots, p$. Using the standard $(p + r)$ -norm, we obtain

$$\begin{aligned} \cos^2 \theta &= \frac{\|u_1^V, \dots, u_p^V, w_1, \dots, w_r\|_{p+r}^2}{\|u_1, \dots, u_p, w_1, \dots, w_r\|_{p+r}^2} = \frac{\|(u_1^V)_W + (u_1^V)^\perp_W, \dots, (u_p^V)_W + (u_p^V)^\perp_W, w_1, \dots, w_r\|_{p+r}^2}{\|(u_1)_W + (u_1)^\perp_W, \dots, (u_p)_W + (u_p)^\perp_W, w_1, \dots, w_r\|_{p+r}^2} \\ &= \frac{\|(u_1^V)^\perp_W, \dots, (u_p^V)^\perp_W\|_p^2 \|w_1, \dots, w_r\|_r^2}{\|(u_1)^\perp_W, \dots, (u_p)^\perp_W\|_p^2 \|w_1, \dots, w_r\|_r^2} = \frac{\|(u_1^V)^\perp_W, \dots, (u_p^V)^\perp_W\|_p^2}{\|(u_1)^\perp_W, \dots, (u_p)^\perp_W\|_p^2}. \end{aligned}$$

3.2 Angles between subspaces in an n -inner product space

In this subsection, we will discuss angles between subspaces in an n -inner product space and its connection with angles in an inner product space. Let $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$ be a real n -inner product space with $n \geq 2$. Fix a linearly independent set $\{a_1, \dots, a_n\}$ in X with respect to $\{a_1, \dots, a_n\}$, define the function $\langle \cdot, \cdot \rangle^*$ by

$$\langle x, y \rangle^* = \sum_{\{i_2, \dots, i_n\} \subseteq \{1, \dots, n\}} \langle x, y | a_{i_2}, \dots, a_{i_n} \rangle$$

for each $x, y \in X$. According to [3], the function $\langle x, y \rangle^*$ defines an inner product on X . Moreover $\|x\|^* = \left[\sum_{\{i_2, \dots, i_n\} \subseteq \{1, \dots, n\}} \|x, a_{i_2}, \dots, a_{i_n}\|^2 \right]^{\frac{1}{2}}$ defines a norm that corresponds to an inner product $\langle \cdot, \cdot \rangle^*$ pada X . Next, using an inner product $\langle \cdot, \cdot \rangle^*$, we have a new standard n -inner product $\langle \cdot, \cdot | \cdot, \dots, \cdot \rangle^*$ on X , namely

$$\langle x_0, x_1 | x_2, \dots, x_n \rangle^* = \begin{bmatrix} \langle x_0, x_1 \rangle^* & \langle x_0, x_2 \rangle^* & \dots & \langle x_0, x_n \rangle^* \\ \langle x_2, x_1 \rangle^* & \langle x_2, x_2 \rangle^* & \dots & \langle x_2, x_n \rangle^* \\ \vdots & \vdots & \ddots & \vdots \\ \langle x_n, x_1 \rangle^* & \langle x_n, x_2 \rangle^* & \dots & \langle x_n, x_n \rangle^* \end{bmatrix}$$

and a new standard n -norm $\|x_1, \dots, x_n\|^* := (\langle x_1, x_1 | x_2, \dots, x_n \rangle^*)^{\frac{1}{2}}$. Furthermore, one may also use an inner product $\langle \cdot, \cdot \rangle^*$ and its induced norm to study the angle between subspaces in an n -inner product space. As in [7] with the new standard n -norm, we define the angle between subspaces in an n -inner product space.

Definition 3. Let $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$ be a real n -inner product space. If $U = \text{span}\{u_1, \dots, u_p\}$ is a p -dimensional subspace and $V = \text{span}\{v_1, \dots, v_q\}$ is a q -dimensional subspace of X with $p \leq q$, then the angle between subspaces

U and V is defined by θ with $\cos^2 \theta = \frac{(\|u_1^V, \dots, u_p^V\|_p^*)^2}{(\|u_1, \dots, u_p\|_p^*)^2}$, where u_i^V denote the projection of u_i on V for each $i = 1, \dots, p$ and $\|\cdot, \dots, \cdot\|_p^*$ denotes the standard p -norm on $(X, \langle \cdot, \cdot \rangle^*)$.

According to Definition 3, for case $p = q$, we have an explicit formula the cosine of the angle θ that can be obtained as follows.

Proposition 4. Let $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$ be a real n -inner product space. If $U = \text{span}\{u_1, \dots, u_p\}$ and $V = \text{span}\{v_1, \dots, v_p\}$ are p -dimensional subspaces of X then the angle between subspaces U and V is θ with $\cos^2 \theta = \frac{(\det [\langle u_i, v_j \rangle^*])^2}{(\|u_1, \dots, u_p\|_p^*)^2 (\|v_1, \dots, v_p\|_p^*)^2}$.

Proof. The projection of u_i on V for $i = 1, \dots, p$ may be expressed as $u_i^V = \sum_{k=1}^p \alpha_{ik} v_k$. Observe that

$$\langle u_i^V, u_j^V \rangle^* = \langle u_i, u_j^V \rangle^* = \sum_{k=1}^p \alpha_{ik} \langle u_i, v_k \rangle^*$$

for $i, j = 1, \dots, p$. Hence we have

$$\begin{aligned} (\|u_1^V, \dots, u_p^V\|_p^*)^2 &= \begin{vmatrix} \sum_{k=1}^p \alpha_{1k} \langle u_1, v_k \rangle^* & \dots & \sum_{k=1}^p \alpha_{pk} \langle u_1, v_k \rangle^* \\ \vdots & \ddots & \vdots \\ \sum_{k=1}^p \alpha_{1k} \langle u_p, v_k \rangle^* & \dots & \sum_{k=1}^p \alpha_{pk} \langle u_p, v_k \rangle^* \end{vmatrix} \\ &= \begin{vmatrix} \langle u_1, v_1 \rangle^* & \dots & \langle u_1, v_p \rangle^* \\ \vdots & \ddots & \vdots \\ \langle u_p, v_1 \rangle^* & \dots & \langle u_p, v_p \rangle^* \end{vmatrix} \begin{vmatrix} \alpha_{11} & \dots & \alpha_{p1} \\ \vdots & \ddots & \vdots \\ \alpha_{1p} & \dots & \alpha_{pp} \end{vmatrix}. \end{aligned}$$

Because of $\langle u_i, v_i \rangle^* = \langle u_i^V, v_i \rangle^*$ with $i = 1, \dots, p$, we obtain

$$\begin{vmatrix} \langle u_1, v_1 \rangle^* & \dots & \langle u_1, v_p \rangle^* \\ \vdots & \ddots & \vdots \\ \langle u_p, v_1 \rangle^* & \dots & \langle u_p, v_p \rangle^* \end{vmatrix} = \begin{vmatrix} \alpha_{11} & \dots & \alpha_{1p} \\ \vdots & \ddots & \vdots \\ \alpha_{p1} & \dots & \alpha_{pp} \end{vmatrix} \begin{vmatrix} \langle v_1, v_1 \rangle^* & \dots & \langle v_1, v_p \rangle^* \\ \vdots & \ddots & \vdots \\ \langle v_p, v_1 \rangle^* & \dots & \langle v_p, v_p \rangle^* \end{vmatrix}.$$

Consequently, we have

$$\frac{(\|u_1^V, \dots, u_p^V\|_p^*)^2}{(\|u_1, \dots, u_p\|_p^*)^2} = \frac{\begin{vmatrix} \langle u_1, v_1 \rangle^* & \dots & \langle u_1, v_p \rangle^* \\ \vdots & \ddots & \vdots \\ \langle u_p, v_1 \rangle^* & \dots & \langle u_p, v_p \rangle^* \end{vmatrix}^2}{(\|u_1, \dots, u_p\|_p^*)^2 (\|v_1, \dots, v_p\|_p^*)^2} = \frac{(\det [\langle u_i, v_j \rangle^*])^2}{(\|u_1, \dots, u_p\|_p^*)^2 (\|v_1, \dots, v_p\|_p^*)^2}.$$

Next, we will determine a formula for the cosine of the angle between subspaces U and V that intersects on subspaces W of $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$. The formula for the angle $U = \text{span}\{u, w_1, \dots, w_r\}$ and $V = \text{span}\{v_1, \dots, v_q, w_1, \dots, w_r\}$ can be obtained as follows.

Proposition 5. Let $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$ be a real n -inner product space. If $U = \text{span}\{u, w_1, \dots, w_r\}$ is a $(1+r)$ -dimensional subspace and $V = \text{span}\{v_1, \dots, v_q, w_1, \dots, w_r\}$ is a $(q+r)$ -dimensional subspace on X that intersects on r -dimensional subspace $W = \text{span}\{w_1, \dots, w_r\}$ with $r \geq 1$ then the angle between subspaces U and V is $(0 \leq \theta \leq \frac{\pi}{2})$, with $\cos^2 \theta = \frac{(\|(u^V)^\perp_W\|)^2}{(\|u^\perp_W\|)^2}$ where $(u^V)^\perp_W$ and u^\perp_W are the orthogonal complement of u^V and u , respectively, on W .

Proof. Writing $u^V = (u^V)_W + (u^V)^\perp_W$ and $u = u_W + u^\perp_W$ and using the new standard $(1+r)$ -norm, we obtain

$$\cos^2 \theta = \frac{(\|u^V, w_1, \dots, w_r\|_{1+r}^*)^2}{(\|u, w_1, \dots, w_r\|_{1+r}^*)^2} = \frac{(\|(u^V)_W + (u^V)^\perp_W, w_1, \dots, w_r\|_{1+r}^*)^2}{\|u_W + u^\perp_W, w_1, \dots, w_r\|_{1+r}^2}$$

$$= \frac{(\|(u^V)^\perp_W, w_1, \dots, w_r\|_{1+r}^*)^2}{(\|u^\perp_W, w_1, \dots, w_r\|_{1+r}^*)^2} = \frac{(\|(u^V)^\perp_W\|^*)^2}{(\|u^\perp_W\|^*)^2}.$$

More generally, using Definition 7 and following the proof of Theorem 4, the angle $U = \text{span}\{u_1, \dots, u_p, w_1, \dots, w_r\}$ and $V = \text{span}\{v_1, \dots, v_q, w_1, \dots, w_r\}$ with $p \leq q$ can be obtained as follows.

Theorem 6. Let $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$ be a real n -inner product space. If $U = \text{span}\{u_1, \dots, u_p, w_1, \dots, w_r\}$ is a $(p + r)$ -dimensional subspace and $V = \text{span}\{v_1, \dots, v_q, w_1, \dots, w_r\}$ is a $(q + r)$ -dimensional subspace on X with $p \leq q$ that intersects on r -dimensional subspace $W = \text{span}\{w_1, \dots, w_r\}$ with $r \geq 1$ then the angle between subspaces U and

V is $(0 \leq \theta \leq \frac{\pi}{2})$, with $\cos^2 \theta = \frac{(\|(u_1^V)^\perp_W \dots (u_p^V)^\perp_W\|_p^*)^2}{(\|(u_1)^\perp_W \dots (u_p)^\perp_W\|_p^*)^2}$, where $(u_i^V)^\perp_W$ and $(u_i)^\perp_W$ are the orthogonal complement of u_i^V and u_i , respectively, on W for $i = 1, \dots, p$.

Before we discuss the connection between angles in an inner product space and in an n -inner product space, we have equivalent norm on $(X, \langle \cdot, \cdot \rangle)$ with norm $\|\cdot\|^*$ where $\{a_1, \dots, a_n\}$ are an orthonormal set on $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$ as follows.

Proposition 7. [6] Norm $\|\cdot\|^*$ equivalent with the norm that corresponds to the inner product $\|\cdot\|$ on $(X, \langle \cdot, \cdot \rangle)$. Namely, $\|x\| \leq \|x\|^* \leq \sqrt{n}\|x\|$ for every $x \in X$.

From this proposition, we have the connection between angles in an inner product space and in an n -inner product space, namely

Theorem 8. If θ is the angle between subspaces U and V of $(X, \langle \cdot, \cdot \rangle)$ and θ^* is the angle between subspaces U and V of $(X, \langle \cdot, \cdot | \cdot, \dots, \cdot \rangle)$ with $\dim U = 1 + r$, $\dim V = q + r$ for $q \geq 1$ and $\dim (U \cap V) = r$ for $r \geq 1$ then

$$\frac{1}{n} \cos^2 \theta \leq \cos^2 \theta^* \leq n \cos^2 \theta.$$

Proof. Writing $U = \text{span}\{u, w_1, \dots, w_r\}$, $V = \text{span}\{v_1, \dots, v_q, w_1, \dots, w_r\}$ and $U \cap V = \text{span}\{w_1, \dots, w_r\}$. Next, using Proposition 7, we have

$$\frac{\|(u^V)^\perp_W\|^2}{n\|u^\perp_W\|^2} \leq \frac{(\|(u^V)^\perp_W\|^*)^2}{(\|u^\perp_W\|^*)^2} \leq \frac{n\|(u^V)^\perp_W\|^2}{\|u^\perp_W\|^2},$$

with $(u^V)^\perp_W$ and u^\perp_W are the orthogonal complement of u^V and u , respectively, on W . According to Proposition 1 and 3, we have $\cos^2 \theta^* = \frac{(\|(u^V)^\perp_W\|^*)^2}{(\|u^\perp_W\|^*)^2}$ and $\cos^2 \theta = \frac{\|(u^V)^\perp_W\|^2}{\|u^\perp_W\|^2}$. Hence, we obtain $\frac{1}{n} \cos^2 \theta \leq \cos^2 \theta^* \leq n \cos^2 \theta$.

By Theorem 8 for $n = 1$, the value of $\cos^2 \theta^*$ is equal to the value of $\cos^2 \theta$. Nevertheless, the upper bound of $\cos^2 \theta^*$ for $n \geq 2$ is inappropriate because its value is greater than 1. If $\cos \theta = 1$ then the lower bound of $\cos^2 \theta^*$ is $\frac{1}{n}$.

4. CONCLUSIONS

We have given a formula for angles between two subspaces U and V that intersects on subspaces W of an inner product space of arbitrary dimension. Moreover, we have given a formula for angles in an n -inner product space. Using this result, we have proved the connection between angles between two subspaces U and V in an inner product space and in an n -inner product space where $\dim U = 1 + r$, $\dim V = q + r$ for $q \geq 1$ and $\dim (U \cap V) = r$ for $r \geq 1$. Acknowledgement. The research is supported by ITB Research and Innovation Program 2017.

5. REFERENCES

- [1]. T. W. Anderson, 1958, An Introduction to Multivariate Statistical Analysis, *John Wiley & Sons, Inc.*, New York
- [2]. C. Davis and W. Kahan, 1970, The rotation of eigenvectors by a perturbation, *III. SIAM J. Numer. Anal.*, **7**,1-46.
- [3]. H. Gunawan, 2002, Inner Products On n -Inner Products Spaces, *Soochow Journal of Mathematics*, **28(4)** 389-398.
- [4]. H. Gunawan, 2002, On n -Inner products, n -Norms, and The Cauchy-Schwarz Inequality, *Sci. Math. Jpn.*, **55**, 53-60.
- [5]. H. Gunawan and M. Mashadi, 2001, On n -Normed Spaces, *Int. J. Math. Sci.*, **27**, 321-329.
- [6]. H. Gunawan and O. Neswan, 2005, On Angles Between Subspaces of Inner Product Spaces, *J. Indo. Math. Soc.*, **11**
- [7]. H. Gunawan, O. Neswan and W. Setya-Budhi, 2005, A Formula for Angles between Two Subspaces of Inner Product Spaces, *Beitr. zur Algebra und Geometrie Contributions to Algebra and Geometry*, **46(2)**, 311-320.
- [8]. Y. Igarashi and K. Fukui, 2010, 3D Object Recognition Based on Canonical Angles between Shape Subspaces, *Springer ACCV'10 Volume Part IV*, 580-591.
- [9]. A. Misiak, 1989, n -Inner Product Spaces", *Math. Nachr.*, **140**, 299-319.
- [10]. I.B. Risteski and K.G. Trancevski, 2001, Principal Values and Principal Subspaces of Two Subspaces of Vector Spaces with Inner Product", *Beitr. Algebra Geom.*, **42**, 289-300.