

PAPER NAME

**ACM 2.pdf**

WORD COUNT

**3411 Words**

CHARACTER COUNT

**18745 Characters**

PAGE COUNT

**4 Pages**

FILE SIZE

**385.5KB**

SUBMISSION DATE

**Dec 14, 2022 4:58 PM GMT+8**

REPORT DATE

**Dec 14, 2022 4:58 PM GMT+8****● 17% Overall Similarity**

The combined total of all matches, including overlapping sources, for each database.

- 15% Internet database
- 10% Publications database
- Crossref database
- Crossref Posted Content database
- 8% Submitted Works database

**● Excluded from Similarity Report**

- Bibliographic material
- Quoted material
- Cited material
- Small Matches (Less than 8 words)
- Manually excluded sources

# The Effect of Giving Barusa Kacang Gude on the Body Weight, the Upper Arm Circumference, and the Total Protein Concentration of Elementary School Students With Malnutrition in Bonto Ramba Sub District, Jeneponto Regency

Chairul Amal Muthalib

Faculty of Public Health, Hasanuddin University,

Jl. Perintis Kemerdekaan Km. 10, Tamalanrea Indah, Tamalanrea,

Tamalanrea Indah, Tamalanrea, Kota Makassar, Sulawesi Selatan 90245, Indonesia

kai\_theexorcist@yahoo.com

Suryani As'ad

Faculty of Public Health, Hasanuddin University,

Jl. Perintis Kemerdekaan Km. 10, Tamalanrea Indah, Tamalanrea,

Tamalanrea Indah, Tamalanrea, Kota Makassar, Sulawesi Selatan 90245, Indonesia

suryani\_fkuh@yahoo.com

Citrakesumasari

Faculty of Public Health, Hasanuddin University,

Jl. Perintis Kemerdekaan Km. 10, Tamalanrea Indah, Tamalanrea,

Tamalanrea Indah, Tamalanrea, Kota Makassar, Sulawesi Selatan 90245, Indonesia

citra\_fkmuh@yahoo.co.id

## ABSTRACT

The aim of study to observe influence of the baruasa kacang gude (gude bean) consumption on the body weight, upper arm circumferences and serum protein level in the elementary school student with malnutrition. The study was conducted by using quasi experimental research with non-randomized pre-post design for 2 months period. The sampling method was purposive sampling technique. The study involved 56 students is divided to 2 groups: intervention and control group. The intervention group is consisted samples who had gude bean and deworming agent only. Meanwhile, control group is included samples who had deworming agent. The intervention group had given 10 ml of deworming agent (pryantel pamoate) and gude bean (78 g/day) for 60 days. In additions, 10 ml of deworming agent (pryantel pamoate) was given to control group. The measurement of the body weight, upper arm circumference, and serum protein was taken before and after the intervention. The result showed changed of mean value of body weight, upper arm circumference and total serum protein in the intervention group was higher than control group. Statistically, there was significant difference in increment of upper arm circumference in the intervention group compared to control group. The gude beans had increased body weight, upper arm circumference and serum protein level in the elementary school students with malnutrition.

## CCS Concepts

•Social and professional topics → User characteristics

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

ICHSM 2018, June 8–10, 2018, Tsukuba, Japan

© 2018 Copyright is held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 978-1-4503-6435-5/18/06...\$15.00

DOI: <https://doi.org/10.1145/3242789.3242793>

## Keywords

baruasa kacang gude; body weight; upper arm circumference; serum protein level; elementary school student

## 1. INTRODUCTION

The malnutrition is a health problem occurs for children in development and in transition countries. Malnutrition is condition resulted from lack of nutrient. The malnutrition in children lead to physical and cognitive development damage during first two years of a children's life. Malnutrition was contributed one third of all child death worldwide [1,2]. In worldwide, an estimated 101 million children aged below five years were underweight [3]. Based on Indonesian National Survey (Riskesmas), there were 19.6% of children aged under 5 years were underweight, wasting as 37.2% and combined overweight and obesity as 11.9% [4].

There are two forms of malnutrition such as over nutrition and under nutrition. The over nutrition is defined as over consumption of food and nutrient lead to obesity and overweight. Meanwhile, under nutrition is nutrient deficiency resulted from lack of food consumption. In Mongolia, prevalence of malnutrition in children under 5 years were stunting as 15.6%, wasting, 1.7% and underweight for 4.7% in 2012 [5]. Meanwhile, 51% of children under five experienced stunting in West Bengal, India for 2016 [6].

The malnutrition is due to several causes such as poor diet, disease, socioeconomic, accessibility to health services and healthy environment [7-15]. The children with lack of physical growth is due to lower socioeconomic and infrastructural facilities [16]. The nutritional status in children had influenced by maternal health. A study found children had poor nutritional status also had mother which their body mass index (BMI) lower than normal level [6].

Introduction of supplementary food program in school was among way helped in children nutritional status improvement. A study had suggested supplementary food program with routine health care increased nutritional status children in rural communities in Dominican Republic [17]. In contrast, mid-day meal (MDM) scheme provided by NGO had no impact on growth of the primary

school children. However, this scheme had significantly improved vitamin deficiency among children [18].

Indonesia had launched school feeding program for elementary school such as *Pemberian Makanan Tambahan pada Anak Sekolah* (PMT-AS) aimed to improve school attendance, physical stability and community participation [19]. This program had deliver food to primary school children in form of snack instead of meal, use local foodstuff and commonly consumed by community. The snack had between 300 and 400 calories and contains at least 5 to 9 grams of protein. Besides, this program also provided deworming tablets twice a year. The health screening had performed in primary school to examine the children health and growth. The objective for this study was influence of gude bean consumption on body weight, upper arm circumferences and serum protein level in elementary school student with malnutrition.

## 2. METHODOLOGY

The study was conducted by using quasi experimental research with non-randomized pre-post design for 2 months period. The sampling method in this study was purposive sampling technique. The study involved 56 students is divided to 2 groups: intervention and control group. The intervention group is consisted samples who had gude beans and deworming agent only. Meanwhile, control group was included samples who had deworming agent. The intervention group was given 10 ml of deworming agent (pryantel pamoate) and gude beans (78 g/day) for 60 days. In additions, 10 ml of deworming agent (pryantel pamoate) was given to control group. Before intervention period, all samples were given recall of food consumption sample for 24 hours and anthropometric measurement. The measurement of body weight, upper arm circumference, and serum protein was taken before and after intervention period. The intervention group was given gude beans contained 300 calories and 5 grams of protein daily. After intervention period, measurement would be taken for all samples. The body weight was measured by using digital body weight scale, while measuring instrument of upper arm circumference was used to measure upper arm circumference. The serum protein was measured using bluret test in standardized laboratory. The paired t-test, independence T-test, Mann-whitney test, repeated Anova, and Friedman test were used for the data analysis.

## 3. RESULT AND DISCUSSION

### 3.1 Univariate Analysis

The study was conducted on 59 students during pretest of serum protein. The samples were divided on 2 groups: intervention group (30 children) and control group (29 children). During study was conducted, there were 3 samples did not take posttest of serum protein due to their personal reason. Based on Table 1, mean of body weight for intervention group was 22.12 kg and 20.65 kg in control group. The mean body height for intervention group was 128.05 kg and 125.16 kg for control group. The upper arm circumference in the intervention group was 16.05 cm and 15.99 for control group. In Table 2, percentage of student who consumed gude beans was divided into 2 groups: good when consuming  $\geq 80\%$  and less when consuming  $< 80\%$  for 2 months. In this study, 21 students who consumed good gude beans

### 3.2 Bivariate Analysis

There was a significant difference between body weight during pre and post study for intervention and control groups. The body weight had observed increased from 22.12 kg to 23.37 kg after intervention period for intervention group. Meanwhile, control

group had observed increment from 20.65 kg to 21.83 kg after intervention period. The mean weight was observed increase through 2 months, which was statistically significant ( $p < 0.05$ ) for intervention and control group. Table 5 had showed a significant increment after the introduction of gude beans in the intervention group ( $p < 0.05$ ). The upper arm circumference was observed increased in intervention group from 16.05 cm to 16.57 cm after intervention period. Even though, control group had observed increment in upper arm circumference but no significant difference in upper arm circumference after intervention period as shown in Table 4. The mean in serum protein level for both group was observed increased significantly ( $p < 0.05$ ). For the intervention group, increment from 7.32 g/dL to 7.55 g/dL. Meanwhile, control group was experienced increment from 7.55 g/dL to 7.73 g/dL.

**Table 1. Student's anthropometric data by the body weight, height and upper circumference.**

Anthropometric Characteristic	Intervention group (n=28)	Control Group (n=28)
	Mean $\pm$ SD	Mean $\pm$ SD
Body Weight	22.12 $\pm$ 2.47	20.65 $\pm$ 2.19
Body height	128.05 $\pm$ 6.09	125.16 $\pm$ 5.56
Upper Arm circumference	16.05 $\pm$ 0.83	15.99 $\pm$ 1.07

Source: Primary data, 2016

**Table 2. Student compliance distribution in beans consumption.**

Consumption compliance	Sample number (n)	Percentage (%)
<80% (Less)	9	30%
$\geq 80\%$ (Good)	21	70%
Total	30	100.0

Source: Primary data, 2016

**Table 3. The comparison of the mean weight rates between the intervention and control group.**

Group	Body Weight (Kg)			p value
	Initial (Mean $\pm$ SD) (kg)	First Month (Mean $\pm$ SD) (kg)	Second Month (Mean $\pm$ SD) (kg)	
Intervention	22.12 $\pm$ 2.47	23.23 $\pm$ 2.66	23.37 $\pm$ 2.73	0.00**
Control	20.65 $\pm$ 2.19	21.67 $\pm$ 2.46	21.83 $\pm$ 2.54	0.00**
p value	0.022*	0.028*	0.033*	

\* T Independence Test

\*\* Repeated Anova Test

Source: Primary data, 2016

**Table 4. Comparison of upper arm circumferences between intervention and control group.**

Group	Upper Arm Circumference (cm)			p value
	Initial (Mean ± SD) (kg)	First Month (Mean± SD) (kg)	Second Month (Mean± SD) (kg)	
Intervention	16.05± 0.83	16.47± 0.84	16.57± 0.94	0.00**
Control	15.99± 1.07	16.04± 0.91	16.07± 0.83	0.82**
P value	0.81*	0.72*	0.39*	

\* T Independence Test

\*\* Repeated Anova Test

Source: Primary data, 2016

**Table 5. Comparison of serum protein level between intervention and control group.**

Group	Protein Serum) g/dL)		p value
	Pretest	Post test	
	Mean ±SD	Mean ±SD	
Intervention	7.32±0.4	7.55±0.41	0.000*
Control	7.55±0.35	7.73±0.31	0.009*
p value	0.026**	0.075**	

\* T Independence Test

\*\* Repeated Anova Test

Source: Primary data, 2016

### 3.3 Overall Discussion

Based on result found consumption of gude beans in 2 months had changed statistically significant in body weight in both groups. The intervention group had achieved at 1.24 kg. Meanwhile, control group had showed no increased statistically significant ( $p>0.05$ ). This result was correlated with a study suggested given nutrient potato-based biscuit had increased children's weight in Tamil Nadu region, India [20]. Besides, supplementary of soybean in Rwanda for three months significantly increased children's weight [21].

The reason was due to similarities of food intake and diet in both group. Although, an inconsistent of gude beans intake during intervention period, test statistical result for three measurements (Initial, first month and second month) were not significantly different during the study. The respondents' ability in biscuit consumption for two consecutive months caused initial variable was normal distributed and changed to not normally distributed at the end of study. The samples in intervention group initially was

transferred to control group due to unable to consume biscuit for two consecutive months.

Local food was available in Jenepono was gude beans. This gude bean became alternative food source for Jenepono resident. The gude bean was one type of bean provided high protein and iron and served in cereal or biscuit form. The gude beans were good sources for fiber, sulfur, calcium, potassium (K), manganese and water-soluble vitamins especially thiamine, riboflavin and niacin [22] This gude bean was one of solution for malnutrition in developing and in transition countries and recommended in school food program. The gude beans are highly processed food with high nutritional value, especially content calories and protein. Every 100 grams of gude beans contained 387.11 calories and 7.75 grams of protein. Based on nutrition adequacy rate of children aged 10-12 years, 100 grams gude beans were contributed energy or calories about 18.43% and 13.83% of the protein.

The deworming tablet among control group increased body weight. In India, increment in body weight was observed in pre-school children with given deworming tablet [23]. The worms is correlated with malnutrition, growth disorders and poor performance. Although, no significant difference in body weight changes between intervention and control group. The body weight was observed increased in intervention group about 1.24kg. There was an increment in upper arm circumferences of the children during 2 consecutive months. The intervention group was observed statistically significant increase in the upper arm circumferences between initial and after 2 consecutive months. The upper arm circumferences had increased from 16.04 cm to 16.56 cm at end of the study. In mean difference between intervention and control group for before and after 2 consecutive months showed statistically significant different ( $p<0.05$ ). There was significant difference in mean difference between intervention and control group for pre and post study. The upper arm circumference in the intervention group had increased 0.51 cm.

A study also found significantly increased in upper arm circumference in Kenya school children with give local vegetable-based food combined with meat or milk [24]. In addition, a study in Malawi found statistically significant increment in upper arm circumference in children received additional food at school [25]. In this study, serum protein level had significant increase in both groups. In intervention group, serum protein was 7.32 g/dl in pre study and increased to 7.55 g/dl in post study. The statistical test result showed significant change in serum protein level ( $p<0.05$ ). Besides, increment occurs in serum protein level for control group. There was no significant different increment in serum protein level between both group ( $p>0.05$ ). Nevertheless, highest increment occurs in intervention group, 0.22 g/dl. The serum protein also observed increased in control group was due to the deworming agent itself. The increment in serum protein between intervention and control because serum protein was at normal level for all samples at pre study. Overall, no significant difference between intervention and control group during intervention period in term of biscuit consumption and diet. The gude beans influenced increment in body weight, upper arm circumference and serum protein level in students in the intervention group.

### 4. CONCLUSION

Total increment in body weight for intervention group was 1.24 kg and control group were observed increased 1.18kg during

intervention period. <sup>11</sup> There was no significant difference in mean between intervention and control group ( $p>0.05$ ). The upper arm circumferences had observed in both group. The intervention group was observed increased 0.51cm and control group also observed increased in upper arm circumferences for 0.075cm. From statistical test results had showed a significant difference between increment in both group ( $p<0.05$ ). The protein serum level was observed increased 0.22 g/dL on intervention group. Meanwhile, control group was observed increased 0.17 g/dL in protein serum level after intervention period. <sup>12</sup> There was no statistically significant difference between intervention and control group ( $p>0.05$ ). The parent should give attention to their children dietary especially consuming multi nutrient food. The government should promote and encourage their residents for their nutritional status in order promote local food which is beneficial to general health and improves their nutritional status.

## 5. REFERENCES

- [1] World Health Organization. Malnutrition. Available: [http://www.who.int/maternal\\_child\\_adolescent/topics/child/malnutrition/en/](http://www.who.int/maternal_child_adolescent/topics/child/malnutrition/en/).
- [2] Prieto, M. B. et al. (2011). Malnutrition in the critically ill child: the importance of enteral nutrition. *International Journal of Environmental Research and Public Health*, 8, 4353-4366. doi:10.3390/ijerph8114353
- [3] Amare, D. et al. (2016). Prevalence of under nutrition and its associated factors among children below five years of age in Bure Town, West Gojjam zone, Amhara National Regional State, Northwest Ethiopia. *Advances in Public Health*, 2016. doi: 10.1155/2016/7145708
- [4] Rachmi, C. N. et al. (2016). Stunting, underweight and overweight in children aged 2.0-4.9 years in Indonesia: Prevalence trends and associated risk factors. *PLoS ONE*, 11(5). doi: 10.1371/journal.pone.0154756
- [5] Otgonjargal, D. et al. (2012). Nutritional status of under five children in Mongolia. *Journal of Medicine and Medical Science*, 3(5), 341-349.
- [6] Sarkar, S. (2006). Cross-sectional study of child malnutrition and associated risk factors among children aged under five in West Bengal, India. *International Journal of Population Studies*, 2(1),89-102.
- [7] Abubakar, A. et al. (2012). Prevalence and risk factors for poor nutritional status among children in the Kilimanjora Region of Tanzania. *International Research and Public Health*, 9, 3506-3518. doi: 10.3390/ijerph9103506
- [8] Islam, M. T. et al. (2014). Malnutrition among 3-5 years old children in the Haor Basin of Bangladesh: A cross-sectional study. *International Journal of Research in Humanities, Arts and Literature*, 2(7), 167-172.
- [9] Alom, J. et al. (2009). Socioeconomic factors influencing nutritional status of under-five children of Agrarian families in Bangladesh: A multilevel analysis. *Bangladesh Journal of Agricultural Economics*, 1(2009), 63-74.
- [10] Rahman, S. et al. (2016). Association of low-birth weight with malnutrition in children under five years in Bangladesh: Do mother's education, socioeconomic status, and birth interval matter? *PLoS ONE*, 11(6). doi: 10.1371/journal.pone.0157814
- [11] Wu, L. et al. (2015). The relationship between socioeconomic development and malnutrition in children younger than 5 years in China during the period 1990 to 2010. *Asia Pacific Journal of Clinical Nutrition*, 24(4), 665-673.
- [12] Elkholy, T. A. et al. (2011). Demographic, socioeconomic factors and physical activity affecting the nutritional status of young children under five years. *Life Science Journal*, 9, 3604-3614.
- [13] Kanjilal, B. et al. (2010). Nutritional status of children in India: household socioeconomic condition as the contextual determinant. *International Journal for Equity in Health*, 9(19).
- [14] Mehta, H. et al. (2013). Growth and nutritional concerns in children with food allergy. *Current Opinion in Allergy and Clinical Immunology*, 13(3), 275-279. doi: 10.1098/ACI.0b013e328360949d
- [15] Nungo, R. A. et al. (2012). Nutrition status of children under-five years in cassava consuming communities in Nambale, Busia of Western Kenya. *Food and Nutrition Sciences*, 3, 796-801
- [16] Rode, S. (2015). Child malnutrition and low access to health care facilities in Mumbai Metropolitan region. *Double Blind Peer Review International Research Journal*, 15(2), 49-59.
- [17] Parikh, K. et al. (2010). Nutritional status of children after a food- supplementation program integrated with routine health care through mobile clinics in migrant communities in the Dominican Republic. *The American Society of Tropical Medicine and Hygiene*, 83(3), 559-564.
- [18] Sharma, A. K. et al. (2010). Impact of NGO run mid day meal program on nutrition status and growth of primary school children. *The Indian Journal of Pediatrics*, 77(7), 763-769
- [19] SEAMEO INNOTECH Regional Education Program. *School health care and nutrition in primary schools in southeast Asia: policies, programs, and good practices*. Available: <http://www.seameo-innotech.org/wp-content/uploads/2016/10/SHN-Report-2015.pdf>.
- [20] Wellajat, T. (2015). Total protein. Available: <http://reyniteen.blogspot.com/2010/09/total-protein.html>.
- [21] Niyibituronsa, M. et al. (2014). Improving the nutritional status of malnourished children using soybean products in Rwanda. *African Journal of Food, Agriculture, Nutrition and Development*, 14(4).
- [22] Sharma, S. (2011). Pigeon Pea (*Cajanus Cajan L.*): A hidden treasure of regime nutrition. *Journal of Functional and Environment Botany, Food Science and Nutrition*, 1(2), 91-101.
- [23] Shally et al. (2008). Effects of deworming on malnourished preschool children in India: an open-labelled, cluster-randomized trial. *PLOS Neglected Tropical Diseases*, 2(4). doi: 10.1371/journal.pntd.0000223
- [24] Charloote, G. N. et al. (2012). Meat supplementation increases arm muscle area in Kenyan school children. *British Journal of Nutrition*, 109, 1230-1240.
- [25] Owen, W. W. N. et al. (2013). Early-stage primary school children attending a school in the Malawian School Feeding Program (SFP) have better reversal learning and lean muscle mass growth than those attending Non-SFP school. *The Journal of Nutrition*, 143(8), 1324-1330. doi:10.3945/jn.112.171280

● **17% Overall Similarity**

Top sources found in the following databases:

- 15% Internet database
- 10% Publications database
- Crossref database
- Crossref Posted Content database
- 8% Submitted Works database

TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

<b>1</b>	<b>Andi Veny Kurniawan, Anwar Daud, Saifuddin Sirajuddin. "Risk Analysis...</b>	<b>4%</b>
	Crossref	
<b>2</b>	<b>scilit.net</b>	<b>2%</b>
	Internet	
<b>3</b>	<b>eprints.soton.ac.uk</b>	<b>&lt;1%</b>
	Internet	
<b>4</b>	<b>seameo-innotech.org</b>	<b>&lt;1%</b>
	Internet	
<b>5</b>	<b>bursacendekia.blogspot.com</b>	<b>&lt;1%</b>
	Internet	
<b>6</b>	<b>2pos.asia</b>	<b>&lt;1%</b>
	Internet	
<b>7</b>	<b>University of Edinburgh on 2019-12-25</b>	<b>&lt;1%</b>
	Submitted works	
<b>8</b>	<b>gssrr.org</b>	<b>&lt;1%</b>
	Internet	

9	<b>ajap.um.edu.my</b>	Internet	<1%
10	<b>link.springer.com</b>	Internet	<1%
11	<b>A. K. Sharma, Samiksha Singh, Sonali Meena, A. T. Kannan. "Impact of ...</b>	Crossref	<1%
12	<b>Lilongwe University of Agriculture and Natural Resources on 2022-09-07</b>	Submitted works	<1%
13	<b>era.ed.ac.uk</b>	Internet	<1%
14	<b>Adra Yudrika, Andi Zulkifli, Masyita Muis. "Risk Factors of Neonatal Mo...</b>	Crossref	<1%
15	<b>Halisah Halisah, Armiyati Nur, Nurpudji Astuti Taslim, Sitti Maisuri Chal...</b>	Crossref	<1%
16	<b>core.ac.uk</b>	Internet	<1%
17	<b>sybiosisonlinepublishing.com</b>	Internet	<1%
18	<b>Afriani, Abdul Razak Thaha, Rahmadanih. "Effect of Fe and Zinc throug...</b>	Crossref	<1%
19	<b>Saeed Mohammed Imran Hosen, Dipesh Das, Rupkanowar Kobi, Dil Um...</b>	Crossref	<1%
20	<b>elearning.medistra.ac.id</b>	Internet	<1%

21	<b>livrepository.liverpool.ac.uk</b>	<1%
	Internet	
22	<b>mesin.ulm.ac.id</b>	<1%
	Internet	
23	<b>Laureate Higher Education Group on 2013-05-22</b>	<1%
	Submitted works	
24	<b>lifesciencesite.com</b>	<1%
	Internet	
25	<b>science.gov</b>	<1%
	Internet	
26	<b>springermedizin.de</b>	<1%
	Internet	

## ● Excluded from Similarity Report

- Bibliographic material
- Cited material
- Manually excluded sources
- Quoted material
- Small Matches (Less than 8 words)

---

### EXCLUDED SOURCES

**Chairul Amal Muthalib, Suryani As'ad, Citrakesumasari. "The Effect of Giving ... 82%**

Crossref

---

**Dilla Srikandi Syahadat, Ida Leida Maria, Anwar. "An Analysis of the Mine Dus... 8%**

Crossref

---

**Masdiana, Burhanuddin Bahar, Masni. "Correlation Between Life Style and Dy... 6%**

Crossref



# International Conference on Healthcare Service Management *ICHSM 2018*



June 8-10, 2018  
TSUKUBA, JAPAN

The Association for Computing Machinery  
2 Penn Plaza, Suite 701  
New York New York 10121-0701



ACM ISBN: 978-1-4503-6435-5

**ACM COPYRIGHT NOTICE.** Copyright © 2018 by the Association for Computing Machinery, Inc. Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from Publications Dept., ACM, Inc., fax +1 (212) 869-0481, or [permissions@acm.org](mailto:permissions@acm.org).

For other copying of articles that carry a code at the bottom of the first or last page, copying is permitted provided that the per-copy fee indicated in the code is paid through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, +1-978-750-8400, +1-978-750-4470 (fax).

# Table of Contents

## Proceedings of 2018 International Conference on Healthcare Service Management (ICHSM 2018)

Preface.....VII

Conference Committees.....VIII

### • *Session 1- Medical Data Mining and Modeling*

Critical Factors of Lean Healthcare: an Overview 1

*Carlos Zepeda-Lugo, Diego Tlapa, Yolanda Baez-Lopez and Jorge Limon-Romero*

Dynamic System Modeling in Estimating Prevalence of Undernutrition and Malnutrition in South Sulawesi 8

*Andi Nur Utami, Ridwan A and Tahir Abdullah*

### • *Session 2- Medical and Health Statistics*

The Quality of Antenatal Care in Integrated Service Post of Urban and Rural Areas of Jeneponto Regency in 2016 15

*ANDI NURFAIDAH, Ansariadi and Suriah*

Influence Factors on Blood Glucose Level of Diabetes Mellitus Patients in Makassar 20

*Yulinar Fitria Firdiani, Andi Zulkifli and Mappedy Nyorong*

The Effect of Giving Barusa Kacang Gude on the Body Weight, the Upper Arm Circumference, and the Total Protein Concentration of Elementary School Students With Malnutrition in Bonto Ramba Sub District, Jeneponto Regency 25

*Chairul Amal Muthalib, Suryani As'ad and Citrakesumasari*

Risk Analysis Toxic Materials Borax and Rhodamine- B in Snack Against Primary School Children's Health in Housing Area of Tamalanrea Permai Makassar 30

*Andi Veny Kurniawan, Anwar Daud and Saifuddin Sirajuddin*

Quality of Antenatal Care at Rural and Urban Primary Health Centre in Jeneponto Regency 35

*NURUL FAUZIAH, Ansariadi and Darmawansyah*

The Quality of Life (QoL) of Young Adult Hypertension Patients Undergoing Treatment in Hospitals of Makassar City 41

*NURFAIZIN YUNUS, Ida Leida Maria and Syamsiar S. Russeng*

The Effect of Purple Sweet Potatoes and Sting Ray Treatments on The Nutritional Status of the Babies Aged 6-11 Months in Pattallassang Health Center, Takalar Regency In 2015 47

*Nurul Ulfiana Sahlan, Burhanuddin Bahar and Ansariadi*

Factors Related of Work Environment on Officials Work Satisfaction of Health Centers in Keerom Regency Papua Province in 2016 52

*Agustiana Kaikatuy, Syahrir A. Pasinringi and Nurhaedar Jafar*

Relationship Analysis Between Staphylococcus and Pseudomonas Bacteria in Air and Nosocomial Infection Incident Potential in Intensive Care Unit Room of Dr. Wahidin Sudirohusodo Central General Hospital	57
<i>Owildan Wisudawan B, Anwar Daud and Atjo Wahyu</i>	
Analysis of Indoor Air Quality with Lung Capacity of the Residents Living on Abdullah Daeng Sirua Street of Makassar	62
<i>Putri Nur Rahmah, Anwar Daud and Veni Hadju</i>	
Relationship Between Hormonal Contraception Use with Age of Menopause Among Elderly at Posyandu Sidodadi Village Wonomulyo Subdistrict Polewali Mandar District	68
<i>Raodah, Masni and Ridwan M.Thaha</i>	
Relationship Between Women Empowerment and the Use of Contraception in Pasarwajo Distric of Buton Regency	73
<i>Wa Ode Dita Arliana, Masni and Anwar Daud</i>	
Correlation Between Life Style and Dyslipidemia with Impaired Fasting Blood Sugar in State Junior High School and State Senior High School Having Central Obesity	78
<i>Ijah Rahayu, Veni Hadju and Ridwan M. Thaha</i>	
Correlation Between the Exclusive Breastfeeding and THE Duration of the Amenorhoa Lactation at the Work Region of North Galesong Community Health Center	83
<i>Anisa Fitrianti, Syahrir A. Pasinringi and Nurhaedar Jafar</i>	
Correlation Between Nutritional Behavior and Lipid Profile and Fasting Blood Sugar of State secondary school Teachers Having Central Obesity in Makassar City	87
<i>Nikmah Saro, Veni Hadju and Atjo Wahyu</i>	
An Analysis of the Mine Dust Exposure Risk and Other Risks for Tuberculosis Suspects Among the Workers of the People's Gold Mine in Poboya Village, Palu City	92
<i>Dilla Srikandi Syahadat, Ida Leida Maria and Anwar</i>	
Counseling Quality of Danger Signs Pregnancy in Work Region or Rural and Urban Primary Health Center District Jeneponto	99
<i>Hafidah Amiruddin, Ansariadi and Sukri Palutri</i>	
The Spatial Pattern and Risking Factors of Leprosy Incident in Barru Regency in 2013-2015	105
<i>Handayani, Anwar and Muh. Tahir Abdullah</i>	
Risk Factors of the Occurance of Decompression Sickness Among Fishermen Community to Traditional Divers of Saponda Island Konawe Regency Southeast Sulawesi Province in 2016	113
<i>Jusmawati, A. Arsunan Arsin and Furqaan Naiem</i>	
Correlation Between Life Style and Dyslipidemia of Teacher Secondary School with Central Obesity in Makassar City 2016	117
<i>Masdiana, Burhanuddin Bahar and Masni</i>	
Association of Nutritional Status with Anemia on Malaria Patient with Dihydroartemisinin Pipperaqueine Treatment in Southwest Sumba 2015	125
<i>Renni Meliahsari, Nurpudji A. Taslim and Citrakesumasari</i>	

Survival of Breast Cancer Patients in Several Hospitals of Makassar City 2012-2016	132
<i>Sarmila, Nur Nasry Noor and Suriah</i>	
Spatial Pattern and Risking Factors of Tuberculosis Disease Occurrence in Barru Regency	141
<i>Satriani, Anwar and Suriah</i>	
Relationship Of Exposure Of Air Pollution In House With Occurrence Of Acute Respiratory Infections In Children Under Five At Puskesmas Malimongan Baru in 2016	149
<i>NUR INDAHSAARI, Nur Nasry Noor and Dian Sidik Arsyad</i>	
Quality of Antenatal Care at Community Health Centers and Midwifery Practitioner in Jenepono	154
<i>Zhanaz Tasya, Ansariadi and Ridwan M.Thaha</i>	
Situational Analysis on Health Services for People with Chronic Diseases and Groups with High Risk: A Case Study at Kohkha Municipality, Lampang, Thailand	159
<i>Lapatrada Numkham, Kaysorn Sumpowthong and Porntip Chompook</i>	
Related Factors to the Performance of Cadres of Larva Monitoring and Health Workers in the Control of Dengue High Fever (DHF) in Palopo	165
<i>KHADIJAH MAULINDAH, Sukri Palutturi and Syamsiar S Russeng</i>	
Correlation between the Life Style, Stress, and Leptin Level and the Obesity Status in Teachers of the State Secondary Schools in Makassar City	170
<i>AKHIR PURWATI, Veni Hadju and Tahir Abdullah</i>	
Factors Affecting the Cultural Maturity of the Patient Safety on Medical and Paramedical Officers in DR, Abdul Rival, Local General Hospital in Berau Regency, East Kalimantan Province 2016	174
<i>Nurlaila, Syahrir A. Pasinringi and Andi Zulkifli A</i>	
Analysis of the Environmental Factors and the Efforts of the Community to Avoid the Mosquito Bites Against the Endemic Dengue in Rappocini Sub-District, Makassar City	179
<i>Muh. Kahfi, Hasanuddin Ishak and Ridwan M. Thaha</i>	
Quality of Life of Chronic Renal Failure Patients Before and After Hemodialysis Treatment in Hospital Undata and Hospital Anutapura Palu in 2016	185
<i>Fitri Yanti Usman Heba, Ridwan Amiruddin and Alimin Maidin</i>	
Analysis of the Factor Causing the Medication Error in the Process of Medicine Administration of the Patients at the Adult In-Care Room of Sangatta Regional General Hospital	192
<i>Gunani, Syahrir A. Pasinringi and Noer Bahry Noor</i>	
Correlative Factors on Type 2 Diabetes Prevention Efforts of the Senior High School Students in Makassar	197
<i>Ade Pratiwi Muslimin, Ida Leida M. Thaha and Rismayanti</i>	
Descriptive Epidemiology of Neonatal Mortality in Gowa District 2015	202
<i>Amalya Rezky Putri, Jumriani Ansar and Dian Sidik Arsyad</i>	
Behavioral Prevention of Family Toward Typhoid FEVER Among Children in Kassi-Kassi Public Health Center Working Area at Makassar City 2014-2015	208
<i>Astika Putri, Arsunan Arsin and Indra Dwinata</i>	
Factors Associated with Obesity Prevention Efforts Among the Senior High School Students in Makassar City	212
<i>Elsa W Novianti Helmi, Ridwan Amiruddin and Ida Leida M. Thaha</i>	

Correlative Factors of Stroke Prevention Efforts Among the Senior High School Students in Makassar City <i>Elyeser Tandilino, Ida Leida M. Thaha and Jumriani Ansar</i>	216
Okra Powder Effect to Low Density Lipoprotein and Triglycerides in Diabetic Wistar Rat <i>ANANDA EKA ARWINI, Syahrir A. Pasinringi and Nurhaedar Jafar</i>	221
<b>• Session 3- Applied Statistics and Hospital Management</b>	
The Analysis Service Quality Based on Patient Expectation and Assessment at Mamuju Regecy Local Public Hospital 2016 <i>Hadijah Tuami, A. Indahwaty Sidin and Andi Zulkifli</i>	226
The Effect of Doctors-Patients' Verbal and Non verbal Communication on Patients' Satisfaction in Outpatient Installation of Mother and Child Centre RS Dr. Wahidin Sudirohusodo Makassar <i>Ratna Dewi Artati, Syahrir A. Pasinringi and Nurhaedar Jafar</i>	232
Brand Equity Effect on Service Reutilization Interest of Inpatient Installation of Ibnu Sina Hospital, Makassar in 2015 <i>Sumarni Karurukan Andi Gali, Fridawaty Rivai and Ridwan</i>	237
Factors Associated with Turnover Intention of Nurses in IBNU SINA YW-UMI Hospital Makassar in 2016 <i>A.Yulyandhika. Ah, Amran Razak and Ansariadi</i>	241
Practice of Implementing Standardized Nursing Management in a University Hospital <i>Xiaowen Wang</i>	246
<b>• Session 4- Bioinformatics and Medical Intelligent</b>	
Feature Extraction for Photoplethysmographic Signals using PWA: PPG Waveform Analyzer <i>Pourush Sood, Shibabroto Banerjee, Sujoy Ghose and Partha Pratim Das</i>	250
A Method for Neonates Nursing Decision by Voice Identification <i>Na Kang, Huiyan Wang and Yufan Yuan</i>	256
A Health System for Managingthe Use of Antibacterials <i>Tanghai Liu, Wenjing Deng and Wei Wang</i>	261
Life Chasing - A Location-based Game Prototype for Elderly Health Promotion <i>Meng-Pei Lee, Hsiang-Yu Hu and Hsing Mei</i>	265
<b><i>Author Index</i></b>	272

# Preface

This volume contains papers presented at the 2018 International Conference on Healthcare Service Management, which was held during June 08-10, 2018 in Tsukuba, Japan.

ICHSM provides a scientific platform for both local and international scientists, engineers and technologists who work in all aspects of medical and health informatics. In addition to the contributed papers, internationally known experts from several countries are also invited to deliver keynote and invited speeches at ICHSM 2018.

The volume includes 50 selected papers which were submitted to the conference from universities, research institutes and industries. Each contributed paper has been peer-reviewed by reviewers who were collected organizing and technical committee members as well as other experts in the field from different countries. The proceedings tend to present to the readers the newest researches results and findings in the field of Healthcare Service Management.

Much of the credit of the success of the conference is due to topic coordinators who have devoted their expertise and experience in promoting and in general co-ordination of the activities for the organization and operation of the conference. The coordinators of various session topics have devoted a considerable time and energy in soliciting papers from relevant researchers for presentation at the conference.

The chairpersons of the different sessions played important role in conducting the proceedings of the session in a timely and efficient manner and the on behalf of the conference committee, we express sincere appreciation for their involvement. The reviewers of the manuscripts, those by tradition would remain anonymous, have also been very helpful in efficiently reviewing the manuscripts, providing valuable comments well within the time allotted to them. We express our sincere and grateful thanks to all reviewers.

ICHSM 2018 Organizing Committee

June, 2018

# Conference Committees

## **Honorary Chair**

Prof. John Mantas, President in European Federation for Medical Informatics, University of Athens, Greece

## **Conference Chairs**

Prof. Tetsuya Sakurai, Artificial Intelligence Research, University of Tsukuba, Japan

Prof. Shun-Fa Yang, Chung-Shan Medical University, Taiwan

## **Program Chairs**

Prof. Chien-Lung Chan, Yuan Ze University, Taiwan

Prof. Gin-Den Chen, Chung-Shan Medical University Hospital, Taiwan

Prof. Jason C.H. Chen, Gonzaga University, United States

Prof. Jiunn-Liang Ko, Chung-Shan Medical University, Taiwan

Prof. Manit Srisurapanont, Chiang Mai University, Thailand

## **Publicity Chairs**

Prof. Hsin-Hung Wu, National Changhua University of Education, Taiwan

Dr. Chalong Cheewakriangkrai, Chiang Mai University, Thailand

Prof. Chun-Ju Chiang, Taiwan Cancer Registry Center, Taiwan

## **Poster Chair**

Prof. Fong-Jung Yu, Da-Yeh University, Taiwan

## **Student Essay Competition Award Chair**

Prof. Yen-Chiao (Angel) Lu, Chung Shan Medical University, Taiwan

## **Technical Program Committee Chair**

Prof. Rita Casadio, University of Bologna, Italy

## **Technical Program Committee Members**

Prof. LO, Sing Kai, The Education University of Hong Kong

Prof. Kang-Nee Ting, The University of Nottingham, Malaysia

Prof. Daniel W. Wong, MThe University of Memphis, USA

Prof. Huimin Zhang, Beijing United Family Rehabilitation Hospital, China

Prof. Kate Diesfeld, Auckland University of Technology, New Zealand

Prof. Jeong Hoon Choi, University of Nebraska at Kearney, USA  
Assoc. Prof. Masanao KOEDA, Osaka Electro-Communication University, Japan  
Assoc. Prof. Masashi Matsuzaka, Hirosaki University Hospital, Japan  
Assoc. Prof. Richard Chaloupka, Masaryk University, Czech Republic  
Assoc. Prof. Hiroaki Morita, Aomori University of Health and Welfare, Japan  
Dr. William Chi-shing Cho, Queen Elizabeth Hospital, Hong Kong  
Dr. Joaquim Cerejeira, Centro Hospitalar Universitário de Coimbra, Portugal  
Dr. Jirawat Sudsawat, Suan Sunandha Rajabhat University, Bangkok, Thailand  
Dr. Hyacinth Faune, University of the Philippines, Philippines  
Dr. Masanao Kodea, Osaka Electro-Communication University, Japan  
Dr. Tse-Hung Huang, Chang Gung Memorial Hospital, Taiwan  
Dr. Ayako Okuyama, National Cancer Center for Cancer Control, Japan  
Dr. Yuri Ito, Osaka International Cancer Institute, Japan  
Prof. Hao-Yun Kao, Kaohsiung Medical University, Taiwan  
Dr. Jatupol Srisomboon, Chiang Mai University, Thailand  
Dr. Chailert Phongnarisorn, Chiang Mai University, Thailand  
Dr. Sethawat Sethasathien, Chiang Mai University, Thailand  
Dr. Manatsawee Manopunya, Chiang Mai University, Thailand  
Dr. Kittipat Charoenkwan, Chiang Mai University, Thailand  
Dr. Charuwan Saeteng, Chiang Mai University, Thailand  
Dr. Sitthicha Siriaree, Chiang Mai University, Thailand  
Dr. Krit Khwan-ngern, Chiang Mai University, Thailand  
Prof. Aleyamma Mathew, Regional Cancer Centre, Medical College Campus,  
Thiruvananthapuram, India  
Prof. Preethi George, Regional Cancer Centre, Medical College Campus, Thiruvananthapuram,  
India  
Prof. Hsu-Ju Teng, Chung Shan Medical University, Taiwan

Conference


ICHSM ▾

ICHSM: International Conference on Healthcare Service Management

Search within ICHSM



## ICHSM '18: Proceedings of the International Conference on Healthcare Service Management 2018

 2018 Proceeding

**Publisher:** Association for Computing Machinery, New York, NY, United States

**Conference:** ICHSM '18: International Conference on Healthcare Service Management 2018 • Tsukuba Japan • June 8 - 10, 2018

**ISBN:** 978-1-4503-6435-5

**Published:** 08 June 2018

**In-** Graduate School of Library, Information, and Media Studies, University of Cooperation: Tsukuba, Japan

Feedback

 Recommend ACM DL

ALREADY A SUBSCRIBER? [SIGN IN](#)

 Alerts

 Binder

 Citation



Recommended 



ICHSM 

## Abstract

ICHSM provides a scientific platform for both local and international scientists, engineers and technologists who work in all aspects of medical and health informatics. In addition to the contributed papers, internationally known experts from several countries are also invited to deliver keynote and invited speeches at ICHSM 2018.

## Proceeding Downloads

 Front matter (Title, Copyright, Table of Contents, Preface, Conference Committees) 

**SESSION: Medical Data Mining and Modeling** 

**SESSION: Medical and Health Statistics** 

**SESSION: Applied Statistics and Hospital Management** 

**SESSION: Bioinformatics and Medical Intelligent** 

**Index Terms** (auto-classified)

Recommended 



Health informatics

ICHSM 

## ■ Comments

### DL Comment Policy

Comments should be relevant to the contents of this article, (sign in required).

0 Comments

Share

Nothing in this discussion yet.

[Privacy](#)

[Do Not Sell My Data](#)

### Categories

[Journals](#)

[Magazines](#)

[Books](#)

[Proceedings](#)

[SIGs](#)

[Conferences](#)

### About

[About ACM Digital Library](#)

[ACM Digital Library Board](#)

[Subscription Information](#)

[Author Guidelines](#)

[Using ACM Digital Library](#)

[All Holdings within the ACM Digital Library](#)


Recommended 



Join ACM


Join SIGs


 Contact

 Facebook

ICHSM 

Institutions and Libraries

 Feedback

 Bug Report

The ACM Digital Library is published by the Association for Computing Machinery. Copyright © 2023 ACM, Inc.

[Terms of Usage](#) | [Privacy Policy](#) | [Code of Ethics](#)