



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE Paper JC-708 -- Accepted

Claude Chung <isope4@gmail.com>

Tue, Aug 29, 2017 at 7:09 AM

To: Muhammad Zubair Muis Alie <zubair.m@eng.unhas.ac.id>

Cc: Jin S Chung <jschung@isope.org>, Janice Chung <isope-2@sbcglobal.net>

August 28, 2017

IJOPE Paper No. JC-708 "Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships"

Dear Dr. Muis Alie,

Congratulations! It is a pleasure to inform you that your revised paper has been accepted for publication in the *International Journal of Offshore and Polar Engineering (IJOPE)*. We have also decided to publish a brief formal Discussion of your paper with comments from Reviewer 3 and your reply.

You will hear directly from the Managing Editor as to the scheduling of your paper's publication and/or further comments on format and figure quality plus details on the Discussion. On behalf of the International Society of Offshore and Polar Engineers (ISOPE), I want to express our appreciation for your contribution to our Journal.

Sincerely yours,

Prof. Jin S. Chung, Technical Editor

IJOPE

JSC/cc

cc: ISOPE Office



CALL-2018 Sapporo-1020DL-0817.pdf

337K



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE Paper JC-708 -- Accepted

Claude Chung <isope4@gmail.com>

Sat, Mar 31, 2018 at 12:59 AM

To: Muhammad Zubair Muis Alie <zubair.m@eng.unhas.ac.id>

Dear Dr. Muis Alie,

Please confirm that you received the message below and that you will be sending the updated paper and figure file soon. Thank you.

Best regards,

Claude Chung
Managing Editor
IJOPE

[Quoted text hidden]



JC-708 Muis Alie-sm-cc-queries.docx
889K



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE Paper JC-708 -- Accepted

Claude Chung <isope4@gmail.com>
To: Zubair <zubair.m@eng.unhas.ac.id>

Tue, Mar 27, 2018 at 8:37 AM

Dear Dr. Muis Alie,

Attached is a file of your paper containing several notes that explain edits we made or request clarification/correction. Please make any necessary text changes in this file and highlight them for easy identification. We request a higher-resolution file of Fig. 4 that includes the requested edit.

Please confirm when you receive this message and send me the updated paper and figure file at your earliest convenience. Thank you.

Best regards,

Claude Chung
Managing Editor
IJOPE

On 11/26/17, 1:32 PM, "Zubair" <zubair.m@eng.unhas.ac.id> wrote:

>Dear Claude Chung
>Managing Editor of IJOPE

>

>I am sorry for may late reply. Here is the word file of my paper.

>

>

>Faithfully yours,

[Quoted text hidden]

 **JC-708 Muis Alie-sm-cc-queries.docx**
889K



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE Paper JC-708 -- Accepted

Claude Chung <isope4@gmail.com>
To: Zubair <zubair.m@eng.unhas.ac.id>

Tue, Nov 21, 2017 at 7:49 AM

Dear Dr. Muis Alie,

Please send me a Word file of your final paper so that we may begin preparing it for publication. Make sure that figures are high-resolution and not compressed within the file.

Thank you.

Best regards,

Claude Chung
Managing Editor
IJOPE

On 9/6/17, 4:32 PM, "Zubair" <zubair.m@eng.unhas.ac.id> wrote:

>Dear Claude Chung
>Managing Editor of IJOPE
>
>Thank you so much for your information.
>
>
>Sincerely yours,
>Muhammad Zubair Muis Alie

>
>
>
>On 2017-09-06 07:26, Claude Chung wrote:

>> Dear Dr. Muis Alie,
>>
>> After consulting with Reviewer 3, we have decided that a Discussion of
>> your paper is unnecessary, so your paper will be published without an
>> accompanying Discussion. Feel free to check with me in three months
>> for an update on publication status.

>>
>> Best regards,
>>
>> Claude Chung
>> Managing Editor
>> IJOPE
>>
>> From: Claude Chung <isope4@gmail.com>
>> Date: Monday, August 28, 2017 at 4:09 PM
>> To: Muhammad Zubair Muis Alie <zubair.m@eng.unhas.ac.id>
>> Cc: Jin S Chung <jschung@isope.org>, Janice Chung
>> <isope-2@sbcglobal.net>
>> Subject: IJOPE Paper JC-708 -- Accepted
>>
>> August 28, 2017
>>
>> IJOPE Paper No. JC-708 "Simplified Approach on the Ultimate Hull
>> Girder Strength of Asymmetrically Damaged Ships"
>>
>> Dear Dr. Muis Alie,
>>
>> Congratulations! It is a pleasure to inform you that your revised
>> paper has been accepted for publication in the _International Journal
>> of Offshore and Polar Engineering (IJOPE). _We have also decided to

[Quoted text hidden]



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE Paper JC-708 -- Accepted

Claude Chung <isope4@gmail.com>

Wed, Sep 6, 2017 at 8:26 AM

To: Muhammad Zubair Muis Alie <zubair.m@eng.unhas.ac.id>

Cc: Jin S Chung <jschung@isope.org>

Dear Dr. Muis Alie,



After consulting with Reviewer 3, we have decided that a Discussion of your paper is unnecessary, so your paper will be published without an accompanying Discussion. Feel free to check with me in three months for an update on publication status.



Best regards,



Claude Chung
Managing Editor
IJOPE



[Quoted text hidden]



Category (2)	
Statement	Argument
The paper proposed a method based on the assumptions that the ultimate sagging strength is attained when a stiffened panel element at the critical element reached the ultimate strength and the ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST. However, this method is quite simple and far from a progressive failure method since the change of neutral axis is not reflected in the method. Most of all, the approach needs to be verified with CSR's incremental-iterative approach or nonlinear FE analysis even if only vertical bending moment is taken into account. Then, the effect of rotation and translation needs to be verified further. In addition, the assumption that the hull girder cross section is elastic until the failure of the critical member is too rough to use in the actual design. It is recommended to reflect the progressive failure process.	







































<u>Category (1)</u>	No Comments
<u>Category (2)</u> Recommendation No. 1 English has to be improved. It is recommended to ask native English speaker to examine your English. Correction No. 2 3rd line in ABSTRACT: “simply supported of boundary condition” → “simply supported boundary condition” Correction No. 3 Page 1; left column; 4th – 5th line: “safety ship” → “safety of ship” Correction No. 4 Page 1; right column; 3rd line: “base on” → “based on” Correction No.5 Page 1; right column; 12th line: “applying the progressive collapse method and finding an” → “applying the progressive collapse calculation method and found an” Correction No.6 Page 1; right column; 26th line: “compared with” → “compared the calculated results with” Correction No.7 Page 2; left column; 1st line: “influence factor” → “influential factor” Correction No.8 Page 2; left column; 12th line: “damaged due, for example, to” → “damaged, for example, due to”	Response No.1 Has been done. Response No.2 Has been corrected, see the article on ABSTRACT. Response No.3 Has been corrected, see the article on page 1. Response No.4 Has been corrected, see the article on page 1. Response No. 5 Has been corrected, see the article on page 1. Response No. 6 Has been corrected, see the article on page 1. Response No. 7 Has been corrected, see the article on page 2. Response No.8 Has been corrected, see the article on page 2.

Correction No.9 Page 2; right column; below Eq.(3): “Where D_i, A_i, y_i and z_i are the tangential stiffness obtained as a slope of the average stress-strain relationship, cross section and the coordinate position of the individual elements, respectively.” → “where D_i, A_i, and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stressaverage strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.” Correction No.10 Page 2; 1st line below Fig. 1: “asymmetric damage cross section, the equations are used from Eqs.(4) to (8), ” → “asymmetrically damaged cross section, Eqs.(4) through (8) are used,” Correction No.11 Page 2; 1st line below Eq.(5): “Where I and M is the” à “where I and M are the” Correction No.12 Page 4; left column; 7th line: “damage side shell” à “damaged side shell” Correction No.13 Page 4; Fig. 4 (a): There is no element at point, L1, in case of single hull bulk carrier. What σ_c^u is used for this case and what is the physical meaning of choosing this point in this case? No influence shall appear at this point as for buckling and yielding. Correction No.14 Page 4; 10th line from the bottom: “is place at” → “is placed at”	Response No.9 Has been corrected, see the article on page 2. Response No.10 Has been corrected, see the article on page 2. Response No.11 Has been corrected, see the article on page 2. Response No.12 Has been corrected, see the article on page 4. Response No.13 To be consistent, σ_c^u need to be placed even there is no element at the deck of the single hull bulk carrier. Similarly on the double hull oil tanker. Response No.14 Has been corrected, see the article on page 4.
Correction No.15	Response No.15

Page 4; 6th line from the bottom: “damaged^d takes place” → “damage has taken place” Question No.16 Page 4 – 5: Figures 5, 6, 7, 8, 9 and 10: It should be described what bending moment is indicated in the figures. Is it <i>MV</i> or resultant bending moment of <i>MV</i> and <i>MH</i>? Question No.17 Page 5; right column; 7th line: What is “stiffened matrix”? Correction No.18 Page 5; right column; 7th – 8th lines: “horizontal and vertical and” → “horizontal and vertical bending moments and” Correction No.19 Page 5; right column; 15th line: “of damaged^d” → “of damages^s” Correction No.20 Page 5; Fig. 11: “HULLST” and “Estimate by Eq.(11)” have to be placed as below: Correction No.21 Page 6; 8th line: “the damage side” → “damaged^d side” Correction No.22 Page 6; 8th – 10th lines: “The location L1 cannot induced by <i>MV</i>.” → This sentence may have no meaning since there exists no element at point L1.	Has been corrected, see the article on page 4. Answer No.16 Has been explained, see the article on page 4. Answer No.17 It should be the incremental equation for bending moment. Response No.18 Has been corrected, see the article on page 5. Response No.19 Has been corrected, see the article on page 5. Response No.20 Fig. 11 has been modified, see the article on page 5. Response No.21 Has been corrected, see the article on page 6. Response No.22 Has been deleted, the sentence has been modified, see the article on page 6.

Correction No.23 Page 6; CONCLUSIONS; 1st – 5th lines:	Response No.23 Has been modified, see the article on page 6.

“The ultimate ... member elements.” → Difficult to understand. It could be “Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith’s method.” Correction No.24 Page 6; CONCLUSIONS; 12th – 13th lines: “than without constrained ed one.” → than that without constraintt.” Correction No.25 Page 6; CONCLUSIONS; 13th – 14th lines: “even the horizontal curvature is constrained” → Meaning of this sentence is not understandable. Alternative expression is requested. Correction No.26 Page 6; CONCLUSIONS; 14th line: “because of the” → “because the” Question No.27 Page 6; CONCLUSIONS; 15th line: “the stiffness matrix interaction” → What is “stiffness matrix interaction”? Correction No.28 Page 6; CONCLUSIONS; 16th lines: “horizontal and vertical and” → “horizontal and vertical bending moments and”	Response No.24 Has been corrected, see the article on page 6. Response No.25 The sentence is modified, see the article on page 6 (CONCLUSIONS). Response No.26 Has been corrected, see the article on page 6. Answer No.27 It should be the incremental equation for bending moment. Response No.28 Has been corrected, see the article on page 6.

Correction No.29 Page 6; CONCLUSIONS; 16th – 17th lines: “strength becomes higher.” → “strength higher.”	Response No.29 Has been corrected, see the article on page 6.

<u>Category (1)</u>	No Comments
<u>Category (2)</u> Recommendation No. 1 English has to be improved. It is recommended to ask native English speaker to examine your English. Correction No. 2 3rd line in ABSTRACT: “simply supported of boundary condition” → “simply supported boundary condition” Correction No. 3 Page 1; left column; 4th – 5th line: “safety ship” → “safety of ship” Correction No. 4 Page 1; right column; 3rd line: “base on” → “based on” Correction No.5 Page 1; right column; 12th line: “applying the progressive collapse method and finding an” → “applying the progressive collapse calculation method and found an” Correction No.6 Page 1; right column; 26th line: “compared with” → “compared the calculated results with” Correction No.7 Page 2; left column; 1st line: “influence factor” → “influential factor” Correction No.8 Page 2; left column; 12th line: “damaged due, for example, to” → “damaged, for example, due to”	Response No.1 Has been done. Response No.2 Has been corrected, see the article on ABSTRACT. Response No.3 Has been corrected, see the article on page 1. Response No.4 Has been corrected, see the article on page 1. Response No. 5 Has been corrected, see the article on page 1. Response No. 6 Has been corrected, see the article on page 1. Response No. 7 Has been corrected, see the article on page 2. Response No.8 Has been corrected, see the article on page 2.

Correction No.9

Page 2; right column; below Eq.(3): “Where D_i , A_i , y_i and z_i are the tangential stiffness obtained as a slope of the average stress-strain relationship, cross section and the coordinate position of the individual elements, respectively.” → “where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.”

Correction No.10

Page 2; 1st line below Fig. 1: “asymmetric damage cross section, the equations are used from Eqs.(4) to (8), ” → “asymmetrically damaged cross section, Eqs.(4) through (8) are used,”

Correction No.11

Page 2; 1st line below Eq.(5): “Where I and M is the” à “where I and M are the”

Correction No.12

Page 4; left column; 7th line: “damage side shell” à “damaged side shell”

Correction No.13

Page 4; Fig. 4 (a): There is no element at point, L1, in case of single hull bulk carrier. What σ_c^u is used for this case and what is the physical meaning of choosing this point in this case? No influence shall appear at this point as for buckling and yielding.

Correction No.14

Page 4; 10th line from the bottom: “is place at” → “is placed at”

Response No.9

Has been corrected, see the article on page 2.

Response No.10

Has been corrected, see the article on page 2.

Response No.11

Has been corrected, see the article on page 2.

Response No.12

Has been corrected, see the article on page 4.

Response No.13

To be consistent, σ_c^u need to be placed even there is no element at the deck of the single hull bulk carrier. Similarly on the double hull oil tanker.

Response No.14

Has been corrected, see the article on page 4.

Correction No.15 Page 4; 6th line from the bottom: “damaged^d takes place” → “damage has taken place” Question No.16 Page 4 – 5: Figures 5, 6, 7, 8, 9 and 10: It should be described what bending moment is indicated in the figures. Is it <i>MV</i> or resultant bending moment of <i>MV</i> and <i>MH</i>? Question No.17 Page 5; right column; 7th line: What is “stiffened matrix”? Correction No.18 Page 5; right column; 7th – 8th lines: “horizontal and vertical and” → “horizontal and vertical bending moments and” Correction No.19 Page 5; right column; 15th line: “of damaged^d” → “of damages^s” Correction No.20 Page 5; Fig. 11: “HULLST” and “Estimate by Eq.(11)” have to be placed as below: Correction No.21 Page 6; 8th line: “the damage side” → “damaged^d side” Correction No.22 Page 6; 8th – 10th lines: “The location L1 cannot induced by <i>MV</i>.” → This sentence may have no meaning since there exists no element at point L1.	Response No.15 Has been corrected, see the article on page 4. Answer No.16 Has been explained, see the article on page 4. Answer No.17 It should be the incremental equation for bending moment. Response No.18 Has been corrected, see the article on page 5. Response No.19 Has been corrected, see the article on page 5. Response No.20 Fig. 11 has been modified, see the article on page 5. Response No.21 Has been corrected, see the article on page 6. Response No.22 Has been deleted, the sentence has been modified, see the article on page 6.

Correction No.23

Page 6; CONCLUSIONS; 1st – 5th lines:
“The ultimate ... member elements.” →
Difficult to understand. It could be
“Progressive collapse analysis was
performed on two single hull bulk carriers
and a double hull oil tanker with
asymmetrically damaged cross section
applying Smith’s method.”

Correction No.24

Page 6; CONCLUSIONS; 12th – 13th lines:
“than without constrained **one**.” → than **that**
without constraint.”

Correction No.25

Page 6; CONCLUSIONS; 13th – 14th lines:
“even the horizontal curvature is
constrained” → **Meaning of this sentence is
not understandable. Alternative expression
is requested.**

Correction No.26

Page 6; CONCLUSIONS; 14th line:
“because **of** the” → “because the”

Question No.27

Page 6; CONCLUSIONS; 15th line: “the
stiffness matrix interaction” → **What is
“stiffness matrix interaction”?**

Correction No.28

Page 6; CONCLUSIONS; 16th lines:
“horizontal and vertical and” → “horizontal
and vertical **bending moments** and”

Response No.23

Has been modified, see the article on page 6.

Response No.24

Has been corrected, see the article on page 6.

Response No.25

The sentence is modified, see the article on
page 6 (CONCLUSIONS).

Response No.26

Has been corrected, see the article on page 6.

Answer No.27

It should be the incremental equation for
bending moment.

Response No.28

Has been corrected, see the article on page 6.

Correction No.29

Page 6; CONCLUSIONS; 16th – 17th lines:
“strength becomes higher.” → “strength
higher.”

Response No.29

Has been corrected, see the article on page 6.

Category (1)

No comment for category (1) from the reviewer.

Category (2)

Question No. 1

Why the author selected only the sagging condition for ultimate hull girder strength estimation. Under the hogging condition, the damaged part is in tension side of the hull girder bending. This may cause the further extension of the damaged part and further reduction of the ultimate hull girder strength. The author is recommended to say something about this and describe the reason when only the sagging condition is selected in this paper.

Answer No. 1

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is place at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition.

Recommendation No. 2

P.2; left Column; L.35: The chapter title: “ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH NEUTRAL AXIS EFFECT” is difficult to understand. It could be “EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH”.

Answer No. 2

Has been corrected, see the article.

Recommendation No. 3

P.2; right column; 1st line: “relationship in given in” → “relationship is given in”

Answer No. 3

Has been corrected, see the article.

Recommendation No. 4

A cross-section of a ship’s hull girder is in general symmetric with respect to the centreline of the cross-section. Therefore, $EIHV = EIVH = 0$ when a cross-section is not damaged. It is when the cross-section is damaged that $EIHV$ and $EIVH$ become not zero. From this aspect, it is recommended to describe that Eqs.(4) through (8) are for the asymmetrically damaged cross-section and Eqs.(9) and (10) are for intact cross-section.

Answer No. 4

Has been modified, see the article.

Recommendation No. 5

Another important point is a floating condition. When a collision is large, there could be a water ingress which results in non-upright condition of the hull girder. In this case, both vertical and horizontal bending moments acts on the cross section of a hull girder when only vertical bending moment acts on an inclined hull girder. Something has to be mentioned about this and what assumption is made for your calculation.

Respond No. 5

The water ingress correspond to the damage stability. In the present study, the ultimate strength is analyzed after damaged. The water ingress is not considered in the analysis. Result and Discussion have been modified.

Correction No. 6

P.3; left column; 3rd line in “RESULT AND DISCUSSEION”: “Case1” → Case 1”

Respond No. 6

Has been corrected, see the article.

Correction No. 7

P.3; left column; 3rd line in “RESULT AND DISCUSSEION”: “is given as follows,” → “is given as follows.” And what is “as follows.” No description can be found.

Respond No. 7

Has been modified, see the article.

Correction No. 8

P.3; right column; last line: it is described that “because the horizontal curvature is constrained.” However, explanation is necessary how the constraint of the horizontal curvature makes higher ultimate hull girder strength of Case 2 compared to that of Case 1.

Respond No. 8

Additional explanation is added on the result and discussion, see the article.

Recommendation No. 9

For the damaged condition, not only the vertical bending moment but the resultant bending moment has to be discussed. Actually working bending moment is the resultant bending moment of vertical and horizontal bending moments in the η - ξ coordinate system in Fig. 1.

Respond No. 9

Additional discussion is attached in the article regarding the resultant of bending moment.

Correction No. 10

P.4; right column; 15th line: “curvature induce by” → “curvature induced by”

Respond No. 10

Has been corrected, see the article.

Correction No. 11

P.4; right column; 28th line: “in ship structural.” → “in ship structures.”

Respond No. 11

Has been corrected, see the article.

Correction No. 12

P.4; Fig. 11 (b): The overlapping of letters has to be revised.

Respond No. 12

Has been revised, see the article.

Correction No. 13

P.5; Fig. 12 (b): The overlapping of letters has to be reviced.

Respond No. 13

Has been revised, see the article.

Correction No. 14

P.5; CONCLUSIONS; 2nd line: “with asymmetrically damaged has” → “with asymmetrically damaged cross section has”

Respond No. 14

Has been revised, see the article.

Recommendation No. 15

P.5; CONCLUSIONS; 13rd – 14th lines: “because the horizontal curvature is constrained.”
As was mentioned in (8), the real reason which is derived from the constrained horizontal curvature has to be described here.

Respond No. 15

The conclusion is modified according to recommendation No. (8).

Category (1)

No comment for category (1) from the reviewer.

Category (2)

Question No. 1

Why the author selected only the sagging condition for ultimate hull girder strength estimation. Under the hogging condition, the damaged part is in tension side of the hull girder bending. This may cause the further extension of the damaged part and further reduction of the ultimate hull girder strength. The author is recommended to say something about this and describe the reason when only the sagging condition is selected in this paper.

Answer No. 1

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is place at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition.

Recommendation No. 2

P.2; left Column; L.35: The chapter title: “ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH NEUTRAL AXIS EFFECT” is difficult to understand. It could be “EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH”.

Answer No. 2

Has been corrected, see the article.

Recommendation No. 3

P.2; right column; 1st line: “relationship in given in” → “relationship is given in”

Answer No. 3

Has been corrected, see the article.

Recommendation No. 4

A cross-section of a ship’s hull girder is in general symmetric with respect to the centreline of the cross-section. Therefore, $EIHV = EIVH = 0$ when a cross-section is not damaged. It is when the cross-section is damaged that $EIHV$ and $EIVH$ become not zero. From this aspect, it is recommended to describe that Eqs.(4) through (8) are for the asymmetrically damaged cross-section and Eqs.(9) and (10) are for intact cross-section.

Answer No. 4

Has been modified, see the article.

Recommendation No. 5

Another important point is a floating condition. When a collision is large, there could be a water ingress which results in non-upright condition of the hull girder. In this case, both vertical and horizontal bending moments acts on the cross section of a hull girder when only vertical bending moment acts on an inclined hull girder. Something has to be mentioned about this and what assumption is made for your calculation.

Respond No. 5

The water ingress correspond to the damage stability. In the present study, the ultimate strength is analyzed after damaged. The water ingress is not considered in the analysis. Result and Discussion have been modified.

Correction No. 6

P.3; left column; 3rd line in “RESULT AND DISCUSSEION”: “Case1” → Case 1”

Respond No. 6

Has been corrected, see the article.

Correction No. 7

P.3; left column; 3rd line in “RESULT AND DISCUSSEION”: “is given as follows,” → “is given as follows.” And what is “as follows.” No description can be found.

Respond No. 7

Has been modified, see the article.

Correction No. 8

P.3; right column; last line: it is described that “because the horizontal curvature is constrained.” However, explanation is necessary how the constraint of the horizontal curvature makes higher ultimate hull girder strength of Case 2 compared to that of Case 1.

Respond No. 8

Additional explanation is added on the result and discussion, see the article.

Recommendation No. 9

For the damaged condition, not only the vertical bending moment but the resultant bending moment has to be discussed. Actually working bending moment is the resultant bending moment of vertical and horizontal bending moments in the η - ξ coordinate system in Fig. 1.

Respond No. 9

Additional discussion is attached in the article regarding the resultant of bending moment.

Correction No. 10

P.4; right column; 15th line: “curvature induce by” → “curvature induced by”

Respond No. 10

Has been corrected, see the article.

Correction No. 11

P.4; right column; 28th line: “in ship structural.” → “in ship structures.”

Respond No. 11

Has been corrected, see the article.

Correction No. 12

P.4; Fig. 11 (b): The overlapping of letters has to be revised.

Respond No. 12

Has been revised, see the article.

Correction No. 13

P.5; Fig. 12 (b): The overlapping of letters has to be revised.

Respond No. 13

Has been revised, see the article.

Correction No. 14

P.5; CONCLUSIONS; 2nd line: “with asymmetrically damaged has” → “with asymmetrically damaged cross section has”

Respond No. 14

Has been revised, see the article.

Recommendation No. 15

P.5; CONCLUSIONS; 13rd – 14th lines: “because the horizontal curvature is constrained.” As was mentioned in (8), the real reason which is derived from the constrained horizontal curvature has to be described here.

Respond No. 15

The conclusion is modified according to recommendation No. (8).

Category (1)

Question No. 1

This paper employs three basic assumptions. Please add some comments if you have any idea that how the results change according to the employment of the second assumption? If we have some comments, your results will be easier to recognize.

Answer No. 1

The ultimate strength of cross section is attained when the plate or stiffened plate elements reach their ultimate strength at the specified location. The plate and/or stiffened plate element i.e. critical element is under compression when the hull cross section is under sagging condition. The result is absolutely changed depending on the plate and/or stiffened plate behavior.

Question No. 2

You made explanations of L1 and L2 before Fig.11 is referred. If you move them to before or after Fig.4, it will be easier to recognize.

Answer No. 2

The explanations of L1 and L2 have been already moved before Fig. 4, see the article.

Question No. 3

You compared the effects of damage between B1, B4 and T2, based on the Fig.7 and Fig.8. Whereas the results of B4 is not shown in this paper. This comparison is also referred in conclusion. If you want to refer the results of B4, you should include the graphs of B4.

Answer No. 3

The symbol of Ship B4 was incorrect, must be Ship B2.

Question No. 4

If you add captions in Fig.11 and Fig.12, they will be easier to recognize.

Answer No. 4

Captions on Fig.11 and Fig. 12 have been added.

Question No. 5

In the second paragraph of conclusions, you use 'symbols' such as case1, case2, B1, B4 and T2. If you use more general expression, your conclusions will be easier to recognize.

Answer No. 5

All the symbols such as Case 1, Case 2, B1, B4 and T2 in conclusions have been modified, see the article.

Category (2)

Question No. 1

All the symbols should be explained at the time of reference. Please add explanations to M and I in eq.(4), for example.

Answer No. 1

All the symbols have been explained.

Question No. 2

The equation numbers just above the eq.(13) are incorrect. Please correct them.

Answer No. 2

Has been corrected, see the article.

Question No. 3

The figures (a) and (b) in Fig.2 are the same. Perhaps, (a) is incorrect. Please change it.

Answer No. 3

Fig. 2 has been corrected, see the article.

Question No. 4

The figure (b) in Fig.11 is digit shifted. Please correct it.

Answer No. 4

Fig. 11 has been corrected, see the article.

Category (1)

Question No. 1

This paper employs three basic assumptions. Please add some comments if you have any idea that how the results change according to the employment of the second assumption? If we have some comments, your results will be easier to recognize.

Answer No. 1

The ultimate strength of cross section is attained when the plate or stiffened plate elements reach their ultimate strength at the specified location. The plate and/or stiffened plate element i.e. critical element is under compression when the hull cross section is under sagging condition. The result is absolutely changed depending on the plate and/or stiffened plate behavior.

Question No. 2

You made explanations of L1 and L2 before Fig.11 is referred. If you move them to before or after Fig.4, it will be easier to recognize.

Answer No. 2

The explanations of L1 and L2 have been already moved before Fig. 4, see the article.

Question No. 3

You compared the effects of damage between B1, B4 and T2, based on the Fig.7 and Fig.8. Whereas the results of B4 is not shown in this paper. This comparison is also referred in conclusion. If you want to refer the results of B4, you should include the graphs of B4.

Answer No. 3

The symbol of Ship B4 was incorrect, must be Ship B2.

Question No. 4

If you add captions in Fig.11 and Fig.12, they will be easier to recognize.

Answer No. 4

Captions on Fig.11 and Fig. 12 have been added.

Question No. 5

In the second paragraph of conclusions, you use 'symbols' such as case1, case2, B1, B4 and T2. If you use more general expression, your conclusions will be easier to recognize.

Answer No. 5

All the symbols such as Case 1, Case 2, B1, B4 and T2 in conclusions have been modified, see the article.

Category (2)

Question No. 1

All the symbols should be explained at the time of reference. Please add explanations to M and I in eq.(4), for example.

Answer No. 1

All the symbols have been explained.

Question No. 2

The equation numbers just above the eq.(13) are incorrect. Please correct them.

Answer No. 2

Has been corrected, see the article.

Question No. 3

The figures (a) and (b) in Fig.2 are the same. Perhaps, (a) is incorrect. Please change it.

Answer No. 3

Fig. 2 has been corrected, see the article.

Question No. 4

The figure (b) in Fig.11 is digit shifted. Please correct it.

Answer No. 4

Fig. 11 has been corrected, see the article.

Category (1)

Question No. 1

This paper employs three basic assumptions. Please add some comments if you have any idea that how the results change according to the employment of the second assumption? If we have some comments, your results will be easier to recognize.

Answer No. 1

The ultimate strength of cross section is attained when the plate or stiffened plate elements reach their ultimate strength at the specified location. The plate and/or stiffened plate element i.e. critical element is under compression when the hull cross section is under sagging condition. The result is absolutely changed depending on the plate and/or stiffened plate behavior.

Question No. 2

You made explanations of L1 and L2 before Fig.11 is referred. If you move them to before or after Fig.4, it will be easier to recognize.

Answer No. 2

The explanations of L1 and L2 have been already moved before Fig. 4, see the article.

Question No. 3

You compared the effects of damage between B1, B4 and T2, based on the Fig.7 and Fig.8. Whereas the results of B4 is not shown in this paper. This comparison is also referred in conclusion. If you want to refer the results of B4, you should include the graphs of B4.

Answer No. 3

The symbol of Ship B4 was incorrect, must be Ship B2.

Question No. 4

If you add captions in Fig.11 and Fig.12, they will be easier to recognize.

Answer No. 4

Captions on Fig.11 and Fig. 12 have been added.

Question No. 5

In the second paragraph of conclusions, you use 'symbols' such as case1, case2, B1, B4 and T2. If you use more general expression, your conclusions will be easier to recognize.

Answer No. 5

All the symbols such as Case 1, Case 2, B1, B4 and T2 in conclusions have been modified, see the article.

Category (2)

Question No. 1

All the symbols should be explained at the time of reference. Please add explanations to M and I in eq.(4), for example.

Answer No. 1

All the symbols have been explained.

Question No. 2

The equation numbers just above the eq.(13) are incorrect. Please correct them.

Answer No. 2

Has been corrected, see the article.

Question No. 3

The figures (a) and (b) in Fig.2 are the same. Perhaps, (a) is incorrect. Please change it.

Answer No. 3

Fig. 2 has been corrected, see the article.

Question No. 4

The figure (b) in Fig.11 is digit shifted. Please correct it.

Answer No. 4

Fig. 11 has been corrected, see the article.

Category (1)

Question No. 1

- No definition about D_i , A_i , y_i in Eq. (2) (3)

Answer No. 1

Have been defined, see the article.

Category (2)

Statement No. 1

The paper proposed a method based on the assumptions that the ultimate sagging strength is attained when a stiffened panel element at the critical element reached the ultimate strength and the ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST. However, this method is quite simple and far from a progressive failure method since the change of neutral axis is not reflected in the method. Most of all, the approach needs to be verified with CSR's incremental-iterative approach or nonlinear FE analysis even if only vertical bending moment is taken into account. Then, the effect of rotation and translation needs to be verified further. In addition, the assumption that the hull girder cross section is elastic until the failure of the critical member is too rough to use in the actual design. It is recommended to reflect the progressive failure process.

Response No. 1

However this method is quite simple, but at least, for the time being, this method has been validated with the other analytical solution performed by HULLST. For the next research work will be compared with the FE analysis.

Category (1)

Question No. 1

- No definition about D_i , A_i , y_i in Eq. (2) (3)

Answer No. 1

Have been defined, see the article.

Category (2)

Statement No. 1

The paper proposed a method based on the assumptions that the ultimate sagging strength is attained when a stiffened panel element at the critical element reached the ultimate strength and the ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST. However, this method is quite simple and far from a progressive failure method since the change of neutral axis is not reflected in the method. Most of all, the approach needs to be verified with CSR's incremental-iterative approach or nonlinear FE analysis even if only vertical bending moment is taken into account. Then, the effect of rotation and translation needs to be verified further. In addition, the assumption that the hull girder cross section is elastic until the failure of the critical member is too rough to use in the actual design. It is recommended to reflect the progressive failure process.

Response No. 1

However this method is quite simple, but at least, for the time being, this method has been validated with the other analytical solution performed by HULLST. For the next research work will be compared with the FE analysis.

Category (1)

No Comments

Category (2)

Question No. 2

3rd line in ABSTRACT: “simply supported of boundary condition” → “simply supported boundary condition”

Answer No. 2

Has been corrected, see the article.

Question No. 3

Page 1; left column; 4th – 5th line: “safety ship” → “safety of ship”

Answer No. 3

Has been corrected, see the article.

Question No. 4

Page 1; right column; 3rd line: “base on” → “based on”

Answer No. 4

Has been corrected, see the article.


Question No. 5

Page 1; right column; 12th line: “applying the progressive collapse method and finding an” → “applying the progressive collapse calculation method and found an”


Answer No. 5

Has been corrected, see the article.

Ship B1 Case 1 with 20% Damage		
Hullst	Beam Theory	Simplified Formula
4774560	4670974	4775760




Ship B1 Case 1 with 70% Damage		
Hullst	Beam Theory	Simplified Formula
4600120	4438126	4599100




Ship B1 Case 2 with 20% Damage

Hullst	Beam Theory	Simplified Formula
5139120	4885888	5130111




Ship B1 Case 2 with 70% Damage

Hullst	Beam Theory	Simplified Formula
5083260	4803372	5051110



Ship B2 Case 1 with 20% Damage		
Hullst	Beam Theory	Simplified Formula
6521900	6389502	6411003




Ship B2 Case 1 with 70% Damage

Hullst
6104420

Beam Theory
6083546

Simplified Formula
6095237




Ship B2 Case 2 with 20% Damage

Hullst
6321000


Beam Theory
6579916

Simplified Formula
6310231




Ship B2 Case 2 with 70% Damage

Hullst	Beam Theory	Simplified Formula
6432720	6443108	6421807




Ship T2 Case 1 with 20% Damage		
Hullst	Beam Theory	Simplified Formula
10201800	10577140	10190137




Ship T2 Case 1 with 70% Damage

Hullst	Beam Theory	Simplified Formula
9868600	10126340	9851315



Ship T2 Case 2 with 20% Damage		
Hullst	Beam Theory	Simplified Formula
10339000	10453660	10191107




Ship T2 Case 2 with 70% Damage

Hullst
10172400


Beam Theory
10414460

Simplified Formula
10112135



Ship B1 Case 1 with 20% Damage


Hullst	Beam Theory	Simplified Formula
4774560	4670974	4775760



Bending moment x 10⁶ kN-m


Ship B1 Case 1 with 70% Damage

Hullst	Beam Theory	Simplified Formula
4600120	4438126	4599100




Ship B1 Case 2 with 20% Damage

Hullst	Beam Theory	Simplified Formula	Hullst
5139120	4885888	5130111	5083260



Ship B1 Case 2 with 70% Damage



Beam Theory	Simplified Formula
4803372	5051110



Ship B2 Case 1 with 20% Damage

Hullst	Beam Theory	Simplified Formula
6521900	6389502	6411003

Hullst
6104420



Ship B2 Case 1 with 70% Damage

Beam Theory

6083546


Simplified Formula

6095237

Ship B2 Case 1 with 70% damage



Hullst



Beam Theory




Simplified Formula

Ship B2 Case 2 with 20% Damage


Hullst	Beam Theory	Simplified Formula
6321000	6579916	6310231

Hullst
6432720



Ship B2 Case 2 with 70% Damage


Beam Theory	Simplified Formula
6443108	6421807



Ship T2 Case 1 with 20% Damage


Hullst	Beam Theory	Simplified Formula
10201800	10577140	10190137

Hullst
9868600





Ship T2 Case 1 with 70% Damage

Beam Theory	Simplified Formula
10126340	9851315



Ship T2 Case 2 with 20% Damage

Hullst	Beam Theory	Simplified Formula	Hullst
10339000	10453660	10191107	10172400




Ship T2 Case 2 with 70% Damage

Beam Theory

10414460

Simplified Formula

10112135





TRANSFER OF COPYRIGHT

(Papers will not be published unless this Form is signed and returned.)

Under the terms of the Copyright Law, The Society is required specifically to obtain a written transfer of copyright from all authors in order to hold copyright on the transactions Journal papers and technical papers presented at the conference or symposium. Verbatim reproduction of this paper by anyone or republication by the authors, after the publication or presentation at the meeting below, will be permitted by The Society provided full credit is given to the author(s) and to the conference, symposium or journal, specifically spelled out. The permission does not extend to copying for resale. The purpose in this copyrighting is to control, when necessary, abuses of the privileges. The statements and opinions advanced in papers are understood as individual expressions of their authors, not of The Society or publisher.

In submitting the paper listed below to the meeting, I hereby transfer the Copyright and attendant privileges to The International Society of Offshore and Polar Engineers.

Paper No. _____

Paper Title _____

- ☐ International Journal of Offshore and Polar Engineering
☐ Journal of Ocean and Wind Energy
☐ Presentation at the meeting (conference, symposium, or other): _____

I certify that to the best of my knowledge this paper will represent (*check one box*):

- ☒ The first publication of original publication, and this paper has neither been published nor submitted elsewhere for publication.
☐ An original compilation of information from a number of sources with specific references

Check appropriate box only if you wish:

- ☐ This paper was produced in the course of my employment by the U.S. Government and hence is in the public domain.

(Lead Author)

Signature _____ Date _____

Author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

(2)

Signature _____ Date _____

Co-author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

(3)

Signature _____ Date _____

Co-author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

(4)

Signature _____ Date _____

Co-author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

This form may be copied for use by individual authors.



TRANSFER OF COPYRIGHT

(Papers will not be published unless this Form is signed and returned.)

Under the terms of the Copyright Law, The Society is required specifically to obtain a written transfer of copyright from all authors in order to hold copyright on the transactions Journal papers and technical papers presented at the conference or symposium. Verbatim reproduction of this paper by anyone or republication by the authors, after the publication or presentation at the meeting below, will be permitted by The Society provided full credit is given to the author(s) and to the conference, symposium or journal, specifically spelled out. The permission does not extend to copying for resale. The purpose in this copyrighting is to control, when necessary, abuses of the privileges. The statements and opinions advanced in papers are understood as individual expressions of their authors, not of The Society or publisher.

In submitting the paper listed below to the meeting, I hereby transfer the Copyright and attendant privileges to The International Society of Offshore and Polar Engineers.

Paper No. _____

Paper Title _____

☐ International Journal of Offshore and Polar Engineering

☐ Presentation at the meeting (conference, symposium, or other): _____

I certify that to the best of my knowledge this paper will represent (*check one box*):

☒ The first publication of original publication, and this paper has neither been published nor submitted elsewhere for publication.

☐ An original compilation of information from a number of sources with specific references

Check appropriate box only if you wish:

☐ This paper was produced in the course of my employment by the U.S. Government and hence is in the public domain.

(Lead Author)

Signature _____ Date _____

Author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

(2)

Signature _____ Date _____

Co-author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

(3)

Signature _____ Date _____

Co-author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

(4)



Signature _____ Date _____

Co-author _____
First Middle LAST

Co./Univ _____
Mailing _____
Address _____

E-mail/Fax: _____

This form may be copied for use by individual authors.



Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported of boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety ship and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull

girder strength for asymmetrical damaged ships under longitudinal bending, applying the progressive collapse method and finding an explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and compared with the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several influences factors such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged due, for example, to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes

Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left((y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right) \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

Where D_i , A_i , y_i and z_i are the tangential stiffeners obtained as a slope of the average stress-strain relationship, cross section and the coordinate position of the individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetric damage cross section, the equations are used from Eqs. (4) to (8), and for the intact one, the expressions are given in Eqs. 9 and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

Where I and M is the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damage side shell.





(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is place at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damaged takes place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The moment-curvature relationship is given by




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage







Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damaged, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damage side almost fully failed. The location L_1 cannot well take account of the effect of the horizontal curvature induced by M_V , resulting in the slight overestimate of the strength. In the case of tankers, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.





(a) Location L1

Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

The ultimate hull girder strength analysis of single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section has been performed using the simplified approach under sagging condition by performing the elastic cross-sectional properties and critical member elements. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than without constrained one. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.

- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ships are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damages. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages

based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Muis Alie, M.Z et al. (2016) investigated the influence of the superstructure to the ultimate strength of Ro-Ro ship under vertical bending moment. The cross section was considered to be analyzed. The result obtained by beam theory with and without superstructure were compared with one another. The assessment of the ultimate hull girder strength was conducted by Muis Alie, M.Z et al. (2017). The cross section of Ro-Ro ship was taken to be analyzed. The collision and grounding damages were assumed to be palced on the side and bottom area, respectively. The damages were created by removing the element from the side shell and bottom part. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several influential factor such as model extend and complexity, damage representations and model imperfections were investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels were considered for the damage extent

estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, due to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called 'critical element') reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov, 1992).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E\{(y_i - y_G)\phi_H + (z_i - z_G)\phi_V\} \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetrically damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G)I_{HV} + (z_i - z_G)I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (11)$$

Substituting Eq. (10) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (12)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \sigma_C^u \quad (13)$$

And for Case 2

$$M_V^u|_{CASE2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (14)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE1}}{M_V^u|_{CASE2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For Single hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L is used.



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage




Fig. 11 Comparison of residual hull girder strength M_r between the simplified method and the progressive collapse analysis

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location of L_1 of bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of a double hull tanker, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The effect of the rotation of neutral axis is the largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (14) and progressive collapse analysis. The influence

of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (14) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.

- Muis Alie, M.Z, Sitepu G, Juswan, Wahyuddin, Nugraha, A.M and Alamsyah. (2016). "The Influence of Superstructure on the Longitudinal Ultimate Strength of a RO-RO Ship," *Proc 26th Int Offshore and Polar Eng Conf*, Greece, ISOPE, 4, 1022–1029.
- Muis Alie, M.Z, Sitepu G, and Latumahina, S.I. (2017). "The Assessment of the Ultimate Hull Girder Strength of RO-RO Ship after Damages, " *Proc 27th Int Offshore and Polar Eng Conf*, San Francisco, ISOPE, 4, 913–919.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ohtsubo, H, Kawamoto, Y. and Kuroiwa, T. (1994). "Experimental and Numerical Research on Ship Collision and Grounding of Oil Tankers," *J Nuclear Engineering and Design*, Vol 150, 385-396.
- Ozguc, O, Das, PK. and Barltrop, N. (2005). "A Comparative Study on the Structural Integrity of Single and Double Side Skin Bulk Carriers under collision Damage," *J Marine Structures*, Vol 18, 511-547.
- Ozguc, O. and Barltrop, NDP. (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Pedersen, PT. (1994). "Ship Grounding and Hull Girder Strength," *J Marine Structures*, Vol 7,1-29.
- Soares, CG, Luís, R.M., Nikolov, P., Downes, J., Taczala, M., Modiga, M., Quesnel, T., Toderan, C., Samuelides, M. (2008). "Benchmark Study on the Use of Simplified Structural Codes to Predict the Ultimate Strength of a Damaged Ship Hull," *J International Shipbuilding Progress*, Vol 55, 87-107.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ships are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis to determine effectiveness and for validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damages. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Muis Alie, M.Z et al. (2016) investigated the influence of the superstructure to the ultimate strength of Ro-Ro ship under vertical bending moment. The cross section was considered to be analyzed. The result obtained by beam theory with and without superstructure were compared with one another. The assessment of the ultimate hull girder strength was conducted by Muis Alie, M.Z et al. (2017). The

cross section of Ro-Ro ship was taken to be analyzed. The collision and grounding damages were assumed to be located on the side and bottom area, respectively. The damages were created by removing the element from the side shell and bottom part. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and MSC DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several influential factor such as model extend and complexity, damage representations and model imperfections were investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies according to the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels were considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, due to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is suggested.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov, 1992).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \varphi_H + (z_i - z_G) \varphi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and φ_H and φ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetrically damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \varphi_H \\ \varphi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \varphi_H \\ \varphi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \varphi_H \\ \varphi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\varphi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \varphi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\varphi_V = \frac{M_V}{EI_{VV}} \quad (10)$$

Substituting Eq. (10) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (11)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (12)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (13)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (14)$$


CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.



(a) 10% damage

(b) 20% damage




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For Single hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L is used.



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage





Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location of L_1 of bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of a double hull tanker, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.



(a) Location L1

Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The effect of the rotation of neutral axis is the largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (14) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (14) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Muis Alie, M.Z, Sitepu G, Juswan, Wahyuddin, Nugraha, A.M and Alamsyah. (2016). "The Influence of Superstructure on the Longitudinal Ultimate Strength of a RO-RO Ship," *Proc 26th Int Offshore and Polar Eng Conf*, Greece, ISOPE, 4, 1022-1029.
- Muis Alie, M.Z, Sitepu G, and Latumahina, S.I. (2017). "The Assessment of the Ultimate Hull Girder Strength of RO-RO Ship after Damages," *Proc 27th Int Offshore and Polar Eng Conf*, San Francisco, ISOPE, 4, 913-919.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ohtsubo, H, Kawamoto, Y. and Kuroiwa, T. (1994). "Experimental and Numerical Research on Ship Collision and Grounding of Oil Tankers," *J Nuclear Engineering and Design*, Vol 150, 385-396.
- Ozguc, O, Das, PK. and Barltrop, N. (2005). "A Comparative Study on the Structural Integrity of Single and Double Side Skin Bulk Carriers under collision Damage," *J Marine Structures*, Vol 18, 511-547.

- Ozguc, O. and Barltrop, NDP. (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Pedersen, PT. (1994). "Ship Grounding and Hull Girder Strength," *J Marine Structures*, Vol 7,1-29.
- Soares, CG, Luís, R.M., Nikolov, P., Downes, J., Taczala, M., Modiga, M., Quesnel, T., Toderan, C., Samuelides, M. (2008). "Benchmark Study on the Use of Simplified Structural Codes to Predict the Ultimate Strength of a Damaged Ship Hull," *J International Shipbuilding Progress*, Vol 55, 87-107.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ships are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis to determine effectiveness and for validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damages. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Muis Alie, M.Z et al. (2016) investigated the influence of the superstructure to the ultimate strength of Ro-Ro ship under vertical bending moment. The cross section was considered to be analyzed. The result obtained by beam theory with and without superstructure were compared with one another. The assessment of the ultimate hull girder strength was conducted by Muis Alie, M.Z et al. (2017). The

cross section of Ro-Ro ship was taken to be analyzed. The collision and grounding damages were assumed to be located on the side and bottom area, respectively. The damages were created by removing the element from the side shell and bottom part. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and MSC DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several influential factor such as model extend and complexity, damage representations and model imperfections were investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies according to the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels were considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, due to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is suggested.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov, 1992).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetrically damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (10)$$

Substituting Eq. (10) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (11)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (12)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (13)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (14)$$


CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.



(a) 10% damage

(b) 20% damage




Fig. 2 Single hull bulk carrier (Ship B1)





Fig. 3 Double hull oil tanker (Ship T2)


The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For Single hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L is used.



(a) Single hull bulk carrier

(c) 40% damage

(d) 70% damage



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage





Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location of L_1 of bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of a double hull tanker, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.



(a) Location L1

Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The effect of the rotation of neutral axis is the largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (14) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (14) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Muis Alie, M.Z, Sitepu G, Juswan, Wahyuddin, Nugraha, A.M and Alamsyah. (2016). "The Influence of Superstructure on the Longitudinal Ultimate Strength of a RO-RO Ship," *Proc 26th Int Offshore and Polar Eng Conf*, Greece, ISOPE, 4, 1022-1029.
- Muis Alie, M.Z, Sitepu G, and Latumahina, S.I. (2017). "The Assessment of the Ultimate Hull Girder Strength of RO-RO Ship after Damages," *Proc 27th Int Offshore and Polar Eng Conf*, San Francisco, ISOPE, 4, 913-919.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ohtsubo, H, Kawamoto, Y. and Kuroiwa, T. (1994). "Experimental and Numerical Research on Ship Collision and Grounding of Oil Tankers," *J Nuclear Engineering and Design*, Vol 150, 385-396.
- Ozguc, O, Das, PK. and Barltrop, N. (2005). "A Comparative Study on the Structural Integrity of Single and Double Side Skin Bulk Carriers under collision Damage," *J Marine Structures*, Vol 18, 511-547.

- Ozguc, O. and Barltrop, NDP. (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Pedersen, PT. (1994). "Ship Grounding and Hull Girder Strength," *J Marine Structures*, Vol 7,1-29.
- Soares, CG, Luís, R.M., Nikolov, P., Downes, J., Taczala, M., Modiga, M., Quesnel, T., Toderan, C., Samuelides, M. (2008). "Benchmark Study on the Use of Simplified Structural Codes to Predict the Ultimate Strength of a Damaged Ship Hull," *J International Shipbuilding Progress*, Vol 55, 87-107.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of an asymmetrically damaged ship under a sagging condition. Two kinds of ships are taken as the object of analysis. The cross section of the ship is considered and assumed to have remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach its ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by the simplified approach is compared with the progressive collapse analysis to determine effectiveness and for validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. Collision and grounding damage may take place on ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength as a result of collision and grounding damages. Pedersen (1994) presented a mathematical model to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared with the force that would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared with the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Guedes Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on Smith's formulation to predict the ultimate strength of damaged ship's hull. Muis Alie, M.Z et al. (2016) investigated the influence of the superstructure on the ultimate strength of Ro-Ro ship under a vertical bending moment. The cross section was considered to be analyzed. The results obtained by beam theory with and without superstructure were compared with one another. The assessment of the ultimate hull girder strength was conducted by Muis Alie, M.Z et al.

(2017). The cross section of Ro-Ro ship was taken to be analyzed. The collision and grounding damages were assumed to be located on the side and bottom areas, respectively. The damages were created by removing the element from the side shell and bottom part. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit finite element method codes, such as LS-DYNA and MSC Dytran, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Notaro et al. (2010) carried out full nonlinear finite element assessments of hull girder capacity in intact and damage conditions. The effects of several influential factors such as model extend and complexity, damage representations and model imperfections were investigated on the different vessels. It was found that the effect of damage extent in a vertical direction is more critical than in a longitudinal direction, and the damage varies according to the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels were considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, because of a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is suggested.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov, 1992).

EFFECT OF NEUTRAL AXIS ROTATION ON THE ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of an asymmetrically damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment is induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (10)$$

Substituting Eq. (10) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (11)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (12)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (13)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (14)$$


CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double-hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single-hull bulk carrier and double-hull oil tanker, respectively.



(a) 10% damage

(b) 20% damage






Fig. 2 Single hull bulk carrier (Ship B1)



10% damage

(b) 20% damage




(c) 40% damage

(d) 70% damage

Fig. 3 Double hull oil tanker (Ship T2)


The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For Single-hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double-hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L is used.



(a) Single-hull bulk carrier

(c) 40% damage

(d) 70% damage



(b) Double-hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single-hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single-hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single-hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single-hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double-hull oil tanker (Ship T2) with 20% damage







Fig. 10 Double-hull oil tanker (T2) with 70% damage

Figures 7 and 8 show the results of the moment-curvature relationship obtained by progressive collapse analysis for single-hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case 1's strength is 7.3% smaller than Case 2's in the sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth-to-breadth ratio, member scantlings etc. Figures 9 and 10 represent the moment-curvature relationship under the sagging condition for a double-hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of a double-hull oil tanker (Ship T2), the effect of rotation of the neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.



(b) Location L_2

Fig. 11 Comparison of residual hull girder strength M_V between The residual strengths of Ships B1, B2 and T2 obtained for the four different damage extents are summarized in Figures 11 and 12 (a) and (b). It is found that Eq. 11 gives an estimate of the residual strength that is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location L_1 bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength was attained when topside tank region of the damaged side almost fully failed. In the case of a double-hull tanker, location L_1 gives a better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength was attained when the deck part almost fully failed.







Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single-hull bulk carriers and a double-hull oil tanker with asymmetrically damaged cross section. Closed-form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under the sagging bending moment can be predicted by the proposed formulae with reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint. The effect of the rotation of the neutral axis is the largest for single-hull bulk carrier and almost negligible for the double-hull oil tanker. The difference characteristic for two single-hull bulk carriers may be related to that of the depth-to-breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moments based on the reference coordinate system. Figure 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. 14 and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Equation 14 gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having a larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double-hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Guedes Soares C, Luís, RM, Nikolov, P, Downes, J, Taczala, M, Modiga, M, Quesnel, T, Toderan, C, and Samuelides, M (2008). "Benchmark Study on the Use of Simplified Structural Codes to Predict the Ultimate Strength of a Damaged Ship Hull," *Int Shipbuild Prog*, 55(1-2), 87-107.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- International Maritime Organization (IMO) (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Muis Alie, M.Z, Sitepu G, Juswan, Wahyuddin, Nugraha, A.M and Alamsyah. (2016). "The Influence of Superstructure on the Longitudinal Ultimate Strength of a RO-RO Ship," *Proc 26th Int Offshore and Polar Eng Conf*, Greece, ISOPE, 4, 1022-1029.
- Muis Alie, M.Z, Sitepu G, and Latumahina, S.I. (2017). "The Assessment of the Ultimate Hull Girder Strength of RO-RO Ship after Damages," *Proc 27th Int Offshore and Polar Eng Conf*, San Francisco, ISOPE, 4, 913-919.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ohtsubo, H, Kawamoto, Y. and Kuroiwa, T. (1994). "Experimental and Numerical Research on Ship Collision and Grounding of Oil Tankers," *J Nuclear Engineering and Design*, Vol 150, 385-396.

- Özgüç, Ö, and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mech Arct Eng*, 130(2), 021013.
- Ozguc, O, Das, PK. and Barltrop, N. (2005). "A Comparative Study on the Structural Integrity of Single and Double Side Skin Bulk Carriers under collision Damage," *J Marine Structures*, Vol 18, 511-547.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Pedersen, PT. (1994). "Ship Grounding and Hull Girder Strength," *J Marine Structures*, Vol 7,1-29.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of an asymmetrically damaged ship under a sagging condition. Two kinds of ships are taken as the object of analysis. The cross section of the ship is considered and assumed to have remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach its ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by the simplified approach is compared with the progressive collapse analysis to determine effectiveness and for validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. Collision and grounding damage may take place on ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength as a result of collision and grounding damages. Pedersen (1994) presented a mathematical model to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared with the force that would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared with the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Guedes Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on Smith's formulation to predict the ultimate strength of damaged ship's hull. Muis Alie, M.Z et al. (2016) investigated the influence of the superstructure on the ultimate strength of Ro-Ro ship under a vertical bending moment. The cross section was considered to be analyzed. The results obtained by beam theory with and without superstructure were compared with one another. The assessment of the ultimate hull girder strength was conducted by Muis Alie, M.Z et al.

(2017). The cross section of Ro-Ro ship was taken to be analyzed. The collision and grounding damages were assumed to be located on the side and bottom areas, respectively. The damages were created by removing the element from the side shell and bottom part. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit finite element method codes, such as LS-DYNA and MSC Dytran, to the collision and grounding problems of ships. Oztug et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Notaro et al. (2010) carried out full nonlinear finite element assessments of hull girder capacity in intact and damage conditions. The effects of several influential factors such as model extend and complexity, damage representations and model imperfections were investigated on the different vessels. It was found that the effect of damage extent in a vertical direction is more critical than in a longitudinal direction, and the damage varies according to the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels were considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, because of a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Oztug and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is suggested.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov, 1992).

EFFECT OF NEUTRAL AXIS ROTATION ON THE ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young’s modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of an asymmetrically damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment is induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (10)$$

Substituting Eq. (10) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (11)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (12)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (13)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (14)$$


CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double-hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single-hull bulk carrier and double-hull oil tanker, respectively.



(a) 10% damage

(b) 20% damage




Fig. 2 Single hull bulk carrier (Ship B1)





Fig. 3 Double hull oil tanker (Ship T2)


The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For Single-hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double-hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L is used.



(a) Single-hull bulk carrier

(c) 40% damage

(d) 70% damage



(b) Double-hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single-hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single-hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single-hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single-hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double-hull oil tanker (Ship T2) with 20% damage






Fig. 10 Double-hull oil tanker (T2) with 70% damage


Figures 7 and 8 show the results of the moment-curvature relationship obtained by progressive collapse analysis for single-hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case 1's strength is 7.3% smaller than Case 2's in the sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth-to-breadth ratio, member scantlings etc. Figures 9 and 10 represent the moment-curvature relationship under the sagging condition for a double-hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of a double-hull oil tanker (Ship T2), the effect of rotation of the neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.



(b) Location L_2

Fig. 11 Comparison of residual hull girder strength M_v between

The residual strengths of Ships B1, B2 and T2 obtained for the four different damage extents are summarized in Figures 11 and 12 (a) and (b). It is found that Eq. 11 gives an estimate of the residual strength that is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location L_1 bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength was attained when topside tank region of the damaged side almost fully failed. In the case of a double-hull tanker, location L_1 gives a better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength was attained when the deck part almost fully failed.







Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single-hull bulk carriers and a double-hull oil tanker with asymmetrically damaged cross section. Closed-form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under the sagging bending moment can be predicted by the proposed formulae with reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint. The effect of the rotation of the neutral axis is the largest for single-hull bulk carrier and almost negligible for the double-hull oil tanker. The difference characteristic for two single-hull bulk carriers may be related to that of the depth-to-breadth ratio, member scantlings etc. The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moments based on the reference coordinate system. Figure 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. 14 and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Equation 14 gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having a larger applicability in ship types and damaged cases. According to the result obtained by progressive collapse analysis of double-hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Guedes Soares, C, Luís, RM, Nikolov, P, Downes, J, Taczala, M, Modiga, M, Quesnel, T, Toderan, C, and Samuelides, M (2008). "Benchmark Study on the Use of Simplified Structural Codes to Predict the Ultimate Strength of a Damaged Ship Hull," *Int Shipbuild Prog*, 55(1-2), 87-107.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- International Maritime Organization (IMO) (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Muis Alie, M.Z, Sitepu G, Juswan, Wahyuddin, Nugraha, A.M and Alamsyah. (2016). "The Influence of Superstructure on the Longitudinal Ultimate Strength of a RO-RO Ship," *Proc 26th Int Offshore and Polar Eng Conf*, Greece, ISOPE, 4, 1022-1029.
- Muis Alie, M.Z, Sitepu G, and Latumahina, S.I. (2017). "The Assessment of the Ultimate Hull Girder Strength of RO-RO Ship after Damages," *Proc 27th Int Offshore and Polar Eng Conf*, San Francisco, ISOPE, 4, 913-919.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ohtsubo, H, Kawamoto, Y. and Kuroiwa, T. (1994). "Experimental and Numerical Research on Ship Collision and Grounding of Oil Tankers," *J Nuclear Engineering and Design*, Vol 150, 385-396.

- Özgüç, Ö, and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mech Arct Eng*, 130(2), 021013.
- Ozguc, O, Das, PK. and Barltrop, N. (2005). "A Comparative Study on the Structural Integrity of Single and Double Side Skin Bulk Carriers under collision Damage," *J Marine Structures*, Vol 18, 511-547.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Pedersen, PT. (1994). "Ship Grounding and Hull Girder Strength," *J Marine Structures*, Vol 7,1-29.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ships are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damages. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage conditions and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage conditions. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull

girder strength for asymmetrically damaged ships under longitudinal bending, applying the progressive collapse calculation method and found an explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculated the ultimate strength with collision damage using LS-DYNA and compared the calculated results with the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several influential factor such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, due to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual

strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called 'critical element') reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetrically damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (10)$$

Substituting Eq. (10) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (11)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (12)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (13)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (14)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical

deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For Single hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L_2 is used.



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage **is placed** at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage **has taken place**. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage





Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location of L_1 of bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of a double hull tanker, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.



(a) Location L1

Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The effect of the rotation of neutral axis is the largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (14) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (14) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.

- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ships are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damages. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages

based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage conditions and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage conditions. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull girder strength for asymmetrically damaged ships under longitudinal bending, applying the progressive collapse calculation method and found an explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculated the ultimate strength with collision damage using LS-DYNA and compared the calculated results with the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage

conditions. The effects of several **influential** factor such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, due to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called 'critical element') reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \{ (y_i - y_G) \phi_H + (z_i - z_G) \phi_V \} \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average **stress-average strain** curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of **asymmetrically** damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G)I_{HV} + (z_i - z_G)I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (10)$$

Substituting Eq. (10) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (11)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \sigma_C^u \quad (12)$$

And for Case 2

$$M_V^u|_{CASE2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (13)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE1}}{M_V^u|_{CASE2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (14)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1

is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as B/16, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For Single hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L is used.



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part ($B/16$) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage




Fig. 11 Comparison of residual hull girder strength M_V between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location of L_1 of bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of a double hull tanker, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The effect of the rotation of neutral axis is the largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc. The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (14) and progressive collapse analysis. The influence

of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (14) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.

- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported of boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety ship and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages

based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull girder strength for asymmetrical damaged ships under longitudinal bending, applying the progressive collapse method and finding an explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and compared with the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several

influences factors such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged due, for example, to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called 'critical element') reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \{ (y_i - y_G) \phi_H + (z_i - z_G) \phi_V \} \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

Where D_i , A_i , y_i and z_i are the tangential stiffeners obtained as a slope of the average stress-strain relationship, cross section and the coordinate position of the individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetric damage cross section, the equations are used from Eqs. (4) to (8), and for the intact one, the expressions are given in Eqs. 9 and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

Where I and M is the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G)I_{HV} + (z_i - z_G)I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE1}}{M_V^u|_{CASE2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damage side shell.



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is place at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damaged takes place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The moment-curvature relationship is given by




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damaged, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage




Fig. 11 Comparison of residual hull girder strength M_V between the simplified method and the progressive collapse analysis

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damage side almost fully failed. The location L_1 cannot well take account of the effect of the horizontal curvature induced by M_V , resulting in the slight overestimate of the strength. In the case of tankers, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

The ultimate hull girder strength analysis of single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section has been performed using the simplified approach under sagging condition by performing the elastic cross-sectional properties and critical member elements. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than without constrained one. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.

- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported of boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety ship and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull

girder strength for asymmetrical damaged ships under longitudinal bending, applying the progressive collapse method and finding an explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and compared with the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several influences factors such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged due, for example, to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes

Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left((y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right) \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

Where D_i , A_i , y_i and z_i are the tangential stiffeners obtained as a slope of the average stress-strain relationship, cross section and the coordinate position of the individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetric damage cross section, the equations are used from Eqs. (4) to (8), and for the intact one, the expressions are given in Eqs. 9 and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

Where I and M is the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damage side shell.





(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is place at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damaged takes place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The moment-curvature relationship is given by




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage







Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damaged, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damage side almost fully failed. The location L_1 cannot well take account of the effect of the horizontal curvature induced by M_V , resulting in the slight overestimate of the strength. In the case of tankers, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.





(a) Location L1

Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

The ultimate hull girder strength analysis of single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section has been performed using the simplified approach under sagging condition by performing the elastic cross-sectional properties and critical member elements. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than without constrained one. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.

- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported of boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety ship and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages

based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull girder strength for asymmetrical damaged ships under longitudinal bending, applying the progressive collapse method and finding an explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and compared with the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several

influences factors such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged due, for example, to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called 'critical element') reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \{ (y_i - y_G) \phi_H + (z_i - z_G) \phi_V \} \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

Where D_i , A_i , y_i and z_i are the tangential stiffeners obtained as a slope of the average stress-strain relationship, cross section and the coordinate position of the individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetric damage cross section, the equations are used from Eqs. (4) to (8), and for the intact one, the expressions are given in Eqs. 9 and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

Where I and M is the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G)I_{HV} + (z_i - z_G)I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE1}}{M_V^u|_{CASE2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damage side shell.



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is place at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damaged takes place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The moment-curvature relationship is given by




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damaged, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.




Fig. 10 Double hull oil tanker (T2) with 70% damage





Fig. 11 Comparison of residual hull girder strength M_V between the simplified method and the progressive collapse analysis

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L₂ gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damage side almost fully failed. The location L₁ cannot well take account of the effect of the horizontal curvature induced by M_V , resulting in the slight overestimate of the strength. In the case of tankers, the location L₁ gives better estimate of the residual strength than L₂. This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

The ultimate hull girder strength analysis of single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section has been performed using the simplified approach under sagging condition by performing the elastic cross-sectional properties and critical member elements. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than without constrained one. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.

- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The [simply supported boundary condition](#) is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten [safety of ship](#) and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods [based on](#) the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull

girder strength for asymmetrical damaged ships under longitudinal bending, [applying the progressive collapse calculation method and found an](#) explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and [compared the calculated results with](#) the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several [influential factor](#) such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically [damaged, for example, due to](#) a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual

strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of [asymmetrically damaged cross section, Eqs \(4\) through \(8\) are used](#), and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the **damaged side shell**.





RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage




Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of tankers, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The ultimate hull girder strength is attained under condition the horizontal curvature constrained because the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.

- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The [simply supported boundary condition](#) is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten [safety of ship](#) and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods [based on](#) the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull

girder strength for asymmetrical damaged ships under longitudinal bending, [applying the progressive collapse calculation method and found an](#) explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and [compared the calculated results with](#) the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several [influential factor](#) such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically [damaged, for example, due to](#) a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual

strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of [asymmetrically damaged cross section, Eqs \(4\) through \(8\) are used](#), and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell.





RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage




Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of tankers, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The ultimate hull girder strength is attained under condition the horizontal curvature constrained because the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.

- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The [simply supported boundary condition](#) is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten [safety of ship](#) and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods [based on](#) the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull

girder strength for asymmetrical damaged ships under longitudinal bending, [applying the progressive collapse calculation method and found an](#) explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and [compared the calculated results with](#) the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several [influential factor](#) such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically [damaged, for example, due to](#) a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual

strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of [asymmetrically damaged cross section, Eqs \(4\) through \(8\) are used](#), and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the **damaged side shell**.





RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage is placed at the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage




Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of tankers, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The ultimate hull girder strength is attained under condition the horizontal curvature constrained because the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.

- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The [simply supported boundary condition](#) is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten [safety of ship](#) and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages

based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods [based on](#) the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull girder strength for asymmetrical damaged ships under longitudinal bending, [applying the progressive collapse calculation method and found an](#) explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and [compared the calculated results with](#) the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage

conditions. The effects of several influential factor such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, due to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called 'critical element') reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \{ (y_i - y_G) \phi_H + (z_i - z_G) \phi_V \} \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of asymmetrically damaged cross section, Eqs (4) through (8) are used, and for the intact one, the expressions are given in Eqs (9) and (10). The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G)I_{HV} + (z_i - z_G)I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (11) to Eq. (12) as

$$\frac{M_V^u|_{CASE1}}{M_V^u|_{CASE2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B2 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the [damaged side shell](#).



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Also, because the damage takes place at the asymmetric position, in other word, collision damage [is placed at](#) the side shell through to the deck part (B/16) and there is no damage located at the bottom part, so that it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after [damage has taken place](#). The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double hull oil tanker (T2) with 70% damage




Fig. 11 Comparison of residual hull girder strength M_v between the simplified method and the progressive collapse analysis

Fig. 7 and Fig. 8 shows the results of the moment-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength becomes higher. The effect is largest in Ship B1, smaller in Ship B2, and almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B2 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L₂ gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damaged side almost fully failed. In the case of tankers, the location L₁ gives better estimate of the residual strength than L₂. This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith's method. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint one. The ultimate hull girder strength is attained under condition the horizontal curvature constrained because the horizontal bending moment is induced by the incremental equation for horizontal and vertical bending moments and this makes the ultimate hull girder strength higher. The effect is largest for single hull bulk carrier and almost negligible for double hull oil tanker. The difference characteristic for two single hull bulk carrier may be related to that of the depth to breadth ratio, member scantlings etc. The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moment based on the reference coordinate system. Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by

Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double hull oil tanker, the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.

- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie*

Department of Naval Architecture and Ocean Engineering, Hasanuddin University
Gowa, South Sulawesi, Indonesia

The objective of the present study is to investigate the ultimate hull girder strength of an asymmetrically damaged ship under a sagging condition. Two kinds of ships are taken as the object of analysis. The cross section of the ship is considered and assumed to have remained plane. The simply supported boundary condition is applied to both sides of the cross-section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach its ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by the simplified approach is compared with the progressive collapse analysis to determine effectiveness and for validation.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. Collision and grounding damage may take place on the ship's hull, which may threaten safety of ships and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength as a result of collision and grounding damages. Pedersen (1994) presented a mathematical model to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared with the force that would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared with the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Guedes Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on Smith's formulation to predict the ultimate strength of damaged ship's hull. Muis Alie et al. (2016) investigated the influence of the superstructure on the ultimate strength of Ro-Ro ship under a vertical bending moment. The cross section was considered to be analyzed. The results obtained by beam theory with and without superstructure were compared with one another. The assessment of the ultimate hull girder strength was conducted by Muis Alie

et al. (2017). The cross-section of Ro-Ro ship was taken to be analyzed. The collision and grounding damages were assumed to be located on the side and bottom areas, respectively. The damages were created by removing the element from the side shell and bottom part. Ohtsubo et al. (1994) showed the experimental and numerical works on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit finite element method codes, such as LS-DYNA and MSC Dytran, to the collision and grounding problems of ships. Özgüç et al. (2005) investigated the collision resistance and residual strength of single-skin and double-skin bulk carriers subjected to damages. Notaro et al. (2010) carried out full nonlinear finite element assessments of hull girder capacity in intact and damage conditions. The effects of several influential factors such as model extend and complexity, damage representations, and model imperfections were investigated on the different vessels. It was found that the effect of damage extent in a vertical direction is more critical than in a longitudinal direction, and the damage varies according to the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels were considered for the damage extent estimation.

When a hull-girder cross-section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross-section is asymmetrically damaged, for example, because of a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Özgüç and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al., 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial-and-error approach to detect the position of neutral axis. An easier approach to detect the position of neutral axis is suggested.

BASIC ASSUMPTION

The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

*ISOPE Member.

Received December 16, 2016; revised manuscript received by the editors August 24, 2017. The original version was submitted directly to the Journal.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

(1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called “critical element”) reached the ultimate strength.

(2) The hull girder cross-section is elastic until the failure of the critical member.

(3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov, 1992).

EFFECT OF NEUTRAL AXIS ROTATION ON THE ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i -th element (see Fig. 1), σ_i , is expressed as

$$\sigma_i = E\{(y_i - y_G)\phi_H + (z_i - z_G)\phi_V\} \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\sum_{i=1}^N y_i D_i A_i}{\sum_{i=1}^N D_i A_i} \quad (2)$$

$$z_G = \frac{\sum_{i=1}^N z_i D_i A_i}{\sum_{i=1}^N D_i A_i} \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross-sectional area and the coordinates of the centroid of individual elements, respectively.

For the case of an asymmetrically-damaged cross-section, Eqs. 4 through 8 are used, and for the intact one, the expressions are given in Eqs. 9 and 10. The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G)A_i, \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i, \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross-section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH}I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV}M_V \\ I_{HH}M_V \end{Bmatrix} \quad (7)$$




Fig. 1 Neutral axes of the elastic hull girder cross-section with asymmetric damage

Substituting Eq. 7 to Eq. 1, the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G)I_{HV} + (z_i - z_G)I_{HH}}{I_{HH}I_{VV} - I_{HV}^2} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross-section with the horizontal curvature constrained (Case 2), the bending moment is induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (10)$$

Substituting Eq. 10 to Eq. 1, the bending stress σ_i is given by

$$\sigma_i = \frac{z_i - z_G}{I_{VV}} M_V \quad (11)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of (y_C, z_C) reached its ultimate strength, σ_C^u , namely for Case 1:

$$M_V^u \Big|_{\text{CASE 1}} = \frac{I_{HH}I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \sigma_C^u \quad (12)$$

And for Case 2:

$$M_V^u \Big|_{\text{CASE 2}} = \frac{I_{VV}}{z_C - z_G} \sigma_C^u \quad (13)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. 12 to Eq. 13 as

$$\frac{M_V^u \Big|_{\text{CASE 1}}}{M_V^u \Big|_{\text{CASE 2}}} = \frac{I_{HH}I_{VV} - I_{HH}^2}{-(y_C - y_G)I_{HV} + (z_C - z_G)I_{HH}} \frac{z_C - z_G}{I_{VV}} \quad (14)$$

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to the International Association of Classification Studies (IACS) Pre-UR (Unified Requirements) rule and built in 1987 and Ship B2 according to Common Structural Rules for Bulk Carriers (CSR-BC), having larger cross-section and scantling sizes. Ship T2 is designed according to Common Structural Rules for Oil Tankers (CSR-OT).

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross-sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double-hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented




Fig. 2 Single-hull bulk carrier (Ship B1)




Fig. 3 Double-hull oil tanker (Ship T2)




Fig. 4 Locations of the critical deck elements

in Fig. 4 for single-hull bulk carrier and double-hull oil tanker, respectively.

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For single-hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damage side. For the case of double-hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L_2 is used.

RESULTS AND DISCUSSION

In sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reached their ultimate strength. Because the damage takes place at the asymmetric position, i.e., collision damage is placed at the side shell through to the deck part ($B/16$) and there is no damage located at the bottom part, it is very important to investigate the critical member under sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of neutral axis and Case 2 does not. The resultant of bending moment versus curvature is plotted.




Fig. 5 Single-hull bulk carrier (Ship B1) with 20% damage




Fig. 8 Single-hull bulk carrier (Ship B2) with 70% damage




Fig. 6 Single-hull bulk carrier (Ship B1) with 70% damage

Similarly, the resultant bending moment and curvature curve for Ship B2 and Ship T2 with 20% and 70% damage are presented in Figs. 7 through 10.

Figures 7 and 8 show the results of the moment-curvature relationship obtained by progressive collapse analysis for single-hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even when the horizontal curvature is constrained because of the horizontal bending moment induced by the incremental equation for horizontal and vertical bending moments, causing the ultimate hull girder strength to increase. The effect of constraint is the largest in Ship B1, and is smaller in Ship B2. For Ship B1, Case




Fig. 9 Double-hull oil tanker (Ship T2) with 20% damage




Fig. 7 Single-hull bulk carrier (Ship B2) with 20% damage




Fig. 10 Double-hull oil tanker (T2) with 70% damage

1's strength is 7.3% smaller than Case 2's in the sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth-to-breadth ratio, member scantlings, etc. Figures 9 and 10 represent the moment-curvature relationship under the sagging condition for a double-hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of a double-hull oil tanker (Ship T2), the effect of rotation of the neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ships B1, B2, and T2 obtained for the four different damage extents are summarized in Figs. 11 and 12. It is found that Eq. 11 gives an estimate of the residual strength that is in good agreement with the result of the progressive col-




Fig. 11 Comparison of residual hull girder strength M_V between the simplified method and the progressive collapse analysis

lapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. For the location L_1 bulk carriers, the ultimate strength of critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength was attained when topside tank region of the damaged side almost fully failed. In the case of a double-hull tanker, location L_1 gives a better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength was attained when the deck part almost fully failed.

CONCLUSIONS

Progressive collapse analysis was performed on two single-hull bulk carriers and a double-hull oil tanker with asymmetrically damaged cross-section. Closed-form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of neutral axis are proposed. It is found through




Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under the sagging bending moment can be predicted by the proposed formulae with reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint. The effect of the rotation of the neutral axis is the largest for single-hull bulk carrier and almost negligible for the double-hull oil tanker. The difference characteristic for two single-hull bulk carriers may be related to that of the depth-to-breadth ratio, member scantlings, etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moments based on the reference coordinate system. Figure 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. 14 and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Equation 14 gives a relatively good esti-

mate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having a larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double-hull oil tanker, the effect of rotation of neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM, and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Tech Exch Advisory Meeting Mar Struct*, TEAM, Incheon, Korea, 143–150.
- Fang, C, and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Symp Pract Des Ships Other Floating Struct*, Luebeck-Travemuende, Germany, PRADS, 1, 309–316.
- Guedes Soares, C, et al. (2008). "Benchmark Study on the Use of Simplified Structural Codes to Predict the Ultimate Strength of a Damaged Ship Hull," *Int Shipbuild Prog*, 55(1–2), 87–107. <https://doi.org/10.3233/ISP-2008-0040>.
- Hussein, AW, and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Eng*, 36(17), 1446–1459. <https://doi.org/10.1016/j.oceaneng.2009.04.006>.
- International Maritime Organization (IMO) (2009). *Goal-Based New Ship Construction Standards*, MSC 86/5.
- Muis Alie, MZ, Sitepu, G, and Latumahina, SI (2017). "The Assessment of the Ultimate Hull Girder Strength of RO-RO Ship after Damages," *Proc 27th Int Ocean Polar Eng Conf*, San Francisco, CA, USA, ISOPE, 4, 913–919.
- Muis Alie, MZ, et al. (2016). "The Influence of Superstructure on the Longitudinal Ultimate Strength of a RO-RO Ship," *Proc 26th Int Ocean Polar Eng Conf*, Rhodes, Greece, ISOPE, 4, 1022–1029.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M, and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Symp Pract Des Ships Other Floating Struct*, Rio de Janeiro, Brazil, PRADS, 941–951.
- Ohtsubo, H, Kawamoto, Y, and Kuroiwa, T (1994). "Experimental and Numerical Research on Ship Collision and Grounding of Oil Tankers," *J Nucl Eng Des*, 150(2–3), 385–396. [https://doi.org/10.1016/0029-5493\(94\)90158-9](https://doi.org/10.1016/0029-5493(94)90158-9).
- Özgüç, Ö, and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mech Arct Eng*, 130(2), 021013. <https://doi.org/10.1115/1.2918305>.
- Özgüç, Ö, Das, PK, and Barltrop, N (2005). "A Comparative Study on the Structural Integrity of Single and Double Side Skin Bulk Carriers Under Collision Damage," *J Mar Struct*, 18(7–8), 511–547. <https://doi.org/10.1016/j.marstruc.2006.01.004>.
- Paik, JK, Thayamballi, AK, and Yang, SH (1998). "Residual Strength Assessment of Ships After Collision and Grounding," *Mar Technol*, 35, 38–54.
- Pedersen, PT (1994). "Ship Grounding and Hull Girder Strength," *J Mar Struct*, 7(1), 1–29. [https://doi.org/10.1016/0951-8339\(94\)90008-6](https://doi.org/10.1016/0951-8339(94)90008-6).
- Yao, T, and Nikolov, PI (1992). "Progressive Collapse Analysis of a Ship's Hull Girder Under Longitudinal Bending (2nd Report)," *J Soc Naval Arch Jpn*, 172, 437–446. https://doi.org/10.2534/jjasnaoe1968.1991.170_449.

INFORMATION FOR AUTHORS

AIMS AND SCOPE

The primary aim of the IJOPE is to serve engineers and researchers worldwide by disseminating technical information of permanent interest in the fields of offshore, ocean, polar energy/resources, materials engineering, ocean energy, offshore wind energy, and related science and technology. The IJOPE is the principal periodical of The International Society of Offshore and Polar Engineers (ISOPE), which is very active in the dissemination of technical information and organization of symposia and conferences in these fields throughout the world.

Along with new (nonconference) papers and technical discussions, papers of permanent interest from these conferences will be considered for further review and publication. Selected technical discussions of high technical interest and lasting values on conference papers will also be considered, as determined by the Editors.

Theoretical, experimental and engineering research papers are welcome. Brief reports of research results or outstanding engineering achievements of likely interest to readers will be published in the Technical Notes format. All Papers and Technical Notes must be free of commercialism. Papers are selected for publication through a peer-review process based on their originality and significance, technical interest, and clarity of exposition. All papers will be reviewed critically by at least two independent and anonymous referees chosen by the Editorial Board.

All questions on policy and procedures of the IJOPE should be directed to the Editors.

MANUSCRIPT REQUIREMENTS AND TEMPLATE

Authors are requested to follow the manuscript guidelines outlined below; in addition, the IJOPE template is available from the Editorial Board or it can be downloaded from www.isopec.org. The title of the paper should reflect the contents of the paper as briefly as possible. The title page must contain the names of all authors, their institutional affiliations, and mailing addresses.

A short abstract (50–100 words) and key words should precede the paper.

Type the text of the paper on the IJOPE template. Good English style of presentation and correct spelling are required for consideration of a manuscript. All mathematical symbols and equations should be typed. All symbols should be defined as they are introduced; nomenclature lists are optional and discouraged. The body of the paper should be separated into logical sections and subsections.

Number equations consecutively with numbers in parentheses. Equations cited in the text are referenced by the equation number without parentheses. Greek and math symbols should be clearly identified. Math formulas should not be included as images produced in another program.

Use metric SI units throughout; include other units in parentheses, if appropriate.

Cite references in the text by the last name(s) of the author(s) and the year of publication of the reference. References listed at the end of the paper should be alphabetical by last name (surname) of first author, followed by the year of publication in parentheses, full title, publication or journal name, volume number and pages, or book publisher.

Number tables and figures consecutively with Arabic numerals: each should have a brief title (caption). Use the number when referring to a figure or a table. Figures will be reduced to journal column width (8.47 cm or 3.33 in) and should be professionally drawn with lettering of consistent font and size throughout; lettering should be easily readable, and after reduction, lettering and other details should not be smaller than the printed text in the Journal. Lines must be of sufficient weight.

Photographs (of equipment and test specimens) must be clear and sharp in image. Other figures should be of high contrast. As all colors will be converted into grayscale for printing, make sure that converted lines or symbols will be distinguishable in grayscale. The final PDF file of the paper may retain colors. Electronic files of photographs and figures are required, and they must be of high resolution. Photographs must be submitted at 300 dpi or higher, preferably in TIFF format (LZW compressed). If you have no choice but to use the JPEG format, make sure the compression level is at highest quality. Graphs and other diagrams should be in vector form (PDF, EPS, WMF, EMF formats). Fonts must be embedded. If there is a strong reason to submit them as images, the resolution must be at least 600 dpi, and the format should be TIFF. For good legibility, lettering in figures must be large enough to be readable after reduction to Journal column width (8.47 cm or 3.33 in.). In Microsoft Word follow the settings: *File > Options > Advanced* (scroll down to “*Image Size and Quality*”) and check the option “*Do not compress images in the file.*” Physical illustrations will not be returned to the authors unless there is a specific arrangement in advance with the Editorial Board.

A Journal paper normally will not exceed about 7 Journal pages, including tables and figures. A Technical Note may not exceed 3 Journal pages, and Discussions are limited to 2 Journal pages. The Author’s Reply generally should not exceed 1 Journal page. If a paper exceeds 7 Journal pages, the authors will be invoiced a **mandatory excess-page charge of \$200** per page for each page above 7.

MANUSCRIPT SUBMISSION

E-mail the manuscript directly to the Editor at the address listed below. If a TeX file is sent, the corresponding PDF file must also be attached. The manuscript must be accompanied by a statement that it has not been published elsewhere (except an ISOPE conference or symposium proceedings) nor submitted for publication elsewhere. The authors will be asked to sign a statement transferring copyright to the ISOPE.

Hold (do not send) the electronic files of all original artwork and illustrations (figures or photo files) until the paper has been reviewed and accepted for publication. Then they should be sent to the indicated Editor, as well as Technical Editor, with the paper number and figure number in each figure file name. The printer may require the original files of higher resolution.

Proofs of accepted papers may be sent by e-mail to the corresponding author prior to publication. At this time, reprints may be ordered at cost, using an ISOPE reprint form. For more information on IJOPE and ISOPE, click on www.isopec.org.

EDITORS

E-mail manuscripts for review to: **IJOPE (Attention: Technical Editor; editor@isopec.org or jschung@isopec.org), P.O. Box 189, Cupertino, California 95015-0189 USA.** Include full author affiliations, mailing addresses, telephone and FAX numbers, and e-mail addresses.

It is necessary to revise the manuscript as suggested below for the publication of this paper in IJOPE.

- (1) Abstract; 2nd line: “Two kinds of ship” → “Two kinds of ships”
- (2) Introduction; left column; 4th – 5th lines: “safety ship” → “safety of ships”
- (3) Introduction; left column; 13th line: “damaged” → “damages”
- (4) Introduction; left column; 15th line: “grounded” → “grounding”
- (5) Introduction; right column; 6th line: “condition” → “conditions”
- (6) Introduction; right column; 9th line: “condition” → “conditions”
- (7) Introduction; right column; 11th line: “symmetrical” → “symmetrically”
- (8) Introduction; right column; 19th line: “work” → “works”
- (9) Introduction; right column; 25th line: “calculate” → “calculated”
- (10) Page 2; left column; 1st line: “influence” → “influential”
- (11) Page 2; right column; 1st line below Eq.(3): “Where” → “where”
- (12) Page 2; right column; 2nd line below Eq.(3): “stress-strain” → “stress-average strain”
- (13) Page 2; right column; 1st line below Fig. 1: “symmetrical” → “symmetrically”
- (14) Page 2; right column; 1st line below Eq.(5): “Where I and M is” → “where I and M are”
- (15) Page 3; left column; below Eq.(9): The following has to be inserted:
Therefore,

$$\phi_V = \frac{M_V}{EI_{VV}} \quad (10)$$
- (16) Page 3; left column; 1st line above Eq.(10): “Eq.(9) to Eq.(1)” → “Eq.(10) to Eq.(1)”
- (17) Page 3; left column; 1st line above Eq.(11): “($y_c - z_c$)” → “(y_c, z_c)”
- (18) Page 3; left column; equation number: (10) → (11)
- (19) Page 3; left column; equation number: (11) → (12)
- (20) Page 3; left column; equation number: (12) → (13)
- (21) Page 3; left column; equation number: (13) → (14)
- (22) Page 3; left column; 1st line above Eq.(13): “Eq.(11) to Eq.(12)” → “Eq.(12) to Eq.(13)”
- (23) Page 3; right column; Table 1: “Table 1” has to be placed above the table.
- (24) Page 3; right column; 3rd line below Table 1: “bulk carrier” → “bulk carriers”
- (25) Page 4; left column; 3rd line: “Single hull bulk carrier” → “For single hull bulk carriers”
- (26) Page 4; left column; 4th line: “and L_2, L_1 ” → “ L_2, L_1 ”
- (27) Page 4; left column; 7th line: “side shell.” → “side shell. As for the critical stress, the maximum stress of elements located at points L_1 and/or L_2 is used.”

- (28) In relation to the above (27), what average stress-average strain relationship is considered when L_1 is chosen as critical point in case of bulk carriers. The author has to describe concretely about this. As this reviewer's comment, L_1 should not be specified as a critical point in case of buck carrier because there is no element here. So, in case of such cross-sections, L_1 and L_2 should be hatch coaming and end of the deck (or top of the side shell plating).
- (29) Page 4; left column; 10th line from the bottom: "is place" → "is placed"
- (30) Page 4; left column; 6th line from the bottom: "takes place" → "has taken place"
- (31) Page 5; right column; 3rd line: "larger" → "higher"
- (32) Page 5; right column; 5th – 9th line: "The ultimate hull girder strength is attained even the horizontal curvature is constrained because of the horizontal bending moment is induced by the stiffened matrix interaction for horizontal and vertical and this makes the ultimate hull girder strength becomes higher." → This sentence is difficult to understand. First of all, use "even" is strange. The ultimate hull girder strength is definitely attained in any case. "stiffened matrix" may be "stiffness matrix". In conclusion, this part could be deleted.
- (33) Page 5; right column; 9th line: "The effect is largest in Ship B1, smaller in Ship B2," → "The effect of constraint is the largest in ship B1, and is smaller in Ship B2."
- (34) Page 5; right column; 9th – 10th lines: "and almost negligible in Ship T2." → This sentence has to be deleted since Figs. 10 and 11 are not yet referred here.
- (35) Page 5; right column; 12th line: "be related to" → "be attributed to"
- (36) Page 5; Fig. 11: "Estimate by Eq.(11)" → "Estimation by Eq.(12)" or "Estimated by Eq.(12)"
- (37) Page 6; left column; 8th – 10th lines: "The location L_1 by M_v ." → You have to describe what critical stress is used at Point L_1 , at which no element exists, see (28).
- (38) Page 6; left column; 11th line: "of tankers" → "of a double hull tanker"
- (39) Page 6; right column; 1st to 14th line: This paragraph has to come at the location presently "CONCLUSIONS" is placed. And "CONCLUSIONS" has to come after this paragraph. A part of "CONCLUSIONS" may come at the top of the right column of Page 6.
- (40) Page 6; right column; 3rd line: "comparison the reduction" → "comparison of the reduction"
- (41) Page 6; right column; 5th line: "Eq. (13)" → "Eq.(14)"
- (42) Page 6; right column; 9th line: "Eq. (13)" → "Eq.(14)"
- (43) Page 6; right column; 11th line: "reserve hull" → "reserve ultimate hull"

- (44) Page 6; Fig. 12: “**Estimate** by Eq.(13)” → “**Estimation** by Eq.(14)” or “**Estimated** by Eq.(14)”
- (45) Page 6; CONCLUSIONS; 6th line: “**due to**” → “**considering**”
- (46) Page 6; CONCLUSIONS; 13th - 17th line “The ultimate strength becomes higher.” → This sentence is recommended to delete with the same reason described in (32).
- (47) Page 6; CONCLUSIONS; 17th line: “The effect is largest” → “The effect **of the rotation of neutral axis** is **the** largest”

Paper No: -JC-708

Date of Review Request: _March 03, 2017_

Paper Title: **Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships (Revised)**

Author(s): Muhammad Zubair Muis Alie

Please complete review by:

Please return this manuscript **immediately** if you can not complete the review by the indicated date.

PAPER PROFILE

Please check in the boxes, which best describe the following features of the manuscript.

	YES	NO	REMARKS (e.g., Not Sure if you are not sure)
In your opinion, is this work technically correct?	☒	☐	
Are data presented to support the technical claims?	☒	☐	Some are ☐ I didn't check ☐
Is this manuscript based on theories or results of refereed papers?	☒	☐	
Are you aware of prior publication or presentation of this work?	☒	☐	
Is this manuscript free of commercialism (e.g., software sales)?	☒	☐	
Is this manuscript too lengthy for the materials covered?	☐	☒	

Category	Poor*	Marginal*	Acceptable	Good	Outstanding
1. Originality of the Work			☒		
2. Significance of the Work or Results			☒		
3. Completeness of the Reported Work		☒			
4. Acknowledgment of the Work of Others by References			☒		
5. Clarity in Writing, Tables, Graphs or Illustrations			☒		

* **"Poor" and "Marginal" is not of acceptable quality.** Justify and provide guidance for improvement in the **Reviewer's Remarks** on the back side.

A. Type of Paper

	YES	NO	REMARKS
Is this paper an original contribution to the technical literature?	☒	☐	
Is this paper a review or progress report?	☐	☒	
Does this paper have current interest value?	☒	☐	
Does this paper provide permanent value to the technical literature?	☐	☐	A little questionable!

B. Quality (Degree of Excellence) [Guideline for Reviewers: Provide written comments on backside.] The quality of the paper is:

- ☐ **Acceptable:** Check "Good" or "Outstanding" on all 5 categories and provide **specific comments on back side** [The paper should include some new technical information of significance.]
- ☐ **Acceptable with editorial changes** [The paper requires only editorial changes and/or possible minor additions or deletions.]
- ☒ **Acceptable with revision:** List specific comments on back side. [The paper requires changes or revisions of a moderate nature that would **aid the authors** in presenting the information more clearly. The paper may not require re-review.]
- ☐ **Acceptable only if revised:** List specific comments on back side. **Require re-review.** [The paper requires changes in content that would clarify or incorporate **the information or data** that are essential for clear presentation.]
- ☐ **Not acceptable for reasons stated on back side.** [This includes those papers having an obvious sales approach (e.g., patent or software sales) to a technical problem, those that have been previously published, those that have been submitted elsewhere, or those based on fallacious or dubious engineering analysis or those that present an approach superficially descriptive of widely accepted engineering practice.]

Return review to:

Name: **Prof. Jin S. Chung**

Address: ISOPE

Country:

E-mail: **jschung@isope.org (cc: isope4@gmail.com)**

Reviewer Name _____ Date _____

Co./Univ: _____

Address: _____

City: _____ Zip/Postal Code _____ Country _____

E-mail: _____ Fax: _____

The reviews only with written comments are sent to the authors.

C. Publication Classification Recommendation.

If acceptable (with revisions if necessary), I recommend that the paper be published:

- X As Transactions Journal paper (the paper must have permanent value.)
☐ As Brief Transactions Journal paper (this shorter version must also have permanent value.)

D. Reviewer's Remarks. To assist the author in revising his manuscript, please separate your remarks into two clearly identified categories. Remarks that are not clearly identified will be assumed to fall into **category (1)** below. For additional comments, please attach a sheet.

Type or legible handwriting please! Comments: ☐ attached on separate sheet ☐ not attached.

Category (1) Those suggestions which, in your opinion, would improve the quality of the manuscript but are not essential for publication.

Category (2) Changes which in your judgment should be made before publication.

- (1) English has to be improved. It is recommended to ask native English speaker to examine your English.
- (2) 3rd line in ABSTRACT: "simply supported of boundary condition" → "simply supported boundary condition"
- (3) Page 1; left column; 4th – 5th line: "safety ship" → "safety of ship"
- (4) Page 1; right column; 3rd line: "base on" → "based on"
- (5) Page 1; right column; 12th line: "applying the progressive collapse method and finding an" → "applying the progressive collapse calculation method and found an"
- (6) Page 1; right column; 26th line: "compared with" → "compared the calculated results with"
- (7) Page 2; left column; 1st line: "influence factor" → "influential factor"
- (8) Page 2; left column; 12th line: "damaged due, for example, to" → "damaged, for example, due to"
- (9) Page 2; right column; below Eq.(3): "Where D_i , A_i , y_i and z_i are the tangential stiffness obtained as a slope of the average stress-strain relationship, cross section and the coordinate position of the individual elements, respectively." → "where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross sectional area and the coordinates of the centroid of individual elements, respectively."
- (10) Page 2; 1st line below Fig. 1: "asymmetric damage cross section, the equations are used from Eqs.(4) to (8)," → "asymmetrically damaged cross section, Eqs.(4) through (8) are used,"
- (11) Page 2; 1st line below Eq.(5): "Where I and M is the" → "where I and M are the"
- (12) Page 4; left column; 7th line: "damage side shell" → "damaged side shell"
- (13) Page 4; Fig. 4 (a): There is no element at point, L_1 , in case of single hull bulk carrier. What σ_c is used for this case and what is the physical meaning of choosing this point in this case? No influence shall appear at this point as for buckling and yielding.
- (14) Page 4; 10th line from the bottom: "is place at" → "is placed at"

MAILING ADDRESS OF SUGGESTED DISCUSSERS


List names and postal and E-mail addresses of potential discussers. The reviewer may include his or her own name.

- (15) Page 4; 6th line from the bottom: "damaged takes place" → "damage has taken place"

PLEASE ANSWER THE FOLLOWING QUESTION

What, in your opinion, is the significant contribution of this paper to the permanent literature?

- (16) Page 4 – 5: Figures 5, 6, 7, 8, 9 and 10: It should be described what bending moment is indicated in the figures. Is it M_V or resultant bending moment of M_V and M_H ?
- (17) Page 5; right column; 7th line: What is “stiffened matrix”?
- (18) Page 5; right column; 7th – 8th lines: “horizontal and vertical and” → “horizontal and vertical bending moments and”
- (19) Page 5; right column; 15th line: “of damaged” → “of damages”
- (20) Page 5; Fig. 11: “HULLST” and “Estimate by Eq.(11)” have to be placed as below:



- (21) Page 6; 8th line: “the damage side” → “damaged side”
- (22) Page 6; 8th – 10th lines: “The location L1 cannot induced by M_V .” → This sentence may have no meaning since there exists no element at point L_1 .
- (23) Page 6; CONCLUSIONS; 1st – 5th lines: “The ultimate ... member elements.” → Difficult to understand. It could be “Progressive collapse analysis was performed on two single hull bulk carriers and a double hull oil tanker with asymmetrically damaged cross section applying Smith’s method.”
- (24) Page 6; CONCLUSIONS; 12th – 13th lines: “than without constrained one.” → than that without constraint.”
- (25) Page 6; CONCLUSIONS; 13th – 14th lines: “even the horizontal curvature is constrained” → Meaning of this sentence is not understandable. Alternative expression is requested.
- (26) Page 6; CONCLUSIONS; 14th line: “because of the” → “because the”
- (27) Page 6; CONCLUSIONS; 15th line: “the stiffness matrix interaction” → What is “stiffness matrix interaction”?
- (28) Page 6; CONCLUSIONS; 16th lines: “horizontal and vertical and” → “horizontal and vertical bending moments and”
- (29) Page 6; CONCLUSIONS; 16th – 17th lines: “strength becomes higher.” → “strength higher.”



Paper No: -JC-708

Date of Review Request: _December 29, 2016_

Paper Title: **Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships**

Author(s): Muhammad Zubair Muis Alie

Please complete review by: **January 23, 2017**

Please return this manuscript **immediately** if you can not complete the review by the indicated date.

PAPER PROFILE

Please check in the boxes, which best describe the following features of the manuscript.

	YES	NO	REMARKS (e.g., Not Sure if you are not sure)
In your opinion, is this work technically correct?	X ☐	☐	
Are data presented to support the technical claims?	X ☐	☐	Some are ☐ I didn't check ☐
Is this manuscript based on theories or results of refereed papers?	X ☐	☐	
Are you aware of prior publication or presentation of this work?	X ☐	☐	
Is this manuscript free of commercialism (e.g., software sales)?	X ☐	☐	
Is this manuscript too lengthy for the materials covered?	☐	X ☐	

Category	Poor*	Marginal*	Acceptable	Good	Outstanding
1. Originality of the Work			X		
2. Significance of the Work or Results		X			
3. Completeness of the Reported Work			X		
4. Acknowledgment of the Work of Others by References			X		
5. Clarity in Writing, Tables, Graphs or Illustrations		X			

* **"Poor" and "Marginal" is not of acceptable quality.** Justify and provide guidance for improvement in the **Reviewer's Remarks** on the back side.

A. Type of Paper	YES	NO	REMARKS
Is this paper an original contribution to the technical literature?	X ☐	☐	
Is this paper a review or progress report?	☐	X ☐	
Does this paper have current interest value?	X ☐	☐	
Does this paper provide permanent value to the technical literature?	X ☐	☐	

B. Quality (Degree of Excellence) [Guideline for Reviewers: Provide written comments on backside.] The quality of the paper is:

- ☐ **Acceptable:** Check "Good" or "Outstanding" on **all 5 categories** and **provide specific comments on back side** [The paper should include some new technical information of significance.]
- ☐ **Acceptable with editorial changes** [The paper requires only editorial changes and/or possible minor additions or deletions.]
- ☐ **Acceptable with revision: List specific comments on back side.** [The paper requires changes or revisions of a moderate nature that would **aid the authors** in presenting the information more clearly. The paper may not require re-review.]
- X ☐ **Acceptable only if revised: List specific comments on back side. Require re-review.** [The paper requires changes in content that would clarify or incorporate **the information or data** that are essential for clear presentation.]
- ☐ **Not acceptable for reasons stated on back side.** [This includes those papers having an obvious sales approach (e.g., patent or software sales) to a technical problem, those that have been previously published, those that have been submitted elsewhere, or those based on fallacious or dubious engineering analysis or those that present an approach superficially descriptive of widely accepted engineering practice.]

Return review to:

Name: Prof. Jin S. Chung

Address: ISOPE

Country:

E-mail: jschung@isope.org (cc: isope4@gmail.com)

Reviewer Name _____ Date _____

University _____

Address: _____

City: _____ Zip/Postal Code _____ Country _____

E-mail: _____ Fax: _____



The reviews only with written comments are sent to the authors.

C. Publication Classification Recommendation.

If acceptable (with revisions if necessary), I recommend that the paper be published:

☒ As Transactions Journal paper (the paper must have permanent value.)

☐ As Brief Transactions Journal paper (this shorter version must also have permanent value.)

D. Reviewer's Remarks. To assist the author in revising his manuscript, please separate your remarks into two clearly identified categories. Remarks that are not clearly identified will be assumed to fall into **category (1)** below. For additional comments, please attach a sheet.

Type or legible handwriting please! Comments: ☐ attached on separate sheet ☐ not attached.

Category (1) Those suggestions which, in your opinion, would improve the quality of the manuscript but are not essential for publication.

Category (2) Changes which in your judgment should be made before publication.

- (1) Why the author selected only the sagging condition for ultimate hull girder strength estimation. Under the hogging condition, the damaged part is in tension side of the hull girder bending. This may cause the further extension of the damaged part and further reduction of the ultimate hull girder strength. The author is recommended to say something about this and describe the reason when only the sagging condition is selected in this paper.
- (2) P.2; left Column; L.35: The chapter title: "ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH NEUTRAL AXIS EFFECT" is difficult to understand. It could be "EFFECT OF NEUTRAL AXIS ROTATION ON ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH"
- (3) P.2; right column; 1st line: "relationship in given in" → "relationship is given in"
- (4) A cross-section of a ship's hull girder is in general symmetric with respect to the centreline of the cross-section. Therefore, $EI_{HV} = EI_{VH} = 0$ when a cross-section is not damaged. It is when the cross-section is damaged that EI_{HV} and EI_{VH} become not zero. From this aspect, it is recommended to describe that Eqs.(4) through (8) are for the asymmetrically damaged cross-section and Eqs.(9) and (10) are for intact cross-section.
- (5) Another important point is a floating condition. When a collision is large, there could be a water ingress which results in non-upright condition of the hull girder. In this case, both vertical and horizontal bending moments acts on the cross-section of a hull girder when only vertical bending moment acts on an inclined hull girder. Something has to be mentioned about this and what assumption is made for your calculation.
- (6) P.3; left column; 3rd line in "RESULT AND DISCUSSEION": "Case1" → Case 1"
- (7) P.3; left column; 3rd line in "RESULT AND DISCUSSEION": "is given as follows," → "is given as follows."
And what is "as follows." No description can be found.
- (8) P.3; right column; last line: it is described that "because the horizontal curvature is constrained." However, explanation is necessary how the constraint of the horizontal curvature makes higher ultimate hull girder strength of Case 2 compared to that of Case 1.

MAILING ADDRESS OF SUGGESTED DISCUSSERS

List names and postal and E-mail addresses of potential discussers. The reviewer may include his or her own name.

- (9) For the damaged condition, not only the vertical bending moment but the resultant bending moment has to be discussed.

PLEASE ANSWER THE FOLLOWING QUESTION

What, in your opinion, is the significant contribution of this paper to the permanent literature?

Actually working bending moment is the resultant bending moment of vertical and horizontal bending moments in the η - ζ coordinate system in Fig. 1.

(10) P.4; right column; 15th line: “curvature induce by” → “curvature induced by”

(11) P.4; right column; 28th line: “in ship structural.” → “in ship structures.”

(12) P.4; Fig. 11 (b): The overlapping of letters has to be revised.

(13) P.5; Fig. 12 (b): The overlapping of letters has to be reviced.

(14) P.5; CONCLUSIONS; 2nd line: “with asymmetrically damaged has” → “with asymmetrically damaged cross section has”

(15) P.5; CONCLUSIONS; 13rd – 14th lines: “because the horizontal curvature is constrained.” As was mentioned in (8), the real reason which is derived from the constrained horizontal curvature has to be described here.



Paper No: -JC-708

Date of Review Request: _December 29, 2016_

Paper Title: **Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships**

Author(s): Muhammad Zubair Muis Alie

Please complete review by: **January 23, 2017**

Please return this manuscript **immediately** if you can not complete the review by the indicated date.

PAPER PROFILE

Please check in the boxes, which best describe the following features of the manuscript.

	YES	NO	REMARKS (e.g., Not Sure if you are not sure)
In your opinion, is this work technically correct?	☒	☐	
Are data presented to support the technical claims?	☒	☐	Some are ☐ I didn't check ☐
Is this manuscript based on theories or results of refereed papers?	☒	☐	
Are you aware of prior publication or presentation of this work?	☐	☒	
Is this manuscript free of commercialism (e.g., software sales)?	☒	☐	
Is this manuscript too lengthy for the materials covered?	☐	☒	

Category	Poor*	Marginal*	Acceptable	Good	Outstanding
1. Originality of the Work			X		
2. Significance of the Work or Results		X			
3. Completeness of the Reported Work			X		
4. Acknowledgment of the Work of Others by References				X	
5. Clarity in Writing, Tables, Graphs or Illustrations				X	

* **"Poor" and "Marginal" is not of acceptable quality.** Justify and provide guidance for improvement in the **Reviewer's Remarks** on the back side.

A. Type of Paper

	YES	NO	REMARKS
Is this paper an original contribution to the technical literature?	☒	☐	
Is this paper a review or progress report?	☐	☒	
Does this paper have current interest value?	☒	☐	
Does this paper provide permanent value to the technical literature?	☐	☒	

B. Quality (Degree of Excellence) [Guideline for Reviewers: Provide written comments on backside.] The quality of the paper is:

- ☐ **Acceptable:** Check "Good" or "Outstanding" on **all 5 categories** and **provide specific comments on back side** [The paper should include some new technical information of significance.]
- ☒ **Acceptable with editorial changes** [The paper requires only editorial changes and/or possible minor additions or deletions.]
- ☐ **Acceptable with revision: List specific comments on back side.** [The paper requires changes or revisions of a moderate nature that would **aid the authors** in presenting the information more clearly. The paper may not require re-review.]
- ☐ **Acceptable only if revised: List specific comments on back side. Require re-review.** [The paper requires changes in content that would clarify or incorporate **the information or data** that are essential for clear presentation.]
- ☐ **Not acceptable for reasons stated on back side.** [This includes those papers having an obvious sales approach (e.g., patent or software sales) to a technical problem, those that have been previously published, those that have been submitted elsewhere, or those based on fallacious or dubious engineering analysis or those that present an approach superficially descriptive of widely accepted engineering practice.]

Return review to:

Name: Prof. Jin S. Chung

Address: ISOPE

Country:

E-mail: jschung@isope.org (cc: isope4@gmail.com)

Reviewer Name

Co./Univ:

Address:

City:

E-mail:

Date

Zip/Postal Code

Country

Fax:



Paper No.: JC-708

Lead Author: Muis Alie

The reviews only with written comments are sent to the authors.

C. Publication Classification Recommendation.

If acceptable (with revisions if necessary), I recommend that the paper be published:

- ☐ As Transactions Journal paper (the paper must have permanent value.)
☐ As Brief Transactions Journal paper (this shorter version must also have permanent value.)

D. Reviewer's Remarks. To assist the author in revising his manuscript, please separate your remarks into two clearly identified categories. Remarks that are not clearly identified will be assumed to fall into **category** (1) below. For additional comments, please attach a sheet.

Type or legible handwriting please! Comments: ☐ attached on separate sheet ☒ not attached.

Category (1) Those suggestions which, in your opinion, would improve the quality of the manuscript but are not essential for publication.

This paper is very interesting.

1. This paper employs three basic assumptions. Please add some comments if you have any idea that how the results change according to the employment of the second assumption? If we have some comments, your results will be easier to recognize.
2. You made explanations of L1 and L2 before Fig.11 is referred. If you move them to before or after Fig.4, it will be easier to recognize.
3. You compared the effects of damage between B1, B4 and T2, based on the Fig.7 and Fig.8. Whereas the results of B4 is not shown in this paper. This comparison is also referred in conclusion. If you want to refer the results of B4, you should include the graphs of B4.
4. If you add captions in Fig.11 and Fig.12, they will be easier to recognize.
5. In the second paragraph of conclusions, you use 'symbols' such as case1, case2, B1, B4 and T2. If you use more general expression, your conclusions will be easier to recognize.

Category (2) Changes which in your judgment should be made before publication.

1. All the symbols should be explained at the time of reference. Please add explanations to M and I in eq.(4), for example.
2. The equation numbers just above the eq.(13) are incorrect. Please correct them.
3. The figures (a) and (b) in Fig.2 are the same. Perhaps, (a) is incorrect. Please change it.
4. The figure (b) in Fig.11 is digit shifted. Please correct it.

MAILING ADDRESS OF SUGGESTED DISCUSSERS

List names and postal and E-mail addresses of potential discussers. The reviewer may include his or her own name.

PLEASE ANSWER THE FOLLOWING QUESTION

What, in your opinion, is the significant contribution of this paper to the permanent literature?

Paper No: -JC-708

Date of Review Request: _December 29, 2016_

Paper Title: **Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships**

Author(s): Muhammad Zubair Muis Alie

Please complete review by: **January 23, 2017**

Please return this manuscript **immediately** if you can not complete the review by the indicated date.

PAPER PROFILE

Please check in the boxes, which best describe the following features of the manuscript.

	YES	NO	REMARKS (e.g., Not Sure if you are not sure)
In your opinion, is this work technically correct?	☒	☐	
Are data presented to support the technical claims?	☐	☒	Some are ☐ I didn't check ☐
Is this manuscript based on theories or results of refereed papers?	☒	☐	
Are you aware of prior publication or presentation of this work?	☐	☒	
Is this manuscript free of commercialism (e.g., software sales)?	☐	☒	
Is this manuscript too lengthy for the materials covered?	☐	☒	

Category	Poor*	Marginal*	Acceptable	Good	Outstanding
1. Originality of the Work		V			
2. Significance of the Work or Results	V				
3. Completeness of the Reported Work		V			
4. Acknowledgment of the Work of Others by References			V		
5. Clarity in Writing, Tables, Graphs or Illustrations			V		

* "Poor" and "Marginal" is not of acceptable quality. Justify and provide guidance for improvement in the **Reviewer's Remarks** on the back side.

A. Type of Paper

	YES	NO	REMARKS
Is this paper an original contribution to the technical literature?	☒	☐	
Is this paper a review or progress report?	☐	☒	
Does this paper have current interest value?	☐	☒	
Does this paper provide permanent value to the technical literature?	☐	☒	

B. Quality (Degree of Excellence) [Guideline for Reviewers: Provide written comments on backside.] The quality of the paper is:

- ☐ **Acceptable:** Check "Good" or "Outstanding" on **all 5 categories** and **provide specific comments on back side** [The paper should include some new technical information of significance.]
- ☐ **Acceptable with editorial changes** [The paper requires only editorial changes and/or possible minor additions or deletions.]
- ☐ **Acceptable with revision:** List specific comments on back side. [The paper requires changes or revisions of a moderate nature that would aid the authors in presenting the information more clearly. The paper may not require re-review.]
- ☐ **Acceptable only if revised:** List specific comments on back side. **Require re-review.** [The paper requires changes in content that would clarify or incorporate the information or data that are essential for clear presentation.]
- ☒ **Not acceptable for reasons stated on back side.** [This includes those papers having an obvious sales approach (e.g., patent or software sales) to a technical problem, those that have been previously published, those that have been submitted elsewhere, or those based on fallacious or dubious engineering analysis or those that present an approach superficially descriptive of widely accepted engineering practice.]

Return review to:

Name: **Prof. Jin S. Chung**

Address: ISOPE

Country:

E-mail: **jschung@isope.org (cc: isope4@gmail.com)**

Reviewer Name :

Co./Univ:

Address:

City:

E-mail:

Date :

Zip/Postal Code :

Country :

Fax: _____

The reviews only with written comments are sent to the authors.

C. Publication Classification Recommendation.

If acceptable (with revisions if necessary), I recommend that the paper be published:

- ☐ As Transactions Journal paper (the paper must have permanent value.)
☐ As Brief Transactions Journal paper (this shorter version must also have permanent value.)

D. Reviewer's Remarks. To assist the author in revising his manuscript, please separate your remarks into two clearly identified categories. Remarks that are not clearly identified will be assumed to fall into **category (1)** below. For additional comments, please attach a sheet.

Type or legible handwriting please! Comments: ☐ attached on separate sheet ☐ not attached.

Category (1) Those suggestions which, in your opinion, would improve the quality of the manuscript but are not essential for publication.

- No definition about D_i , A_i , y_i in Eq. (2) (3)

Category (2) Changes which in your judgment should be made before publication.

The paper proposed a method based on the assumptions that the ultimate sagging strength is attained when a stiffened panel element at the critical element reached the ultimate strength and the ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST. However, this method is quite simple and far from a progressive failure method since the change of neutral axis is not reflected in the method.

Most of all, the approach needs to be verified with CSR's incremental-iterative approach or nonlinear FE analysis even if only vertical bending moment is taken into account. Then, the effect of rotation and translation needs to be verified further.

In addition, the assumption that the hull girder cross section is elastic until the failure of the critical member is too rough to use in the actual design. It is recommended to reflect the progressive failure process.

MAILING ADDRESS OF SUGGESTED DISCUSSERS

List names and postal and E-mail addresses of potential discussers. The reviewer may include his or her own name.

PLEASE ANSWER THE FOLLOWING QUESTION

What, in your opinion, is the significant contribution of this paper to the permanent literature?

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of an asymmetrically damaged ship under a sagging condition. Two kinds of ships are taken as the object of analysis. The cross section of the ship is considered and assumed to have remained plane. The simply supported boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called the “critical element” reaches its ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by the simplified approach is compared with the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single-hull bulk carrier, double-hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of a ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. Collision and grounding damage may take place on a ship's hull, which may threaten the safety of ships and the surrounding environment. In this regard, to enhance the safety of the ship's structure and minimize risks, the International Maritime Organization (2009) has required in its goal-based new ship construction standards the consideration of the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength as a result of collision and grounding damages. Pedersen (1994) presented a mathematical model to estimate the contact pressure between the grounded ship and the sea bottom. The grounding contact force was compared with the force that would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared with the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Guedes Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on Smith's formulation to predict the ultimate strength of a damaged ship's hull. Muis Alie et al. (2016) investigated the influence of the superstructure on the ultimate strength of a Ro-Ro ship under a vertical bending moment. The cross section was considered to be analyzed. The results obtained by beam theory with and without superstructure were compared with one another. The assessment of the ultimate hull girder strength was conducted by Muis Alie et al. (2017). The cross section of a Ro-Ro ship was taken to be analyzed. The

collision and grounding damages were assumed to be located on the side and bottom areas, respectively. The damages were created by removing the element from the side shell and bottom part. Ohtsubo et al. (1994) showed the experimental and numerical works on ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit finite element method codes, such as LS-DYNA and Dytran to the collision and grounding problems of ships. Özgüç et al. (2005) investigated the collision resistance and residual strength of single-skin and double-skin bulk carriers subjected to damages. Notaro et al. (2010) carried out full nonlinear finite element assessments of hull girder capacity in intact and damage conditions. The effects of several influential factors such as model extend and complexity, damage representations, and model imperfections were investigated on the different vessels. It was found that the effect of damage extent in a vertical direction is more critical than in a longitudinal direction, and the damage varies according to the location of the neutral axes, including higher stresses in proximity of the damage areas. The various probability levels were considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged, for example, because of a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using Smith's method on the ultimate strength of hull girders under biaxial thrust (Özgüç and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes Soares, 2009; Choung et al., 2011) consider the rotation and translation of a neutral axis in a reasonable way. However, they employ a trial-and-error approach to detect the position of the neutral axis. An easier approach to detect the position of a neutral axis is demanded.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

(1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called the “critical element”) reaches the ultimate strength.

(2) The hull girder cross section is elastic until the failure of the critical member.

(3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov, 1992).

EFFECT OF NEUTRAL AXIS ROTATION ON THE ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH

In the elastic cross section, the bending stress at the i th element (see Fig. 1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \varphi_H + (z_i - z_G) \varphi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and φ_H and φ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)}, \quad (3)$$

where D_i , A_i , and (y_i, z_i) are the tangential stiffness obtained as a slope of the average stress-average strain curve, cross-sectional area, and the coordinates of the centroid of individual elements, respectively.




Fig. 1 Neutral axes of the elastic hull girder cross section with asymmetric damage

For the case of an asymmetrically damaged cross section, Eqs. 4 through 8 are used, and for the intact one, the expressions are given in Eqs. 9 and 10. The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \varphi_H \\ \varphi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

where I and M are the moment of inertia and bending moment, respectively. When the vertical bending moment M_V is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of horizontal bending moment $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \varphi_H \\ \varphi_V \end{Bmatrix}. \quad (6)$$

Therefore,

$$\begin{Bmatrix} \varphi_H \\ \varphi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix}. \quad (7)$$

Substituting Eq. 7 into Eq. 1, the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V. \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment is induced under the condition of $\varphi_H = 0$; that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \varphi_V \end{Bmatrix}. \quad (9)$$

Therefore,

$$\varphi_V = \frac{M_V}{EI_{VV}}. \quad (11)$$

Substituting Eq. 10 into Eq. 1, the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (12)$$

Here, it is assumed that the residual hull girder strength in the sagging condition, M_V^u , is attained when a critical member at the location of (y_C, z_C) reaches its ultimate strength, σ_C^u ; namely, for Case 1,

$$M_V^u|_{\text{CASE 1}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (13)$$

and for Case 2,

$$M_V^u|_{\text{CASE 2}} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (14)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by the ratio of Eq. 12 to Eq. 13 as

$$\frac{M_V^u|_{\text{CASE 1}}}{M_V^u|_{\text{CASE 2}}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B2, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1, built in 1987, was designed according to the International Association of Classification Studies (IACS) Pre-Unified Requirements (UR) rule and Ship B2 according to the Common Structural Rules for Bulk Carriers (CSR-BC), having larger cross-section and scantling sizes. Ship T2 was designed according to Common Structural Rules for Oil Tankers (CSR-OT).

Table 1 Subject ships

Ship	B1	B2	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-BC	IACS CSR-OT

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40%, and 70% of the depth D for both bulk carriers and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double-hull tanker, only the outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for both the single-hull bulk carrier and double-hull oil tanker.




Fig. 2 Single-hull bulk carrier (Ship B1)






Fig. 3 Double-hull oil tanker (Ship T2)

The investigation of the residual hull girder strength under the sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4. For single-hull bulk carriers (B1 and B2), the locations of the critical element are L_1 and L_2 . L_1 is located at the center line and L_2 at the hatch coaming on the damaged side. For the case of double-hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damaged side shell. As for the critical stress, the maximum stress of elements located at point L_1 and/or point L is used.






(c) 40% damage

(d) 70% damage

(a) Single-hull bulk carrier



(b) Double-hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

In the sagging condition, it is well recognized that the ultimate hull girder strength is almost attained when the primary deck members in longitudinal compression reach their ultimate strength. Because the damage takes place at the asymmetric position, collision damage is placed at the side shell through to the deck part (*B/16*), and there is no damage located at the bottom part, so it is very important to investigate the critical member under a sagging condition. In the present study, the ultimate strength is analyzed after damage has taken place. The water ingress is not considered in the analysis.

The results obtained by progressive collapse analysis under the sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case 1 considers the rotation of a neutral axis and Case 2 does not. The resultant of a bending moment versus curvature is plotted.




Fig. 5 Single-hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single-hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single-hull bulk carrier (Ship B2) with 20% damage

Similarly, the resultant bending moment and curvature curve for Ships B2 and T2 with 20% and 70% damage are presented in Figs. 7 through 10.




Fig. 8 Single-hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double-hull oil tanker (Ship T2) with 20% damage




Fig. 10 Double-hull oil tanker (T2) with 70% damage





Fig. 11 Comparison of residual hull girder strength between the simplified method and the progressive collapse analysis

Figures 7 and 8 show the results of the moment-curvature relationship obtained by progressive collapse analysis for a single-hull bulk carrier (B2). It is found that Case 2 generally gives higher ultimate strength than Case 1 because the horizontal curvature is constrained. The ultimate hull girder strength is attained even when the horizontal curvature is constrained because of the horizontal bending moment induced by the incremental equation for horizontal and vertical bending moments, causing the ultimate hull girder strength to increase. The effect of constraint is the largest in Ship B1 and is smaller in Ship B2. For Ship B1, Case 1's strength is 7.3% smaller than Case 2's in the sagging condition. The difference between Ship B1 and Ship B2 may be attributed to that of the depth-to-breadth ratio, member scantlings, etc. Figures 9 and 10 represent the moment-curvature relationship under the sagging condition for a double-hull oil tanker (T2) for 20% and 70% of damages, respectively. According to the result obtained by progressive collapse analysis of a double-hull oil tanker (Ship T2), the effect of rotation of the neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

The residual strengths of Ships B1, B2, and T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. 11 gives an estimate of the residual strength that is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at location L_2 gives a better estimate of the residual strength. For the location L_1 bulk carriers, the ultimate strength of the critical element is evaluated by using that of the element at L_2 . This is consistent with the observed collapse behavior in which the ultimate strength was attained when the topside tank region of the damaged side almost fully failed. In the case of a double-hull tanker, location L_1 gives a better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength was attained when the deck part almost fully failed.



(a) Location L1

Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

Progressive collapse analysis applying Smith's method was performed on two single-hull bulk carriers and a double-hull oil tanker with asymmetrically damaged cross sections. Closed-form formulae of residual strength and that of the reduction ratio of the residual strength considering the rotation of the neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under the sagging bending moment can be predicted by the proposed formulae with reasonable accuracy. The ultimate strength obtained with the horizontal curvature constrained is larger than that without constraint. The effect of the rotation of the neutral axis is the largest for the single-hull bulk carrier and almost negligible for the double-hull oil tanker. The difference characteristic for two single-hull bulk carriers may be related to that of the depth-to-breadth ratio, member scantlings, etc.

The resultant of bending moment is induced by the accumulation of the horizontal and vertical bending moments based on the reference coordinate system. Figure 12 shows the comparison of the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. 14 and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Equation 14 gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserve ultimate hull girder strength, as required in ship structures. More systematic analyses are definitely needed to develop the formula having a larger applicability in ship types and damaged cases.

According to the result obtained by progressive collapse analysis of double-hull oil tanker, the effect of rotation of the neutral axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM, and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Tech Exch Advisory Meeting Mar Struct*, TEAM, Incheon, Korea, 143–150.
- Fang, C, and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Symp Pract Des Ships Other Floating Struct*, PRADS, Luebeck-Travemuende, Germany, 1, 309–316.
- Guedes Soares, C, Luís, RM, Nikolov, P, Downes, J, Taczala, M, Modiga, M, Quesnel, T, Toderan, C, and Samuelides, M (2008). "Benchmark Study on the Use of Simplified Structural Codes to Predict the Ultimate Strength of a Damaged Ship Hull," *Int Shipbuild Prog*, 55(1–2), 87–107.
- Hussein, AW, and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Eng*, 36(17–18), 1446–1459.
- International Maritime Organization (2009). *Goal-Based New Ship Construction Standards*, IMO Maritime Safety Committee Document MSC 86/5, International Maritime Organization, London, United Kingdom.
- Muis Alie, MZ, Sitepu, G, and Latumahina, SI (2017). "The Assessment of the Ultimate Hull Girder Strength of RO-RO Ship after Damages," *Proc 27th Int Offshore Polar Eng Conf*, San Francisco, CA, USA, ISOPE, 4, 913–919.
- Muis Alie, MZ, Sitepu, G, Juswan, Wahyuddin, Nugraha, AM, and Alamsyah (2016). "The Influence of Superstructure on the Longitudinal Ultimate Strength of a RO-RO Ship," *Proc 26th Int Offshore Polar Eng Conf*, Rhodes, Greece, ISOPE, 4, 1022–1029.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M, and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Symp Pract Des Ships Other Floating Struct*, PRADS, Rio de Janeiro, Brazil, 941–951.
- Ohtsubo, H, Kawamoto, Y, and Kuroiwa, T (1994). "Experimental and Numerical Research on Ship Collision and Grounding of Oil Tankers," *Nucl Eng Des*, 150(2–3), 385–396.
- Özgüç, Ö, and Barltrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mech Arct Eng*, 130(2), 021013.

- Özgüç, Ö, Das, PK, and Barltrop, N (2005). "A Comparative Study on the Structural Integrity of Single and Double Side Skin Bulk Carriers under Collision Damage," *Mar Struct*, 18(7–8), 511–547.
- Paik, JK, Thayamballi, AK, and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Mar Technol*, 35, 38–54.
- Pedersen, PT (1994). "Ship Grounding and Hull Girder Strength," *Mar Struct*, 7(1), 1–29.
- Yao, T, and Nikolov, PI (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc Nav Archit Jpn*, 1992(172), 437–446.

Bulk Carrier (B1) Idchk = 1**10% damage**

frame space =	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
8.28E+08	8118.32	1.00E-06	0.00023952
1.66E+09	16228.8	2.00E-06	0.00047904
2.48E+09	24343.2	3.00E-06	0.00071856
3.31E+09	32457.6	4.00E-06	0.00095808
4.14E+09	40562.2	5.00E-06	0.0011976
4.97E+09	48676.6	6.00E-06	0.00143713
5.80E+09	56791	7.00E-06	0.00167665
6.62E+09	64905.4	8.00E-06	0.00191617
7.45E+09	73019.8	9.00E-06	0.00215569
8.28E+09	81124.4	1.00E-05	0.00239521
1.66E+10	162288	2.00E-05	0.00479042
2.48E+10	243334	3.00E-05	0.00718563
3.31E+10	324478	4.00E-05	0.00958084
4.14E+10	405622	5.00E-05	0.01197605
4.97E+10	486766	6.00E-05	0.01437126
5.79E+10	567812	7.00E-05	0.01676647
6.62E+10	648956	8.00E-05	0.01916168
7.45E+10	730100	9.00E-05	0.02155689
8.28E+10	811244	1.00E-04	0.0239521
9.11E+10	892388	1.10E-04	0.02634731
9.93E+10	973434	1.20E-04	0.02874251
1.08E+11	1054480	1.30E-04	0.03113772
1.16E+11	1135820	1.40E-04	0.03353293
1.24E+11	1217160	1.50E-04	0.03592814
1.32E+11	1297520	1.60E-04	0.03832335
1.41E+11	1378860	1.70E-04	0.04071856
1.49E+11	1460200	1.80E-04	0.04311377
1.57E+11	1541540	1.90E-04	0.04550898
1.66E+11	1622880	2.00E-04	0.04790419
1.74E+11	1703240	2.10E-04	0.0502994
1.82E+11	1784580	2.20E-04	0.05269461
1.90E+11	1865920	2.30E-04	0.05508982
1.99E+11	1947260	2.40E-04	0.05748503
2.07E+11	2027620	2.50E-04	0.05988024
2.15E+11	2108960	2.60E-04	0.06227545
2.24E+11	2190300	2.70E-04	0.06467066
2.32E+11	2271640	2.80E-04	0.06706587
2.40E+11	2352000	2.90E-04	0.06946108
2.48E+11	2433340	3.00E-04	0.07185629
2.57E+11	2514680	3.10E-04	0.0742515
2.65E+11	2596020	3.20E-04	0.07664671
2.73E+11	2676380	3.30E-04	0.07904192
2.81E+11	2757720	3.40E-04	0.08143713

2.90E+11	2839060	3.50E-04	0.08383234
2.98E+11	2920400	3.60E-04	0.08622754
3.06E+11	3000760	3.70E-04	0.08862275
3.15E+11	3082100	3.80E-04	0.09101796
3.23E+11	3163440	3.90E-04	0.09341317
3.31E+11	3243800	4.00E-04	0.09580838
3.39E+11	3325140	4.10E-04	0.09820359
3.48E+11	3406480	4.20E-04	0.1005988
3.56E+11	3486840	4.30E-04	0.10299401
3.64E+11	3568180	4.40E-04	0.10538922
3.72E+11	3649520	4.50E-04	0.10778443
3.81E+11	3729880	4.60E-04	0.11017964
3.89E+11	3811220	4.70E-04	0.11257485
3.97E+11	3892560	4.80E-04	0.11497006
4.05E+11	3972920	4.90E-04	0.11736527
4.14E+11	4054260	5.00E-04	0.11976048
4.22E+11	4135600	5.10E-04	0.12215569
4.30E+11	4215960	5.20E-04	0.1245509
4.39E+11	4297300	5.30E-04	0.12694611
4.47E+11	4378640	5.40E-04	0.12934132
4.55E+11	4459000	5.50E-04	0.13173653
4.63E+11	4540340	5.60E-04	0.13413174
4.72E+11	4620700	5.70E-04	0.13652695
4.80E+11	4702040	5.80E-04	0.13892216
4.88E+11	4782400	5.90E-04	0.14131737
4.96E+11	4862760	6.00E-04	0.14371257
5.05E+11	4944100	6.10E-04	0.14610778
5.13E+11	5024460	6.20E-04	0.14850299
5.21E+11	5103840	6.30E-04	0.1508982
5.29E+11	5184200	6.40E-04	0.15329341
5.37E+11	5264560	6.50E-04	0.15568862
5.45E+11	5343940	6.60E-04	0.15808383
5.53E+11	5422340	6.70E-04	0.16047904
5.61E+11	5500740	6.80E-04	0.16287425
5.69E+11	5579140	6.90E-04	0.16526946
5.77E+11	5656560	7.00E-04	0.16766467
5.85E+11	5733980	7.10E-04	0.17005988
5.93E+11	5810420	7.20E-04	0.17245509
6.01E+11	5886860	7.30E-04	0.1748503
6.08E+11	5962320	7.40E-04	0.17724551
6.09E+11	5970160	7.41E-04	0.17750898
6.15E+11	6030920	7.50E-04	0.17954491
6.20E+11	6076980	7.57E-04	0.18138922
6.25E+11	6120100	7.66E-04	0.18335329
6.28E+11	6152440	7.73E-04	0.18507784
6.31E+11	6183800	7.80E-04	0.1868503
6.35E+11	6223000	7.90E-04	0.18924551
6.38E+11	6254360	7.98E-04	0.19116168


6.42E+11	6291600	8.08E-04	0.19355689
6.46E+11	6328840	8.18E-04	0.1959521
6.46E+11	6329820	8.18E-04	0.19602395
6.49E+11	6363140	8.28E-04	0.19832335
6.52E+11	6393520	8.38E-04	0.20071856
6.54E+11	6409200	8.43E-04	0.20201198
6.56E+11	6431740	8.51E-04	0.20385629
6.59E+11	6457220	8.61E-04	0.2062515
6.60E+11	6469960	8.66E-04	0.20742515
6.63E+11	6496420	8.76E-04	0.20982036
6.64E+11	6504260	8.79E-04	0.21058683
6.66E+11	6524840	8.89E-04	0.21298204
6.68E+11	6544440	8.99E-04	0.21537725
6.70E+11	6565020	9.09E-04	0.21777246
6.72E+11	6584620	9.19E-04	0.22016766
6.73E+11	6594420	9.24E-04	0.22131737
6.75E+11	6612060	9.34E-04	0.22371257
6.76E+11	6625780	9.42E-04	0.22550898
6.78E+11	6643420	9.52E-04	0.22790419
6.78E+11	6644400	9.52E-04	0.2280479
6.79E+11	6657140	9.62E-04	0.23044311
6.80E+11	6662040	9.67E-04	0.23149701
6.81E+11	6671840	9.77E-04	0.23389222
6.82E+11	6680660	9.86E-04	0.23616766
6.82E+11	6686540	9.96E-04	0.23856287
6.83E+11	6693400	1.01E-03	0.24095808
6.84E+11	6701240	1.02E-03	0.24335329
6.84E+11	6703200	1.02E-03	0.24383234
6.85E+11	6710060	1.03E-03	0.24622754
6.85E+11	6714960	1.04E-03	0.24814371
6.86E+11	6721820	1.05E-03	0.25053892
6.86E+11	6723780	1.05E-03	0.25149701
6.87E+11	6729660	1.06E-03	0.25389222
6.87E+11	6735540	1.07E-03	0.25628743
6.87E+11	6736520	1.07E-03	0.25676647
6.88E+11	6741420	1.08E-03	0.25916168
6.88E+11	6742400	1.09E-03	0.26011976
6.88E+11	6744360	1.10E-03	0.26251497
6.88E+11	6745340	1.10E-03	0.26347305
6.88E+11	6746320	1.11E-03	0.26586826
6.89E+11	6747300	1.12E-03	0.26754491
6.88E+11	6746320	1.13E-03	0.26994012
6.88E+11	6742400	1.14E-03	0.27233533
6.86E+11	6721820	1.14E-03	0.27353293
6.81E+11	6676740	1.15E-03	0.2754491
6.78E+11	6640480	1.16E-03	0.27712575
6.76E+11	6624800	1.16E-03	0.27784431
6.71E+11	6572860	1.17E-03	0.28023952

6.69E+11	6559140	1.17E-03	0.28095808
6.65E+11	6519940	1.18E-03	0.28311377
6.63E+11	6493480	1.19E-03	0.2845509
6.59E+11	6461140	1.20E-03	0.28622754
6.55E+11	6418020	1.21E-03	0.28862275
6.52E+11	6386660	1.21E-03	0.29053892
6.47E+11	6337660	1.22E-03	0.29293413
6.42E+11	6293560	1.23E-03	0.29532934
6.41E+11	6285720	1.24E-03	0.29580838
6.38E+11	6247500	1.25E-03	0.29820359
6.34E+11	6209280	1.26E-03	0.3005988
6.30E+11	6174980	1.27E-03	0.30299401
6.27E+11	6143620	1.28E-03	0.30538922
6.25E+11	6123040	1.28E-03	0.30682635
6.22E+11	6093640	1.29E-03	0.30922156
6.19E+11	6064240	1.30E-03	0.31161677
6.16E+11	6036800	1.31E-03	0.31401198
6.13E+11	6010340	1.32E-03	0.31640719
6.11E+11	5986820	1.33E-03	0.3188024
6.08E+11	5962320	1.34E-03	0.3211976
6.06E+11	5938800	1.35E-03	0.32359281
6.04E+11	5916260	1.36E-03	0.32598802
6.02E+11	5895680	1.37E-03	0.32838323
6.00E+11	5876080	1.38E-03	0.33077844
5.98E+11	5856480	1.39E-03	0.33317365
5.96E+11	5838840	1.40E-03	0.33556886
5.94E+11	5820220	1.41E-03	0.33796407
5.93E+11	5814340	1.42E-03	0.33892216
5.91E+11	5795720	1.43E-03	0.34131737
5.90E+11	5778080	1.44E-03	0.34371257
5.89E+11	5767300	1.44E-03	0.34538922
5.87E+11	5749660	1.45E-03	0.34778443
5.85E+11	5733000	1.46E-03	0.35017964
5.83E+11	5716340	1.47E-03	0.35257485
5.82E+11	5700660	1.48E-03	0.35497006
5.81E+11	5696740	1.48E-03	0.3554491
5.79E+11	5678120	1.49E-03	0.35784431
5.78E+11	5661460	1.50E-03	0.36023952
5.76E+11	5643820	1.51E-03	0.36263473
5.74E+11	5628140	1.52E-03	0.36502994
5.72E+11	5609520	1.53E-03	0.36742515
5.71E+11	5592860	1.54E-03	0.36982036
5.69E+11	5576200	1.55E-03	0.37221557
5.67E+11	5559540	1.56E-03	0.37461078
5.66E+11	5542880	1.57E-03	0.37700599
5.64E+11	5528180	1.58E-03	0.3794012
5.63E+11	5512500	1.59E-03	0.38179641
5.61E+11	5497800	1.60E-03	0.38419162

5.60E+11	5483100	1.61E-03	0.38658683
5.58E+11	5469380	1.62E-03	0.38898204
5.57E+11	5455660	1.63E-03	0.39137725
5.56E+11	5450760	1.64E-03	0.39233533
5.55E+11	5437040	1.65E-03	0.39473054
5.53E+11	5423320	1.66E-03	0.39712575
5.52E+11	5410580	1.67E-03	0.39952096
5.51E+11	5397840	1.68E-03	0.40191617
5.50E+11	5385100	1.69E-03	0.40431138
5.48E+11	5372360	1.70E-03	0.40670659
5.47E+11	5360600	1.71E-03	0.4091018
5.46E+11	5348840	1.72E-03	0.41149701
5.45E+11	5337080	1.73E-03	0.41389222
5.44E+11	5326300	1.74E-03	0.41628743
5.42E+11	5314540	1.75E-03	0.41868263
5.41E+11	5303760	1.76E-03	0.42107784
5.40E+11	5292980	1.77E-03	0.42347305
5.39E+11	5282200	1.78E-03	0.42586826
5.38E+11	5272400	1.79E-03	0.42826347
5.37E+11	5260640	1.80E-03	0.43065868
5.36E+11	5249860	1.81E-03	0.43305389
5.35E+11	5239080	1.82E-03	0.4354491
5.34E+11	5229280	1.83E-03	0.43784431
5.33E+11	5218500	1.84E-03	0.44023952
5.31E+11	5207720	1.85E-03	0.44263473
5.30E+11	5197920	1.86E-03	0.44502994
5.29E+11	5188120	1.87E-03	0.44742515
5.28E+11	5178320	1.88E-03	0.44982036
5.27E+11	5168520	1.89E-03	0.45221557
5.26E+11	5158720	1.90E-03	0.45461078
5.26E+11	5149900	1.91E-03	0.45700599
5.25E+11	5140100	1.92E-03	0.4594012
5.24E+11	5131280	1.93E-03	0.46179641
5.23E+11	5122460	1.94E-03	0.46419162
5.22E+11	5112660	1.95E-03	0.46658683
5.21E+11	5103840	1.96E-03	0.46898204
5.20E+11	5096000	1.97E-03	0.47137725
5.19E+11	5087180	1.98E-03	0.47377246
5.18E+11	5079340	1.99E-03	0.47616766
5.17E+11	5070520	2.00E-03	0.47856287
5.17E+11	5062680	2.01E-03	0.48095808
5.16E+11	5053860	2.02E-03	0.48335329
5.15E+11	5046020	2.03E-03	0.4857485
5.14E+11	5038180	2.04E-03	0.48814371
5.13E+11	5030340	2.05E-03	0.49053892
5.13E+11	5022500	2.06E-03	0.49293413
5.12E+11	5014660	2.07E-03	0.49532934
5.11E+11	5006820	2.08E-03	0.49772455

5.10E+11	4998980	2.09E-03	0.50011976
5.09E+11	4992120	2.10E-03	0.50251497
5.09E+11	4984280	2.11E-03	0.50491018
5.08E+11	4977420	2.12E-03	0.50730539
5.07E+11	4969580	2.13E-03	0.5097006
5.06E+11	4962720	2.14E-03	0.51209581
5.06E+11	4954880	2.15E-03	0.51449102
5.05E+11	4948020	2.16E-03	0.51688623
5.04E+11	4940180	2.17E-03	0.51928144
5.03E+11	4933320	2.18E-03	0.52167665
5.03E+11	4925480	2.19E-03	0.52407186
5.02E+11	4918620	2.20E-03	0.52646707
5.01E+11	4911760	2.21E-03	0.52886228
5.01E+11	4905880	2.22E-03	0.53125749
5.00E+11	4899020	2.23E-03	0.53365269
4.99E+11	4892160	2.24E-03	0.5360479
4.99E+11	4885300	2.25E-03	0.53844311
4.98E+11	4878440	2.26E-03	0.54083832
4.97E+11	4871580	2.27E-03	0.54323353
4.96E+11	4864720	2.28E-03	0.54562874
4.96E+11	4856880	2.29E-03	0.54802395
4.95E+11	4850020	2.30E-03	0.55041916
4.94E+11	4843160	2.31E-03	0.55281437
4.94E+11	4836300	2.32E-03	0.55520958
4.93E+11	4829440	2.33E-03	0.55760479
4.92E+11	4823560	2.34E-03	0.56
4.92E+11	4816700	2.35E-03	0.56239521
4.91E+11	4809840	2.36E-03	0.56479042
4.90E+11	4803960	2.37E-03	0.56718563
4.90E+11	4797100	2.38E-03	0.56958084
4.89E+11	4790240	2.39E-03	0.57197605
4.88E+11	4783380	2.40E-03	0.57437126
4.88E+11	4777500	2.41E-03	0.57676647
4.87E+11	4770640	2.42E-03	0.57916168
4.86E+11	4763780	2.43E-03	0.58155689
4.86E+11	4757900	2.44E-03	0.5839521
4.85E+11	4751040	2.45E-03	0.58634731
4.84E+11	4744180	2.46E-03	0.58874251
4.84E+11	4738300	2.47E-03	0.59113772
4.83E+11	4731440	2.48E-03	0.59353293
4.82E+11	4725560	2.49E-03	0.59592814
4.82E+11	4719680	2.50E-03	0.59832335
4.81E+11	4713800	2.51E-03	0.60071856
4.80E+11	4707920	2.52E-03	0.60311377
4.80E+11	4701060	2.53E-03	0.60550898
4.79E+11	4695180	2.54E-03	0.60790419
4.79E+11	4689300	2.55E-03	0.6102994
4.78E+11	4683420	2.56E-03	0.61269461

4.77E+11	4677540	2.57E-03	0.61508982
4.77E+11	4671660	2.58E-03	0.61748503
4.76E+11	4665780	2.59E-03	0.61988024
4.76E+11	4659900	2.60E-03	0.62227545
4.75E+11	4654020	2.61E-03	0.62467066
4.75E+11	4654020	2.61E-03	0.62491018
4.74E+11	4648140	2.62E-03	0.62730539
4.74E+11	4642260	2.63E-03	0.6297006
4.73E+11	4636380	2.64E-03	0.63209581
4.73E+11	4631480	2.65E-03	0.63449102
4.72E+11	4625600	2.66E-03	0.63688623
4.72E+11	4620700	2.67E-03	0.63928144
4.71E+11	4614820	2.68E-03	0.64167665
4.70E+11	4609920	2.69E-03	0.64407186
4.70E+11	4604040	2.70E-03	0.64646707
4.69E+11	4599140	2.71E-03	0.64886228
0.00E+00	0	0.00E+00	
-8.28E+08	-8118.32	-1.00E-06	-0.00023952
-1.66E+09	-16228.8	-2.00E-06	-0.00047904
-2.48E+09			
-3.31E+09			
-4.14E+09			
-4.97E+09			
-5.79E+09			
-6.62E+09			
-7.45E+09			
-8.28E+09			
-1.66E+10			
-2.48E+10			
-3.31E+10			
-4.14E+10			
-4.97E+10			
-5.79E+10			
-6.62E+10			
-7.45E+10			
-8.27E+10	-810852	-1.00E-04	-0.0239521
-9.10E+10	-891604	-1.10E-04	-0.02634731
-9.92E+10	-972258	-1.20E-04	-0.02874251
-1.08E+11	-1053500	-1.30E-04	-0.03113772
-1.16E+11	-1133860	-1.40E-04	-0.03353293
-1.24E+11	-1214220	-1.50E-04	-0.03592814
-1.32E+11	-1294580	-1.60E-04	-0.03832335
-1.40E+11	-1375920	-1.70E-04	-0.04071856
-1.49E+11	-1456280	-1.80E-04	-0.04311377
-1.57E+11	-1536640	-1.90E-04	-0.04550898
-1.65E+11	-1617000	-2.00E-04	-0.04790419
-1.73E+11	-1698340	-2.10E-04	-0.0502994
-1.82E+11	-1778700	-2.20E-04	-0.05269461



-1.90E+11	-1859060	-2.30E-04	-0.05508982
-1.98E+11	-1939420	-2.40E-04	-0.05748503
-2.06E+11	-2019780	-2.50E-04	-0.05988024
-2.14E+11	-2100140	-2.60E-04	-0.06227545
-2.23E+11	-2180500	-2.70E-04	-0.06467066
-2.31E+11	-2260860	-2.80E-04	-0.06706587
-2.39E+11	-2341220	-2.90E-04	-0.06946108
-2.47E+11	-2421580	-3.00E-04	-0.07185629
-2.55E+11	-2501940	-3.10E-04	-0.0742515
-2.63E+11	-2581320	-3.20E-04	-0.07664671
-2.72E+11	-2661680	-3.30E-04	-0.07904192
-2.80E+11	-2742040	-3.40E-04	-0.08143713
-2.88E+11	-2822400	-3.50E-04	-0.08383234
-2.96E+11	-2901780	-3.60E-04	-0.08622754
-3.04E+11	-2982140	-3.70E-04	-0.08862275
-3.13E+11	-3062500	-3.80E-04	-0.09101796
-3.21E+11	-3141880	-3.90E-04	-0.09341317
-3.29E+11	-3222240	-4.00E-04	-0.09580838
-3.37E+11	-3301620	-4.10E-04	-0.09820359
-3.45E+11	-3381980	-4.20E-04	-0.1005988
-3.53E+11	-3461360	-4.30E-04	-0.10299401
-3.61E+11	-3540740	-4.40E-04	-0.10538922
-3.70E+11	-3621100	-4.50E-04	-0.10778443
-3.78E+11	-3700480	-4.60E-04	-0.11017964
-3.86E+11	-3779860	-4.70E-04	-0.11257485
-3.94E+11	-3859240	-4.80E-04	-0.11497006
-4.02E+11	-3938620	-4.90E-04	-0.11736527
-4.10E+11	-4018000	-5.00E-04	-0.11976048
-4.18E+11	-4097380	-5.10E-04	-0.12215569
-4.26E+11	-4176760	-5.20E-04	-0.1245509
-4.34E+11	-4255160	-5.30E-04	-0.12694611
-4.42E+11	-4333560	-5.40E-04	-0.12934132
-4.50E+11	-4411960	-5.50E-04	-0.13173653
-4.58E+11	-4490360	-5.60E-04	-0.13413174
-4.66E+11	-4567780	-5.70E-04	-0.13652695
-4.74E+11	-4645200	-5.80E-04	-0.13892216
-4.82E+11	-4722620	-5.90E-04	-0.14131737
-4.90E+11	-4799060	-6.00E-04	-0.14371257
-4.98E+11	-4875500	-6.10E-04	-0.14610778
-5.05E+11	-4951940	-6.20E-04	-0.14850299
-5.13E+11	-5027400	-6.30E-04	-0.1508982
-5.21E+11	-5102860	-6.40E-04	-0.15329341
-5.28E+11	-5178320	-6.50E-04	-0.15568862
-5.31E+11	-5206740	-6.54E-04	-0.1565988
-5.39E+11	-5280240	-6.64E-04	-0.15899401
-5.46E+11	-5353740	-6.74E-04	-0.16138922
-5.51E+11	-5397840	-6.80E-04	-0.16287425
-5.58E+11	-5469380	-6.90E-04	-0.16526946

-5.64E+11	-5524260	-6.98E-04	-0.16716168
-5.69E+11	-5574240	-7.05E-04	-0.16891018
-5.74E+11	-5623240	-7.13E-04	-0.1708503
-5.77E+11	-5657540	-7.21E-04	-0.17267066
-5.79E+11	-5673220	-7.28E-04	-0.17441916
-5.80E+11	-5680080	-7.35E-04	-0.1759521
-5.80E+11	-5682040	-7.40E-04	-0.17722156
-5.80E+11	-5683020	-7.48E-04	-0.17911377
-5.79E+11	-5676160	-7.58E-04	-0.18150898
-5.78E+11	-5665380	-7.68E-04	-0.18390419
-5.78E+11	-5663420	-7.70E-04	-0.18435928
-5.77E+11	-5650680	-7.80E-04	-0.18675449
-5.76E+11	-5642840	-7.85E-04	-0.18809581
-5.75E+11	-5631080	-7.91E-04	-0.18946108
-5.72E+11	-5609520	-8.01E-04	-0.19185629
-5.70E+11	-5586000	-8.09E-04	-0.19377246
-5.68E+11	-5569340	-8.13E-04	-0.19475449
-5.64E+11	-5531120	-8.21E-04	-0.19662275
-5.60E+11	-5488980	-8.26E-04	-0.19791617
-5.51E+11	-5398820	-8.36E-04	-0.20031138
-5.39E+11	-5281220	-8.46E-04	-0.20270659
-5.31E+11	-5200860	-8.53E-04	-0.20435928
-5.20E+11	-5096980	-8.63E-04	-0.20675449
-5.11E+11	-5010740	-8.73E-04	-0.2091497
-5.04E+11	-4941160	-8.83E-04	-0.21154491
-4.98E+11	-4882360	-8.93E-04	-0.21394012
-4.96E+11	-4859820	-8.99E-04	-0.21520958
-4.94E+11	-4842180	-9.03E-04	-0.21619162
-4.90E+11	-4799060	-9.13E-04	-0.21858683
-4.86E+11	-4764760	-9.23E-04	-0.22098204
-4.83E+11	-4732420	-9.33E-04	-0.22337725
-4.80E+11	-4703020	-9.43E-04	-0.22577246
-4.77E+11	-4676560	-9.53E-04	-0.22816766
-4.75E+11	-4650100	-9.63E-04	-0.23056287
-4.72E+11	-4626580	-9.73E-04	-0.23295808
-4.70E+11	-4604040	-9.83E-04	-0.23535329
-4.68E+11	-4583460	-9.93E-04	-0.2377485
-4.66E+11	-4562880	-1.00E-03	-0.24023952
-4.64E+11	-4544260	-1.01E-03	-0.24263473
-4.62E+11	-4525640	-1.02E-03	-0.24502994
-4.60E+11	-4507020	-1.03E-03	-0.24742515
-4.58E+11	-4488400	-1.04E-03	-0.24982036
-4.56E+11	-4470760	-1.05E-03	-0.25221557
-4.55E+11	-4454100	-1.06E-03	-0.25461078
-4.53E+11	-4436460	-1.07E-03	-0.25700599
-4.51E+11	-4419800	-1.08E-03	-0.2594012
-4.49E+11	-4403140	-1.09E-03	-0.26179641
-4.48E+11	-4387460	-1.10E-03	-0.26419162

-4.46E+11	-4370800	-1.11E-03	-0.26658683
-4.44E+11	-4355120	-1.12E-03	-0.26898204
-4.43E+11	-4339440	-1.13E-03	-0.27137725
-4.41E+11	-4323760	-1.14E-03	-0.27377246
-4.40E+11	-4308080	-1.15E-03	-0.27616766
-4.38E+11	-4291420	-1.16E-03	-0.27856287
-4.36E+11	-4275740	-1.17E-03	-0.28095808
-4.35E+11	-4260060	-1.18E-03	-0.28335329
-4.33E+11	-4244380	-1.19E-03	-0.2857485
-4.31E+11	-4227720	-1.20E-03	-0.28814371
-4.30E+11	-4211060	-1.21E-03	-0.29053892
-4.28E+11	-4194400	-1.22E-03	-0.29293413
-4.26E+11	-4176760	-1.23E-03	-0.29532934
-4.24E+11	-4159120	-1.24E-03	-0.29772455
-4.23E+11	-4141480	-1.25E-03	-0.30011976
-4.21E+11	-4124820	-1.26E-03	-0.30251497
-4.19E+11	-4108160	-1.27E-03	-0.30491018
-4.18E+11	-4093460	-1.28E-03	-0.30730539
-4.16E+11	-4078760	-1.29E-03	-0.3097006
-4.15E+11	-4066020	-1.30E-03	-0.31209581
-4.14E+11	-4059160	-1.31E-03	-0.31329341
-4.13E+11	-4046420	-1.32E-03	-0.31568862
-4.12E+11	-4034660	-1.33E-03	-0.31808383
-4.10E+11	-4021920	-1.34E-03	-0.32047904
-4.09E+11	-4011140	-1.35E-03	-0.32287425
-4.08E+11	-4000360	-1.36E-03	-0.32526946
-4.07E+11	-3990560	-1.37E-03	-0.32766467
-4.06E+11	-3979780	-1.38E-03	-0.33005988
-4.05E+11	-3969980	-1.39E-03	-0.33245509
-4.04E+11	-3959200	-1.40E-03	-0.3348503
-4.03E+11	-3950380	-1.41E-03	-0.33724551
-4.02E+11	-3940580	-1.42E-03	-0.33964072
-4.01E+11	-3931760	-1.43E-03	-0.34203593
-4.00E+11	-3922940	-1.44E-03	-0.34443114
-3.99E+11	-3914120	-1.45E-03	-0.34682635
-3.99E+11	-3905300	-1.46E-03	-0.34922156
-3.98E+11	-3896480	-1.47E-03	-0.35161677
-3.97E+11	-3888640	-1.48E-03	-0.35401198
-3.96E+11	-3880800	-1.49E-03	-0.35640719
-3.95E+11	-3872960	-1.50E-03	-0.3588024
-3.94E+11	-3865120	-1.51E-03	-0.3611976
-3.94E+11	-3857280	-1.52E-03	-0.36359281
-3.93E+11	-3849440	-1.53E-03	-0.36598802
-3.92E+11	-3842580	-1.54E-03	-0.36838323
-3.91E+11	-3834740	-1.55E-03	-0.37077844
-3.91E+11	-3827880	-1.56E-03	-0.37317365
-3.90E+11	-3821020	-1.57E-03	-0.37556886
-3.89E+11	-3814160	-1.58E-03	-0.37796407

-3.89E+11	-3807300	-1.59E-03	-0.38035928
-3.88E+11	-3800440	-1.60E-03	-0.38275449
-3.87E+11	-3794560	-1.61E-03	-0.3851497
-3.87E+11	-3787700	-1.62E-03	-0.38754491
-3.86E+11	-3781820	-1.63E-03	-0.38994012
-3.85E+11	-3774960	-1.64E-03	-0.39233533
-3.85E+11	-3769080	-1.65E-03	-0.39473054
-3.84E+11	-3763200	-1.66E-03	-0.39712575
-3.83E+11	-3757320	-1.67E-03	-0.39952096
-3.83E+11	-3751440	-1.68E-03	-0.40191617
-3.82E+11	-3745560	-1.69E-03	-0.40431138
-3.82E+11	-3739680	-1.70E-03	-0.40670659
-3.81E+11	-3733800	-1.71E-03	-0.4091018
-3.81E+11	-3728900	-1.72E-03	-0.41149701
-3.80E+11	-3723020	-1.73E-03	-0.41389222
-3.79E+11	-3717140	-1.74E-03	-0.41628743
-3.79E+11	-3712240	-1.75E-03	-0.41868263
-3.78E+11	-3706360	-1.76E-03	-0.42107784
-3.78E+11	-3701460	-1.77E-03	-0.42347305
-3.77E+11	-3696560	-1.78E-03	-0.42586826
-3.77E+11	-3691660	-1.79E-03	-0.42826347
-3.76E+11	-3685780	-1.80E-03	-0.43065868
-3.76E+11	-3680880	-1.81E-03	-0.43305389
-3.75E+11	-3675980	-1.82E-03	-0.4354491
-3.75E+11	-3671080	-1.83E-03	-0.43784431
-3.74E+11	-3666180	-1.84E-03	-0.44023952
-3.74E+11	-3661280	-1.85E-03	-0.44263473
-3.73E+11	-3656380	-1.86E-03	-0.44502994
-3.73E+11	-3652460	-1.87E-03	-0.44742515
-3.72E+11	-3647560	-1.88E-03	-0.44982036
-3.72E+11	-3642660	-1.89E-03	-0.45221557
-3.71E+11	-3638740	-1.90E-03	-0.45461078
-3.71E+11	-3633840	-1.91E-03	-0.45700599
-3.70E+11	-3628940	-1.92E-03	-0.4594012
-3.70E+11	-3625020	-1.93E-03	-0.46179641
-3.69E+11	-3620120	-1.94E-03	-0.46419162
-3.69E+11	-3616200	-1.95E-03	-0.46658683
-3.69E+11	-3611300	-1.96E-03	-0.46898204
-3.68E+11	-3607380	-1.97E-03	-0.47137725
-3.68E+11	-3603460	-1.98E-03	-0.47377246
-3.67E+11	-3598560	-1.99E-03	-0.47616766
-3.67E+11	-3594640	-2.00E-03	-0.47856287
-3.66E+11	-3590720	-2.01E-03	-0.48095808
-3.66E+11	-3589740	-2.01E-03	-0.4811976
-3.66E+11	-3585820	-2.02E-03	-0.48359281
-3.66E+11	-3581900	-2.03E-03	-0.48598802
-3.65E+11	-3577000	-2.04E-03	-0.48838323
-3.65E+11	-3573080	-2.05E-03	-0.49077844

-3.64E+11	-3569160	-2.06E-03	-0.49317365
-3.64E+11	-3565240	-2.07E-03	-0.49556886
-3.63E+11	-3561320	-2.08E-03	-0.49796407
-3.63E+11	-3557400	-2.09E-03	-0.50035928
-3.63E+11	-3553480	-2.10E-03	-0.50275449
-3.62E+11	-3549560	-2.11E-03	-0.5051497
-3.62E+11	-3545640	-2.12E-03	-0.50754491
-3.61E+11	-3541720	-2.13E-03	-0.50994012
-3.61E+11	-3537800	-2.14E-03	-0.51233533
-3.61E+11	-3534860	-2.15E-03	-0.51473054
-3.60E+11	-3530940	-2.16E-03	-0.51712575
-3.60E+11	-3527020	-2.17E-03	-0.51952096
-3.60E+11	-3523100	-2.18E-03	-0.52191617
-3.59E+11	-3520160	-2.19E-03	-0.52431138
-3.59E+11	-3516240	-2.20E-03	-0.52670659
-3.58E+11	-3512320	-2.21E-03	-0.5291018
-3.58E+11	-3509380	-2.22E-03	-0.53149701
-3.58E+11	-3505460	-2.23E-03	-0.53389222
-3.57E+11	-3501540	-2.24E-03	-0.53628743
-3.57E+11	-3498600	-2.25E-03	-0.53868263
-3.57E+11	-3494680	-2.26E-03	-0.54107784
-3.56E+11	-3491740	-2.27E-03	-0.54347305
-3.56E+11	-3488800	-2.28E-03	-0.54586826
-3.56E+11	-3486840	-2.29E-03	-0.54730539
-3.55E+11	-3482920	-2.30E-03	-0.5497006
-3.55E+11	-3479980	-2.31E-03	-0.55209581
-3.55E+11	-3476060	-2.32E-03	-0.55449102
-3.54E+11	-3473120	-2.33E-03	-0.55688623
-3.54E+11	-3470180	-2.34E-03	-0.55928144
-3.54E+11	-3466260	-2.35E-03	-0.56167665
-3.53E+11	-3463320	-2.36E-03	-0.56407186
-3.53E+11	-3460380	-2.37E-03	-0.56646707
-3.53E+11	-3456460	-2.38E-03	-0.56886228
-3.52E+11	-3453520	-2.39E-03	-0.57125749
-3.52E+11	-3450580	-2.40E-03	-0.57365269
-3.52E+11	-3447640	-2.41E-03	-0.5760479
-3.52E+11	-3444700	-2.42E-03	-0.57844311
-3.51E+11	-3441760	-2.43E-03	-0.58083832
-3.51E+11	-3437840	-2.44E-03	-0.58323353
-3.51E+11	-3434900	-2.45E-03	-0.58562874
-3.50E+11	-3431960	-2.46E-03	-0.58802395
-3.50E+11	-3429020	-2.47E-03	-0.59041916
-3.50E+11	-3426080	-2.48E-03	-0.59281437
-3.49E+11	-3423140	-2.49E-03	-0.59520958
-3.49E+11	-3420200	-2.50E-03	-0.59760479
-3.49E+11	-3417260	-2.51E-03	-0.6
-3.48E+11	-3414320	-2.52E-03	-0.60239521
-3.48E+11	-3411380	-2.53E-03	-0.60479042

-3.48E+11	-3408440	-2.54E-03	-0.60718563
-3.48E+11	-3405500	-2.55E-03	-0.60958084
-3.47E+11	-3402560	-2.56E-03	-0.61197605
-3.47E+11	-3399620	-2.57E-03	-0.61437126
-3.47E+11	-3396680	-2.58E-03	-0.61676647
-3.46E+11	-3393740	-2.59E-03	-0.61916168
-3.46E+11	-3391780	-2.60E-03	-0.62155689
-3.46E+11	-3388840	-2.61E-03	-0.6239521
-3.46E+11	-3385900	-2.62E-03	-0.62634731
-3.45E+11	-3382960	-2.63E-03	-0.62874251
-3.45E+11	-3380020	-2.64E-03	-0.63113772
-3.45E+11	-3378060	-2.65E-03	-0.63353293
-3.44E+11	-3375120	-2.66E-03	-0.63592814
-3.44E+11	-3372180	-2.67E-03	-0.63832335
-3.44E+11	-3369240	-2.68E-03	-0.64071856
-3.44E+11	-3367280	-2.69E-03	-0.64311377
-3.43E+11	-3364340	-2.70E-03	-0.64550898
-3.43E+11	-3361400	-2.71E-03	-0.64790419
-3.43E+11	-3358460	-2.72E-03	-0.6502994
-3.43E+11	-3356500	-2.73E-03	-0.65269461
-3.42E+11	-3353560	-2.74E-03	-0.65508982
-3.42E+11	-3351600	-2.75E-03	-0.65748503
-3.42E+11	-3348660	-2.76E-03	-0.65988024
-3.41E+11	-3345720	-2.77E-03	-0.66227545
-3.41E+11	-3343760	-2.78E-03	-0.66467066
-3.41E+11	-3340820	-2.79E-03	-0.66706587
-3.41E+11	-3338860	-2.80E-03	-0.66946108
-3.40E+11	-3335920	-2.81E-03	-0.67185629

Bulk Carrier (B1) Idchk = 2**Bulk****10% damage**

frame space = 4.175 9.80E-06 1000

Moment Rotation Curvature

8.23E+08	8067.36	1.00E-06	0.00024
1.65E+09	16130.8	2.00E-06	0.000479
2.47E+09	24186.4	3.00E-06	0.000719
3.29E+09	32251.8	4.00E-06	0.000958
4.11E+09	40317.2	5.00E-06	0.001198
4.94E+09	48372.8	6.00E-06	0.001437
5.76E+09	56438.2	7.00E-06	0.001677
6.58E+09	64503.6	8.00E-06	0.001916
7.40E+09	72559.2	9.00E-06	0.002156
8.23E+09	80624.6	1.00E-05	0.002395
1.65E+10	161210	2.00E-05	0.00479
2.47E+10	241864	3.00E-05	0.007186
3.29E+10	322518	4.00E-05	0.009581
4.11E+10	403074	5.00E-05	0.011976
4.94E+10	483728	6.00E-05	0.014371
5.76E+10	564284	7.00E-05	0.016766
6.58E+10	644938	8.00E-05	0.019162
7.40E+10	725592	9.00E-05	0.021557
8.23E+10	806148	1.00E-04	0.023952
9.05E+10	886802	1.10E-04	0.026347
9.87E+10	967358	1.20E-04	0.028743
1.07E+11	1047620	1.30E-04	0.031138
1.15E+11	1128960	1.40E-04	0.033533
1.23E+11	1209320	1.50E-04	0.035928
1.32E+11	1289680	1.60E-04	0.038323
1.40E+11	1370040	1.70E-04	0.040719
1.48E+11	1451380	1.80E-04	0.043114
1.56E+11	1531740	1.90E-04	0.045509
1.65E+11	1612100	2.00E-04	0.047904
1.73E+11	1692460	2.10E-04	0.050299
1.81E+11	1773800	2.20E-04	0.052695
1.89E+11	1854160	2.30E-04	0.05509
1.97E+11	1934520	2.40E-04	0.057485
2.06E+11	2014880	2.50E-04	0.05988
2.14E+11	2096220	2.60E-04	0.062275
2.22E+11	2176580	2.70E-04	0.064671
2.30E+11	2256940	2.80E-04	0.067066
2.39E+11	2337300	2.90E-04	0.069461
2.47E+11	2417660	3.00E-04	0.071856
2.55E+11	2498020	3.10E-04	0.074251
2.63E+11	2579360	3.20E-04	0.076647
2.71E+11	2659720	3.30E-04	0.079042
2.80E+11	2740080	3.40E-04	0.081437

frame space =

Moment

8.14E+08
1.63E+09
2.44E+09
3.26E+09
4.07E+09
4.88E+09
5.70E+09
6.51E+09
7.33E+09
8.14E+09
1.63E+10
2.44E+10
3.26E+10
4.07E+10
4.88E+10
5.70E+10
6.51E+10
7.33E+10
8.14E+10
8.95E+10
9.77E+10
1.06E+11
1.14E+11
1.22E+11
1.30E+11
1.38E+11
1.47E+11
1.55E+11
1.63E+11
1.71E+11
1.79E+11
1.87E+11
1.95E+11
2.04E+11
2.12E+11
2.20E+11
2.28E+11
2.36E+11
2.44E+11
2.52E+11
2.60E+11
2.69E+11
2.77E+11

2.88E+11	2820440	3.50E-04	0.083832	2.85E+11
2.96E+11	2900800	3.60E-04	0.086228	2.93E+11
3.04E+11	2982140	3.70E-04	0.088623	3.01E+11
3.13E+11	3062500	3.80E-04	0.091018	3.09E+11
3.21E+11	3142860	3.90E-04	0.093413	3.17E+11
3.29E+11	3223220	4.00E-04	0.095808	3.26E+11
3.37E+11	3303580	4.10E-04	0.098204	3.34E+11
3.45E+11	3383940	4.20E-04	0.100599	3.42E+11
3.54E+11	3465280	4.30E-04	0.102994	3.50E+11
3.62E+11	3545640	4.40E-04	0.105389	3.58E+11
3.70E+11	3626000	4.50E-04	0.107784	3.66E+11
3.78E+11	3706360	4.60E-04	0.11018	3.74E+11
3.86E+11	3786720	4.70E-04	0.112575	3.82E+11
3.95E+11	3867080	4.80E-04	0.11497	3.91E+11
4.03E+11	3948420	4.90E-04	0.117365	3.99E+11
4.11E+11	4028780	5.00E-04	0.11976	4.07E+11
4.19E+11	4109140	5.10E-04	0.122156	4.15E+11
4.28E+11	4189500	5.20E-04	0.124551	4.23E+11
4.36E+11	4269860	5.30E-04	0.126946	4.31E+11
4.44E+11	4350220	5.40E-04	0.129341	4.39E+11
4.52E+11	4430580	5.50E-04	0.131737	4.47E+11
4.60E+11	4510940	5.60E-04	0.134132	4.56E+11
4.69E+11	4591300	5.70E-04	0.136527	4.64E+11
4.77E+11	4671660	5.80E-04	0.138922	4.72E+11
4.85E+11	4752020	5.90E-04	0.141317	4.80E+11
4.93E+11	4831400	6.00E-04	0.143713	4.88E+11
5.01E+11	4911760	6.10E-04	0.146108	4.96E+11
5.09E+11	4991140	6.20E-04	0.148503	5.04E+11
5.17E+11	5070520	6.30E-04	0.150898	5.12E+11
5.26E+11	5149900	6.40E-04	0.153293	5.20E+11
5.34E+11	5228300	6.50E-04	0.155689	5.28E+11
5.42E+11	5306700	6.60E-04	0.158084	5.36E+11
5.50E+11	5385100	6.70E-04	0.160479	5.44E+11
5.57E+11	5462520	6.80E-04	0.162874	5.52E+11
5.65E+11	5539940	6.90E-04	0.165269	5.60E+11
5.73E+11	5617360	7.00E-04	0.167665	5.68E+11
5.81E+11	5692820	7.10E-04	0.17006	5.76E+11
5.81E+11	5693800	7.10E-04	0.17006	5.84E+11
5.87E+11	5755540	7.20E-04	0.172455	5.91E+11
5.90E+11	5778080	7.24E-04	0.173389	5.93E+11
5.96E+11	5838840	7.34E-04	0.175784	5.98E+11
6.02E+11	5897640	7.44E-04	0.17818	6.03E+11
6.03E+11	5908420	7.46E-04	0.178587	6.07E+11
6.09E+11	5966240	7.56E-04	0.180982	6.10E+11
6.10E+11	5981920	7.58E-04	0.181653	6.13E+11
6.15E+11	6028960	7.67E-04	0.183641	6.17E+11
6.19E+11	6070120	7.74E-04	0.185461	6.20E+11
6.24E+11	6115200	7.83E-04	0.187521	6.24E+11

6.29E+11	6160280	7.92E-04	0.189749	6.27E+11
6.32E+11	6192620	8.00E-04	0.191569	6.30E+11
6.36E+11	6228880	8.08E-04	0.193581	6.30E+11
6.39E+11	6265140	8.17E-04	0.19576	6.33E+11
6.43E+11	6297480	8.26E-04	0.197844	6.34E+11
6.46E+11	6331780	8.36E-04	0.200216	6.36E+11
6.49E+11	6360200	8.45E-04	0.202491	6.39E+11
6.52E+11	6386660	8.55E-04	0.204886	6.41E+11
6.52E+11	6389600	8.56E-04	0.205102	6.43E+11
6.55E+11	6414100	8.66E-04	0.207497	6.45E+11
6.55E+11	6419980	8.69E-04	0.208168	6.47E+11
6.57E+11	6436640	8.76E-04	0.209844	6.49E+11
6.59E+11	6456240	8.86E-04	0.21224	6.51E+11
6.59E+11	6460160	8.88E-04	0.212647	6.53E+11
6.61E+11	6478780	8.98E-04	0.215042	6.55E+11
6.61E+11	6479760	8.98E-04	0.215186	6.56E+11
6.63E+11	6494460	9.06E-04	0.217102	6.57E+11
6.64E+11	6511120	9.16E-04	0.219497	6.57E+11
6.65E+11	6519940	9.22E-04	0.220766	6.59E+11
6.67E+11	6535620	9.32E-04	0.223162	6.60E+11
6.68E+11	6543460	9.37E-04	0.224359	6.62E+11
6.69E+11	6554240	9.47E-04	0.226754	6.63E+11
6.69E+11	6555220	9.47E-04	0.22685	6.64E+11
6.70E+11	6564040	9.57E-04	0.229246	6.65E+11
6.70E+11	6566000	9.59E-04	0.229796	6.66E+11
6.71E+11	6572860	9.68E-04	0.231784	6.67E+11
6.71E+11	6578740	9.76E-04	0.233772	6.68E+11
6.72E+11	6582660	9.84E-04	0.235713	6.68E+11
6.72E+11	6584620	9.94E-04	0.238108	6.69E+11
6.72E+11	6584620	9.94E-04	0.238156	6.69E+11
6.72E+11	6583640	1.00E-03	0.24024	6.70E+11
6.71E+11	6578740	1.01E-03	0.242635	6.70E+11
6.71E+11	6578740	1.01E-03	0.242874	6.70E+11
6.71E+11	6572860	1.02E-03	0.244551	6.70E+11
6.70E+11	6566980	1.03E-03	0.246228	6.71E+11
6.69E+11	6559140	1.04E-03	0.248144	6.71E+11
6.68E+11	6550320	1.04E-03	0.24982	6.71E+11
6.67E+11	6536600	1.05E-03	0.252216	6.71E+11
6.66E+11	6526800	1.06E-03	0.253892	6.72E+11
6.65E+11	6517980	1.07E-03	0.25509	6.72E+11
6.64E+11	6502300	1.07E-03	0.257246	6.72E+11
6.61E+11	6481720	1.08E-03	0.259641	6.72E+11
6.60E+11	6468980	1.09E-03	0.261317	6.73E+11
6.58E+11	6450360	1.10E-03	0.263234	6.73E+11
6.56E+11	6429780	1.11E-03	0.265389	6.73E+11
6.54E+11	6405280	1.12E-03	0.267784	6.73E+11
6.51E+11	6380780	1.13E-03	0.27018	6.73E+11
6.51E+11	6377840	1.13E-03	0.270419	6.74E+11

6.48E+11	6353340	1.14E-03	0.272814	6.74E+11
6.47E+11	6341580	1.14E-03	0.274012	6.74E+11
6.45E+11	6323940	1.15E-03	0.275449	6.74E+11
6.44E+11	6307280	1.16E-03	0.276886	6.74E+11
6.42E+11	6290620	1.16E-03	0.278323	6.74E+11
6.39E+11	6261220	1.17E-03	0.280719	6.74E+11
6.38E+11	6248480	1.18E-03	0.281677	6.74E+11
6.35E+11	6219080	1.19E-03	0.284072	6.74E+11
6.33E+11	6206340	1.19E-03	0.285269	6.73E+11
6.31E+11	6181840	1.20E-03	0.287425	6.73E+11
6.29E+11	6159300	1.21E-03	0.28982	6.71E+11
6.26E+11	6136760	1.22E-03	0.292216	6.67E+11
6.24E+11	6115200	1.23E-03	0.294611	6.65E+11
6.23E+11	6104420	1.24E-03	0.295808	6.60E+11
6.21E+11	6084820	1.25E-03	0.298204	6.58E+11
6.19E+11	6066200	1.26E-03	0.300599	6.56E+11
6.18E+11	6056400	1.26E-03	0.302036	6.52E+11
6.16E+11	6038760	1.27E-03	0.304192	6.48E+11
6.14E+11	6017200	1.28E-03	0.306587	6.47E+11
6.13E+11	6009360	1.29E-03	0.307784	6.44E+11
6.11E+11	5990740	1.30E-03	0.31018	6.40E+11
6.10E+11	5978980	1.30E-03	0.311856	6.37E+11
6.08E+11	5959380	1.31E-03	0.314251	6.34E+11
6.07E+11	5949580	1.32E-03	0.315449	6.30E+11
6.05E+11	5929000	1.33E-03	0.317844	6.28E+11
6.03E+11	5909400	1.34E-03	0.32024	6.24E+11
6.01E+11	5890780	1.35E-03	0.322635	6.21E+11
6.00E+11	5881960	1.35E-03	0.323593	6.18E+11
5.98E+11	5863340	1.36E-03	0.325988	6.15E+11
5.98E+11	5859420	1.36E-03	0.326707	6.13E+11
5.96E+11	5835900	1.37E-03	0.329102	6.12E+11
5.93E+11	5813360	1.38E-03	0.331497	6.09E+11
5.91E+11	5792780	1.39E-03	0.333892	6.06E+11
5.89E+11	5773180	1.40E-03	0.336287	6.04E+11
5.87E+11	5753580	1.41E-03	0.338683	6.01E+11
5.86E+11	5746720	1.42E-03	0.339401	5.99E+11
5.84E+11	5727120	1.43E-03	0.341796	5.97E+11
5.82E+11	5707520	1.44E-03	0.344192	5.95E+11
5.81E+11	5688900	1.45E-03	0.346587	5.93E+11
5.79E+11	5671260	1.46E-03	0.348982	5.91E+11
5.77E+11	5653620	1.47E-03	0.351377	5.89E+11
5.75E+11	5636960	1.48E-03	0.353772	5.87E+11
5.74E+11	5620300	1.49E-03	0.356168	5.85E+11
5.72E+11	5604620	1.50E-03	0.358563	5.84E+11
5.70E+11	5588940	1.51E-03	0.360958	5.82E+11
5.69E+11	5574240	1.52E-03	0.363353	5.81E+11
5.67E+11	5559540	1.53E-03	0.365749	5.80E+11
5.66E+11	5544840	1.54E-03	0.368144	5.78E+11


5.64E+11	5531120	1.55E-03	0.370539	5.76E+11
5.63E+11	5517400	1.56E-03	0.372934	5.76E+11
5.62E+11	5504660	1.57E-03	0.375329	5.75E+11
5.60E+11	5491920	1.58E-03	0.377725	5.73E+11
5.59E+11	5479180	1.59E-03	0.38012	5.72E+11
5.58E+11	5467420	1.60E-03	0.382515	5.72E+11
5.57E+11	5454680	1.61E-03	0.38491	5.70E+11
5.56E+11	5447820	1.61E-03	0.386347	5.69E+11
5.55E+11	5436060	1.62E-03	0.388743	5.67E+11
5.54E+11	5424300	1.63E-03	0.391138	5.66E+11
5.52E+11	5413520	1.64E-03	0.393533	5.65E+11
5.52E+11	5410580	1.65E-03	0.394012	5.63E+11
5.51E+11	5399800	1.66E-03	0.396407	5.62E+11
5.50E+11	5388040	1.67E-03	0.398802	5.60E+11
5.49E+11	5378240	1.68E-03	0.401198	5.59E+11
5.48E+11	5367460	1.69E-03	0.403593	5.57E+11
5.47E+11	5356680	1.70E-03	0.405988	5.56E+11
5.46E+11	5345900	1.71E-03	0.408383	5.54E+11
5.45E+11	5342960	1.71E-03	0.409102	5.53E+11
5.44E+11	5330220	1.72E-03	0.411497	5.52E+11
5.43E+11	5318460	1.73E-03	0.413892	5.50E+11
5.42E+11	5306700	1.74E-03	0.416287	5.49E+11
5.40E+11	5295920	1.75E-03	0.418683	5.48E+11
5.39E+11	5285140	1.76E-03	0.421078	5.46E+11
5.38E+11	5273380	1.77E-03	0.423473	5.45E+11
5.37E+11	5262600	1.78E-03	0.425868	5.44E+11
5.36E+11	5251820	1.79E-03	0.428263	5.43E+11
5.35E+11	5241040	1.80E-03	0.430659	5.42E+11
5.34E+11	5230260	1.81E-03	0.433054	5.41E+11
5.33E+11	5220460	1.82E-03	0.435449	5.40E+11
5.32E+11	5209680	1.83E-03	0.437844	5.39E+11
5.31E+11	5198900	1.84E-03	0.44024	5.37E+11
5.29E+11	5188120	1.85E-03	0.442635	5.36E+11
5.28E+11	5178320	1.86E-03	0.44503	5.35E+11
5.27E+11	5168520	1.87E-03	0.447425	5.34E+11
5.26E+11	5158720	1.88E-03	0.44982	5.33E+11
5.25E+11	5147940	1.89E-03	0.452216	5.32E+11
5.24E+11	5139120	1.90E-03	0.454611	5.31E+11
5.23E+11	5129320	1.91E-03	0.457006	5.30E+11
5.22E+11	5119520	1.92E-03	0.459401	5.29E+11
5.22E+11	5114620	1.92E-03	0.460599	5.28E+11
5.21E+11	5105800	1.93E-03	0.462994	5.27E+11
5.20E+11	5096000	1.94E-03	0.465389	5.26E+11
5.19E+11	5087180	1.95E-03	0.467784	5.25E+11
5.18E+11	5079340	1.96E-03	0.46994	5.24E+11
5.17E+11	5070520	1.97E-03	0.472335	5.24E+11
5.16E+11	5060720	1.98E-03	0.474731	5.23E+11
5.16E+11	5051900	1.99E-03	0.477126	5.22E+11

5.15E+11	5043080	2.00E-03	0.479521	5.21E+11
5.14E+11	5035240	2.01E-03	0.481916	5.20E+11
5.13E+11	5026420	2.02E-03	0.484311	5.19E+11
5.12E+11	5017600	2.03E-03	0.486707	5.18E+11
5.11E+11	5009760	2.04E-03	0.489102	5.18E+11
5.10E+11	5000940	2.05E-03	0.491497	5.17E+11
5.10E+11	4993100	2.06E-03	0.493892	5.16E+11
5.09E+11	4985260	2.07E-03	0.496287	5.15E+11
5.08E+11	4977420	2.08E-03	0.498683	5.15E+11
5.07E+11	4969580	2.09E-03	0.501078	5.14E+11
5.06E+11	4961740	2.10E-03	0.503473	5.13E+11
5.06E+11	4953900	2.11E-03	0.505868	5.12E+11
5.05E+11	4946060	2.12E-03	0.508263	5.11E+11
5.04E+11	4939200	2.13E-03	0.510659	5.10E+11
5.03E+11	4931360	2.14E-03	0.513054	5.10E+11
5.03E+11	4924500	2.15E-03	0.515449	5.09E+11
5.02E+11	4916660	2.16E-03	0.517844	5.08E+11
5.01E+11	4909800	2.17E-03	0.52024	5.07E+11
5.00E+11	4902940	2.18E-03	0.522635	5.07E+11
5.00E+11	4896080	2.19E-03	0.52503	5.06E+11
4.99E+11	4889220	2.20E-03	0.527425	5.05E+11
4.98E+11	4882360	2.21E-03	0.52982	5.04E+11
4.98E+11	4875500	2.22E-03	0.532216	5.03E+11
4.97E+11	4868640	2.23E-03	0.534611	5.03E+11
4.96E+11	4861780	2.24E-03	0.537006	5.02E+11
4.95E+11	4854920	2.25E-03	0.539401	5.01E+11
4.95E+11	4849040	2.26E-03	0.541796	5.01E+11
4.94E+11	4842180	2.27E-03	0.544192	5.00E+11
4.93E+11	4835320	2.28E-03	0.546587	4.99E+11
4.93E+11	4829440	2.29E-03	0.548982	4.98E+11
4.92E+11	4822580	2.30E-03	0.551377	4.98E+11
4.92E+11	4816700	2.31E-03	0.553772	4.97E+11
4.91E+11	4809840	2.32E-03	0.556168	4.96E+11
4.90E+11	4803960	2.33E-03	0.558563	4.96E+11
4.90E+11	4797100	2.34E-03	0.560958	4.95E+11
4.89E+11	4791220	2.35E-03	0.563353	4.94E+11
4.88E+11	4784360	2.36E-03	0.565749	4.94E+11
4.88E+11	4778480	2.37E-03	0.568144	4.93E+11
4.87E+11	4771620	2.38E-03	0.570539	4.92E+11
4.86E+11	4765740	2.39E-03	0.572934	4.92E+11
4.86E+11	4758880	2.40E-03	0.575329	4.91E+11
4.85E+11	4753000	2.41E-03	0.577725	4.90E+11
4.84E+11	4747120	2.42E-03	0.58012	4.90E+11
4.84E+11	4740260	2.43E-03	0.582515	4.89E+11
4.83E+11	4734380	2.44E-03	0.58491	4.89E+11
4.83E+11	4728500	2.45E-03	0.587305	4.88E+11
4.82E+11	4722620	2.46E-03	0.589701	4.87E+11
4.81E+11	4716740	2.47E-03	0.592096	4.87E+11

4.81E+11	4710860	2.48E-03	0.594491	4.86E+11
4.80E+11	4704980	2.49E-03	0.596886	4.86E+11
4.80E+11	4699100	2.50E-03	0.599281	4.85E+11
4.79E+11	4693220	2.51E-03	0.601677	4.84E+11
4.78E+11	4687340	2.52E-03	0.604072	4.84E+11
4.78E+11	4682440	2.53E-03	0.606467	4.83E+11
4.77E+11	4676560	2.54E-03	0.608862	4.83E+11
4.77E+11	4670680	2.55E-03	0.611257	4.82E+11
4.76E+11	4664800	2.56E-03	0.613653	4.81E+11
4.75E+11	4658920	2.57E-03	0.616048	4.81E+11
4.75E+11	4654020	2.58E-03	0.618443	4.80E+11
4.74E+11	4648140	2.59E-03	0.620838	4.80E+11
4.74E+11	4643240	2.60E-03	0.623234	4.79E+11
4.73E+11	4637360	2.61E-03	0.625629	4.79E+11
4.73E+11	4632460	2.62E-03	0.628024	4.78E+11
4.72E+11	4626580	2.63E-03	0.630419	4.77E+11
0.00E+00	0	0.00E+00		0.00E+00
-8.23E+08	-8067.36	-1.00E-06	-0.00024	-8.14E+08
-1.65E+09	-16130.8	-2.00E-06	-0.000479	-1.63E+09
			-0.000719	-2.44E+09
			-0.000958	-3.26E+09
			-0.001198	-4.07E+09
			-0.001437	-4.88E+09
			-0.001677	-5.70E+09
			-0.001916	-6.51E+09
			-0.002156	-7.32E+09
			-0.002395	-8.14E+09
			-0.00479	-1.63E+10
			-0.007186	-2.44E+10
			-0.009581	-3.25E+10
			-0.011976	-4.07E+10
			-0.014371	-4.88E+10
			-0.016766	-5.70E+10
			-0.019162	-6.51E+10
			-0.021557	-7.32E+10
-8.22E+10	-805364	-1.00E-04	-0.023952	-8.13E+10
-9.04E+10	-885626	-1.10E-04	-0.026347	-8.94E+10
-9.86E+10	-965888	-1.20E-04	-0.028743	-9.75E+10
-1.07E+11	-1045660	-1.30E-04	-0.031138	-1.06E+11
-1.15E+11	-1126020	-1.40E-04	-0.033533	-1.14E+11
-1.23E+11	-1206380	-1.50E-04	-0.035928	-1.22E+11
-1.31E+11	-1286740	-1.60E-04	-0.038323	-1.30E+11
-1.39E+11	-1366120	-1.70E-04	-0.040719	-1.38E+11
-1.48E+11	-1446480	-1.80E-04	-0.043114	-1.46E+11
-1.56E+11	-1526840	-1.90E-04	-0.045509	-1.54E+11
-1.64E+11	-1606220	-2.00E-04	-0.047904	-1.62E+11
-1.72E+11	-1686580	-2.10E-04	-0.050299	-1.70E+11
-1.80E+11	-1766940	-2.20E-04	-0.052695	-1.78E+11

(1/m)

- Case 2
- Case 1



Bending moment x 10⁶ (kN-m)

-1.88E+11	-1846320	-2.30E-04	-0.05509	-1.86E+11
-1.97E+11	-1926680	-2.40E-04	-0.057485	-1.95E+11
-2.05E+11	-2006060	-2.50E-04	-0.05988	-2.03E+11
-2.13E+11	-2085440	-2.60E-04	-0.062275	-2.11E+11
-2.21E+11	-2165800	-2.70E-04	-0.064671	-2.19E+11
-2.29E+11	-2245180	-2.80E-04	-0.067066	-2.27E+11
-2.37E+11	-2325540	-2.90E-04	-0.069461	-2.35E+11
-2.45E+11	-2404920	-3.00E-04	-0.071856	-2.43E+11
-2.54E+11	-2484300	-3.10E-04	-0.074251	-2.51E+11
-2.62E+11	-2564660	-3.20E-04	-0.076647	-2.59E+11
-2.70E+11	-2644040	-3.30E-04	-0.079042	-2.67E+11
-2.78E+11	-2723420	-3.40E-04	-0.081437	-2.75E+11
-2.86E+11	-2802800	-3.50E-04	-0.083832	-2.83E+11
-2.94E+11	-2882180	-3.60E-04	-0.086228	-2.91E+11
-3.02E+11	-2961560	-3.70E-04	-0.088623	-2.99E+11
-3.10E+11	-3040940	-3.80E-04	-0.091018	-3.07E+11
-3.18E+11	-3120320	-3.90E-04	-0.093413	-3.15E+11
-3.27E+11	-3199700	-4.00E-04	-0.095808	-3.23E+11
-3.35E+11	-3279080	-4.10E-04	-0.098204	-3.31E+11
-3.43E+11	-3358460	-4.20E-04	-0.100599	-3.39E+11
-3.51E+11	-3436860	-4.30E-04	-0.102994	-3.47E+11
-3.59E+11	-3516240	-4.40E-04	-0.105389	-3.55E+11
-3.67E+11	-3595620	-4.50E-04	-0.107784	-3.63E+11
-3.75E+11	-3674020	-4.60E-04	-0.11018	-3.71E+11
-3.83E+11	-3753400	-4.70E-04	-0.112575	-3.79E+11
-3.91E+11	-3831800	-4.80E-04	-0.11497	-3.87E+11
-3.99E+11	-3911180	-4.90E-04	-0.117365	-3.95E+11
-4.07E+11	-3989580	-5.00E-04	-0.11976	-4.03E+11
-4.15E+11	-4067980	-5.10E-04	-0.122156	-4.11E+11
-4.23E+11	-4145400	-5.20E-04	-0.124551	-4.19E+11
-4.31E+11	-4223800	-5.30E-04	-0.126946	-4.27E+11
-4.39E+11	-4301220	-5.40E-04	-0.129341	-4.35E+11
-4.47E+11	-4378640	-5.50E-04	-0.131737	-4.43E+11
-4.55E+11	-4456060	-5.60E-04	-0.134132	-4.50E+11
-4.63E+11	-4532500	-5.70E-04	-0.136527	-4.58E+11
-4.70E+11	-4608940	-5.80E-04	-0.138922	-4.66E+11
-4.78E+11	-4685380	-5.90E-04	-0.141317	-4.74E+11
-4.86E+11	-4760840	-6.00E-04	-0.143713	-4.81E+11
-4.94E+11	-4836300	-6.10E-04	-0.146108	-4.89E+11
-5.01E+11	-4911760	-6.20E-04	-0.148503	-4.97E+11
-5.05E+11	-4951940	-6.25E-04	-0.149796	-5.04E+11
-5.13E+11	-5025440	-6.35E-04	-0.152192	-5.12E+11
-5.20E+11	-5098940	-6.45E-04	-0.154587	-5.16E+11
-5.22E+11	-5114620	-6.48E-04	-0.155114	-5.24E+11
-5.29E+11	-5187140	-6.58E-04	-0.157509	-5.31E+11
-5.34E+11	-5229280	-6.64E-04	-0.158946	-5.35E+11
-5.40E+11	-5289060	-6.72E-04	-0.16103	-5.42E+11
-5.43E+11	-5316500	-6.78E-04	-0.162419	-5.47E+11

-5.45E+11	-5336100	-6.83E-04	-0.163545	-5.52E+11
-5.47E+11	-5355700	-6.87E-04	-0.164647	-5.56E+11
-5.49E+11	-5379220	-6.93E-04	-0.166036	-5.60E+11
-5.53E+11	-5417440	-7.03E-04	-0.168431	-5.61E+11
-5.54E+11	-5427240	-7.06E-04	-0.169126	-5.62E+11
-5.56E+11	-5443900	-7.11E-04	-0.170228	-5.62E+11
-5.58E+11	-5471340	-7.19E-04	-0.172263	-5.62E+11
-5.61E+11	-5494860	-7.27E-04	-0.174108	-5.62E+11
-5.63E+11	-5513480	-7.34E-04	-0.175784	-5.61E+11
-5.64E+11	-5529160	-7.40E-04	-0.177341	-5.60E+11
-5.65E+11	-5540920	-7.46E-04	-0.178731	-5.59E+11
-5.66E+11	-5547780	-7.51E-04	-0.17988	-5.58E+11
-5.66E+11	-5546800	-7.61E-04	-0.182275	-5.56E+11
-5.66E+11	-5544840	-7.63E-04	-0.182659	-5.55E+11
-5.64E+11	-5531120	-7.70E-04	-0.184479	-5.53E+11
-5.64E+11	-5522300	-7.74E-04	-0.185293	-5.50E+11
-5.60E+11	-5488000	-7.84E-04	-0.187689	-5.45E+11
-5.58E+11	-5472320	-7.87E-04	-0.188551	-5.45E+11
-5.55E+11	-5439980	-7.94E-04	-0.190108	-5.42E+11
-5.52E+11	-5406660	-8.00E-04	-0.191713	-5.34E+11
-5.49E+11	-5378240	-8.06E-04	-0.193078	-5.24E+11
-5.45E+11	-5342960	-8.14E-04	-0.19497	-5.14E+11
-5.41E+11	-5302780	-8.24E-04	-0.197365	-5.04E+11
-5.40E+11	-5290040	-8.28E-04	-0.198347	-4.95E+11
-5.36E+11	-5254760	-8.38E-04	-0.200743	-4.88E+11
-5.36E+11	-5254760	-8.38E-04	-0.200766	-4.82E+11
-5.33E+11	-5224380	-8.48E-04	-0.203162	-4.80E+11
-5.30E+11	-5194000	-8.58E-04	-0.205557	-4.75E+11
-5.27E+11	-5163620	-8.68E-04	-0.207952	-4.72E+11
-5.27E+11	-5162640	-8.68E-04	-0.207976	-4.68E+11
-5.23E+11	-5122460	-8.78E-04	-0.210371	-4.65E+11
-5.18E+11	-5077380	-8.88E-04	-0.212766	-4.63E+11
-5.15E+11	-5047980	-8.94E-04	-0.21418	-4.60E+11
-5.13E+11	-5024460	-8.99E-04	-0.215257	-4.58E+11
-5.07E+11	-4967620	-9.09E-04	-0.217653	-4.55E+11
-5.07E+11	-4963700	-9.09E-04	-0.217796	-4.53E+11
-4.99E+11	-4890200	-9.19E-04	-0.220192	-4.51E+11
-4.93E+11	-4827480	-9.29E-04	-0.222587	-4.49E+11
-4.87E+11	-4775540	-9.39E-04	-0.224982	-4.47E+11
-4.86E+11	-4757900	-9.44E-04	-0.226036	-4.46E+11
-4.81E+11	-4717720	-9.54E-04	-0.228431	-4.44E+11
-4.78E+11	-4683420	-9.64E-04	-0.230826	-4.42E+11
-4.75E+11	-4652060	-9.74E-04	-0.233222	-4.40E+11
-4.72E+11	-4625600	-9.84E-04	-0.235617	-4.39E+11
-4.70E+11	-4605020	-9.92E-04	-0.237557	-4.37E+11
-4.67E+11	-4580520	-1.00E-03	-0.24	-4.35E+11
-4.65E+11	-4558960	-1.01E-03	-0.242395	-4.34E+11
-4.65E+11	-4556020	-1.01E-03	-0.242635	-4.32E+11

-4.63E+11	-4534460	-1.02E-03	-0.24503	-4.31E+11
-4.61E+11	-4513880	-1.03E-03	-0.247425	-4.29E+11
-4.59E+11	-4494280	-1.04E-03	-0.24982	-4.27E+11
-4.57E+11	-4475660	-1.05E-03	-0.252216	-4.26E+11
-4.55E+11	-4458020	-1.06E-03	-0.254611	-4.24E+11
-4.53E+11	-4440380	-1.07E-03	-0.257006	-4.23E+11
-4.51E+11	-4423720	-1.08E-03	-0.259401	-4.21E+11
-4.50E+11	-4407060	-1.09E-03	-0.261796	-4.20E+11
-4.48E+11	-4391380	-1.10E-03	-0.264192	-4.18E+11
-4.47E+11	-4375700	-1.11E-03	-0.266587	-4.16E+11
-4.45E+11	-4361000	-1.12E-03	-0.268982	-4.15E+11
-4.44E+11	-4346300	-1.13E-03	-0.271377	-4.13E+11
-4.42E+11	-4334540	-1.14E-03	-0.273533	-4.12E+11
-4.41E+11	-4319840	-1.15E-03	-0.275928	-4.10E+11
-4.39E+11	-4306120	-1.16E-03	-0.278323	-4.08E+11
-4.38E+11	-4291420	-1.17E-03	-0.280719	-4.06E+11
-4.37E+11	-4277700	-1.18E-03	-0.283114	-4.05E+11
-4.35E+11	-4263980	-1.19E-03	-0.285509	-4.03E+11
-4.34E+11	-4251240	-1.20E-03	-0.287904	-4.02E+11
-4.32E+11	-4236540	-1.21E-03	-0.290299	-4.01E+11
-4.31E+11	-4223800	-1.22E-03	-0.292695	-4.00E+11
-4.30E+11	-4209100	-1.23E-03	-0.29509	-3.99E+11
-4.28E+11	-4195380	-1.24E-03	-0.297485	-3.98E+11
-4.27E+11	-4181660	-1.25E-03	-0.29988	-3.97E+11
-4.25E+11	-4166960	-1.26E-03	-0.302275	-3.95E+11
-4.24E+11	-4152260	-1.27E-03	-0.304671	-3.94E+11
-4.22E+11	-4137560	-1.28E-03	-0.307066	-3.93E+11
-4.21E+11	-4122860	-1.29E-03	-0.309461	-3.92E+11
-4.19E+11	-4107180	-1.30E-03	-0.311856	-3.91E+11
-4.17E+11	-4090520	-1.31E-03	-0.314251	-3.90E+11
-4.16E+11	-4073860	-1.32E-03	-0.316647	-3.89E+11
-4.14E+11	-4058180	-1.33E-03	-0.319042	-3.89E+11
-4.13E+11	-4044460	-1.34E-03	-0.321437	-3.88E+11
-4.11E+11	-4029760	-1.35E-03	-0.323832	-3.87E+11
-4.10E+11	-4015060	-1.36E-03	-0.326228	-3.86E+11
-4.09E+11	-4003300	-1.37E-03	-0.328623	-3.85E+11
-4.07E+11	-3992520	-1.38E-03	-0.331018	-3.84E+11
-4.06E+11	-3980760	-1.39E-03	-0.333413	-3.83E+11
-4.05E+11	-3969980	-1.40E-03	-0.335808	-3.83E+11
-4.04E+11	-3959200	-1.41E-03	-0.338204	-3.82E+11
-4.03E+11	-3949400	-1.42E-03	-0.340599	-3.81E+11
-4.02E+11	-3939600	-1.43E-03	-0.342994	-3.80E+11
-4.01E+11	-3929800	-1.44E-03	-0.345389	-3.80E+11
-4.00E+11	-3920980	-1.45E-03	-0.347784	-3.79E+11
-4.00E+11	-3920980	-1.45E-03	-0.347784	-3.78E+11
-3.99E+11	-3911180	-1.46E-03	-0.35018	-3.78E+11
-3.98E+11	-3903340	-1.47E-03	-0.352575	-3.77E+11
-3.97E+11	-3894520	-1.48E-03	-0.35497	-3.76E+11

-3.97E+11	-3885700	-1.49E-03	-0.357365	-3.76E+11
-3.96E+11	-3876880	-1.50E-03	-0.35976	-3.75E+11
-3.95E+11	-3869040	-1.51E-03	-0.362156	-3.74E+11
-3.94E+11	-3861200	-1.52E-03	-0.364551	-3.74E+11
-3.93E+11	-3853360	-1.53E-03	-0.366946	-3.73E+11
-3.92E+11	-3845520	-1.54E-03	-0.369341	-3.72E+11
-3.92E+11	-3838660	-1.55E-03	-0.371737	-3.72E+11
-3.91E+11	-3830820	-1.56E-03	-0.374132	-3.71E+11
-3.90E+11	-3823960	-1.57E-03	-0.376527	-3.71E+11
-3.89E+11	-3816120	-1.58E-03	-0.378922	-3.70E+11
-3.89E+11	-3809260	-1.59E-03	-0.381317	-3.70E+11
-3.88E+11	-3802400	-1.60E-03	-0.383713	-3.69E+11
-3.87E+11	-3795540	-1.61E-03	-0.386108	-3.68E+11
-3.87E+11	-3789660	-1.62E-03	-0.388503	-3.68E+11
-3.86E+11	-3782800	-1.63E-03	-0.390898	-3.67E+11
-3.85E+11	-3776920	-1.64E-03	-0.393293	-3.67E+11
-3.85E+11	-3770060	-1.65E-03	-0.395689	-3.66E+11
-3.84E+11	-3764180	-1.66E-03	-0.398084	-3.66E+11
-3.83E+11	-3757320	-1.67E-03	-0.400479	-3.65E+11
-3.83E+11	-3751440	-1.68E-03	-0.402874	-3.65E+11
-3.82E+11	-3745560	-1.69E-03	-0.405269	-3.64E+11
-3.82E+11	-3739680	-1.70E-03	-0.407665	-3.64E+11
-3.81E+11	-3733800	-1.71E-03	-0.41006	-3.63E+11
-3.80E+11	-3727920	-1.72E-03	-0.412455	-3.63E+11
-3.80E+11	-3722040	-1.73E-03	-0.41485	-3.62E+11
-3.79E+11	-3717140	-1.74E-03	-0.417246	-3.62E+11
-3.79E+11	-3711260	-1.75E-03	-0.419641	-3.61E+11
-3.78E+11	-3706360	-1.76E-03	-0.422036	-3.61E+11
-3.78E+11	-3700480	-1.77E-03	-0.424431	-3.60E+11
-3.77E+11	-3695580	-1.78E-03	-0.426826	-3.60E+11
-3.77E+11	-3689700	-1.79E-03	-0.429222	-3.60E+11
-3.76E+11	-3684800	-1.80E-03	-0.431617	-3.59E+11
-3.76E+11	-3679900	-1.81E-03	-0.434012	-3.59E+11
-3.75E+11	-3676960	-1.82E-03	-0.435449	-3.58E+11
-3.75E+11	-3672060	-1.83E-03	-0.437844	-3.58E+11
-3.74E+11	-3667160	-1.84E-03	-0.44024	-3.57E+11
-3.74E+11	-3662260	-1.85E-03	-0.442635	-3.57E+11
-3.73E+11	-3657360	-1.86E-03	-0.44503	-3.57E+11
-3.73E+11	-3652460	-1.87E-03	-0.447425	-3.56E+11
-3.72E+11	-3647560	-1.88E-03	-0.44982	-3.56E+11
-3.72E+11	-3642660	-1.89E-03	-0.452216	-3.55E+11
-3.71E+11	-3637760	-1.90E-03	-0.454611	-3.55E+11
-3.71E+11	-3633840	-1.91E-03	-0.457006	-3.55E+11
-3.70E+11	-3628940	-1.92E-03	-0.459401	-3.54E+11
-3.70E+11	-3624040	-1.93E-03	-0.461796	-3.54E+11
-3.69E+11	-3620120	-1.94E-03	-0.464192	-3.53E+11
-3.69E+11	-3615220	-1.95E-03	-0.466587	-3.53E+11
-3.69E+11	-3611300	-1.96E-03	-0.468982	-3.53E+11

-3.68E+11	-3607380	-1.97E-03	-0.471377	-3.52E+11
-3.68E+11	-3602480	-1.98E-03	-0.473772	-3.52E+11
-3.67E+11	-3598560	-1.99E-03	-0.476168	-3.51E+11
-3.67E+11	-3593660	-2.00E-03	-0.478563	-3.51E+11
-3.66E+11	-3589740	-2.01E-03	-0.480958	-3.51E+11
-3.66E+11	-3585820	-2.02E-03	-0.483353	-3.50E+11
-3.66E+11	-3581900	-2.03E-03	-0.485749	-3.50E+11
-3.65E+11	-3577980	-2.04E-03	-0.488144	-3.50E+11
-3.65E+11	-3573080	-2.05E-03	-0.490539	-3.49E+11
-3.64E+11	-3569160	-2.06E-03	-0.492934	-3.49E+11
-3.64E+11	-3565240	-2.07E-03	-0.495329	-3.49E+11
-3.63E+11	-3561320	-2.08E-03	-0.497725	-3.48E+11
-3.63E+11	-3559360	-2.08E-03	-0.498922	-3.48E+11
-3.63E+11	-3555440	-2.09E-03	-0.501317	-3.47E+11
-3.62E+11	-3551520	-2.10E-03	-0.503713	-3.47E+11
-3.62E+11	-3547600	-2.11E-03	-0.506108	-3.47E+11
-3.62E+11	-3544660	-2.12E-03	-0.508503	-3.46E+11
-3.61E+11	-3540740	-2.13E-03	-0.510898	-3.46E+11
-3.61E+11	-3536820	-2.14E-03	-0.513293	-3.46E+11
-3.61E+11	-3532900	-2.15E-03	-0.515689	-3.45E+11
-3.60E+11	-3528980	-2.16E-03	-0.518084	-3.45E+11
-3.60E+11	-3526040	-2.17E-03	-0.520479	-3.45E+11
-3.59E+11	-3522120	-2.18E-03	-0.522874	-3.45E+11
-3.59E+11	-3519180	-2.19E-03	-0.52479	-3.44E+11
-3.59E+11	-3515260	-2.20E-03	-0.527186	-3.44E+11
-3.58E+11	-3511340	-2.21E-03	-0.529581	-3.44E+11
-3.58E+11	-3508400	-2.22E-03	-0.531976	-3.43E+11
-3.58E+11	-3504480	-2.23E-03	-0.534371	-3.43E+11
-3.57E+11	-3501540	-2.24E-03	-0.536766	-3.43E+11
-3.57E+11	-3497620	-2.25E-03	-0.539162	-3.42E+11
-3.57E+11	-3493700	-2.26E-03	-0.541557	-3.42E+11
-3.56E+11	-3490760	-2.27E-03	-0.543952	-3.42E+11
-3.56E+11	-3486840	-2.28E-03	-0.546347	-3.41E+11
-3.56E+11	-3483900	-2.29E-03	-0.548743	-3.41E+11
-3.55E+11	-3479980	-2.30E-03	-0.551138	-3.41E+11
-3.55E+11	-3477040	-2.31E-03	-0.553533	-3.40E+11
-3.55E+11	-3474100	-2.32E-03	-0.555928	-3.40E+11
-3.54E+11	-3470180	-2.33E-03	-0.558323	-3.40E+11
-3.54E+11	-3467240	-2.34E-03	-0.560719	-3.40E+11
-3.54E+11	-3464300	-2.35E-03	-0.563114	-3.39E+11
-3.53E+11	-3460380	-2.36E-03	-0.565509	-3.39E+11
-3.53E+11	-3457440	-2.37E-03	-0.567904	-3.39E+11
-3.53E+11	-3454500	-2.38E-03	-0.570299	-3.38E+11
-3.52E+11	-3450580	-2.39E-03	-0.572695	-3.38E+11
-3.52E+11	-3447640	-2.40E-03	-0.57509	-3.38E+11
-3.52E+11	-3444700	-2.41E-03	-0.577485	-3.38E+11
-3.51E+11	-3441760	-2.42E-03	-0.57988	-3.37E+11
-3.51E+11	-3438820	-2.43E-03	-0.582275	-3.37E+11

-3.51E+11	-3434900	-2.44E-03	-0.584671	-3.37E+11
-3.50E+11	-3431960	-2.45E-03	-0.587066	-3.36E+11
-3.50E+11	-3429020	-2.46E-03	-0.589461	-3.36E+11
-3.50E+11	-3426080	-2.47E-03	-0.591856	-3.36E+11
-3.50E+11	-3425100	-2.48E-03	-0.592814	-3.36E+11
-3.49E+11	-3422160	-2.49E-03	-0.59521	-3.35E+11
-3.49E+11	-3419220	-2.50E-03	-0.597605	-3.35E+11
-3.49E+11	-3416280	-2.51E-03	-0.6	-3.35E+11
-3.48E+11	-3413340	-2.52E-03	-0.602395	-3.35E+11
-3.48E+11	-3410400	-2.53E-03	-0.60479	-3.34E+11
-3.48E+11	-3407460	-2.54E-03	-0.607186	-3.34E+11
-3.47E+11	-3404520	-2.55E-03	-0.609581	-3.34E+11
-3.47E+11	-3401580	-2.56E-03	-0.611976	-3.33E+11
-3.47E+11	-3398640	-2.57E-03	-0.614371	-3.33E+11
-3.47E+11	-3395700	-2.58E-03	-0.616766	-3.33E+11
-3.46E+11	-3392760	-2.59E-03	-0.619162	-3.33E+11
-3.46E+11	-3389820	-2.60E-03	-0.621557	-3.32E+11
-3.46E+11	-3387860	-2.61E-03	-0.623952	-3.32E+11
-3.45E+11	-3384920	-2.62E-03	-0.626347	-3.32E+11
-3.45E+11	-3381980	-2.63E-03	-0.628743	-3.32E+11
-3.45E+11	-3379040	-2.64E-03	-0.631138	-3.31E+11
-3.45E+11	-3376100	-2.65E-03	-0.633533	-3.31E+11
-3.44E+11	-3374140	-2.66E-03	-0.635928	-3.31E+11
-3.44E+11	-3371200	-2.67E-03	-0.638323	-3.31E+11
-3.44E+11	-3368260	-2.68E-03	-0.640719	-3.30E+11
-3.43E+11	-3365320	-2.69E-03	-0.643114	-3.30E+11
-3.43E+11	-3363360	-2.70E-03	-0.645509	-3.30E+11
-3.43E+11	-3360420	-2.71E-03	-0.647904	-3.30E+11

Carrier (B1) Idchk = 1

20% damage

4.175	9.80E-06	1000
Rotation	Curvature	
7981.12	1.00E-06	0.00024
15954.4	2.00E-06	0.000479
23931.6	3.00E-06	0.000719
31908.8	4.00E-06	0.000958
39886	5.00E-06	0.001198
47863.2	6.00E-06	0.001437
55840.4	7.00E-06	0.001677
63817.6	8.00E-06	0.001916
71794.8	9.00E-06	0.002156
79762.2	1.00E-05	0.002395
159544	2.00E-05	0.00479
239316	3.00E-05	0.007186
319088	4.00E-05	0.009581
398860	5.00E-05	0.011976
478534	6.00E-05	0.014371
558306	7.00E-05	0.016766
638078	8.00E-05	0.019162
717850	9.00E-05	0.021557
797622	1.00E-04	0.023952
877394	1.10E-04	0.026347
957166	1.20E-04	0.028743
1036840	1.30E-04	0.031138
1116220	1.40E-04	0.033533
1196580	1.50E-04	0.035928
1275960	1.60E-04	0.038323
1356320	1.70E-04	0.040719
1435700	1.80E-04	0.043114
1515080	1.90E-04	0.045509
1595440	2.00E-04	0.047904
1674820	2.10E-04	0.050299
1755180	2.20E-04	0.052695
1834560	2.30E-04	0.05509
1913940	2.40E-04	0.057485
1994300	2.50E-04	0.05988
2073680	2.60E-04	0.062275
2153060	2.70E-04	0.064671
2233420	2.80E-04	0.067066
2312800	2.90E-04	0.069461
2393160	3.00E-04	0.071856
2472540	3.10E-04	0.074251
2551920	3.20E-04	0.076647
2632280	3.30E-04	0.079042
2711660	3.40E-04	0.081437

Bulk Carrier (B1) Idchk = 2

20% damage

frame space =	4.175	9.80E-06
Moment	Rotation	
8.05E+08	7891.94	1.00E-06
1.61E+09	15778	2.00E-06
2.42E+09	23667	3.00E-06
3.22E+09	31556	4.00E-06
4.02E+09	39435.2	5.00E-06
4.83E+09	47324.2	6.00E-06
5.63E+09	55213.2	7.00E-06
6.44E+09	63092.4	8.00E-06
7.24E+09	70981.4	9.00E-06
8.05E+09	78870.4	1.00E-05
1.61E+10	157780	2.00E-05
2.41E+10	236572	3.00E-05
3.22E+10	315462	4.00E-05
4.02E+10	394352	5.00E-05
4.83E+10	473144	6.00E-05
5.63E+10	552034	7.00E-05
6.44E+10	630924	8.00E-05
7.24E+10	709814	9.00E-05
8.05E+10	788606	1.00E-04
8.85E+10	867496	1.10E-04
9.66E+10	946386	1.20E-04
1.05E+11	1025080	1.30E-04
1.13E+11	1104460	1.40E-04
1.21E+11	1182860	1.50E-04
1.29E+11	1262240	1.60E-04
1.37E+11	1340640	1.70E-04
1.45E+11	1420020	1.80E-04
1.53E+11	1498420	1.90E-04
1.61E+11	1576820	2.00E-04
1.69E+11	1656200	2.10E-04
1.77E+11	1734600	2.20E-04
1.85E+11	1813980	2.30E-04
1.93E+11	1892380	2.40E-04
2.01E+11	1971760	2.50E-04
2.09E+11	2050160	2.60E-04
2.17E+11	2128560	2.70E-04
2.25E+11	2207940	2.80E-04
2.33E+11	2286340	2.90E-04
2.41E+11	2365720	3.00E-04
2.49E+11	2444120	3.10E-04
2.57E+11	2522520	3.20E-04
2.66E+11	2601900	3.30E-04
2.74E+11	2680300	3.40E-04

2791040	3.50E-04	0.083832	2.82E+11	2758700	3.50E-04
2871400	3.60E-04	0.086228	2.90E+11	2838080	3.60E-04
2950780	3.70E-04	0.088623	2.98E+11	2916480	3.70E-04
3030160	3.80E-04	0.091018	3.06E+11	2995860	3.80E-04
3110520	3.90E-04	0.093413	3.14E+11	3074260	3.90E-04
3189900	4.00E-04	0.095808	3.22E+11	3152660	4.00E-04
3269280	4.10E-04	0.098204	3.30E+11	3232040	4.10E-04
3349640	4.20E-04	0.100599	3.38E+11	3310440	4.20E-04
3429020	4.30E-04	0.102994	3.46E+11	3389820	4.30E-04
3508400	4.40E-04	0.105389	3.54E+11	3468220	4.40E-04
3588760	4.50E-04	0.107784	3.62E+11	3546620	4.50E-04
3668140	4.60E-04	0.11018	3.70E+11	3626000	4.60E-04
3747520	4.70E-04	0.112575	3.78E+11	3704400	4.70E-04
3826900	4.80E-04	0.11497	3.86E+11	3782800	4.80E-04
3907260	4.90E-04	0.117365	3.94E+11	3862180	4.90E-04
3986640	5.00E-04	0.11976	4.02E+11	3940580	5.00E-04
4066020	5.10E-04	0.122156	4.10E+11	4018980	5.10E-04
4146380	5.20E-04	0.124551	4.18E+11	4098360	5.20E-04
4225760	5.30E-04	0.126946	4.26E+11	4176760	5.30E-04
4305140	5.40E-04	0.129341	4.34E+11	4255160	5.40E-04
4384520	5.50E-04	0.131737	4.42E+11	4334540	5.50E-04
4464880	5.60E-04	0.134132	4.50E+11	4412940	5.60E-04
4544260	5.70E-04	0.136527	4.58E+11	4491340	5.70E-04
4623640	5.80E-04	0.138922	4.66E+11	4569740	5.80E-04
4703020	5.90E-04	0.141317	4.74E+11	4648140	5.90E-04
4782400	6.00E-04	0.143713	4.82E+11	4726540	6.00E-04
4861780	6.10E-04	0.146108	4.90E+11	4803960	6.10E-04
4941160	6.20E-04	0.148503	4.98E+11	4882360	6.20E-04
5019560	6.30E-04	0.150898	5.06E+11	4959780	6.30E-04
5098940	6.40E-04	0.153293	5.14E+11	5037200	6.40E-04
5177340	6.50E-04	0.155689	5.22E+11	5114620	6.50E-04
5255740	6.60E-04	0.158084	5.30E+11	5192040	6.60E-04
5335120	6.70E-04	0.160479	5.38E+11	5268480	6.70E-04
5411560	6.80E-04	0.162874	5.45E+11	5344920	6.80E-04
5488980	6.90E-04	0.165269	5.47E+11	5357660	6.82E-04
5566400	7.00E-04	0.167665	5.52E+11	5410580	6.89E-04
5641860	7.10E-04	0.17006	5.56E+11	5450760	6.96E-04
5718300	7.20E-04	0.172455	5.62E+11	5506620	7.05E-04
5793760	7.30E-04	0.17485	5.68E+11	5565420	7.15E-04
5806500	7.32E-04	0.175257	5.73E+11	5616380	7.24E-04
5864320	7.40E-04	0.177222	5.79E+11	5674200	7.34E-04
5908420	7.47E-04	0.178994	5.81E+11	5696740	7.38E-04
5949580	7.55E-04	0.180886	5.87E+11	5750640	7.48E-04
5979960	7.62E-04	0.182539	5.92E+11	5803560	7.58E-04
6008380	7.69E-04	0.184216	5.93E+11	5808460	7.59E-04
6047580	7.79E-04	0.186611	5.97E+11	5848640	7.67E-04
6079920	7.87E-04	0.188599	6.02E+11	5894700	7.77E-04
6117160	7.97E-04	0.190994	6.02E+11	5896660	7.77E-04


6140680	8.04E-04	0.192623	6.05E+11	5924100	7.83E-04
6174000	8.14E-04	0.195018	6.09E+11	5965260	7.93E-04
6174980	8.14E-04	0.195066	6.13E+11	6004460	8.03E-04
6204380	8.24E-04	0.197461	6.16E+11	6036800	8.12E-04
6210260	8.27E-04	0.197964	6.19E+11	6067180	8.20E-04
6232800	8.35E-04	0.2	6.22E+11	6097560	8.30E-04
6258280	8.45E-04	0.202395	6.25E+11	6121080	8.38E-04
6282780	8.55E-04	0.20479	6.27E+11	6147540	8.48E-04
6300420	8.62E-04	0.206539	6.29E+11	6165180	8.55E-04
6321000	8.72E-04	0.208934	6.31E+11	6187720	8.65E-04
6341580	8.82E-04	0.211329	6.31E+11	6187720	8.65E-04
6362160	8.92E-04	0.213725	6.34E+11	6208300	8.75E-04
6378820	9.01E-04	0.215737	6.34E+11	6215160	8.78E-04
6397440	9.11E-04	0.218132	6.36E+11	6232800	8.88E-04
6416060	9.21E-04	0.220527	6.38E+11	6249460	8.98E-04
6426840	9.27E-04	0.221964	6.38E+11	6255340	9.02E-04
6442520	9.37E-04	0.224359	6.40E+11	6270040	9.12E-04
6442520	9.37E-04	0.224431	6.40E+11	6271020	9.13E-04
6456240	9.47E-04	0.226826	6.41E+11	6283760	9.23E-04
6469960	9.57E-04	0.229222	6.41E+11	6283760	9.23E-04
6483680	9.67E-04	0.231617	6.42E+11	6294540	9.32E-04
6497400	9.77E-04	0.233988	6.43E+11	6305320	9.42E-04
6509160	9.87E-04	0.236383	6.44E+11	6308260	9.45E-04
6513080	9.91E-04	0.237341	6.45E+11	6316100	9.52E-04
6523860	1.00E-03	0.23976	6.45E+11	6324920	9.62E-04
6532680	1.01E-03	0.241916	6.46E+11	6326880	9.65E-04
6541500	1.02E-03	0.244311	6.46E+11	6333740	9.75E-04
6546400	1.03E-03	0.245988	6.47E+11	6338640	9.85E-04
6552280	1.04E-03	0.248383	6.47E+11	6338640	9.86E-04
6558160	1.05E-03	0.250778	6.47E+11	6341580	9.96E-04
6562080	1.06E-03	0.252934	6.47E+11	6341580	1.00E-03
6565020	1.07E-03	0.255329	6.47E+11	6342560	1.01E-03
6566980	1.08E-03	0.257485	6.47E+11	6342560	1.02E-03
6569920	1.09E-03	0.25988	6.47E+11	6342560	1.02E-03
6572860	1.09E-03	0.262036	6.47E+11	6341580	1.03E-03
6575800	1.10E-03	0.264431	6.47E+11	6336680	1.04E-03
6575800	1.11E-03	0.264671	6.46E+11	6334720	1.04E-03
6578740	1.12E-03	0.267066	6.46E+11	6329820	1.05E-03
6581680	1.13E-03	0.269461	6.46E+11	6328840	1.05E-03
6584620	1.14E-03	0.271856	6.45E+11	6322960	1.06E-03
6586580	1.14E-03	0.273293	6.45E+11	6322960	1.07E-03
6588540	1.15E-03	0.275689	6.45E+11	6316100	1.07E-03
6590500	1.16E-03	0.277126	6.44E+11	6306300	1.08E-03
6593440	1.17E-03	0.279521	6.44E+11	6306300	1.08E-03
6596380	1.18E-03	0.281916	6.43E+11	6298460	1.09E-03
6599320	1.19E-03	0.284311	6.42E+11	6288660	1.10E-03
6599320	1.19E-03	0.284551	6.42E+11	6286700	1.10E-03
6602260	1.20E-03	0.286946	6.40E+11	6275920	1.11E-03

6605200	1.21E-03	0.289341	6.40E+11	6272980	1.12E-03
6606180	1.22E-03	0.291737	6.39E+11	6265140	1.12E-03
6606180	1.22E-03	0.292216	6.38E+11	6253380	1.13E-03
6607160	1.23E-03	0.294611	6.37E+11	6241620	1.14E-03
6608140	1.24E-03	0.296287	6.35E+11	6226920	1.15E-03
6609120	1.25E-03	0.298683	6.34E+11	6212220	1.16E-03
6609120	1.25E-03	0.299401	6.34E+11	6210260	1.16E-03
6608140	1.26E-03	0.301796	6.32E+11	6195560	1.17E-03
6597360	1.27E-03	0.304192	6.32E+11	6194580	1.17E-03
6595400	1.27E-03	0.304431	6.31E+11	6181840	1.18E-03
6573840	1.28E-03	0.305868	6.29E+11	6168120	1.19E-03
6539540	1.28E-03	0.307545	6.28E+11	6158320	1.19E-03
6517000	1.29E-03	0.308503	6.27E+11	6141660	1.20E-03
6470940	1.30E-03	0.310898	6.27E+11	6140680	1.20E-03
6450360	1.30E-03	0.312335	6.25E+11	6127940	1.21E-03
6428800	1.31E-03	0.313533	6.24E+11	6112260	1.22E-03
6392540	1.32E-03	0.315689	6.23E+11	6102460	1.23E-03
6349420	1.33E-03	0.318084	6.21E+11	6089720	1.24E-03
6344520	1.33E-03	0.318323	6.20E+11	6076980	1.25E-03
6312180	1.34E-03	0.320479	6.18E+11	6059340	1.26E-03
6275920	1.35E-03	0.322874	6.17E+11	6046600	1.26E-03
6241620	1.36E-03	0.325269	6.16E+11	6032880	1.27E-03
6216140	1.37E-03	0.327186	6.14E+11	6017200	1.28E-03
6177920	1.38E-03	0.329581	6.12E+11	5994660	1.29E-03
6149500	1.38E-03	0.331497	6.11E+11	5986820	1.29E-03
6119120	1.39E-03	0.333892	6.09E+11	5966240	1.30E-03
6089720	1.40E-03	0.336287	6.07E+11	5952520	1.31E-03
6060320	1.41E-03	0.338683	6.06E+11	5934880	1.32E-03
6029940	1.42E-03	0.341078	6.04E+11	5915280	1.33E-03
6003480	1.43E-03	0.343473	6.03E+11	5912340	1.33E-03
5993680	1.44E-03	0.344431	6.01E+11	5893720	1.34E-03
5967220	1.45E-03	0.346826	6.00E+11	5876080	1.35E-03
5941740	1.46E-03	0.349222	5.99E+11	5867260	1.36E-03
5918220	1.47E-03	0.351617	5.97E+11	5851580	1.37E-03
5893720	1.48E-03	0.354012	5.97E+11	5846680	1.37E-03
5870200	1.49E-03	0.356407	5.95E+11	5831980	1.38E-03
5848640	1.50E-03	0.358802	5.94E+11	5821200	1.39E-03
5828060	1.51E-03	0.361198	5.93E+11	5806500	1.40E-03
5808460	1.52E-03	0.363593	5.91E+11	5791800	1.41E-03
5788860	1.53E-03	0.365988	5.90E+11	5778080	1.42E-03
5771220	1.54E-03	0.368383	5.89E+11	5774160	1.42E-03
5753580	1.55E-03	0.370778	5.88E+11	5760440	1.43E-03
5736920	1.56E-03	0.373174	5.86E+11	5746720	1.44E-03
5720260	1.57E-03	0.375569	5.85E+11	5733980	1.45E-03
5704580	1.58E-03	0.377964	5.84E+11	5727120	1.45E-03
5689880	1.59E-03	0.380359	5.83E+11	5714380	1.46E-03
5679100	1.60E-03	0.382036	5.82E+11	5702620	1.47E-03
5663420	1.61E-03	0.384431	5.81E+11	5690860	1.48E-03

5648720	1.62E-03	0.386826	5.80E+11	5681060	1.49E-03
5643820	1.62E-03	0.387545	5.79E+11	5669300	1.50E-03
5630100	1.63E-03	0.38994	5.77E+11	5657540	1.51E-03
5616380	1.64E-03	0.392335	5.77E+11	5654600	1.51E-03
5602660	1.65E-03	0.394731	5.76E+11	5642840	1.52E-03
5602660	1.65E-03	0.394731	5.75E+11	5630100	1.53E-03
5586980	1.66E-03	0.397126	5.73E+11	5618340	1.54E-03
5572280	1.67E-03	0.399521	5.72E+11	5605600	1.55E-03
5558560	1.68E-03	0.401916	5.71E+11	5593840	1.56E-03
5543860	1.69E-03	0.404311	5.70E+11	5587960	1.57E-03
5537000	1.69E-03	0.405509	5.69E+11	5575220	1.58E-03
5518380	1.70E-03	0.407904	5.68E+11	5563460	1.59E-03
5504660	1.71E-03	0.410299	5.67E+11	5551700	1.60E-03
5489960	1.72E-03	0.412695	5.65E+11	5539940	1.61E-03
5475260	1.73E-03	0.41509	5.64E+11	5528180	1.62E-03
5460560	1.74E-03	0.417485	5.64E+11	5525240	1.62E-03
5446840	1.75E-03	0.41988	5.62E+11	5509560	1.63E-03
5433120	1.76E-03	0.422275	5.61E+11	5494860	1.64E-03
5419400	1.77E-03	0.424671	5.59E+11	5480160	1.65E-03
5405680	1.78E-03	0.427066	5.58E+11	5468400	1.66E-03
5391960	1.79E-03	0.429461	5.57E+11	5455660	1.67E-03
5379220	1.80E-03	0.431856	5.55E+11	5442920	1.68E-03
5365500	1.81E-03	0.434251	5.54E+11	5430180	1.69E-03
5353740	1.82E-03	0.436647	5.53E+11	5418420	1.70E-03
5341000	1.83E-03	0.439042	5.52E+11	5405680	1.71E-03
5329240	1.84E-03	0.441437	5.50E+11	5393920	1.72E-03
5317480	1.85E-03	0.443832	5.49E+11	5383140	1.73E-03
5311600	1.86E-03	0.445269	5.48E+11	5371380	1.74E-03
5299840	1.87E-03	0.447665	5.47E+11	5360600	1.75E-03
5288080	1.88E-03	0.45006	5.46E+11	5349820	1.76E-03
5277300	1.89E-03	0.452455	5.45E+11	5339040	1.77E-03
5265540	1.90E-03	0.45485	5.44E+11	5328260	1.78E-03
5254760	1.91E-03	0.457246	5.43E+11	5318460	1.79E-03
5244960	1.92E-03	0.459641	5.42E+11	5307680	1.80E-03
5234180	1.93E-03	0.462036	5.41E+11	5296900	1.81E-03
5224380	1.94E-03	0.464431	5.39E+11	5286120	1.82E-03
5213600	1.95E-03	0.466826	5.38E+11	5275340	1.83E-03
5203800	1.96E-03	0.469222	5.37E+11	5265540	1.84E-03
5194000	1.97E-03	0.471617	5.36E+11	5255740	1.85E-03
5185180	1.98E-03	0.474012	5.35E+11	5245940	1.86E-03
5175380	1.99E-03	0.476407	5.34E+11	5236140	1.87E-03
5165580	2.00E-03	0.478802	5.33E+11	5226340	1.88E-03
5156760	2.01E-03	0.481198	5.32E+11	5216540	1.89E-03
5147940	2.02E-03	0.483593	5.31E+11	5207720	1.90E-03
5139120	2.03E-03	0.485988	5.31E+11	5198900	1.91E-03
5130300	2.04E-03	0.488383	5.30E+11	5190080	1.92E-03
5121480	2.05E-03	0.490778	5.29E+11	5181260	1.93E-03
5113640	2.06E-03	0.493174	5.28E+11	5172440	1.94E-03

5104820	2.07E-03	0.495569	5.28E+11	5169500	1.94E-03
5096980	2.08E-03	0.497964	5.27E+11	5160680	1.95E-03
5088160	2.09E-03	0.500359	5.26E+11	5151860	1.96E-03
5080320	2.10E-03	0.502754	5.25E+11	5143040	1.97E-03
5072480	2.11E-03	0.50515	5.25E+11	5142060	1.97E-03
5064640	2.12E-03	0.507545	5.24E+11	5133240	1.98E-03
5056800	2.13E-03	0.50994	5.23E+11	5124420	1.99E-03
5049940	2.14E-03	0.512335	5.22E+11	5116580	2.00E-03
5042100	2.15E-03	0.514731	5.22E+11	5115600	2.00E-03
5034260	2.16E-03	0.517126	5.21E+11	5105800	2.01E-03
5025440	2.17E-03	0.519521	5.20E+11	5096000	2.02E-03
5017600	2.18E-03	0.521916	5.19E+11	5087180	2.03E-03
5008780	2.19E-03	0.524311	5.18E+11	5079340	2.04E-03
5000940	2.20E-03	0.526707	5.17E+11	5070520	2.05E-03
4993100	2.21E-03	0.529102	5.17E+11	5061700	2.06E-03
4986240	2.22E-03	0.531497	5.16E+11	5053860	2.07E-03
4978400	2.23E-03	0.533892	5.15E+11	5046020	2.08E-03
4970560	2.24E-03	0.536287	5.14E+11	5037200	2.09E-03
4963700	2.25E-03	0.538683	5.13E+11	5029360	2.10E-03
4955860	2.26E-03	0.541078	5.12E+11	5021520	2.11E-03
4948020	2.27E-03	0.543473	5.12E+11	5013680	2.12E-03
4941160	2.28E-03	0.545868	5.11E+11	5005840	2.13E-03
4933320	2.29E-03	0.548263	5.10E+11	4998000	2.14E-03
4926460	2.30E-03	0.550659	5.09E+11	4990160	2.15E-03
4918620	2.31E-03	0.553054	5.08E+11	4982320	2.16E-03
4911760	2.32E-03	0.555449	5.08E+11	4974480	2.17E-03
4904900	2.33E-03	0.557844	5.07E+11	4966640	2.18E-03
4898040	2.34E-03	0.56024	5.06E+11	4959780	2.19E-03
4891180	2.35E-03	0.562635	5.05E+11	4951940	2.20E-03
4884320	2.36E-03	0.56503	5.05E+11	4944100	2.21E-03
4877460	2.37E-03	0.567425	5.04E+11	4937240	2.22E-03
4870600	2.38E-03	0.56982	5.03E+11	4929400	2.23E-03
4863740	2.39E-03	0.572216	5.02E+11	4922540	2.24E-03
4856880	2.40E-03	0.574611	5.02E+11	4914700	2.25E-03
4850020	2.41E-03	0.577006	5.01E+11	4906860	2.26E-03
4843160	2.42E-03	0.579401	5.00E+11	4900000	2.27E-03
4837280	2.43E-03	0.581796	4.99E+11	4892160	2.28E-03
4830420	2.44E-03	0.584192	4.99E+11	4885300	2.29E-03
4823560	2.45E-03	0.586587	4.98E+11	4878440	2.30E-03
4817680	2.46E-03	0.588982	4.97E+11	4871580	2.31E-03
4810820	2.47E-03	0.591377	4.96E+11	4863740	2.32E-03
4804940	2.48E-03	0.593772	4.96E+11	4856880	2.33E-03
4799060	2.49E-03	0.596168	4.95E+11	4850020	2.34E-03
4793180	2.50E-03	0.598563	4.94E+11	4843160	2.35E-03
4787300	2.51E-03	0.600958	4.94E+11	4837280	2.36E-03
4781420	2.52E-03	0.603353	4.94E+11	4836300	2.37E-03
4775540	2.53E-03	0.605749	4.93E+11	4829440	2.38E-03
4769660	2.54E-03	0.608144	4.92E+11	4822580	2.39E-03

4763780	2.55E-03	0.610539	4.91E+11	4815720	2.40E-03
4757900	2.56E-03	0.612934	4.91E+11	4808860	2.41E-03
4752020	2.57E-03	0.615329	4.90E+11	4802980	2.42E-03
4746140	2.58E-03	0.617725	4.89E+11	4796120	2.43E-03
4740260	2.59E-03	0.62012	4.89E+11	4790240	2.44E-03
4734380	2.60E-03	0.622515	4.88E+11	4783380	2.45E-03
4729480	2.61E-03	0.62491	4.88E+11	4777500	2.46E-03
4723600	2.62E-03	0.627305	4.87E+11	4770640	2.47E-03
4717720	2.63E-03	0.629701	4.86E+11	4764760	2.48E-03
4712820	2.64E-03	0.632096	4.86E+11	4758880	2.49E-03
4706940	2.65E-03	0.634491	4.85E+11	4753000	2.50E-03
4701060	2.66E-03	0.636886	4.84E+11	4747120	2.51E-03
4696160	2.67E-03	0.639281	4.84E+11	4741240	2.52E-03
4690280	2.68E-03	0.641677	4.83E+11	4735360	2.53E-03
4684400	2.69E-03	0.644072	4.83E+11	4729480	2.54E-03
4678520	2.70E-03	0.646467	4.82E+11	4723600	2.55E-03
0	0.00E+00		0.00E+00	0	0.00E+00
-7981.12	-1.00E-06	-0.00024	-8.05E+08	-7891.94	-1.00E-06
-15954.4	-2.00E-06	-0.000479	-1.61E+09	-15778	-2.00E-06



-796936	-1.00E-04	-0.023952	-8.04E+10	-787430	-1.00E-04
-876218	-1.10E-04	-0.026347	-8.84E+10	-865928	-1.10E-04
-955598	-1.20E-04	-0.028743	-9.64E+10	-944328	-1.20E-04
-1034880	-1.30E-04	-0.031138	-1.04E+11	-1023120	-1.30E-04
-1114260	-1.40E-04	-0.033533	-1.12E+11	-1101520	-1.40E-04
-1193640	-1.50E-04	-0.035928	-1.20E+11	-1179920	-1.50E-04
-1273020	-1.60E-04	-0.038323	-1.28E+11	-1257340	-1.60E-04
-1352400	-1.70E-04	-0.040719	-1.36E+11	-1335740	-1.70E-04
-1430800	-1.80E-04	-0.043114	-1.44E+11	-1414140	-1.80E-04
-1510180	-1.90E-04	-0.045509	-1.52E+11	-1492540	-1.90E-04
-1589560	-2.00E-04	-0.047904	-1.60E+11	-1570940	-2.00E-04
-1668940	-2.10E-04	-0.050299	-1.68E+11	-1648360	-2.10E-04
-1747340	-2.20E-04	-0.052695	-1.76E+11	-1726760	-2.20E-04

-1826720	-2.30E-04	-0.05509	-1.84E+11	-1804180	-2.30E-04
-1906100	-2.40E-04	-0.057485	-1.92E+11	-1882580	-2.40E-04
-1984500	-2.50E-04	-0.05988	-2.00E+11	-1960980	-2.50E-04
-2063880	-2.60E-04	-0.062275	-2.08E+11	-2038400	-2.60E-04
-2142280	-2.70E-04	-0.064671	-2.16E+11	-2116800	-2.70E-04
-2221660	-2.80E-04	-0.067066	-2.24E+11	-2194220	-2.80E-04
-2300060	-2.90E-04	-0.069461	-2.32E+11	-2272620	-2.90E-04
-2379440	-3.00E-04	-0.071856	-2.40E+11	-2350040	-3.00E-04
-2457840	-3.10E-04	-0.074251	-2.48E+11	-2428440	-3.10E-04
-2536240	-3.20E-04	-0.076647	-2.56E+11	-2505860	-3.20E-04
-2615620	-3.30E-04	-0.079042	-2.64E+11	-2584260	-3.30E-04
-2694020	-3.40E-04	-0.081437	-2.72E+11	-2661680	-3.40E-04
-2773400	-3.50E-04	-0.083832	-2.80E+11	-2739100	-3.50E-04
-2851800	-3.60E-04	-0.086228	-2.88E+11	-2817500	-3.60E-04
-2930200	-3.70E-04	-0.088623	-2.95E+11	-2894920	-3.70E-04
-3009580	-3.80E-04	-0.091018	-3.03E+11	-2972340	-3.80E-04
-3087980	-3.90E-04	-0.093413	-3.11E+11	-3049760	-3.90E-04
-3166380	-4.00E-04	-0.095808	-3.19E+11	-3127180	-4.00E-04
-3244780	-4.10E-04	-0.098204	-3.27E+11	-3205580	-4.10E-04
-3323180	-4.20E-04	-0.100599	-3.35E+11	-3283000	-4.20E-04
-3401580	-4.30E-04	-0.102994	-3.43E+11	-3360420	-4.30E-04
-3479980	-4.40E-04	-0.105389	-3.51E+11	-3437840	-4.40E-04
-3558380	-4.50E-04	-0.107784	-3.59E+11	-3515260	-4.50E-04
-3636780	-4.60E-04	-0.11018	-3.67E+11	-3592680	-4.60E-04
-3715180	-4.70E-04	-0.112575	-3.74E+11	-3669120	-4.70E-04
-3793580	-4.80E-04	-0.11497	-3.82E+11	-3746540	-4.80E-04
-3871980	-4.90E-04	-0.117365	-3.90E+11	-3822980	-4.90E-04
-3949400	-5.00E-04	-0.11976	-3.98E+11	-3899420	-5.00E-04
-4027800	-5.10E-04	-0.122156	-4.06E+11	-3975860	-5.10E-04
-4105220	-5.20E-04	-0.124551	-4.14E+11	-4052300	-5.20E-04
-4182640	-5.30E-04	-0.126946	-4.21E+11	-4127760	-5.30E-04
-4260060	-5.40E-04	-0.129341	-4.29E+11	-4203220	-5.40E-04
-4336500	-5.50E-04	-0.131737	-4.37E+11	-4278680	-5.50E-04
-4412940	-5.60E-04	-0.134132	-4.44E+11	-4354140	-5.60E-04
-4489380	-5.70E-04	-0.136527	-4.52E+11	-4428620	-5.70E-04
-4564840	-5.80E-04	-0.138922	-4.59E+11	-4502120	-5.80E-04
-4641280	-5.90E-04	-0.141317	-4.67E+11	-4576600	-5.90E-04
-4716740	-6.00E-04	-0.143713	-4.75E+11	-4650100	-6.00E-04
-4791220	-6.10E-04	-0.146108	-4.81E+11	-4708900	-6.08E-04
-4865700	-6.20E-04	-0.148503	-4.88E+11	-4780440	-6.18E-04
-4939200	-6.30E-04	-0.150898	-4.95E+11	-4851980	-6.28E-04
-5013680	-6.40E-04	-0.153293	-4.96E+11	-4855900	-6.29E-04
-5057780	-6.46E-04	-0.154778	-5.03E+11	-4925480	-6.39E-04
-5130300	-6.56E-04	-0.157174	-5.04E+11	-4943120	-6.41E-04
-5202820	-6.66E-04	-0.159569	-5.09E+11	-4985260	-6.48E-04
-5242020	-6.72E-04	-0.16091	-5.13E+11	-5025440	-6.54E-04
-5312580	-6.82E-04	-0.163305	-5.16E+11	-5054840	-6.61E-04
-5357660	-6.88E-04	-0.164886	-5.18E+11	-5078360	-6.67E-04

-5408620	-6.96E-04	-0.166707	-5.21E+11	-5107760	-6.75E-04
-5448800	-7.03E-04	-0.168311	-5.23E+11	-5129320	-6.82E-04
-5484080	-7.10E-04	-0.170084	-5.26E+11	-5151860	-6.90E-04
-5497800	-7.15E-04	-0.171305	-5.27E+11	-5167540	-6.96E-04
-5505640	-7.21E-04	-0.172623	-5.29E+11	-5188120	-7.04E-04
-5510540	-7.31E-04	-0.175018	-5.31E+11	-5203800	-7.10E-04
-5510540	-7.31E-04	-0.17509	-5.32E+11	-5215560	-7.16E-04
-5508580	-7.37E-04	-0.176551	-5.34E+11	-5236140	-7.26E-04
-5497800	-7.47E-04	-0.178946	-5.35E+11	-5240060	-7.29E-04
-5483100	-7.57E-04	-0.181341	-5.36E+11	-5248880	-7.35E-04
-5481140	-7.58E-04	-0.181605	-5.36E+11	-5251820	-7.40E-04
-5464480	-7.68E-04	-0.184	-5.36E+11	-5254760	-7.49E-04
-5452720	-7.74E-04	-0.185461	-5.35E+11	-5244960	-7.58E-04
-5441940	-7.79E-04	-0.186515	-5.33E+11	-5224380	-7.67E-04
-5415480	-7.89E-04	-0.18891	-5.30E+11	-5192040	-7.77E-04
-5390000	-7.96E-04	-0.190754	-5.26E+11	-5154800	-7.87E-04
-5344920	-8.06E-04	-0.19315	-5.26E+11	-5154800	-7.87E-04
-5339040	-8.07E-04	-0.193365	-5.23E+11	-5124420	-7.97E-04
-5308660	-8.12E-04	-0.194491	-5.23E+11	-5121480	-7.98E-04
-5233200	-8.22E-04	-0.196886	-5.21E+11	-5100900	-8.06E-04
-5134220	-8.32E-04	-0.199281	-5.19E+11	-5085220	-8.13E-04
-5034260	-8.41E-04	-0.201437	-5.17E+11	-5066600	-8.20E-04
-4934300	-8.51E-04	-0.203832	-5.16E+11	-5051900	-8.28E-04
-4851000	-8.61E-04	-0.206228	-5.13E+11	-5031320	-8.38E-04
-4781420	-8.71E-04	-0.208623	-5.13E+11	-5024460	-8.42E-04
-4725560	-8.81E-04	-0.211018	-5.12E+11	-5013680	-8.46E-04
-4699100	-8.87E-04	-0.212335	-5.09E+11	-4991140	-8.56E-04
-4657940	-8.97E-04	-0.214731	-5.07E+11	-4967620	-8.66E-04
-4620700	-9.07E-04	-0.217126	-5.04E+11	-4939200	-8.76E-04
-4589340	-9.17E-04	-0.219521	-5.04E+11	-4937240	-8.77E-04
-4558960	-9.27E-04	-0.221916	-5.02E+11	-4914700	-8.85E-04
-4532500	-9.37E-04	-0.224311	-4.98E+11	-4875500	-8.95E-04
-4508000	-9.47E-04	-0.226707	-4.93E+11	-4829440	-9.05E-04
-4483500	-9.57E-04	-0.229102	-4.93E+11	-4829440	-9.05E-04
-4461940	-9.67E-04	-0.231497	-4.90E+11	-4802980	-9.10E-04
-4441360	-9.77E-04	-0.233892	-4.85E+11	-4751040	-9.20E-04
-4420780	-9.87E-04	-0.236287	-4.84E+11	-4743200	-9.22E-04
-4402160	-9.97E-04	-0.238683	-4.78E+11	-4681460	-9.32E-04
-4383540	-1.01E-03	-0.241198	-4.72E+11	-4624620	-9.42E-04
-4365900	-1.02E-03	-0.243593	-4.67E+11	-4577580	-9.52E-04
-4348260	-1.03E-03	-0.245988	-4.64E+11	-4547200	-9.59E-04
-4330620	-1.04E-03	-0.248383	-4.60E+11	-4511920	-9.69E-04
-4313960	-1.05E-03	-0.250778	-4.57E+11	-4482520	-9.79E-04
-4298280	-1.06E-03	-0.253174	-4.55E+11	-4455080	-9.89E-04
-4281620	-1.07E-03	-0.255569	-4.52E+11	-4430580	-9.99E-04
-4264960	-1.08E-03	-0.257964	-4.50E+11	-4410980	-1.01E-03
-4250260	-1.09E-03	-0.260359	-4.48E+11	-4389420	-1.02E-03
-4234580	-1.10E-03	-0.262754	-4.46E+11	-4369820	-1.03E-03

-4218900	-1.11E-03	-0.26515	-4.45E+11	-4360020	-1.03E-03
-4203220	-1.12E-03	-0.267545	-4.43E+11	-4341400	-1.04E-03
-4188520	-1.13E-03	-0.26994	-4.41E+11	-4322780	-1.05E-03
-4173820	-1.14E-03	-0.272335	-4.39E+11	-4306120	-1.06E-03
-4158140	-1.15E-03	-0.274731	-4.38E+11	-4288480	-1.07E-03
-4142460	-1.16E-03	-0.277126	-4.37E+11	-4286520	-1.07E-03
-4127760	-1.17E-03	-0.279521	-4.36E+11	-4270840	-1.08E-03
-4113060	-1.18E-03	-0.281916	-4.34E+11	-4255160	-1.09E-03
-4097380	-1.19E-03	-0.284311	-4.33E+11	-4239480	-1.10E-03
-4080720	-1.20E-03	-0.286707	-4.31E+11	-4224780	-1.11E-03
-4065040	-1.21E-03	-0.289102	-4.30E+11	-4210080	-1.12E-03
-4049360	-1.22E-03	-0.291497	-4.28E+11	-4196360	-1.13E-03
-4032700	-1.23E-03	-0.293892	-4.27E+11	-4182640	-1.14E-03
-4015060	-1.24E-03	-0.296287	-4.25E+11	-4168920	-1.15E-03
-3998400	-1.25E-03	-0.298683	-4.24E+11	-4155200	-1.16E-03
-3982720	-1.26E-03	-0.301078	-4.23E+11	-4142460	-1.17E-03
-3967040	-1.27E-03	-0.303473	-4.21E+11	-4129720	-1.18E-03
-3952340	-1.28E-03	-0.305868	-4.20E+11	-4116000	-1.19E-03
-3938620	-1.29E-03	-0.308263	-4.19E+11	-4103260	-1.20E-03
-3933720	-1.29E-03	-0.308982	-4.17E+11	-4090520	-1.21E-03
-3921960	-1.30E-03	-0.311377	-4.16E+11	-4077780	-1.22E-03
-3909220	-1.31E-03	-0.313772	-4.15E+11	-4065040	-1.23E-03
-3897460	-1.32E-03	-0.316168	-4.14E+11	-4052300	-1.24E-03
-3885700	-1.33E-03	-0.318563	-4.12E+11	-4039560	-1.25E-03
-3874920	-1.34E-03	-0.320958	-4.11E+11	-4025840	-1.26E-03
-3865120	-1.35E-03	-0.323353	-4.09E+11	-4012120	-1.27E-03
-3854340	-1.36E-03	-0.325749	-4.08E+11	-3998400	-1.28E-03
-3844540	-1.37E-03	-0.328144	-4.07E+11	-3984680	-1.29E-03
-3834740	-1.38E-03	-0.330539	-4.05E+11	-3970960	-1.30E-03
-3824940	-1.39E-03	-0.332934	-4.04E+11	-3954300	-1.31E-03
-3816120	-1.40E-03	-0.335329	-4.02E+11	-3938620	-1.32E-03
-3807300	-1.41E-03	-0.337725	-4.00E+11	-3922940	-1.33E-03
-3798480	-1.42E-03	-0.34012	-3.99E+11	-3908240	-1.34E-03
-3790640	-1.43E-03	-0.342515	-3.97E+11	-3894520	-1.35E-03
-3781820	-1.44E-03	-0.34491	-3.96E+11	-3880800	-1.36E-03
-3773980	-1.45E-03	-0.347305	-3.95E+11	-3869040	-1.37E-03
-3765160	-1.46E-03	-0.349701	-3.94E+11	-3857280	-1.38E-03
-3757320	-1.47E-03	-0.352096	-3.93E+11	-3846500	-1.39E-03
-3749480	-1.48E-03	-0.354491	-3.91E+11	-3835720	-1.40E-03
-3742620	-1.49E-03	-0.356886	-3.90E+11	-3824940	-1.41E-03
-3734780	-1.50E-03	-0.359281	-3.89E+11	-3816120	-1.42E-03
-3727920	-1.51E-03	-0.361677	-3.88E+11	-3806320	-1.43E-03
-3720080	-1.52E-03	-0.364072	-3.88E+11	-3797500	-1.44E-03
-3713220	-1.53E-03	-0.366467	-3.87E+11	-3788680	-1.45E-03
-3706360	-1.54E-03	-0.368862	-3.86E+11	-3779860	-1.46E-03
-3699500	-1.55E-03	-0.371257	-3.85E+11	-3771040	-1.47E-03
-3692640	-1.56E-03	-0.373653	-3.84E+11	-3766140	-1.48E-03
-3686760	-1.57E-03	-0.376048	-3.83E+11	-3757320	-1.49E-03

-3679900	-1.58E-03	-0.378443	-3.83E+11	-3749480	-1.50E-03
-3674020	-1.59E-03	-0.380838	-3.82E+11	-3741640	-1.51E-03
-3668140	-1.60E-03	-0.383234	-3.81E+11	-3733800	-1.52E-03
-3661280	-1.61E-03	-0.385629	-3.80E+11	-3725960	-1.53E-03
-3655400	-1.62E-03	-0.388024	-3.80E+11	-3719100	-1.54E-03
-3649520	-1.63E-03	-0.390419	-3.79E+11	-3711260	-1.55E-03
-3643640	-1.64E-03	-0.392814	-3.78E+11	-3704400	-1.56E-03
-3637760	-1.65E-03	-0.39521	-3.77E+11	-3697540	-1.57E-03
-3631880	-1.66E-03	-0.397605	-3.77E+11	-3690680	-1.58E-03
-3626980	-1.67E-03	-0.4	-3.76E+11	-3683820	-1.59E-03
-3621100	-1.68E-03	-0.402395	-3.75E+11	-3676960	-1.60E-03
-3615220	-1.69E-03	-0.40479	-3.75E+11	-3670100	-1.61E-03
-3610320	-1.70E-03	-0.407186	-3.74E+11	-3664220	-1.62E-03
-3605420	-1.71E-03	-0.409581	-3.73E+11	-3658340	-1.63E-03
-3599540	-1.72E-03	-0.411976	-3.73E+11	-3651480	-1.64E-03
-3594640	-1.73E-03	-0.414371	-3.72E+11	-3645600	-1.65E-03
-3589740	-1.74E-03	-0.416766	-3.71E+11	-3639720	-1.66E-03
-3583860	-1.75E-03	-0.419162	-3.71E+11	-3633840	-1.67E-03
-3578960	-1.76E-03	-0.421557	-3.70E+11	-3626980	-1.68E-03
-3574060	-1.77E-03	-0.423952	-3.70E+11	-3622080	-1.69E-03
-3569160	-1.78E-03	-0.426347	-3.69E+11	-3616200	-1.70E-03
-3564260	-1.79E-03	-0.428743	-3.68E+11	-3610320	-1.71E-03
-3559360	-1.80E-03	-0.431138	-3.68E+11	-3605420	-1.72E-03
-3555440	-1.81E-03	-0.433533	-3.67E+11	-3600520	-1.73E-03
-3550540	-1.82E-03	-0.435928	-3.67E+11	-3595620	-1.74E-03
-3545640	-1.83E-03	-0.438323	-3.66E+11	-3589740	-1.75E-03
-3540740	-1.84E-03	-0.440719	-3.66E+11	-3584840	-1.76E-03
-3536820	-1.85E-03	-0.443114	-3.65E+11	-3578960	-1.77E-03
-3531920	-1.86E-03	-0.445509	-3.65E+11	-3574060	-1.78E-03
-3528000	-1.87E-03	-0.447904	-3.64E+11	-3569160	-1.79E-03
-3523100	-1.88E-03	-0.450299	-3.64E+11	-3564260	-1.80E-03
-3519180	-1.89E-03	-0.452695	-3.63E+11	-3559360	-1.81E-03
-3514280	-1.90E-03	-0.45509	-3.63E+11	-3554460	-1.82E-03
-3510360	-1.91E-03	-0.457485	-3.62E+11	-3549560	-1.83E-03
-3506440	-1.92E-03	-0.45988	-3.62E+11	-3544660	-1.84E-03
-3501540	-1.93E-03	-0.462275	-3.61E+11	-3539760	-1.85E-03
-3497620	-1.94E-03	-0.464671	-3.61E+11	-3534860	-1.86E-03
-3493700	-1.95E-03	-0.467066	-3.60E+11	-3530940	-1.87E-03
-3489780	-1.96E-03	-0.469461	-3.60E+11	-3526040	-1.88E-03
-3484880	-1.97E-03	-0.471856	-3.59E+11	-3521140	-1.89E-03
-3480960	-1.98E-03	-0.474251	-3.59E+11	-3517220	-1.90E-03
-3479000	-1.99E-03	-0.475689	-3.58E+11	-3512320	-1.91E-03
-3475080	-2.00E-03	-0.478084	-3.58E+11	-3508400	-1.92E-03
-3471160	-2.01E-03	-0.480479	-3.58E+11	-3504480	-1.93E-03
-3467240	-2.02E-03	-0.482874	-3.57E+11	-3499580	-1.94E-03
-3463320	-2.03E-03	-0.485269	-3.57E+11	-3495660	-1.95E-03
-3459400	-2.04E-03	-0.487665	-3.56E+11	-3491740	-1.96E-03
-3455480	-2.05E-03	-0.49006	-3.56E+11	-3487820	-1.97E-03

-3451560	-2.06E-03	-0.492455	-3.55E+11	-3482920	-1.98E-03
-3447640	-2.07E-03	-0.49485	-3.55E+11	-3479000	-1.99E-03
-3443720	-2.08E-03	-0.497246	-3.55E+11	-3479000	-1.99E-03
-3439800	-2.09E-03	-0.499641	-3.55E+11	-3475080	-2.00E-03
-3435880	-2.10E-03	-0.502036	-3.54E+11	-3470180	-2.01E-03
-3432940	-2.11E-03	-0.504431	-3.54E+11	-3466260	-2.02E-03
-3429020	-2.12E-03	-0.506826	-3.53E+11	-3462340	-2.03E-03
-3425100	-2.13E-03	-0.509222	-3.53E+11	-3458420	-2.04E-03
-3422160	-2.14E-03	-0.511617	-3.53E+11	-3455480	-2.05E-03
-3418240	-2.15E-03	-0.514012	-3.52E+11	-3451560	-2.06E-03
-3415300	-2.16E-03	-0.516407	-3.52E+11	-3447640	-2.07E-03
-3411380	-2.17E-03	-0.518802	-3.51E+11	-3443720	-2.08E-03
-3407460	-2.18E-03	-0.521198	-3.51E+11	-3439800	-2.09E-03
-3404520	-2.19E-03	-0.523593	-3.51E+11	-3436860	-2.10E-03
-3400600	-2.20E-03	-0.525988	-3.50E+11	-3432940	-2.11E-03
-3397660	-2.21E-03	-0.528383	-3.50E+11	-3429020	-2.12E-03
-3394720	-2.22E-03	-0.530778	-3.50E+11	-3426080	-2.13E-03
-3390800	-2.23E-03	-0.533174	-3.49E+11	-3422160	-2.14E-03
-3387860	-2.24E-03	-0.535569	-3.49E+11	-3418240	-2.15E-03
-3383940	-2.25E-03	-0.537964	-3.49E+11	-3415300	-2.16E-03
-3381000	-2.26E-03	-0.540359	-3.48E+11	-3411380	-2.17E-03
-3379040	-2.26E-03	-0.541796	-3.48E+11	-3408440	-2.18E-03
-3376100	-2.27E-03	-0.544192	-3.47E+11	-3404520	-2.19E-03
-3373160	-2.28E-03	-0.546587	-3.47E+11	-3401580	-2.20E-03
-3370220	-2.29E-03	-0.548982	-3.47E+11	-3397660	-2.21E-03
-3366300	-2.30E-03	-0.551377	-3.46E+11	-3394720	-2.22E-03
-3363360	-2.31E-03	-0.553772	-3.46E+11	-3390800	-2.23E-03
-3360420	-2.32E-03	-0.556168	-3.46E+11	-3390800	-2.23E-03
-3357480	-2.33E-03	-0.558563	-3.46E+11	-3387860	-2.24E-03
-3354540	-2.34E-03	-0.560958	-3.45E+11	-3384920	-2.25E-03
-3351600	-2.35E-03	-0.563353	-3.45E+11	-3381000	-2.26E-03
-3347680	-2.36E-03	-0.565749	-3.45E+11	-3378060	-2.27E-03
-3344740	-2.37E-03	-0.568144	-3.44E+11	-3374140	-2.28E-03
-3341800	-2.38E-03	-0.570539	-3.44E+11	-3371200	-2.29E-03
-3338860	-2.39E-03	-0.572934	-3.44E+11	-3368260	-2.30E-03
-3335920	-2.40E-03	-0.575329	-3.43E+11	-3364340	-2.31E-03
-3332980	-2.41E-03	-0.577725	-3.43E+11	-3361400	-2.32E-03
-3330040	-2.42E-03	-0.58012	-3.43E+11	-3358460	-2.33E-03
-3327100	-2.43E-03	-0.582515	-3.42E+11	-3355520	-2.34E-03
-3324160	-2.44E-03	-0.58491	-3.42E+11	-3352580	-2.35E-03
-3322200	-2.45E-03	-0.587305	-3.42E+11	-3349640	-2.36E-03
-3319260	-2.46E-03	-0.589701	-3.41E+11	-3345720	-2.37E-03
-3316320	-2.47E-03	-0.592096	-3.41E+11	-3342780	-2.38E-03
-3313380	-2.48E-03	-0.594491	-3.41E+11	-3339840	-2.39E-03
-3310440	-2.49E-03	-0.596886	-3.41E+11	-3336900	-2.40E-03
-3307500	-2.50E-03	-0.599281	-3.40E+11	-3333960	-2.41E-03
-3304560	-2.51E-03	-0.601677	-3.40E+11	-3331020	-2.42E-03
-3301620	-2.52E-03	-0.604072	-3.40E+11	-3328080	-2.43E-03

-3298680	-2.53E-03	-0.606467	-3.39E+11	-3325140	-2.44E-03
-3296720	-2.54E-03	-0.608862	-3.39E+11	-3322200	-2.45E-03
-3293780	-2.55E-03	-0.611257	-3.39E+11	-3319260	-2.46E-03
-3290840	-2.56E-03	-0.613653	-3.38E+11	-3316320	-2.47E-03
-3287900	-2.57E-03	-0.616048	-3.38E+11	-3313380	-2.48E-03
-3285940	-2.58E-03	-0.618443	-3.38E+11	-3310440	-2.49E-03
-3283000	-2.59E-03	-0.620838	-3.38E+11	-3307500	-2.50E-03
-3280060	-2.60E-03	-0.623234	-3.37E+11	-3305540	-2.51E-03
-3278100	-2.61E-03	-0.625629	-3.37E+11	-3303580	-2.52E-03
-3275160	-2.62E-03	-0.628024	-3.37E+11	-3300640	-2.53E-03
-3272220	-2.63E-03	-0.630419	-3.37E+11	-3297700	-2.54E-03
-3270260	-2.64E-03	-0.632814	-3.36E+11	-3294760	-2.55E-03
-3267320	-2.65E-03	-0.63521	-3.36E+11	-3292800	-2.56E-03
-3265360	-2.66E-03	-0.637605	-3.36E+11	-3289860	-2.57E-03
-3262420	-2.67E-03	-0.64	-3.36E+11	-3287900	-2.57E-03
-3259480	-2.68E-03	-0.642395	-3.35E+11	-3284960	-2.58E-03
-3257520	-2.69E-03	-0.64479	-3.35E+11	-3282020	-2.59E-03
-3254580	-2.70E-03	-0.647186	-3.35E+11	-3279080	-2.60E-03
-3252620	-2.71E-03	-0.649581	-3.34E+11	-3276140	-2.61E-03
-3249680	-2.72E-03	-0.651976	-3.34E+11	-3273200	-2.62E-03
-3247720	-2.73E-03	-0.654371	-3.34E+11	-3270260	-2.63E-03
-3244780	-2.74E-03	-0.656766	-3.33E+11	-3267320	-2.64E-03
-3242820	-2.75E-03	-0.659162	-3.33E+11	-3264380	-2.65E-03
-3240860	-2.76E-03	-0.661557	-3.33E+11	-3261440	-2.66E-03
-3237920	-2.77E-03	-0.663952	-3.33E+11	-3258500	-2.67E-03
-3235960	-2.78E-03	-0.666347	-3.32E+11	-3256540	-2.68E-03
-3233020	-2.79E-03	-0.668743	-3.32E+11	-3253600	-2.69E-03
-3231060	-2.80E-03	-0.671138	-3.32E+11	-3250660	-2.70E-03

Bulk Carrier (B1) Idchk = 1

E

40% damage

1000	frame space	4.175	9.80E-06	1000	frame space
Curvature	Moment	Rotation	Curvature	Moment	
0.00024	8.07E+08	7911.54	1.00E-06	0.00024	7.93E+08
0.000479	1.61E+09	15817.2	2.00E-06	0.000479	1.59E+09
0.000719	2.42E+09	23725.8	3.00E-06	0.000719	2.38E+09
0.000958	3.23E+09	31634.4	4.00E-06	0.000958	3.17E+09
0.001198	4.04E+09	39543	5.00E-06	0.001198	3.96E+09
0.001437	4.84E+09	47441.8	6.00E-06	0.001437	4.76E+09
0.001677	5.65E+09	55350.4	7.00E-06	0.001677	5.55E+09
0.001916	6.46E+09	63259	8.00E-06	0.001916	6.34E+09
0.002156	7.26E+09	71167.6	9.00E-06	0.002156	7.14E+09
0.002395	8.07E+09	79076.2	1.00E-05	0.002395	7.93E+09
0.00479	1.61E+10	158172	2.00E-05	0.00479	1.59E+10
0.007186	2.42E+10	237160	3.00E-05	0.007186	2.38E+10
0.009581	3.23E+10	316246	4.00E-05	0.009581	3.17E+10
0.011976	4.03E+10	395332	5.00E-05	0.011976	3.96E+10
0.014371	4.84E+10	474418	6.00E-05	0.014371	4.76E+10
0.016766	5.65E+10	553504	7.00E-05	0.016766	5.55E+10
0.019162	6.46E+10	632590	8.00E-05	0.019162	6.34E+10
0.021557	7.26E+10	711578	9.00E-05	0.021557	7.13E+10
0.023952	8.07E+10	790664	1.00E-04	0.023952	7.93E+10
0.026347	8.88E+10	869750	1.10E-04	0.026347	8.72E+10
0.028743	9.68E+10	948836	1.20E-04	0.028743	9.51E+10
0.031138	1.05E+11	1028020	1.30E-04	0.031138	1.03E+11
0.033533	1.13E+11	1107400	1.40E-04	0.033533	1.11E+11
0.035928	1.21E+11	1185800	1.50E-04	0.035928	1.19E+11
0.038323	1.29E+11	1265180	1.60E-04	0.038323	1.27E+11
0.040719	1.37E+11	1344560	1.70E-04	0.040719	1.35E+11
0.043114	1.45E+11	1422960	1.80E-04	0.043114	1.43E+11
0.045509	1.53E+11	1502340	1.90E-04	0.045509	1.51E+11
0.047904	1.61E+11	1581720	2.00E-04	0.047904	1.59E+11
0.050299	1.69E+11	1660120	2.10E-04	0.050299	1.67E+11
0.052695	1.78E+11	1739500	2.20E-04	0.052695	1.74E+11
0.05509	1.86E+11	1818880	2.30E-04	0.05509	1.82E+11
0.057485	1.94E+11	1897280	2.40E-04	0.057485	1.90E+11
0.05988	2.02E+11	1976660	2.50E-04	0.05988	1.98E+11
0.062275	2.10E+11	2056040	2.60E-04	0.062275	2.06E+11
0.064671	2.18E+11	2134440	2.70E-04	0.064671	2.14E+11
0.067066	2.26E+11	2213820	2.80E-04	0.067066	2.22E+11
0.069461	2.34E+11	2293200	2.90E-04	0.069461	2.30E+11
0.071856	2.42E+11	2371600	3.00E-04	0.071856	2.38E+11
0.074251	2.50E+11	2450980	3.10E-04	0.074251	2.46E+11
0.076647	2.58E+11	2530360	3.20E-04	0.076647	2.54E+11
0.079042	2.66E+11	2608760	3.30E-04	0.079042	2.62E+11
0.081437	2.74E+11	2688140	3.40E-04	0.081437	2.69E+11

0.083832	2.82E+11	2767520	3.50E-04	0.083832	2.77E+11
0.086228	2.90E+11	2845920	3.60E-04	0.086228	2.85E+11
0.088623	2.99E+11	2925300	3.70E-04	0.088623	2.93E+11
0.091018	3.07E+11	3004680	3.80E-04	0.091018	3.01E+11
0.093413	3.15E+11	3083080	3.90E-04	0.093413	3.09E+11
0.095808	3.23E+11	3162460	4.00E-04	0.095808	3.17E+11
0.098204	3.31E+11	3240860	4.10E-04	0.098204	3.25E+11
0.100599	3.39E+11	3320240	4.20E-04	0.100599	3.33E+11
0.102994	3.47E+11	3399620	4.30E-04	0.102994	3.41E+11
0.105389	3.55E+11	3478020	4.40E-04	0.105389	3.49E+11
0.107784	3.63E+11	3557400	4.50E-04	0.107784	3.57E+11
0.11018	3.71E+11	3635800	4.60E-04	0.11018	3.64E+11
0.112575	3.79E+11	3715180	4.70E-04	0.112575	3.72E+11
0.11497	3.87E+11	3794560	4.80E-04	0.11497	3.80E+11
0.117365	3.95E+11	3872960	4.90E-04	0.117365	3.88E+11
0.11976	4.03E+11	3952340	5.00E-04	0.11976	3.96E+11
0.122156	4.11E+11	4030740	5.10E-04	0.122156	4.04E+11
0.124551	4.19E+11	4110120	5.20E-04	0.124551	4.12E+11
0.126946	4.28E+11	4189500	5.30E-04	0.126946	4.20E+11
0.129341	4.36E+11	4267900	5.40E-04	0.129341	4.28E+11
0.131737	4.44E+11	4347280	5.50E-04	0.131737	4.36E+11
0.134132	4.52E+11	4425680	5.60E-04	0.134132	4.44E+11
0.136527	4.60E+11	4505060	5.70E-04	0.136527	4.51E+11
0.138922	4.68E+11	4583460	5.80E-04	0.138922	4.59E+11
0.141317	4.76E+11	4662840	5.90E-04	0.141317	4.67E+11
0.143713	4.84E+11	4741240	6.00E-04	0.143713	4.75E+11
0.146108	4.92E+11	4819640	6.10E-04	0.146108	4.83E+11
0.148503	5.00E+11	4899020	6.20E-04	0.148503	4.91E+11
0.150898	5.08E+11	4977420	6.30E-04	0.150898	4.99E+11
0.153293	5.16E+11	5055820	6.40E-04	0.153293	5.06E+11
0.155689	5.24E+11	5133240	6.50E-04	0.155689	5.14E+11
0.158084	5.32E+11	5211640	6.60E-04	0.158084	5.18E+11
0.160479	5.40E+11	5290040	6.70E-04	0.160479	5.24E+11
0.162874	5.48E+11	5367460	6.80E-04	0.162874	5.28E+11
0.163281	5.56E+11	5443900	6.90E-04	0.165269	5.34E+11
0.164958	5.63E+11	5521320	7.00E-04	0.167665	5.38E+11
0.166587	5.71E+11	5597760	7.10E-04	0.17006	5.43E+11
0.168814	5.79E+11	5673220	7.20E-04	0.172455	5.45E+11
0.17121	5.82E+11	5701640	7.24E-04	0.173365	5.51E+11
0.173317	5.88E+11	5757500	7.32E-04	0.175257	5.52E+11
0.175713	5.92E+11	5800620	7.39E-04	0.176982	5.57E+11
0.176671	5.96E+11	5839820	7.47E-04	0.178826	5.62E+11
0.179066	5.99E+11	5868240	7.53E-04	0.180431	5.67E+11
0.181461	6.02E+11	5895680	7.60E-04	0.182036	5.72E+11
0.181701	6.06E+11	5933900	7.70E-04	0.184431	5.72E+11
0.183593	6.09E+11	5963300	7.78E-04	0.186251	5.76E+11
0.185988	6.12E+11	5998580	7.88E-04	0.188647	5.78E+11
0.186084	6.14E+11	6016220	7.93E-04	0.189868	5.81E+11


0.187593	6.17E+11	6049540	8.03E-04	0.192263	5.85E+11
0.189916	6.18E+11	6051500	8.03E-04	0.192407	5.88E+11
0.192287	6.21E+11	6080900	8.13E-04	0.194802	5.91E+11
0.194371	6.21E+11	6089720	8.17E-04	0.195593	5.94E+11
0.196503	6.24E+11	6114220	8.27E-04	0.197988	5.95E+11
0.198707	6.26E+11	6136760	8.37E-04	0.200383	5.97E+11
0.200719	6.29E+11	6160280	8.47E-04	0.202778	6.00E+11
0.203066	6.29E+11	6164200	8.48E-04	0.20321	6.02E+11
0.20479	6.31E+11	6183800	8.58E-04	0.205605	6.04E+11
0.207186	6.33E+11	6202420	8.68E-04	0.208	6.05E+11
0.20721	6.35E+11	6222020	8.78E-04	0.210395	6.07E+11
0.209605	6.36E+11	6231820	8.84E-04	0.211617	6.08E+11
0.210347	6.38E+11	6249460	8.94E-04	0.214012	6.10E+11
0.212695	6.39E+11	6266120	9.04E-04	0.216407	6.10E+11
0.21509	6.40E+11	6274940	9.09E-04	0.217701	6.12E+11
0.216048	6.42E+11	6286700	9.17E-04	0.219617	6.12E+11
0.218443	6.43E+11	6300420	9.27E-04	0.222012	6.13E+11
0.218659	6.44E+11	6314140	9.37E-04	0.224407	6.13E+11
0.221054	6.46E+11	6326880	9.47E-04	0.226802	6.14E+11
0.22115	6.46E+11	6334720	9.52E-04	0.228048	6.15E+11
0.223305	6.48E+11	6345500	9.62E-04	0.230443	6.16E+11
0.225701	6.48E+11	6350400	9.66E-04	0.231353	6.16E+11
0.226228	6.49E+11	6359220	9.76E-04	0.233749	6.17E+11
0.228096	6.50E+11	6367060	9.84E-04	0.235665	6.17E+11
0.230491	6.51E+11	6374900	9.94E-04	0.23806	6.18E+11
0.23121	6.51E+11	6377840	9.98E-04	0.23897	6.18E+11
0.233509	6.51E+11	6383720	1.01E-03	0.241437	6.19E+11
0.235904	6.52E+11	6389600	1.02E-03	0.243832	6.19E+11
0.236216	6.53E+11	6396460	1.03E-03	0.246228	6.20E+11
0.238611	6.53E+11	6398420	1.03E-03	0.246946	6.20E+11
0.23976	6.54E+11	6404300	1.04E-03	0.249341	6.20E+11
0.241916	6.54E+11	6409200	1.05E-03	0.251737	6.20E+11
0.244311	6.54E+11	6410180	1.05E-03	0.252216	6.20E+11
0.244551	6.55E+11	6415080	1.06E-03	0.254611	6.20E+11
0.245988	6.55E+11	6419000	1.07E-03	0.257006	6.20E+11
0.248383	6.56E+11	6423900	1.08E-03	0.259401	6.20E+11
0.249581	6.56E+11	6426840	1.09E-03	0.261557	6.20E+11
0.251976	6.56E+11	6431740	1.10E-03	0.263952	6.20E+11
0.252455	6.57E+11	6435660	1.11E-03	0.266347	6.20E+11
0.25485	6.57E+11	6438600	1.12E-03	0.268743	6.20E+11
0.25509	6.57E+11	6439580	1.13E-03	0.26994	6.20E+11
0.257246	6.57E+11	6442520	1.14E-03	0.272335	6.19E+11
0.259641	6.58E+11	6444480	1.15E-03	0.274731	6.19E+11
0.259641	6.58E+11	6445460	1.15E-03	0.275928	6.19E+11
0.261557	6.58E+11	6447420	1.16E-03	0.278323	6.18E+11
0.263952	6.58E+11	6447420	1.17E-03	0.280479	6.18E+11
0.264192	6.58E+11	6448400	1.18E-03	0.282874	6.18E+11
0.266587	6.58E+11	6450360	1.19E-03	0.285269	6.17E+11

0.267305	6.58E+11	6450360	1.19E-03	0.285509	6.17E+11
0.268743	6.58E+11	6451340	1.20E-03	0.287904	6.17E+11
0.270898	6.59E+11	6453300	1.21E-03	0.290299	6.16E+11
0.273054	6.59E+11	6455260	1.22E-03	0.292216	6.16E+11
0.275449	6.59E+11	6456240	1.23E-03	0.294611	6.15E+11
0.277844	6.59E+11	6458200	1.24E-03	0.297006	6.14E+11
0.278323	6.59E+11	6460160	1.25E-03	0.299401	6.14E+11
0.280719	6.60E+11	6463100	1.26E-03	0.301796	6.13E+11
0.280719	6.60E+11	6465060	1.27E-03	0.304192	6.12E+11
0.282635	6.60E+11	6465060	1.27E-03	0.304671	6.12E+11
0.284551	6.60E+11	6467020	1.28E-03	0.307066	6.11E+11
0.285988	6.60E+11	6469960	1.29E-03	0.309461	6.10E+11
0.288383	6.60E+11	6471920	1.30E-03	0.311856	6.10E+11
0.288383	6.61E+11	6473880	1.31E-03	0.314251	6.09E+11
0.290299	6.61E+11	6475840	1.32E-03	0.316647	6.08E+11
0.292695	6.61E+11	6476820	1.33E-03	0.317844	6.07E+11
0.294371	6.61E+11	6479760	1.34E-03	0.32024	6.06E+11
0.296287	6.61E+11	6481720	1.35E-03	0.322635	6.06E+11
0.298204	6.62E+11	6482700	1.35E-03	0.324311	6.05E+11
0.300599	6.62E+11	6483680	1.36E-03	0.326707	6.04E+11
0.302515	6.62E+11	6484660	1.37E-03	0.329102	6.03E+11
0.304192	6.62E+11	6484660	1.38E-03	0.33006	6.03E+11
0.306347	6.62E+11	6485640	1.39E-03	0.332455	6.02E+11
0.308743	6.62E+11	6485640	1.40E-03	0.33485	6.01E+11
0.309701	6.62E+11	6486620	1.41E-03	0.337246	6.00E+11
0.312096	6.62E+11	6486620	1.42E-03	0.339641	5.99E+11
0.313533	6.62E+11	6486620	1.42E-03	0.34012	5.98E+11
0.315689	6.62E+11	6486620	1.43E-03	0.342515	5.97E+11
0.318084	6.62E+11	6485640	1.44E-03	0.34491	5.97E+11
0.318563	6.62E+11	6485640	1.45E-03	0.347305	5.96E+11
0.320958	6.62E+11	6485640	1.46E-03	0.349701	5.96E+11
0.323353	6.62E+11	6485640	1.47E-03	0.352096	5.94E+11
0.324551	6.62E+11	6485640	1.47E-03	0.352575	5.94E+11
0.326946	6.62E+11	6484660	1.48E-03	0.35497	5.93E+11
0.327665	6.61E+11	6480740	1.49E-03	0.355928	5.92E+11
0.33006	6.61E+11	6478780	1.50E-03	0.358323	5.91E+11
0.331737	6.61E+11	6479760	1.51E-03	0.360719	5.91E+11
0.334132	6.61E+11	6480740	1.52E-03	0.363114	5.90E+11
0.336527	6.62E+11	6482700	1.53E-03	0.365509	5.89E+11
0.338922	6.62E+11	6483680	1.54E-03	0.367904	5.88E+11
0.339641	6.65E+11	6513080	1.55E-03	0.370299	5.87E+11
0.342036	6.65E+11	6512100	1.56E-03	0.372695	5.87E+11
0.344431	6.65E+11	6512100	1.57E-03	0.37509	5.86E+11
0.346826	6.65E+11	6512100	1.57E-03	0.37509	5.85E+11
0.348024	6.65E+11	6512100	1.58E-03	0.377485	5.84E+11
0.350419	6.64E+11	6507200	1.58E-03	0.379162	5.83E+11
0.352814	6.62E+11	6482700	1.59E-03	0.381557	5.82E+11
0.35521	6.61E+11	6474860	1.60E-03	0.382036	5.81E+11

0.357126	6.57E+11	6439580	1.60E-03	0.384192	5.80E+11
0.359521	6.52E+11	6393520	1.61E-03	0.386587	5.79E+11
0.361916	6.52E+11	6389600	1.62E-03	0.386826	5.78E+11
0.362635	6.49E+11	6360200	1.63E-03	0.389222	5.77E+11
0.36503	6.48E+11	6353340	1.63E-03	0.38994	5.76E+11
0.367425	6.47E+11	6338640	1.63E-03	0.391138	5.75E+11
0.369581	6.44E+11	6314140	1.64E-03	0.393533	5.75E+11
0.371976	6.44E+11	6308260	1.65E-03	0.394012	5.74E+11
0.374371	6.42E+11	6288660	1.65E-03	0.395689	5.73E+11
0.375569	6.38E+11	6252400	1.66E-03	0.398084	5.72E+11
0.377964	6.36E+11	6230840	1.67E-03	0.4	5.71E+11
0.380359	6.33E+11	6202420	1.68E-03	0.402395	5.71E+11
0.382754	6.33E+11	6199480	1.68E-03	0.402395	5.70E+11
0.38515	6.30E+11	6173020	1.69E-03	0.40479	5.69E+11
0.387545	6.27E+11	6145580	1.70E-03	0.407186	5.69E+11
0.388263	6.25E+11	6120100	1.71E-03	0.409581	5.67E+11
0.390659	6.22E+11	6097560	1.72E-03	0.411976	5.66E+11
0.393054	6.20E+11	6076980	1.73E-03	0.414371	5.66E+11
0.395449	6.19E+11	6068160	1.74E-03	0.415569	5.65E+11
0.397365	6.17E+11	6048560	1.74E-03	0.417485	5.65E+11
0.39976	6.15E+11	6025040	1.75E-03	0.41988	5.64E+11
0.402156	6.12E+11	6001520	1.76E-03	0.422275	5.63E+11
0.404551	6.10E+11	5979960	1.77E-03	0.424671	5.62E+11
0.406946	6.08E+11	5959380	1.78E-03	0.427066	5.62E+11
0.409341	6.06E+11	5940760	1.79E-03	0.429461	5.61E+11
0.411737	6.04E+11	5921160	1.80E-03	0.431856	5.60E+11
0.414132	6.02E+11	5902540	1.81E-03	0.434251	5.59E+11
0.416527	6.02E+11	5901560	1.81E-03	0.434251	5.58E+11
0.418922	6.01E+11	5884900	1.82E-03	0.436647	5.58E+11
0.421317	5.99E+11	5868240	1.83E-03	0.439042	5.57E+11
0.423713	5.97E+11	5850600	1.84E-03	0.441437	5.56E+11
0.426108	5.95E+11	5833940	1.85E-03	0.443832	5.55E+11
0.428503	5.94E+11	5818260	1.86E-03	0.446228	5.54E+11
0.430898	5.92E+11	5802580	1.87E-03	0.448623	5.53E+11
0.433293	5.91E+11	5786900	1.88E-03	0.451018	5.53E+11
0.435689	5.89E+11	5772200	1.89E-03	0.453413	5.52E+11
0.438084	5.88E+11	5758480	1.90E-03	0.455808	5.51E+11
0.440479	5.86E+11	5745740	1.91E-03	0.458204	5.50E+11
0.442874	5.85E+11	5730060	1.92E-03	0.460599	5.49E+11
0.445269	5.83E+11	5715360	1.93E-03	0.462994	5.49E+11
0.447665	5.82E+11	5700660	1.94E-03	0.465389	5.48E+11
0.45006	5.80E+11	5686940	1.95E-03	0.467784	5.48E+11
0.452455	5.79E+11	5673220	1.96E-03	0.47018	5.47E+11
0.45485	5.78E+11	5660480	1.97E-03	0.472575	5.46E+11
0.457246	5.76E+11	5647740	1.98E-03	0.47497	5.45E+11
0.459641	5.75E+11	5635000	1.99E-03	0.477365	5.45E+11
0.462036	5.74E+11	5623240	2.00E-03	0.47976	5.44E+11
0.464431	5.73E+11	5611480	2.01E-03	0.482156	5.43E+11

0.46491	5.72E+11	5600700	2.02E-03	0.484551	5.43E+11
0.467305	5.71E+11	5594820	2.03E-03	0.485749	5.42E+11
0.469701	5.70E+11	5583060	2.04E-03	0.488144	5.41E+11
0.472096	5.69E+11	5580120	2.04E-03	0.488623	5.40E+11
0.472575	5.68E+11	5565420	2.05E-03	0.491018	5.40E+11
0.47497	5.67E+11	5553660	2.06E-03	0.493413	5.39E+11
0.477365	5.65E+11	5540920	2.07E-03	0.495808	5.38E+11
0.47976	5.64E+11	5530140	2.08E-03	0.498204	5.38E+11
0.47976	5.63E+11	5518380	2.09E-03	0.500599	5.37E+11
0.482156	5.62E+11	5511520	2.10E-03	0.502036	5.37E+11
0.484551	5.61E+11	5497800	2.11E-03	0.504431	5.36E+11
0.486946	5.60E+11	5485060	2.12E-03	0.506826	5.35E+11
0.489341	5.59E+11	5473300	2.13E-03	0.509222	5.35E+11
0.491737	5.57E+11	5462520	2.14E-03	0.511617	5.34E+11
0.494132	5.56E+11	5451740	2.15E-03	0.514012	5.34E+11
0.496527	5.55E+11	5440960	2.16E-03	0.516407	5.33E+11
0.498922	5.54E+11	5431160	2.17E-03	0.518802	5.33E+11
0.501317	5.53E+11	5420380	2.18E-03	0.521198	5.32E+11
0.503713	5.52E+11	5409600	2.19E-03	0.523593	5.31E+11
0.506108	5.51E+11	5398820	2.20E-03	0.525988	5.30E+11
0.508503	5.50E+11	5387060	2.21E-03	0.528383	5.30E+11
0.510898	5.49E+11	5377260	2.22E-03	0.530778	5.29E+11
0.513293	5.48E+11	5366480	2.23E-03	0.533174	5.29E+11
0.515689	5.47E+11	5355700	2.24E-03	0.535569	5.28E+11
0.518084	5.45E+11	5344920	2.25E-03	0.537964	5.27E+11
0.520479	5.44E+11	5334140	2.26E-03	0.540359	5.27E+11
0.522874	5.43E+11	5323360	2.27E-03	0.542754	5.26E+11
0.525269	5.42E+11	5312580	2.28E-03	0.54515	5.25E+11
0.527665	5.41E+11	5302780	2.29E-03	0.547545	5.25E+11
0.53006	5.40E+11	5292980	2.30E-03	0.54994	5.24E+11
0.532455	5.39E+11	5282200	2.31E-03	0.552335	5.23E+11
0.53485	5.38E+11	5272400	2.32E-03	0.554731	5.23E+11
0.537246	5.37E+11	5261620	2.33E-03	0.557126	5.22E+11
0.539641	5.36E+11	5251820	2.34E-03	0.559521	5.21E+11
0.542036	5.35E+11	5242020	2.35E-03	0.561916	5.21E+11
0.544431	5.34E+11	5232220	2.36E-03	0.564311	5.20E+11
0.546826	5.33E+11	5222420	2.37E-03	0.566707	5.19E+11
0.549222	5.32E+11	5213600	2.38E-03	0.569102	5.19E+11
0.551617	5.31E+11	5203800	2.39E-03	0.571497	5.18E+11
0.554012	5.31E+11	5203800	2.39E-03	0.571737	5.18E+11
0.556407	5.30E+11	5194000	2.40E-03	0.574132	5.17E+11
0.558802	5.29E+11	5184200	2.41E-03	0.576527	5.16E+11
0.561198	5.28E+11	5175380	2.42E-03	0.578922	5.16E+11
0.563593	5.27E+11	5165580	2.43E-03	0.581317	5.15E+11
0.565988	5.26E+11	5156760	2.44E-03	0.583713	5.14E+11
0.566467	5.25E+11	5147940	2.45E-03	0.586108	5.13E+11
0.568862	5.24E+11	5139120	2.46E-03	0.588503	5.12E+11
0.571257	5.24E+11	5130300	2.47E-03	0.590898	5.12E+11

0.573653	5.23E+11	5121480	2.48E-03	0.593293	5.11E+11
0.576048	5.22E+11	5113640	2.49E-03	0.595689	5.10E+11
0.578443	5.21E+11	5104820	2.50E-03	0.598084	5.09E+11
0.580838	5.20E+11	5096980	2.51E-03	0.600479	5.09E+11
0.583234	5.19E+11	5088160	2.52E-03	0.602874	5.08E+11
0.585629	5.18E+11	5080320	2.53E-03	0.605269	5.07E+11
0.588024	5.18E+11	5072480	2.54E-03	0.607665	5.07E+11
0.590419	5.17E+11	5064640	2.55E-03	0.61006	5.06E+11
0.592814	5.16E+11	5056800	2.56E-03	0.612455	5.05E+11
0.59521	5.15E+11	5048960	2.57E-03	0.61485	5.05E+11
0.597605	5.14E+11	5041120	2.58E-03	0.617246	5.04E+11
0.6	5.14E+11	5033280	2.59E-03	0.619641	5.04E+11
0.602395	5.13E+11	5025440	2.60E-03	0.622036	5.03E+11
0.60479	5.12E+11	5018580	2.61E-03	0.624431	5.02E+11
0.607186	5.11E+11	5010740	2.62E-03	0.626826	5.02E+11
0.609581	5.11E+11	5003880	2.63E-03	0.629222	5.01E+11
	0.00E+00	0	0.00E+00		0.00E+00
-0.00024	###	-7911.54	-1.00E-06	-0.00024	###
-0.000479	###	-15817.2	-2.00E-06	-0.000479	###
-0.000719	###	-23716	-3.00E-06	-0.000719	###
-0.000958	##				
-0.001198	##				
-0.001437	##				
-0.001677	##				
-0.001916	##				
-0.002156	##				
-0.002395	##				
-0.00479	##				
-0.007186	##				
-0.009581	##				
-0.011976	##				
-0.014371	##				
-0.016766	##				
-0.019162	##				
-0.021557	##				
-0.023952	##				
-0.026347	###	-868770	-1.10E-04	-0.026347	###
-0.028743	###	-947562	-1.20E-04	-0.028743	###
-0.031138	###	-1026060	-1.30E-04	-0.031138	###
-0.033533	###	-1105440	-1.40E-04	-0.033533	###
-0.035928	###	-1183840	-1.50E-04	-0.035928	###
-0.038323	###	-1262240	-1.60E-04	-0.038323	###
-0.040719	###	-1341620	-1.70E-04	-0.040719	###
-0.043114	###	-1420020	-1.80E-04	-0.043114	###
-0.045509	###	-1498420	-1.90E-04	-0.045509	###
-0.047904	###	-1576820	-2.00E-04	-0.047904	###
-0.050299	###	-1656200	-2.10E-04	-0.050299	###
-0.052695	###	-1734600	-2.20E-04	-0.052695	###



-0.05509	###	-1813000	-2.30E-04	-0.05509	###
-0.057485	###	-1891400	-2.40E-04	-0.057485	###
-0.05988	###	-1969800	-2.50E-04	-0.05988	###
-0.062275	###	-2048200	-2.60E-04	-0.062275	###
-0.064671	###	-2126600	-2.70E-04	-0.064671	###
-0.067066	###	-2205000	-2.80E-04	-0.067066	###
-0.069461	###	-2283400	-2.90E-04	-0.069461	###
-0.071856	###	-2361800	-3.00E-04	-0.071856	###
-0.074251	###	-2440200	-3.10E-04	-0.074251	###
-0.076647	###	-2517620	-3.20E-04	-0.076647	###
-0.079042	###	-2596020	-3.30E-04	-0.079042	###
-0.081437	###	-2674420	-3.40E-04	-0.081437	###
-0.083832	###	-2752820	-3.50E-04	-0.083832	###
-0.086228	###	-2831220	-3.60E-04	-0.086228	###
-0.088623	###	-2909620	-3.70E-04	-0.088623	###
-0.091018	###	-2987040	-3.80E-04	-0.091018	###
-0.093413	###	-3065440	-3.90E-04	-0.093413	###
-0.095808	###	-3143840	-4.00E-04	-0.095808	###
-0.098204	###	-3221260	-4.10E-04	-0.098204	###
-0.100599	###	-3299660	-4.20E-04	-0.100599	###
-0.102994	###	-3377080	-4.30E-04	-0.102994	###
-0.105389	###	-3455480	-4.40E-04	-0.105389	###
-0.107784	###	-3533880	-4.50E-04	-0.107784	###
-0.11018	###	-3611300	-4.60E-04	-0.11018	###
-0.112575	###	-3689700	-4.70E-04	-0.112575	###
-0.11497	###	-3767120	-4.80E-04	-0.11497	###
-0.117365	###	-3844540	-4.90E-04	-0.117365	###
-0.11976	###	-3922940	-5.00E-04	-0.11976	###
-0.122156	###	-3999380	-5.10E-04	-0.122156	###
-0.124551	###	-4076800	-5.20E-04	-0.124551	###
-0.126946	###	-4154220	-5.30E-04	-0.126946	###
-0.129341	###	-4230660	-5.40E-04	-0.129341	###
-0.131737	###	-4306120	-5.50E-04	-0.131737	###
-0.134132	###	-4382560	-5.60E-04	-0.134132	###
-0.136527	###	-4458020	-5.70E-04	-0.136527	###
-0.138922	###	-4533480	-5.80E-04	-0.138922	###
-0.141317	###	-4608940	-5.90E-04	-0.141317	###
-0.143713	###	-4683420	-6.00E-04	-0.143713	###
-0.145653	###	-4756920	-6.10E-04	-0.146108	###
-0.148048	###	-4831400	-6.20E-04	-0.148503	###
-0.150443	###	-4904900	-6.30E-04	-0.150898	###
-0.150587	###	-4977420	-6.40E-04	-0.153293	###
-0.152982	###	-4987220	-6.41E-04	-0.153629	###
-0.153581	###	-5059740	-6.51E-04	-0.156024	###
-0.15509	###	-5131280	-6.61E-04	-0.158419	###
-0.156575	###	-5168520	-6.67E-04	-0.159689	###
-0.158228	###	-5238100	-6.77E-04	-0.162084	###
-0.159665	###	-5277300	-6.83E-04	-0.163473	###

-0.161701	###	-5329240	-6.90E-04	-0.165341	###
-0.163353	###	-5371380	-6.97E-04	-0.166946	###
-0.165198	###	-5409600	-7.05E-04	-0.168886	###
-0.166683	###	-5426260	-7.12E-04	-0.170515	###
-0.168575	###	-5430180	-7.18E-04	-0.171928	###
-0.170156	###	-5430180	-7.26E-04	-0.173796	###
-0.171569	###	-5427240	-7.31E-04	-0.174994	###
-0.173964	###	-5415480	-7.41E-04	-0.177389	###
-0.174491	###	-5398820	-7.51E-04	-0.179784	###
-0.176096	###	-5396860	-7.51E-04	-0.179928	###
-0.177246	###	-5379220	-7.61E-04	-0.182323	###
-0.179425	###	-5366480	-7.68E-04	-0.18388	###
-0.181533	###	-5340020	-7.78E-04	-0.186275	###
-0.183713	###	-5311600	-7.88E-04	-0.188671	###
-0.186012	###	-5305720	-7.89E-04	-0.189006	###
-0.188407	###	-5260640	-7.99E-04	-0.191401	###
-0.188431	###	-5257700	-8.00E-04	-0.191521	###
-0.190826	###	-5224380	-8.05E-04	-0.192814	###
-0.191066	###	-5148920	-8.15E-04	-0.19521	###
-0.192934	###	-5048960	-8.25E-04	-0.197605	###
-0.194611	###	-4958800	-8.33E-04	-0.199569	###
-0.196503	###	-4856880	-8.43E-04	-0.201964	###
-0.198204	###	-4769660	-8.53E-04	-0.204359	###
-0.200599	###	-4695180	-8.63E-04	-0.206754	###
-0.201557	###	-4636380	-8.73E-04	-0.20915	###
-0.202731	###	-4612860	-8.78E-04	-0.210299	###
-0.205126	###	-4569740	-8.88E-04	-0.212695	###
-0.207521	###	-4530540	-8.98E-04	-0.21509	###
-0.209916	###	-4498200	-9.08E-04	-0.217485	###
-0.210108	###	-4467820	-9.18E-04	-0.21988	###
-0.21188	###	-4439400	-9.28E-04	-0.222275	###
-0.214275	###	-4413920	-9.38E-04	-0.224671	###
-0.216671	###	-4390400	-9.48E-04	-0.227066	###
-0.216695	###	-4367860	-9.58E-04	-0.229461	###
-0.217964	###	-4347280	-9.68E-04	-0.231856	###
-0.220359	###	-4326700	-9.78E-04	-0.234251	###
-0.220719	###	-4307100	-9.88E-04	-0.236647	###
-0.223114	###	-4289460	-9.98E-04	-0.239042	###
-0.225509	###	-4270840	-1.01E-03	-0.241437	###
-0.227904	###	-4253200	-1.02E-03	-0.243832	###
-0.229725	###	-4235560	-1.03E-03	-0.246228	###
-0.23212	###	-4218900	-1.04E-03	-0.248623	###
-0.234515	###	-4202240	-1.05E-03	-0.251018	###
-0.23691	###	-4186560	-1.06E-03	-0.253413	###
-0.239305	###	-4169900	-1.07E-03	-0.255808	###
-0.241437	###	-4155200	-1.08E-03	-0.258204	###
-0.243832	###	-4139520	-1.09E-03	-0.260599	###
-0.246228	###	-4123840	-1.10E-03	-0.262994	###

-0.247186	###	-4108160	-1.11E-03	-0.265389	###
-0.249581	###	-4092480	-1.12E-03	-0.267784	###
-0.251976	###	-4077780	-1.13E-03	-0.27018	###
-0.254371	###	-4063080	-1.14E-03	-0.272575	###
-0.256766	###	-4047400	-1.15E-03	-0.27497	###
-0.257006	###	-4031720	-1.16E-03	-0.277365	###
-0.259401	###	-4017020	-1.17E-03	-0.27976	###
-0.261796	###	-4001340	-1.18E-03	-0.282156	###
-0.264192	###	-3985660	-1.19E-03	-0.284551	###
-0.266587	###	-3969980	-1.20E-03	-0.286946	###
-0.268982	###	-3954300	-1.21E-03	-0.289341	###
-0.271377	###	-3938620	-1.22E-03	-0.291737	###
-0.273772	###	-3921960	-1.23E-03	-0.294132	###
-0.276168	###	-3904320	-1.24E-03	-0.296527	###
-0.278563	###	-3888640	-1.25E-03	-0.298922	###
-0.280958	###	-3873940	-1.26E-03	-0.301317	###
-0.283353	###	-3859240	-1.27E-03	-0.303713	###
-0.285749	###	-3849440	-1.28E-03	-0.305389	###
-0.288144	###	-3835720	-1.29E-03	-0.307784	###
-0.290539	###	-3823960	-1.30E-03	-0.31018	###
-0.292934	###	-3812200	-1.31E-03	-0.312575	###
-0.295329	###	-3800440	-1.32E-03	-0.31497	###
-0.297725	###	-3788680	-1.33E-03	-0.317365	###
-0.30012	###	-3777900	-1.34E-03	-0.31976	###
-0.302515	###	-3768100	-1.35E-03	-0.322156	###
-0.30491	###	-3758300	-1.36E-03	-0.324551	###
-0.307305	###	-3748500	-1.37E-03	-0.326946	###
-0.309701	###	-3738700	-1.38E-03	-0.329341	###
-0.312096	###	-3728900	-1.39E-03	-0.331737	###
-0.314491	###	-3720080	-1.40E-03	-0.334132	###
-0.316886	###	-3711260	-1.41E-03	-0.336527	###
-0.319281	###	-3703420	-1.42E-03	-0.338922	###
-0.321677	###	-3694600	-1.43E-03	-0.341317	###
-0.324072	###	-3685780	-1.44E-03	-0.343713	###
-0.326467	###	-3677940	-1.45E-03	-0.346108	###
-0.328862	###	-3670100	-1.46E-03	-0.348503	###
-0.331257	###	-3662260	-1.47E-03	-0.350898	###
-0.333653	###	-3654420	-1.48E-03	-0.353293	###
-0.336048	###	-3647560	-1.49E-03	-0.355689	###
-0.338443	###	-3640700	-1.50E-03	-0.358084	###
-0.340838	###	-3632860	-1.51E-03	-0.360479	###
-0.343234	###	-3626000	-1.52E-03	-0.362874	###
-0.345629	###	-3619140	-1.53E-03	-0.365269	###
-0.348024	###	-3612280	-1.54E-03	-0.367665	###
-0.350419	###	-3605420	-1.55E-03	-0.37006	###
-0.352814	###	-3599540	-1.56E-03	-0.372455	###
-0.354491	###	-3592680	-1.57E-03	-0.37485	###
-0.356886	###	-3586800	-1.58E-03	-0.377246	###

-0.359281	###	-3579940	-1.59E-03	-0.379641	###
-0.361677	###	-3574060	-1.60E-03	-0.382036	###
-0.364072	###	-3568180	-1.61E-03	-0.384431	###
-0.366467	###	-3562300	-1.62E-03	-0.386826	###
-0.368862	###	-3556420	-1.63E-03	-0.389222	###
-0.371257	###	-3550540	-1.64E-03	-0.391617	###
-0.373653	###	-3544660	-1.65E-03	-0.394012	###
-0.376048	###	-3539760	-1.66E-03	-0.396407	###
-0.378443	###	-3533880	-1.67E-03	-0.398802	###
-0.380838	###	-3528980	-1.68E-03	-0.401198	###
-0.383234	###	-3523100	-1.69E-03	-0.403593	###
-0.385629	###	-3518200	-1.70E-03	-0.405988	###
-0.388024	###	-3512320	-1.71E-03	-0.408383	###
-0.390419	###	-3507420	-1.72E-03	-0.410778	###
-0.392814	###	-3502520	-1.73E-03	-0.413174	###
-0.39521	###	-3497620	-1.74E-03	-0.415569	###
-0.397605	###	-3492720	-1.75E-03	-0.417964	###
-0.4	###	-3487820	-1.76E-03	-0.420359	###
-0.402395	###	-3482920	-1.77E-03	-0.422754	###
-0.40479	###	-3478020	-1.78E-03	-0.42515	###
-0.407186	###	-3473120	-1.79E-03	-0.427545	###
-0.409581	###	-3468220	-1.80E-03	-0.42994	###
-0.411976	###	-3463320	-1.81E-03	-0.432335	###
-0.413892	###	-3459400	-1.82E-03	-0.434731	###
-0.416287	###	-3454500	-1.83E-03	-0.437126	###
-0.418683	###	-3450580	-1.84E-03	-0.439521	###
-0.421078	###	-3445680	-1.85E-03	-0.441916	###
-0.423473	###	-3441760	-1.86E-03	-0.444311	###
-0.425868	###	-3436860	-1.87E-03	-0.446707	###
-0.428263	###	-3432940	-1.88E-03	-0.449102	###
-0.430659	###	-3428040	-1.89E-03	-0.451497	###
-0.433054	###	-3424120	-1.90E-03	-0.453892	###
-0.435449	###	-3420200	-1.91E-03	-0.456287	###
-0.437844	###	-3416280	-1.92E-03	-0.458683	###
-0.44024	###	-3411380	-1.93E-03	-0.461078	###
-0.442635	###	-3407460	-1.94E-03	-0.463473	###
-0.44503	###	-3403540	-1.95E-03	-0.465868	###
-0.447425	###	-3399620	-1.96E-03	-0.468263	###
-0.44982	###	-3395700	-1.96E-03	-0.470419	###
-0.452216	###	-3391780	-1.97E-03	-0.472814	###
-0.454611	###	-3387860	-1.98E-03	-0.47521	###
-0.457006	###	-3383940	-1.99E-03	-0.477605	###
-0.459401	###	-3380020	-2.00E-03	-0.48	###
-0.461796	###	-3376100	-2.01E-03	-0.482395	###
-0.464192	###	-3372180	-2.02E-03	-0.48479	###
-0.466587	###	-3368260	-2.03E-03	-0.487186	###
-0.468982	###	-3365320	-2.04E-03	-0.489581	###
-0.471377	###	-3361400	-2.05E-03	-0.491976	###

-0.473772	###	-3357480	-2.06E-03	-0.494371	###
-0.476168	###	-3353560	-2.07E-03	-0.496766	###
-0.476407	###	-3349640	-2.08E-03	-0.499162	###
-0.478802	###	-3346700	-2.09E-03	-0.501557	###
-0.481198	###	-3342780	-2.10E-03	-0.503952	###
-0.483593	###	-3339840	-2.11E-03	-0.506347	###
-0.485988	###	-3335920	-2.12E-03	-0.508743	###
-0.488383	###	-3332980	-2.13E-03	-0.511138	###
-0.490778	###	-3329060	-2.14E-03	-0.513533	###
-0.493174	###	-3326120	-2.15E-03	-0.515928	###
-0.495569	###	-3322200	-2.16E-03	-0.518323	###
-0.497964	###	-3319260	-2.17E-03	-0.520719	###
-0.500359	###	-3315340	-2.18E-03	-0.523114	###
-0.502754	###	-3312400	-2.19E-03	-0.525509	###
-0.50515	###	-3308480	-2.20E-03	-0.527904	###
-0.507545	###	-3305540	-2.21E-03	-0.530299	###
-0.50994	###	-3302600	-2.22E-03	-0.532695	###
-0.512335	###	-3299660	-2.23E-03	-0.53509	###
-0.514731	###	-3297700	-2.24E-03	-0.536048	###
-0.517126	###	-3294760	-2.25E-03	-0.538443	###
-0.519521	###	-3291820	-2.26E-03	-0.540838	###
-0.521916	###	-3288880	-2.27E-03	-0.543234	###
-0.524311	###	-3284960	-2.28E-03	-0.545629	###
-0.526707	###	-3282020	-2.29E-03	-0.548024	###
-0.529102	###	-3279080	-2.30E-03	-0.550419	###
-0.531497	###	-3276140	-2.31E-03	-0.552814	###
-0.533892	###	-3273200	-2.32E-03	-0.55521	###
-0.533892	###	-3270260	-2.33E-03	-0.557605	###
-0.536287	###	-3267320	-2.34E-03	-0.56	###
-0.538683	###	-3264380	-2.35E-03	-0.562395	###
-0.541078	###	-3261440	-2.36E-03	-0.56479	###
-0.543473	###	-3258500	-2.37E-03	-0.567186	###
-0.545868	###	-3255560	-2.38E-03	-0.569581	###
-0.548263	###	-3252620	-2.39E-03	-0.571976	###
-0.550659	###	-3249680	-2.40E-03	-0.574371	###
-0.553054	###	-3246740	-2.41E-03	-0.576766	###
-0.555449	###	-3243800	-2.42E-03	-0.579162	###
-0.557844	###	-3240860	-2.43E-03	-0.581557	###
-0.56024	###	-3237920	-2.44E-03	-0.583952	###
-0.562635	###	-3235960	-2.45E-03	-0.586347	###
-0.56503	###	-3233020	-2.46E-03	-0.588743	###
-0.567425	###	-3230080	-2.47E-03	-0.591138	###
-0.56982	###	-3227140	-2.48E-03	-0.593533	###
-0.572216	###	-3224200	-2.49E-03	-0.595928	###
-0.574611	###	-3221260	-2.50E-03	-0.598323	###
-0.577006	###	-3219300	-2.51E-03	-0.600719	###
-0.579401	###	-3216360	-2.52E-03	-0.603114	###
-0.581796	###	-3213420	-2.53E-03	-0.605509	###

-0.584192	###	-3210480	-2.54E-03	-0.607904	###
-0.586587	###	-3208520	-2.55E-03	-0.610299	###
-0.588982	###	-3205580	-2.56E-03	-0.612695	###
-0.591377	###	-3203620	-2.57E-03	-0.61509	###
-0.593772	###	-3200680	-2.58E-03	-0.617485	###
-0.596168	###	-3197740	-2.59E-03	-0.61988	###
-0.598563	###	-3195780	-2.60E-03	-0.622275	###
-0.600958	###	-3192840	-2.61E-03	-0.624671	###
-0.602635	###	-3190880	-2.62E-03	-0.627066	###
-0.60503	###	-3187940	-2.63E-03	-0.629461	###
-0.607425	###	-3185980	-2.64E-03	-0.631856	###
-0.60982	###	-3183040	-2.65E-03	-0.634251	###
-0.612216	###	-3181080	-2.66E-03	-0.636647	###
-0.614611	###	-3178140	-2.67E-03	-0.639042	###
-0.616287	###	-3176180	-2.68E-03	-0.641437	###
-0.618683	###	-3173240	-2.69E-03	-0.643832	###
-0.621078	###	-3171280	-2.70E-03	-0.646228	###
-0.623473	###	-3168340	-2.71E-03	-0.648623	###
-0.625868	###	-3166380	-2.72E-03	-0.651018	###
-0.628263	###	-3163440	-2.73E-03	-0.653413	###
-0.630659	###	-3161480	-2.74E-03	-0.655808	###
-0.633054	###	-3159520	-2.75E-03	-0.658204	###
-0.635449	###	-3156580	-2.76E-03	-0.660599	###
-0.637844	###	-3154620	-2.77E-03	-0.662994	###
-0.64024	###	-3152660	-2.78E-03	-0.665389	###
-0.642635	###	-3149720	-2.79E-03	-0.667784	###
-0.64503	###	-3147760	-2.80E-03	-0.67018	###
-0.647425	###	-3144820	-2.81E-03	-0.672575	###

Bulk Carrier (B1) Idchk = 2**40% damage**

4.175	9.80E-06	1000
Rotation	Curvature	
7773.36	1.00E-06	0.00024
15542.8	2.00E-06	0.000479
23314.2	3.00E-06	0.000719
31075.8	4.00E-06	0.000958
38847.2	5.00E-06	0.001198
46618.6	6.00E-06	0.001437
54380.2	7.00E-06	0.001677
62151.6	8.00E-06	0.001916
69923	9.00E-06	0.002156
77684.6	1.00E-05	0.002395
155330	2.00E-05	0.00479
233044	3.00E-05	0.007186
310758	4.00E-05	0.009581
388374	5.00E-05	0.011976
466088	6.00E-05	0.014371
543802	7.00E-05	0.016766
621418	8.00E-05	0.019162
699132	9.00E-05	0.021557
776846	1.00E-04	0.023952
854462	1.10E-04	0.026347
932176	1.20E-04	0.028743
1009400	1.30E-04	0.031138
1087800	1.40E-04	0.033533
1165220	1.50E-04	0.035928
1242640	1.60E-04	0.038323
1321040	1.70E-04	0.040719
1398460	1.80E-04	0.043114
1475880	1.90E-04	0.045509
1553300	2.00E-04	0.047904
1631700	2.10E-04	0.050299
1709120	2.20E-04	0.052695
1786540	2.30E-04	0.05509
1863960	2.40E-04	0.057485
1941380	2.50E-04	0.05988
2018800	2.60E-04	0.062275
2097200	2.70E-04	0.064671
2174620	2.80E-04	0.067066
2252040	2.90E-04	0.069461
2329460	3.00E-04	0.071856
2406880	3.10E-04	0.074251
2485280	3.20E-04	0.076647
2562700	3.30E-04	0.079042
2640120	3.40E-04	0.081437

Bulk Carrier (B1) Idchk = 1**70% damage**

frame space	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
8.07E+08	7906.64	1.00E-06	0.00024
1.61E+09	15807.4	2.00E-06	0.000479
2.42E+09	23706.2	3.00E-06	0.000719
3.23E+09	31614.8	4.00E-06	0.000958
4.03E+09	39513.6	5.00E-06	0.001198
4.84E+09	47412.4	6.00E-06	0.001437
5.65E+09	55321	7.00E-06	0.001677
6.45E+09	63219.8	8.00E-06	0.001916
7.26E+09	71118.6	9.00E-06	0.002156
8.06E+09	79027.2	1.00E-05	0.002395
1.61E+10	158074	2.00E-05	0.00479
2.42E+10	237062	3.00E-05	0.007186
3.23E+10	316050	4.00E-05	0.009581
4.03E+10	395136	5.00E-05	0.011976
4.84E+10	474124	6.00E-05	0.014371
5.64E+10	553112	7.00E-05	0.016766
6.45E+10	632198	8.00E-05	0.019162
7.26E+10	711186	9.00E-05	0.021557
8.06E+10	790174	1.00E-04	0.023952
8.87E+10	869162	1.10E-04	0.026347
9.68E+10	948248	1.20E-04	0.028743
1.05E+11	1027040	1.30E-04	0.031138
1.13E+11	1106420	1.40E-04	0.033533
1.21E+11	1184820	1.50E-04	0.035928
1.29E+11	1264200	1.60E-04	0.038323
1.37E+11	1343580	1.70E-04	0.040719
1.45E+11	1421980	1.80E-04	0.043114
1.53E+11	1501360	1.90E-04	0.045509
1.61E+11	1580740	2.00E-04	0.047904
1.69E+11	1659140	2.10E-04	0.050299
1.77E+11	1738520	2.20E-04	0.052695
1.86E+11	1817900	2.30E-04	0.05509
1.94E+11	1896300	2.40E-04	0.057485
2.02E+11	1975680	2.50E-04	0.05988
2.10E+11	2054080	2.60E-04	0.062275
2.18E+11	2133460	2.70E-04	0.064671
2.26E+11	2212840	2.80E-04	0.067066
2.34E+11	2291240	2.90E-04	0.069461
2.42E+11	2370620	3.00E-04	0.071856
2.50E+11	2450000	3.10E-04	0.074251
2.58E+11	2528400	3.20E-04	0.076647
2.66E+11	2607780	3.30E-04	0.079042
2.74E+11	2686180	3.40E-04	0.081437

2717540	3.50E-04	0.083832	2.82E+11	2765560	3.50E-04	0.083832
2794960	3.60E-04	0.086228	2.90E+11	2844940	3.60E-04	0.086228
2872380	3.70E-04	0.088623	2.98E+11	2923340	3.70E-04	0.088623
2950780	3.80E-04	0.091018	3.06E+11	3002720	3.80E-04	0.091018
3028200	3.90E-04	0.093413	3.14E+11	3081120	3.90E-04	0.093413
3105620	4.00E-04	0.095808	3.23E+11	3160500	4.00E-04	0.095808
3183040	4.10E-04	0.098204	3.31E+11	3239880	4.10E-04	0.098204
3260460	4.20E-04	0.100599	3.39E+11	3318280	4.20E-04	0.100599
3337880	4.30E-04	0.102994	3.47E+11	3397660	4.30E-04	0.102994
3416280	4.40E-04	0.105389	3.55E+11	3476060	4.40E-04	0.105389
3493700	4.50E-04	0.107784	3.63E+11	3555440	4.50E-04	0.107784
3571120	4.60E-04	0.11018	3.71E+11	3633840	4.60E-04	0.11018
3648540	4.70E-04	0.112575	3.79E+11	3713220	4.70E-04	0.112575
3725960	4.80E-04	0.11497	3.87E+11	3792600	4.80E-04	0.11497
3803380	4.90E-04	0.117365	3.95E+11	3871000	4.90E-04	0.117365
3880800	5.00E-04	0.11976	4.03E+11	3950380	5.00E-04	0.11976
3958220	5.10E-04	0.122156	4.11E+11	4028780	5.10E-04	0.122156
4036620	5.20E-04	0.124551	4.19E+11	4108160	5.20E-04	0.124551
4114040	5.30E-04	0.126946	4.27E+11	4186560	5.30E-04	0.126946
4191460	5.40E-04	0.129341	4.35E+11	4265940	5.40E-04	0.129341
4268880	5.50E-04	0.131737	4.43E+11	4345320	5.50E-04	0.131737
4346300	5.60E-04	0.134132	4.51E+11	4423720	5.60E-04	0.134132
4423720	5.70E-04	0.136527	4.59E+11	4502120	5.70E-04	0.136527
4500160	5.80E-04	0.138922	4.68E+11	4581500	5.80E-04	0.138922
4577580	5.90E-04	0.141317	4.76E+11	4659900	5.90E-04	0.141317
4655000	6.00E-04	0.143713	4.84E+11	4739280	6.00E-04	0.143713
4731440	6.10E-04	0.146108	4.92E+11	4817680	6.10E-04	0.146108
4808860	6.20E-04	0.148503	5.00E+11	4896080	6.20E-04	0.148503
4885300	6.30E-04	0.150898	5.08E+11	4975460	6.30E-04	0.150898
4961740	6.40E-04	0.153293	5.16E+11	5052880	6.40E-04	0.153293
5037200	6.50E-04	0.155689	5.24E+11	5131280	6.50E-04	0.155689
5074440	6.55E-04	0.156838	5.32E+11	5209680	6.60E-04	0.158084
5131280	6.62E-04	0.158635	5.40E+11	5287100	6.70E-04	0.160479
5175380	6.69E-04	0.160192	5.48E+11	5365500	6.80E-04	0.162874
5233200	6.79E-04	0.162587	5.55E+11	5441940	6.90E-04	0.165269
5268480	6.85E-04	0.164024	5.63E+11	5518380	7.00E-04	0.167665
5325320	6.95E-04	0.166419	5.71E+11	5594820	7.10E-04	0.17006
5341000	6.98E-04	0.16709	5.79E+11	5670280	7.20E-04	0.172455
5396860	7.08E-04	0.169485	5.82E+11	5700660	7.24E-04	0.173437
5408620	7.10E-04	0.169988	5.88E+11	5757500	7.32E-04	0.175353
5460560	7.20E-04	0.172383	5.92E+11	5800620	7.39E-04	0.177054
5509560	7.29E-04	0.174587	5.96E+11	5838840	7.47E-04	0.178898
5554640	7.38E-04	0.176814	5.99E+11	5867260	7.54E-04	0.180479
5601680	7.48E-04	0.17921	6.02E+11	5894700	7.60E-04	0.182084
5603640	7.49E-04	0.179329	6.05E+11	5932920	7.70E-04	0.184479
5648720	7.59E-04	0.181725	6.08E+11	5961340	7.78E-04	0.186275
5664400	7.62E-04	0.182539	6.12E+11	5996620	7.88E-04	0.188671
5691840	7.68E-04	0.184048	6.14E+11	6014260	7.93E-04	0.189892


5729080	7.78E-04	0.186251	6.17E+11	6047580	8.03E-04	0.192287
5760440	7.86E-04	0.188263	6.17E+11	6048560	8.03E-04	0.192407
5790820	7.94E-04	0.190251	6.20E+11	6076980	8.13E-04	0.194802
5825120	8.04E-04	0.192647	6.21E+11	6085800	8.16E-04	0.195545
5826100	8.04E-04	0.192671	6.23E+11	6109320	8.26E-04	0.19794
5853540	8.14E-04	0.19485	6.26E+11	6132840	8.36E-04	0.200335
5879020	8.23E-04	0.19703	6.28E+11	6155380	8.46E-04	0.202731
5899600	8.31E-04	0.198922	6.28E+11	6158320	8.48E-04	0.20309
5922140	8.41E-04	0.201317	6.30E+11	6177920	8.58E-04	0.205485
5926060	8.42E-04	0.201725	6.32E+11	6192620	8.66E-04	0.207401
5946640	8.52E-04	0.20412	6.34E+11	6211240	8.76E-04	0.209796
5957420	8.58E-04	0.205389	6.35E+11	6223980	8.82E-04	0.211353
5975060	8.68E-04	0.207784	6.37E+11	6240640	8.92E-04	0.213749
5978980	8.70E-04	0.208335	6.39E+11	6257300	9.02E-04	0.216144
5992700	8.80E-04	0.210731	6.39E+11	6265140	9.08E-04	0.217365
5993680	8.80E-04	0.210754	6.41E+11	6276900	9.15E-04	0.219234
6005440	8.90E-04	0.21315	6.42E+11	6289640	9.25E-04	0.221629
6010340	8.94E-04	0.214108	6.43E+11	6302380	9.35E-04	0.224024
6021120	9.04E-04	0.216503	6.44E+11	6315120	9.45E-04	0.226419
6027980	9.10E-04	0.217892	6.45E+11	6321000	9.50E-04	0.227497
6037780	9.20E-04	0.220287	6.46E+11	6331780	9.60E-04	0.229892
6039740	9.21E-04	0.220695	6.47E+11	6335700	9.64E-04	0.230778
6048560	9.31E-04	0.22309	6.48E+11	6345500	9.74E-04	0.233174
6048560	9.32E-04	0.223257	6.48E+11	6351380	9.81E-04	0.234946
6057380	9.42E-04	0.225653	6.49E+11	6359220	9.91E-04	0.237341
6060320	9.46E-04	0.226659	6.49E+11	6362160	9.94E-04	0.238108
6066200	9.55E-04	0.228719	6.50E+11	6367060	1.00E-03	0.240479
6070120	9.65E-04	0.231114	6.50E+11	6372940	1.01E-03	0.242874
6074040	9.75E-04	0.233509	6.51E+11	6378820	1.02E-03	0.245269
6074040	9.76E-04	0.233701	6.51E+11	6380780	1.03E-03	0.245749
6076000	9.86E-04	0.236096	6.52E+11	6385680	1.04E-03	0.248144
6076980	9.90E-04	0.23715	6.52E+11	6390580	1.05E-03	0.250539
6077960	1.00E-03	0.239521	6.52E+11	6390580	1.05E-03	0.251018
6077960	1.01E-03	0.240719	6.53E+11	6394500	1.06E-03	0.253413
6077960	1.01E-03	0.242156	6.53E+11	6398420	1.07E-03	0.255808
6077960	1.02E-03	0.244311	6.53E+11	6401360	1.08E-03	0.258204
6076980	1.03E-03	0.246707	6.54E+11	6405280	1.09E-03	0.260599
6076000	1.03E-03	0.247665	6.54E+11	6409200	1.10E-03	0.262994
6075020	1.04E-03	0.249341	6.54E+11	6413120	1.11E-03	0.265389
6073060	1.05E-03	0.251737	6.55E+11	6416060	1.12E-03	0.267305
6072080	1.05E-03	0.252216	6.55E+11	6419980	1.13E-03	0.269701
6070120	1.06E-03	0.254611	6.55E+11	6422920	1.14E-03	0.272096
6068160	1.07E-03	0.255808	6.56E+11	6425860	1.15E-03	0.274491
6064240	1.08E-03	0.257964	6.56E+11	6427820	1.16E-03	0.276886
6059340	1.09E-03	0.260359	6.56E+11	6428800	1.16E-03	0.277844
6059340	1.09E-03	0.260359	6.56E+11	6430760	1.17E-03	0.28024
6054440	1.10E-03	0.262515	6.56E+11	6432720	1.18E-03	0.282635
6047580	1.11E-03	0.26491	6.57E+11	6433700	1.19E-03	0.284311

6047580	1.11E-03	0.26515	6.57E+11	6434680	1.20E-03	0.286707
6041700	1.12E-03	0.267545	6.57E+11	6434680	1.21E-03	0.289102
6040720	1.12E-03	0.267784	6.57E+11	6435660	1.22E-03	0.291497
6034840	1.13E-03	0.26994	6.57E+11	6436640	1.22E-03	0.293174
6027000	1.14E-03	0.272335	6.57E+11	6438600	1.23E-03	0.295569
6020140	1.15E-03	0.274731	6.57E+11	6439580	1.24E-03	0.297964
6012300	1.16E-03	0.277126	6.57E+11	6441540	1.25E-03	0.300359
6004460	1.17E-03	0.279521	6.57E+11	6441540	1.26E-03	0.300599
6001520	1.17E-03	0.28024	6.58E+11	6443500	1.27E-03	0.302994
5993680	1.18E-03	0.282395	6.58E+11	6444480	1.28E-03	0.305389
5986820	1.19E-03	0.284311	6.58E+11	6446440	1.29E-03	0.307784
5977020	1.20E-03	0.286707	6.58E+11	6448400	1.30E-03	0.31018
5976040	1.20E-03	0.286946	6.58E+11	6450360	1.31E-03	0.312575
5965260	1.21E-03	0.289341	6.58E+11	6452320	1.31E-03	0.314731
5960360	1.21E-03	0.290539	6.59E+11	6453300	1.32E-03	0.317126
5949580	1.22E-03	0.292934	6.59E+11	6454280	1.33E-03	0.318084
5939780	1.23E-03	0.295329	6.59E+11	6455260	1.34E-03	0.320479
5935860	1.24E-03	0.296287	6.59E+11	6455260	1.35E-03	0.322874
5927040	1.25E-03	0.298683	6.59E+11	6455260	1.36E-03	0.325269
5917240	1.26E-03	0.301078	6.59E+11	6456240	1.37E-03	0.327665
5908420	1.27E-03	0.303473	6.59E+11	6456240	1.38E-03	0.33006
5904500	1.27E-03	0.304671	6.59E+11	6456240	1.39E-03	0.332455
5895680	1.28E-03	0.307066	6.59E+11	6457220	1.40E-03	0.33485
5889800	1.29E-03	0.308503	6.59E+11	6457220	1.40E-03	0.33485
5877060	1.30E-03	0.310898	6.59E+11	6457220	1.41E-03	0.337246
5871180	1.30E-03	0.312096	6.59E+11	6458200	1.42E-03	0.339641
5861380	1.31E-03	0.314491	6.59E+11	6458200	1.43E-03	0.342036
5849620	1.32E-03	0.316886	6.59E+11	6459180	1.44E-03	0.344431
5849620	1.32E-03	0.316886	6.59E+11	6459180	1.45E-03	0.346826
5837860	1.33E-03	0.319281	6.59E+11	6459180	1.46E-03	0.349222
5836880	1.33E-03	0.319521	6.59E+11	6459180	1.47E-03	0.351617
5825120	1.34E-03	0.321916	6.59E+11	6459180	1.47E-03	0.351856
5825120	1.34E-03	0.321916	6.59E+11	6460160	1.48E-03	0.354251
5814340	1.35E-03	0.324311	6.59E+11	6460160	1.49E-03	0.356647
5802580	1.36E-03	0.326707	6.59E+11	6460160	1.50E-03	0.359042
5791800	1.37E-03	0.329102	6.59E+11	6460160	1.51E-03	0.360958
5790820	1.38E-03	0.329341	6.59E+11	6460160	1.52E-03	0.363353
5779060	1.39E-03	0.331737	6.59E+11	6460160	1.53E-03	0.365749
5771220	1.39E-03	0.333653	6.59E+11	6460160	1.54E-03	0.368144
5762400	1.40E-03	0.335569	6.59E+11	6459180	1.55E-03	0.370539
5752600	1.41E-03	0.337964	6.59E+11	6459180	1.56E-03	0.372934
5750640	1.41E-03	0.338204	6.59E+11	6459180	1.57E-03	0.375329
5739860	1.42E-03	0.340599	6.59E+11	6459180	1.58E-03	0.377725
5730060	1.43E-03	0.342994	6.59E+11	6458200	1.59E-03	0.38012
5725160	1.44E-03	0.344192	6.59E+11	6458200	1.59E-03	0.380359
5714380	1.45E-03	0.346587	6.59E+11	6457220	1.60E-03	0.382754
5703600	1.46E-03	0.348982	6.59E+11	6458200	1.61E-03	0.38515
5692820	1.47E-03	0.351377	6.59E+11	6458200	1.61E-03	0.385389

5685960	1.47E-03	0.352814	6.58E+11	6451340	1.62E-03	0.387784
5675180	1.48E-03	0.35521	6.56E+11	6426840	1.63E-03	0.389701
5664400	1.49E-03	0.357605	6.52E+11	6389600	1.63E-03	0.391377
5653620	1.50E-03	0.36	6.47E+11	6337660	1.64E-03	0.393772
5647740	1.51E-03	0.361437	6.46E+11	6330800	1.65E-03	0.394251
5636960	1.52E-03	0.363832	6.42E+11	6295520	1.66E-03	0.396647
5633040	1.52E-03	0.364551	6.42E+11	6292580	1.66E-03	0.396886
5622260	1.53E-03	0.366946	6.40E+11	6275920	1.66E-03	0.398323
5617360	1.54E-03	0.367904	6.38E+11	6248480	1.67E-03	0.400719
5608540	1.54E-03	0.36982	6.37E+11	6242600	1.68E-03	0.401198
5597760	1.55E-03	0.372216	6.34E+11	6214180	1.68E-03	0.403353
5597760	1.55E-03	0.372216	6.30E+11	6173020	1.69E-03	0.405749
5586980	1.56E-03	0.374611	6.28E+11	6154400	1.70E-03	0.406946
5575220	1.57E-03	0.377006	6.25E+11	6120100	1.71E-03	0.409341
5571300	1.58E-03	0.377964	6.24E+11	6119120	1.71E-03	0.409581
5560520	1.59E-03	0.380359	6.21E+11	6086780	1.72E-03	0.411976
5550720	1.60E-03	0.382754	6.18E+11	6057380	1.73E-03	0.414371
5550720	1.60E-03	0.382754	6.15E+11	6026020	1.74E-03	0.416766
5540920	1.61E-03	0.38515	6.12E+11	5999560	1.75E-03	0.419162
5539940	1.61E-03	0.385389	6.10E+11	5974080	1.76E-03	0.421557
5530140	1.62E-03	0.387784	6.09E+11	5966240	1.76E-03	0.422275
5520340	1.63E-03	0.39018	6.07E+11	5946640	1.77E-03	0.423952
5511520	1.64E-03	0.392575	6.04E+11	5919200	1.78E-03	0.426347
5503680	1.65E-03	0.394491	6.01E+11	5890780	1.79E-03	0.428743
5493880	1.66E-03	0.396886	5.98E+11	5864320	1.80E-03	0.431138
5485060	1.67E-03	0.399281	5.96E+11	5839820	1.81E-03	0.433533
5476240	1.68E-03	0.401677	5.94E+11	5817280	1.82E-03	0.435928
5467420	1.69E-03	0.404072	5.91E+11	5793760	1.83E-03	0.438323
5465460	1.69E-03	0.40479	5.90E+11	5777100	1.84E-03	0.44024
5456640	1.70E-03	0.407186	5.87E+11	5755540	1.85E-03	0.442635
5447820	1.71E-03	0.409581	5.85E+11	5733980	1.86E-03	0.44503
5439000	1.72E-03	0.411976	5.83E+11	5713400	1.87E-03	0.447425
5431160	1.73E-03	0.414371	5.81E+11	5692820	1.88E-03	0.44982
5422340	1.74E-03	0.416766	5.79E+11	5673220	1.89E-03	0.452216
5415480	1.75E-03	0.418683	5.77E+11	5654600	1.90E-03	0.454611
5407640	1.76E-03	0.421078	5.75E+11	5636960	1.91E-03	0.457006
5399800	1.77E-03	0.423473	5.73E+11	5618340	1.92E-03	0.459401
5391960	1.78E-03	0.425868	5.72E+11	5601680	1.93E-03	0.461796
5384120	1.79E-03	0.428263	5.70E+11	5586000	1.94E-03	0.464192
5376280	1.80E-03	0.430659	5.68E+11	5569340	1.95E-03	0.466587
5368440	1.81E-03	0.433054	5.67E+11	5552680	1.96E-03	0.468982
5367460	1.81E-03	0.433533	5.65E+11	5536020	1.97E-03	0.471377
5359620	1.82E-03	0.435928	5.63E+11	5521320	1.98E-03	0.473772
5351780	1.83E-03	0.438323	5.62E+11	5506620	1.99E-03	0.476168
5344920	1.84E-03	0.440719	5.60E+11	5491920	2.00E-03	0.478563
5337080	1.85E-03	0.443114	5.59E+11	5477220	2.01E-03	0.480958
5330220	1.86E-03	0.445509	5.58E+11	5463500	2.02E-03	0.483353
5323360	1.87E-03	0.447904	5.56E+11	5449780	2.03E-03	0.485749


5316500	1.88E-03	0.45006	5.55E+11	5436060	2.04E-03	0.488144
5310620	1.89E-03	0.452216	5.54E+11	5425280	2.05E-03	0.49006
5302780	1.90E-03	0.454611	5.52E+11	5411560	2.06E-03	0.492455
5295920	1.91E-03	0.457006	5.51E+11	5394900	2.07E-03	0.49485
5289060	1.92E-03	0.459401	5.49E+11	5380200	2.08E-03	0.497246
5282200	1.93E-03	0.461796	5.48E+11	5366480	2.09E-03	0.499641
5275340	1.94E-03	0.464192	5.46E+11	5352760	2.10E-03	0.502036
5268480	1.95E-03	0.466587	5.45E+11	5340020	2.11E-03	0.504431
5265540	1.95E-03	0.467545	5.44E+11	5334140	2.11E-03	0.505629
5258680	1.96E-03	0.46994	5.43E+11	5318460	2.12E-03	0.508024
5251820	1.97E-03	0.472335	5.41E+11	5304740	2.13E-03	0.510419
5244960	1.98E-03	0.474731	5.40E+11	5291020	2.14E-03	0.512814
5238100	1.99E-03	0.477126	5.39E+11	5277300	2.15E-03	0.51521
5232220	2.00E-03	0.479521	5.37E+11	5265540	2.16E-03	0.517605
5231240	2.00E-03	0.47976	5.36E+11	5252800	2.17E-03	0.52
5225360	2.01E-03	0.482156	5.35E+11	5241040	2.18E-03	0.522395
5218500	2.02E-03	0.484551	5.34E+11	5228300	2.19E-03	0.52479
5211640	2.03E-03	0.486946	5.32E+11	5216540	2.20E-03	0.527186
5204780	2.04E-03	0.489341	5.31E+11	5204780	2.21E-03	0.529581
5197920	2.05E-03	0.491737	5.30E+11	5193020	2.22E-03	0.531976
5192040	2.06E-03	0.494132	5.29E+11	5181260	2.23E-03	0.534371
5185180	2.07E-03	0.496527	5.28E+11	5170480	2.24E-03	0.536766
5180280	2.08E-03	0.498683	5.26E+11	5158720	2.25E-03	0.539162
5174400	2.09E-03	0.500838	5.25E+11	5146960	2.26E-03	0.541557
5167540	2.10E-03	0.503234	5.24E+11	5136180	2.27E-03	0.543952
5160680	2.11E-03	0.505629	5.23E+11	5124420	2.28E-03	0.546347
5154800	2.12E-03	0.508024	5.22E+11	5113640	2.29E-03	0.548743
5147940	2.13E-03	0.510419	5.21E+11	5103840	2.30E-03	0.551138
5141080	2.14E-03	0.512814	5.20E+11	5093060	2.31E-03	0.553533
5134220	2.15E-03	0.51521	5.19E+11	5082280	2.32E-03	0.555928
5127360	2.16E-03	0.517605	5.18E+11	5071500	2.33E-03	0.558323
5120500	2.17E-03	0.52	5.17E+11	5061700	2.34E-03	0.560719
5113640	2.18E-03	0.522395	5.15E+11	5050920	2.35E-03	0.563114
5107760	2.19E-03	0.52479	5.14E+11	5041120	2.36E-03	0.565509
5100900	2.20E-03	0.527186	5.13E+11	5031320	2.37E-03	0.567904
5095020	2.21E-03	0.529581	5.12E+11	5021520	2.38E-03	0.570299
5089140	2.22E-03	0.531976	5.12E+11	5012700	2.39E-03	0.572695
5083260	2.23E-03	0.534371	5.11E+11	5005840	2.40E-03	0.574611
5077380	2.24E-03	0.536766	5.10E+11	4996040	2.41E-03	0.577006
5071500	2.25E-03	0.539162	5.09E+11	4986240	2.42E-03	0.579401
5065620	2.26E-03	0.541557	5.08E+11	4977420	2.43E-03	0.581796
5060720	2.27E-03	0.543713	5.07E+11	4968600	2.44E-03	0.584192
5055820	2.28E-03	0.545629	5.06E+11	4959780	2.45E-03	0.586587
5045040	2.29E-03	0.548024	5.05E+11	4950960	2.46E-03	0.588982
5037200	2.30E-03	0.550419	5.04E+11	4942140	2.47E-03	0.591377
5028380	2.31E-03	0.552814	5.03E+11	4933320	2.48E-03	0.593772
5020540	2.32E-03	0.55521	5.03E+11	4924500	2.49E-03	0.596168
5012700	2.33E-03	0.557605	5.02E+11	4916660	2.50E-03	0.598563

5004860	2.34E-03	0.56
4998000	2.35E-03	0.562395
4991140	2.36E-03	0.56479
4984280	2.37E-03	0.567186
4977420	2.38E-03	0.569581
4971540	2.39E-03	0.571976
4964680	2.40E-03	0.574371
4958800	2.41E-03	0.576766
4952920	2.42E-03	0.579162
4947040	2.43E-03	0.581557
4941160	2.44E-03	0.583952
4935280	2.45E-03	0.586347
4929400	2.46E-03	0.588743
4923520	2.47E-03	0.591138
4917640	2.48E-03	0.593533
4912740	2.49E-03	0.595928
0	0.00E+00	
-7773.36	-1.00E-06	-0.00024
-15542.8	-2.00E-06	-0.000479
-23304.4	-3.00E-06	-0.000719



-853972	-1.10E-04	-0.026347
-931588	-1.20E-04	-0.028743
-1009400	-1.30E-04	-0.031138
-1086820	-1.40E-04	-0.033533
-1164240	-1.50E-04	-0.035928
-1241660	-1.60E-04	-0.038323
-1319080	-1.70E-04	-0.040719
-1396500	-1.80E-04	-0.043114
-1472940	-1.90E-04	-0.045509
-1550360	-2.00E-04	-0.047904
-1627780	-2.10E-04	-0.050299
-1704220	-2.20E-04	-0.052695

5.01E+11	4907840	2.51E-03	0.600958
5.00E+11	4900000	2.52E-03	0.603353
4.99E+11	4892160	2.53E-03	0.605749
4.98E+11	4883340	2.54E-03	0.608144
4.98E+11	4875500	2.55E-03	0.610539
4.97E+11	4868640	2.56E-03	0.612934
4.96E+11	4860800	2.57E-03	0.615329
4.95E+11	4852960	2.58E-03	0.617725
4.94E+11	4845120	2.59E-03	0.62012
4.94E+11	4837280	2.60E-03	0.622515
4.93E+11	4829440	2.61E-03	0.62491
4.92E+11	4822580	2.62E-03	0.627305
4.91E+11	4814740	2.63E-03	0.629701
4.91E+11	4807880	2.64E-03	0.632096
4.90E+11	4800040	2.65E-03	0.634491
4.89E+11	4793180	2.66E-03	0.636886
0.00E+00	0	0.00E+00	
###	-7906.64	-1.00E-06	-0.00024
###	-15807.4	-2.00E-06	-0.000479
###	-23706.2	-3.00E-06	-0.000719



###	-868280	-1.10E-04	-0.026347
###	-946974	-1.20E-04	-0.028743
###	-1026060	-1.30E-04	-0.031138
###	-1104460	-1.40E-04	-0.033533
###	-1182860	-1.50E-04	-0.035928
###	-1262240	-1.60E-04	-0.038323
###	-1340640	-1.70E-04	-0.040719
###	-1419040	-1.80E-04	-0.043114
###	-1497440	-1.90E-04	-0.045509
###	-1575840	-2.00E-04	-0.047904
###	-1655220	-2.10E-04	-0.050299
###	-1733620	-2.20E-04	-0.052695

-1781640 -2.30E-04 -0.05509
-1859060 -2.40E-04 -0.057485
-1935500 -2.50E-04 -0.05988
-2012920 -2.60E-04 -0.062275
-2090340 -2.70E-04 -0.064671
-2166780 -2.80E-04 -0.067066
-2244200 -2.90E-04 -0.069461
-2321620 -3.00E-04 -0.071856
-2398060 -3.10E-04 -0.074251
-2475480 -3.20E-04 -0.076647
-2551920 -3.30E-04 -0.079042
-2629340 -3.40E-04 -0.081437
-2705780 -3.50E-04 -0.083832
-2783200 -3.60E-04 -0.086228
-2859640 -3.70E-04 -0.088623
-2937060 -3.80E-04 -0.091018
-3013500 -3.90E-04 -0.093413
-3090920 -4.00E-04 -0.095808
-3167360 -4.10E-04 -0.098204
-3244780 -4.20E-04 -0.100599
-3321220 -4.30E-04 -0.102994
-3397660 -4.40E-04 -0.105389
-3475080 -4.50E-04 -0.107784
-3551520 -4.60E-04 -0.11018
-3626980 -4.70E-04 -0.112575
-3703420 -4.80E-04 -0.11497
-3779860 -4.90E-04 -0.117365
-3855320 -5.00E-04 -0.11976
-3929800 -5.10E-04 -0.122156
-4005260 -5.20E-04 -0.124551
-4079740 -5.30E-04 -0.126946
-4154220 -5.40E-04 -0.129341
-4228700 -5.50E-04 -0.131737
-4303180 -5.60E-04 -0.134132
-4376680 -5.70E-04 -0.136527
-4450180 -5.80E-04 -0.138922
-4522700 -5.90E-04 -0.141317
-4566800 -5.96E-04 -0.142802
-4638340 -6.06E-04 -0.145198
-4688320 -6.13E-04 -0.146874
-4757900 -6.23E-04 -0.149269
-4778480 -6.26E-04 -0.150012
-4819640 -6.33E-04 -0.151497
-4861780 -6.39E-04 -0.153102
-4886280 -6.45E-04 -0.154443
-4921560 -6.55E-04 -0.156838
-4931360 -6.58E-04 -0.157509
-4949000 -6.63E-04 -0.15885

-1812020 -2.30E-04 -0.05509
-1890420 -2.40E-04 -0.057485
-1968820 -2.50E-04 -0.05988
-2047220 -2.60E-04 -0.062275
-2124640 -2.70E-04 -0.064671
-2203040 -2.80E-04 -0.067066
-2281440 -2.90E-04 -0.069461
-2359840 -3.00E-04 -0.071856
-2438240 -3.10E-04 -0.074251
-2516640 -3.20E-04 -0.076647
-2595040 -3.30E-04 -0.079042
-2672460 -3.40E-04 -0.081437
-2750860 -3.50E-04 -0.083832
-2829260 -3.60E-04 -0.086228
-2907660 -3.70E-04 -0.088623
-2985080 -3.80E-04 -0.091018
-3063480 -3.90E-04 -0.093413
-3141880 -4.00E-04 -0.095808
-3219300 -4.10E-04 -0.098204
-3297700 -4.20E-04 -0.100599
-3375120 -4.30E-04 -0.102994
-3453520 -4.40E-04 -0.105389
-3530940 -4.50E-04 -0.107784
-3609340 -4.60E-04 -0.11018
-3686760 -4.70E-04 -0.112575
-3765160 -4.80E-04 -0.11497
-3842580 -4.90E-04 -0.117365
-3920000 -5.00E-04 -0.11976
-3997420 -5.10E-04 -0.122156
-4074840 -5.20E-04 -0.124551
-4151280 -5.30E-04 -0.126946
-4227720 -5.40E-04 -0.129341
-4304160 -5.50E-04 -0.131737
-4379620 -5.60E-04 -0.134132
-4455080 -5.70E-04 -0.136527
-4530540 -5.80E-04 -0.138922
-4606000 -5.90E-04 -0.141317
-4680480 -6.00E-04 -0.143713
-4754960 -6.10E-04 -0.146108
-4828460 -6.20E-04 -0.148503
-4901960 -6.30E-04 -0.150898
-4974480 -6.40E-04 -0.153293
-4986240 -6.42E-04 -0.153677
-5057780 -6.52E-04 -0.156072
-5129320 -6.62E-04 -0.158467
-5166560 -6.67E-04 -0.159737
-5236140 -6.77E-04 -0.162132
-5275340 -6.83E-04 -0.163521

-4969580	-6.71E-04	-0.160647	###	-5327280	-6.91E-04	-0.165389
-4984280	-6.76E-04	-0.16194	###	-5369420	-6.97E-04	-0.166994
-5007800	-6.86E-04	-0.164335	###	-5406660	-7.05E-04	-0.16891
-5015640	-6.89E-04	-0.165126	###	-5423320	-7.12E-04	-0.170539
-5026420	-6.95E-04	-0.166419	###	-5427240	-7.18E-04	-0.171928
-5037200	-7.00E-04	-0.167593	###	-5426260	-7.26E-04	-0.173772
-5057780	-7.10E-04	-0.169988	###	-5423320	-7.31E-04	-0.17497
-5071500	-7.18E-04	-0.17188	###	-5410580	-7.41E-04	-0.177365
-5083260	-7.26E-04	-0.173916	###	-5391960	-7.51E-04	-0.17976
-5086200	-7.34E-04	-0.175856	###	-5390980	-7.51E-04	-0.179832
-5081300	-7.41E-04	-0.177389	###	-5371380	-7.61E-04	-0.182228
-5066600	-7.49E-04	-0.179497	###	-5358640	-7.67E-04	-0.183737
-5050920	-7.56E-04	-0.181006	###	-5331200	-7.77E-04	-0.186132
-5022500	-7.66E-04	-0.183401	###	-5299840	-7.87E-04	-0.188527
-5011720	-7.70E-04	-0.184431	###	-5295920	-7.88E-04	-0.188743
-4987220	-7.80E-04	-0.186731	###	-5248880	-7.98E-04	-0.191138
-4966640	-7.90E-04	-0.189126	###	-5247900	-7.98E-04	-0.191186
-4962720	-7.93E-04	-0.18982	###	-5212620	-8.04E-04	-0.192479
-4946060	-8.03E-04	-0.192216	###	-5133240	-8.14E-04	-0.194874
-4944100	-8.05E-04	-0.19279	###	-5027400	-8.24E-04	-0.197269
-4933320	-8.14E-04	-0.19485	###	-4944100	-8.31E-04	-0.198994
-4921560	-8.22E-04	-0.196958	###	-4837280	-8.41E-04	-0.201389
-4909800	-8.30E-04	-0.198778	###	-4745160	-8.51E-04	-0.203784
-4899020	-8.37E-04	-0.200479	###	-4667740	-8.61E-04	-0.20618
-4882360	-8.47E-04	-0.202874	###	-4606980	-8.71E-04	-0.208575
-4875500	-8.51E-04	-0.203904	###	-4589340	-8.74E-04	-0.209365
-4854920	-8.61E-04	-0.206299	###	-4543280	-8.84E-04	-0.21176
-4830420	-8.71E-04	-0.208695	###	-4501140	-8.94E-04	-0.214156
-4802980	-8.81E-04	-0.21109	###	-4465860	-9.04E-04	-0.216551
-4796120	-8.84E-04	-0.211713	###	-4434500	-9.14E-04	-0.218946
-4766720	-8.93E-04	-0.213988	###	-4404120	-9.24E-04	-0.221341
-4724580	-9.03E-04	-0.216383	###	-4377660	-9.34E-04	-0.223737
-4686360	-9.12E-04	-0.218491	###	-4352180	-9.44E-04	-0.226132
-4658920	-9.18E-04	-0.219976	###	-4328660	-9.54E-04	-0.228527
-4608940	-9.28E-04	-0.222371	###	-4307100	-9.64E-04	-0.230922
-4598160	-9.31E-04	-0.222898	###	-4285540	-9.74E-04	-0.233317
-4539360	-9.41E-04	-0.225293	###	-4263980	-9.84E-04	-0.235713
-4489380	-9.51E-04	-0.227689	###	-4245360	-9.94E-04	-0.238108
-4447240	-9.61E-04	-0.230084	###	-4225760	-1.00E-03	-0.240479
-4410980	-9.71E-04	-0.232479	###	-4207140	-1.01E-03	-0.242874
-4410980	-9.71E-04	-0.232503	###	-4188520	-1.02E-03	-0.245269
-4378640	-9.81E-04	-0.234898	###	-4171860	-1.03E-03	-0.247665
-4352180	-9.91E-04	-0.237293	###	-4154220	-1.04E-03	-0.25006
-4326700	-1.00E-03	-0.23976	###	-4137560	-1.05E-03	-0.252455
-4303180	-1.01E-03	-0.242156	###	-4120900	-1.06E-03	-0.25485
-4298280	-1.01E-03	-0.242635	###	-4105220	-1.07E-03	-0.257246
-4283580	-1.02E-03	-0.244311	###	-4088560	-1.08E-03	-0.259641
-4263000	-1.03E-03	-0.246707	###	-4072880	-1.09E-03	-0.262036

-4243400	-1.04E-03	-0.249102	###	-4057200	-1.10E-03	-0.264431
-4230660	-1.05E-03	-0.250778	###	-4041520	-1.11E-03	-0.266826
-4213020	-1.06E-03	-0.253174	###	-4025840	-1.12E-03	-0.269222
-4195380	-1.07E-03	-0.255569	###	-4010160	-1.13E-03	-0.271617
-4178720	-1.08E-03	-0.257964	###	-3994480	-1.14E-03	-0.274012
-4163040	-1.09E-03	-0.260359	###	-3978800	-1.15E-03	-0.276407
-4147360	-1.10E-03	-0.262754	###	-3964100	-1.16E-03	-0.278802
-4132660	-1.11E-03	-0.26515	###	-3948420	-1.17E-03	-0.281198
-4117960	-1.12E-03	-0.267545	###	-3931760	-1.18E-03	-0.283593
-4103260	-1.13E-03	-0.26994	###	-3916080	-1.19E-03	-0.285988
-4089540	-1.14E-03	-0.272335	###	-3900400	-1.20E-03	-0.288383
-4076800	-1.15E-03	-0.274731	###	-3883740	-1.21E-03	-0.290778
-4063080	-1.16E-03	-0.277126	###	-3867080	-1.22E-03	-0.293174
-4050340	-1.17E-03	-0.279521	###	-3849440	-1.23E-03	-0.295569
-4037600	-1.18E-03	-0.281916	###	-3833760	-1.24E-03	-0.297964
-4024860	-1.19E-03	-0.284311	###	-3818080	-1.25E-03	-0.300359
-4012120	-1.20E-03	-0.286707	###	-3809260	-1.26E-03	-0.301796
-3999380	-1.21E-03	-0.289102	###	-3794560	-1.27E-03	-0.304192
-3987620	-1.22E-03	-0.291497	###	-3781820	-1.28E-03	-0.306587
-3974880	-1.23E-03	-0.293892	###	-3769080	-1.29E-03	-0.308982
-3963120	-1.24E-03	-0.296287	###	-3757320	-1.30E-03	-0.311377
-3950380	-1.25E-03	-0.298683	###	-3745560	-1.31E-03	-0.313772
-3937640	-1.26E-03	-0.301078	###	-3733800	-1.32E-03	-0.316168
-3925880	-1.27E-03	-0.303473	###	-3724000	-1.33E-03	-0.318563
-3913140	-1.28E-03	-0.305868	###	-3713220	-1.34E-03	-0.320958
-3899420	-1.29E-03	-0.308263	###	-3703420	-1.35E-03	-0.323353
-3885700	-1.30E-03	-0.310659	###	-3693620	-1.36E-03	-0.325749
-3871980	-1.31E-03	-0.313054	###	-3683820	-1.37E-03	-0.328144
-3857280	-1.32E-03	-0.315449	###	-3674020	-1.38E-03	-0.330539
-3841600	-1.33E-03	-0.317844	###	-3665200	-1.39E-03	-0.332934
-3826900	-1.34E-03	-0.32024	###	-3656380	-1.40E-03	-0.335329
-3811220	-1.35E-03	-0.322635	###	-3647560	-1.41E-03	-0.337725
-3798480	-1.36E-03	-0.32503	###	-3639720	-1.42E-03	-0.34012
-3784760	-1.37E-03	-0.327425	###	-3630900	-1.43E-03	-0.342515
-3771040	-1.38E-03	-0.32982	###	-3623060	-1.44E-03	-0.34491
-3759280	-1.39E-03	-0.332216	###	-3614240	-1.45E-03	-0.347305
-3748500	-1.40E-03	-0.334611	###	-3607380	-1.46E-03	-0.349701
-3737720	-1.41E-03	-0.337006	###	-3599540	-1.47E-03	-0.352096
-3727920	-1.42E-03	-0.339401	###	-3591700	-1.48E-03	-0.354491
-3718120	-1.43E-03	-0.341796	###	-3584840	-1.49E-03	-0.356886
-3708320	-1.44E-03	-0.344192	###	-3577000	-1.50E-03	-0.359281
-3699500	-1.45E-03	-0.346587	###	-3570140	-1.51E-03	-0.361677
-3690680	-1.46E-03	-0.348982	###	-3563280	-1.52E-03	-0.364072
-3681860	-1.47E-03	-0.351377	###	-3556420	-1.53E-03	-0.366467
-3674020	-1.48E-03	-0.353772	###	-3549560	-1.54E-03	-0.368862
-3665200	-1.49E-03	-0.356168	###	-3542700	-1.55E-03	-0.371257
-3657360	-1.50E-03	-0.358563	###	-3536820	-1.56E-03	-0.373653
-3653440	-1.50E-03	-0.36	###	-3530940	-1.57E-03	-0.376048

-3645600 -1.51E-03 -0.362395
-3637760 -1.52E-03 -0.36479
-3629920 -1.53E-03 -0.367186
-3623060 -1.54E-03 -0.369581
-3615220 -1.55E-03 -0.371976
-3608360 -1.56E-03 -0.374371
-3601500 -1.57E-03 -0.376766
-3594640 -1.58E-03 -0.379162
-3587780 -1.59E-03 -0.381557
-3581900 -1.60E-03 -0.383952
-3575040 -1.61E-03 -0.386347
-3569160 -1.62E-03 -0.388743
-3562300 -1.63E-03 -0.391138
-3557400 -1.64E-03 -0.393293
-3550540 -1.65E-03 -0.395689
-3544660 -1.66E-03 -0.398084
-3538780 -1.67E-03 -0.400479
-3532900 -1.68E-03 -0.402874
-3527020 -1.69E-03 -0.405269
-3522120 -1.70E-03 -0.407665
-3516240 -1.71E-03 -0.41006
-3511340 -1.72E-03 -0.412455
-3505460 -1.73E-03 -0.41485
-3500560 -1.74E-03 -0.417246
-3494680 -1.75E-03 -0.419641
-3489780 -1.76E-03 -0.422036
-3484880 -1.77E-03 -0.424431
-3479000 -1.78E-03 -0.426826
-3475080 -1.79E-03 -0.429222
-3470180 -1.80E-03 -0.431617
-3465280 -1.81E-03 -0.434012
-3460380 -1.82E-03 -0.436407
-3455480 -1.83E-03 -0.438802
-3450580 -1.84E-03 -0.441198
-3446660 -1.85E-03 -0.443593
-3441760 -1.86E-03 -0.445988
-3436860 -1.87E-03 -0.448383
-3432940 -1.88E-03 -0.450778
-3428040 -1.89E-03 -0.453174
-3425100 -1.90E-03 -0.45485
-3421180 -1.91E-03 -0.457246
-3416280 -1.92E-03 -0.459641
-3412360 -1.93E-03 -0.462036
-3408440 -1.94E-03 -0.464431
-3404520 -1.95E-03 -0.466826
-3400600 -1.96E-03 -0.469222
-3395700 -1.97E-03 -0.471617
-3391780 -1.98E-03 -0.474012

-3524080 -1.58E-03 -0.378443
-3518200 -1.59E-03 -0.380838
-3512320 -1.60E-03 -0.383234
-3505460 -1.61E-03 -0.385629
-3499580 -1.62E-03 -0.388024
-3494680 -1.63E-03 -0.390419
-3488800 -1.64E-03 -0.392814
-3482920 -1.65E-03 -0.39521
-3477040 -1.66E-03 -0.397605
-3472140 -1.67E-03 -0.4
-3466260 -1.68E-03 -0.402395
-3461360 -1.69E-03 -0.40479
-3455480 -1.70E-03 -0.407186
-3450580 -1.71E-03 -0.409581
-3445680 -1.72E-03 -0.411976
-3440780 -1.73E-03 -0.414371
-3435880 -1.74E-03 -0.416766
-3430980 -1.75E-03 -0.419162
-3426080 -1.76E-03 -0.421557
-3421180 -1.77E-03 -0.423952
-3416280 -1.78E-03 -0.426347
-3411380 -1.79E-03 -0.428743
-3406480 -1.80E-03 -0.431138
-3402560 -1.81E-03 -0.433533
-3397660 -1.82E-03 -0.435928
-3392760 -1.83E-03 -0.438323
-3388840 -1.84E-03 -0.440719
-3383940 -1.85E-03 -0.443114
-3380020 -1.86E-03 -0.445509
-3376100 -1.87E-03 -0.447904
-3371200 -1.88E-03 -0.450299
-3367280 -1.89E-03 -0.452695
-3363360 -1.90E-03 -0.45509
-3358460 -1.91E-03 -0.457485
-3354540 -1.92E-03 -0.45988
-3350620 -1.93E-03 -0.462275
-3346700 -1.94E-03 -0.464431
-3342780 -1.95E-03 -0.466826
-3338860 -1.96E-03 -0.469222
-3334940 -1.97E-03 -0.471617
-3331020 -1.98E-03 -0.474012
-3327100 -1.99E-03 -0.476407
-3323180 -2.00E-03 -0.478802
-3319260 -2.01E-03 -0.481198
-3315340 -2.02E-03 -0.483593
-3311420 -2.03E-03 -0.485988
-3307500 -2.04E-03 -0.488383
-3304560 -2.05E-03 -0.490778

-3387860 -1.99E-03 -0.476407
-3383940 -2.00E-03 -0.478802
-3380020 -2.01E-03 -0.481198
-3377080 -2.02E-03 -0.483593
-3373160 -2.03E-03 -0.485988
-3369240 -2.04E-03 -0.488383
-3365320 -2.05E-03 -0.490778
-3361400 -2.06E-03 -0.493174
-3358460 -2.07E-03 -0.495569
-3354540 -2.08E-03 -0.497964
-3350620 -2.09E-03 -0.500359
-3347680 -2.10E-03 -0.502754
-3343760 -2.11E-03 -0.50515
-3339840 -2.12E-03 -0.507545
-3336900 -2.13E-03 -0.50994
-3332980 -2.14E-03 -0.512335
-3330040 -2.15E-03 -0.514731
-3326120 -2.16E-03 -0.517126
-3323180 -2.17E-03 -0.519521
-3319260 -2.18E-03 -0.521916
-3316320 -2.19E-03 -0.524311
-3313380 -2.20E-03 -0.526707
-3309460 -2.21E-03 -0.529102
-3306520 -2.22E-03 -0.531497
-3303580 -2.23E-03 -0.533892
-3299660 -2.24E-03 -0.536287
-3296720 -2.25E-03 -0.538683
-3293780 -2.26E-03 -0.541078
-3292800 -2.26E-03 -0.542036
-3288880 -2.27E-03 -0.544431
-3285940 -2.28E-03 -0.546826
-3283000 -2.29E-03 -0.549222
-3280060 -2.30E-03 -0.551617
-3276140 -2.31E-03 -0.554012
-3273200 -2.32E-03 -0.556407
-3270260 -2.33E-03 -0.558802
-3267320 -2.34E-03 -0.561198
-3264380 -2.35E-03 -0.563593
-3261440 -2.36E-03 -0.565988
-3258500 -2.37E-03 -0.568383
-3255560 -2.38E-03 -0.570778
-3252620 -2.39E-03 -0.573174
-3249680 -2.40E-03 -0.575569
-3246740 -2.41E-03 -0.577964
-3243800 -2.42E-03 -0.580359
-3240860 -2.43E-03 -0.582754
-3239880 -2.44E-03 -0.583713
-3236940 -2.45E-03 -0.586108

-3300640 -2.06E-03 -0.493174
-3296720 -2.07E-03 -0.495569
-3292800 -2.08E-03 -0.497964
-3289860 -2.09E-03 -0.500359
-3285940 -2.10E-03 -0.502754
-3282020 -2.11E-03 -0.50515
-3279080 -2.12E-03 -0.507545
-3275160 -2.13E-03 -0.50994
-3272220 -2.14E-03 -0.512335
-3268300 -2.15E-03 -0.514731
-3265360 -2.16E-03 -0.517126
-3262420 -2.17E-03 -0.519521
-3258500 -2.18E-03 -0.521916
-3255560 -2.19E-03 -0.524311
-3251640 -2.20E-03 -0.526707
-3248700 -2.21E-03 -0.529102
-3247720 -2.21E-03 -0.529581
-3244780 -2.22E-03 -0.531976
-3241840 -2.23E-03 -0.534371
-3238900 -2.24E-03 -0.536766
-3234980 -2.25E-03 -0.539162
-3232040 -2.26E-03 -0.541557
-3229100 -2.27E-03 -0.543952
-3226160 -2.28E-03 -0.546347
-3223220 -2.29E-03 -0.548743
-3220280 -2.30E-03 -0.551138
-3217340 -2.31E-03 -0.553533
-3214400 -2.32E-03 -0.555928
-3210480 -2.33E-03 -0.558323
-3207540 -2.34E-03 -0.560719
-3204600 -2.35E-03 -0.563114
-3201660 -2.36E-03 -0.565509
-3198720 -2.37E-03 -0.567904
-3196760 -2.38E-03 -0.570299
-3193820 -2.39E-03 -0.572695
-3190880 -2.40E-03 -0.57509
-3187940 -2.41E-03 -0.577485
-3185000 -2.42E-03 -0.57988
-3182060 -2.43E-03 -0.582275
-3180100 -2.44E-03 -0.584671
-3177160 -2.45E-03 -0.587066
-3174220 -2.46E-03 -0.589461
-3171280 -2.47E-03 -0.591856
-3168340 -2.48E-03 -0.594251
-3166380 -2.49E-03 -0.596647
-3163440 -2.50E-03 -0.599042
-3160500 -2.51E-03 -0.601437
-3157560 -2.52E-03 -0.603832

-3234000 -2.46E-03 -0.588503
-3230080 -2.47E-03 -0.590898
-3227140 -2.48E-03 -0.593293
-3224200 -2.49E-03 -0.595689
-3221260 -2.50E-03 -0.598084
-3218320 -2.51E-03 -0.600479
-3215380 -2.52E-03 -0.602874
-3212440 -2.53E-03 -0.605269
-3209500 -2.54E-03 -0.607665
-3206560 -2.55E-03 -0.61006
-3204600 -2.56E-03 -0.612455
-3201660 -2.57E-03 -0.61485
-3198720 -2.58E-03 -0.617246
-3195780 -2.59E-03 -0.619641
-3192840 -2.60E-03 -0.622036
-3189900 -2.61E-03 -0.624431
-3186960 -2.62E-03 -0.626826
-3185000 -2.63E-03 -0.629222
-3182060 -2.64E-03 -0.631617
-3179120 -2.65E-03 -0.634012
-3176180 -2.66E-03 -0.636407
-3173240 -2.67E-03 -0.638802
-3171280 -2.68E-03 -0.641198
-3168340 -2.69E-03 -0.643593
-3165400 -2.70E-03 -0.645988
-3163440 -2.71E-03 -0.648383
-3160500 -2.72E-03 -0.650778
-3157560 -2.73E-03 -0.653174

-3155600 -2.53E-03 -0.606228
-3152660 -2.54E-03 -0.608623
-3149720 -2.55E-03 -0.611018
-3147760 -2.56E-03 -0.613413
-3144820 -2.57E-03 -0.615808
-3142860 -2.58E-03 -0.618204
-3139920 -2.59E-03 -0.620599
-3137960 -2.60E-03 -0.622994
-3135020 -2.61E-03 -0.625389
-3133060 -2.62E-03 -0.627784
-3130120 -2.63E-03 -0.63018
-3127180 -2.64E-03 -0.632575
-3125220 -2.65E-03 -0.63497
-3123260 -2.66E-03 -0.637365
-3120320 -2.67E-03 -0.63976
-3118360 -2.68E-03 -0.642156
-3115420 -2.69E-03 -0.644551
-3113460 -2.70E-03 -0.646946
-3110520 -2.71E-03 -0.649341
-3108560 -2.72E-03 -0.651737
-3106600 -2.73E-03 -0.654132
-3103660 -2.74E-03 -0.656527
-3101700 -2.75E-03 -0.658922
-3099740 -2.76E-03 -0.661317
-3096800 -2.77E-03 -0.663713
-3094840 -2.78E-03 -0.666108
-3092880 -2.79E-03 -0.668503
-3089940 -2.80E-03 -0.670898

Bulk Carrier (B1) Idchk = 2**70% damage**

frame space	4.175	9.80E-06	1000
Moment		Rotation	Curvature
7.92E+08	7761.6	1.00E-06	0.00024
1.58E+09	15513.4	2.00E-06	0.000479
2.38E+09	23275	3.00E-06	0.000719
3.17E+09	31026.8	4.00E-06	0.000958
3.96E+09	38788.4	5.00E-06	0.001198
4.75E+09	46540.2	6.00E-06	0.001437
5.54E+09	54301.8	7.00E-06	0.001677
6.33E+09	62053.6	8.00E-06	0.001916
7.12E+09	69815.2	9.00E-06	0.002156
7.92E+09	77567	1.00E-05	0.002395
1.58E+10	155134	2.00E-05	0.00479
2.37E+10	232652	3.00E-05	0.007186
3.17E+10	310268	4.00E-05	0.009581
3.96E+10	387786	5.00E-05	0.011976
4.75E+10	465402	6.00E-05	0.014371
5.54E+10	542920	7.00E-05	0.016766
6.33E+10	620536	8.00E-05	0.019162
7.12E+10	698054	9.00E-05	0.021557
7.92E+10	775670	1.00E-04	0.023952
8.71E+10	853188	1.10E-04	0.026347
9.50E+10	930804	1.20E-04	0.028743
1.03E+11	1008420	1.30E-04	0.031138
1.11E+11	1085840	1.40E-04	0.033533
1.19E+11	1163260	1.50E-04	0.035928
1.27E+11	1240680	1.60E-04	0.038323
1.35E+11	1318100	1.70E-04	0.040719
1.43E+11	1396500	1.80E-04	0.043114
1.50E+11	1473920	1.90E-04	0.045509
1.58E+11	1551340	2.00E-04	0.047904
1.66E+11	1628760	2.10E-04	0.050299
1.74E+11	1706180	2.20E-04	0.052695
1.82E+11	1783600	2.30E-04	0.05509
1.90E+11	1861020	2.40E-04	0.057485
1.98E+11	1938440	2.50E-04	0.05988
2.06E+11	2015860	2.60E-04	0.062275
2.14E+11	2093280	2.70E-04	0.064671
2.22E+11	2170700	2.80E-04	0.067066
2.29E+11	2248120	2.90E-04	0.069461
2.37E+11	2326520	3.00E-04	0.071856
2.45E+11	2403940	3.10E-04	0.074251
2.53E+11	2481360	3.20E-04	0.076647
2.61E+11	2558780	3.30E-04	0.079042
2.69E+11	2636200	3.40E-04	0.081437

2.77E+11	2713620	3.50E-04	0.083832
2.85E+11	2791040	3.60E-04	0.086228
2.93E+11	2868460	3.70E-04	0.088623
3.01E+11	2945880	3.80E-04	0.091018
3.09E+11	3023300	3.90E-04	0.093413
3.16E+11	3100720	4.00E-04	0.095808
3.24E+11	3178140	4.10E-04	0.098204
3.32E+11	3255560	4.20E-04	0.100599
3.40E+11	3332980	4.30E-04	0.102994
3.48E+11	3410400	4.40E-04	0.105389
3.56E+11	3487820	4.50E-04	0.107784
3.64E+11	3565240	4.60E-04	0.11018
3.72E+11	3642660	4.70E-04	0.112575
3.80E+11	3720080	4.80E-04	0.11497
3.88E+11	3797500	4.90E-04	0.117365
3.95E+11	3874920	5.00E-04	0.11976
4.03E+11	3952340	5.10E-04	0.122156
4.11E+11	4029760	5.20E-04	0.124551
4.19E+11	4107180	5.30E-04	0.126946
4.27E+11	4184600	5.40E-04	0.129341
4.35E+11	4262020	5.50E-04	0.131737
4.43E+11	4339440	5.60E-04	0.134132
4.51E+11	4416860	5.70E-04	0.136527
4.59E+11	4493300	5.80E-04	0.138922
4.66E+11	4570720	5.90E-04	0.141317
4.74E+11	4647160	6.00E-04	0.143713
4.82E+11	4724580	6.10E-04	0.146108
4.90E+11	4801020	6.20E-04	0.148503
4.98E+11	4877460	6.30E-04	0.150898
5.06E+11	4953900	6.40E-04	0.153293
5.11E+11	5009760	6.47E-04	0.155066
5.17E+11	5068560	6.55E-04	0.15691
5.22E+11	5119520	6.63E-04	0.158683
5.28E+11	5177340	6.73E-04	0.161078
5.32E+11	5212620	6.79E-04	0.162587
5.38E+11	5268480	6.89E-04	0.164934
5.41E+11	5305720	6.95E-04	0.166563
5.45E+11	5338060	7.01E-04	0.167952
5.48E+11	5369420	7.07E-04	0.169365
5.53E+11	5421360	7.17E-04	0.17176
5.54E+11	5427240	7.18E-04	0.172048
5.59E+11	5475260	7.28E-04	0.174443
5.59E+11	5479180	7.29E-04	0.174635
5.63E+11	5518380	7.38E-04	0.176647
5.68E+11	5562480	7.48E-04	0.179042
5.71E+11	5597760	7.56E-04	0.180982
5.75E+11	5637940	7.66E-04	0.183377
5.76E+11	5643820	7.67E-04	0.183713


5.79E+11	5669300	7.74E-04	0.185269
5.82E+11	5703600	7.83E-04	0.187545
5.85E+11	5733000	7.91E-04	0.189533
5.88E+11	5763380	8.01E-04	0.191928
5.89E+11	5772200	8.04E-04	0.192599
5.91E+11	5793760	8.12E-04	0.194419
5.94E+11	5817280	8.22E-04	0.19679
5.96E+11	5839820	8.32E-04	0.199186
5.97E+11	5845700	8.34E-04	0.199737
5.98E+11	5863340	8.44E-04	0.202132
5.99E+11	5871180	8.48E-04	0.203138
6.01E+11	5887840	8.58E-04	0.205533
6.02E+11	5894700	8.63E-04	0.206611
6.03E+11	5907440	8.73E-04	0.209006
6.04E+11	5915280	8.79E-04	0.210515
6.05E+11	5926060	8.89E-04	0.21291
6.05E+11	5928020	8.91E-04	0.213293
6.06E+11	5937820	9.01E-04	0.215689
6.06E+11	5942720	9.06E-04	0.216886
6.07E+11	5950560	9.16E-04	0.219281
6.07E+11	5952520	9.17E-04	0.219689
6.08E+11	5959380	9.27E-04	0.222084
6.08E+11	5960360	9.30E-04	0.222635
6.09E+11	5964280	9.37E-04	0.224335
6.09E+11	5968200	9.47E-04	0.226731
6.09E+11	5969180	9.49E-04	0.227329
6.09E+11	5971140	9.59E-04	0.229725
6.09E+11	5971140	9.60E-04	0.229964
6.09E+11	5972120	9.70E-04	0.232359
6.09E+11	5972120	9.72E-04	0.232719
6.10E+11	5973100	9.82E-04	0.235114
6.09E+11	5972120	9.88E-04	0.236695
6.09E+11	5972120	9.98E-04	0.239018
6.09E+11	5971140	1.01E-03	0.241437
6.09E+11	5970160	1.01E-03	0.242635
6.09E+11	5968200	1.02E-03	0.24503
6.09E+11	5968200	1.02E-03	0.245269
6.09E+11	5966240	1.03E-03	0.247665
6.09E+11	5966240	1.04E-03	0.248144
6.09E+11	5965260	1.04E-03	0.249341
6.08E+11	5961340	1.05E-03	0.251737
6.08E+11	5957420	1.06E-03	0.254132
6.08E+11	5956440	1.06E-03	0.25485
6.07E+11	5952520	1.07E-03	0.257246
6.07E+11	5948600	1.08E-03	0.259641
6.07E+11	5947620	1.09E-03	0.25988
6.07E+11	5943700	1.09E-03	0.262036
6.06E+11	5938800	1.10E-03	0.264431

6.06E+11	5938800	1.11E-03	0.264671
6.05E+11	5932920	1.12E-03	0.267066
6.05E+11	5931940	1.12E-03	0.267305
6.05E+11	5926060	1.13E-03	0.269701
6.05E+11	5925080	1.13E-03	0.26994
6.04E+11	5918220	1.14E-03	0.272335
6.03E+11	5910380	1.15E-03	0.274731
6.03E+11	5908420	1.15E-03	0.275449
6.02E+11	5900580	1.16E-03	0.277844
6.02E+11	5894700	1.17E-03	0.27976
6.01E+11	5886860	1.18E-03	0.282156
6.00E+11	5879020	1.19E-03	0.284551
6.00E+11	5878040	1.19E-03	0.28503
5.99E+11	5870200	1.20E-03	0.287425
5.98E+11	5863340	1.21E-03	0.28982
5.98E+11	5857460	1.22E-03	0.291976
5.97E+11	5849620	1.23E-03	0.294371
5.97E+11	5845700	1.23E-03	0.295569
5.96E+11	5837860	1.24E-03	0.297964
5.95E+11	5831000	1.25E-03	0.30012
5.94E+11	5823160	1.26E-03	0.302515
5.94E+11	5820220	1.27E-03	0.303473
5.93E+11	5812380	1.28E-03	0.305868
5.93E+11	5808460	1.28E-03	0.307066
5.92E+11	5796700	1.29E-03	0.309461
5.91E+11	5791800	1.30E-03	0.310659
5.90E+11	5782000	1.31E-03	0.313054
5.89E+11	5774160	1.32E-03	0.31521
5.88E+11	5764360	1.33E-03	0.317605
5.88E+11	5763380	1.33E-03	0.317844
5.87E+11	5754560	1.34E-03	0.32024
5.86E+11	5744760	1.35E-03	0.322635
5.85E+11	5736920	1.36E-03	0.32503
5.85E+11	5735940	1.36E-03	0.325509
5.84E+11	5727120	1.37E-03	0.327904
5.84E+11	5726140	1.37E-03	0.328144
5.84E+11	5718300	1.38E-03	0.330539
5.83E+11	5717320	1.38E-03	0.330539
5.83E+11	5709480	1.39E-03	0.332934
5.82E+11	5701640	1.40E-03	0.335329
5.81E+11	5692820	1.41E-03	0.337725
5.80E+11	5686940	1.42E-03	0.339401
5.80E+11	5679100	1.43E-03	0.341796
5.79E+11	5672240	1.44E-03	0.343952
5.78E+11	5663420	1.45E-03	0.346347
5.77E+11	5655580	1.46E-03	0.348743
5.76E+11	5646760	1.47E-03	0.351138
5.76E+11	5646760	1.47E-03	0.351377

5.75E+11	5638920	1.48E-03	0.353772
5.75E+11	5631080	1.49E-03	0.356168
5.74E+11	5625200	1.50E-03	0.358084
5.73E+11	5617360	1.51E-03	0.360479
5.72E+11	5609520	1.52E-03	0.362874
5.72E+11	5602660	1.53E-03	0.365269
5.71E+11	5595800	1.54E-03	0.367665
5.70E+11	5588940	1.55E-03	0.37006
5.70E+11	5582080	1.56E-03	0.372455
5.70E+11	5581100	1.56E-03	0.372934
5.69E+11	5574240	1.57E-03	0.375329
5.69E+11	5571300	1.57E-03	0.376287
5.68E+11	5564440	1.58E-03	0.378683
5.68E+11	5562480	1.58E-03	0.379401
5.67E+11	5555620	1.59E-03	0.381796
5.66E+11	5548760	1.60E-03	0.384192
5.65E+11	5540920	1.61E-03	0.386587
5.65E+11	5534060	1.62E-03	0.388982
5.65E+11	5533080	1.63E-03	0.389461
5.64E+11	5526220	1.64E-03	0.391856
5.63E+11	5518380	1.65E-03	0.394251
5.63E+11	5518380	1.65E-03	0.394251
5.62E+11	5511520	1.66E-03	0.396647
5.62E+11	5503680	1.67E-03	0.399042
5.61E+11	5496820	1.68E-03	0.401437
5.60E+11	5489960	1.69E-03	0.403832
5.60E+11	5483100	1.70E-03	0.405988
5.59E+11	5475260	1.71E-03	0.408383
5.58E+11	5472320	1.71E-03	0.409341
5.58E+11	5464480	1.72E-03	0.411737
5.57E+11	5456640	1.73E-03	0.414132
5.56E+11	5448800	1.74E-03	0.416527
5.55E+11	5441940	1.75E-03	0.418922
5.55E+11	5434100	1.76E-03	0.421317
5.54E+11	5426260	1.77E-03	0.423713
5.54E+11	5425280	1.77E-03	0.423952
5.53E+11	5417440	1.78E-03	0.426347
5.52E+11	5409600	1.79E-03	0.428743
5.51E+11	5401760	1.80E-03	0.431138
5.50E+11	5393920	1.81E-03	0.433533
5.50E+11	5386080	1.82E-03	0.435928
5.50E+11	5385100	1.82E-03	0.436168
5.49E+11	5378240	1.83E-03	0.438323
5.48E+11	5369420	1.84E-03	0.440719
5.47E+11	5362560	1.85E-03	0.442874
5.46E+11	5354720	1.86E-03	0.445269
5.46E+11	5345900	1.87E-03	0.447665
5.45E+11	5341000	1.88E-03	0.449102

5.44E+11	5333160	1.89E-03	0.451497
5.43E+11	5325320	1.90E-03	0.453892
5.43E+11	5317480	1.91E-03	0.456287
5.42E+11	5312580	1.91E-03	0.457964
5.41E+11	5304740	1.92E-03	0.460359
5.41E+11	5297880	1.93E-03	0.462754
5.40E+11	5290040	1.94E-03	0.46515
5.39E+11	5283180	1.95E-03	0.467545
5.39E+11	5278280	1.96E-03	0.469222
5.38E+11	5271420	1.97E-03	0.471617
5.37E+11	5264560	1.98E-03	0.474012
5.37E+11	5257700	1.99E-03	0.476407
5.36E+11	5250840	2.00E-03	0.478802
5.35E+11	5244960	2.01E-03	0.481198
5.35E+11	5238100	2.02E-03	0.483593
5.35E+11	5238100	2.02E-03	0.483832
5.34E+11	5231240	2.03E-03	0.486228
5.33E+11	5225360	2.04E-03	0.488623
5.33E+11	5219480	2.05E-03	0.491018
5.32E+11	5214580	2.06E-03	0.492934
5.31E+11	5207720	2.07E-03	0.495329
5.31E+11	5201840	2.08E-03	0.497725
5.30E+11	5196940	2.09E-03	0.50012
5.30E+11	5194980	2.09E-03	0.500838
5.30E+11	5189100	2.10E-03	0.503234
5.29E+11	5183220	2.11E-03	0.505629
5.28E+11	5177340	2.12E-03	0.508024
5.28E+11	5171460	2.13E-03	0.510419
5.27E+11	5166560	2.14E-03	0.512814
5.27E+11	5160680	2.15E-03	0.51521
5.26E+11	5154800	2.16E-03	0.517605
5.26E+11	5149900	2.17E-03	0.52
5.25E+11	5148920	2.17E-03	0.52024
5.25E+11	5144020	2.18E-03	0.522635
5.24E+11	5138140	2.19E-03	0.52503
5.24E+11	5133240	2.20E-03	0.527425
5.23E+11	5128340	2.21E-03	0.52982
5.23E+11	5123440	2.22E-03	0.532216
5.22E+11	5117560	2.23E-03	0.534611
5.22E+11	5112660	2.24E-03	0.537006
5.21E+11	5107760	2.25E-03	0.539401
5.21E+11	5103840	2.26E-03	0.541796
5.21E+11	5100900	2.27E-03	0.543234
5.20E+11	5096000	2.28E-03	0.545629
5.20E+11	5091100	2.29E-03	0.548024
5.19E+11	5086200	2.30E-03	0.550419
5.19E+11	5082280	2.31E-03	0.552814
5.18E+11	5077380	2.32E-03	0.55521

5.18E+11	5072480	2.33E-03	0.557605
5.17E+11	5068560	2.34E-03	0.56
5.17E+11	5065620	2.34E-03	0.561198
5.16E+11	5060720	2.35E-03	0.563593
5.16E+11	5056800	2.36E-03	0.565988
5.16E+11	5051900	2.37E-03	0.568383
5.15E+11	5047980	2.38E-03	0.570778
5.15E+11	5043080	2.39E-03	0.573174
5.14E+11	5038180	2.40E-03	0.575569
5.14E+11	5034260	2.41E-03	0.577964
5.13E+11	5029360	2.42E-03	0.580359
5.13E+11	5025440	2.43E-03	0.582754
5.12E+11	5021520	2.44E-03	0.58515
5.12E+11	5016620	2.45E-03	0.587545
5.12E+11	5012700	2.46E-03	0.58994
5.11E+11	5008780	2.47E-03	0.592335
0.00E+00	0	0.00E+00	
###	-7761.6	-1.00E-06	-0.00024
###	-15513.4	-2.00E-06	-0.000479
###	-23265.2	-3.00E-06	-0.000719



###	-852698	-1.10E-04	-0.026347
###	-930118	-1.20E-04	-0.028743
###	-1007440	-1.30E-04	-0.031138
###	-1084860	-1.40E-04	-0.033533
###	-1162280	-1.50E-04	-0.035928
###	-1239700	-1.60E-04	-0.038323
###	-1317120	-1.70E-04	-0.040719
###	-1393560	-1.80E-04	-0.043114
###	-1470980	-1.90E-04	-0.045509
###	-1548400	-2.00E-04	-0.047904
###	-1624840	-2.10E-04	-0.050299
###	-1702260	-2.20E-04	-0.052695

-1778700 -2.30E-04 -0.05509
-1856120 -2.40E-04 -0.057485
-1933540 -2.50E-04 -0.05988
-2009980 -2.60E-04 -0.062275
-2087400 -2.70E-04 -0.064671
-2163840 -2.80E-04 -0.067066
-2241260 -2.90E-04 -0.069461
-2317700 -3.00E-04 -0.071856
-2395120 -3.10E-04 -0.074251
-2471560 -3.20E-04 -0.076647
-2548980 -3.30E-04 -0.079042
-2625420 -3.40E-04 -0.081437
-2702840 -3.50E-04 -0.083832
-2779280 -3.60E-04 -0.086228
-2856700 -3.70E-04 -0.088623
-2933140 -3.80E-04 -0.091018
-3010560 -3.90E-04 -0.093413
-3087000 -4.00E-04 -0.095808
-3163440 -4.10E-04 -0.098204
-3240860 -4.20E-04 -0.100599
-3317300 -4.30E-04 -0.102994
-3393740 -4.40E-04 -0.105389
-3470180 -4.50E-04 -0.107784
-3546620 -4.60E-04 -0.11018
-3623060 -4.70E-04 -0.112575
-3698520 -4.80E-04 -0.11497
-3774960 -4.90E-04 -0.117365
-3849440 -5.00E-04 -0.11976
-3924900 -5.10E-04 -0.122156
-4000360 -5.20E-04 -0.124551
-4074840 -5.30E-04 -0.126946
-4149320 -5.40E-04 -0.129341
-4222820 -5.50E-04 -0.131737
-4296320 -5.60E-04 -0.134132
-4369820 -5.70E-04 -0.136527
-4443320 -5.80E-04 -0.138922
-4515840 -5.90E-04 -0.141317
-4532500 -5.92E-04 -0.141892
-4604040 -6.02E-04 -0.144287
-4645200 -6.08E-04 -0.145677
-4714780 -6.18E-04 -0.148072
-4736340 -6.21E-04 -0.148838
-4772600 -6.27E-04 -0.150156
-4810820 -6.33E-04 -0.151569
-4834340 -6.37E-04 -0.152671
-4855900 -6.43E-04 -0.154012
-4889220 -6.53E-04 -0.156383
-4917640 -6.63E-04 -0.158778

-4918620 -6.64E-04 -0.158946
-4929400 -6.68E-04 -0.160096
-4950960 -6.78E-04 -0.162491
-4953900 -6.80E-04 -0.162874
-4962720 -6.85E-04 -0.164144
-4971540 -6.90E-04 -0.165317
-4988200 -7.00E-04 -0.167713
-4990160 -7.01E-04 -0.167952
-4997020 -7.06E-04 -0.169054
-5007800 -7.16E-04 -0.171449
-5009760 -7.25E-04 -0.173557
-5007800 -7.28E-04 -0.174443
-4997020 -7.36E-04 -0.176168
-4980360 -7.41E-04 -0.177557
-4954880 -7.50E-04 -0.179545
-4923520 -7.60E-04 -0.18194
-4921560 -7.61E-04 -0.18218
-4897060 -7.71E-04 -0.184575
-4894120 -7.72E-04 -0.184982
-4877460 -7.82E-04 -0.187234
-4864720 -7.92E-04 -0.189629
-4859820 -7.97E-04 -0.190898
-4850020 -8.07E-04 -0.193293
-4848060 -8.11E-04 -0.194132
-4839240 -8.20E-04 -0.196407
-4830420 -8.30E-04 -0.198707
-4822580 -8.36E-04 -0.200192
-4810820 -8.45E-04 -0.202443
-4796120 -8.55E-04 -0.204838
-4792200 -8.58E-04 -0.205509
-4771620 -8.68E-04 -0.207904
-4748100 -8.78E-04 -0.210299
-4720660 -8.88E-04 -0.212695
-4713800 -8.90E-04 -0.213269
-4684400 -9.00E-04 -0.215665
-4679500 -9.02E-04 -0.216072
-4639320 -9.12E-04 -0.218467
-4605020 -9.20E-04 -0.220359
-4573660 -9.27E-04 -0.222012
-4557000 -9.31E-04 -0.222946
-4514860 -9.40E-04 -0.225198
-4458020 -9.50E-04 -0.227593
-4410980 -9.60E-04 -0.229988
-4370800 -9.70E-04 -0.232383
-4337480 -9.80E-04 -0.234778
-4329640 -9.83E-04 -0.235377
-4301220 -9.93E-04 -0.237772
-4275740 -1.00E-03 -0.24024


-4251240 -1.01E-03 -0.242635
-4229680 -1.02E-03 -0.24503
-4209100 -1.03E-03 -0.247425
-4209100 -1.03E-03 -0.247425
-4189500 -1.04E-03 -0.24982
-4170880 -1.05E-03 -0.252216
-4153240 -1.06E-03 -0.254611
-4153240 -1.06E-03 -0.254611
-4135600 -1.07E-03 -0.257006
-4118940 -1.08E-03 -0.259401
-4103260 -1.09E-03 -0.261796
-4087580 -1.10E-03 -0.264192
-4072880 -1.11E-03 -0.266587
-4058180 -1.12E-03 -0.268982
-4044460 -1.13E-03 -0.271377
-4030740 -1.14E-03 -0.273772
-4017020 -1.15E-03 -0.276168
-4004280 -1.16E-03 -0.278563
-3991540 -1.17E-03 -0.280958
-3978800 -1.18E-03 -0.283353
-3966060 -1.19E-03 -0.285749
-3954300 -1.20E-03 -0.288144
-3941560 -1.21E-03 -0.290539
-3928820 -1.22E-03 -0.292934
-3917060 -1.23E-03 -0.295329
-3905300 -1.24E-03 -0.297725
-3893540 -1.25E-03 -0.30012
-3880800 -1.26E-03 -0.302515
-3868060 -1.27E-03 -0.30491
-3856300 -1.28E-03 -0.307305
-3843560 -1.29E-03 -0.309701
-3829840 -1.30E-03 -0.312096
-3816120 -1.31E-03 -0.314491
-3803380 -1.32E-03 -0.316886
-3787700 -1.33E-03 -0.319281
-3773000 -1.34E-03 -0.321677
-3757320 -1.35E-03 -0.324072
-3743600 -1.36E-03 -0.326467
-3730860 -1.37E-03 -0.328862
-3717140 -1.38E-03 -0.331257
-3705380 -1.39E-03 -0.333653
-3694600 -1.40E-03 -0.336048
-3684800 -1.41E-03 -0.338443
-3674020 -1.42E-03 -0.340838
-3664220 -1.43E-03 -0.343234
-3654420 -1.44E-03 -0.345629
-3645600 -1.45E-03 -0.348024
-3636780 -1.46E-03 -0.350419

-3627960 -1.47E-03 -0.352814
-3620120 -1.48E-03 -0.35521
-3611300 -1.49E-03 -0.357605
-3604440 -1.50E-03 -0.36
-3596600 -1.51E-03 -0.362395
-3588760 -1.52E-03 -0.36479
-3582880 -1.53E-03 -0.366707
-3575040 -1.54E-03 -0.369102
-3572100 -1.55E-03 -0.370299
-3564260 -1.56E-03 -0.372695
-3557400 -1.57E-03 -0.37509
-3550540 -1.58E-03 -0.377485
-3543680 -1.59E-03 -0.37988
-3536820 -1.60E-03 -0.382275
-3530940 -1.61E-03 -0.384671
-3524080 -1.62E-03 -0.387066
-3517220 -1.63E-03 -0.389461
-3511340 -1.64E-03 -0.391856
-3505460 -1.65E-03 -0.394251
-3498600 -1.66E-03 -0.396647
-3492720 -1.67E-03 -0.399042
-3487820 -1.68E-03 -0.401437
-3481940 -1.69E-03 -0.403832
-3476060 -1.70E-03 -0.406228
-3470180 -1.71E-03 -0.408623
-3464300 -1.72E-03 -0.411018
-3459400 -1.73E-03 -0.413413
-3453520 -1.74E-03 -0.415808
-3448620 -1.75E-03 -0.418204
-3443720 -1.76E-03 -0.420599
-3437840 -1.77E-03 -0.422994
-3432940 -1.78E-03 -0.425389
-3428040 -1.79E-03 -0.427784
-3423140 -1.80E-03 -0.43018
-3423140 -1.80E-03 -0.43018
-3418240 -1.81E-03 -0.432575
-3413340 -1.82E-03 -0.43497
-3408440 -1.83E-03 -0.437365
-3403540 -1.84E-03 -0.43976
-3399620 -1.85E-03 -0.442156
-3394720 -1.86E-03 -0.444551
-3389820 -1.87E-03 -0.446946
-3385900 -1.88E-03 -0.449341
-3381000 -1.89E-03 -0.451737
-3377080 -1.90E-03 -0.454132
-3373160 -1.91E-03 -0.456527
-3368260 -1.92E-03 -0.458922
-3364340 -1.93E-03 -0.461317

-3360420 -1.94E-03 -0.463713
-3356500 -1.95E-03 -0.466108
-3351600 -1.96E-03 -0.468503
-3347680 -1.97E-03 -0.470898
-3343760 -1.98E-03 -0.473293
-3339840 -1.99E-03 -0.475689
-3335920 -2.00E-03 -0.478084
-3332000 -2.01E-03 -0.480479
-3328080 -2.02E-03 -0.482874
-3325140 -2.03E-03 -0.485269
-3321220 -2.04E-03 -0.487665
-3317300 -2.05E-03 -0.49006
-3313380 -2.06E-03 -0.492455
-3309460 -2.07E-03 -0.49485
-3306520 -2.08E-03 -0.497246
-3302600 -2.09E-03 -0.499641
-3298680 -2.10E-03 -0.502036
-3295740 -2.11E-03 -0.504431
-3291820 -2.12E-03 -0.506826
-3288880 -2.13E-03 -0.509222
-3284960 -2.14E-03 -0.511617
-3282020 -2.15E-03 -0.514012
-3278100 -2.16E-03 -0.516407
-3275160 -2.17E-03 -0.518802
-3271240 -2.18E-03 -0.521198
-3268300 -2.19E-03 -0.523593
-3265360 -2.20E-03 -0.525988
-3261440 -2.21E-03 -0.528383
-3258500 -2.22E-03 -0.530778
-3255560 -2.23E-03 -0.533174
-3252620 -2.24E-03 -0.535569
-3248700 -2.25E-03 -0.537964
-3245760 -2.26E-03 -0.540359
-3242820 -2.27E-03 -0.542754
-3239880 -2.28E-03 -0.54491
-3236940 -2.29E-03 -0.547305
-3233020 -2.30E-03 -0.549701
-3230080 -2.31E-03 -0.552096
-3229100 -2.31E-03 -0.552575
-3226160 -2.32E-03 -0.55497
-3222240 -2.33E-03 -0.557365
-3219300 -2.34E-03 -0.55976
-3216360 -2.35E-03 -0.562156
-3213420 -2.36E-03 -0.564551
-3209500 -2.37E-03 -0.566946
-3206560 -2.38E-03 -0.569341
-3203620 -2.39E-03 -0.571737
-3200680 -2.40E-03 -0.574132

-3197740 -2.41E-03 -0.576527
-3193820 -2.42E-03 -0.578922
-3190880 -2.43E-03 -0.581317
-3187940 -2.44E-03 -0.583713
-3185000 -2.45E-03 -0.586108
-3182060 -2.46E-03 -0.588503
-3179120 -2.47E-03 -0.590898
-3176180 -2.48E-03 -0.593293
-3173240 -2.49E-03 -0.595689
-3170300 -2.50E-03 -0.598084
-3167360 -2.51E-03 -0.600479
-3164420 -2.52E-03 -0.602874
-3161480 -2.53E-03 -0.605269
-3158540 -2.54E-03 -0.607665
-3156580 -2.55E-03 -0.61006
-3153640 -2.56E-03 -0.612455
-3150700 -2.57E-03 -0.61485
-3147760 -2.58E-03 -0.617246
-3144820 -2.59E-03 -0.619641
-3141880 -2.60E-03 -0.622036
-3138940 -2.61E-03 -0.624431
-3137960 -2.61E-03 -0.625868
-3135020 -2.62E-03 -0.628263
-3132080 -2.63E-03 -0.630659
-3130120 -2.64E-03 -0.633054
-3127180 -2.65E-03 -0.635449
-3124240 -2.66E-03 -0.637844
-3121300 -2.67E-03 -0.64024

Bulk Carrier (B4) Idchk = 1				Bulk Carrier (	
10% damage				10% d	
frame space	4.175	9.80E-06	1000	frame space	4.175
Moment	Rotation		Curvature	Moment	
9.07E+08	8885.66	1.00E-06	0.00024	9.05E+08	8864.1
1.81E+09	17747.8	2.00E-06	0.000479	1.81E+09	17708.6
2.72E+09	26616.8	3.00E-06	0.000719	2.71E+09	26548.2



2.17E+11	2127580	2.40E-04	0.057485	2.17E+11	2121700
2.26E+11	2215780	2.50E-04	0.05988	2.26E+11	2209900
2.35E+11	2304960	2.60E-04	0.062275	2.35E+11	2299080
2.44E+11	2393160	2.70E-04	0.064671	2.44E+11	2387280
2.53E+11	2481360	2.80E-04	0.067066	2.53E+11	2475480
2.62E+11	2570540	2.90E-04	0.069461	2.62E+11	2563680
2.71E+11	2658740	3.00E-04	0.071856	2.71E+11	2651880
2.80E+11	2746940	3.10E-04	0.074251	2.80E+11	2740080
2.89E+11	2836120	3.20E-04	0.076647	2.89E+11	2828280
2.98E+11	2924320	3.30E-04	0.079042	2.98E+11	2916480
3.07E+11	3012520	3.40E-04	0.081437	3.07E+11	3005660

3.17E+11	3101700	3.50E-04	0.083832	3.16E+11	3093860
3.26E+11	3189900	3.60E-04	0.086228	3.25E+11	3182060
3.35E+11	3278100	3.70E-04	0.088623	3.34E+11	3270260
3.44E+11	3367280	3.80E-04	0.091018	3.43E+11	3358460
3.53E+11	3455480	3.90E-04	0.093413	3.52E+11	3446660
3.62E+11	3543680	4.00E-04	0.095808	3.61E+11	3534860
3.71E+11	3632860	4.10E-04	0.098204	3.70E+11	3623060
3.80E+11	3721060	4.20E-04	0.100599	3.79E+11	3711260
3.89E+11	3809260	4.30E-04	0.102994	3.88E+11	3799460
3.98E+11	3898440	4.40E-04	0.105389	3.97E+11	3887660
4.07E+11	3986640	4.50E-04	0.107784	4.06E+11	3975860
4.16E+11	4074840	4.60E-04	0.11018	4.15E+11	4065040
4.25E+11	4163040	4.70E-04	0.112575	4.24E+11	4153240
4.34E+11	4252220	4.80E-04	0.11497	4.33E+11	4241440
4.43E+11	4340420	4.90E-04	0.117365	4.42E+11	4329640
4.52E+11	4428620	5.00E-04	0.11976	4.51E+11	4417840
4.61E+11	4517800	5.10E-04	0.122156	4.60E+11	4506040
4.70E+11	4606000	5.20E-04	0.124551	4.69E+11	4594240
4.79E+11	4694200	5.30E-04	0.126946	4.78E+11	4682440
4.88E+11	4782400	5.40E-04	0.129341	4.87E+11	4770640
4.97E+11	4871580	5.50E-04	0.131737	4.96E+11	4858840
5.06E+11	4959780	5.60E-04	0.134132	5.05E+11	4947040
5.15E+11	5047980	5.70E-04	0.136527	5.14E+11	5035240
5.24E+11	5136180	5.80E-04	0.138922	5.23E+11	5123440
5.33E+11	5225360	5.90E-04	0.141317	5.32E+11	5211640
5.42E+11	5313560	6.00E-04	0.143713	5.41E+11	5299840
5.51E+11	5401760	6.10E-04	0.146108	5.50E+11	5388040
5.60E+11	5489960	6.20E-04	0.148503	5.59E+11	5476240
5.69E+11	5578160	6.30E-04	0.150898	5.68E+11	5564440
5.78E+11	5667340	6.40E-04	0.153293	5.77E+11	5652640
5.87E+11	5755540	6.50E-04	0.155689	5.86E+11	5740840
5.96E+11	5843740	6.60E-04	0.158084	5.95E+11	5829040
6.05E+11	5931940	6.70E-04	0.160479	6.04E+11	5917240
6.14E+11	6020140	6.80E-04	0.162874	6.13E+11	6005440
6.23E+11	6109320	6.90E-04	0.165269	6.22E+11	6093640
6.32E+11	6197520	7.00E-04	0.167665	6.31E+11	6181840
6.41E+11	6285720	7.10E-04	0.17006	6.40E+11	6269060
6.50E+11	6373920	7.20E-04	0.172455	6.49E+11	6357260
6.59E+11	6462120	7.30E-04	0.17485	6.58E+11	6445460
6.68E+11	6550320	7.40E-04	0.177246	6.67E+11	6533660
6.78E+11	6639500	7.50E-04	0.179641	6.76E+11	6621860
6.87E+11	6727700	7.60E-04	0.182036	6.85E+11	6710060
6.96E+11	6815900	7.70E-04	0.184431	6.94E+11	6798260
7.05E+11	6904100	7.80E-04	0.186826	7.03E+11	6886460
7.14E+11	6992300	7.90E-04	0.189222	7.12E+11	6974660
7.23E+11	7080500	8.00E-04	0.191617	7.21E+11	7062860
7.32E+11	7169680	8.10E-04	0.194012	7.30E+11	7151060
7.41E+11	7257880	8.20E-04	0.196407	7.39E+11	7239260


7.50E+11	7346080	8.30E-04	0.198802	7.41E+11	7259840
7.59E+11	7434280	8.40E-04	0.201198	7.47E+11	7324520
7.61E+11	7457800	8.43E-04	0.20182	7.55E+11	7396060
7.69E+11	7539140	8.52E-04	0.204168	7.56E+11	7405860
7.76E+11	7607740	8.62E-04	0.206419	7.63E+11	7476420
7.81E+11	7655760	8.70E-04	0.208359	7.69E+11	7540120
7.87E+11	7707700	8.80E-04	0.210754	7.76E+11	7606760
7.90E+11	7739060	8.86E-04	0.212216	7.79E+11	7634200
7.95E+11	7789040	8.96E-04	0.214611	7.85E+11	7695940
8.00E+11	7840000	9.06E-04	0.217006	7.86E+11	7704760
8.00E+11	7841960	9.07E-04	0.217126	7.92E+11	7762580
8.05E+11	7889000	9.17E-04	0.219521	7.93E+11	7772380
8.10E+11	7935060	9.27E-04	0.221916	7.98E+11	7824320
8.10E+11	7937020	9.27E-04	0.221988	8.03E+11	7872340
8.14E+11	7974260	9.35E-04	0.223976	8.08E+11	7919380
8.18E+11	8016400	9.45E-04	0.226371	8.09E+11	7931140
8.22E+11	8058540	9.55E-04	0.228766	8.14E+11	7974260
8.27E+11	8099700	9.65E-04	0.231114	8.18E+11	8017380
8.31E+11	8138900	9.75E-04	0.233509	8.23E+11	8060500
8.34E+11	8177120	9.85E-04	0.235904	8.23E+11	8067360
8.35E+11	8179080	9.85E-04	0.235976	8.27E+11	8107540
8.38E+11	8216320	9.95E-04	0.238371	8.28E+11	8118320
8.39E+11	8217300	9.96E-04	0.238491	8.32E+11	8157520
8.42E+11	8251600	1.01E-03	0.240958	8.35E+11	8182020
8.46E+11	8286880	1.02E-03	0.243353	8.38E+11	8216320
8.49E+11	8321180	1.03E-03	0.245749	8.42E+11	8250620
8.50E+11	8330000	1.03E-03	0.246228	8.45E+11	8284920
8.53E+11	8362340	1.04E-03	0.248623	8.46E+11	8286880
8.57E+11	8393700	1.05E-03	0.251018	8.49E+11	8318240
8.57E+11	8396640	1.05E-03	0.251257	8.52E+11	8347640
8.60E+11	8425060	1.06E-03	0.253653	8.55E+11	8378020
8.61E+11	8436820	1.06E-03	0.254611	8.56E+11	8383900
8.64E+11	8463280	1.07E-03	0.257006	8.58E+11	8412320
8.66E+11	8488760	1.08E-03	0.259401	8.60E+11	8427020
8.69E+11	8515220	1.09E-03	0.261796	8.63E+11	8452500
8.70E+11	8529920	1.10E-03	0.263234	8.64E+11	8471120
8.73E+11	8551480	1.11E-03	0.265629	8.67E+11	8494640
8.75E+11	8573040	1.12E-03	0.268024	8.69E+11	8519140
8.77E+11	8594600	1.13E-03	0.270419	8.70E+11	8524040
8.78E+11	8604400	1.13E-03	0.271617	8.72E+11	8545600
8.80E+11	8621060	1.14E-03	0.274012	8.74E+11	8567160
8.81E+11	8637720	1.15E-03	0.276407	8.75E+11	8570100
8.83E+11	8655360	1.16E-03	0.278802	8.77E+11	8589700
8.84E+11	8662220	1.17E-03	0.27976	8.78E+11	8608320
8.85E+11	8676920	1.18E-03	0.282156	8.79E+11	8610280
8.87E+11	8691620	1.19E-03	0.284551	8.81E+11	8628900
8.87E+11	8693580	1.19E-03	0.28479	8.81E+11	8637720
8.88E+11	8706320	1.20E-03	0.287186	8.83E+11	8653400

8.90E+11	8720040	1.21E-03	0.289581	8.85E+11	8668100
8.91E+11	8732780	1.22E-03	0.291976	8.86E+11	8680840
8.91E+11	8733760	1.22E-03	0.291976	8.87E+11	8694560
8.93E+11	8747480	1.23E-03	0.294371	8.89E+11	8707300
8.93E+11	8754340	1.24E-03	0.295808	8.90E+11	8720040
8.95E+11	8766100	1.25E-03	0.298204	8.91E+11	8728860
8.96E+11	8776880	1.26E-03	0.300599	8.92E+11	8739640
8.96E+11	8776880	1.26E-03	0.300599	8.93E+11	8751400
8.97E+11	8786680	1.27E-03	0.302994	8.94E+11	8761200
8.98E+11	8796480	1.28E-03	0.305389	8.95E+11	8771980
8.99E+11	8805300	1.29E-03	0.307784	8.96E+11	8783740
9.00E+11	8815100	1.30E-03	0.31018	8.97E+11	8794520
9.01E+11	8824900	1.31E-03	0.312575	8.98E+11	8801380
9.01E+11	8833720	1.32E-03	0.31497	8.99E+11	8812160
9.02E+11	8843520	1.33E-03	0.317365	9.00E+11	8820980
9.03E+11	8852340	1.34E-03	0.31976	9.01E+11	8830780
9.04E+11	8862140	1.35E-03	0.322156	9.02E+11	8839600
9.05E+11	8870960	1.36E-03	0.324551	9.02E+11	8840580
9.06E+11	8879780	1.37E-03	0.326946	9.03E+11	8849400
9.07E+11	8889580	1.38E-03	0.329341	9.04E+11	8858220
9.08E+11	8898400	1.39E-03	0.331737	9.05E+11	8867040
9.09E+11	8907220	1.40E-03	0.334132	9.05E+11	8869000
9.10E+11	8917020	1.41E-03	0.336527	9.06E+11	8876840
9.11E+11	8925840	1.42E-03	0.338922	9.07E+11	8884680
9.12E+11	8934660	1.43E-03	0.341317	9.07E+11	8889580
9.13E+11	8943480	1.44E-03	0.343713	9.08E+11	8897420
9.14E+11	8952300	1.45E-03	0.346108	9.09E+11	8905260
9.14E+11	8961120	1.46E-03	0.348503	9.10E+11	8913100
9.15E+11	8969940	1.47E-03	0.350898	9.10E+11	8919960
9.16E+11	8974840	1.47E-03	0.352335	9.11E+11	8927800
9.17E+11	8982680	1.48E-03	0.354731	9.11E+11	8930740
9.17E+11	8990520	1.49E-03	0.357126	9.12E+11	8937600
9.18E+11	8998360	1.50E-03	0.359521	9.13E+11	8945440
9.19E+11	9006200	1.51E-03	0.361916	9.13E+11	8946420
9.20E+11	9011100	1.52E-03	0.363593	9.14E+11	8953280
9.20E+11	9015020	1.53E-03	0.365988	9.14E+11	8956220
9.20E+11	9018940	1.54E-03	0.368383	9.14E+11	8960140
9.21E+11	9022860	1.55E-03	0.370778	9.15E+11	8964060
9.21E+11	9023840	1.55E-03	0.371497	9.15E+11	8964060
9.21E+11	9027760	1.56E-03	0.373892	9.15E+11	8967000
9.22E+11	9030700	1.57E-03	0.376287	9.15E+11	8970920
9.22E+11	9033640	1.58E-03	0.378683	9.16E+11	8972880
9.22E+11	9036580	1.59E-03	0.381078	9.16E+11	8976800
9.23E+11	9040500	1.60E-03	0.383473	9.16E+11	8979740
9.23E+11	9043440	1.61E-03	0.385868	9.17E+11	8982680
9.23E+11	9044420	1.61E-03	0.386347	9.17E+11	8983660
9.23E+11	9044420	1.62E-03	0.388743	9.17E+11	8986600
9.23E+11	9044420	1.63E-03	0.391138	9.17E+11	8989540

9.23E+11	9045400	1.64E-03	0.392096	9.18E+11	8993460
9.23E+11	9045400	1.65E-03	0.394491	9.18E+11	8996400
9.23E+11	9046380	1.66E-03	0.396886	9.18E+11	8999340
9.23E+11	9046380	1.67E-03	0.399281	9.19E+11	9002280
9.23E+11	9047360	1.68E-03	0.401677	9.19E+11	9006200
9.23E+11	9048340	1.69E-03	0.404072	9.19E+11	9006200
9.23E+11	9048340	1.69E-03	0.404311	9.19E+11	9009140
9.23E+11	9049320	1.70E-03	0.406707	9.20E+11	9012080
9.23E+11	9049320	1.71E-03	0.409102	9.20E+11	9015020
9.24E+11	9050300	1.72E-03	0.411497	9.20E+11	9017960
9.24E+11	9051280	1.73E-03	0.413892	9.20E+11	9019920
9.24E+11	9052260	1.74E-03	0.416048	9.21E+11	9022860
9.24E+11	9053240	1.75E-03	0.418443	9.21E+11	9025800
9.24E+11	9053240	1.76E-03	0.420838	9.21E+11	9027760
9.24E+11	9054220	1.77E-03	0.423234	9.22E+11	9030700
9.24E+11	9055200	1.78E-03	0.425629	9.22E+11	9033640
9.24E+11	9057160	1.79E-03	0.428024	9.22E+11	9036580
9.24E+11	9058140	1.80E-03	0.430419	9.22E+11	9039520
9.24E+11	9059120	1.80E-03	0.432096	9.23E+11	9042460
9.25E+11	9060100	1.81E-03	0.434491	9.23E+11	9045400
9.25E+11	9061080	1.82E-03	0.436886	9.23E+11	9046380
9.25E+11	9062060	1.83E-03	0.439281	9.23E+11	9048340
9.25E+11	9063040	1.84E-03	0.441677	9.24E+11	9051280
9.25E+11	9065000	1.85E-03	0.444072	9.24E+11	9052260
9.25E+11	9065980	1.86E-03	0.446467	9.24E+11	9053240
9.25E+11	9066960	1.87E-03	0.448383	9.24E+11	9054220
9.25E+11	9067940	1.88E-03	0.450778	9.24E+11	9055200
9.25E+11	9068920	1.89E-03	0.453174	9.24E+11	9056180
9.26E+11	9069900	1.90E-03	0.455569	9.24E+11	9057160
9.26E+11	9070880	1.91E-03	0.457964	9.24E+11	9058140
9.26E+11	9072840	1.92E-03	0.460359	9.24E+11	9059120
9.26E+11	9073820	1.93E-03	0.462754	9.25E+11	9060100
9.26E+11	9074800	1.94E-03	0.46515	9.25E+11	9061080
9.26E+11	9075780	1.95E-03	0.467545	9.25E+11	9062060
9.26E+11	9076760	1.96E-03	0.46994	9.25E+11	9063040
9.26E+11	9078720	1.97E-03	0.472335	9.25E+11	9065000
9.27E+11	9079700	1.98E-03	0.474731	9.25E+11	9065980
9.27E+11	9080680	1.99E-03	0.477126	9.25E+11	9066960
9.27E+11	9081660	2.00E-03	0.479521	9.25E+11	9067940
9.27E+11	9082640	2.01E-03	0.480479	9.25E+11	9068920
9.27E+11	9083620	2.02E-03	0.482874	9.26E+11	9070880
9.27E+11	9085580	2.03E-03	0.485269	9.26E+11	9071860
9.27E+11	9086560	2.04E-03	0.487665	9.26E+11	9072840
9.27E+11	9087540	2.05E-03	0.49006	9.26E+11	9073820
9.28E+11	9089500	2.06E-03	0.492455	9.26E+11	9075780
9.28E+11	9090480	2.07E-03	0.49485	9.26E+11	9076760
9.28E+11	9092440	2.08E-03	0.497246	9.26E+11	9078720
9.28E+11	9093420	2.09E-03	0.499641	9.26E+11	9078720

9.28E+11	9095380	2.10E-03	0.502036	9.27E+11	9079700
9.28E+11	9096360	2.11E-03	0.504431	9.27E+11	9081660
9.28E+11	9098320	2.12E-03	0.506826	9.27E+11	9082640
9.29E+11	9099300	2.13E-03	0.509222	9.27E+11	9082640
9.29E+11	9100280	2.14E-03	0.511617	9.27E+11	9084600
9.29E+11	9102240	2.15E-03	0.514012	9.27E+11	9085580
9.29E+11	9103220	2.16E-03	0.516407	9.27E+11	9086560
9.29E+11	9105180	2.17E-03	0.518563	9.27E+11	9088520
9.29E+11	9106160	2.18E-03	0.520958	9.28E+11	9089500
9.29E+11	9108120	2.19E-03	0.523353	9.28E+11	9091460
9.30E+11	9109100	2.20E-03	0.525749	9.28E+11	9092440
9.30E+11	9111060	2.21E-03	0.528144	9.28E+11	9093420
9.30E+11	9113020	2.22E-03	0.530539	9.28E+11	9095380
9.30E+11	9114000	2.23E-03	0.532934	9.28E+11	9096360
9.30E+11	9115960	2.24E-03	0.535329	9.28E+11	9098320
9.30E+11	9116940	2.25E-03	0.537725	9.29E+11	9099300
9.31E+11	9118900	2.26E-03	0.54012	9.29E+11	9100280
9.31E+11	9120860	2.27E-03	0.542515	9.29E+11	9102240
9.31E+11	9121840	2.28E-03	0.54491	9.29E+11	9103220
9.31E+11	9123800	2.29E-03	0.547305	9.29E+11	9105180
9.31E+11	9124780	2.30E-03	0.549701	9.29E+11	9106160
9.31E+11	9126740	2.31E-03	0.552096	9.29E+11	9108120
9.32E+11	9128700	2.32E-03	0.554491	9.30E+11	9109100
9.32E+11	9129680	2.33E-03	0.556886	9.30E+11	9111060
9.32E+11	9131640	2.34E-03	0.559281	9.30E+11	9112040
9.32E+11	9132620	2.35E-03	0.561677	9.30E+11	9114000
9.32E+11	9134580	2.36E-03	0.564072	9.30E+11	9114980
9.32E+11	9136540	2.37E-03	0.566467	9.30E+11	9116940
9.32E+11	9137520	2.38E-03	0.568862	9.30E+11	9117920
9.33E+11	9138500	2.38E-03	0.570299	9.31E+11	9118900
9.33E+11	9140460	2.39E-03	0.572695	9.31E+11	9119880
9.33E+11	9142420	2.40E-03	0.57509	9.31E+11	9121840
9.33E+11	9143400	2.41E-03	0.577485	9.31E+11	9122820
9.33E+11	9145360	2.42E-03	0.57988	9.31E+11	9123800
9.33E+11	9147320	2.43E-03	0.582275	9.31E+11	9125760
9.34E+11	9148300	2.44E-03	0.584671	9.31E+11	9125760
9.34E+11	9150260	2.45E-03	0.587066	9.31E+11	9127720
9.34E+11	9152220	2.46E-03	0.589461	9.32E+11	9128700
9.34E+11	9153200	2.47E-03	0.591617	9.32E+11	9129680
9.34E+11	9155160	2.48E-03	0.594012	9.32E+11	9130660
9.34E+11	9157120	2.49E-03	0.596407	9.32E+11	9131640
9.35E+11	9158100	2.50E-03	0.598802	9.32E+11	9132620
9.35E+11	9160060	2.51E-03	0.601198	9.32E+11	9133600
9.35E+11	9162020	2.52E-03	0.603593	9.32E+11	9134580
9.35E+11	9163000	2.53E-03	0.605988	9.32E+11	9135560
9.35E+11	9164960	2.54E-03	0.608383	9.32E+11	9136540
9.35E+11	9166920	2.55E-03	0.610778	9.32E+11	9137520
9.36E+11	9167900	2.56E-03	0.613174	9.32E+11	9137520

9.36E+11	9169860	2.57E-03	0.615569	9.33E+11	9138500
9.36E+11	9170840	2.58E-03	0.617964	9.33E+11	9138500
9.36E+11	9172800	2.59E-03	0.620359	9.33E+11	9139480
9.36E+11	9174760	2.60E-03	0.622754	9.33E+11	9139480
9.36E+11	9175740	2.61E-03	0.62515	9.33E+11	9139480
9.37E+11	9177700	2.62E-03	0.627545	9.33E+11	9140460
9.37E+11	9179660	2.63E-03	0.62994	9.33E+11	9140460
9.37E+11	9180640	2.64E-03	0.632335	9.33E+11	9140460
9.37E+11	9182600	2.65E-03	0.634731	9.33E+11	9140460
9.37E+11	9184560	2.66E-03	0.637126	9.33E+11	9140460
9.37E+11	9184560	2.66E-03	0.637844	9.33E+11	9140460
9.37E+11	9186520	2.67E-03	0.64024	9.33E+11	9140460
9.38E+11	9188480	2.68E-03	0.642635	9.33E+11	9138500
9.38E+11	9189460	2.69E-03	0.64503	9.32E+11	9137520
9.38E+11	9191420	2.70E-03	0.647425	9.32E+11	9137520
9.38E+11	9193380	2.71E-03	0.64982	9.32E+11	9135560
0.00E+00	0	0.00E+00		0.00E+00	0
###	-8885.66	-1.00E-06	-0.00024	###	-8864.1
###	-17747.8	-2.00E-06	-0.000479	###	-17708.6
###	-26616.8	-3.00E-06	-0.000719	###	-26548.2
###	-35485.8	-4.00E-06	-0.000958	###	-35397.6



###	-8888000	-1.00E-04	-0.023952	###	-8844500
###	-975198	-1.10E-04	-0.026347	###	-972846
###	-1064280	-1.20E-04	-0.028743	###	-1061340
###	-1152480	-1.30E-04	-0.031138	###	-1149540
###	-1240680	-1.40E-04	-0.033533	###	-1237740
###	-1328880	-1.50E-04	-0.035928	###	-1325940
###	-1418060	-1.60E-04	-0.038323	###	-1414140
###	-1506260	-1.70E-04	-0.040719	###	-1502340
###	-1594460	-1.80E-04	-0.043114	###	-1590540
###	-1682660	-1.90E-04	-0.045509	###	-1678740
###	-1771840	-2.00E-04	-0.047904	###	-1766940
###	-1860040	-2.10E-04	-0.050299	###	-1855140
###	-1947260	-2.20E-04	-0.052695	###	-1942360

### -2035460 -2.30E-04 -0.05509	### -2030560
### -2123660 -2.40E-04 -0.057485	### -2118760
### -2211860 -2.50E-04 -0.05988	### -2205980
### -2299080 -2.60E-04 -0.062275	### -2294180
### -2387280 -2.70E-04 -0.064671	### -2381400
### -2475480 -2.80E-04 -0.067066	### -2468620
### -2562700 -2.90E-04 -0.069461	### -2556820
### -2650900 -3.00E-04 -0.071856	### -2644040
### -2739100 -3.10E-04 -0.074251	### -2732240
### -2826320 -3.20E-04 -0.076647	### -2819460
### -2914520 -3.30E-04 -0.079042	### -2906680
### -3001740 -3.40E-04 -0.081437	### -2994880
### -3089940 -3.50E-04 -0.083832	### -3082100
### -3178140 -3.60E-04 -0.086228	### -3169320
### -3265360 -3.70E-04 -0.088623	### -3257520
### -3353560 -3.80E-04 -0.091018	### -3344740
### -3440780 -3.90E-04 -0.093413	### -3431960
### -3528000 -4.00E-04 -0.095808	### -3519180
### -3616200 -4.10E-04 -0.098204	### -3606400
### -3703420 -4.20E-04 -0.100599	### -3693620
### -3790640 -4.30E-04 -0.102994	### -3780840
### -3877860 -4.40E-04 -0.105389	### -3868060
### -3966060 -4.50E-04 -0.107784	### -3955280
### -4053280 -4.60E-04 -0.11018	### -4042500
### -4140500 -4.70E-04 -0.112575	### -4129720
### -4227720 -4.80E-04 -0.11497	### -4216940
### -4315920 -4.90E-04 -0.117365	### -4304160
### -4403140 -5.00E-04 -0.11976	### -4390400
### -4490360 -5.10E-04 -0.122156	### -4476640
### -4577580 -5.20E-04 -0.124551	### -4563860
### -4663820 -5.30E-04 -0.126946	### -4650100
### -4751040 -5.40E-04 -0.129341	### -4736340
### -4838260 -5.50E-04 -0.131737	### -4822580
### -4924500 -5.60E-04 -0.134132	### -4908820
### -5010740 -5.70E-04 -0.136527	### -4995060
### -5096980 -5.80E-04 -0.138922	### -5081300
### -5183220 -5.90E-04 -0.141317	### -5166560
### -5268480 -6.00E-04 -0.143713	### -5252800
### -5354720 -6.10E-04 -0.146108	### -5338060
### -5439980 -6.20E-04 -0.148503	### -5423320
### -5525240 -6.30E-04 -0.150898	### -5508580
### -5610500 -6.40E-04 -0.153293	### -5592860
### -5695760 -6.50E-04 -0.155689	### -5678120
### -5780040 -6.60E-04 -0.158084	### -5762400
### -5864320 -6.70E-04 -0.160479	### -5846680
### -5948600 -6.80E-04 -0.162874	### -5930960
### -6032880 -6.90E-04 -0.165269	### -6014260
### -6116180 -7.00E-04 -0.167665	### -6097560

### -6199480 -7.10E-04 -0.17006	### -6179880
### -6282780 -7.20E-04 -0.172455	### -6260240
### -6364120 -7.30E-04 -0.17485	### -6340600
### -6445460 -7.40E-04 -0.177246	### -6419980
### -6523860 -7.50E-04 -0.179641	### -6498380
### -6601280 -7.60E-04 -0.182036	### -6519940
### -6677720 -7.70E-04 -0.184431	### -6576780
### -6701240 -7.73E-04 -0.185198	### -6629700
### -6760040 -7.81E-04 -0.187114	### -6646360
### -6817860 -7.90E-04 -0.189198	### -6679680
### -6844320 -7.98E-04 -0.191138	### -6679680
### -6848240 -8.04E-04 -0.192503	### -6704180
### -6836480 -8.11E-04 -0.194132	### -6728680
### -6813940 -8.21E-04 -0.196527	### -6755140
### -6806100 -8.25E-04 -0.197485	### -6761020
### -6794340 -8.31E-04 -0.199018	### -6772780
### -6775720 -8.41E-04 -0.201413	### -6772780
### -6773760 -8.42E-04 -0.201653	### -6773760
### -6740440 -8.52E-04 -0.204048	### -6764940
### -6703200 -8.62E-04 -0.206443	### -6743380
### -6699280 -8.63E-04 -0.206611	### -6708100
### -6638520 -8.73E-04 -0.209006	### -6664980
### -6615980 -8.75E-04 -0.209677	### -6589520
### -6505240 -8.85E-04 -0.212072	### -6553260
### -6467020 -8.89E-04 -0.212862	### -6498380
### -6402340 -8.94E-04 -0.21418	### -6434680
### -6352360 -8.98E-04 -0.215162	### -6376860
### -6223980 -9.08E-04 -0.217557	### -6341580
### -6101480 -9.18E-04 -0.219952	### -6267100
### -6000540 -9.28E-04 -0.222347	### -6219080
### -6000540 -9.28E-04 -0.222347	### -6140680
### -5911360 -9.38E-04 -0.224743	### -6110300
### -5835900 -9.48E-04 -0.227138	### -6032880
### -5771220 -9.58E-04 -0.229533	### -5935860
### -5709480 -9.68E-04 -0.231928	### -5935860
### -5686940 -9.73E-04 -0.232982	### -5847660
### -5635980 -9.83E-04 -0.235377	### -5773180
### -5585020 -9.93E-04 -0.237772	### -5743780
### -5539940 -1.00E-03 -0.24024	### -5679100
### -5537980 -1.00E-03 -0.24024	### -5622260
### -5494860 -1.01E-03 -0.242635	### -5572280
### -5453700 -1.02E-03 -0.24503	### -5526220
### -5416460 -1.03E-03 -0.247425	### -5482120
### -5379220 -1.04E-03 -0.24982	### -5471340
### -5342960 -1.05E-03 -0.252216	### -5432140
### -5308660 -1.06E-03 -0.254611	### -5392940
### -5277300 -1.07E-03 -0.257006	### -5358640
### -5245940 -1.08E-03 -0.259401	### -5324340


### -5214580 -1.09E-03 -0.261796	### -5292980
### -5186160 -1.10E-03 -0.264192	### -5261620
### -5158720 -1.11E-03 -0.266587	### -5231240
### -5131280 -1.12E-03 -0.268982	### -5202820
### -5104820 -1.13E-03 -0.271377	### -5173420
### -5078360 -1.14E-03 -0.273772	### -5145980
### -5053860 -1.15E-03 -0.276168	### -5124420
### -5030340 -1.16E-03 -0.278563	### -5096980
### -5005840 -1.17E-03 -0.280958	### -5071500
### -4982320 -1.18E-03 -0.283353	### -5045040
### -4959780 -1.19E-03 -0.285749	### -5020540
### -4937240 -1.20E-03 -0.288144	### -4997020
### -4915680 -1.21E-03 -0.290539	### -4973500
### -4894120 -1.22E-03 -0.292934	### -4950960
### -4872560 -1.23E-03 -0.295329	### -4928420
### -4851980 -1.24E-03 -0.297725	### -4906860
### -4831400 -1.25E-03 -0.30012	### -4885300
### -4811800 -1.26E-03 -0.302515	### -4864720
### -4792200 -1.27E-03 -0.30491	### -4845120
### -4773580 -1.28E-03 -0.307305	### -4822580
### -4754960 -1.29E-03 -0.309701	### -4802980
### -4735360 -1.30E-03 -0.312096	### -4783380
### -4717720 -1.31E-03 -0.314491	### -4764760
### -4700080 -1.32E-03 -0.316886	### -4746140
### -4682440 -1.33E-03 -0.319281	### -4728500
### -4665780 -1.34E-03 -0.321677	### -4709880
### -4649120 -1.35E-03 -0.324072	### -4692240
### -4632460 -1.36E-03 -0.326467	### -4674600
### -4615800 -1.37E-03 -0.328862	### -4656960
### -4599140 -1.38E-03 -0.331257	### -4640300
### -4583460 -1.39E-03 -0.333653	### -4624620
### -4568760 -1.40E-03 -0.336048	### -4608940
### -4553080 -1.41E-03 -0.338443	### -4592280
### -4538380 -1.42E-03 -0.340838	### -4576600
### -4523680 -1.43E-03 -0.343234	### -4560920
### -4508000 -1.44E-03 -0.345629	### -4546220
### -4493300 -1.45E-03 -0.348024	### -4531520
### -4478600 -1.46E-03 -0.350419	### -4516820
### -4463900 -1.47E-03 -0.352814	### -4501140
### -4448220 -1.48E-03 -0.35521	### -4485460
### -4432540 -1.49E-03 -0.357605	### -4470760
### -4416860 -1.50E-03 -0.36	### -4456060
### -4401180 -1.51E-03 -0.362395	### -4440380
### -4385500 -1.52E-03 -0.36479	### -4425680
### -4370800 -1.53E-03 -0.367186	### -4410000
### -4356100 -1.54E-03 -0.369581	### -4394320
### -4341400 -1.55E-03 -0.371976	### -4379620
### -4326700 -1.56E-03 -0.374371	

### -4312000 -1.57E-03 -0.376766	### -4363940
### -4297300 -1.58E-03 -0.379162	### -4349240
### -4283580 -1.59E-03 -0.381557	### -4334540
### -4268880 -1.60E-03 -0.383952	### -4319840
### -4255160 -1.61E-03 -0.386347	### -4306120
### -4241440 -1.62E-03 -0.388743	### -4291420
### -4226740 -1.63E-03 -0.391138	### -4277700
### -4213020 -1.64E-03 -0.393533	### -4263000
### -4199300 -1.65E-03 -0.395928	### -4248300
### -4185580 -1.66E-03 -0.398323	### -4234580
### -4171860 -1.67E-03 -0.400719	### -4220860
### -4159120 -1.68E-03 -0.403114	### -4207140
### -4145400 -1.69E-03 -0.405509	### -4193420
### -4132660 -1.70E-03 -0.407904	### -4179700
### -4119920 -1.71E-03 -0.410299	### -4165980
### -4107180 -1.72E-03 -0.412695	### -4153240
### -4094440 -1.73E-03 -0.41509	### -4139520
### -4081700 -1.74E-03 -0.417485	### -4126780
### -4068960 -1.75E-03 -0.41988	### -4114040
### -4056220 -1.76E-03 -0.422275	### -4101300
### -4044460 -1.77E-03 -0.424671	### -4088560
### -4031720 -1.78E-03 -0.427066	### -4075820
### -4019960 -1.79E-03 -0.429461	### -4063080
### -4007220 -1.80E-03 -0.431856	### -4051320
### -3995460 -1.81E-03 -0.434251	### -4050340
### -3983700 -1.82E-03 -0.436647	### -4038580
### -3971940 -1.83E-03 -0.439042	### -4025840
### -3960180 -1.84E-03 -0.441437	### -4014080
### -3949400 -1.85E-03 -0.443832	### -4002320
### -3937640 -1.86E-03 -0.446228	### -3989580
### -3925880 -1.87E-03 -0.448623	### -3977820
### -3915100 -1.88E-03 -0.451018	### -3966060
### -3903340 -1.89E-03 -0.453413	### -3955280
### -3892560 -1.90E-03 -0.455808	### -3943520
### -3881780 -1.91E-03 -0.458204	### -3931760
### -3871000 -1.92E-03 -0.460599	### -3920980
### -3860220 -1.93E-03 -0.462994	### -3909220
### -3849440 -1.94E-03 -0.465389	### -3898440
### -3839640 -1.95E-03 -0.467784	### -3887660
### -3828860 -1.96E-03 -0.47018	### -3876880
### -3818080 -1.97E-03 -0.472575	### -3870020
### -3808280 -1.98E-03 -0.47497	### -3859240
### -3798480 -1.99E-03 -0.477365	### -3848460
### -3789660 -2.00E-03 -0.47976	### -3838660
### -3780840 -2.01E-03 -0.482156	### -3827880
### -3771040 -2.02E-03 -0.484551	### -3818080
### -3762220 -2.03E-03 -0.486946	### -3808280
### -3753400 -2.04E-03 -0.489341	### -3798480

### -3744580 -2.05E-03 -0.491737	### -3789660
### -3736740 -2.06E-03 -0.494132	### -3779860
### -3727920 -2.07E-03 -0.496527	### -3771040
### -3719100 -2.08E-03 -0.498922	### -3762220
### -3710280 -2.09E-03 -0.501317	### -3753400
### -3702440 -2.10E-03 -0.503713	### -3744580
### -3694600 -2.11E-03 -0.506108	### -3735760
### -3686760 -2.12E-03 -0.508503	### -3726940
### -3678920 -2.13E-03 -0.510898	### -3719100
### -3671080 -2.14E-03 -0.513293	### -3710280
### -3663240 -2.15E-03 -0.515689	### -3702440
### -3655400 -2.16E-03 -0.518084	### -3694600
### -3647560 -2.17E-03 -0.520479	### -3685780
### -3639720 -2.18E-03 -0.522874	### -3677940
### -3632860 -2.19E-03 -0.525269	### -3670100
### -3625020 -2.20E-03 -0.527665	### -3662260
### -3617180 -2.21E-03 -0.53006	### -3654420
### -3609340 -2.22E-03 -0.532455	### -3647560
### -3602480 -2.23E-03 -0.53485	### -3639720
### -3595620 -2.24E-03 -0.537246	### -3631880
### -3588760 -2.25E-03 -0.539641	### -3624040
### -3581900 -2.26E-03 -0.542036	### -3617180
### -3575040 -2.27E-03 -0.544431	### -3609340
### -3568180 -2.28E-03 -0.546826	### -3602480
### -3561320 -2.29E-03 -0.549222	### -3595620
### -3555440 -2.30E-03 -0.551617	### -3588760
### -3548580 -2.31E-03 -0.554012	### -3581900
### -3541720 -2.32E-03 -0.556407	### -3575040
### -3534860 -2.33E-03 -0.558802	### -3568180
### -3528980 -2.34E-03 -0.561198	### -3561320
### -3522120 -2.35E-03 -0.563593	### -3554460
### -3516240 -2.36E-03 -0.565988	### -3548580
### -3509380 -2.37E-03 -0.568383	### -3541720
### -3503500 -2.38E-03 -0.570778	### -3534860
### -3496640 -2.39E-03 -0.573174	### -3528980
### -3490760 -2.40E-03 -0.575569	### -3522120
### -3484880 -2.41E-03 -0.577964	### -3516240
### -3479000 -2.42E-03 -0.580359	### -3509380
### -3474100 -2.43E-03 -0.582754	### -3503500
### -3468220 -2.44E-03 -0.58515	### -3497620
### -3463320 -2.45E-03 -0.587545	### -3490760
### -3457440 -2.46E-03 -0.58994	### -3484880
### -3452540 -2.47E-03 -0.592335	### -3479980
### -3446660 -2.48E-03 -0.594731	### -3474100
### -3441760 -2.49E-03 -0.597126	### -3468220
### -3436860 -2.50E-03 -0.599521	### -3463320
### -3430980 -2.51E-03 -0.601916	### -3457440
### -3426080 -2.52E-03 -0.604311	### -3452540


### -3421180 -2.53E-03 -0.606707	### -3447640
### -3416280 -2.54E-03 -0.609102	### -3441760
### -3411380 -2.55E-03 -0.611497	### -3436860
### -3405500 -2.56E-03 -0.613892	### -3431960
### -3400600 -2.57E-03 -0.616287	### -3426080
### -3395700 -2.58E-03 -0.618683	### -3421180
### -3390800 -2.59E-03 -0.621078	### -3416280
### -3385900 -2.60E-03 -0.623473	### -3411380
### -3381000 -2.61E-03 -0.625868	### -3406480
### -3376100 -2.62E-03 -0.628263	### -3400600
### -3371200 -2.63E-03 -0.630659	### -3395700
### -3366300 -2.64E-03 -0.633054	### -3390800
### -3362380 -2.65E-03 -0.635449	### -3385900
### -3357480 -2.66E-03 -0.637844	### -3381000
### -3353560 -2.67E-03 -0.64024	### -3376100
### -3348660 -2.68E-03 -0.642635	### -3372180
### -3344740 -2.69E-03 -0.64503	### -3367280
### -3339840 -2.70E-03 -0.647425	### -3362380
### -3335920 -2.71E-03 -0.64982	### -3358460
### -3331020 -2.72E-03 -0.652216	### -3353560
### -3327100 -2.73E-03 -0.654611	### -3349640
### -3322200 -2.74E-03 -0.657006	### -3344740
### -3318280 -2.75E-03 -0.659401	### -3340820
### -3313380 -2.76E-03 -0.661796	### -3335920
### -3309460 -2.77E-03 -0.664192	### -3332000
### -3305540 -2.78E-03 -0.666587	### -3327100
### -3300640 -2.79E-03 -0.668982	### -3323180
### -3296720 -2.80E-03 -0.671377	### -3318280

B4) Idchk = 2	
amage	
9.80E-06	1000
Rotation	Curvature
1.00E-06	0.00024
2.00E-06	0.000479
3.00E-06	0.000719



2.40E-04	0.057485
2.50E-04	0.05988
2.60E-04	0.062275
2.70E-04	0.064671
2.80E-04	0.067066
2.90E-04	0.069461
3.00E-04	0.071856
3.10E-04	0.074251
3.20E-04	0.076647
3.30E-04	0.079042
3.40E-04	0.081437

Bulk Carrier (B4) Idchk = 1			
20% damage			
frame space	4.175	9.80E-06	1000
Moment	Rotation		Curvature
8.90E+08	8722	1.00E-06	0.00024
1.78E+09	17424.4	2.00E-06	0.000479



2.04E+11	2001160	2.30E-04	0.05509
2.13E+11	2088380	2.40E-04	0.057485
2.22E+11	2175600	2.50E-04	0.05988
2.31E+11	2262820	2.60E-04	0.062275
2.40E+11	2349060	2.70E-04	0.064671
2.49E+11	2436280	2.80E-04	0.067066
2.58E+11	2523500	2.90E-04	0.069461
2.66E+11	2610720	3.00E-04	0.071856
2.75E+11	2696960	3.10E-04	0.074251
2.84E+11	2784180	3.20E-04	0.076647
2.93E+11	2871400	3.30E-04	0.079042
3.02E+11	2957640	3.40E-04	0.081437

3.50E-04	0.083832	3.11E+11	3044860	3.50E-04	0.083832
3.60E-04	0.086228	3.20E+11	3132080	3.60E-04	0.086228
3.70E-04	0.088623	3.28E+11	3218320	3.70E-04	0.088623
3.80E-04	0.091018	3.37E+11	3305540	3.80E-04	0.091018
3.90E-04	0.093413	3.46E+11	3392760	3.90E-04	0.093413
4.00E-04	0.095808	3.55E+11	3479980	4.00E-04	0.095808
4.10E-04	0.098204	3.64E+11	3566220	4.10E-04	0.098204
4.20E-04	0.100599	3.73E+11	3653440	4.20E-04	0.100599
4.30E-04	0.102994	3.82E+11	3740660	4.30E-04	0.102994
4.40E-04	0.105389	3.91E+11	3826900	4.40E-04	0.105389
4.50E-04	0.107784	3.99E+11	3914120	4.50E-04	0.107784
4.60E-04	0.11018	4.08E+11	4001340	4.60E-04	0.11018
4.70E-04	0.112575	4.17E+11	4087580	4.70E-04	0.112575
4.80E-04	0.11497	4.26E+11	4174800	4.80E-04	0.11497
4.90E-04	0.117365	4.35E+11	4261040	4.90E-04	0.117365
5.00E-04	0.11976	4.44E+11	4348260	5.00E-04	0.11976
5.10E-04	0.122156	4.53E+11	4435480	5.10E-04	0.122156
5.20E-04	0.124551	4.61E+11	4521720	5.20E-04	0.124551
5.30E-04	0.126946	4.70E+11	4608940	5.30E-04	0.126946
5.40E-04	0.129341	4.79E+11	4696160	5.40E-04	0.129341
5.50E-04	0.131737	4.88E+11	4782400	5.50E-04	0.131737
5.60E-04	0.134132	4.97E+11	4869620	5.60E-04	0.134132
5.70E-04	0.136527	5.06E+11	4956840	5.70E-04	0.136527
5.80E-04	0.138922	5.15E+11	5043080	5.80E-04	0.138922
5.90E-04	0.141317	5.24E+11	5130300	5.90E-04	0.141317
6.00E-04	0.143713	5.32E+11	5216540	6.00E-04	0.143713
6.10E-04	0.146108	5.41E+11	5303760	6.10E-04	0.146108
6.20E-04	0.148503	5.50E+11	5390980	6.20E-04	0.148503
6.30E-04	0.150898	5.59E+11	5477220	6.30E-04	0.150898
6.40E-04	0.153293	5.68E+11	5564440	6.40E-04	0.153293
6.50E-04	0.155689	5.77E+11	5650680	6.50E-04	0.155689
6.60E-04	0.158084	5.86E+11	5737900	6.60E-04	0.158084
6.70E-04	0.160479	5.94E+11	5825120	6.70E-04	0.160479
6.80E-04	0.162874	6.03E+11	5911360	6.80E-04	0.162874
6.90E-04	0.165269	6.12E+11	5998580	6.90E-04	0.165269
7.00E-04	0.167665	6.21E+11	6084820	7.00E-04	0.167665
7.10E-04	0.17006	6.30E+11	6172040	7.10E-04	0.17006
7.20E-04	0.172455	6.39E+11	6258280	7.20E-04	0.172455
7.30E-04	0.17485	6.48E+11	6345500	7.30E-04	0.17485
7.40E-04	0.177246	6.56E+11	6431740	7.40E-04	0.177246
7.50E-04	0.179641	6.65E+11	6518960	7.50E-04	0.179641
7.60E-04	0.182036	6.74E+11	6606180	7.60E-04	0.182036
7.70E-04	0.184431	6.83E+11	6692420	7.70E-04	0.184431
7.80E-04	0.186826	6.92E+11	6779640	7.80E-04	0.186826
7.90E-04	0.189222	7.01E+11	6865880	7.90E-04	0.189222
8.00E-04	0.191617	7.10E+11	6953100	8.00E-04	0.191617
8.10E-04	0.194012	7.18E+11	7039340	8.10E-04	0.194012
8.20E-04	0.196407	7.27E+11	7126560	8.20E-04	0.196407


8.22E-04	0.196982	7.36E+11	7212800	8.30E-04	0.198802
8.30E-04	0.198874	7.39E+11	7242200	8.33E-04	0.199593
8.40E-04	0.201269	7.47E+11	7320600	8.43E-04	0.201892
8.42E-04	0.201605	7.54E+11	7385280	8.52E-04	0.204096
8.52E-04	0.204	7.58E+11	7430360	8.60E-04	0.205988
8.61E-04	0.20618	7.63E+11	7480340	8.70E-04	0.208383
8.71E-04	0.208575	7.66E+11	7507780	8.76E-04	0.209749
8.75E-04	0.209557	7.71E+11	7555800	8.86E-04	0.212144
8.85E-04	0.211952	7.76E+11	7602840	8.96E-04	0.214491
8.86E-04	0.212311	7.80E+11	7646940	9.06E-04	0.216886
8.96E-04	0.214707	7.85E+11	7690060	9.15E-04	0.219234
8.98E-04	0.21509	7.88E+11	7724360	9.23E-04	0.221174
9.08E-04	0.217389	7.92E+11	7763560	9.33E-04	0.223569
9.18E-04	0.219784	7.96E+11	7802760	9.43E-04	0.225964
9.28E-04	0.22218	8.00E+11	7838040	9.52E-04	0.228096
9.30E-04	0.222778	8.04E+11	7874300	9.62E-04	0.230491
9.40E-04	0.225174	8.07E+11	7908600	9.72E-04	0.232814
9.50E-04	0.227569	8.11E+11	7942900	9.82E-04	0.23521
9.60E-04	0.229964	8.11E+11	7942900	9.82E-04	0.23521
9.62E-04	0.230299	8.14E+11	7975240	9.92E-04	0.237605
9.72E-04	0.232695	8.17E+11	8006600	1.00E-03	0.24
9.74E-04	0.233365	8.20E+11	8037960	1.01E-03	0.242395
9.84E-04	0.23576	8.21E+11	8042860	1.01E-03	0.242874
9.91E-04	0.237269	8.24E+11	8071280	1.02E-03	0.245269
1.00E-03	0.23976	8.27E+11	8100680	1.03E-03	0.247665
1.01E-03	0.242156	8.27E+11	8100680	1.03E-03	0.247665
1.02E-03	0.244551	8.29E+11	8128120	1.04E-03	0.25006
1.02E-03	0.244551	8.30E+11	8137920	1.05E-03	0.250778
1.03E-03	0.246946	8.33E+11	8162420	1.06E-03	0.253174
1.04E-03	0.249341	8.35E+11	8186920	1.07E-03	0.255569
1.05E-03	0.251737	8.38E+11	8211420	1.08E-03	0.257964
1.05E-03	0.252216	8.39E+11	8223180	1.08E-03	0.259162
1.06E-03	0.254611	8.41E+11	8242780	1.09E-03	0.261557
1.07E-03	0.255808	8.43E+11	8263360	1.10E-03	0.263952
1.08E-03	0.258204	8.45E+11	8282960	1.11E-03	0.266347
1.09E-03	0.25988	8.46E+11	8288840	1.12E-03	0.267066
1.10E-03	0.262275	8.48E+11	8306480	1.13E-03	0.269461
1.11E-03	0.264671	8.49E+11	8324120	1.14E-03	0.271856
1.11E-03	0.265389	8.51E+11	8341760	1.15E-03	0.274251
1.12E-03	0.267784	8.52E+11	8346660	1.15E-03	0.27497
1.13E-03	0.27018	8.53E+11	8362340	1.16E-03	0.277365
1.13E-03	0.270419	8.55E+11	8377040	1.17E-03	0.27976
1.14E-03	0.272814	8.55E+11	8378020	1.17E-03	0.28
1.15E-03	0.27521	8.56E+11	8391740	1.18E-03	0.282395
1.15E-03	0.275449	8.58E+11	8405460	1.19E-03	0.28479
1.16E-03	0.277844	8.59E+11	8419180	1.20E-03	0.287186
1.17E-03	0.279042	8.60E+11	8431920	1.21E-03	0.289581
1.18E-03	0.281437	8.61E+11	8439760	1.21E-03	0.290778

1.19E-03	0.283832	8.62E+11	8451520	1.22E-03	0.293174
1.19E-03	0.285988	8.64E+11	8462300	1.23E-03	0.295329
1.20E-03	0.288383	8.65E+11	8472100	1.24E-03	0.297725
1.21E-03	0.290778	8.66E+11	8481900	1.25E-03	0.30012
1.22E-03	0.293174	8.67E+11	8491700	1.26E-03	0.302515
1.23E-03	0.294611	8.68E+11	8501500	1.27E-03	0.30491
1.24E-03	0.297006	8.69E+11	8511300	1.28E-03	0.307305
1.25E-03	0.299401	8.70E+11	8522080	1.29E-03	0.309701
1.26E-03	0.301796	8.71E+11	8531880	1.30E-03	0.312096
1.27E-03	0.304192	8.72E+11	8540700	1.31E-03	0.314491
1.28E-03	0.306587	8.72E+11	8545600	1.32E-03	0.315449
1.29E-03	0.308982	8.73E+11	8554420	1.33E-03	0.317844
1.30E-03	0.310419	8.74E+11	8564220	1.34E-03	0.32024
1.31E-03	0.312814	8.75E+11	8574020	1.35E-03	0.322635
1.31E-03	0.314731	8.76E+11	8583820	1.36E-03	0.32503
1.32E-03	0.317126	8.77E+11	8592640	1.37E-03	0.327425
1.33E-03	0.319521	8.78E+11	8602440	1.38E-03	0.32982
1.34E-03	0.31976	8.79E+11	8612240	1.39E-03	0.332216
1.35E-03	0.322156	8.80E+11	8621060	1.40E-03	0.334611
1.36E-03	0.324551	8.81E+11	8630860	1.41E-03	0.337006
1.37E-03	0.326946	8.82E+11	8640660	1.42E-03	0.339401
1.37E-03	0.327665	8.83E+11	8649480	1.43E-03	0.341796
1.38E-03	0.33006	8.84E+11	8659280	1.44E-03	0.344192
1.39E-03	0.332455	8.85E+11	8668100	1.45E-03	0.346587
1.39E-03	0.333653	8.86E+11	8677900	1.46E-03	0.348982
1.40E-03	0.336048	8.86E+11	8686720	1.47E-03	0.351377
1.41E-03	0.338443	8.87E+11	8696520	1.48E-03	0.353772
1.42E-03	0.340838	8.88E+11	8705340	1.49E-03	0.356168
1.43E-03	0.343234	8.89E+11	8714160	1.50E-03	0.358563
1.44E-03	0.345629	8.90E+11	8722980	1.51E-03	0.360958
1.45E-03	0.346587	8.91E+11	8732780	1.52E-03	0.363353
1.46E-03	0.348982	8.92E+11	8741600	1.53E-03	0.365749
1.47E-03	0.351377	8.93E+11	8750420	1.54E-03	0.368144
1.47E-03	0.351856	8.94E+11	8759240	1.55E-03	0.370539
1.48E-03	0.354251	8.94E+11	8764140	1.55E-03	0.371737
1.48E-03	0.355449	8.95E+11	8767080	1.56E-03	0.374132
1.49E-03	0.357844	8.95E+11	8770020	1.57E-03	0.376527
1.50E-03	0.36024	8.95E+11	8773940	1.58E-03	0.378922
1.50E-03	0.36024	8.96E+11	8776880	1.59E-03	0.381317
1.51E-03	0.362635	8.96E+11	8779820	1.60E-03	0.383473
1.52E-03	0.36503	8.96E+11	8781780	1.61E-03	0.385868
1.53E-03	0.366707	8.96E+11	8784720	1.62E-03	0.388263
1.54E-03	0.369102	8.97E+11	8786680	1.63E-03	0.390659
1.55E-03	0.371497	8.97E+11	8788640	1.64E-03	0.391856
1.56E-03	0.373892	8.97E+11	8789620	1.65E-03	0.394251
1.56E-03	0.374371	8.97E+11	8790600	1.66E-03	0.396647
1.57E-03	0.376766	8.97E+11	8791580	1.67E-03	0.399042
1.58E-03	0.379162	8.97E+11	8792560	1.68E-03	0.401437

1.59E-03	0.381557	8.97E+11	8792560	1.69E-03	0.403832
1.60E-03	0.383952	8.97E+11	8792560	1.70E-03	0.406228
1.61E-03	0.386347	8.97E+11	8792560	1.71E-03	0.408623
1.62E-03	0.388743	8.97E+11	8792560	1.71E-03	0.409581
1.63E-03	0.391138	8.97E+11	8792560	1.72E-03	0.411976
1.63E-03	0.391138	8.97E+11	8792560	1.73E-03	0.414371
1.64E-03	0.393533	8.97E+11	8792560	1.74E-03	0.416766
1.65E-03	0.395928	8.97E+11	8792560	1.75E-03	0.419162
1.66E-03	0.398323	8.97E+11	8791580	1.76E-03	0.421557
1.67E-03	0.400719	8.97E+11	8792560	1.77E-03	0.423952
1.68E-03	0.401916	8.97E+11	8792560	1.78E-03	0.426347
1.69E-03	0.404311	8.97E+11	8792560	1.79E-03	0.428743
1.70E-03	0.406707	8.97E+11	8792560	1.79E-03	0.428982
1.71E-03	0.408862	8.97E+11	8792560	1.80E-03	0.431377
1.72E-03	0.411257	8.97E+11	8793540	1.81E-03	0.433772
1.73E-03	0.413653	8.97E+11	8794520	1.82E-03	0.436168
1.74E-03	0.415808	8.97E+11	8794520	1.83E-03	0.437126
1.75E-03	0.418204	8.98E+11	8795500	1.84E-03	0.439521
1.76E-03	0.420599	8.98E+11	8795500	1.85E-03	0.441916
1.77E-03	0.422994	8.98E+11	8796480	1.85E-03	0.443353
1.77E-03	0.423473	8.98E+11	8796480	1.86E-03	0.445749
1.78E-03	0.425868	8.98E+11	8797460	1.87E-03	0.448144
1.79E-03	0.428263	8.98E+11	8798440	1.88E-03	0.450539
1.79E-03	0.429222	8.98E+11	8798440	1.88E-03	0.451257
1.80E-03	0.431617	8.98E+11	8799420	1.89E-03	0.453653
1.81E-03	0.434012	8.98E+11	8800400	1.90E-03	0.456048
1.82E-03	0.436407	8.98E+11	8800400	1.91E-03	0.458443
1.83E-03	0.437844	8.98E+11	8801380	1.92E-03	0.460838
1.84E-03	0.44024	8.98E+11	8802360	1.93E-03	0.463234
1.85E-03	0.442635	8.98E+11	8803340	1.94E-03	0.465629
1.86E-03	0.44503	8.99E+11	8805300	1.95E-03	0.468024
1.87E-03	0.447425	8.99E+11	8805300	1.95E-03	0.468024
1.88E-03	0.44982	8.99E+11	8806280	1.96E-03	0.470419
1.89E-03	0.452216	8.99E+11	8807260	1.97E-03	0.472814
1.90E-03	0.454611	8.99E+11	8808240	1.98E-03	0.47521
1.91E-03	0.457006	8.99E+11	8809220	1.99E-03	0.477605
1.92E-03	0.459162	8.99E+11	8811180	2.00E-03	0.48
1.93E-03	0.461557	8.99E+11	8812160	2.01E-03	0.482395
1.94E-03	0.463952	8.99E+11	8813140	2.02E-03	0.48479
1.95E-03	0.466347	8.99E+11	8814120	2.03E-03	0.487186
1.96E-03	0.468743	9.00E+11	8815100	2.04E-03	0.489581
1.96E-03	0.470419	9.00E+11	8816080	2.05E-03	0.490539
1.97E-03	0.472814	9.00E+11	8817060	2.06E-03	0.492934
1.98E-03	0.47521	9.00E+11	8818040	2.07E-03	0.495329
1.99E-03	0.477605	9.00E+11	8819020	2.08E-03	0.497725
2.00E-03	0.48	9.00E+11	8820000	2.09E-03	0.50012
2.01E-03	0.482395	9.00E+11	8820980	2.10E-03	0.502515
2.02E-03	0.482874	9.00E+11	8821960	2.10E-03	0.503234

2.03E-03	0.485269	9.00E+11	8822940	2.11E-03	0.505629
2.04E-03	0.487665	9.00E+11	8823920	2.12E-03	0.508024
2.05E-03	0.49006	9.01E+11	8825880	2.13E-03	0.510419
2.05E-03	0.490539	9.01E+11	8826860	2.14E-03	0.512814
2.06E-03	0.492934	9.01E+11	8827840	2.15E-03	0.51521
2.07E-03	0.495329	9.01E+11	8829800	2.16E-03	0.517605
2.08E-03	0.497485	9.01E+11	8830780	2.17E-03	0.52
2.09E-03	0.49988	9.01E+11	8830780	2.17E-03	0.520719
2.10E-03	0.502275	9.01E+11	8832740	2.18E-03	0.523114
2.11E-03	0.504671	9.01E+11	8833720	2.19E-03	0.525509
2.12E-03	0.507066	9.02E+11	8834700	2.20E-03	0.527904
2.13E-03	0.509461	9.02E+11	8836660	2.21E-03	0.530299
2.14E-03	0.511856	9.02E+11	8837640	2.22E-03	0.532695
2.15E-03	0.514251	9.02E+11	8839600	2.23E-03	0.53509
2.16E-03	0.516647	9.02E+11	8840580	2.24E-03	0.537485
2.17E-03	0.519042	9.02E+11	8842540	2.25E-03	0.53988
2.18E-03	0.520958	9.02E+11	8843520	2.26E-03	0.542275
2.19E-03	0.523353	9.03E+11	8845480	2.27E-03	0.544671
2.20E-03	0.525749	9.03E+11	8846460	2.28E-03	0.547066
2.21E-03	0.528144	9.03E+11	8848420	2.29E-03	0.549461
2.22E-03	0.530539	9.03E+11	8849400	2.30E-03	0.551856
2.23E-03	0.532934	9.03E+11	8851360	2.31E-03	0.554251
2.24E-03	0.535329	9.03E+11	8852340	2.32E-03	0.556647
2.25E-03	0.537725	9.04E+11	8854300	2.33E-03	0.559042
2.26E-03	0.54012	9.04E+11	8855280	2.34E-03	0.561437
2.27E-03	0.542515	9.04E+11	8856260	2.35E-03	0.562395
2.28E-03	0.54491	9.04E+11	8857240	2.36E-03	0.56479
2.29E-03	0.547305	9.04E+11	8859200	2.37E-03	0.567186
2.29E-03	0.548263	9.04E+11	8861160	2.38E-03	0.569581
2.30E-03	0.550659	9.04E+11	8862140	2.39E-03	0.571976
2.31E-03	0.553054	9.05E+11	8864100	2.40E-03	0.574371
2.32E-03	0.555449	9.05E+11	8865080	2.41E-03	0.576766
2.33E-03	0.557844	9.05E+11	8867040	2.42E-03	0.579162
2.34E-03	0.56024	9.05E+11	8869000	2.43E-03	0.581557
2.35E-03	0.562635	9.05E+11	8869980	2.44E-03	0.583952
2.35E-03	0.563832	9.05E+11	8871940	2.45E-03	0.586347
2.36E-03	0.566228	9.05E+11	8872920	2.46E-03	0.588743
2.37E-03	0.568623	9.06E+11	8874880	2.47E-03	0.591138
2.38E-03	0.571018	9.06E+11	8876840	2.48E-03	0.593533
2.39E-03	0.573413	9.06E+11	8877820	2.49E-03	0.595928
2.40E-03	0.575808	9.06E+11	8879780	2.50E-03	0.598323
2.41E-03	0.577246	9.06E+11	8881740	2.51E-03	0.600719
2.42E-03	0.579641	9.06E+11	8882720	2.52E-03	0.603114
2.43E-03	0.582036	9.07E+11	8884680	2.53E-03	0.605509
2.44E-03	0.584431	9.07E+11	8886640	2.54E-03	0.607904
2.45E-03	0.586826	9.07E+11	8887620	2.55E-03	0.610299
2.46E-03	0.589222	9.07E+11	8889580	2.56E-03	0.612695
2.46E-03	0.589461	9.07E+11	8891540	2.57E-03	0.61509


2.47E-03	0.591856
2.48E-03	0.594251
2.49E-03	0.596647
2.50E-03	0.599042
2.50E-03	0.59976
2.51E-03	0.602156
2.52E-03	0.604551
2.53E-03	0.605988
2.54E-03	0.608383
2.55E-03	0.610778
2.56E-03	0.613174
2.56E-03	0.613653
2.57E-03	0.616048
2.58E-03	0.618443
2.58E-03	0.618922
2.59E-03	0.621317
0.00E+00	
-1.00E-06	-0.00024
-2.00E-06	-0.000479
-3.00E-06	-0.000719
-4.00E-06	-0.000958



-1.00E-04	-0.023952
-1.10E-04	-0.026347
-1.20E-04	-0.028743
-1.30E-04	-0.031138
-1.40E-04	-0.033533
-1.50E-04	-0.035928
-1.60E-04	-0.038323
-1.70E-04	-0.040719
-1.80E-04	-0.043114
-1.90E-04	-0.045509
-2.00E-04	-0.047904
-2.10E-04	-0.050299
-2.20E-04	-0.052695

9.07E+11	8892520	2.58E-03	0.617485
9.08E+11	8893500	2.58E-03	0.618922
9.08E+11	8895460	2.59E-03	0.621317
9.08E+11	8897420	2.60E-03	0.623713
9.08E+11	8899380	2.61E-03	0.626108
9.08E+11	8900360	2.62E-03	0.628503
9.08E+11	8902320	2.63E-03	0.630898
9.09E+11	8904280	2.64E-03	0.633293
9.09E+11	8905260	2.65E-03	0.635689
9.09E+11	8907220	2.66E-03	0.638084
9.09E+11	8909180	2.67E-03	0.640479
9.09E+11	8911140	2.68E-03	0.642874
9.09E+11	8912120	2.69E-03	0.645269
9.10E+11	8914080	2.70E-03	0.647665
9.10E+11	8915060	2.71E-03	0.648623
9.10E+11	8916040	2.72E-03	0.651018
0.00E+00	0	0.00E+00	

###	-8722	-1.00E-06	-0.00024
###	-17424.4	-2.00E-06	-0.000479
###	-26126.8	-3.00E-06	-0.000719
###	-34829.2	-4.00E-06	-0.000958



###	-870240	-1.00E-04	-0.023952
###	-957264	-1.10E-04	-0.026347
###	-1043700	-1.20E-04	-0.028743
###	-1130920	-1.30E-04	-0.031138
###	-1218140	-1.40E-04	-0.033533
###	-1304380	-1.50E-04	-0.035928
###	-1391600	-1.60E-04	-0.038323
###	-1478820	-1.70E-04	-0.040719
###	-1565060	-1.80E-04	-0.043114
###	-1652280	-1.90E-04	-0.045509
###	-1738520	-2.00E-04	-0.047904
###	-1825740	-2.10E-04	-0.050299
###	-1911980	-2.20E-04	-0.052695

-2.30E-04	-0.05509	###	-1998220	-2.30E-04	-0.05509
-2.40E-04	-0.057485	###	-2084460	-2.40E-04	-0.057485
-2.50E-04	-0.05988	###	-2170700	-2.50E-04	-0.05988
-2.60E-04	-0.062275	###	-2256940	-2.60E-04	-0.062275
-2.70E-04	-0.064671	###	-2344160	-2.70E-04	-0.064671
-2.80E-04	-0.067066	###	-2430400	-2.80E-04	-0.067066
-2.90E-04	-0.069461	###	-2516640	-2.90E-04	-0.069461
-3.00E-04	-0.071856	###	-2602880	-3.00E-04	-0.071856
-3.10E-04	-0.074251	###	-2689120	-3.10E-04	-0.074251
-3.20E-04	-0.076647	###	-2775360	-3.20E-04	-0.076647
-3.30E-04	-0.079042	###	-2861600	-3.30E-04	-0.079042
-3.40E-04	-0.081437	###	-2947840	-3.40E-04	-0.081437
-3.50E-04	-0.083832	###	-3034080	-3.50E-04	-0.083832
-3.60E-04	-0.086228	###	-3120320	-3.60E-04	-0.086228
-3.70E-04	-0.088623	###	-3206560	-3.70E-04	-0.088623
-3.80E-04	-0.091018	###	-3292800	-3.80E-04	-0.091018
-3.90E-04	-0.093413	###	-3379040	-3.90E-04	-0.093413
-4.00E-04	-0.095808	###	-3464300	-4.00E-04	-0.095808
-4.10E-04	-0.098204	###	-3550540	-4.10E-04	-0.098204
-4.20E-04	-0.100599	###	-3636780	-4.20E-04	-0.100599
-4.30E-04	-0.102994	###	-3723020	-4.30E-04	-0.102994
-4.40E-04	-0.105389	###	-3808280	-4.40E-04	-0.105389
-4.50E-04	-0.107784	###	-3894520	-4.50E-04	-0.107784
-4.60E-04	-0.11018	###	-3980760	-4.60E-04	-0.11018
-4.70E-04	-0.112575	###	-4066020	-4.70E-04	-0.112575
-4.80E-04	-0.11497	###	-4152260	-4.80E-04	-0.11497
-4.90E-04	-0.117365	###	-4238500	-4.90E-04	-0.117365
-5.00E-04	-0.11976	###	-4323760	-5.00E-04	-0.11976
-5.10E-04	-0.122156	###	-4409020	-5.10E-04	-0.122156
-5.20E-04	-0.124551	###	-4494280	-5.20E-04	-0.124551
-5.30E-04	-0.126946	###	-4579540	-5.30E-04	-0.126946
-5.40E-04	-0.129341	###	-4664800	-5.40E-04	-0.129341
-5.50E-04	-0.131737	###	-4750060	-5.50E-04	-0.131737
-5.60E-04	-0.134132	###	-4834340	-5.60E-04	-0.134132
-5.70E-04	-0.136527	###	-4919600	-5.70E-04	-0.136527
-5.80E-04	-0.138922	###	-5003880	-5.80E-04	-0.138922
-5.90E-04	-0.141317	###	-5088160	-5.90E-04	-0.141317
-6.00E-04	-0.143713	###	-5171460	-6.00E-04	-0.143713
-6.10E-04	-0.146108	###	-5255740	-6.10E-04	-0.146108
-6.20E-04	-0.148503	###	-5339040	-6.20E-04	-0.148503
-6.30E-04	-0.150898	###	-5423320	-6.30E-04	-0.150898
-6.40E-04	-0.153293	###	-5506620	-6.40E-04	-0.153293
-6.50E-04	-0.155689	###	-5589920	-6.50E-04	-0.155689
-6.60E-04	-0.158084	###	-5672240	-6.60E-04	-0.158084
-6.70E-04	-0.160479	###	-5755540	-6.70E-04	-0.160479
-6.80E-04	-0.162874	###	-5837860	-6.80E-04	-0.162874
-6.90E-04	-0.165269	###	-5920180	-6.90E-04	-0.165269
-7.00E-04	-0.167665	###	-6001520	-7.00E-04	-0.167665

-7.10E-04	-0.17006	###	-6082860	-7.10E-04	-0.17006
-7.20E-04	-0.172455	###	-6163220	-7.20E-04	-0.172455
-7.30E-04	-0.17485	###	-6242600	-7.30E-04	-0.17485
-7.40E-04	-0.177246	###	-6320020	-7.40E-04	-0.177246
-7.50E-04	-0.179641	###	-6395480	-7.50E-04	-0.179641
-7.53E-04	-0.180311	###	-6469960	-7.60E-04	-0.182036
-7.60E-04	-0.182108	###	-6503280	-7.65E-04	-0.183114
-7.68E-04	-0.183904	###	-6563060	-7.73E-04	-0.185126
-7.73E-04	-0.185246	###	-6612060	-7.81E-04	-0.18697
-7.83E-04	-0.187641	###	-6637540	-7.87E-04	-0.188527
-7.84E-04	-0.187665	###	-6645380	-7.94E-04	-0.190132
-7.91E-04	-0.189485	###	-6630680	-8.02E-04	-0.191976
-7.99E-04	-0.191401	###	-6602260	-8.12E-04	-0.194371
-8.09E-04	-0.193796	###	-6592460	-8.15E-04	-0.195281
-8.11E-04	-0.194323	###	-6578740	-8.22E-04	-0.19679
-8.21E-04	-0.196719	###	-6555220	-8.32E-04	-0.199186
-8.22E-04	-0.19679	###	-6517980	-8.42E-04	-0.201581
-8.31E-04	-0.198922	###	-6473880	-8.52E-04	-0.203952
-8.35E-04	-0.200072	###	-6409200	-8.62E-04	-0.206347
-8.42E-04	-0.201653	###	-6391560	-8.64E-04	-0.20685
-8.48E-04	-0.203186	###	-6285720	-8.74E-04	-0.209246
-8.55E-04	-0.204671	###	-6248480	-8.77E-04	-0.210036
-8.65E-04	-0.207066	###	-6182820	-8.83E-04	-0.211425
-8.70E-04	-0.208263	###	-6066200	-8.93E-04	-0.21382
-8.77E-04	-0.21006	###	-5946640	-9.03E-04	-0.216216
-8.85E-04	-0.212072	###	-5842760	-9.13E-04	-0.218611
-8.93E-04	-0.213916	###	-5801600	-9.18E-04	-0.21976
-8.98E-04	-0.21509	###	-5715360	-9.28E-04	-0.222156
-9.08E-04	-0.217485	###	-5641860	-9.38E-04	-0.224551
-9.14E-04	-0.218994	###	-5580120	-9.48E-04	-0.226946
-9.24E-04	-0.221389	###	-5522300	-9.58E-04	-0.229341
-9.28E-04	-0.222299	###	-5500740	-9.62E-04	-0.230371
-9.37E-04	-0.224335	###	-5450760	-9.72E-04	-0.232766
-9.47E-04	-0.226731	###	-5402740	-9.82E-04	-0.235162
-9.47E-04	-0.226731	###	-5357660	-9.92E-04	-0.237557
-9.57E-04	-0.229126	###	-5355700	-9.92E-04	-0.237701
-9.67E-04	-0.231521	###	-5314540	-1.00E-03	-0.24
-9.71E-04	-0.232623	###	-5274360	-1.01E-03	-0.242395
-9.81E-04	-0.235018	###	-5236140	-1.02E-03	-0.24479
-9.91E-04	-0.237413	###	-5200860	-1.03E-03	-0.247186
-1.00E-03	-0.23976	###	-5167540	-1.04E-03	-0.249581
-1.01E-03	-0.242156	###	-5134220	-1.05E-03	-0.251976
-1.02E-03	-0.244551	###	-5103840	-1.06E-03	-0.254371
-1.02E-03	-0.245269	###	-5074440	-1.07E-03	-0.256766
-1.03E-03	-0.247665	###	-5045040	-1.08E-03	-0.259162
-1.04E-03	-0.25006	###	-5016620	-1.09E-03	-0.261557
-1.05E-03	-0.252216	###	-4990160	-1.10E-03	-0.263952
-1.06E-03	-0.254611	###	-4964680	-1.11E-03	-0.266347

-1.07E-03 -0.257006	### -4939200 -1.12E-03 -0.268743
-1.08E-03 -0.259401	### -4913720 -1.13E-03 -0.271138
-1.09E-03 -0.261796	### -4890200 -1.14E-03 -0.273533
-1.10E-03 -0.264192	### -4866680 -1.15E-03 -0.275928
-1.11E-03 -0.266587	### -4844140 -1.16E-03 -0.278323
-1.12E-03 -0.268982	### -4821600 -1.17E-03 -0.280719
-1.13E-03 -0.271138	### -4801020 -1.18E-03 -0.283114
-1.14E-03 -0.273533	### -4779460 -1.19E-03 -0.285509
-1.15E-03 -0.275928	### -4758880 -1.20E-03 -0.287904
-1.16E-03 -0.278323	### -4739280 -1.21E-03 -0.290299
-1.17E-03 -0.280719	### -4718700 -1.22E-03 -0.292695
-1.18E-03 -0.283114	### -4698120 -1.23E-03 -0.29509
-1.19E-03 -0.285509	### -4678520 -1.24E-03 -0.297485
-1.20E-03 -0.287904	### -4659900 -1.25E-03 -0.29988
-1.21E-03 -0.290299	### -4641280 -1.26E-03 -0.302275
-1.22E-03 -0.292695	### -4622660 -1.27E-03 -0.304671
-1.23E-03 -0.29509	### -4604040 -1.28E-03 -0.307066
-1.24E-03 -0.297485	### -4586400 -1.29E-03 -0.309461
-1.25E-03 -0.29988	### -4568760 -1.30E-03 -0.311856
-1.25E-03 -0.30012	### -4551120 -1.31E-03 -0.314251
-1.26E-03 -0.302515	### -4535440 -1.32E-03 -0.316647
-1.27E-03 -0.30491	### -4518780 -1.33E-03 -0.319042
-1.28E-03 -0.307305	### -4502120 -1.34E-03 -0.321437
-1.29E-03 -0.309701	### -4486440 -1.35E-03 -0.323832
-1.30E-03 -0.312096	### -4470760 -1.36E-03 -0.326228
-1.31E-03 -0.314491	### -4455080 -1.37E-03 -0.328623
-1.32E-03 -0.316886	### -4439400 -1.38E-03 -0.331018
-1.33E-03 -0.319281	### -4424700 -1.39E-03 -0.333413
-1.34E-03 -0.321677	### -4410000 -1.40E-03 -0.335808
-1.35E-03 -0.324072	### -4395300 -1.41E-03 -0.338204
-1.36E-03 -0.326467	### -4380600 -1.42E-03 -0.340599
-1.37E-03 -0.328862	### -4366880 -1.43E-03 -0.342994
-1.38E-03 -0.331257	### -4353160 -1.44E-03 -0.345389
-1.39E-03 -0.333653	### -4338460 -1.45E-03 -0.347784
-1.40E-03 -0.336048	### -4324740 -1.46E-03 -0.35018
-1.41E-03 -0.338443	### -4310040 -1.47E-03 -0.352575
-1.42E-03 -0.340838	### -4294360 -1.48E-03 -0.35497
-1.43E-03 -0.343234	### -4279660 -1.49E-03 -0.357365
-1.44E-03 -0.345629	### -4263980 -1.50E-03 -0.35976
-1.45E-03 -0.348024	### -4249280 -1.51E-03 -0.362156
-1.46E-03 -0.350419	### -4234580 -1.52E-03 -0.364551
-1.47E-03 -0.352814	### -4219880 -1.53E-03 -0.366946
-1.48E-03 -0.35521	### -4206160 -1.54E-03 -0.369341
-1.49E-03 -0.357605	### -4192440 -1.55E-03 -0.371737
-1.50E-03 -0.36	### -4177740 -1.56E-03 -0.374132
-1.51E-03 -0.362395	### -4164020 -1.57E-03 -0.376527
-1.52E-03 -0.36479	### -4150300 -1.58E-03 -0.378922
-1.53E-03 -0.367186	### -4136580 -1.59E-03 -0.381317

-1.54E-03 -0.369581	### -4122860 -1.60E-03 -0.383713
-1.55E-03 -0.371976	### -4110120 -1.61E-03 -0.386108
-1.56E-03 -0.374371	### -4096400 -1.62E-03 -0.388503
-1.57E-03 -0.376766	### -4082680 -1.63E-03 -0.390898
-1.58E-03 -0.379162	### -4068960 -1.64E-03 -0.393293
-1.59E-03 -0.381557	### -4056220 -1.65E-03 -0.395689
-1.60E-03 -0.383952	### -4042500 -1.66E-03 -0.398084
-1.61E-03 -0.386347	### -4029760 -1.67E-03 -0.400479
-1.62E-03 -0.388743	### -4017020 -1.68E-03 -0.402874
-1.63E-03 -0.391138	### -4004280 -1.69E-03 -0.405269
-1.64E-03 -0.393533	### -3991540 -1.70E-03 -0.407665
-1.65E-03 -0.395928	### -3979780 -1.71E-03 -0.41006
-1.66E-03 -0.398323	### -3967040 -1.72E-03 -0.412455
-1.67E-03 -0.400719	### -3954300 -1.73E-03 -0.41485
-1.68E-03 -0.403114	### -3942540 -1.74E-03 -0.417246
-1.69E-03 -0.405509	### -3930780 -1.75E-03 -0.419641
-1.70E-03 -0.407904	### -3919020 -1.76E-03 -0.422036
-1.71E-03 -0.410299	### -3907260 -1.77E-03 -0.424431
-1.72E-03 -0.412695	### -3895500 -1.78E-03 -0.426826
-1.73E-03 -0.41509	### -3883740 -1.79E-03 -0.429222
-1.74E-03 -0.417485	### -3871980 -1.80E-03 -0.431617
-1.75E-03 -0.41988	### -3860220 -1.81E-03 -0.434012
-1.76E-03 -0.422275	### -3848460 -1.82E-03 -0.436407
-1.77E-03 -0.424671	### -3837680 -1.83E-03 -0.438802
-1.77E-03 -0.424671	### -3830820 -1.84E-03 -0.44024
-1.78E-03 -0.427066	### -3819060 -1.85E-03 -0.442635
-1.79E-03 -0.429461	### -3808280 -1.86E-03 -0.44503
-1.80E-03 -0.431856	### -3796520 -1.87E-03 -0.447425
-1.81E-03 -0.434251	### -3785740 -1.88E-03 -0.44982
-1.82E-03 -0.436647	### -3774960 -1.89E-03 -0.452216
-1.83E-03 -0.439042	### -3764180 -1.90E-03 -0.454611
-1.84E-03 -0.441437	### -3753400 -1.91E-03 -0.457006
-1.85E-03 -0.443832	### -3742620 -1.92E-03 -0.459401
-1.86E-03 -0.446228	### -3732820 -1.93E-03 -0.461796
-1.87E-03 -0.448623	### -3723020 -1.94E-03 -0.464192
-1.88E-03 -0.451018	### -3713220 -1.95E-03 -0.466587
-1.89E-03 -0.453413	### -3702440 -1.96E-03 -0.468982
-1.90E-03 -0.455808	### -3692640 -1.97E-03 -0.471377
-1.91E-03 -0.458204	### -3682840 -1.98E-03 -0.473772
-1.92E-03 -0.460599	### -3674020 -1.99E-03 -0.476168
-1.93E-03 -0.462036	### -3665200 -2.00E-03 -0.478563
-1.94E-03 -0.464431	### -3656380 -2.01E-03 -0.480958
-1.95E-03 -0.466826	### -3647560 -2.02E-03 -0.483353
-1.96E-03 -0.469222	### -3638740 -2.03E-03 -0.485749
-1.97E-03 -0.471617	### -3630900 -2.04E-03 -0.488144
-1.98E-03 -0.474012	### -3622080 -2.05E-03 -0.490539
-1.99E-03 -0.476407	### -3614240 -2.06E-03 -0.492934
-2.00E-03 -0.478802	### -3605420 -2.07E-03 -0.495329


-2.01E-03 -0.481198	### -3597580 -2.08E-03 -0.497725
-2.02E-03 -0.483593	### -3588760 -2.09E-03 -0.50012
-2.03E-03 -0.485988	### -3580920 -2.10E-03 -0.502515
-2.04E-03 -0.488383	### -3573080 -2.11E-03 -0.50491
-2.05E-03 -0.490778	### -3565240 -2.12E-03 -0.507305
-2.06E-03 -0.493174	### -3558380 -2.13E-03 -0.509701
-2.07E-03 -0.495569	### -3550540 -2.14E-03 -0.512096
-2.08E-03 -0.497964	### -3543680 -2.15E-03 -0.514491
-2.09E-03 -0.500359	### -3535840 -2.16E-03 -0.516886
-2.10E-03 -0.502754	### -3528000 -2.17E-03 -0.519281
-2.11E-03 -0.50515	### -3521140 -2.18E-03 -0.521677
-2.12E-03 -0.507545	### -3513300 -2.19E-03 -0.524072
-2.13E-03 -0.50994	### -3506440 -2.20E-03 -0.526467
-2.14E-03 -0.512335	### -3499580 -2.21E-03 -0.528862
-2.15E-03 -0.514731	### -3491740 -2.22E-03 -0.531257
-2.16E-03 -0.517126	### -3484880 -2.23E-03 -0.533653
-2.17E-03 -0.519521	### -3478020 -2.24E-03 -0.536048
-2.18E-03 -0.521916	### -3471160 -2.25E-03 -0.538443
-2.19E-03 -0.524311	### -3465280 -2.26E-03 -0.540838
-2.20E-03 -0.526707	### -3458420 -2.27E-03 -0.543234
-2.21E-03 -0.529102	### -3452540 -2.28E-03 -0.545629
-2.22E-03 -0.531497	### -3445680 -2.29E-03 -0.548024
-2.23E-03 -0.533892	### -3439800 -2.30E-03 -0.550419
-2.24E-03 -0.536287	### -3432940 -2.31E-03 -0.552814
-2.25E-03 -0.538683	### -3427060 -2.32E-03 -0.55521
-2.26E-03 -0.541078	### -3420200 -2.33E-03 -0.557605
-2.27E-03 -0.543473	### -3414320 -2.34E-03 -0.56
-2.28E-03 -0.545868	### -3408440 -2.35E-03 -0.562395
-2.29E-03 -0.548263	### -3401580 -2.36E-03 -0.56479
-2.30E-03 -0.550659	### -3395700 -2.37E-03 -0.567186
-2.31E-03 -0.553054	### -3389820 -2.38E-03 -0.569581
-2.32E-03 -0.555449	### -3383940 -2.39E-03 -0.571976
-2.33E-03 -0.557844	### -3378060 -2.40E-03 -0.574371
-2.34E-03 -0.56024	### -3372180 -2.41E-03 -0.576766
-2.35E-03 -0.562635	### -3366300 -2.42E-03 -0.579162
-2.36E-03 -0.56503	### -3361400 -2.43E-03 -0.581557
-2.37E-03 -0.567425	### -3356500 -2.44E-03 -0.583952
-2.38E-03 -0.56982	### -3350620 -2.45E-03 -0.586347
-2.39E-03 -0.572216	### -3345720 -2.46E-03 -0.588743
-2.40E-03 -0.574611	### -3340820 -2.47E-03 -0.591138
-2.41E-03 -0.577006	### -3335920 -2.48E-03 -0.593533
-2.42E-03 -0.579401	### -3331020 -2.49E-03 -0.595928
-2.43E-03 -0.581796	### -3326120 -2.50E-03 -0.598323
-2.44E-03 -0.584192	### -3321220 -2.51E-03 -0.600719
-2.45E-03 -0.586587	### -3316320 -2.52E-03 -0.603114
-2.46E-03 -0.588982	### -3311420 -2.53E-03 -0.605509
-2.47E-03 -0.591377	### -3306520 -2.54E-03 -0.607904
-2.48E-03 -0.593772	### -3301620 -2.55E-03 -0.610299

-2.49E-03 -0.596168	### -3296720 -2.56E-03 -0.612695
-2.50E-03 -0.598563	### -3291820 -2.57E-03 -0.61509
-2.51E-03 -0.600958	### -3286920 -2.58E-03 -0.617485
-2.52E-03 -0.603353	### -3282020 -2.59E-03 -0.61988
-2.53E-03 -0.605749	### -3277120 -2.60E-03 -0.622275
-2.54E-03 -0.608144	### -3272220 -2.61E-03 -0.624671
-2.55E-03 -0.610539	### -3268300 -2.62E-03 -0.627066
-2.56E-03 -0.612934	### -3263400 -2.63E-03 -0.629461
-2.57E-03 -0.615329	### -3259480 -2.64E-03 -0.631856
-2.58E-03 -0.617725	### -3255560 -2.65E-03 -0.634251
-2.59E-03 -0.62012	### -3250660 -2.66E-03 -0.636647
-2.60E-03 -0.622515	### -3246740 -2.67E-03 -0.639042
-2.61E-03 -0.62491	### -3242820 -2.68E-03 -0.641437
-2.62E-03 -0.627305	### -3237920 -2.69E-03 -0.643832
-2.63E-03 -0.629701	### -3234000 -2.70E-03 -0.646228
-2.64E-03 -0.632096	### -3230080 -2.71E-03 -0.648623
-2.65E-03 -0.634491	### -3226160 -2.72E-03 -0.651018
-2.66E-03 -0.636886	### -3221260 -2.73E-03 -0.653413
-2.67E-03 -0.639281	### -3217340 -2.74E-03 -0.655808
-2.68E-03 -0.641677	### -3213420 -2.75E-03 -0.658204
-2.69E-03 -0.644072	### -3209500 -2.76E-03 -0.660599
-2.70E-03 -0.646467	### -3205580 -2.77E-03 -0.662994
-2.71E-03 -0.648862	### -3200680 -2.78E-03 -0.665389
-2.72E-03 -0.651257	### -3196760 -2.79E-03 -0.667784
-2.73E-03 -0.653653	### -3192840 -2.80E-03 -0.67018
-2.74E-03 -0.656048	### -3188920 -2.81E-03 -0.672575
-2.75E-03 -0.658443	### -3185000 -2.82E-03 -0.67497
-2.76E-03 -0.660838	### -3181080 -2.83E-03 -0.677365

Bulk Carrier (B4) Idchk = 2

20% damage

frame space	4.175	9.80E-06	1000
Moment	Rotation		Curvature
8.85E+08	8673.98	1.00E-06	0.00024
1.77E+09	17326.4	2.00E-06	0.000479




2.03E+11	1990380	2.30E-04	0.05509
2.12E+11	2076620	2.40E-04	0.057485
2.21E+11	2162860	2.50E-04	0.05988
2.30E+11	2249100	2.60E-04	0.062275
2.38E+11	2336320	2.70E-04	0.064671
2.47E+11	2422560	2.80E-04	0.067066
2.56E+11	2508800	2.90E-04	0.069461
2.65E+11	2595040	3.00E-04	0.071856
2.74E+11	2681280	3.10E-04	0.074251
2.83E+11	2768500	3.20E-04	0.076647
2.91E+11	2854740	3.30E-04	0.079042
3.00E+11	2940980	3.40E-04	0.081437

Bulk Carrier (B4) Idchk = 1

40% damage

frame space	4.175	9.80E-06
Moment	Rotation	
8.79E+08	8616.16	1.00E-06
1.76E+09	17208.8	2.00E-06



2.02E+11	1977640	2.30E-04
2.11E+11	2062900	2.40E-04
2.19E+11	2149140	2.50E-04
2.28E+11	2235380	2.60E-04
2.37E+11	2320640	2.70E-04
2.46E+11	2406880	2.80E-04
2.54E+11	2493120	2.90E-04
2.63E+11	2578380	3.00E-04
2.72E+11	2664620	3.10E-04
2.81E+11	2750860	3.20E-04
2.89E+11	2836120	3.30E-04
2.98E+11	2922360	3.40E-04

3.09E+11	3027220	3.50E-04	0.083832
3.18E+11	3113460	3.60E-04	0.086228
3.27E+11	3200680	3.70E-04	0.088623
3.35E+11	3286920	3.80E-04	0.091018
3.44E+11	3373160	3.90E-04	0.093413
3.53E+11	3459400	4.00E-04	0.095808
3.62E+11	3545640	4.10E-04	0.098204
3.71E+11	3631880	4.20E-04	0.100599
3.79E+11	3718120	4.30E-04	0.102994
3.88E+11	3805340	4.40E-04	0.105389
3.97E+11	3891580	4.50E-04	0.107784
4.06E+11	3977820	4.60E-04	0.11018
4.15E+11	4064060	4.70E-04	0.112575
4.24E+11	4150300	4.80E-04	0.11497
4.32E+11	4236540	4.90E-04	0.117365
4.41E+11	4322780	5.00E-04	0.11976
4.50E+11	4409020	5.10E-04	0.122156
4.59E+11	4495260	5.20E-04	0.124551
4.68E+11	4581500	5.30E-04	0.126946
4.76E+11	4668720	5.40E-04	0.129341
4.85E+11	4754960	5.50E-04	0.131737
4.94E+11	4841200	5.60E-04	0.134132
5.03E+11	4927440	5.70E-04	0.136527
5.12E+11	5013680	5.80E-04	0.138922
5.20E+11	5099920	5.90E-04	0.141317
5.29E+11	5186160	6.00E-04	0.143713
5.38E+11	5272400	6.10E-04	0.146108
5.47E+11	5358640	6.20E-04	0.148503
5.56E+11	5444880	6.30E-04	0.150898
5.64E+11	5531120	6.40E-04	0.153293
5.73E+11	5617360	6.50E-04	0.155689
5.82E+11	5703600	6.60E-04	0.158084
5.91E+11	5790820	6.70E-04	0.160479
6.00E+11	5877060	6.80E-04	0.162874
6.09E+11	5963300	6.90E-04	0.165269
6.17E+11	6049540	7.00E-04	0.167665
6.26E+11	6135780	7.10E-04	0.17006
6.35E+11	6222020	7.20E-04	0.172455
6.44E+11	6308260	7.30E-04	0.17485
6.53E+11	6394500	7.40E-04	0.177246
6.61E+11	6480740	7.50E-04	0.179641
6.70E+11	6566980	7.60E-04	0.182036
6.79E+11	6653220	7.70E-04	0.184431
6.88E+11	6739460	7.80E-04	0.186826
6.97E+11	6825700	7.90E-04	0.189222
7.05E+11	6911940	8.00E-04	0.191617
7.07E+11	6924680	8.02E-04	0.191976
7.14E+11	6993280	8.12E-04	0.194371

3.07E+11	3008600	3.50E-04
3.16E+11	3093860	3.60E-04
3.25E+11	3180100	3.70E-04
3.33E+11	3266340	3.80E-04
3.42E+11	3351600	3.90E-04
3.51E+11	3437840	4.00E-04
3.60E+11	3523100	4.10E-04
3.68E+11	3609340	4.20E-04
3.77E+11	3695580	4.30E-04
3.86E+11	3780840	4.40E-04
3.95E+11	3867080	4.50E-04
4.03E+11	3953320	4.60E-04
4.12E+11	4038580	4.70E-04
4.21E+11	4124820	4.80E-04
4.30E+11	4210080	4.90E-04
4.38E+11	4296320	5.00E-04
4.47E+11	4382560	5.10E-04
4.56E+11	4467820	5.20E-04
4.65E+11	4554060	5.30E-04
4.73E+11	4639320	5.40E-04
4.82E+11	4725560	5.50E-04
4.91E+11	4810820	5.60E-04
5.00E+11	4897060	5.70E-04
5.09E+11	4983300	5.80E-04
5.17E+11	5068560	5.90E-04
5.26E+11	5154800	6.00E-04
5.35E+11	5240060	6.10E-04
5.44E+11	5326300	6.20E-04
5.52E+11	5411560	6.30E-04
5.61E+11	5497800	6.40E-04
5.70E+11	5584040	6.50E-04
5.79E+11	5669300	6.60E-04
5.87E+11	5755540	6.70E-04
5.96E+11	5840800	6.80E-04
6.05E+11	5927040	6.90E-04
6.14E+11	6012300	7.00E-04
6.22E+11	6098540	7.10E-04
6.31E+11	6183800	7.20E-04
6.40E+11	6270040	7.30E-04
6.49E+11	6355300	7.40E-04
6.57E+11	6441540	7.50E-04
6.66E+11	6526800	7.60E-04
6.75E+11	6613040	7.70E-04
6.84E+11	6698300	7.80E-04
6.92E+11	6784540	7.90E-04
7.01E+11	6869800	8.00E-04
7.10E+11	6956040	8.10E-04
7.19E+11	7041300	8.20E-04

7.16E+11	7015820	8.15E-04	0.195162	7.22E+11	7071680	8.24E-04
7.23E+11	7082460	8.25E-04	0.197557	7.29E+11	7147140	8.33E-04
7.30E+11	7150080	8.35E-04	0.199952	7.36E+11	7208880	8.42E-04
7.37E+11	7217700	8.45E-04	0.202347	7.40E+11	7252000	8.50E-04
7.37E+11	7217700	8.45E-04	0.202347	7.45E+11	7299040	8.60E-04
7.43E+11	7284340	8.55E-04	0.204743	7.47E+11	7323540	8.65E-04
7.45E+11	7303940	8.58E-04	0.205485	7.52E+11	7368620	8.75E-04
7.52E+11	7368620	8.68E-04	0.20788	7.56E+11	7410760	8.84E-04
7.52E+11	7371560	8.68E-04	0.208	7.61E+11	7452900	8.94E-04
7.58E+11	7432320	8.78E-04	0.210395	7.64E+11	7491120	9.03E-04
7.59E+11	7442120	8.80E-04	0.210778	7.68E+11	7522480	9.11E-04
7.65E+11	7497980	8.90E-04	0.21315	7.71E+11	7558740	9.21E-04
7.69E+11	7539140	8.98E-04	0.214994	7.75E+11	7595980	9.31E-04
7.73E+11	7576380	9.05E-04	0.216766	7.78E+11	7625380	9.39E-04
7.78E+11	7623420	9.15E-04	0.219162	7.82E+11	7658700	9.49E-04
7.80E+11	7641060	9.19E-04	0.220048	7.85E+11	7688100	9.58E-04
7.83E+11	7676340	9.27E-04	0.222036	7.88E+11	7719460	9.67E-04
7.87E+11	7715540	9.37E-04	0.224431	7.91E+11	7747880	9.77E-04
7.90E+11	7740040	9.43E-04	0.225892	7.94E+11	7776300	9.87E-04
7.93E+11	7772380	9.52E-04	0.227904	7.97E+11	7805700	9.97E-04
7.97E+11	7809620	9.62E-04	0.230299	7.97E+11	7805700	9.98E-04
7.98E+11	7817460	9.64E-04	0.230802	7.99E+11	7832160	1.01E-03
8.01E+11	7852740	9.74E-04	0.233198	8.02E+11	7855680	1.02E-03
8.04E+11	7883120	9.82E-04	0.235234	8.04E+11	7880180	1.03E-03
8.08E+11	7916440	9.92E-04	0.237629	8.05E+11	7888020	1.03E-03
8.10E+11	7938000	9.99E-04	0.239234	8.07E+11	7909580	1.04E-03
8.13E+11	7969360	1.01E-03	0.241677	8.09E+11	7931140	1.05E-03
8.14E+11	7972300	1.01E-03	0.241916	8.12E+11	7952700	1.06E-03
8.17E+11	8001700	1.02E-03	0.244311	8.12E+11	7958580	1.06E-03
8.18E+11	8012480	1.02E-03	0.24503	8.14E+11	7975240	1.07E-03
8.21E+11	8041880	1.03E-03	0.247425	8.16E+11	7991900	1.08E-03
8.21E+11	8047760	1.04E-03	0.247904	8.17E+11	8008560	1.09E-03
8.24E+11	8075200	1.05E-03	0.250299	8.18E+11	8011500	1.09E-03
8.26E+11	8096760	1.05E-03	0.252216	8.19E+11	8025220	1.10E-03
8.29E+11	8122240	1.06E-03	0.254611	8.20E+11	8038940	1.11E-03
8.31E+11	8147720	1.07E-03	0.257006	8.22E+11	8052660	1.12E-03
8.32E+11	8150660	1.08E-03	0.257485	8.22E+11	8054620	1.13E-03
8.34E+11	8173200	1.09E-03	0.25988	8.23E+11	8066380	1.14E-03
8.36E+11	8195740	1.10E-03	0.262275	8.24E+11	8078140	1.15E-03
8.39E+11	8217300	1.11E-03	0.264671	8.25E+11	8087940	1.16E-03
8.40E+11	8227100	1.11E-03	0.265629	8.26E+11	8097740	1.17E-03
8.42E+11	8247680	1.12E-03	0.268024	8.27E+11	8107540	1.18E-03
8.43E+11	8259440	1.13E-03	0.269701	8.28E+11	8118320	1.19E-03
8.45E+11	8277080	1.14E-03	0.272096	8.29E+11	8120280	1.19E-03
8.46E+11	8294720	1.15E-03	0.274491	8.30E+11	8130080	1.20E-03
8.48E+11	8312360	1.16E-03	0.276886	8.30E+11	8136940	1.21E-03
8.49E+11	8323140	1.16E-03	0.278323	8.31E+11	8144780	1.22E-03
8.51E+11	8339800	1.17E-03	0.280719	8.32E+11	8151640	1.23E-03

8.53E+11	8355480	1.18E-03	0.283114
8.54E+11	8367240	1.19E-03	0.28479
8.55E+11	8381940	1.20E-03	0.287186
8.57E+11	8395660	1.21E-03	0.289581
8.57E+11	8395660	1.21E-03	0.289581
8.58E+11	8409380	1.22E-03	0.291976
8.59E+11	8422120	1.23E-03	0.294371
8.60E+11	8428000	1.23E-03	0.295329
8.61E+11	8440740	1.24E-03	0.297725
8.62E+11	8445640	1.25E-03	0.298683
8.63E+11	8457400	1.26E-03	0.301078
8.64E+11	8468180	1.27E-03	0.303473
8.65E+11	8479940	1.28E-03	0.305868
8.66E+11	8486800	1.28E-03	0.307545
8.67E+11	8497580	1.29E-03	0.30994
8.68E+11	8508360	1.30E-03	0.312335
8.69E+11	8519140	1.31E-03	0.314731
8.70E+11	8529920	1.32E-03	0.317126
8.72E+11	8540700	1.33E-03	0.319521
8.72E+11	8546580	1.34E-03	0.320958
8.73E+11	8556380	1.35E-03	0.323353
8.74E+11	8565200	1.36E-03	0.325749
8.74E+11	8566180	1.36E-03	0.325988
8.75E+11	8575000	1.37E-03	0.328383
8.76E+11	8582840	1.38E-03	0.330778
8.77E+11	8591660	1.39E-03	0.333174
8.77E+11	8598520	1.40E-03	0.33509
8.78E+11	8603420	1.41E-03	0.337485
8.78E+11	8608320	1.42E-03	0.33988
8.79E+11	8611260	1.43E-03	0.341317
8.79E+11	8616160	1.44E-03	0.343713
8.80E+11	8621060	1.45E-03	0.346108
8.80E+11	8625960	1.46E-03	0.348503
8.80E+11	8625960	1.46E-03	0.348743
8.81E+11	8630860	1.47E-03	0.351138
8.81E+11	8635760	1.48E-03	0.353533
8.81E+11	8635760	1.48E-03	0.353772
8.82E+11	8640660	1.49E-03	0.356168
8.82E+11	8644580	1.50E-03	0.358563
8.83E+11	8649480	1.51E-03	0.360958
8.83E+11	8653400	1.52E-03	0.363353
8.83E+11	8657320	1.53E-03	0.365749
8.84E+11	8662220	1.54E-03	0.368144
8.84E+11	8666140	1.55E-03	0.370539
8.85E+11	8670060	1.56E-03	0.372934
8.85E+11	8674960	1.57E-03	0.375329
8.86E+11	8677900	1.57E-03	0.377006
8.86E+11	8681820	1.58E-03	0.379401

8.33E+11	8158500	1.24E-03
8.33E+11	8166340	1.25E-03
8.34E+11	8173200	1.26E-03
8.35E+11	8180060	1.27E-03
8.36E+11	8187900	1.28E-03
8.36E+11	8194760	1.29E-03
8.37E+11	8201620	1.30E-03
8.38E+11	8208480	1.31E-03
8.38E+11	8216320	1.32E-03
8.39E+11	8223180	1.33E-03
8.40E+11	8230040	1.34E-03
8.41E+11	8237880	1.35E-03
8.41E+11	8244740	1.36E-03
8.42E+11	8251600	1.37E-03
8.43E+11	8258460	1.38E-03
8.44E+11	8266300	1.39E-03
8.44E+11	8273160	1.40E-03
8.45E+11	8280020	1.41E-03
8.46E+11	8286880	1.42E-03
8.46E+11	8293740	1.43E-03
8.47E+11	8301580	1.44E-03
8.48E+11	8308440	1.45E-03
8.49E+11	8315300	1.46E-03
8.49E+11	8322160	1.47E-03
8.50E+11	8329020	1.48E-03
8.51E+11	8335880	1.49E-03
8.51E+11	8337840	1.49E-03
8.51E+11	8341760	1.50E-03
8.52E+11	8345680	1.51E-03
8.52E+11	8348620	1.52E-03
8.52E+11	8352540	1.53E-03
8.53E+11	8356460	1.54E-03
8.53E+11	8359400	1.55E-03
8.53E+11	8363320	1.56E-03
8.54E+11	8367240	1.57E-03
8.54E+11	8370180	1.58E-03
8.55E+11	8374100	1.59E-03
8.55E+11	8377040	1.60E-03
8.55E+11	8380960	1.61E-03
8.56E+11	8384880	1.62E-03
8.56E+11	8387820	1.63E-03
8.56E+11	8391740	1.64E-03
8.57E+11	8394680	1.65E-03
8.57E+11	8398600	1.66E-03
8.57E+11	8401540	1.67E-03
8.58E+11	8405460	1.68E-03
8.58E+11	8408400	1.69E-03
8.58E+11	8411340	1.70E-03


8.86E+11	8685740	1.59E-03	0.381796
8.87E+11	8689660	1.60E-03	0.383952
8.87E+11	8693580	1.61E-03	0.386347
8.88E+11	8697500	1.62E-03	0.388743
8.88E+11	8701420	1.63E-03	0.390898
8.88E+11	8705340	1.64E-03	0.393293
8.89E+11	8709260	1.65E-03	0.395689
8.89E+11	8713180	1.66E-03	0.398084
8.90E+11	8717100	1.67E-03	0.400479
8.90E+11	8721020	1.68E-03	0.402874
8.90E+11	8724940	1.69E-03	0.405269
8.90E+11	8724940	1.69E-03	0.405749
8.91E+11	8728860	1.70E-03	0.408144
8.91E+11	8732780	1.71E-03	0.410539
8.92E+11	8736700	1.72E-03	0.412934
8.92E+11	8737680	1.73E-03	0.413653
8.92E+11	8741600	1.74E-03	0.416048
8.92E+11	8745520	1.75E-03	0.418443
8.93E+11	8748460	1.76E-03	0.420359
8.93E+11	8751400	1.77E-03	0.422754
8.93E+11	8755320	1.78E-03	0.42515
8.94E+11	8759240	1.79E-03	0.427545
8.94E+11	8763160	1.80E-03	0.42994
8.95E+11	8766100	1.81E-03	0.432335
8.95E+11	8770020	1.82E-03	0.434731
8.95E+11	8773940	1.83E-03	0.437126
8.95E+11	8774920	1.83E-03	0.438323
8.96E+11	8776880	1.84E-03	0.440719
8.96E+11	8778840	1.85E-03	0.443114
8.96E+11	8780800	1.86E-03	0.445509
8.96E+11	8780800	1.86E-03	0.445988
8.96E+11	8782760	1.87E-03	0.448383
8.96E+11	8783740	1.88E-03	0.450778
8.97E+11	8785700	1.89E-03	0.453174
8.97E+11	8786680	1.90E-03	0.45509
8.97E+11	8788640	1.91E-03	0.457485
8.97E+11	8790600	1.92E-03	0.45988
8.97E+11	8791580	1.93E-03	0.462275
8.97E+11	8792560	1.94E-03	0.463952
8.97E+11	8794520	1.95E-03	0.466347
8.98E+11	8795500	1.96E-03	0.468743
8.98E+11	8797460	1.97E-03	0.471138
8.98E+11	8798440	1.97E-03	0.472575
8.98E+11	8799420	1.98E-03	0.47497
8.98E+11	8801380	1.99E-03	0.477365
8.98E+11	8802360	2.00E-03	0.47976
8.98E+11	8803340	2.01E-03	0.481198
8.98E+11	8804320	2.02E-03	0.483593

8.59E+11	8415260	1.71E-03
8.59E+11	8418200	1.72E-03
8.59E+11	8422120	1.73E-03
8.60E+11	8425060	1.74E-03
8.60E+11	8428000	1.75E-03
8.60E+11	8431920	1.76E-03
8.61E+11	8434860	1.77E-03
8.61E+11	8437800	1.78E-03
8.61E+11	8441720	1.79E-03
8.62E+11	8444660	1.80E-03
8.62E+11	8446620	1.81E-03
8.62E+11	8449560	1.82E-03
8.63E+11	8452500	1.83E-03
8.63E+11	8456420	1.84E-03
8.63E+11	8459360	1.85E-03
8.63E+11	8460340	1.85E-03
8.64E+11	8462300	1.86E-03
8.64E+11	8465240	1.87E-03
8.64E+11	8468180	1.88E-03
8.64E+11	8469160	1.88E-03
8.64E+11	8471120	1.89E-03
8.65E+11	8472100	1.90E-03
8.65E+11	8473080	1.91E-03
8.65E+11	8474060	1.92E-03
8.65E+11	8474060	1.93E-03
8.65E+11	8474060	1.94E-03
8.65E+11	8474060	1.95E-03
8.65E+11	8474060	1.96E-03
8.65E+11	8474060	1.97E-03
8.65E+11	8474060	1.98E-03
8.65E+11	8474060	1.99E-03
8.65E+11	8474060	2.00E-03
8.65E+11	8474060	2.01E-03
8.65E+11	8475040	2.02E-03
8.65E+11	8475040	2.03E-03
8.65E+11	8475040	2.04E-03
8.65E+11	8476020	2.05E-03
8.65E+11	8476020	2.06E-03
8.65E+11	8477000	2.07E-03
8.65E+11	8477980	2.08E-03
8.65E+11	8477980	2.08E-03
8.65E+11	8478960	2.09E-03
8.65E+11	8478960	2.10E-03
8.65E+11	8479940	2.11E-03
8.65E+11	8480920	2.12E-03
8.66E+11	8481900	2.13E-03
8.66E+11	8481900	2.14E-03
8.66E+11	8482880	2.15E-03

8.99E+11	8806280	2.03E-03	0.485988
8.99E+11	8807260	2.04E-03	0.488144
8.99E+11	8808240	2.05E-03	0.490539
8.99E+11	8809220	2.06E-03	0.492934
8.99E+11	8811180	2.07E-03	0.495329
8.99E+11	8812160	2.08E-03	0.497725
8.99E+11	8813140	2.08E-03	0.498443
8.99E+11	8814120	2.09E-03	0.500838
9.00E+11	8815100	2.10E-03	0.503234
9.00E+11	8816080	2.11E-03	0.505629
9.00E+11	8818040	2.12E-03	0.508024
9.00E+11	8818040	2.12E-03	0.508024
9.00E+11	8819020	2.13E-03	0.510419
9.00E+11	8820000	2.14E-03	0.512814
9.00E+11	8820980	2.15E-03	0.51521
9.00E+11	8822940	2.16E-03	0.517605
9.00E+11	8823920	2.17E-03	0.52
9.01E+11	8824900	2.18E-03	0.522395
9.01E+11	8825880	2.19E-03	0.52479
9.01E+11	8827840	2.20E-03	0.527186
9.01E+11	8828820	2.21E-03	0.529581
9.01E+11	8829800	2.22E-03	0.531976
9.01E+11	8830780	2.23E-03	0.533174
9.01E+11	8831760	2.24E-03	0.535569
9.01E+11	8833720	2.25E-03	0.537964
9.02E+11	8834700	2.26E-03	0.540359
9.02E+11	8835680	2.27E-03	0.542754
9.02E+11	8836660	2.28E-03	0.54515
9.02E+11	8837640	2.28E-03	0.546587
9.02E+11	8838620	2.29E-03	0.548982
9.02E+11	8840580	2.30E-03	0.551377
9.02E+11	8841560	2.31E-03	0.553772
9.02E+11	8842540	2.32E-03	0.556168
9.03E+11	8844500	2.33E-03	0.558563
9.03E+11	8844500	2.33E-03	0.558802
9.03E+11	8845480	2.34E-03	0.561198
9.03E+11	8846460	2.35E-03	0.563593
9.03E+11	8848420	2.36E-03	0.565988
9.03E+11	8848420	2.36E-03	0.566228
9.03E+11	8849400	2.37E-03	0.568623
9.03E+11	8850380	2.38E-03	0.571018
9.03E+11	8851360	2.39E-03	0.573413
9.03E+11	8852340	2.40E-03	0.575329
9.03E+11	8852340	2.41E-03	0.577725
9.03E+11	8853320	2.42E-03	0.58012
9.04E+11	8854300	2.43E-03	0.582515
9.04E+11	8854300	2.43E-03	0.582994
9.04E+11	8855280	2.44E-03	0.585389


8.66E+11	8483860	2.16E-03
8.66E+11	8484840	2.17E-03
8.66E+11	8485820	2.18E-03
8.66E+11	8486800	2.19E-03
8.66E+11	8487780	2.20E-03
8.66E+11	8488760	2.21E-03
8.66E+11	8489740	2.22E-03
8.66E+11	8490720	2.22E-03
8.67E+11	8491700	2.23E-03
8.67E+11	8492680	2.24E-03
8.67E+11	8493660	2.25E-03
8.67E+11	8494640	2.26E-03
8.67E+11	8496600	2.27E-03
8.67E+11	8497580	2.28E-03
8.67E+11	8498560	2.29E-03
8.67E+11	8499540	2.30E-03
8.67E+11	8500520	2.31E-03
8.68E+11	8502480	2.32E-03
8.68E+11	8502480	2.33E-03
8.68E+11	8503460	2.34E-03
8.68E+11	8505420	2.35E-03
8.68E+11	8506400	2.36E-03
8.68E+11	8507380	2.37E-03
8.68E+11	8508360	2.38E-03
8.68E+11	8510320	2.39E-03
8.69E+11	8511300	2.40E-03
8.69E+11	8512280	2.41E-03
8.69E+11	8514240	2.42E-03
8.69E+11	8515220	2.43E-03
8.69E+11	8516200	2.44E-03
8.69E+11	8518160	2.45E-03
8.69E+11	8519140	2.46E-03
8.70E+11	8521100	2.47E-03
8.70E+11	8522080	2.47E-03
8.70E+11	8523060	2.48E-03
8.70E+11	8524040	2.49E-03
8.70E+11	8526000	2.50E-03
8.70E+11	8526980	2.51E-03
8.70E+11	8527960	2.52E-03
8.70E+11	8528940	2.53E-03
8.71E+11	8530900	2.54E-03
8.71E+11	8531880	2.55E-03
8.71E+11	8533840	2.56E-03
8.71E+11	8534820	2.57E-03
8.71E+11	8536780	2.58E-03
8.71E+11	8538740	2.59E-03
8.71E+11	8539720	2.60E-03
8.72E+11	8541680	2.61E-03

9.04E+11	8856260	2.45E-03	0.587784
9.04E+11	8857240	2.46E-03	0.59018
9.04E+11	8858220	2.47E-03	0.592575
9.04E+11	8858220	2.48E-03	0.593054
9.04E+11	8858220	2.49E-03	0.595449
9.04E+11	8859200	2.50E-03	0.597844
9.04E+11	8860180	2.51E-03	0.60024
9.04E+11	8860180	2.52E-03	0.602635
9.04E+11	8861160	2.53E-03	0.60503
9.04E+11	8861160	2.53E-03	0.605269
9.04E+11	8862140	2.54E-03	0.607665
9.04E+11	8862140	2.55E-03	0.61006
9.04E+11	8863120	2.56E-03	0.612455
9.04E+11	8862140	2.57E-03	0.61485
9.04E+11	8861160	2.58E-03	0.617246
9.04E+11	8859200	2.59E-03	0.619641
0.00E+00	0	0.00E+00	
###	-8673.98	-1.00E-06	-0.00024
###	-17326.4	-2.00E-06	-0.000479
###	-25979.8	-3.00E-06	-0.000719
###	-34633.2	-4.00E-06	-0.000958



###	-855458	-1.00E-04	-0.025952
###	-951972	-1.10E-04	-0.026347
###	-1038800	-1.20E-04	-0.028743
###	-1125040	-1.30E-04	-0.031138
###	-1211280	-1.40E-04	-0.033533
###	-1297520	-1.50E-04	-0.035928
###	-1383760	-1.60E-04	-0.038323
###	-1470000	-1.70E-04	-0.040719
###	-1556240	-1.80E-04	-0.043114
###	-1642480	-1.90E-04	-0.045509
###	-1728720	-2.00E-04	-0.047904
###	-1814960	-2.10E-04	-0.050299
###	-1901200	-2.20E-04	-0.052695

8.72E+11	8542660	2.62E-03
8.72E+11	8544620	2.63E-03
8.72E+11	8545600	2.64E-03
8.72E+11	8547560	2.65E-03
8.72E+11	8549520	2.66E-03
8.73E+11	8550500	2.67E-03
8.73E+11	8551480	2.67E-03
8.73E+11	8553440	2.68E-03
8.73E+11	8555400	2.69E-03
8.73E+11	8556380	2.70E-03
8.73E+11	8558340	2.71E-03
8.73E+11	8559320	2.72E-03
8.74E+11	8561280	2.73E-03
8.74E+11	8563240	2.74E-03
8.74E+11	8564220	2.75E-03
8.74E+11	8566180	2.76E-03
0.00E+00	0	0.00E+00
###	-8616.16	-1.00E-06
###	-17208.8	-2.00E-06
###	-25803.4	-3.00E-06
###	-34398	-4.00E-06



###	-859558	-1.00E-04
###	-945406	-1.10E-04
###	-1030960	-1.20E-04
###	-1117200	-1.30E-04
###	-1202460	-1.40E-04
###	-1288700	-1.50E-04
###	-1373960	-1.60E-04
###	-1460200	-1.70E-04
###	-1545460	-1.80E-04
###	-1631700	-1.90E-04
###	-1716960	-2.00E-04
###	-1802220	-2.10E-04
###	-1888460	-2.20E-04

-1987440 -2.30E-04 -0.05509
-2073680 -2.40E-04 -0.057485
-2158940 -2.50E-04 -0.05988
-2245180 -2.60E-04 -0.062275
-2331420 -2.70E-04 -0.064671
-2416680 -2.80E-04 -0.067066
-2502920 -2.90E-04 -0.069461
-2588180 -3.00E-04 -0.071856
-2674420 -3.10E-04 -0.074251
-2760660 -3.20E-04 -0.076647
-2845920 -3.30E-04 -0.079042
-2931180 -3.40E-04 -0.081437
-3017420 -3.50E-04 -0.083832
-3102680 -3.60E-04 -0.086228
-3188920 -3.70E-04 -0.088623
-3274180 -3.80E-04 -0.091018
-3359440 -3.90E-04 -0.093413
-3445680 -4.00E-04 -0.095808
-3530940 -4.10E-04 -0.098204
-3616200 -4.20E-04 -0.100599
-3701460 -4.30E-04 -0.102994
-3786720 -4.40E-04 -0.105389
-3871980 -4.50E-04 -0.107784
-3957240 -4.60E-04 -0.11018
-4042500 -4.70E-04 -0.112575
-4127760 -4.80E-04 -0.11497
-4212040 -4.90E-04 -0.117365
-4296320 -5.00E-04 -0.11976
-4381580 -5.10E-04 -0.122156
-4465860 -5.20E-04 -0.124551
-4550140 -5.30E-04 -0.126946
-4634420 -5.40E-04 -0.129341
-4718700 -5.50E-04 -0.131737
-4802980 -5.60E-04 -0.134132
-4886280 -5.70E-04 -0.136527
-4970560 -5.80E-04 -0.138922
-5053860 -5.90E-04 -0.141317
-5138140 -6.00E-04 -0.143713
-5221440 -6.10E-04 -0.146108
-5304740 -6.20E-04 -0.148503
-5387060 -6.30E-04 -0.150898
-5470360 -6.40E-04 -0.153293
-5552680 -6.50E-04 -0.155689
-5635000 -6.60E-04 -0.158084
-5716340 -6.70E-04 -0.160479
-5797680 -6.80E-04 -0.162874
-5879020 -6.90E-04 -0.165269
-5958400 -7.00E-04 -0.167665

-1973720 -2.30E-04
-2058980 -2.40E-04
-2144240 -2.50E-04
-2229500 -2.60E-04
-2314760 -2.70E-04
-2400020 -2.80E-04
-2485280 -2.90E-04
-2570540 -3.00E-04
-2655800 -3.10E-04
-2741060 -3.20E-04
-2825340 -3.30E-04
-2910600 -3.40E-04
-2995860 -3.50E-04
-3081120 -3.60E-04
-3166380 -3.70E-04
-3251640 -3.80E-04
-3336900 -3.90E-04
-3421180 -4.00E-04
-3506440 -4.10E-04
-3591700 -4.20E-04
-3676960 -4.30E-04
-3761240 -4.40E-04
-3846500 -4.50E-04
-3931760 -4.60E-04
-4016040 -4.70E-04
-4101300 -4.80E-04
-4186560 -4.90E-04
-4270840 -5.00E-04
-4356100 -5.10E-04
-4440380 -5.20E-04
-4524660 -5.30E-04
-4608940 -5.40E-04
-4693220 -5.50E-04
-4777500 -5.60E-04
-4860800 -5.70E-04
-4945080 -5.80E-04
-5028380 -5.90E-04
-5111680 -6.00E-04
-5194980 -6.10E-04
-5278280 -6.20E-04
-5361580 -6.30E-04
-5443900 -6.40E-04
-5527200 -6.50E-04
-5609520 -6.60E-04
-5690860 -6.70E-04
-5773180 -6.80E-04
-5854520 -6.90E-04
-5935860 -7.00E-04

-6036800 -7.10E-04 -0.17006
-6114220 -7.20E-04 -0.172455
-6191640 -7.30E-04 -0.17485
-6223980 -7.34E-04 -0.175904
-6279840 -7.42E-04 -0.177677
-6293560 -7.47E-04 -0.178922
-6321980 -7.57E-04 -0.181317
-6328840 -7.59E-04 -0.181844
-6348440 -7.66E-04 -0.183449
-6374900 -7.76E-04 -0.185844
-6401360 -7.86E-04 -0.18824
-6402340 -7.86E-04 -0.188311
-6423900 -7.96E-04 -0.190707
-6425860 -7.98E-04 -0.191114
-6429780 -8.02E-04 -0.192192
-6428800 -8.09E-04 -0.193749
-6416060 -8.18E-04 -0.195904
-6395480 -8.25E-04 -0.197557
-6369020 -8.32E-04 -0.199234
-6337660 -8.39E-04 -0.200982
-6304340 -8.46E-04 -0.202731
-6268080 -8.54E-04 -0.204431
-6220060 -8.62E-04 -0.206443
-6166160 -8.71E-04 -0.208647
-6139700 -8.76E-04 -0.209916
-6097560 -8.84E-04 -0.211808
-6061300 -8.92E-04 -0.213581
-6011320 -9.02E-04 -0.215976
-6001520 -9.04E-04 -0.216479
-5945660 -9.14E-04 -0.218874
-5886860 -9.24E-04 -0.221269
-5878040 -9.25E-04 -0.221605
-5815320 -9.35E-04 -0.224
-5766320 -9.43E-04 -0.225772
-5731040 -9.47E-04 -0.226874
-5647740 -9.57E-04 -0.229269
-5565420 -9.67E-04 -0.231665
-5497800 -9.77E-04 -0.23406
-5462520 -9.83E-04 -0.235473
-5404700 -9.93E-04 -0.237868
-5354720 -1.00E-03 -0.24024
-5308660 -1.01E-03 -0.242635
-5265540 -1.02E-03 -0.24503
-5226340 -1.03E-03 -0.247425
-5200860 -1.04E-03 -0.249102
-5165580 -1.05E-03 -0.251497
-5132260 -1.06E-03 -0.253892
-5102860 -1.07E-03 -0.256048

-6015240 -7.10E-04
-6094620 -7.20E-04
-6172040 -7.30E-04
-6247500 -7.40E-04
-6321980 -7.50E-04
-6374900 -7.57E-04
-6436640 -7.66E-04
-6479760 -7.73E-04
-6508180 -7.80E-04
-6516020 -7.86E-04
-6500340 -7.94E-04
-6472900 -8.04E-04
-6461140 -8.08E-04
-6446440 -8.14E-04
-6423900 -8.23E-04
-6384700 -8.33E-04
-6342560 -8.43E-04
-6276900 -8.53E-04
-6262200 -8.55E-04
-6157340 -8.65E-04
-6121080 -8.68E-04
-6052480 -8.74E-04
-5931940 -8.84E-04
-5810420 -8.94E-04
-5703600 -9.04E-04
-5665380 -9.08E-04
-5572280 -9.18E-04
-5497800 -9.28E-04
-5435080 -9.38E-04
-5376280 -9.48E-04
-5359620 -9.51E-04
-5307680 -9.61E-04
-5258680 -9.71E-04
-5211640 -9.81E-04
-5211640 -9.81E-04
-5169500 -9.91E-04
-5128340 -1.00E-03
-5089140 -1.01E-03
-5053860 -1.02E-03
-5019560 -1.03E-03
-4986240 -1.04E-03
-4953900 -1.05E-03
-4924500 -1.06E-03
-4895100 -1.07E-03
-4866680 -1.08E-03
-4839240 -1.09E-03
-4813760 -1.10E-03
-4788280 -1.11E-03

-5071500 -1.08E-03 -0.258443
-5056800 -1.08E-03 -0.259641
-5028380 -1.09E-03 -0.262036
-5000940 -1.10E-03 -0.264431
-4974480 -1.11E-03 -0.266826
-4948020 -1.12E-03 -0.269222
-4921560 -1.13E-03 -0.271617
-4897060 -1.14E-03 -0.274012
-4872560 -1.15E-03 -0.276407
-4849040 -1.16E-03 -0.278802
-4825520 -1.17E-03 -0.281198
-4802980 -1.18E-03 -0.283593
-4780440 -1.19E-03 -0.285988
-4758880 -1.20E-03 -0.288383
-4738300 -1.21E-03 -0.290778
-4717720 -1.22E-03 -0.293174
-4698120 -1.23E-03 -0.295569
-4678520 -1.24E-03 -0.297964
-4658920 -1.25E-03 -0.300359
-4640300 -1.26E-03 -0.302754
-4625600 -1.27E-03 -0.304671
-4606980 -1.28E-03 -0.307066
-4588360 -1.29E-03 -0.309461
-4570720 -1.30E-03 -0.311856
-4554060 -1.31E-03 -0.314251
-4536420 -1.32E-03 -0.316647
-4519760 -1.33E-03 -0.319042
-4503100 -1.34E-03 -0.321437
-4487420 -1.35E-03 -0.323832
-4471740 -1.36E-03 -0.326228
-4456060 -1.37E-03 -0.328623
-4440380 -1.38E-03 -0.331018
-4425680 -1.39E-03 -0.333413
-4410000 -1.40E-03 -0.335808
-4395300 -1.41E-03 -0.338204
-4380600 -1.42E-03 -0.340599
-4364920 -1.43E-03 -0.342994
-4350220 -1.44E-03 -0.345389
-4335520 -1.45E-03 -0.347784
-4320820 -1.46E-03 -0.35018
-4306120 -1.47E-03 -0.352575
-4292400 -1.48E-03 -0.35497
-4277700 -1.49E-03 -0.357365
-4263980 -1.50E-03 -0.35976
-4249280 -1.51E-03 -0.362156
-4235560 -1.52E-03 -0.364551
-4220860 -1.53E-03 -0.366946
-4206160 -1.54E-03 -0.369341

-4762800 -1.12E-03
-4738300 -1.13E-03
-4714780 -1.14E-03
-4691260 -1.15E-03
-4668720 -1.16E-03
-4655000 -1.17E-03
-4632460 -1.18E-03
-4611880 -1.19E-03
-4591300 -1.20E-03
-4570720 -1.21E-03
-4551120 -1.22E-03
-4530540 -1.23E-03
-4511920 -1.24E-03
-4493300 -1.25E-03
-4475660 -1.26E-03
-4457040 -1.27E-03
-4439400 -1.28E-03
-4421760 -1.29E-03
-4404120 -1.30E-03
-4387460 -1.31E-03
-4370800 -1.32E-03
-4355120 -1.33E-03
-4339440 -1.34E-03
-4323760 -1.35E-03
-4308080 -1.36E-03
-4292400 -1.37E-03
-4277700 -1.38E-03
-4263000 -1.39E-03
-4248300 -1.40E-03
-4234580 -1.41E-03
-4220860 -1.42E-03
-4206160 -1.43E-03
-4192440 -1.44E-03
-4178720 -1.45E-03
-4165000 -1.46E-03
-4150300 -1.47E-03
-4134620 -1.48E-03
-4119920 -1.49E-03
-4105220 -1.50E-03
-4090520 -1.51E-03
-4076800 -1.52E-03
-4062100 -1.53E-03
-4048380 -1.54E-03
-4034660 -1.55E-03
-4020940 -1.56E-03
-4007220 -1.57E-03
-3993500 -1.58E-03
-3980760 -1.59E-03

-4191460 -1.55E-03 -0.371737
-4177740 -1.56E-03 -0.374132
-4164020 -1.57E-03 -0.376527
-4149320 -1.58E-03 -0.378922
-4135600 -1.59E-03 -0.381317
-4121880 -1.60E-03 -0.383713
-4108160 -1.61E-03 -0.386108
-4094440 -1.62E-03 -0.388503
-4081700 -1.63E-03 -0.390898
-4067980 -1.64E-03 -0.393293
-4054260 -1.65E-03 -0.395689
-4041520 -1.66E-03 -0.398084
-4028780 -1.67E-03 -0.400479
-4015060 -1.68E-03 -0.402874
-4002320 -1.69E-03 -0.405269
-3989580 -1.70E-03 -0.407665
-3979780 -1.71E-03 -0.409581
-3968020 -1.72E-03 -0.411976
-3955280 -1.73E-03 -0.414371
-3942540 -1.74E-03 -0.416766
-3930780 -1.75E-03 -0.419162
-3918040 -1.76E-03 -0.421557
-3906280 -1.77E-03 -0.423952
-3894520 -1.78E-03 -0.426347
-3882760 -1.79E-03 -0.428743
-3871000 -1.80E-03 -0.431138
-3859240 -1.81E-03 -0.433533
-3847480 -1.82E-03 -0.435928
-3835720 -1.83E-03 -0.438323
-3824940 -1.84E-03 -0.440719
-3813180 -1.85E-03 -0.443114
-3802400 -1.86E-03 -0.445509
-3791620 -1.87E-03 -0.447904
-3780840 -1.88E-03 -0.450299
-3770060 -1.89E-03 -0.452695
-3759280 -1.90E-03 -0.45509
-3748500 -1.91E-03 -0.457485
-3738700 -1.92E-03 -0.45988
-3727920 -1.93E-03 -0.462275
-3717140 -1.94E-03 -0.464671
-3707340 -1.95E-03 -0.467066
-3702440 -1.96E-03 -0.468503
-3692640 -1.97E-03 -0.470898
-3682840 -1.98E-03 -0.473293
-3674020 -1.99E-03 -0.475689
-3664220 -2.00E-03 -0.478084
-3655400 -2.01E-03 -0.480479
-3646580 -2.02E-03 -0.482874

-3967040 -1.60E-03
-3954300 -1.61E-03
-3941560 -1.62E-03
-3927840 -1.63E-03
-3915100 -1.64E-03
-3901380 -1.65E-03
-3888640 -1.66E-03
-3876880 -1.67E-03
-3864140 -1.68E-03
-3851400 -1.69E-03
-3839640 -1.70E-03
-3826900 -1.71E-03
-3815140 -1.72E-03
-3803380 -1.73E-03
-3790640 -1.74E-03
-3778880 -1.75E-03
-3768100 -1.76E-03
-3756340 -1.77E-03
-3744580 -1.78E-03
-3732820 -1.79E-03
-3722040 -1.80E-03
-3710280 -1.81E-03
-3700480 -1.82E-03
-3689700 -1.83E-03
-3677940 -1.84E-03
-3667160 -1.85E-03
-3656380 -1.86E-03
-3645600 -1.87E-03
-3634820 -1.88E-03
-3624040 -1.89E-03
-3613260 -1.90E-03
-3603460 -1.91E-03
-3593660 -1.92E-03
-3583860 -1.93E-03
-3574060 -1.94E-03
-3564260 -1.95E-03
-3554460 -1.96E-03
-3544660 -1.97E-03
-3534860 -1.98E-03
-3526040 -1.99E-03
-3517220 -2.00E-03
-3509380 -2.01E-03
-3500560 -2.02E-03
-3492720 -2.03E-03
-3484880 -2.04E-03
-3476060 -2.05E-03
-3468220 -2.06E-03
-3460380 -2.07E-03

-3636780 -2.03E-03 -0.485269
-3627960 -2.04E-03 -0.487665
-3620120 -2.05E-03 -0.49006
-3611300 -2.06E-03 -0.492455
-3603460 -2.07E-03 -0.49485
-3594640 -2.08E-03 -0.497246
-3586800 -2.09E-03 -0.499641
-3578960 -2.10E-03 -0.502036
-3571120 -2.11E-03 -0.504431
-3563280 -2.12E-03 -0.506826
-3555440 -2.13E-03 -0.509222
-3547600 -2.14E-03 -0.511617
-3539760 -2.15E-03 -0.514012
-3532900 -2.16E-03 -0.516407
-3525060 -2.17E-03 -0.518802
-3517220 -2.18E-03 -0.521198
-3510360 -2.19E-03 -0.523593
-3502520 -2.20E-03 -0.525988
-3495660 -2.21E-03 -0.528383
-3488800 -2.22E-03 -0.530778
-3481940 -2.23E-03 -0.533174
-3475080 -2.24E-03 -0.535569
-3468220 -2.25E-03 -0.537964
-3461360 -2.26E-03 -0.540359
-3454500 -2.27E-03 -0.542754
-3447640 -2.28E-03 -0.54515
-3440780 -2.29E-03 -0.547545
-3434900 -2.30E-03 -0.54994
-3428040 -2.31E-03 -0.552335
-3422160 -2.32E-03 -0.554731
-3415300 -2.33E-03 -0.557126
-3409420 -2.34E-03 -0.559521
-3403540 -2.35E-03 -0.561916
-3396680 -2.36E-03 -0.564311
-3390800 -2.37E-03 -0.566707
-3384920 -2.38E-03 -0.569102
-3379040 -2.39E-03 -0.571497
-3373160 -2.40E-03 -0.573892
-3368260 -2.41E-03 -0.576287
-3362380 -2.42E-03 -0.578683
-3356500 -2.43E-03 -0.581078
-3351600 -2.44E-03 -0.583473
-3345720 -2.45E-03 -0.585868
-3340820 -2.46E-03 -0.588263
-3335920 -2.47E-03 -0.590659
-3330040 -2.48E-03 -0.593054
-3325140 -2.49E-03 -0.595449
-3320240 -2.50E-03 -0.597844

-3452540 -2.08E-03
-3443720 -2.09E-03
-3436860 -2.10E-03
-3429020 -2.11E-03
-3422160 -2.12E-03
-3414320 -2.13E-03
-3407460 -2.14E-03
-3399620 -2.15E-03
-3392760 -2.16E-03
-3385900 -2.17E-03
-3378060 -2.18E-03
-3371200 -2.19E-03
-3364340 -2.20E-03
-3357480 -2.21E-03
-3350620 -2.22E-03
-3343760 -2.23E-03
-3336900 -2.24E-03
-3330040 -2.25E-03
-3324160 -2.26E-03
-3318280 -2.27E-03
-3311420 -2.28E-03
-3305540 -2.29E-03
-3299660 -2.30E-03
-3292800 -2.31E-03
-3286920 -2.32E-03
-3281040 -2.33E-03
-3275160 -2.34E-03
-3269280 -2.35E-03
-3263400 -2.36E-03
-3257520 -2.37E-03
-3251640 -2.38E-03
-3245760 -2.39E-03
-3239880 -2.40E-03
-3234980 -2.41E-03
-3229100 -2.42E-03
-3224200 -2.43E-03
-3219300 -2.44E-03
-3214400 -2.45E-03
-3209500 -2.46E-03
-3204600 -2.47E-03
-3199700 -2.48E-03
-3194800 -2.49E-03
-3189900 -2.50E-03
-3185000 -2.51E-03
-3181080 -2.52E-03
-3176180 -2.53E-03
-3171280 -2.54E-03
-3166380 -2.55E-03

-3315340 -2.51E-03 -0.60024
-3310440 -2.52E-03 -0.602635
-3305540 -2.53E-03 -0.60503
-3300640 -2.54E-03 -0.607425
-3295740 -2.55E-03 -0.60982
-3290840 -2.56E-03 -0.612216
-3285940 -2.57E-03 -0.614611
-3281040 -2.58E-03 -0.617006
-3276140 -2.59E-03 -0.619401
-3272220 -2.60E-03 -0.621796
-3267320 -2.61E-03 -0.624192
-3262420 -2.62E-03 -0.626587
-3258500 -2.63E-03 -0.628982
-3253600 -2.64E-03 -0.631377
-3249680 -2.65E-03 -0.633772
-3244780 -2.66E-03 -0.636168
-3240860 -2.67E-03 -0.638563
-3236940 -2.68E-03 -0.640958
-3232040 -2.69E-03 -0.643353
-3228120 -2.70E-03 -0.645749
-3224200 -2.71E-03 -0.648144
-3219300 -2.72E-03 -0.650539
-3215380 -2.73E-03 -0.652934
-3211460 -2.74E-03 -0.655329
-3207540 -2.75E-03 -0.657725
-3202640 -2.76E-03 -0.66012
-3198720 -2.77E-03 -0.662515
-3194800 -2.78E-03 -0.66491

-3161480 -2.56E-03
-3157560 -2.57E-03
-3152660 -2.58E-03
-3147760 -2.59E-03
-3142860 -2.60E-03
-3138940 -2.61E-03
-3134040 -2.62E-03
-3130120 -2.63E-03
-3126200 -2.64E-03
-3122280 -2.65E-03
-3118360 -2.66E-03
-3114440 -2.67E-03
-3109540 -2.68E-03
-3105620 -2.69E-03
-3101700 -2.70E-03
-3097780 -2.71E-03
-3093860 -2.72E-03
-3089940 -2.73E-03
-3086020 -2.74E-03
-3082100 -2.75E-03
-3078180 -2.76E-03
-3074260 -2.77E-03
-3070340 -2.78E-03
-3066420 -2.79E-03
-3062500 -2.80E-03
-3058580 -2.81E-03
-3054660 -2.82E-03
-3050740 -2.83E-03

L


Bulk Carrier (B4) Idchk = 2

E

40% damage

1000	frame space	4.175	9.80E-06	1000
Curvature	Moment	Rotation	Curvature	
0.00024	8.70E+08	8522.08	1.00E-06	0.00024
0.000479	1.74E+09	17022.6	2.00E-06	0.000479

frame space
Moment
8.79E+08
1.76E+09



-0.8

0.05509	2.00E+11	1955100	2.30E-04	0.05509
0.057485	2.08E+11	2040360	2.40E-04	0.057485
0.05988	2.17E+11	2125620	2.50E-04	0.05988
0.062275	2.26E+11	2209900	2.60E-04	0.062275
0.064671	2.34E+11	2295160	2.70E-04	0.064671
0.067066	2.43E+11	2380420	2.80E-04	0.067066
0.069461	2.52E+11	2464700	2.90E-04	0.069461
0.071856	2.60E+11	2549960	3.00E-04	0.071856
0.074251	2.69E+11	2635220	3.10E-04	0.074251
0.076647	2.78E+11	2719500	3.20E-04	0.076647
0.079042	2.86E+11	2804760	3.30E-04	0.079042
0.081437	2.95E+11	2890020	3.40E-04	0.081437

2.02E+11
2.10E+11
2.19E+11
2.28E+11
2.37E+11
2.46E+11
2.54E+11
2.63E+11
2.72E+11
2.81E+11
2.89E+11
2.98E+11

0.083832	3.04E+11	2974300	3.50E-04	0.083832	3.07E+11
0.086228	3.12E+11	3059560	3.60E-04	0.086228	3.16E+11
0.088623	3.21E+11	3143840	3.70E-04	0.088623	3.24E+11
0.091018	3.30E+11	3229100	3.80E-04	0.091018	3.33E+11
0.093413	3.38E+11	3314360	3.90E-04	0.093413	3.42E+11
0.095808	3.47E+11	3398640	4.00E-04	0.095808	3.51E+11
0.098204	3.56E+11	3483900	4.10E-04	0.098204	3.59E+11
0.100599	3.64E+11	3568180	4.20E-04	0.100599	3.68E+11
0.102994	3.73E+11	3653440	4.30E-04	0.102994	3.77E+11
0.105389	3.82E+11	3738700	4.40E-04	0.105389	3.86E+11
0.107784	3.90E+11	3822980	4.50E-04	0.107784	3.94E+11
0.11018	3.99E+11	3908240	4.60E-04	0.11018	4.03E+11
0.112575	4.07E+11	3992520	4.70E-04	0.112575	4.12E+11
0.11497	4.16E+11	4077780	4.80E-04	0.11497	4.21E+11
0.117365	4.25E+11	4162060	4.90E-04	0.117365	4.29E+11
0.11976	4.33E+11	4247320	5.00E-04	0.11976	4.38E+11
0.122156	4.42E+11	4332580	5.10E-04	0.122156	4.47E+11
0.124551	4.51E+11	4416860	5.20E-04	0.124551	4.56E+11
0.126946	4.59E+11	4502120	5.30E-04	0.126946	4.64E+11
0.129341	4.68E+11	4586400	5.40E-04	0.129341	4.73E+11
0.131737	4.77E+11	4671660	5.50E-04	0.131737	4.82E+11
0.134132	4.85E+11	4755940	5.60E-04	0.134132	4.91E+11
0.136527	4.94E+11	4841200	5.70E-04	0.136527	4.99E+11
0.138922	5.03E+11	4925480	5.80E-04	0.138922	5.08E+11
0.141317	5.11E+11	5010740	5.90E-04	0.141317	5.17E+11
0.143713	5.20E+11	5095020	6.00E-04	0.143713	5.26E+11
0.146108	5.29E+11	5180280	6.10E-04	0.146108	5.34E+11
0.148503	5.37E+11	5264560	6.20E-04	0.148503	5.43E+11
0.150898	5.46E+11	5349820	6.30E-04	0.150898	5.52E+11
0.153293	5.55E+11	5434100	6.40E-04	0.153293	5.61E+11
0.155689	5.63E+11	5519360	6.50E-04	0.155689	5.69E+11
0.158084	5.72E+11	5604620	6.60E-04	0.158084	5.78E+11
0.160479	5.81E+11	5688900	6.70E-04	0.160479	5.87E+11
0.162874	5.89E+11	5774160	6.80E-04	0.162874	5.96E+11
0.165269	5.98E+11	5858440	6.90E-04	0.165269	6.04E+11
0.167665	6.07E+11	5943700	7.00E-04	0.167665	6.13E+11
0.17006	6.15E+11	6027980	7.10E-04	0.17006	6.22E+11
0.172455	6.24E+11	6113240	7.20E-04	0.172455	6.31E+11
0.17485	6.32E+11	6197520	7.30E-04	0.17485	6.39E+11
0.177246	6.41E+11	6282780	7.40E-04	0.177246	6.48E+11
0.179641	6.50E+11	6367060	7.50E-04	0.179641	6.57E+11
0.182036	6.58E+11	6452320	7.60E-04	0.182036	6.66E+11
0.184431	6.65E+11	6517000	7.68E-04	0.18388	6.74E+11
0.186826	6.72E+11	6586580	7.76E-04	0.185844	6.83E+11
0.189222	6.79E+11	6651260	7.86E-04	0.18824	6.92E+11
0.191617	6.85E+11	6715940	7.96E-04	0.190635	7.01E+11
0.194012	6.86E+11	6717900	7.96E-04	0.190683	7.09E+11
0.196407	6.92E+11	6781600	8.06E-04	0.193078	7.18E+11

0.197246	6.96E+11	6820800	8.12E-04	0.194539	7.21E+11
0.199473	7.03E+11	6884500	8.22E-04	0.196934	7.29E+11
0.201629	7.07E+11	6930560	8.30E-04	0.198707	7.35E+11
0.203473	7.14E+11	6992300	8.40E-04	0.201102	7.40E+11
0.205868	7.20E+11	7054040	8.50E-04	0.203497	7.44E+11
0.207114	7.20E+11	7056980	8.50E-04	0.203617	7.47E+11
0.209509	7.26E+11	7115780	8.60E-04	0.206012	7.52E+11
0.211713	7.31E+11	7160860	8.68E-04	0.207832	7.56E+11
0.214108	7.36E+11	7209860	8.77E-04	0.209988	7.60E+11
0.216311	7.40E+11	7255920	8.86E-04	0.212096	7.64E+11
0.218156	7.45E+11	7301000	8.95E-04	0.214251	7.67E+11
0.220551	7.49E+11	7338240	9.03E-04	0.216168	7.71E+11
0.222946	7.53E+11	7383320	9.13E-04	0.218563	7.74E+11
0.224862	7.54E+11	7386260	9.13E-04	0.218683	7.77E+11
0.227257	7.58E+11	7425460	9.22E-04	0.220934	7.81E+11
0.229389	7.61E+11	7457800	9.31E-04	0.222874	7.84E+11
0.231713	7.65E+11	7492100	9.41E-04	0.225269	7.87E+11
0.234108	7.65E+11	7496020	9.42E-04	0.225509	7.89E+11
0.236503	7.68E+11	7528360	9.52E-04	0.227904	7.92E+11
0.238898	7.71E+11	7550900	9.59E-04	0.229605	7.95E+11
0.23897	7.74E+11	7580300	9.69E-04	0.232	7.98E+11
0.241437	7.76E+11	7608720	9.79E-04	0.234395	8.00E+11
0.243593	7.77E+11	7618520	9.82E-04	0.235257	8.02E+11
0.245988	7.80E+11	7645960	9.92E-04	0.237653	8.03E+11
0.246707	7.83E+11	7672420	1.00E-03	0.24	8.05E+11
0.249102	7.83E+11	7676340	1.00E-03	0.240479	8.07E+11
0.251497	7.86E+11	7699860	1.01E-03	0.242874	8.10E+11
0.253892	7.86E+11	7700840	1.01E-03	0.242874	8.10E+11
0.254611	7.88E+11	7722400	1.02E-03	0.245269	8.12E+11
0.257006	7.90E+11	7743960	1.03E-03	0.247665	8.13E+11
0.259401	7.91E+11	7748860	1.04E-03	0.248144	8.15E+11
0.261796	7.93E+11	7768460	1.05E-03	0.250539	8.15E+11
0.262036	7.94E+11	7783160	1.05E-03	0.252216	8.16E+11
0.264431	7.96E+11	7801780	1.06E-03	0.254611	8.18E+11
0.266826	7.98E+11	7821380	1.07E-03	0.257006	8.19E+11
0.269222	7.99E+11	7832160	1.08E-03	0.258443	8.19E+11
0.269701	8.01E+11	7848820	1.09E-03	0.260838	8.20E+11
0.272096	8.03E+11	7864500	1.10E-03	0.263234	8.21E+11
0.274251	8.04E+11	7881160	1.11E-03	0.265629	8.22E+11
0.276647	8.06E+11	7896840	1.12E-03	0.268024	8.23E+11
0.279042	8.07E+11	7912520	1.13E-03	0.270419	8.24E+11
0.281437	8.08E+11	7919380	1.13E-03	0.271377	8.25E+11
0.283832	8.10E+11	7934080	1.14E-03	0.273772	8.25E+11
0.284311	8.11E+11	7948780	1.15E-03	0.276168	8.26E+11
0.286707	8.12E+11	7954660	1.16E-03	0.277126	8.27E+11
0.288623	8.13E+11	7968380	1.17E-03	0.279521	8.27E+11
0.291018	8.14E+11	7981120	1.18E-03	0.281916	8.28E+11
0.293413	8.15E+11	7985040	1.18E-03	0.282635	8.28E+11

0.295808	8.16E+11	7996800	1.19E-03	0.28503	8.29E+11
0.298204	8.17E+11	8008560	1.20E-03	0.287425	8.30E+11
0.300599	8.19E+11	8021300	1.21E-03	0.28982	8.30E+11
0.302994	8.20E+11	8033060	1.22E-03	0.292216	8.31E+11
0.305389	8.21E+11	8040900	1.23E-03	0.293653	8.32E+11
0.307784	8.22E+11	8050700	1.24E-03	0.296048	8.32E+11
0.31018	8.22E+11	8051680	1.24E-03	0.296527	8.33E+11
0.312575	8.23E+11	8061480	1.25E-03	0.298922	8.33E+11
0.31497	8.24E+11	8070300	1.26E-03	0.301317	8.34E+11
0.317365	8.24E+11	8079120	1.27E-03	0.303713	8.35E+11
0.31976	8.24E+11	8079120	1.27E-03	0.303713	8.35E+11
0.322156	8.25E+11	8087940	1.28E-03	0.306108	8.36E+11
0.324551	8.26E+11	8091860	1.28E-03	0.307066	8.37E+11
0.326946	8.27E+11	8099700	1.29E-03	0.309461	8.37E+11
0.329341	8.27E+11	8106560	1.30E-03	0.311856	8.38E+11
0.331737	8.28E+11	8113420	1.31E-03	0.314251	8.38E+11
0.334132	8.28E+11	8115380	1.32E-03	0.31497	8.39E+11
0.336527	8.29E+11	8122240	1.33E-03	0.317365	8.40E+11
0.338922	8.30E+11	8129100	1.34E-03	0.31976	8.40E+11
0.341317	8.30E+11	8135960	1.35E-03	0.322156	8.41E+11
0.343713	8.31E+11	8139880	1.35E-03	0.323353	8.41E+11
0.346108	8.31E+11	8146740	1.36E-03	0.325749	8.42E+11
0.348503	8.32E+11	8153600	1.37E-03	0.328144	8.43E+11
0.350898	8.33E+11	8159480	1.38E-03	0.330539	8.43E+11
0.353293	8.33E+11	8166340	1.39E-03	0.332934	8.44E+11
0.355689	8.34E+11	8168300	1.39E-03	0.333653	8.44E+11
0.356647	8.34E+11	8174180	1.40E-03	0.336048	8.44E+11
0.359042	8.35E+11	8180060	1.41E-03	0.338443	8.45E+11
0.361437	8.35E+11	8183000	1.42E-03	0.339401	8.45E+11
0.363832	8.36E+11	8187900	1.43E-03	0.341796	8.45E+11
0.366228	8.36E+11	8192800	1.44E-03	0.344192	8.45E+11
0.368623	8.37E+11	8198680	1.45E-03	0.346587	8.46E+11
0.371018	8.37E+11	8203580	1.46E-03	0.348982	8.46E+11
0.373413	8.37E+11	8203580	1.46E-03	0.349222	8.46E+11
0.375808	8.38E+11	8209460	1.47E-03	0.351617	8.46E+11
0.378204	8.38E+11	8214360	1.48E-03	0.354012	8.46E+11
0.380599	8.39E+11	8219260	1.49E-03	0.356407	8.47E+11
0.382994	8.39E+11	8224160	1.50E-03	0.358802	8.47E+11
0.385389	8.40E+11	8229060	1.51E-03	0.361198	8.47E+11
0.387784	8.40E+11	8233960	1.52E-03	0.363593	8.47E+11
0.39018	8.41E+11	8238860	1.53E-03	0.365988	8.48E+11
0.392575	8.41E+11	8240820	1.53E-03	0.366467	8.48E+11
0.39497	8.41E+11	8245720	1.54E-03	0.368862	8.48E+11
0.397365	8.42E+11	8249640	1.55E-03	0.371257	8.48E+11
0.39976	8.42E+11	8254540	1.56E-03	0.373653	8.49E+11
0.402156	8.43E+11	8259440	1.57E-03	0.376048	8.49E+11
0.404551	8.43E+11	8264340	1.58E-03	0.378443	8.49E+11
0.406946	8.44E+11	8269240	1.59E-03	0.380838	8.49E+11

0.409341	8.44E+11	8272180	1.60E-03	0.382275	8.50E+11
0.411737	8.45E+11	8277080	1.61E-03	0.384671	8.50E+11
0.414132	8.45E+11	8281980	1.62E-03	0.387066	8.50E+11
0.416527	8.46E+11	8286880	1.63E-03	0.389461	8.50E+11
0.418922	8.46E+11	8291780	1.64E-03	0.391856	8.51E+11
0.421317	8.46E+11	8293740	1.64E-03	0.393293	8.51E+11
0.423713	8.47E+11	8298640	1.65E-03	0.395689	8.51E+11
0.426108	8.47E+11	8303540	1.66E-03	0.398084	8.51E+11
0.428503	8.48E+11	8308440	1.67E-03	0.400479	8.51E+11
0.430898	8.48E+11	8308440	1.67E-03	0.400719	8.52E+11
0.432335	8.48E+11	8313340	1.68E-03	0.403114	8.52E+11
0.434731	8.49E+11	8318240	1.69E-03	0.405509	8.52E+11
0.437126	8.49E+11	8322160	1.70E-03	0.407904	8.52E+11
0.439521	8.50E+11	8327060	1.71E-03	0.410299	8.53E+11
0.441916	8.50E+11	8328040	1.72E-03	0.411018	8.53E+11
0.442635	8.50E+11	8332940	1.73E-03	0.413413	8.53E+11
0.44503	8.51E+11	8337840	1.74E-03	0.415808	8.53E+11
0.447425	8.51E+11	8341760	1.75E-03	0.418204	8.53E+11
0.44982	8.52E+11	8346660	1.76E-03	0.420599	8.54E+11
0.451257	8.52E+11	8350580	1.77E-03	0.422994	8.54E+11
0.453653	8.53E+11	8355480	1.78E-03	0.425389	8.54E+11
0.456048	8.53E+11	8359400	1.79E-03	0.427784	8.54E+11
0.458443	8.53E+11	8361360	1.79E-03	0.428503	8.54E+11
0.460838	8.54E+11	8366260	1.80E-03	0.430898	8.55E+11
0.463234	8.54E+11	8370180	1.81E-03	0.433293	8.55E+11
0.465629	8.55E+11	8375080	1.82E-03	0.435689	8.55E+11
0.468024	8.55E+11	8376060	1.82E-03	0.436168	8.55E+11
0.470419	8.55E+11	8379980	1.83E-03	0.438563	8.55E+11
0.472814	8.56E+11	8383900	1.84E-03	0.440958	8.56E+11
0.47521	8.56E+11	8387820	1.85E-03	0.443114	8.56E+11
0.477605	8.56E+11	8391740	1.86E-03	0.445509	8.56E+11
0.48	8.57E+11	8395660	1.87E-03	0.447904	8.56E+11
0.481916	8.57E+11	8400560	1.88E-03	0.450299	8.56E+11
0.484311	8.58E+11	8404480	1.89E-03	0.452695	8.56E+11
0.486707	8.58E+11	8408400	1.90E-03	0.45509	8.56E+11
0.489102	8.58E+11	8409380	1.90E-03	0.455329	8.57E+11
0.491497	8.58E+11	8411340	1.91E-03	0.457725	8.57E+11
0.492216	8.59E+11	8413300	1.92E-03	0.46012	8.57E+11
0.494611	8.59E+11	8416240	1.93E-03	0.462515	8.57E+11
0.497006	8.59E+11	8418200	1.94E-03	0.46491	8.57E+11
0.497964	8.59E+11	8420160	1.95E-03	0.467305	8.57E+11
0.500359	8.59E+11	8422120	1.96E-03	0.469461	8.57E+11
0.502754	8.60E+11	8425060	1.97E-03	0.471856	8.57E+11
0.50515	8.60E+11	8427020	1.98E-03	0.474251	8.57E+11
0.507545	8.60E+11	8428980	1.99E-03	0.476647	8.56E+11
0.50994	8.60E+11	8431920	2.00E-03	0.479042	8.56E+11
0.512096	8.61E+11	8433880	2.01E-03	0.481437	8.56E+11
0.514491	8.61E+11	8435840	2.02E-03	0.483832	8.56E+11

0.516886	8.61E+11	8436820	2.03E-03	0.48503	8.56E+11
0.519281	8.61E+11	8438780	2.04E-03	0.487425	8.56E+11
0.521677	8.61E+11	8441720	2.05E-03	0.48982	8.56E+11
0.524072	8.62E+11	8443680	2.06E-03	0.492216	8.56E+11
0.526467	8.62E+11	8445640	2.07E-03	0.494611	8.56E+11
0.528862	8.62E+11	8447600	2.08E-03	0.497006	8.56E+11
0.531257	8.62E+11	8450540	2.09E-03	0.499401	8.56E+11
0.531976	8.62E+11	8451520	2.09E-03	0.500599	8.56E+11
0.534371	8.63E+11	8453480	2.10E-03	0.502994	8.56E+11
0.536766	8.63E+11	8455440	2.11E-03	0.505389	8.56E+11
0.539162	8.63E+11	8457400	2.12E-03	0.507784	8.56E+11
0.541557	8.63E+11	8458380	2.13E-03	0.509222	8.56E+11
0.543952	8.63E+11	8460340	2.14E-03	0.511617	8.56E+11
0.546347	8.64E+11	8462300	2.15E-03	0.514012	8.56E+11
0.548743	8.64E+11	8464260	2.16E-03	0.516407	8.56E+11
0.551138	8.64E+11	8465240	2.16E-03	0.517605	8.56E+11
0.553533	8.64E+11	8466220	2.17E-03	0.52	8.56E+11
0.555928	8.64E+11	8467200	2.18E-03	0.522395	8.57E+11
0.557365	8.64E+11	8467200	2.19E-03	0.52479	8.57E+11
0.55976	8.64E+11	8468180	2.20E-03	0.527186	8.57E+11
0.562156	8.64E+11	8468180	2.20E-03	0.527665	8.57E+11
0.564551	8.64E+11	8469160	2.21E-03	0.53006	8.57E+11
0.566946	8.64E+11	8470140	2.22E-03	0.532455	8.57E+11
0.569341	8.64E+11	8471120	2.23E-03	0.53485	8.57E+11
0.571737	8.64E+11	8471120	2.24E-03	0.537246	8.57E+11
0.574132	8.65E+11	8472100	2.25E-03	0.539641	8.57E+11
0.576527	8.65E+11	8473080	2.26E-03	0.542036	8.57E+11
0.578922	8.65E+11	8473080	2.26E-03	0.542036	8.57E+11
0.581317	8.65E+11	8473080	2.27E-03	0.544431	8.57E+11
0.583713	8.65E+11	8474060	2.28E-03	0.546826	8.57E+11
0.586108	8.65E+11	8474060	2.29E-03	0.549222	8.57E+11
0.588503	8.65E+11	8475040	2.30E-03	0.551617	8.57E+11
0.590898	8.65E+11	8475040	2.31E-03	0.554012	8.57E+11
0.592335	8.65E+11	8475040	2.32E-03	0.556407	8.57E+11
0.594731	8.65E+11	8476020	2.33E-03	0.558802	8.57E+11
0.597126	8.65E+11	8476020	2.34E-03	0.56	8.57E+11
0.599521	8.65E+11	8476020	2.35E-03	0.562395	8.57E+11
0.601916	8.65E+11	8476020	2.36E-03	0.56479	8.57E+11
0.602874	8.65E+11	8476020	2.37E-03	0.567186	8.58E+11
0.605269	8.65E+11	8476020	2.38E-03	0.569581	8.58E+11
0.607665	8.65E+11	8476020	2.38E-03	0.570778	8.58E+11
0.61006	8.65E+11	8476020	2.39E-03	0.573174	8.58E+11
0.612455	8.65E+11	8476020	2.40E-03	0.575329	8.58E+11
0.61485	8.65E+11	8475040	2.41E-03	0.577725	8.58E+11
0.617246	8.65E+11	8474060	2.42E-03	0.58012	8.58E+11
0.619641	8.65E+11	8473080	2.43E-03	0.582515	8.58E+11
0.622036	8.65E+11	8472100	2.44E-03	0.58491	8.58E+11
0.624431	8.64E+11	8471120	2.45E-03	0.587305	8.58E+11

-0.05509	###	-1951180	-2.30E-04	-0.05509	###
-0.057485	###	-2036440	-2.40E-04	-0.057485	###
-0.05988	###	-2120720	-2.50E-04	-0.05988	###
-0.062275	###	-2205000	-2.60E-04	-0.062275	###
-0.064671	###	-2289280	-2.70E-04	-0.064671	###
-0.067066	###	-2373560	-2.80E-04	-0.067066	###
-0.069461	###	-2457840	-2.90E-04	-0.069461	###
-0.071856	###	-2542120	-3.00E-04	-0.071856	###
-0.074251	###	-2626400	-3.10E-04	-0.074251	###
-0.076647	###	-2710680	-3.20E-04	-0.076647	###
-0.079042	###	-2794960	-3.30E-04	-0.079042	###
-0.081437	###	-2879240	-3.40E-04	-0.081437	###
-0.083832	###	-2963520	-3.50E-04	-0.083832	###
-0.086228	###	-3047800	-3.60E-04	-0.086228	###
-0.088623	###	-3132080	-3.70E-04	-0.088623	###
-0.091018	###	-3216360	-3.80E-04	-0.091018	###
-0.093413	###	-3300640	-3.90E-04	-0.093413	###
-0.095808	###	-3384920	-4.00E-04	-0.095808	###
-0.098204	###	-3469200	-4.10E-04	-0.098204	###
-0.100599	###	-3553480	-4.20E-04	-0.100599	###
-0.102994	###	-3637760	-4.30E-04	-0.102994	###
-0.105389	###	-3722040	-4.40E-04	-0.105389	###
-0.107784	###	-3806320	-4.50E-04	-0.107784	###
-0.11018	###	-3889620	-4.60E-04	-0.11018	###
-0.112575	###	-3973900	-4.70E-04	-0.112575	###
-0.11497	###	-4058180	-4.80E-04	-0.11497	###
-0.117365	###	-4142460	-4.90E-04	-0.117365	###
-0.11976	###	-4225760	-5.00E-04	-0.11976	###
-0.122156	###	-4310040	-5.10E-04	-0.122156	###
-0.124551	###	-4393340	-5.20E-04	-0.124551	###
-0.126946	###	-4477620	-5.30E-04	-0.126946	###
-0.129341	###	-4560920	-5.40E-04	-0.129341	###
-0.131737	###	-4644220	-5.50E-04	-0.131737	###
-0.134132	###	-4727520	-5.60E-04	-0.134132	###
-0.136527	###	-4810820	-5.70E-04	-0.136527	###
-0.138922	###	-4894120	-5.80E-04	-0.138922	###
-0.141317	###	-4977420	-5.90E-04	-0.141317	###
-0.143713	###	-5059740	-6.00E-04	-0.143713	###
-0.146108	###	-5143040	-6.10E-04	-0.146108	###
-0.148503	###	-5225360	-6.20E-04	-0.148503	###
-0.150898	###	-5307680	-6.30E-04	-0.150898	###
-0.153293	###	-5390000	-6.40E-04	-0.153293	###
-0.155689	###	-5471340	-6.50E-04	-0.155689	###
-0.158084	###	-5552680	-6.60E-04	-0.158084	###
-0.160479	###	-5634020	-6.70E-04	-0.160479	###
-0.162874	###	-5712420	-6.80E-04	-0.162874	###
-0.165269	###	-5790820	-6.90E-04	-0.165269	###
-0.167665	###	-5869220	-7.00E-04	-0.167665	###

-0.17006	###	-5945660	-7.10E-04	-0.17006	###
-0.172455	###	-5982900	-7.15E-04	-0.171234	###
-0.17485	###	-6058360	-7.25E-04	-0.173629	###
-0.177246	###	-6064240	-7.26E-04	-0.173844	###
-0.179641	###	-6081880	-7.33E-04	-0.175641	###
-0.181341	###	-6101480	-7.40E-04	-0.177269	###
-0.183449	###	-6116180	-7.45E-04	-0.178491	###
-0.185102	###	-6139700	-7.54E-04	-0.180623	###
-0.186802	###	-6166160	-7.64E-04	-0.183018	###
-0.188359	###	-6171060	-7.66E-04	-0.183497	###
-0.190084	###	-6192620	-7.76E-04	-0.185892	###
-0.192479	###	-6197520	-7.79E-04	-0.186515	###
-0.193509	###	-6205360	-7.85E-04	-0.187904	###
-0.194994	###	-6206340	-7.91E-04	-0.189389	###
-0.197198	###	-6201440	-7.96E-04	-0.190754	###
-0.199593	###	-6190660	-8.03E-04	-0.192287	###
-0.201892	###	-6169100	-8.11E-04	-0.194156	###
-0.204287	###	-6142640	-8.18E-04	-0.195952	###
-0.204671	###	-6112260	-8.25E-04	-0.197629	###
-0.207066	###	-6062280	-8.35E-04	-0.200024	###
-0.207832	###	-6057380	-8.36E-04	-0.200287	###
-0.209246	###	-6018180	-8.45E-04	-0.202467	###
-0.211641	###	-5983880	-8.55E-04	-0.204719	###
-0.214036	###	-5950560	-8.64E-04	-0.206994	###
-0.216431	###	-5929980	-8.70E-04	-0.208383	###
-0.217437	###	-5894700	-8.79E-04	-0.210611	###
-0.219832	###	-5852560	-8.89E-04	-0.213006	###
-0.222228	###	-5821200	-8.97E-04	-0.214731	###
-0.224623	###	-5787880	-9.04E-04	-0.216527	###
-0.227018	###	-5757500	-9.11E-04	-0.218251	###
-0.227784	###	-5712420	-9.21E-04	-0.220575	###
-0.23018	###	-5660480	-9.31E-04	-0.22297	###
-0.232575	###	-5645780	-9.34E-04	-0.223617	###
-0.23497	###	-5588940	-9.44E-04	-0.226012	###
-0.235018	###	-5527200	-9.54E-04	-0.228407	###
-0.237413	###	-5509560	-9.57E-04	-0.229126	###
-0.23976	###	-5469380	-9.62E-04	-0.230395	###
-0.242156	###	-5394900	-9.72E-04	-0.23279	###
-0.244551	###	-5326300	-9.82E-04	-0.235186	###
-0.246946	###	-5265540	-9.92E-04	-0.237581	###
-0.249341	###	-5244960	-9.96E-04	-0.238515	###
-0.251737	###	-5189100	-1.01E-03	-0.240958	###
-0.254132	###	-5142060	-1.02E-03	-0.243353	###
-0.256527	###	-5099920	-1.03E-03	-0.245749	###
-0.258922	###	-5086200	-1.03E-03	-0.246467	###
-0.261317	###	-5047000	-1.04E-03	-0.248862	###
-0.263713	###	-5009760	-1.05E-03	-0.251257	###
-0.266108	###	-4978400	-1.06E-03	-0.253413	###


-0.268503	###	-4945080	-1.07E-03	-0.255808	###
-0.270898	###	-4914700	-1.08E-03	-0.258204	###
-0.273293	###	-4887260	-1.09E-03	-0.260359	###
-0.275689	###	-4858840	-1.10E-03	-0.262754	###
-0.278084	###	-4831400	-1.11E-03	-0.26515	###
-0.279521	###	-4805920	-1.12E-03	-0.267545	###
-0.281916	###	-4780440	-1.13E-03	-0.26994	###
-0.284311	###	-4756920	-1.14E-03	-0.272335	###
-0.286707	###	-4732420	-1.15E-03	-0.274731	###
-0.289102	###	-4708900	-1.16E-03	-0.277126	###
-0.291497	###	-4685380	-1.17E-03	-0.279521	###
-0.293892	###	-4663820	-1.18E-03	-0.281916	###
-0.296287	###	-4642260	-1.19E-03	-0.284311	###
-0.298683	###	-4620700	-1.20E-03	-0.286707	###
-0.301078	###	-4599140	-1.21E-03	-0.289102	###
-0.303473	###	-4578560	-1.22E-03	-0.291497	###
-0.305868	###	-4557980	-1.23E-03	-0.293892	###
-0.308263	###	-4538380	-1.24E-03	-0.296287	###
-0.310659	###	-4519760	-1.25E-03	-0.298683	###
-0.313054	###	-4501140	-1.26E-03	-0.301078	###
-0.315449	###	-4482520	-1.27E-03	-0.303473	###
-0.317844	###	-4464880	-1.28E-03	-0.305868	###
-0.32024	###	-4446260	-1.29E-03	-0.308263	###
-0.322635	###	-4430580	-1.30E-03	-0.310419	###
-0.32503	###	-4412940	-1.31E-03	-0.312814	###
-0.327425	###	-4396280	-1.32E-03	-0.31521	###
-0.32982	###	-4379620	-1.33E-03	-0.317605	###
-0.332216	###	-4363940	-1.34E-03	-0.32	###
-0.334611	###	-4347280	-1.35E-03	-0.322395	###
-0.337006	###	-4331600	-1.36E-03	-0.32479	###
-0.339401	###	-4316900	-1.37E-03	-0.327186	###
-0.341796	###	-4301220	-1.38E-03	-0.329581	###
-0.344192	###	-4286520	-1.39E-03	-0.331976	###
-0.346587	###	-4270840	-1.40E-03	-0.334371	###
-0.348982	###	-4255160	-1.41E-03	-0.336766	###
-0.351377	###	-4240460	-1.42E-03	-0.339162	###
-0.353772	###	-4224780	-1.43E-03	-0.341557	###
-0.356168	###	-4210080	-1.44E-03	-0.343952	###
-0.358563	###	-4195380	-1.45E-03	-0.346347	###
-0.360958	###	-4180680	-1.46E-03	-0.348743	###
-0.363353	###	-4166960	-1.47E-03	-0.351138	###
-0.365749	###	-4153240	-1.48E-03	-0.353533	###
-0.368144	###	-4139520	-1.49E-03	-0.355928	###
-0.370539	###	-4125800	-1.50E-03	-0.358323	###
-0.372934	###	-4111100	-1.51E-03	-0.360719	###
-0.375329	###	-4097380	-1.52E-03	-0.363114	###
-0.377725	###	-4084640	-1.53E-03	-0.365509	###
-0.38012	###	-4070920	-1.54E-03	-0.367904	###

-0.382515	###	-4056220	-1.55E-03	-0.370299	###
-0.38491	###	-4042500	-1.56E-03	-0.372695	###
-0.387305	###	-4028780	-1.57E-03	-0.37509	###
-0.389701	###	-4015060	-1.58E-03	-0.377485	###
-0.392096	###	-4000360	-1.59E-03	-0.37988	###
-0.394491	###	-3987620	-1.60E-03	-0.382275	###
-0.396886	###	-3973900	-1.61E-03	-0.384671	###
-0.399281	###	-3961160	-1.62E-03	-0.387066	###
-0.401677	###	-3949400	-1.63E-03	-0.389222	###
-0.404072	###	-3935680	-1.64E-03	-0.391617	###
-0.406467	###	-3922940	-1.65E-03	-0.394012	###
-0.408862	###	-3909220	-1.66E-03	-0.396407	###
-0.411257	###	-3896480	-1.67E-03	-0.398802	###
-0.413653	###	-3883740	-1.68E-03	-0.401198	###
-0.416048	###	-3871000	-1.69E-03	-0.403593	###
-0.418443	###	-3858260	-1.70E-03	-0.405988	###
-0.420838	###	-3845520	-1.71E-03	-0.408383	###
-0.423234	###	-3833760	-1.72E-03	-0.410778	###
-0.425629	###	-3821020	-1.73E-03	-0.413174	###
-0.428024	###	-3809260	-1.74E-03	-0.415569	###
-0.430419	###	-3796520	-1.75E-03	-0.417964	###
-0.432814	###	-3784760	-1.76E-03	-0.420359	###
-0.43521	###	-3773000	-1.77E-03	-0.422754	###
-0.437605	###	-3761240	-1.78E-03	-0.42515	###
-0.44	###	-3749480	-1.79E-03	-0.427545	###
-0.442395	###	-3737720	-1.80E-03	-0.42994	###
-0.44479	###	-3726940	-1.81E-03	-0.432335	###
-0.447186	###	-3715180	-1.82E-03	-0.434731	###
-0.449581	###	-3704400	-1.83E-03	-0.437126	###
-0.451976	###	-3692640	-1.84E-03	-0.439521	###
-0.454371	###	-3681860	-1.85E-03	-0.441916	###
-0.456766	###	-3671080	-1.86E-03	-0.444311	###
-0.459162	###	-3660300	-1.87E-03	-0.446707	###
-0.461557	###	-3649520	-1.88E-03	-0.449102	###
-0.463952	###	-3639720	-1.89E-03	-0.451497	###
-0.466347	###	-3628940	-1.90E-03	-0.453892	###
-0.468743	###	-3618160	-1.91E-03	-0.456287	###
-0.471138	###	-3608360	-1.92E-03	-0.458683	###
-0.473533	###	-3597580	-1.93E-03	-0.461078	###
-0.475928	###	-3588760	-1.94E-03	-0.463473	###
-0.478323	###	-3578960	-1.95E-03	-0.465868	###
-0.480719	###	-3569160	-1.96E-03	-0.468263	###
-0.483114	###	-3560340	-1.97E-03	-0.470659	###
-0.485509	###	-3550540	-1.98E-03	-0.473054	###
-0.487904	###	-3541720	-1.99E-03	-0.475449	###
-0.490299	###	-3534860	-1.99E-03	-0.477365	###
-0.492695	###	-3526040	-2.00E-03	-0.47976	###
-0.49509	###	-3517220	-2.01E-03	-0.482156	###

-0.497485	###	-3508400	-2.02E-03	-0.484551	###
-0.49988	###	-3499580	-2.03E-03	-0.486946	###
-0.502275	###	-3490760	-2.04E-03	-0.489341	###
-0.504671	###	-3482920	-2.05E-03	-0.491737	###
-0.507066	###	-3475080	-2.06E-03	-0.494132	###
-0.509461	###	-3467240	-2.07E-03	-0.496527	###
-0.511856	###	-3459400	-2.08E-03	-0.498922	###
-0.514251	###	-3451560	-2.09E-03	-0.501317	###
-0.516647	###	-3443720	-2.10E-03	-0.503713	###
-0.519042	###	-3435880	-2.11E-03	-0.506108	###
-0.521437	###	-3428040	-2.12E-03	-0.508503	###
-0.523832	###	-3420200	-2.13E-03	-0.510898	###
-0.526228	###	-3412360	-2.14E-03	-0.513293	###
-0.528623	###	-3405500	-2.15E-03	-0.515689	###
-0.531018	###	-3397660	-2.16E-03	-0.518084	###
-0.533413	###	-3390800	-2.17E-03	-0.520479	###
-0.535808	###	-3383940	-2.18E-03	-0.522874	###
-0.538204	###	-3377080	-2.19E-03	-0.525269	###
-0.540599	###	-3369240	-2.20E-03	-0.527665	###
-0.542994	###	-3362380	-2.21E-03	-0.53006	###
-0.545389	###	-3355520	-2.22E-03	-0.532455	###
-0.547784	###	-3349640	-2.23E-03	-0.53485	###
-0.55018	###	-3342780	-2.24E-03	-0.537246	###
-0.552575	###	-3335920	-2.25E-03	-0.539641	###
-0.55497	###	-3329060	-2.26E-03	-0.542036	###
-0.557365	###	-3322200	-2.27E-03	-0.544431	###
-0.55976	###	-3316320	-2.28E-03	-0.546826	###
-0.562156	###	-3309460	-2.29E-03	-0.549222	###
-0.564551	###	-3303580	-2.30E-03	-0.551617	###
-0.566946	###	-3296720	-2.31E-03	-0.554012	###
-0.569341	###	-3290840	-2.32E-03	-0.556407	###
-0.571737	###	-3284960	-2.33E-03	-0.558802	###
-0.574132	###	-3279080	-2.34E-03	-0.561198	###
-0.576527	###	-3273200	-2.35E-03	-0.563593	###
-0.578922	###	-3267320	-2.36E-03	-0.565988	###
-0.581317	###	-3261440	-2.37E-03	-0.568383	###
-0.583713	###	-3255560	-2.38E-03	-0.570778	###
-0.586108	###	-3250660	-2.39E-03	-0.573174	###
-0.588503	###	-3244780	-2.40E-03	-0.575569	###
-0.590898	###	-3239880	-2.41E-03	-0.577964	###
-0.593293	###	-3234000	-2.42E-03	-0.580359	###
-0.595689	###	-3228120	-2.43E-03	-0.582754	###
-0.598084	###	-3223220	-2.44E-03	-0.58515	###
-0.600479	###	-3218320	-2.45E-03	-0.587545	###
-0.602874	###	-3213420	-2.46E-03	-0.58994	###
-0.605269	###	-3208520	-2.47E-03	-0.592335	###
-0.607665	###	-3203620	-2.48E-03	-0.594731	###
-0.61006	###	-3198720	-2.49E-03	-0.597126	###

-0.612455	###	-3193820	-2.50E-03	-0.599521	###
-0.61485	###	-3188920	-2.51E-03	-0.601916	###
-0.617246	###	-3184020	-2.52E-03	-0.604311	###
-0.619641	###	-3179120	-2.53E-03	-0.606707	###
-0.622036	###	-3174220	-2.54E-03	-0.609102	###
-0.624431	###	-3169320	-2.55E-03	-0.611497	###
-0.626826	###	-3165400	-2.56E-03	-0.613892	###
-0.629222	###	-3160500	-2.57E-03	-0.616287	###
-0.631617	###	-3156580	-2.58E-03	-0.618683	###
-0.634012	###	-3151680	-2.59E-03	-0.621078	###
-0.636407	###	-3147760	-2.60E-03	-0.623473	###
-0.638802	###	-3142860	-2.61E-03	-0.625868	###
-0.641198	###	-3138940	-2.62E-03	-0.628263	###
-0.643593	###	-3134040	-2.63E-03	-0.630659	###
-0.645988	###	-3130120	-2.64E-03	-0.633054	###
-0.648383	###	-3125220	-2.65E-03	-0.635449	###
-0.650778	###	-3121300	-2.66E-03	-0.637844	###
-0.653174	###	-3117380	-2.67E-03	-0.64024	###
-0.655569	###	-3113460	-2.68E-03	-0.642635	###
-0.657964	###	-3108560	-2.69E-03	-0.64503	###
-0.660359	###	-3104640	-2.70E-03	-0.647425	###
-0.662754	###	-3103660	-2.71E-03	-0.648144	###
-0.66515	###	-3099740	-2.72E-03	-0.650539	###
-0.667545	###	-3095820	-2.73E-03	-0.652934	###
-0.66994	###	-3091900	-2.74E-03	-0.655329	###
-0.672335	###	-3087980	-2.75E-03	-0.657725	###
-0.674731	###	-3084060	-2.76E-03	-0.66012	###
-0.677126	###	-3079160	-2.77E-03	-0.662515	###

Bulk Carrier (B4) Idchk = 1				Bulk Carrier (B4) Idchk = 2			
70% damage				70% damage			
4.175	9.80E-06	1000		frame space	4.175	9.80E-06	1000
Rotation		Curvature		Moment	Rotation		Curvature
8610.28	1.00E-06	0.00024		8.69E+08	8511.3	1.00E-06	0.00024
17199	2.00E-06	0.000479		1.74E+09	17003	2.00E-06	0.000479



1975680	2.30E-04	0.05509	1.99E+11	1953140	2.30E-04	0.05509
2061920	2.40E-04	0.057485	2.08E+11	2037420	2.40E-04	0.057485
2148160	2.50E-04	0.05988	2.17E+11	2122680	2.50E-04	0.05988
2233420	2.60E-04	0.062275	2.25E+11	2206960	2.60E-04	0.062275
2319660	2.70E-04	0.064671	2.34E+11	2292220	2.70E-04	0.064671
2405900	2.80E-04	0.067066	2.43E+11	2376500	2.80E-04	0.067066
2491160	2.90E-04	0.069461	2.51E+11	2461760	2.90E-04	0.069461
2577400	3.00E-04	0.071856	2.60E+11	2546040	3.00E-04	0.071856
2662660	3.10E-04	0.074251	2.69E+11	2631300	3.10E-04	0.074251
2748900	3.20E-04	0.076647	2.77E+11	2715580	3.20E-04	0.076647
2834160	3.30E-04	0.079042	2.86E+11	2800840	3.30E-04	0.079042
2920400	3.40E-04	0.081437	2.95E+11	2886100	3.40E-04	0.081437

3006640	3.50E-04	0.083832	3.03E+11	2970380	3.50E-04	0.083832
3091900	3.60E-04	0.086228	3.12E+11	3055640	3.60E-04	0.086228
3178140	3.70E-04	0.088623	3.20E+11	3139920	3.70E-04	0.088623
3263400	3.80E-04	0.091018	3.29E+11	3225180	3.80E-04	0.091018
3349640	3.90E-04	0.093413	3.38E+11	3309460	3.90E-04	0.093413
3435880	4.00E-04	0.095808	3.46E+11	3394720	4.00E-04	0.095808
3521140	4.10E-04	0.098204	3.55E+11	3479000	4.10E-04	0.098204
3607380	4.20E-04	0.100599	3.64E+11	3563280	4.20E-04	0.100599
3692640	4.30E-04	0.102994	3.72E+11	3648540	4.30E-04	0.102994
3778880	4.40E-04	0.105389	3.81E+11	3732820	4.40E-04	0.105389
3864140	4.50E-04	0.107784	3.90E+11	3818080	4.50E-04	0.107784
3950380	4.60E-04	0.11018	3.98E+11	3902360	4.60E-04	0.11018
4035640	4.70E-04	0.112575	4.07E+11	3987620	4.70E-04	0.112575
4121880	4.80E-04	0.11497	4.16E+11	4071900	4.80E-04	0.11497
4207140	4.90E-04	0.117365	4.24E+11	4157160	4.90E-04	0.117365
4293380	5.00E-04	0.11976	4.33E+11	4241440	5.00E-04	0.11976
4379620	5.10E-04	0.122156	4.41E+11	4325720	5.10E-04	0.122156
4464880	5.20E-04	0.124551	4.50E+11	4410980	5.20E-04	0.124551
4551120	5.30E-04	0.126946	4.59E+11	4495260	5.30E-04	0.126946
4636380	5.40E-04	0.129341	4.67E+11	4580520	5.40E-04	0.129341
4722620	5.50E-04	0.131737	4.76E+11	4664800	5.50E-04	0.131737
4807880	5.60E-04	0.134132	4.85E+11	4750060	5.60E-04	0.134132
4894120	5.70E-04	0.136527	4.93E+11	4834340	5.70E-04	0.136527
4979380	5.80E-04	0.138922	5.02E+11	4918620	5.80E-04	0.138922
5065620	5.90E-04	0.141317	5.11E+11	5003880	5.90E-04	0.141317
5150880	6.00E-04	0.143713	5.19E+11	5088160	6.00E-04	0.143713
5237120	6.10E-04	0.146108	5.28E+11	5173420	6.10E-04	0.146108
5322380	6.20E-04	0.148503	5.37E+11	5257700	6.20E-04	0.148503
5408620	6.30E-04	0.150898	5.45E+11	5341980	6.30E-04	0.150898
5493880	6.40E-04	0.153293	5.54E+11	5427240	6.40E-04	0.153293
5580120	6.50E-04	0.155689	5.62E+11	5511520	6.50E-04	0.155689
5665380	6.60E-04	0.158084	5.71E+11	5596780	6.60E-04	0.158084
5751620	6.70E-04	0.160479	5.80E+11	5681060	6.70E-04	0.160479
5836880	6.80E-04	0.162874	5.88E+11	5765340	6.80E-04	0.162874
5923120	6.90E-04	0.165269	5.97E+11	5850600	6.90E-04	0.165269
6008380	7.00E-04	0.167665	6.06E+11	5934880	7.00E-04	0.167665
6094620	7.10E-04	0.17006	6.14E+11	6020140	7.10E-04	0.17006
6179880	7.20E-04	0.172455	6.23E+11	6104420	7.20E-04	0.172455
6266120	7.30E-04	0.17485	6.32E+11	6188700	7.30E-04	0.17485
6351380	7.40E-04	0.177246	6.40E+11	6273960	7.40E-04	0.177246
6437620	7.50E-04	0.179641	6.49E+11	6358240	7.50E-04	0.179641
6522880	7.60E-04	0.182036	6.58E+11	6443500	7.60E-04	0.182036
6609120	7.70E-04	0.184431	6.58E+11	6445460	7.60E-04	0.182108
6694380	7.80E-04	0.186826	6.65E+11	6517980	7.69E-04	0.184144
6780620	7.90E-04	0.189222	6.70E+11	6564040	7.76E-04	0.18582
6865880	8.00E-04	0.191617	6.76E+11	6628720	7.86E-04	0.188216
6951140	8.10E-04	0.194012	6.79E+11	6657140	7.90E-04	0.189269
7037380	8.20E-04	0.196407	6.86E+11	6719860	8.00E-04	0.191665


7069720	8.24E-04	0.197293	6.88E+11	6739460	8.03E-04	0.192407
7144200	8.33E-04	0.199521	6.93E+11	6792380	8.12E-04	0.194419
7206920	8.42E-04	0.201677	7.00E+11	6855100	8.22E-04	0.196814
7248080	8.50E-04	0.203497	7.00E+11	6859020	8.22E-04	0.196958
7295120	8.60E-04	0.205892	7.06E+11	6918800	8.32E-04	0.199353
7319620	8.65E-04	0.207114	7.12E+11	6975640	8.42E-04	0.201605
7364700	8.75E-04	0.209509	7.18E+11	7034440	8.52E-04	0.204
7405860	8.84E-04	0.211713	7.21E+11	7064820	8.57E-04	0.205269
7448000	8.94E-04	0.214108	7.27E+11	7119700	8.67E-04	0.207665
7485240	9.03E-04	0.216263	7.27E+11	7122640	8.68E-04	0.207784
7515620	9.11E-04	0.218108	7.32E+11	7173600	8.77E-04	0.21006
7551880	9.21E-04	0.220503	7.37E+11	7220640	8.86E-04	0.212311
7588140	9.31E-04	0.222898	7.42E+11	7266700	8.96E-04	0.214611
7616560	9.38E-04	0.224743	7.46E+11	7309820	9.06E-04	0.216982
7648900	9.48E-04	0.227138	7.50E+11	7351960	9.16E-04	0.219377
7678300	9.57E-04	0.229222	7.50E+11	7351960	9.16E-04	0.219401
7707700	9.67E-04	0.231521	7.54E+11	7391160	9.26E-04	0.221796
7736120	9.77E-04	0.233916	7.54E+11	7392140	9.26E-04	0.221892
7764540	9.87E-04	0.236311	7.58E+11	7427420	9.36E-04	0.224287
7791980	9.97E-04	0.238707	7.58E+11	7428400	9.37E-04	0.224383
7817460	1.01E-03	0.241198	7.61E+11	7453880	9.45E-04	0.226299
7840000	1.02E-03	0.243114	7.64E+11	7482300	9.55E-04	0.228695
7863520	1.03E-03	0.245509	7.66E+11	7507780	9.63E-04	0.230731
7871360	1.03E-03	0.246228	7.69E+11	7532280	9.73E-04	0.233126
7891940	1.04E-03	0.248623	7.71E+11	7557760	9.83E-04	0.235521
7912520	1.05E-03	0.251018	7.73E+11	7578340	9.92E-04	0.237509
7933100	1.06E-03	0.253413	7.76E+11	7599900	1.00E-03	0.24
7938980	1.06E-03	0.254132	7.76E+11	7608720	1.01E-03	0.240719
7954660	1.07E-03	0.256527	7.79E+11	7629300	1.02E-03	0.243114
7970340	1.08E-03	0.258922	7.79E+11	7635180	1.02E-03	0.244072
7986020	1.09E-03	0.261317	7.81E+11	7650860	1.03E-03	0.245749
7987980	1.09E-03	0.261557	7.83E+11	7668500	1.04E-03	0.248144
8000720	1.10E-03	0.263952	7.84E+11	7686140	1.05E-03	0.250539
8013460	1.11E-03	0.266347	7.84E+11	7686140	1.05E-03	0.250539
8027180	1.12E-03	0.268743	7.86E+11	7702800	1.06E-03	0.252934
8028160	1.12E-03	0.268982	7.88E+11	7719460	1.07E-03	0.255329
8038940	1.13E-03	0.271377	7.89E+11	7736120	1.08E-03	0.257725
8048740	1.14E-03	0.273293	7.91E+11	7751800	1.09E-03	0.26012
8057560	1.15E-03	0.275689	7.92E+11	7760620	1.09E-03	0.261557
8066380	1.16E-03	0.278084	7.93E+11	7774340	1.10E-03	0.263952
8075200	1.17E-03	0.280479	7.95E+11	7789040	1.11E-03	0.266347
8085000	1.18E-03	0.282874	7.96E+11	7802760	1.12E-03	0.268743
8085980	1.18E-03	0.283353	7.98E+11	7816480	1.13E-03	0.271138
8093820	1.19E-03	0.285749	7.99E+11	7829220	1.14E-03	0.273293
8100680	1.20E-03	0.287665	8.00E+11	7841960	1.15E-03	0.275689
8106560	1.21E-03	0.29006	8.01E+11	7853720	1.16E-03	0.278084
8112440	1.22E-03	0.292455	8.01E+11	7853720	1.16E-03	0.278084
8118320	1.23E-03	0.29485	8.03E+11	7865480	1.17E-03	0.280479

8125180	1.24E-03	0.297246	8.03E+11	7870380	1.18E-03	0.281437
8131060	1.25E-03	0.299641	8.04E+11	7881160	1.19E-03	0.283832
8136940	1.26E-03	0.302036	8.05E+11	7891940	1.20E-03	0.286228
8142820	1.27E-03	0.304431	8.05E+11	7891940	1.20E-03	0.286228
8148700	1.28E-03	0.306826	8.06E+11	7901740	1.21E-03	0.288623
8155560	1.29E-03	0.309222	8.07E+11	7909580	1.21E-03	0.290778
8161440	1.30E-03	0.311617	8.08E+11	7919380	1.22E-03	0.293174
8167320	1.31E-03	0.314012	8.09E+11	7929180	1.23E-03	0.295569
8173200	1.32E-03	0.316407	8.10E+11	7934080	1.24E-03	0.296766
8179080	1.33E-03	0.318802	8.11E+11	7942900	1.25E-03	0.299162
8185940	1.34E-03	0.321198	8.11E+11	7943880	1.25E-03	0.299162
8191820	1.35E-03	0.323593	8.11E+11	7950740	1.26E-03	0.301557
8197700	1.36E-03	0.325988	8.12E+11	7957600	1.27E-03	0.303952
8203580	1.37E-03	0.328383	8.13E+11	7963480	1.28E-03	0.306347
8209460	1.38E-03	0.330778	8.13E+11	7970340	1.29E-03	0.308743
8215340	1.39E-03	0.333174	8.14E+11	7975240	1.30E-03	0.310659
8222200	1.40E-03	0.335569	8.14E+11	7981120	1.31E-03	0.313054
8228080	1.41E-03	0.337964	8.15E+11	7986020	1.32E-03	0.315449
8233960	1.42E-03	0.340359	8.15E+11	7990920	1.33E-03	0.317844
8239840	1.43E-03	0.342754	8.16E+11	7993860	1.33E-03	0.319042
8245720	1.44E-03	0.34515	8.16E+11	7997780	1.34E-03	0.321437
8251600	1.45E-03	0.347545	8.17E+11	8002680	1.35E-03	0.323832
8257480	1.46E-03	0.34994	8.17E+11	8007580	1.36E-03	0.326228
8263360	1.47E-03	0.352335	8.18E+11	8012480	1.37E-03	0.328623
8269240	1.48E-03	0.354731	8.18E+11	8017380	1.38E-03	0.331018
8271200	1.48E-03	0.355449	8.18E+11	8017380	1.38E-03	0.331018
8274140	1.49E-03	0.357844	8.19E+11	8022280	1.39E-03	0.333413
8276100	1.50E-03	0.36024	8.19E+11	8027180	1.40E-03	0.335808
8279040	1.51E-03	0.362635	8.20E+11	8032080	1.41E-03	0.338204
8281000	1.52E-03	0.36503	8.20E+11	8036980	1.42E-03	0.340599
8283940	1.53E-03	0.367425	8.21E+11	8040900	1.43E-03	0.342994
8285900	1.54E-03	0.36982	8.21E+11	8041880	1.43E-03	0.343473
8288840	1.55E-03	0.372216	8.21E+11	8045800	1.44E-03	0.345868
8290800	1.56E-03	0.374611	8.22E+11	8050700	1.45E-03	0.348263
8293740	1.57E-03	0.377006	8.22E+11	8050700	1.45E-03	0.348263
8294720	1.58E-03	0.378443	8.22E+11	8053640	1.46E-03	0.350659
8297660	1.59E-03	0.380838	8.22E+11	8057560	1.47E-03	0.353054
8299620	1.60E-03	0.383234	8.23E+11	8060500	1.48E-03	0.355449
8301580	1.61E-03	0.385629	8.23E+11	8064420	1.49E-03	0.357844
8304520	1.62E-03	0.388024	8.23E+11	8065400	1.50E-03	0.358563
8306480	1.63E-03	0.390419	8.23E+11	8068340	1.51E-03	0.360958
8309420	1.64E-03	0.392814	8.24E+11	8072260	1.52E-03	0.363353
8311380	1.65E-03	0.39521	8.24E+11	8075200	1.53E-03	0.365749
8313340	1.66E-03	0.397605	8.24E+11	8077160	1.53E-03	0.367186
8316280	1.67E-03	0.4	8.25E+11	8081080	1.54E-03	0.369581
8318240	1.68E-03	0.402395	8.25E+11	8084020	1.55E-03	0.371976
8320200	1.69E-03	0.40479	8.25E+11	8086960	1.56E-03	0.374371
8323140	1.70E-03	0.407186	8.26E+11	8090880	1.57E-03	0.376766

8325100	1.71E-03	0.409581	8.26E+11	8093820	1.58E-03	0.379162
8328040	1.72E-03	0.411976	8.26E+11	8097740	1.59E-03	0.381557
8330000	1.73E-03	0.414371	8.27E+11	8100680	1.60E-03	0.383952
8331960	1.74E-03	0.416766	8.27E+11	8103620	1.61E-03	0.385868
8334900	1.75E-03	0.419162	8.27E+11	8106560	1.62E-03	0.388263
8336860	1.76E-03	0.421557	8.28E+11	8109500	1.63E-03	0.390659
8338820	1.77E-03	0.423952	8.28E+11	8113420	1.64E-03	0.393054
8340780	1.78E-03	0.426347	8.28E+11	8116360	1.65E-03	0.395449
8343720	1.79E-03	0.428743	8.29E+11	8120280	1.66E-03	0.397844
8345680	1.80E-03	0.431138	8.29E+11	8123220	1.67E-03	0.40024
8347640	1.81E-03	0.433533	8.29E+11	8124200	1.67E-03	0.400958
8349600	1.82E-03	0.435928	8.29E+11	8127140	1.68E-03	0.403353
8352540	1.83E-03	0.438323	8.30E+11	8131060	1.69E-03	0.405749
8354500	1.84E-03	0.440719	8.30E+11	8134000	1.70E-03	0.408144
8356460	1.85E-03	0.443114	8.30E+11	8136940	1.71E-03	0.410539
8358420	1.86E-03	0.445509	8.31E+11	8139880	1.72E-03	0.412934
8360380	1.87E-03	0.447904	8.31E+11	8140860	1.72E-03	0.412934
8363320	1.88E-03	0.450299	8.31E+11	8143800	1.73E-03	0.415329
8365280	1.89E-03	0.452695	8.31E+11	8146740	1.74E-03	0.417725
8367240	1.90E-03	0.45509	8.32E+11	8149680	1.75E-03	0.42012
8369200	1.91E-03	0.457485	8.32E+11	8151640	1.76E-03	0.421557
8371160	1.92E-03	0.45988	8.32E+11	8154580	1.77E-03	0.423952
8373120	1.93E-03	0.462275	8.32E+11	8157520	1.78E-03	0.426347
8375080	1.94E-03	0.463713	8.33E+11	8160460	1.79E-03	0.428743
8377040	1.95E-03	0.466108	8.33E+11	8162420	1.80E-03	0.43018
8379000	1.96E-03	0.468503	8.33E+11	8165360	1.81E-03	0.432575
8380960	1.97E-03	0.470898	8.34E+11	8168300	1.82E-03	0.43497
8382920	1.98E-03	0.473293	8.34E+11	8171240	1.83E-03	0.437365
8384880	1.99E-03	0.475689	8.34E+11	8174180	1.84E-03	0.43976
8385860	1.99E-03	0.476886	8.34E+11	8177120	1.85E-03	0.442156
8387820	2.00E-03	0.479281	8.35E+11	8180060	1.86E-03	0.444551
8389780	2.01E-03	0.481677	8.35E+11	8182020	1.86E-03	0.446467
8390760	2.02E-03	0.484072	8.35E+11	8184960	1.87E-03	0.448862
8392720	2.03E-03	0.486467	8.36E+11	8187900	1.88E-03	0.451257
8392720	2.03E-03	0.486946	8.36E+11	8190840	1.89E-03	0.453653
8393700	2.04E-03	0.489341	8.36E+11	8191820	1.90E-03	0.454371
8393700	2.05E-03	0.491737	8.36E+11	8194760	1.91E-03	0.456766
8394680	2.06E-03	0.494132	8.37E+11	8197700	1.92E-03	0.459162
8394680	2.07E-03	0.496527	8.37E+11	8200640	1.93E-03	0.461557
8394680	2.08E-03	0.498922	8.37E+11	8203580	1.94E-03	0.463952
8394680	2.09E-03	0.501317	8.37E+11	8205540	1.94E-03	0.465629
8393700	2.10E-03	0.503713	8.38E+11	8207500	1.95E-03	0.468024
8393700	2.11E-03	0.506108	8.38E+11	8210440	1.96E-03	0.470419
8393700	2.12E-03	0.508503	8.38E+11	8212400	1.97E-03	0.472814
8392720	2.13E-03	0.510898	8.38E+11	8215340	1.98E-03	0.47521
8392720	2.14E-03	0.513293	8.38E+11	8216320	1.99E-03	0.476407
8392720	2.15E-03	0.515689	8.39E+11	8217300	2.00E-03	0.478802
8391740	2.16E-03	0.518084	8.39E+11	8218280	2.01E-03	0.481198

8391740	2.17E-03	0.520479	8.39E+11	8219260	2.02E-03	0.483593
8391740	2.18E-03	0.522874	8.39E+11	8219260	2.03E-03	0.485988
8390760	2.19E-03	0.525269	8.39E+11	8220240	2.04E-03	0.488144
8391740	2.20E-03	0.527665	8.39E+11	8221220	2.05E-03	0.490539
8391740	2.21E-03	0.53006	8.39E+11	8222200	2.06E-03	0.492934
8391740	2.22E-03	0.530778	8.39E+11	8222200	2.07E-03	0.495329
8391740	2.23E-03	0.533174	8.39E+11	8223180	2.08E-03	0.497725
8391740	2.24E-03	0.535569	8.39E+11	8223180	2.08E-03	0.497964
8391740	2.25E-03	0.537964	8.39E+11	8224160	2.09E-03	0.500359
8391740	2.26E-03	0.540359	8.39E+11	8224160	2.10E-03	0.502754
8391740	2.27E-03	0.542754	8.39E+11	8225140	2.11E-03	0.50515
8392720	2.28E-03	0.54515	8.39E+11	8225140	2.11E-03	0.506347
8392720	2.29E-03	0.547545	8.39E+11	8225140	2.12E-03	0.508743
8392720	2.30E-03	0.54994	8.39E+11	8225140	2.13E-03	0.511138
8392720	2.31E-03	0.552335	8.39E+11	8225140	2.14E-03	0.513533
8392720	2.32E-03	0.554731	8.39E+11	8226120	2.15E-03	0.515928
8392720	2.32E-03	0.556168	8.39E+11	8226120	2.16E-03	0.518323
8393700	2.33E-03	0.558563	8.39E+11	8226120	2.17E-03	0.520719
8393700	2.34E-03	0.560958	8.39E+11	8226120	2.18E-03	0.523114
8393700	2.35E-03	0.563353	8.39E+11	8226120	2.19E-03	0.525509
8394680	2.36E-03	0.565749	8.39E+11	8226120	2.20E-03	0.527904
8394680	2.36E-03	0.565988	8.39E+11	8226120	2.21E-03	0.530299
8394680	2.37E-03	0.568383	8.39E+11	8226120	2.22E-03	0.532695
8395660	2.38E-03	0.570778	8.39E+11	8226120	2.23E-03	0.532934
8395660	2.39E-03	0.573174	8.39E+11	8226120	2.24E-03	0.535329
8396640	2.40E-03	0.575569	8.39E+11	8225140	2.25E-03	0.537725
8396640	2.41E-03	0.577964	8.39E+11	8225140	2.26E-03	0.54012
8397620	2.42E-03	0.579162	8.39E+11	8225140	2.27E-03	0.542515
8397620	2.43E-03	0.581557	8.39E+11	8225140	2.28E-03	0.54491
8398600	2.44E-03	0.583952	8.39E+11	8225140	2.29E-03	0.547305
8398600	2.45E-03	0.586347	8.39E+11	8225140	2.30E-03	0.549701
8399580	2.46E-03	0.588743	8.39E+11	8225140	2.31E-03	0.552096
8399580	2.47E-03	0.591138	8.39E+11	8225140	2.32E-03	0.554491
8400560	2.48E-03	0.593533	8.39E+11	8226120	2.32E-03	0.554491
8400560	2.49E-03	0.595928	8.39E+11	8226120	2.33E-03	0.556886
8401540	2.50E-03	0.598323	8.39E+11	8226120	2.34E-03	0.559281
8402520	2.51E-03	0.600719	8.39E+11	8226120	2.35E-03	0.561677
8402520	2.52E-03	0.603114	8.39E+11	8226120	2.35E-03	0.562874
8403500	2.53E-03	0.605509	8.39E+11	8225140	2.36E-03	0.565269
8403500	2.54E-03	0.607904	8.39E+11	8224160	2.37E-03	0.567665
8404480	2.55E-03	0.610299	8.39E+11	8223180	2.38E-03	0.57006
8404480	2.55E-03	0.610539	8.39E+11	8223180	2.38E-03	0.570539
8404480	2.56E-03	0.612934	8.39E+11	8222200	2.39E-03	0.572934
8405460	2.57E-03	0.615329	8.39E+11	8221220	2.40E-03	0.575329
8406440	2.58E-03	0.617725	8.39E+11	8220240	2.41E-03	0.577725
8406440	2.59E-03	0.62012	8.39E+11	8220240	2.41E-03	0.577725
8407420	2.60E-03	0.622515	8.39E+11	8218280	2.42E-03	0.58012
8407420	2.61E-03	0.62491	8.38E+11	8216320	2.43E-03	0.582515

8408400	2.62E-03	0.627305	8.38E+11	8214360	2.44E-03	0.58491
8409380	2.63E-03	0.629701	8.38E+11	8213380	2.45E-03	0.585868
8410360	2.64E-03	0.632096	8.38E+11	8210440	2.46E-03	0.588263
8410360	2.65E-03	0.634491	8.37E+11	8206520	2.47E-03	0.590659
8411340	2.66E-03	0.636886	8.37E+11	8203580	2.47E-03	0.592575
8412320	2.67E-03	0.639281	8.37E+11	8197700	2.48E-03	0.59497
8412320	2.68E-03	0.641677	8.36E+11	8191820	2.49E-03	0.597365
8413300	2.69E-03	0.644072	8.35E+11	8185940	2.50E-03	0.59976
8414280	2.70E-03	0.646467	8.35E+11	8181040	2.51E-03	0.602156
8415260	2.71E-03	0.648862	8.35E+11	8179080	2.52E-03	0.603832
8416240	2.72E-03	0.651257	8.34E+11	8173200	2.53E-03	0.606228
8416240	2.73E-03	0.653653	8.34E+11	8168300	2.54E-03	0.608144
8417220	2.74E-03	0.655329	8.33E+11	8163400	2.55E-03	0.610539
8417220	2.75E-03	0.657725	8.33E+11	8159480	2.56E-03	0.612934
8417220	2.76E-03	0.66012	8.32E+11	8154580	2.57E-03	0.615329
8417220	2.77E-03	0.662515	8.32E+11	8149680	2.58E-03	0.617725
0	0.00E+00		0.00E+00	0	0.00E+00	
-8610.28	-1.00E-06	-0.00024	###	-8511.3	-1.00E-06	-0.00024
-17199	-2.00E-06	-0.000479	###	-17003	-2.00E-06	-0.000479
-25793.6	-3.00E-06	-0.000719	###	-25489.8	-3.00E-06	-0.000719
-34378.4	-4.00E-06	-0.000958	###	-33976.6	-4.00E-06	-0.000958



-858970	-1.00E-04	-0.023952	###	-848974	-1.00E-04	-0.023952
-944818	-1.10E-04	-0.026347	###	-933744	-1.10E-04	-0.026347
-1030960	-1.20E-04	-0.028743	###	-1018220	-1.20E-04	-0.028743
-1116220	-1.30E-04	-0.031138	###	-1103480	-1.30E-04	-0.031138
-1202460	-1.40E-04	-0.033533	###	-1187760	-1.40E-04	-0.033533
-1287720	-1.50E-04	-0.035928	###	-1273020	-1.50E-04	-0.035928
-1372980	-1.60E-04	-0.038323	###	-1357300	-1.60E-04	-0.038323
-1459220	-1.70E-04	-0.040719	###	-1442560	-1.70E-04	-0.040719
-1544480	-1.80E-04	-0.043114	###	-1526840	-1.80E-04	-0.043114
-1630720	-1.90E-04	-0.045509	###	-1611120	-1.90E-04	-0.045509
-1715980	-2.00E-04	-0.047904	###	-1695400	-2.00E-04	-0.047904
-1801240	-2.10E-04	-0.050299	###	-1779680	-2.10E-04	-0.050299
-1886500	-2.20E-04	-0.052695	###	-1863960	-2.20E-04	-0.052695

-1971760 -2.30E-04 -0.05509
-2057020 -2.40E-04 -0.057485
-2142280 -2.50E-04 -0.05988
-2227540 -2.60E-04 -0.062275
-2312800 -2.70E-04 -0.064671
-2398060 -2.80E-04 -0.067066
-2483320 -2.90E-04 -0.069461
-2568580 -3.00E-04 -0.071856
-2653840 -3.10E-04 -0.074251
-2739100 -3.20E-04 -0.076647
-2824360 -3.30E-04 -0.079042
-2908640 -3.40E-04 -0.081437
-2993900 -3.50E-04 -0.083832
-3079160 -3.60E-04 -0.086228
-3164420 -3.70E-04 -0.088623
-3249680 -3.80E-04 -0.091018
-3333960 -3.90E-04 -0.093413
-3419220 -4.00E-04 -0.095808
-3504480 -4.10E-04 -0.098204
-3588760 -4.20E-04 -0.100599
-3674020 -4.30E-04 -0.102994
-3759280 -4.40E-04 -0.105389
-3844540 -4.50E-04 -0.107784
-3928820 -4.60E-04 -0.11018
-4014080 -4.70E-04 -0.112575
-4098360 -4.80E-04 -0.11497
-4183620 -4.90E-04 -0.117365
-4267900 -5.00E-04 -0.11976
-4353160 -5.10E-04 -0.122156
-4437440 -5.20E-04 -0.124551
-4521720 -5.30E-04 -0.126946
-4606000 -5.40E-04 -0.129341
-4690280 -5.50E-04 -0.131737
-4774560 -5.60E-04 -0.134132
-4857860 -5.70E-04 -0.136527
-4941160 -5.80E-04 -0.138922
-5025440 -5.90E-04 -0.141317
-5108740 -6.00E-04 -0.143713
-5192040 -6.10E-04 -0.146108
-5275340 -6.20E-04 -0.148503
-5357660 -6.30E-04 -0.150898
-5440960 -6.40E-04 -0.153293
-5523280 -6.50E-04 -0.155689
-5605600 -6.60E-04 -0.158084
-5687920 -6.70E-04 -0.160479
-5769260 -6.80E-04 -0.162874
-5850600 -6.90E-04 -0.165269
-5931940 -7.00E-04 -0.167665

-1949220 -2.30E-04 -0.05509
-2033500 -2.40E-04 -0.057485
-2117780 -2.50E-04 -0.05988
-2202060 -2.60E-04 -0.062275
-2285360 -2.70E-04 -0.064671
-2369640 -2.80E-04 -0.067066
-2453920 -2.90E-04 -0.069461
-2538200 -3.00E-04 -0.071856
-2622480 -3.10E-04 -0.074251
-2706760 -3.20E-04 -0.076647
-2791040 -3.30E-04 -0.079042
-2875320 -3.40E-04 -0.081437
-2959600 -3.50E-04 -0.083832
-3043880 -3.60E-04 -0.086228
-3127180 -3.70E-04 -0.088623
-3211460 -3.80E-04 -0.091018
-3295740 -3.90E-04 -0.093413
-3380020 -4.00E-04 -0.095808
-3464300 -4.10E-04 -0.098204
-3548580 -4.20E-04 -0.100599
-3631880 -4.30E-04 -0.102994
-3716160 -4.40E-04 -0.105389
-3800440 -4.50E-04 -0.107784
-3884720 -4.60E-04 -0.11018
-3968020 -4.70E-04 -0.112575
-4052300 -4.80E-04 -0.11497
-4135600 -4.90E-04 -0.117365
-4219880 -5.00E-04 -0.11976
-4303180 -5.10E-04 -0.122156
-4387460 -5.20E-04 -0.124551
-4470760 -5.30E-04 -0.126946
-4554060 -5.40E-04 -0.129341
-4637360 -5.50E-04 -0.131737
-4720660 -5.60E-04 -0.134132
-4803960 -5.70E-04 -0.136527
-4886280 -5.80E-04 -0.138922
-4969580 -5.90E-04 -0.141317
-5051900 -6.00E-04 -0.143713
-5134220 -6.10E-04 -0.146108
-5216540 -6.20E-04 -0.148503
-5298860 -6.30E-04 -0.150898
-5381180 -6.40E-04 -0.153293
-5462520 -6.50E-04 -0.155689
-5543860 -6.60E-04 -0.158084
-5623240 -6.70E-04 -0.160479
-5701640 -6.80E-04 -0.162874
-5780040 -6.90E-04 -0.165269
-5856480 -7.00E-04 -0.167665

-6011320 -7.10E-04 -0.17006
-6090700 -7.20E-04 -0.172455
-6168120 -7.30E-04 -0.17485
-6243580 -7.40E-04 -0.177246
-6318060 -7.50E-04 -0.179641
-6369020 -7.57E-04 -0.181317
-6430760 -7.66E-04 -0.183401
-6473880 -7.73E-04 -0.185054
-6501320 -7.80E-04 -0.186754
-6508180 -7.86E-04 -0.188287
-6492500 -7.93E-04 -0.189964
-6462120 -8.03E-04 -0.192359
-6450360 -8.07E-04 -0.193341
-6434680 -8.13E-04 -0.194802
-6410180 -8.22E-04 -0.196934
-6369020 -8.32E-04 -0.199329
-6325900 -8.41E-04 -0.201485
-6255340 -8.51E-04 -0.20388
-6243580 -8.53E-04 -0.204192
-6202420 -8.57E-04 -0.20515
-6101480 -8.65E-04 -0.207234
-6030920 -8.71E-04 -0.208599
-5901560 -8.81E-04 -0.210994
-5771220 -8.91E-04 -0.213389
-5656560 -9.01E-04 -0.215784
-5633040 -9.04E-04 -0.216407
-5533080 -9.14E-04 -0.218802
-5453700 -9.24E-04 -0.221198
-5386080 -9.34E-04 -0.223593
-5323360 -9.44E-04 -0.225988
-5316500 -9.45E-04 -0.226323
-5261620 -9.55E-04 -0.228719
-5209680 -9.65E-04 -0.231114
-5163620 -9.74E-04 -0.233341
-5118540 -9.84E-04 -0.235737
-5075420 -9.94E-04 -0.238132
-5035240 -1.00E-03 -0.240479
-4998000 -1.01E-03 -0.242874
-4962720 -1.02E-03 -0.245269
-4928420 -1.03E-03 -0.247665
-4895100 -1.04E-03 -0.25006
-4864720 -1.05E-03 -0.252455
-4835320 -1.06E-03 -0.25485
-4805920 -1.07E-03 -0.257246
-4777500 -1.08E-03 -0.259641
-4750060 -1.09E-03 -0.262036
-4723600 -1.10E-03 -0.264431
-4698120 -1.11E-03 -0.266826

-5908420 -7.07E-04 -0.169293
-5983880 -7.17E-04 -0.171689
-5996620 -7.19E-04 -0.172144
-6009360 -7.24E-04 -0.173341
-6030920 -7.32E-04 -0.175281
-6041700 -7.37E-04 -0.176407
-6064240 -7.47E-04 -0.178802
-6064240 -7.47E-04 -0.17885
-6084820 -7.56E-04 -0.181126
-6103440 -7.66E-04 -0.183521
-6103440 -7.66E-04 -0.183545
-6107360 -7.71E-04 -0.184647
-6109320 -7.78E-04 -0.186371
-6104420 -7.82E-04 -0.187281
-6094620 -7.89E-04 -0.188934
-6069140 -7.96E-04 -0.190587
-6029940 -8.06E-04 -0.192982
-6016220 -8.09E-04 -0.193868
-5980940 -8.16E-04 -0.195473
-5948600 -8.23E-04 -0.197078
-5917240 -8.30E-04 -0.198754
-5882940 -8.40E-04 -0.20115
-5880980 -8.40E-04 -0.201246
-5862360 -8.47E-04 -0.202826
-5831980 -8.57E-04 -0.205222
-5820220 -8.61E-04 -0.206251
-5794740 -8.71E-04 -0.208647
-5792780 -8.72E-04 -0.208814
-5764360 -8.82E-04 -0.21121
-5762400 -8.83E-04 -0.211401
-5735940 -8.90E-04 -0.213126
-5697720 -9.00E-04 -0.215521
-5671260 -9.06E-04 -0.217054
-5639900 -9.14E-04 -0.218922
-5595800 -9.24E-04 -0.221317
-5562480 -9.31E-04 -0.222994
-5517400 -9.40E-04 -0.22503
-5461540 -9.50E-04 -0.227425
-5405680 -9.60E-04 -0.22982
-5376280 -9.65E-04 -0.231138
-5334140 -9.71E-04 -0.232575
-5260640 -9.81E-04 -0.23497
-5195960 -9.91E-04 -0.237365
-5139120 -1.00E-03 -0.23976
-5121480 -1.01E-03 -0.240719
-5070520 -1.02E-03 -0.243114
-5025440 -1.03E-03 -0.245509
-4984280 -1.04E-03 -0.247904

-4672640 -1.12E-03 -0.269222
-4649120 -1.13E-03 -0.271617
-4625600 -1.14E-03 -0.274012
-4602080 -1.15E-03 -0.276407
-4597180 -1.16E-03 -0.277126
-4573660 -1.17E-03 -0.279521
-4551120 -1.18E-03 -0.281916
-4530540 -1.19E-03 -0.284311
-4509960 -1.20E-03 -0.286707
-4489380 -1.21E-03 -0.289102
-4468800 -1.22E-03 -0.291497
-4449200 -1.23E-03 -0.293892
-4429600 -1.24E-03 -0.296287
-4410980 -1.25E-03 -0.298683
-4392360 -1.26E-03 -0.301078
-4373740 -1.27E-03 -0.303473
-4356100 -1.28E-03 -0.305868
-4338460 -1.29E-03 -0.308263
-4320820 -1.30E-03 -0.310659
-4304160 -1.31E-03 -0.313054
-4288480 -1.32E-03 -0.315449
-4271820 -1.33E-03 -0.317844
-4256140 -1.34E-03 -0.32024
-4239480 -1.35E-03 -0.322635
-4223800 -1.36E-03 -0.32503
-4208120 -1.37E-03 -0.327425
-4193420 -1.38E-03 -0.32982
-4179700 -1.39E-03 -0.332216
-4165000 -1.40E-03 -0.334611
-4150300 -1.41E-03 -0.337006
-4136580 -1.42E-03 -0.339401
-4122860 -1.43E-03 -0.341796
-4109140 -1.44E-03 -0.344192
-4094440 -1.45E-03 -0.346587
-4079740 -1.46E-03 -0.348982
-4065040 -1.47E-03 -0.351377
-4049360 -1.48E-03 -0.353772
-4034660 -1.49E-03 -0.356168
-4019960 -1.50E-03 -0.358563
-4005260 -1.51E-03 -0.360958
-3991540 -1.52E-03 -0.363353
-3976840 -1.53E-03 -0.365749
-3963120 -1.54E-03 -0.368144
-3949400 -1.55E-03 -0.370539
-3935680 -1.56E-03 -0.372934
-3921960 -1.57E-03 -0.375329
-3908240 -1.58E-03 -0.377725
-3895500 -1.59E-03 -0.38012

-4945080 -1.05E-03 -0.250299
-4907840 -1.06E-03 -0.252695
-4873540 -1.07E-03 -0.25509
-4851000 -1.07E-03 -0.256527
-4819640 -1.08E-03 -0.258922
-4790240 -1.09E-03 -0.261317
-4765740 -1.10E-03 -0.263473
-4738300 -1.11E-03 -0.265868
-4712820 -1.12E-03 -0.268263
-4687340 -1.13E-03 -0.270659
-4662840 -1.14E-03 -0.273054
-4639320 -1.15E-03 -0.275449
-4616780 -1.16E-03 -0.277844
-4594240 -1.17E-03 -0.28024
-4572680 -1.18E-03 -0.282635
-4551120 -1.19E-03 -0.28503
-4529560 -1.20E-03 -0.287425
-4508980 -1.21E-03 -0.28982
-4489380 -1.22E-03 -0.292216
-4468800 -1.23E-03 -0.294611
-4450180 -1.24E-03 -0.297006
-4430580 -1.25E-03 -0.299401
-4411960 -1.26E-03 -0.301796
-4393340 -1.27E-03 -0.304192
-4375700 -1.28E-03 -0.306587
-4358060 -1.29E-03 -0.308982
-4341400 -1.30E-03 -0.311377
-4324740 -1.31E-03 -0.313772
-4315920 -1.32E-03 -0.31497
-4299260 -1.33E-03 -0.317365
-4283580 -1.34E-03 -0.31976
-4266920 -1.35E-03 -0.322156
-4251240 -1.36E-03 -0.324551
-4235560 -1.37E-03 -0.326946
-4219880 -1.38E-03 -0.329341
-4204200 -1.39E-03 -0.331737
-4188520 -1.40E-03 -0.334132
-4172840 -1.41E-03 -0.336527
-4158140 -1.42E-03 -0.338922
-4142460 -1.43E-03 -0.341317
-4127760 -1.44E-03 -0.343713
-4113060 -1.45E-03 -0.346108
-4098360 -1.46E-03 -0.348503
-4084640 -1.47E-03 -0.350898
-4070920 -1.48E-03 -0.353293
-4056220 -1.49E-03 -0.355689
-4042500 -1.50E-03 -0.358084
-4028780 -1.51E-03 -0.360479

-3881780	-1.60E-03	-0.382515	###	-4015060	-1.52E-03	-0.362874
-3868060	-1.61E-03	-0.38491	###	-4001340	-1.53E-03	-0.365269
-3855320	-1.62E-03	-0.387305	###	-3987620	-1.54E-03	-0.367665
-3841600	-1.63E-03	-0.389701	###	-3976840	-1.54E-03	-0.369581
-3828860	-1.64E-03	-0.392096	###	-3963120	-1.55E-03	-0.371976
-3815140	-1.65E-03	-0.394491	###	-3948420	-1.56E-03	-0.374371
-3802400	-1.66E-03	-0.396886	###	-3934700	-1.57E-03	-0.376766
-3789660	-1.67E-03	-0.399281	###	-3920980	-1.58E-03	-0.379162
-3777900	-1.68E-03	-0.401677	###	-3907260	-1.59E-03	-0.381557
-3765160	-1.69E-03	-0.404072	###	-3894520	-1.60E-03	-0.383952
-3752420	-1.70E-03	-0.406467	###	-3880800	-1.61E-03	-0.386347
-3740660	-1.71E-03	-0.408862	###	-3868060	-1.62E-03	-0.388743
-3727920	-1.72E-03	-0.411257	###	-3854340	-1.63E-03	-0.391138
-3716160	-1.73E-03	-0.413653	###	-3841600	-1.64E-03	-0.393533
-3704400	-1.74E-03	-0.416048	###	-3827880	-1.65E-03	-0.395928
-3692640	-1.75E-03	-0.418443	###	-3815140	-1.66E-03	-0.398323
-3680880	-1.76E-03	-0.420838	###	-3802400	-1.67E-03	-0.400719
-3669120	-1.77E-03	-0.423234	###	-3789660	-1.68E-03	-0.403114
-3657360	-1.78E-03	-0.425629	###	-3776920	-1.69E-03	-0.405509
-3646580	-1.79E-03	-0.428024	###	-3764180	-1.70E-03	-0.407904
-3636780	-1.80E-03	-0.42994	###	-3752420	-1.71E-03	-0.410299
-3625020	-1.81E-03	-0.432335	###	-3739680	-1.72E-03	-0.412695
-3614240	-1.82E-03	-0.434731	###	-3727920	-1.73E-03	-0.41509
-3602480	-1.83E-03	-0.437126	###	-3716160	-1.74E-03	-0.417485
-3591700	-1.84E-03	-0.439521	###	-3703420	-1.75E-03	-0.41988
-3580920	-1.85E-03	-0.441916	###	-3691660	-1.76E-03	-0.422275
-3570140	-1.86E-03	-0.444311	###	-3679900	-1.77E-03	-0.424671
-3558380	-1.87E-03	-0.446707	###	-3668140	-1.78E-03	-0.427066
-3547600	-1.88E-03	-0.449102	###	-3656380	-1.79E-03	-0.429461
-3537800	-1.89E-03	-0.451497	###	-3645600	-1.80E-03	-0.431856
-3527020	-1.90E-03	-0.453892	###	-3633840	-1.81E-03	-0.434251
-3517220	-1.91E-03	-0.456287	###	-3623060	-1.82E-03	-0.436647
-3507420	-1.92E-03	-0.458683	###	-3612280	-1.83E-03	-0.439042
-3497620	-1.93E-03	-0.461078	###	-3600520	-1.84E-03	-0.441437
-3487820	-1.94E-03	-0.463473	###	-3589740	-1.85E-03	-0.443832
-3478020	-1.95E-03	-0.465868	###	-3578960	-1.86E-03	-0.446228
-3468220	-1.96E-03	-0.468263	###	-3568180	-1.87E-03	-0.448623
-3458420	-1.97E-03	-0.470659	###	-3558380	-1.88E-03	-0.451018
-3449600	-1.98E-03	-0.473054	###	-3547600	-1.89E-03	-0.453413
-3440780	-1.99E-03	-0.475449	###	-3537800	-1.90E-03	-0.455808
-3432940	-2.00E-03	-0.477844	###	-3527020	-1.91E-03	-0.458204
-3424120	-2.01E-03	-0.48024	###	-3517220	-1.92E-03	-0.460599
-3416280	-2.02E-03	-0.482635	###	-3508400	-1.93E-03	-0.462994
-3407460	-2.03E-03	-0.48503	###	-3498600	-1.94E-03	-0.465389
-3399620	-2.04E-03	-0.487425	###	-3488800	-1.95E-03	-0.467784
-3391780	-2.05E-03	-0.48982	###	-3479980	-1.96E-03	-0.47018
-3382960	-2.06E-03	-0.492216	###	-3470180	-1.97E-03	-0.472575
-3375120	-2.07E-03	-0.494611	###	-3461360	-1.98E-03	-0.47497


-3367280 -2.08E-03 -0.497006
-3359440 -2.09E-03 -0.499401
-3351600 -2.10E-03 -0.501796
-3344740 -2.11E-03 -0.504192
-3336900 -2.12E-03 -0.506587
-3330040 -2.13E-03 -0.508982
-3322200 -2.14E-03 -0.511377
-3315340 -2.15E-03 -0.513772
-3307500 -2.16E-03 -0.516168
-3300640 -2.17E-03 -0.518563
-3293780 -2.18E-03 -0.520958
-3286920 -2.19E-03 -0.523353
-3279080 -2.20E-03 -0.525749
-3272220 -2.21E-03 -0.528144
-3265360 -2.22E-03 -0.530539
-3258500 -2.23E-03 -0.532934
-3252620 -2.24E-03 -0.535329
-3245760 -2.25E-03 -0.537725
-3239880 -2.26E-03 -0.54012
-3234000 -2.27E-03 -0.542515
-3227140 -2.28E-03 -0.54491
-3221260 -2.29E-03 -0.547305
-3214400 -2.30E-03 -0.549701
-3208520 -2.31E-03 -0.552096
-3202640 -2.32E-03 -0.554491
-3196760 -2.33E-03 -0.556886
-3190880 -2.34E-03 -0.559281
-3185000 -2.35E-03 -0.561677
-3178140 -2.36E-03 -0.564072
-3172260 -2.37E-03 -0.566467
-3166380 -2.38E-03 -0.568862
-3161480 -2.39E-03 -0.571257
-3155600 -2.40E-03 -0.573653
-3150700 -2.41E-03 -0.576048
-3145800 -2.42E-03 -0.578443
-3140900 -2.43E-03 -0.580838
-3136000 -2.44E-03 -0.583234
-3131100 -2.45E-03 -0.585629
-3126200 -2.46E-03 -0.588024
-3121300 -2.47E-03 -0.590419
-3116400 -2.48E-03 -0.592814
-3111500 -2.49E-03 -0.59521
-3106600 -2.50E-03 -0.597605
-3101700 -2.51E-03 -0.6
-3096800 -2.52E-03 -0.602395
-3091900 -2.53E-03 -0.60479
-3087980 -2.54E-03 -0.607186
-3083080 -2.55E-03 -0.609581

-3452540 -1.99E-03 -0.477365
-3442740 -2.00E-03 -0.47976
-3433920 -2.01E-03 -0.482156
-3426080 -2.02E-03 -0.484551
-3422160 -2.03E-03 -0.485749
-3413340 -2.04E-03 -0.488144
-3404520 -2.05E-03 -0.490539
-3396680 -2.06E-03 -0.492934
-3388840 -2.07E-03 -0.495329
-3380020 -2.08E-03 -0.497725
-3372180 -2.09E-03 -0.50012
-3364340 -2.10E-03 -0.502515
-3356500 -2.11E-03 -0.50491
-3349640 -2.12E-03 -0.507305
-3341800 -2.13E-03 -0.509701
-3333960 -2.14E-03 -0.512096
-3326120 -2.15E-03 -0.514491
-3319260 -2.16E-03 -0.516886
-3312400 -2.17E-03 -0.519281
-3304560 -2.18E-03 -0.521677
-3297700 -2.19E-03 -0.524072
-3290840 -2.20E-03 -0.526467
-3283980 -2.21E-03 -0.528862
-3277120 -2.22E-03 -0.531257
-3270260 -2.23E-03 -0.533653
-3263400 -2.24E-03 -0.536048
-3257520 -2.25E-03 -0.538443
-3250660 -2.26E-03 -0.540838
-3243800 -2.27E-03 -0.543234
-3236940 -2.28E-03 -0.545629
-3231060 -2.29E-03 -0.548024
-3224200 -2.30E-03 -0.550419
-3218320 -2.31E-03 -0.552814
-3212440 -2.32E-03 -0.55521
-3206560 -2.33E-03 -0.557605
-3200680 -2.34E-03 -0.56
-3194800 -2.35E-03 -0.562395
-3188920 -2.36E-03 -0.56479
-3183040 -2.37E-03 -0.567186
-3178140 -2.38E-03 -0.569581
-3172260 -2.39E-03 -0.571976
-3166380 -2.40E-03 -0.574371
-3161480 -2.41E-03 -0.576766
-3155600 -2.42E-03 -0.579162
-3150700 -2.43E-03 -0.581557
-3144820 -2.44E-03 -0.583952
-3139920 -2.45E-03 -0.586347
-3135020 -2.46E-03 -0.588743

-3078180 -2.56E-03 -0.611976
-3073280 -2.57E-03 -0.614371
-3068380 -2.58E-03 -0.616766
-3064460 -2.59E-03 -0.619162
-3059560 -2.60E-03 -0.621557
-3055640 -2.61E-03 -0.623952
-3050740 -2.62E-03 -0.626347
-3046820 -2.63E-03 -0.628743
-3042900 -2.64E-03 -0.631138
-3038980 -2.65E-03 -0.633533
-3035060 -2.66E-03 -0.635928
-3031140 -2.67E-03 -0.638323
-3027220 -2.68E-03 -0.640719
-3022320 -2.69E-03 -0.643114
-3018400 -2.70E-03 -0.645509
-3014480 -2.71E-03 -0.647904
-3010560 -2.72E-03 -0.650299
-3006640 -2.73E-03 -0.652695
-3002720 -2.74E-03 -0.65509
-2998800 -2.75E-03 -0.657485
-2994880 -2.76E-03 -0.65988
-2990960 -2.77E-03 -0.662275
-2987040 -2.78E-03 -0.664671
-2983120 -2.79E-03 -0.667066
-2979200 -2.80E-03 -0.669461
-2975280 -2.81E-03 -0.671856
-2971360 -2.82E-03 -0.674251
-2967440 -2.83E-03 -0.676647

-3130120 -2.47E-03 -0.591138
-3125220 -2.48E-03 -0.593533
-3120320 -2.49E-03 -0.595928
-3115420 -2.50E-03 -0.598323
-3110520 -2.51E-03 -0.600719
-3105620 -2.52E-03 -0.603114
-3100720 -2.53E-03 -0.605509
-3096800 -2.54E-03 -0.607904
-3091900 -2.55E-03 -0.610299
-3087000 -2.56E-03 -0.612695
-3085040 -2.56E-03 -0.614132
-3080140 -2.57E-03 -0.616527
-3076220 -2.58E-03 -0.618922
-3071320 -2.59E-03 -0.621317
-3067400 -2.60E-03 -0.623713
-3062500 -2.61E-03 -0.626108
-3058580 -2.62E-03 -0.628503
-3053680 -2.63E-03 -0.630898
-3049760 -2.64E-03 -0.633293
-3048780 -2.65E-03 -0.634012
-3044860 -2.66E-03 -0.636407
-3039960 -2.67E-03 -0.638802
-3036040 -2.68E-03 -0.641198
-3032120 -2.69E-03 -0.643593
-3028200 -2.70E-03 -0.645988
-3024280 -2.71E-03 -0.648383
-3019380 -2.72E-03 -0.650778
-3015460 -2.73E-03 -0.653174

Tanker (T4) Idchk = 1				Tanker (T4	
10% outer shell damage				10% outer s	
frame space	4.175	9.80E-06	1000	frame space	4.175
Moment	Rotation		Curvature	Moment	
1.77E+09	17336.2	1.00E-06	0.00024	1.77E+09	17306.8
3.54E+09	34682.2	2.00E-06	0.000479	3.53E+09	34603.8
5.31E+09	52018.4	3.00E-06	0.000719	5.30E+09	51900.8



3.89E+11	3814160	2.20E-04	0.052695	3.88E+11	3806320
4.07E+11	3987620	2.30E-04	0.05509	4.06E+11	3978800
4.25E+11	4161080	2.40E-04	0.057485	4.24E+11	4152260
4.42E+11	4334540	2.50E-04	0.05988	4.41E+11	4324740
4.60E+11	4508000	2.60E-04	0.062275	4.59E+11	4498200
4.78E+11	4680480	2.70E-04	0.064671	4.77E+11	4670680
4.95E+11	4853940	2.80E-04	0.067066	4.94E+11	4844140
5.13E+11	5027400	2.90E-04	0.069461	5.12E+11	5016620
5.31E+11	5200860	3.00E-04	0.071856	5.30E+11	5190080
5.48E+11	5374320	3.10E-04	0.074251	5.47E+11	5362560
5.66E+11	5547780	3.20E-04	0.076647	5.65E+11	5536020
5.84E+11	5721240	3.30E-04	0.079042	5.83E+11	5708500
6.02E+11	5894700	3.40E-04	0.081437	6.00E+11	5881960

6.19E+11	6068160	3.50E-04	0.083832	6.18E+11	6054440
6.37E+11	6241620	3.60E-04	0.086228	6.36E+11	6227900
6.55E+11	6415080	3.70E-04	0.088623	6.53E+11	6400380
6.72E+11	6587560	3.80E-04	0.091018	6.71E+11	6573840
6.90E+11	6761020	3.90E-04	0.093413	6.88E+11	6746320
7.08E+11	6934480	4.00E-04	0.095808	7.06E+11	6919780
7.25E+11	7107940	4.10E-04	0.098204	7.24E+11	7093240
7.43E+11	7281400	4.20E-04	0.100599	7.41E+11	7265720
7.61E+11	7454860	4.30E-04	0.102994	7.59E+11	7439180
7.78E+11	7628320	4.40E-04	0.105389	7.77E+11	7611660
7.96E+11	7801780	4.50E-04	0.107784	7.94E+11	7785120
8.14E+11	7975240	4.60E-04	0.11018	8.12E+11	7957600
8.31E+11	8147720	4.70E-04	0.112575	8.30E+11	8131060
8.49E+11	8321180	4.80E-04	0.11497	8.47E+11	8303540
8.67E+11	8494640	4.90E-04	0.117365	8.65E+11	8477000
8.85E+11	8668100	5.00E-04	0.11976	8.83E+11	8649480
9.02E+11	8841560	5.10E-04	0.122156	9.00E+11	8822940
9.20E+11	9015020	5.20E-04	0.124551	9.18E+11	8995420
9.38E+11	9188480	5.30E-04	0.126946	9.36E+11	9168880
9.55E+11	9361940	5.40E-04	0.129341	9.53E+11	9341360
9.73E+11	9535400	5.50E-04	0.131737	9.71E+11	9514820
9.91E+11	9707880	5.60E-04	0.134132	9.89E+11	9687300
1.01E+12	9878400	5.70E-04	0.136527	1.01E+12	9858800
1.03E+12	10054800	5.80E-04	0.138922	1.02E+12	10035200
1.04E+12	10231200	5.90E-04	0.141317	1.04E+12	10201800
1.06E+12	10397800	6.00E-04	0.143713	1.06E+12	10378200
1.08E+12	10574200	6.10E-04	0.146108	1.08E+12	10554600
1.10E+12	10750600	6.20E-04	0.148503	1.09E+12	10721200
1.11E+12	10917200	6.30E-04	0.150898	1.11E+12	10897600
1.13E+12	11093600	6.40E-04	0.153293	1.13E+12	11074000
1.15E+12	11270000	6.50E-04	0.155689	1.15E+12	11240600
1.17E+12	11446400	6.60E-04	0.158084	1.17E+12	11417000
1.18E+12	11515000	6.64E-04	0.159066	1.17E+12	11475800
1.19E+12	11632600	6.72E-04	0.16091	1.18E+12	11573800
1.20E+12	11750200	6.80E-04	0.162778	1.19E+12	11652200
1.21E+12	11848200	6.87E-04	0.164647	1.20E+12	11730600
1.22E+12	11926600	6.95E-04	0.166467	1.21E+12	11838400
1.22E+12	11995200	7.02E-04	0.168096	1.22E+12	11907000
1.23E+12	12044200	7.08E-04	0.169557	1.22E+12	11975600
1.24E+12	12103000	7.15E-04	0.171162	1.23E+12	12034400
1.24E+12	12181400	7.25E-04	0.173557	1.24E+12	12103000
1.25E+12	12259800	7.35E-04	0.175952	1.24E+12	12161800
1.25E+12	12279400	7.36E-04	0.176359	1.25E+12	12220600
1.26E+12	12348000	7.46E-04	0.178754	1.25E+12	12269600
1.27E+12	12426400	7.56E-04	0.18115	1.26E+12	12338200
1.28E+12	12495000	7.66E-04	0.183545	1.27E+12	12406800
1.28E+12	12573400	7.76E-04	0.18594	1.27E+12	12416600
1.29E+12	12612600	7.82E-04	0.187281	1.27E+12	12485200


1.29E+12	12671400	7.92E-04	0.189677	1.27E+12	12485200
1.30E+12	12740000	8.02E-04	0.192024	1.28E+12	12544000
1.30E+12	12759600	8.10E-04	0.194012	1.28E+12	12563600
1.31E+12	12798800	8.20E-04	0.196407	1.29E+12	12612600
1.31E+12	12808600	8.23E-04	0.197054	1.29E+12	12671400
1.31E+12	12847800	8.33E-04	0.199449	1.29E+12	12671400
1.31E+12	12867400	8.36E-04	0.200311	1.30E+12	12730200
1.32E+12	12896800	8.44E-04	0.202156	1.30E+12	12749800
1.32E+12	12936000	8.54E-04	0.204551	1.31E+12	12798800
1.33E+12	12985000	8.64E-04	0.206946	1.31E+12	12847800
1.33E+12	13004600	8.71E-04	0.208599	1.31E+12	12857600
1.33E+12	13043800	8.81E-04	0.210994	1.32E+12	12887000
1.33E+12	13073200	8.87E-04	0.212359	1.32E+12	12936000
1.34E+12	13112400	8.97E-04	0.214754	1.32E+12	12936000
1.34E+12	13112400	8.97E-04	0.214874	1.32E+12	12975200
1.34E+12	13151600	9.07E-04	0.217269	1.33E+12	12985000
1.34E+12	13171200	9.13E-04	0.218635	1.33E+12	13024200
1.35E+12	13200600	9.23E-04	0.22103	1.33E+12	13024200
1.35E+12	13210400	9.26E-04	0.22182	1.33E+12	13063400
1.35E+12	13249600	9.36E-04	0.224216	1.33E+12	13073200
1.35E+12	13249600	9.37E-04	0.224455	1.34E+12	13112400
1.36E+12	13279000	9.47E-04	0.22685	1.34E+12	13141800
1.36E+12	13279000	9.48E-04	0.226946	1.34E+12	13151600
1.36E+12	13308400	9.58E-04	0.229341	1.35E+12	13181000
1.36E+12	13328000	9.64E-04	0.230874	1.35E+12	13190800
1.36E+12	13357400	9.74E-04	0.233269	1.35E+12	13230000
1.37E+12	13386800	9.84E-04	0.235665	1.35E+12	13259400
1.37E+12	13416200	9.93E-04	0.237749	1.36E+12	13279000
1.37E+12	13435800	1.00E-03	0.24024	1.36E+12	13308400
1.37E+12	13455400	1.01E-03	0.241437	1.36E+12	13337800
1.38E+12	13475000	1.02E-03	0.243832	1.36E+12	13357400
1.38E+12	13494600	1.03E-03	0.246228	1.37E+12	13377000
1.38E+12	13514200	1.04E-03	0.247904	1.37E+12	13406400
1.38E+12	13533800	1.05E-03	0.250299	1.37E+12	13426000
1.38E+12	13543600	1.05E-03	0.250539	1.37E+12	13455400
1.38E+12	13563200	1.06E-03	0.252934	1.37E+12	13455400
1.38E+12	13563200	1.06E-03	0.253892	1.38E+12	13475000
1.39E+12	13582800	1.07E-03	0.256287	1.38E+12	13504400
1.39E+12	13602400	1.08E-03	0.258683	1.38E+12	13504400
1.39E+12	13612200	1.08E-03	0.259162	1.38E+12	13524000
1.39E+12	13622000	1.09E-03	0.261557	1.38E+12	13533800
1.39E+12	13631800	1.10E-03	0.263952	1.38E+12	13553400
1.39E+12	13641600	1.11E-03	0.266347	1.38E+12	13553400
1.39E+12	13641600	1.12E-03	0.267545	1.38E+12	13563200
1.39E+12	13641600	1.13E-03	0.26994	1.38E+12	13563200
1.39E+12	13622000	1.14E-03	0.272335	1.38E+12	13563200
1.39E+12	13622000	1.14E-03	0.273054	1.38E+12	13563200
1.39E+12	13602400	1.15E-03	0.275449	1.38E+12	13563200

1.39E+12	13582800	1.16E-03	0.277605	1.38E+12	13563200
1.39E+12	13573000	1.17E-03	0.28	1.38E+12	13563200
1.38E+12	13563200	1.18E-03	0.282395	1.38E+12	13563200
1.38E+12	13553400	1.19E-03	0.28479	1.38E+12	13563200
1.38E+12	13543600	1.20E-03	0.287186	1.38E+12	13563200
1.38E+12	13543600	1.21E-03	0.289581	1.38E+12	13563200
1.38E+12	13543600	1.22E-03	0.291976	1.38E+12	13563200
1.38E+12	13533800	1.22E-03	0.292934	1.38E+12	13563200
1.38E+12	13533800	1.23E-03	0.295329	1.38E+12	13563200
1.38E+12	13524000	1.24E-03	0.297725	1.38E+12	13563200
1.38E+12	13514200	1.25E-03	0.30012	1.38E+12	13563200
1.38E+12	13504400	1.26E-03	0.302515	1.38E+12	13553400
1.38E+12	13504400	1.27E-03	0.302994	1.38E+12	13553400
1.38E+12	13484800	1.28E-03	0.305389	1.38E+12	13543600
1.37E+12	13465200	1.29E-03	0.307784	1.38E+12	13543600
1.37E+12	13455400	1.30E-03	0.31018	1.38E+12	13533800
1.37E+12	13445600	1.30E-03	0.310659	1.38E+12	13524000
1.37E+12	13426000	1.31E-03	0.313054	1.38E+12	13514200
1.37E+12	13396600	1.32E-03	0.315449	1.38E+12	13514200
1.37E+12	13396600	1.32E-03	0.315449	1.38E+12	13504400
1.37E+12	13377000	1.33E-03	0.317844	1.38E+12	13494600
1.36E+12	13367200	1.34E-03	0.32	1.38E+12	13484800
1.36E+12	13337800	1.35E-03	0.322395	1.38E+12	13475000
1.36E+12	13318200	1.36E-03	0.32479	1.38E+12	13475000
1.36E+12	13298600	1.37E-03	0.327186	1.37E+12	13465200
1.36E+12	13288800	1.38E-03	0.329581	1.37E+12	13455400
1.36E+12	13279000	1.38E-03	0.331018	1.37E+12	13445600
1.35E+12	13259400	1.39E-03	0.333413	1.37E+12	13435800
1.35E+12	13249600	1.40E-03	0.335808	1.37E+12	13426000
1.35E+12	13230000	1.41E-03	0.338204	1.37E+12	13416200
1.35E+12	13220200	1.42E-03	0.340599	1.37E+12	13396600
1.35E+12	13210400	1.43E-03	0.342994	1.37E+12	13386800
1.35E+12	13200600	1.44E-03	0.345389	1.36E+12	13367200
1.35E+12	13190800	1.45E-03	0.347784	1.36E+12	13357400
1.35E+12	13181000	1.46E-03	0.349461	1.36E+12	13328000
1.34E+12	13171200	1.47E-03	0.351856	1.36E+12	13328000
1.34E+12	13161400	1.48E-03	0.353772	1.36E+12	13298600
1.34E+12	13141800	1.49E-03	0.356168	1.36E+12	13288800
1.34E+12	13132000	1.50E-03	0.358563	1.35E+12	13269200
1.34E+12	13122200	1.51E-03	0.360958	1.35E+12	13249600
1.34E+12	13102600	1.52E-03	0.363353	1.35E+12	13249600
1.34E+12	13102600	1.52E-03	0.364072	1.35E+12	13230000
1.34E+12	13092800	1.53E-03	0.366467	1.35E+12	13220200
1.33E+12	13073200	1.54E-03	0.368862	1.35E+12	13220200
1.33E+12	13063400	1.55E-03	0.371257	1.35E+12	13200600
1.33E+12	13053600	1.56E-03	0.373653	1.35E+12	13190800
1.33E+12	13043800	1.57E-03	0.37485	1.35E+12	13181000
1.33E+12	13034000	1.58E-03	0.377246	1.34E+12	13171200

1.33E+12	13014400	1.59E-03	0.379641	1.34E+12	13151600
1.33E+12	13004600	1.60E-03	0.382036	1.34E+12	13141800
1.33E+12	12994800	1.60E-03	0.383234	1.34E+12	13132000
1.33E+12	12985000	1.61E-03	0.385629	1.34E+12	13122200
1.32E+12	12975200	1.62E-03	0.388024	1.34E+12	13102600
1.32E+12	12965400	1.63E-03	0.390419	1.34E+12	13092800
1.32E+12	12965400	1.63E-03	0.390659	1.33E+12	13073200
1.32E+12	12945800	1.64E-03	0.393054	1.33E+12	13073200
1.32E+12	12936000	1.65E-03	0.395449	1.33E+12	13063400
1.32E+12	12916400	1.66E-03	0.397844	1.33E+12	13043800
1.32E+12	12906600	1.67E-03	0.40024	1.33E+12	13043800
1.32E+12	12896800	1.68E-03	0.402635	1.33E+12	13024200
1.32E+12	12887000	1.69E-03	0.40503	1.33E+12	13014400
1.31E+12	12867400	1.70E-03	0.407425	1.33E+12	13004600
1.31E+12	12857600	1.71E-03	0.40982	1.33E+12	12994800
1.31E+12	12847800	1.72E-03	0.412216	1.33E+12	12985000
1.31E+12	12838000	1.73E-03	0.414611	1.32E+12	12975200
1.31E+12	12828200	1.74E-03	0.416048	1.32E+12	12955600
1.31E+12	12808600	1.75E-03	0.418443	1.32E+12	12945800
1.31E+12	12808600	1.75E-03	0.418683	1.32E+12	12945800
1.31E+12	12798800	1.76E-03	0.421078	1.32E+12	12936000
1.30E+12	12779200	1.77E-03	0.423473	1.32E+12	12916400
1.30E+12	12769400	1.78E-03	0.425868	1.32E+12	12906600
1.30E+12	12759600	1.79E-03	0.428263	1.32E+12	12887000
1.30E+12	12740000	1.80E-03	0.430659	1.31E+12	12877200
1.30E+12	12730200	1.81E-03	0.433054	1.31E+12	12867400
1.30E+12	12730200	1.81E-03	0.433054	1.31E+12	12857600
1.30E+12	12720400	1.82E-03	0.435449	1.31E+12	12847800
1.30E+12	12700800	1.83E-03	0.437844	1.31E+12	12838000
1.30E+12	12700800	1.83E-03	0.438084	1.31E+12	12828200
1.30E+12	12691000	1.84E-03	0.440479	1.31E+12	12828200
1.29E+12	12671400	1.85E-03	0.442874	1.31E+12	12808600
1.29E+12	12661600	1.86E-03	0.445269	1.31E+12	12798800
1.29E+12	12642000	1.87E-03	0.447665	1.31E+12	12789000
1.29E+12	12642000	1.87E-03	0.448862	1.30E+12	12769400
1.29E+12	12622400	1.88E-03	0.451257	1.30E+12	12759600
1.29E+12	12612600	1.89E-03	0.453653	1.30E+12	12749800
1.29E+12	12602800	1.90E-03	0.454611	1.30E+12	12740000
1.29E+12	12593000	1.91E-03	0.457006	1.30E+12	12730200
1.28E+12	12583200	1.92E-03	0.459401	1.30E+12	12720400
1.28E+12	12563600	1.93E-03	0.461796	1.30E+12	12710600
1.28E+12	12553800	1.94E-03	0.464192	1.30E+12	12710600
1.28E+12	12553800	1.94E-03	0.464192	1.30E+12	12700800
1.28E+12	12544000	1.95E-03	0.466587	1.29E+12	12681200
1.28E+12	12534200	1.96E-03	0.468982	1.29E+12	12671400
1.28E+12	12524400	1.97E-03	0.470659	1.29E+12	12661600
1.28E+12	12514600	1.98E-03	0.473054	1.29E+12	12651800
1.28E+12	12504800	1.99E-03	0.475449	1.29E+12	12642000

1.27E+12	12485200	2.00E-03	0.477844	1.29E+12	12632200
1.27E+12	12475400	2.01E-03	0.48024	1.29E+12	12622400
1.27E+12	12465600	2.02E-03	0.482635	1.29E+12	12612600
1.27E+12	12455800	2.03E-03	0.48503	1.29E+12	12602800
1.27E+12	12446000	2.04E-03	0.487425	1.29E+12	12593000
1.27E+12	12436200	2.05E-03	0.48982	1.28E+12	12583200
1.27E+12	12426400	2.06E-03	0.492216	1.28E+12	12573400
1.27E+12	12416600	2.07E-03	0.494611	1.28E+12	12563600
1.27E+12	12406800	2.08E-03	0.497006	1.28E+12	12553800
1.27E+12	12397000	2.09E-03	0.499401	1.28E+12	12544000
1.26E+12	12387200	2.10E-03	0.501796	1.28E+12	12534200
1.26E+12	12377400	2.11E-03	0.504192	1.28E+12	12534200
1.26E+12	12367600	2.12E-03	0.506587	1.28E+12	12524400
1.26E+12	12357800	2.13E-03	0.508982	1.28E+12	12524400
1.26E+12	12348000	2.14E-03	0.511377	1.28E+12	12504800
1.26E+12	12348000	2.15E-03	0.513772	1.28E+12	12495000
1.26E+12	12338200	2.16E-03	0.516168	1.27E+12	12485200
1.26E+12	12328400	2.16E-03	0.517365	1.27E+12	12475400
1.26E+12	12318600	2.17E-03	0.51976	1.27E+12	12465600
1.26E+12	12308800	2.18E-03	0.522156	1.27E+12	12465600
1.26E+12	12299000	2.19E-03	0.524551	1.27E+12	12455800
1.26E+12	12299000	2.20E-03	0.526946	1.27E+12	12446000
1.25E+12	12289200	2.21E-03	0.529341	1.27E+12	12436200
1.25E+12	12279400	2.22E-03	0.531737	1.27E+12	12426400
1.25E+12	12269600	2.23E-03	0.534132	1.27E+12	12416600
1.25E+12	12269600	2.23E-03	0.534132	1.27E+12	12406800
1.25E+12	12259800	2.24E-03	0.536527	1.27E+12	12397000
1.25E+12	12250000	2.25E-03	0.538683	1.26E+12	12387200
1.25E+12	12240200	2.26E-03	0.541078	1.26E+12	12377400
1.25E+12	12240200	2.27E-03	0.543473	1.26E+12	12367600
1.25E+12	12230400	2.28E-03	0.545868	1.26E+12	12357800
1.25E+12	12220600	2.29E-03	0.548263	1.26E+12	12357800
1.25E+12	12210800	2.30E-03	0.550659	1.26E+12	12338200
1.25E+12	12201000	2.30E-03	0.551138	1.26E+12	12328400
1.24E+12	12191200	2.31E-03	0.553533	1.26E+12	12318600
1.24E+12	12181400	2.32E-03	0.555928	1.26E+12	12308800
1.24E+12	12181400	2.33E-03	0.557365	1.26E+12	12299000
1.24E+12	12171600	2.34E-03	0.55976	1.25E+12	12289200
1.24E+12	12161800	2.35E-03	0.562156	1.25E+12	12279400
1.24E+12	12152000	2.35E-03	0.563832	1.25E+12	12269600
1.24E+12	12142200	2.36E-03	0.566228	1.25E+12	12259800
1.24E+12	12132400	2.37E-03	0.568623	1.25E+12	12250000
1.24E+12	12122600	2.38E-03	0.571018	1.25E+12	12250000
1.24E+12	12112800	2.39E-03	0.573413	1.25E+12	12240200
1.24E+12	12103000	2.40E-03	0.575808	1.25E+12	12230400
1.23E+12	12083400	2.41E-03	0.578204	1.25E+12	12220600
1.23E+12	12073600	2.42E-03	0.580599	1.25E+12	12210800
1.23E+12	12063800	2.43E-03	0.582994	1.25E+12	12201000

1.23E+12	12054000	2.44E-03	0.585389	1.24E+12	12191200
1.23E+12	12044200	2.45E-03	0.587784	1.24E+12	12181400
1.23E+12	12034400	2.46E-03	0.59018	1.24E+12	12171600
1.23E+12	12024600	2.47E-03	0.592575	1.24E+12	12161800
1.23E+12	12014800	2.48E-03	0.59497	1.24E+12	12152000
1.23E+12	12014800	2.49E-03	0.597365	1.24E+12	12142200
1.23E+12	12005000	2.50E-03	0.597605	1.24E+12	12132400
1.22E+12	11995200	2.51E-03	0.6	1.24E+12	12122600
1.22E+12	11995200	2.52E-03	0.602395	1.24E+12	12112800
1.22E+12	11985400	2.53E-03	0.60479	1.24E+12	12103000
1.22E+12	11975600	2.54E-03	0.607186	1.23E+12	12093200
1.22E+12	11965800	2.55E-03	0.609581	1.23E+12	12083400
1.22E+12	11956000	2.56E-03	0.611976	1.23E+12	12073600
1.22E+12	11946200	2.57E-03	0.614371	1.23E+12	12063800
1.22E+12	11936400	2.57E-03	0.616287	1.23E+12	12054000
1.22E+12	11926600	2.58E-03	0.618683	1.23E+12	12044200
0.00E+00	0	0.00E+00		0.00E+00	0
###	-17336.2	-1.00E-06	-0.00024	###	-17306.8
###	-34662.6	-2.00E-06	-0.000479	###	-34594
###	-51989	-3.00E-06	-0.000719	###	-51881.2



###	-1559180	-9.00E-05	-0.021557	###	-1558240
###	-1732640	-1.00E-04	-0.023952	###	-1728720
###	-1906100	-1.10E-04	-0.026347	###	-1902180
###	-2079560	-1.20E-04	-0.028743	###	-2074660
###	-2252040	-1.30E-04	-0.031138	###	-2247140
###	-2425500	-1.40E-04	-0.033533	###	-2420600
###	-2598960	-1.50E-04	-0.035928	###	-2593080
###	-2772420	-1.60E-04	-0.038323	###	-2766540
###	-2944900	-1.70E-04	-0.040719	###	-2939020
###	-3118360	-1.80E-04	-0.043114	###	-3111500
###	-3291820	-1.90E-04	-0.045509	###	-3284960
###	-3465280	-2.00E-04	-0.047904	###	-3457440
###	-3637760	-2.10E-04	-0.050299	###	-3629920
###	-3811220	-2.20E-04	-0.052695	###	-3803380

### -3984680 -2.30E-04 -0.05509	### -3975860
### -4158140 -2.40E-04 -0.057485	### -4149320
### -4330620 -2.50E-04 -0.05988	### -4321800
### -4504080 -2.60E-04 -0.062275	### -4494280
### -4677540 -2.70E-04 -0.064671	### -4667740
### -4851000 -2.80E-04 -0.067066	### -4840220
### -5023480 -2.90E-04 -0.069461	### -5012700
### -5196940 -3.00E-04 -0.071856	### -5186160
### -5370400 -3.10E-04 -0.074251	### -5358640
### -5542880 -3.20E-04 -0.076647	### -5531120
### -5716340 -3.30E-04 -0.079042	### -5703600
### -5889800 -3.40E-04 -0.081437	### -5877060
### -6062280 -3.50E-04 -0.083832	### -6049540
### -6235740 -3.60E-04 -0.086228	### -6222020
### -6409200 -3.70E-04 -0.088623	### -6394500
### -6581680 -3.80E-04 -0.091018	### -6567960
### -6755140 -3.90E-04 -0.093413	### -6740440
### -6927620 -4.00E-04 -0.095808	### -6912920
### -7101080 -4.10E-04 -0.098204	### -7085400
### -7273560 -4.20E-04 -0.100599	### -7257880
### -7447020 -4.30E-04 -0.102994	### -7431340
### -7619500 -4.40E-04 -0.105389	### -7603820
### -7792960 -4.50E-04 -0.107784	### -7776300
### -7965440 -4.60E-04 -0.11018	### -7948780
### -8137920 -4.70E-04 -0.112575	### -8120280
### -8311380 -4.80E-04 -0.11497	### -8292760
### -8483860 -4.90E-04 -0.117365	### -8465240
### -8656340 -5.00E-04 -0.11976	### -8636740
### -8827840 -5.10E-04 -0.122156	### -8809220
### -9000320 -5.20E-04 -0.124551	### -8980720
### -9171820 -5.30E-04 -0.126946	### -9151240
### -9343320 -5.40E-04 -0.129341	### -9322740
### -9514820 -5.50E-04 -0.131737	### -9493260
### -9685340 -5.60E-04 -0.134132	### -9663780
### -9858800 -5.70E-04 -0.136527	### -9829400
### -1E+07 -5.80E-04 -0.138922	### -1E+07
### -1E+07 -5.90E-04 -0.141317	### -1E+07
### -1E+07 -5.99E-04 -0.143569	### -1E+07
### -1E+07 -6.05E-04 -0.144886	### -1E+07
### -1E+07 -6.11E-04 -0.146395	### -1E+07
### -1E+07 -6.16E-04 -0.147617	### -1E+07
### -10505600 -6.22E-04 -0.148982	### -1E+07
### -10525200 -6.30E-04 -0.150922	### -1E+07
### -10515400 -6.35E-04 -0.152024	### -1E+07
### -1E+07 -6.40E-04 -0.153269	### -1E+07
### -1E+07 -6.44E-04 -0.154323	### -1E+07
### -1E+07 -6.52E-04 -0.156072	### -1E+07
### -1E+07 -6.57E-04 -0.157389	### -1E+07

###	-1E+07	-6.67E-04	-0.159689	###	-1E+07
###	-1E+07	-6.71E-04	-0.16079	###	-1E+07
###	-1E+07	-6.81E-04	-0.163186	###	-1E+07
###	-1E+07	-6.89E-04	-0.165078	###	-1E+07
###	-1E+07	-6.97E-04	-0.16697	###	-1E+07
###	-1E+07	-7.07E-04	-0.169365	###	-1E+07
###	-1E+07	-7.17E-04	-0.17176	###	-1E+07
###	-1E+07	-7.20E-04	-0.172551	###	-1E+07
###	-1E+07	-7.30E-04	-0.174946	###	-1E+07
###	-1E+07	-7.38E-04	-0.176862	###	-1E+07
###	-1E+07	-7.44E-04	-0.178108	###	-1E+07
###	-1E+07	-7.52E-04	-0.180168	###	-1E+07
###	-1E+07	-7.57E-04	-0.181293	###	-1E+07
###	-1E+07	-7.64E-04	-0.183018	###	-1E+07
###	-1E+07	-7.74E-04	-0.185413	###	-1E+07
###	-1E+07	-7.83E-04	-0.187497	###	-1E+07
###	-1E+07	-7.93E-04	-0.189892	###	-1E+07
###	-1E+07	-7.94E-04	-0.19018	###	-1E+07
###	-1E+07	-8.04E-04	-0.192575	###	-1E+07
###	-1E+07	-8.08E-04	-0.193485	###	-1E+07
###	-9976400	-8.18E-04	-0.19588	###	-1E+07
###	-9947000	-8.28E-04	-0.198275	###	-1E+07
###	-9937200	-8.32E-04	-0.199186	###	-1E+07
###	-9907800	-8.42E-04	-0.201581	###	-1E+07
###	-9888200	-8.50E-04	-0.203641	###	-1E+07
###	-9868600	-8.60E-04	-0.206036	###	-9996000
###	-9849000	-8.68E-04	-0.207832	###	-9966600
###	-9829400	-8.78E-04	-0.210228	###	-9956800
###	-9819600	-8.82E-04	-0.211281	###	-9927400
###	-9796080	-8.91E-04	-0.213509	###	-9907800
###	-9775500	-9.01E-04	-0.215904	###	-9888200
###	-9756880	-9.11E-04	-0.218299	###	-9858800
###	-9738260	-9.21E-04	-0.220695	###	-9839200
###	-9721600	-9.31E-04	-0.22309	###	-9819600
###	-9704940	-9.41E-04	-0.225485	###	-9800000
###	-9698080	-9.46E-04	-0.226467	###	-9780400
###	-9683380	-9.56E-04	-0.228862	###	-9773540
###	-9669660	-9.66E-04	-0.231257	###	-9753940
###	-9655940	-9.76E-04	-0.233653	###	-9736300
###	-9643200	-9.86E-04	-0.236048	###	-9732380
###	-9630460	-9.96E-04	-0.238443	###	-9714740
###	-9618700	-1.01E-03	-0.240719	###	-9702980
###	-9612820	-1.01E-03	-0.242156	###	-9688280
###	-9601060	-1.02E-03	-0.244311	###	-9674560
###	-9587340	-1.03E-03	-0.246707	###	-9665740
###	-9573620	-1.04E-03	-0.249102	###	-9649080
###	-9561860	-1.05E-03	-0.251497	###	-9635360
###	-9550100	-1.06E-03	-0.253892	###	-9630460

### -9540300 -1.07E-03 -0.255808	### -9617720
### -9526580 -1.08E-03 -0.258204	### -9604980
### -9516780 -1.09E-03 -0.26012	### -9598120
### -9501100 -1.10E-03 -0.262515	### -9584400
### -9488360 -1.11E-03 -0.26491	### -9579500
### -9484440 -1.11E-03 -0.265389	### -9565780
### -9467780 -1.12E-03 -0.267784	### -9564800
### -9454060 -1.13E-03 -0.27018	### -9552060
### -9437400 -1.14E-03 -0.272575	### -9550100
### -9434460 -1.14E-03 -0.272814	### -9534420
### -9417800 -1.15E-03 -0.27521	### -9519720
### -9400160 -1.16E-03 -0.277605	### -9506980
### -9384480 -1.17E-03 -0.28	### -9493260
### -9367820 -1.18E-03 -0.282395	### -9479540
### -9367820 -1.18E-03 -0.282395	### -9464840
### -9352140 -1.19E-03 -0.28479	### -9452100
### -9335480 -1.20E-03 -0.287186	### -9439360
### -9318820 -1.21E-03 -0.289581	### -9423680
### -9309020 -1.22E-03 -0.291257	### -9408000
### -9291380 -1.23E-03 -0.293653	### -9404080
### -9274720 -1.24E-03 -0.296048	### -9392320
### -9269820 -1.24E-03 -0.296766	### -9374680
### -9253160 -1.25E-03 -0.299162	### -9358020
### -9237480 -1.26E-03 -0.301557	### -9341360
### -9222780 -1.27E-03 -0.303952	### -9324700
### -9208080 -1.28E-03 -0.306347	### -9309020
### -9193380 -1.29E-03 -0.308743	### -9298240
### -9177700 -1.30E-03 -0.311138	### -9282560
### -9170840 -1.30E-03 -0.312335	### -9269820
### -9154180 -1.31E-03 -0.314731	### -9253160
### -9136540 -1.32E-03 -0.317126	### -9248260
### -9117920 -1.33E-03 -0.319521	### -9232580
### -9101260 -1.34E-03 -0.321677	### -9225720
### -9081660 -1.35E-03 -0.324072	### -9208080
### -9076760 -1.36E-03 -0.32479	### -9195340
### -9057160 -1.37E-03 -0.327186	### -9178680
### -9038540 -1.38E-03 -0.329581	### -9162020
### -9019920 -1.39E-03 -0.331976	### -9144380
### -9003260 -1.40E-03 -0.334371	### -9126740
### -8985620 -1.41E-03 -0.336766	### -9110080
### -8967980 -1.42E-03 -0.339162	### -9092440
### -8951320 -1.43E-03 -0.341557	### -9076760
### -8934660 -1.44E-03 -0.343952	### -9058140
### -8917020 -1.45E-03 -0.346347	### -9040500
### -8906240 -1.45E-03 -0.348024	### -9022860
### -8888600 -1.46E-03 -0.350419	### -9005220
### -8869980 -1.47E-03 -0.352814	### -9003260
### -8854300 -1.48E-03 -0.354731	### -8985620

### -8835680 -1.49E-03 -0.357126	### -8967000
### -8827840 -1.50E-03 -0.358084	### -8948380
### -8808240 -1.51E-03 -0.360479	### -8938580
### -8789620 -1.52E-03 -0.362874	### -8919960
### -8771980 -1.53E-03 -0.365269	### -8901340
### -8754340 -1.54E-03 -0.367665	### -8883700
### -8735720 -1.55E-03 -0.37006	### -8866060
### -8718080 -1.56E-03 -0.372455	### -8849400
### -8701420 -1.57E-03 -0.37485	### -8831760
### -8683780 -1.58E-03 -0.377246	### -8814120
### -8666140 -1.59E-03 -0.379641	### -8797460
### -8649480 -1.60E-03 -0.382036	### -8779820
### -8643600 -1.60E-03 -0.382994	### -8762180
### -8626940 -1.61E-03 -0.385389	### -8744540
### -8610280 -1.62E-03 -0.387784	### -8743560
### -8592640 -1.63E-03 -0.39018	### -8726900
### -8582840 -1.64E-03 -0.391617	### -8708280
### -8565200 -1.65E-03 -0.394012	### -8708280
### -8546580 -1.66E-03 -0.396407	### -8688680
### -8533840 -1.66E-03 -0.398084	### -8671040
### -8516200 -1.67E-03 -0.400479	### -8652420
### -8501500 -1.68E-03 -0.402635	### -8634780
### -8482880 -1.69E-03 -0.40503	### -8625960
### -8465240 -1.70E-03 -0.407425	### -8608320
### -8447600 -1.71E-03 -0.40982	### -8590680
### -8429960 -1.72E-03 -0.412216	### -8574020
### -8411340 -1.73E-03 -0.414611	### -8556380
### -8393700 -1.74E-03 -0.417006	### -8539720
### -8376060 -1.75E-03 -0.419401	### -8528940
### -8357440 -1.76E-03 -0.421796	### -8512280
### -8340780 -1.77E-03 -0.424192	### -8494640
### -8323140 -1.78E-03 -0.426587	### -8491700
### -8322160 -1.78E-03 -0.426826	### -8474060
### -8305500 -1.79E-03 -0.429222	### -8464260
### -8288840 -1.80E-03 -0.431617	### -8446620
### -8272180 -1.81E-03 -0.434012	### -8429960
### -8255520 -1.82E-03 -0.436407	### -8412320
### -8241800 -1.83E-03 -0.438563	### -8394680
### -8226120 -1.84E-03 -0.440958	### -8389780
### -8210440 -1.85E-03 -0.443353	### -8373120
### -8195740 -1.86E-03 -0.445749	### -8363320
### -8181040 -1.87E-03 -0.448144	### -8345680
### -8177120 -1.87E-03 -0.448862	### -8329020
### -8162420 -1.88E-03 -0.451257	### -8313340
### -8148700 -1.89E-03 -0.453653	### -8297660
### -8134000 -1.90E-03 -0.456048	### -8281000
### -8120280 -1.91E-03 -0.458443	### -8265320
### -8106560 -1.92E-03 -0.460838	### -8248660

### -8091860 -1.93E-03 -0.463234	### -8232980
### -8078140 -1.94E-03 -0.465629	### -8217300
### -8064420 -1.95E-03 -0.468024	### -8204560
### -8050700 -1.96E-03 -0.470419	### -8189860
### -8036000 -1.97E-03 -0.472814	### -8179080
### -8025220 -1.98E-03 -0.474731	### -8163400
### -8012480 -1.99E-03 -0.477126	### -8148700
### -7998760 -2.00E-03 -0.479521	### -8134000
### -7986020 -2.01E-03 -0.481916	### -8121260
### -7973280 -2.02E-03 -0.484311	### -8106560
### -7960540 -2.03E-03 -0.486707	### -8091860
### -7946820 -2.04E-03 -0.489102	### -8078140
### -7934080 -2.05E-03 -0.491497	### -8063440
### -7921340 -2.06E-03 -0.493892	### -8049720
### -7909580 -2.07E-03 -0.496287	### -8036980
### -7896840 -2.08E-03 -0.498683	### -8023260
### -7889980 -2.09E-03 -0.50012	### -8010520
### -7878220 -2.10E-03 -0.502515	### -7997780
### -7866460 -2.11E-03 -0.50491	### -7984060
### -7856660 -2.12E-03 -0.507066	### -7971320
### -7844900 -2.13E-03 -0.509461	### -7958580
### -7833140 -2.14E-03 -0.511856	### -7945840
### -7821380 -2.15E-03 -0.514251	### -7940940
### -7818440 -2.15E-03 -0.514731	### -7928200
### -7805700 -2.16E-03 -0.517126	### -7915460
### -7802760 -2.16E-03 -0.517605	### -7911540
### -7790020 -2.17E-03 -0.52	### -7898800
### -7777280 -2.18E-03 -0.522395	### -7894880
### -7764540 -2.19E-03 -0.52479	### -7882140
### -7751800 -2.20E-03 -0.527186	### -7869400
### -7739060 -2.21E-03 -0.529581	### -7856660
### -7727300 -2.22E-03 -0.531976	### -7843920
### -7714560 -2.23E-03 -0.534371	### -7832160
### -7702800 -2.24E-03 -0.536766	### -7819420
### -7693000 -2.25E-03 -0.538922	### -7806680
### -7680260 -2.26E-03 -0.541317	### -7805700
### -7667520 -2.27E-03 -0.543713	### -7792960
### -7654780 -2.28E-03 -0.546108	### -7780220
### -7644980 -2.29E-03 -0.548024	### -7767480
### -7632240 -2.30E-03 -0.550419	### -7759640
### -7620480 -2.31E-03 -0.552814	### -7747880
### -7615580 -2.31E-03 -0.553772	### -7735140
### -7603820 -2.32E-03 -0.556168	### -7734160
### -7592060 -2.33E-03 -0.558563	### -7722400
### -7580300 -2.34E-03 -0.560958	### -7710640
### -7569520 -2.35E-03 -0.563353	### -7703780
### -7558740 -2.36E-03 -0.565749	### -7691040
### -7547960 -2.37E-03 -0.568144	### -7679280


### -7538160 -2.38E-03 -0.570539	### -7667520
### -7528360 -2.39E-03 -0.572695	### -7655760
### -7517580 -2.40E-03 -0.57509	### -7644000
### -7506800 -2.41E-03 -0.577485	### -7632240
### -7496020 -2.42E-03 -0.57988	### -7628320
### -7486220 -2.43E-03 -0.582275	### -7616560
### -7475440 -2.44E-03 -0.584671	### -7603820
### -7464660 -2.45E-03 -0.587066	### -7592060
### -7454860 -2.46E-03 -0.589461	### -7581280
### -7444080 -2.47E-03 -0.591856	### -7569520
### -7433300 -2.48E-03 -0.594251	### -7558740
### -7427420 -2.49E-03 -0.595689	### -7554820
### -7415660 -2.50E-03 -0.598084	### -7544040
### -7404880 -2.51E-03 -0.600479	### -7532280
### -7395080 -2.52E-03 -0.602874	### -7521500
### -7384300 -2.53E-03 -0.605269	### -7510720
### -7374500 -2.54E-03 -0.607665	### -7499940
### -7364700 -2.55E-03 -0.61006	### -7495040
### -7355880 -2.56E-03 -0.612455	### -7485240
### -7347060 -2.57E-03 -0.61485	### -7474460
### -7337260 -2.58E-03 -0.617246	### -7463680
### -7328440 -2.59E-03 -0.619641	### -7452900
### -7318640 -2.60E-03 -0.622036	### -7442120
### -7309820 -2.61E-03 -0.624431	### -7432320
### -7300020 -2.62E-03 -0.626826	### -7421540
### -7297080 -2.62E-03 -0.627305	### -7412720
### -7287280 -2.63E-03 -0.629701	### -7401940
### -7277480 -2.64E-03 -0.632096	### -7391160

) Idchk = 2	
hell damage	
9.80E-06	1000
Rotation	Curvature
1.00E-06	0.00024
2.00E-06	0.000479
3.00E-06	0.000719

· 10% outer shell damage Idchk = 1
· 10% outer shell damage Idchk = 2

2.20E-04	0.052695
2.30E-04	0.05509
2.40E-04	0.057485
2.50E-04	0.05988
2.60E-04	0.062275
2.70E-04	0.064671
2.80E-04	0.067066
2.90E-04	0.069461
3.00E-04	0.071856
3.10E-04	0.074251
3.20E-04	0.076647
3.30E-04	0.079042
3.40E-04	0.081437

Tanker (T4) Idchk = 1			
20% outer shell damage			
frame space	4.175	9.80E-06	1000
Moment		Rotation	Curvature
1.75E+09	17159.8	1.00E-06	0.00024
3.50E+09	34319.6	2.00E-06	0.000479
5.25E+09	51479.4	3.00E-06	0.000719



3.85E+11	3774960	2.20E-04	0.052695
4.03E+11	3946460	2.30E-04	0.05509
4.20E+11	4117960	2.40E-04	0.057485
4.38E+11	4289460	2.50E-04	0.05988
4.55E+11	4460960	2.60E-04	0.062275
4.73E+11	4632460	2.70E-04	0.064671
4.90E+11	4803960	2.80E-04	0.067066
5.08E+11	4975460	2.90E-04	0.069461
5.25E+11	5147940	3.00E-04	0.071856
5.43E+11	5319440	3.10E-04	0.074251
5.60E+11	5490940	3.20E-04	0.076647
5.78E+11	5662440	3.30E-04	0.079042
5.95E+11	5833940	3.40E-04	0.081437

3.50E-04	0.083832	6.13E+11	6005440	3.50E-04	0.083832
3.60E-04	0.086228	6.30E+11	6176940	3.60E-04	0.086228
3.70E-04	0.088623	6.48E+11	6348440	3.70E-04	0.088623
3.80E-04	0.091018	6.65E+11	6519940	3.80E-04	0.091018
3.90E-04	0.093413	6.83E+11	6691440	3.90E-04	0.093413
4.00E-04	0.095808	7.00E+11	6862940	4.00E-04	0.095808
4.10E-04	0.098204	7.18E+11	7034440	4.10E-04	0.098204
4.20E-04	0.100599	7.35E+11	7206920	4.20E-04	0.100599
4.30E-04	0.102994	7.53E+11	7378420	4.30E-04	0.102994
4.40E-04	0.105389	7.70E+11	7549920	4.40E-04	0.105389
4.50E-04	0.107784	7.88E+11	7721420	4.50E-04	0.107784
4.60E-04	0.11018	8.05E+11	7892920	4.60E-04	0.11018
4.70E-04	0.112575	8.23E+11	8064420	4.70E-04	0.112575
4.80E-04	0.11497	8.40E+11	8235920	4.80E-04	0.11497
4.90E-04	0.117365	8.58E+11	8407420	4.90E-04	0.117365
5.00E-04	0.11976	8.75E+11	8578920	5.00E-04	0.11976
5.10E-04	0.122156	8.93E+11	8750420	5.10E-04	0.122156
5.20E-04	0.124551	9.10E+11	8921920	5.20E-04	0.124551
5.30E-04	0.126946	9.28E+11	9093420	5.30E-04	0.126946
5.40E-04	0.129341	9.45E+11	9264920	5.40E-04	0.129341
5.50E-04	0.131737	9.63E+11	9436420	5.50E-04	0.131737
5.60E-04	0.134132	9.81E+11	9608900	5.60E-04	0.134132
5.70E-04	0.136527	9.98E+11	9780400	5.70E-04	0.136527
5.80E-04	0.138922	1.02E+12	9947000	5.80E-04	0.138922
5.90E-04	0.141317	1.03E+12	10123400	5.90E-04	0.141317
6.00E-04	0.143713	1.05E+12	10290000	6.00E-04	0.143713
6.10E-04	0.146108	1.07E+12	10466400	6.10E-04	0.146108
6.20E-04	0.148503	1.09E+12	10633000	6.20E-04	0.148503
6.30E-04	0.150898	1.10E+12	10809400	6.30E-04	0.150898
6.40E-04	0.153293	1.12E+12	10976000	6.40E-04	0.153293
6.50E-04	0.155689	1.14E+12	11152400	6.50E-04	0.155689
6.60E-04	0.158084	1.16E+12	11319000	6.60E-04	0.158036
6.63E-04	0.158826	1.17E+12	11436600	6.67E-04	0.159856
6.70E-04	0.160383	1.18E+12	11544400	6.75E-04	0.161725
6.76E-04	0.161868	1.19E+12	11642400	6.83E-04	0.163545
6.83E-04	0.163497	1.20E+12	11730600	6.90E-04	0.165341
6.92E-04	0.165749	1.20E+12	11789400	6.97E-04	0.16697
6.99E-04	0.167305	1.21E+12	11838400	7.03E-04	0.168383
7.05E-04	0.168862	1.21E+12	11887400	7.10E-04	0.169964
7.11E-04	0.170299	1.22E+12	11965800	7.20E-04	0.172359
7.18E-04	0.171952	1.23E+12	12044200	7.30E-04	0.174754
7.24E-04	0.173509	1.23E+12	12054000	7.31E-04	0.175066
7.31E-04	0.175186	1.24E+12	12122600	7.41E-04	0.177461
7.38E-04	0.176719	1.24E+12	12191200	7.51E-04	0.179856
7.47E-04	0.178898	1.25E+12	12210800	7.53E-04	0.180359
7.57E-04	0.181293	1.25E+12	12279400	7.63E-04	0.182754
7.58E-04	0.181581	1.26E+12	12348000	7.73E-04	0.18515
7.68E-04	0.183976	1.26E+12	12367600	7.76E-04	0.185796


7.69E-04	0.184096	1.27E+12	12426400	7.86E-04	0.188192
7.79E-04	0.186491	1.28E+12	12495000	7.96E-04	0.190587
7.81E-04	0.187018	1.28E+12	12553800	8.06E-04	0.192982
7.90E-04	0.189269	1.29E+12	12612600	8.16E-04	0.195377
8.00E-04	0.191665	1.29E+12	12632200	8.19E-04	0.196216
8.01E-04	0.191904	1.29E+12	12661600	8.28E-04	0.198204
8.11E-04	0.194299	1.30E+12	12691000	8.38E-04	0.200599
8.14E-04	0.195066	1.30E+12	12700800	8.41E-04	0.201461
8.24E-04	0.197413	1.30E+12	12740000	8.51E-04	0.203856
8.34E-04	0.199808	1.30E+12	12749800	8.56E-04	0.20503
8.36E-04	0.200311	1.31E+12	12789000	8.66E-04	0.207425
8.44E-04	0.202204	1.31E+12	12808600	8.72E-04	0.208766
8.54E-04	0.204599	1.31E+12	12847800	8.82E-04	0.211162
8.55E-04	0.204743	1.32E+12	12887000	8.92E-04	0.213557
8.65E-04	0.207138	1.32E+12	12887000	8.93E-04	0.21382
8.66E-04	0.207521	1.32E+12	12926200	9.03E-04	0.216216
8.76E-04	0.209916	1.32E+12	12945800	9.09E-04	0.217605
8.78E-04	0.210299	1.32E+12	12975200	9.19E-04	0.22
8.88E-04	0.212695	1.32E+12	12975200	9.20E-04	0.220287
8.91E-04	0.213317	1.33E+12	13004600	9.30E-04	0.222683
8.99E-04	0.215425	1.33E+12	13004600	9.30E-04	0.222754
9.09E-04	0.21782	1.33E+12	13034000	9.40E-04	0.22515
9.13E-04	0.218563	1.33E+12	13063400	9.50E-04	0.227545
9.23E-04	0.220958	1.34E+12	13083000	9.54E-04	0.228383
9.25E-04	0.221581	1.34E+12	13102600	9.64E-04	0.230778
9.35E-04	0.223976	1.34E+12	13132000	9.74E-04	0.233174
9.45E-04	0.226371	1.34E+12	13141800	9.76E-04	0.233772
9.51E-04	0.227856	1.34E+12	13171200	9.86E-04	0.236168
9.61E-04	0.230251	1.35E+12	13190800	9.95E-04	0.238204
9.70E-04	0.232359	1.35E+12	13210400	1.00E-03	0.240479
9.80E-04	0.234754	1.35E+12	13239800	1.01E-03	0.242874
9.87E-04	0.236311	1.35E+12	13259400	1.02E-03	0.245269
9.97E-04	0.238707	1.35E+12	13259400	1.03E-03	0.245509
1.01E-03	0.241198	1.36E+12	13288800	1.04E-03	0.247904
1.02E-03	0.243593	1.36E+12	13298600	1.04E-03	0.24982
1.02E-03	0.243832	1.36E+12	13318200	1.05E-03	0.252216
1.03E-03	0.246228	1.36E+12	13337800	1.06E-03	0.254611
1.04E-03	0.248623	1.36E+12	13347600	1.07E-03	0.255569
1.04E-03	0.249341	1.36E+12	13367200	1.08E-03	0.257964
1.05E-03	0.251737	1.37E+12	13386800	1.09E-03	0.26012
1.05E-03	0.252455	1.37E+12	13406400	1.10E-03	0.262515
1.06E-03	0.25485	1.37E+12	13416200	1.10E-03	0.263952
1.07E-03	0.25509	1.37E+12	13435800	1.11E-03	0.266347
1.08E-03	0.257485	1.37E+12	13445600	1.12E-03	0.268743
1.08E-03	0.258204	1.37E+12	13465200	1.13E-03	0.271138
1.09E-03	0.260599	1.37E+12	13465200	1.14E-03	0.271856
1.09E-03	0.260838	1.37E+12	13465200	1.15E-03	0.274251
1.10E-03	0.263234	1.38E+12	13475000	1.16E-03	0.276647

1.10E-03	0.264192	1.38E+12	13475000	1.16E-03	0.276886
1.11E-03	0.266587	1.37E+12	13465200	1.17E-03	0.279281
1.11E-03	0.266587	1.37E+12	13445600	1.18E-03	0.281677
1.12E-03	0.268982	1.37E+12	13445600	1.18E-03	0.282395
1.12E-03	0.268982	1.37E+12	13426000	1.19E-03	0.28479
1.13E-03	0.271377	1.37E+12	13416200	1.20E-03	0.286707
1.14E-03	0.272335	1.37E+12	13406400	1.21E-03	0.289102
1.15E-03	0.274731	1.37E+12	13396600	1.22E-03	0.291497
1.15E-03	0.27497	1.37E+12	13396600	1.22E-03	0.291976
1.16E-03	0.277365	1.37E+12	13386800	1.23E-03	0.294371
1.16E-03	0.277365	1.37E+12	13377000	1.24E-03	0.296766
1.17E-03	0.27976	1.37E+12	13377000	1.25E-03	0.299162
1.18E-03	0.281916	1.36E+12	13367200	1.26E-03	0.301557
1.19E-03	0.284311	1.36E+12	13367200	1.27E-03	0.303473
1.19E-03	0.28479	1.36E+12	13367200	1.28E-03	0.305629
1.20E-03	0.287186	1.36E+12	13357400	1.29E-03	0.308024
1.21E-03	0.289581	1.36E+12	13347600	1.30E-03	0.310419
1.22E-03	0.291976	1.36E+12	13337800	1.31E-03	0.312814
1.22E-03	0.291976	1.36E+12	13337800	1.31E-03	0.313772
1.23E-03	0.294371	1.36E+12	13318200	1.32E-03	0.316168
1.24E-03	0.296766	1.36E+12	13308400	1.33E-03	0.318563
1.24E-03	0.297006	1.36E+12	13288800	1.34E-03	0.320958
1.25E-03	0.299401	1.36E+12	13279000	1.35E-03	0.322635
1.25E-03	0.30012	1.35E+12	13259400	1.36E-03	0.324551
1.26E-03	0.302275	1.35E+12	13230000	1.37E-03	0.326946
1.27E-03	0.304671	1.35E+12	13220200	1.38E-03	0.329341
1.28E-03	0.307066	1.35E+12	13200600	1.38E-03	0.331497
1.29E-03	0.308743	1.35E+12	13181000	1.39E-03	0.333892
1.30E-03	0.311138	1.34E+12	13171200	1.40E-03	0.334611
1.31E-03	0.313054	1.34E+12	13151600	1.41E-03	0.337006
1.32E-03	0.315449	1.34E+12	13141800	1.42E-03	0.339401
1.32E-03	0.316407	1.34E+12	13122200	1.43E-03	0.341796
1.33E-03	0.318802	1.34E+12	13112400	1.44E-03	0.343952
1.34E-03	0.32024	1.34E+12	13092800	1.45E-03	0.346347
1.35E-03	0.322635	1.34E+12	13083000	1.46E-03	0.348743
1.35E-03	0.323353	1.33E+12	13073200	1.47E-03	0.351138
1.36E-03	0.325749	1.33E+12	13053600	1.48E-03	0.353533
1.37E-03	0.327665	1.33E+12	13043800	1.49E-03	0.355928
1.38E-03	0.33006	1.33E+12	13034000	1.50E-03	0.358323
1.39E-03	0.332455	1.33E+12	13024200	1.51E-03	0.360719
1.39E-03	0.333174	1.33E+12	13014400	1.52E-03	0.363114
1.40E-03	0.335569	1.33E+12	13014400	1.52E-03	0.364072
1.41E-03	0.337964	1.33E+12	13004600	1.53E-03	0.366467
1.41E-03	0.338204	1.33E+12	12994800	1.54E-03	0.368862
1.42E-03	0.340599	1.33E+12	12985000	1.55E-03	0.370299
1.43E-03	0.342994	1.32E+12	12975200	1.56E-03	0.372695
1.44E-03	0.345389	1.32E+12	12955600	1.57E-03	0.37509
1.45E-03	0.347305	1.32E+12	12945800	1.58E-03	0.377485

1.46E-03	0.349701	1.32E+12	12936000	1.59E-03	0.37988
1.47E-03	0.352096	1.32E+12	12926200	1.59E-03	0.381317
1.48E-03	0.354491	1.32E+12	12916400	1.60E-03	0.383713
1.48E-03	0.355449	1.32E+12	12906600	1.61E-03	0.386108
1.49E-03	0.357844	1.32E+12	12896800	1.62E-03	0.388503
1.50E-03	0.36024	1.31E+12	12877200	1.63E-03	0.390898
1.51E-03	0.362635	1.31E+12	12877200	1.63E-03	0.391377
1.52E-03	0.363353	1.31E+12	12867400	1.64E-03	0.393772
1.53E-03	0.365749	1.31E+12	12857600	1.65E-03	0.396168
1.54E-03	0.368144	1.31E+12	12838000	1.66E-03	0.398563
1.54E-03	0.368862	1.31E+12	12828200	1.67E-03	0.400479
1.55E-03	0.371257	1.31E+12	12818400	1.68E-03	0.402874
1.56E-03	0.373653	1.31E+12	12808600	1.69E-03	0.405269
1.57E-03	0.376048	1.31E+12	12798800	1.70E-03	0.407665
1.58E-03	0.377246	1.31E+12	12789000	1.71E-03	0.41006
1.59E-03	0.379641	1.31E+12	12789000	1.71E-03	0.410299
1.59E-03	0.381557	1.30E+12	12779200	1.72E-03	0.412695
1.60E-03	0.383952	1.30E+12	12759600	1.73E-03	0.41509
1.61E-03	0.386347	1.30E+12	12749800	1.74E-03	0.417485
1.61E-03	0.386347	1.30E+12	12740000	1.75E-03	0.41988
1.62E-03	0.388743	1.30E+12	12730200	1.76E-03	0.422275
1.63E-03	0.391138	1.30E+12	12720400	1.77E-03	0.424671
1.64E-03	0.393533	1.30E+12	12700800	1.78E-03	0.427066
1.65E-03	0.395928	1.30E+12	12691000	1.79E-03	0.429461
1.66E-03	0.398323	1.29E+12	12681200	1.80E-03	0.431856
1.67E-03	0.39976	1.29E+12	12671400	1.81E-03	0.434251
1.68E-03	0.401437	1.29E+12	12651800	1.82E-03	0.436647
1.69E-03	0.403832	1.29E+12	12642000	1.83E-03	0.439042
1.69E-03	0.40503	1.29E+12	12642000	1.84E-03	0.440479
1.70E-03	0.407425	1.29E+12	12622400	1.85E-03	0.442874
1.70E-03	0.407904	1.29E+12	12612600	1.86E-03	0.445269
1.71E-03	0.410299	1.29E+12	12612600	1.86E-03	0.445269
1.72E-03	0.412695	1.29E+12	12602800	1.87E-03	0.447665
1.73E-03	0.41509	1.28E+12	12583200	1.88E-03	0.45006
1.74E-03	0.417485	1.28E+12	12573400	1.89E-03	0.452455
1.75E-03	0.41988	1.28E+12	12563600	1.90E-03	0.454132
1.76E-03	0.422275	1.28E+12	12553800	1.91E-03	0.456527
1.77E-03	0.424671	1.28E+12	12544000	1.92E-03	0.458922
1.78E-03	0.427066	1.28E+12	12534200	1.93E-03	0.461317
1.79E-03	0.429461	1.28E+12	12534200	1.93E-03	0.461796
1.80E-03	0.431856	1.28E+12	12514600	1.94E-03	0.464192
1.80E-03	0.432096	1.28E+12	12504800	1.95E-03	0.466587
1.81E-03	0.434491	1.28E+12	12495000	1.96E-03	0.468982
1.82E-03	0.436886	1.27E+12	12475400	1.97E-03	0.471377
1.83E-03	0.439281	1.27E+12	12465600	1.98E-03	0.473293
1.84E-03	0.441677	1.27E+12	12455800	1.99E-03	0.475689
1.85E-03	0.444072	1.27E+12	12446000	2.00E-03	0.478084
1.86E-03	0.446228	1.27E+12	12426400	2.01E-03	0.480479


1.87E-03	0.448623	1.27E+12	12426400	2.01E-03	0.481198
1.88E-03	0.451018	1.27E+12	12416600	2.02E-03	0.483593
1.89E-03	0.453413	1.27E+12	12406800	2.03E-03	0.485988
1.90E-03	0.455808	1.26E+12	12387200	2.04E-03	0.488383
1.91E-03	0.458204	1.26E+12	12377400	2.05E-03	0.490778
1.92E-03	0.460599	1.26E+12	12377400	2.05E-03	0.491257
1.93E-03	0.462994	1.26E+12	12367600	2.06E-03	0.493653
1.94E-03	0.465389	1.26E+12	12367600	2.07E-03	0.49485
1.95E-03	0.467784	1.26E+12	12348000	2.08E-03	0.497246
1.96E-03	0.469461	1.26E+12	12338200	2.09E-03	0.499641
1.97E-03	0.471856	1.26E+12	12328400	2.10E-03	0.502036
1.97E-03	0.471856	1.26E+12	12318600	2.11E-03	0.504431
1.98E-03	0.474251	1.26E+12	12308800	2.12E-03	0.506826
1.99E-03	0.475449	1.26E+12	12299000	2.13E-03	0.509222
2.00E-03	0.477844	1.25E+12	12289200	2.14E-03	0.511617
2.01E-03	0.48024	1.25E+12	12279400	2.15E-03	0.514012
2.02E-03	0.482635	1.25E+12	12269600	2.16E-03	0.516407
2.03E-03	0.48503	1.25E+12	12259800	2.17E-03	0.518802
2.04E-03	0.487425	1.25E+12	12250000	2.18E-03	0.521198
2.04E-03	0.487904	1.25E+12	12240200	2.19E-03	0.523593
2.05E-03	0.490299	1.25E+12	12230400	2.20E-03	0.525988
2.06E-03	0.492695	1.25E+12	12230400	2.21E-03	0.528383
2.06E-03	0.492934	1.25E+12	12220600	2.22E-03	0.530778
2.07E-03	0.495329	1.25E+12	12210800	2.23E-03	0.533174
2.08E-03	0.497725	1.25E+12	12201000	2.24E-03	0.535569
2.09E-03	0.50012	1.24E+12	12191200	2.25E-03	0.537964
2.10E-03	0.502515	1.24E+12	12181400	2.26E-03	0.540359
2.11E-03	0.50491	1.24E+12	12171600	2.27E-03	0.542754
2.12E-03	0.507305	1.24E+12	12161800	2.28E-03	0.54515
2.12E-03	0.507545	1.24E+12	12161800	2.28E-03	0.545868
2.13E-03	0.50994	1.24E+12	12152000	2.29E-03	0.548263
2.13E-03	0.511138	1.24E+12	12142200	2.30E-03	0.550659
2.14E-03	0.513533	1.24E+12	12142200	2.31E-03	0.553054
2.15E-03	0.515928	1.24E+12	12132400	2.32E-03	0.555449
2.16E-03	0.518084	1.24E+12	12122600	2.33E-03	0.557844
2.17E-03	0.520479	1.24E+12	12112800	2.34E-03	0.56024
2.18E-03	0.522874	1.24E+12	12112800	2.35E-03	0.562156
2.19E-03	0.524311	1.24E+12	12103000	2.36E-03	0.564551
2.20E-03	0.526707	1.23E+12	12093200	2.37E-03	0.566946
2.21E-03	0.529102	1.23E+12	12083400	2.38E-03	0.569102
2.22E-03	0.531497	1.23E+12	12073600	2.39E-03	0.571497
2.23E-03	0.533892	1.23E+12	12073600	2.39E-03	0.571976
2.23E-03	0.534132	1.23E+12	12063800	2.40E-03	0.574371
2.24E-03	0.536527	1.23E+12	12054000	2.41E-03	0.576766
2.24E-03	0.536527	1.23E+12	12054000	2.42E-03	0.579162
2.25E-03	0.538922	1.23E+12	12044200	2.43E-03	0.581557
2.26E-03	0.541317	1.23E+12	12034400	2.44E-03	0.583952
2.27E-03	0.542754	1.23E+12	12034400	2.44E-03	0.58515

2.28E-03	0.54515
2.29E-03	0.547545
2.30E-03	0.54994
2.31E-03	0.552335
2.32E-03	0.554731
2.33E-03	0.557126
2.34E-03	0.559521
2.35E-03	0.561916
2.36E-03	0.564311
2.37E-03	0.566707
2.38E-03	0.569102
2.39E-03	0.571497
2.40E-03	0.573892
2.41E-03	0.576287
2.42E-03	0.578683
2.43E-03	0.581078
0.00E+00	
-1.00E-06	-0.00024
-2.00E-06	-0.000479
-3.00E-06	-0.000719



-9.00E-05	-0.021557
-1.00E-04	-0.023952
-1.10E-04	-0.026347
-1.20E-04	-0.028743
-1.30E-04	-0.031138
-1.40E-04	-0.033533
-1.50E-04	-0.035928
-1.60E-04	-0.038323
-1.70E-04	-0.040719
-1.80E-04	-0.043114
-1.90E-04	-0.045509
-2.00E-04	-0.047904
-2.10E-04	-0.050299
-2.20E-04	-0.052695

1.23E+12	12024600	2.45E-03	0.587545
1.23E+12	12014800	2.46E-03	0.588263
1.23E+12	12005000	2.47E-03	0.590659
1.22E+12	11995200	2.48E-03	0.593054
1.22E+12	11995200	2.48E-03	0.59497
1.22E+12	11975600	2.49E-03	0.597365
1.22E+12	11965800	2.50E-03	0.59976
1.22E+12	11956000	2.51E-03	0.602156
1.22E+12	11946200	2.52E-03	0.604551
1.22E+12	11936400	2.53E-03	0.606946
1.22E+12	11926600	2.54E-03	0.609341
1.22E+12	11916800	2.55E-03	0.611737
1.22E+12	11907000	2.56E-03	0.614132
1.21E+12	11897200	2.57E-03	0.616527
1.21E+12	11887400	2.58E-03	0.618922
1.21E+12	11877600	2.59E-03	0.621317
0.00E+00	0	0.00E+00	
###	-17159.8	-1.00E-06	-0.00024
###	-34309.8	-2.00E-06	-0.000479
###	-51459.8	-3.00E-06	-0.000719



###	-1543500	-9.00E-05	-0.021557
###	-1715000	-1.00E-04	-0.023952
###	-1886500	-1.10E-04	-0.026347
###	-2058000	-1.20E-04	-0.028743
###	-2229500	-1.30E-04	-0.031138
###	-2401000	-1.40E-04	-0.033533
###	-2572500	-1.50E-04	-0.035928
###	-2744000	-1.60E-04	-0.038323
###	-2914520	-1.70E-04	-0.040719
###	-3086020	-1.80E-04	-0.043114
###	-3257520	-1.90E-04	-0.045509
###	-3429020	-2.00E-04	-0.047904
###	-3600520	-2.10E-04	-0.050299
###	-3772020	-2.20E-04	-0.052695

-2.30E-04	-0.05509	###	-3943520	-2.30E-04	-0.05509
-2.40E-04	-0.057485	###	-4115020	-2.40E-04	-0.057485
-2.50E-04	-0.05988	###	-4286520	-2.50E-04	-0.05988
-2.60E-04	-0.062275	###	-4458020	-2.60E-04	-0.062275
-2.70E-04	-0.064671	###	-4629520	-2.70E-04	-0.064671
-2.80E-04	-0.067066	###	-4801020	-2.80E-04	-0.067066
-2.90E-04	-0.069461	###	-4971540	-2.90E-04	-0.069461
-3.00E-04	-0.071856	###	-5143040	-3.00E-04	-0.071856
-3.10E-04	-0.074251	###	-5314540	-3.10E-04	-0.074251
-3.20E-04	-0.076647	###	-5486040	-3.20E-04	-0.076647
-3.30E-04	-0.079042	###	-5657540	-3.30E-04	-0.079042
-3.40E-04	-0.081437	###	-5829040	-3.40E-04	-0.081437
-3.50E-04	-0.083832	###	-5999560	-3.50E-04	-0.083832
-3.60E-04	-0.086228	###	-6171060	-3.60E-04	-0.086228
-3.70E-04	-0.088623	###	-6342560	-3.70E-04	-0.088623
-3.80E-04	-0.091018	###	-6514060	-3.80E-04	-0.091018
-3.90E-04	-0.093413	###	-6685560	-3.90E-04	-0.093413
-4.00E-04	-0.095808	###	-6856080	-4.00E-04	-0.095808
-4.10E-04	-0.098204	###	-7027580	-4.10E-04	-0.098204
-4.20E-04	-0.100599	###	-7199080	-4.20E-04	-0.100599
-4.30E-04	-0.102994	###	-7370580	-4.30E-04	-0.102994
-4.40E-04	-0.105389	###	-7541100	-4.40E-04	-0.105389
-4.50E-04	-0.107784	###	-7712600	-4.50E-04	-0.107784
-4.60E-04	-0.11018	###	-7883120	-4.60E-04	-0.11018
-4.70E-04	-0.112575	###	-8054620	-4.70E-04	-0.112575
-4.80E-04	-0.11497	###	-8225140	-4.80E-04	-0.11497
-4.90E-04	-0.117365	###	-8395660	-4.90E-04	-0.117365
-5.00E-04	-0.11976	###	-8566180	-5.00E-04	-0.11976
-5.10E-04	-0.122156	###	-8736700	-5.10E-04	-0.122156
-5.20E-04	-0.124551	###	-8907220	-5.20E-04	-0.124551
-5.30E-04	-0.126946	###	-9076760	-5.30E-04	-0.126946
-5.40E-04	-0.129341	###	-9246300	-5.40E-04	-0.129341
-5.50E-04	-0.131737	###	-9415840	-5.50E-04	-0.131737
-5.60E-04	-0.134132	###	-9584400	-5.60E-04	-0.134132
-5.70E-04	-0.136527	###	-9752960	-5.70E-04	-0.136527
-5.80E-04	-0.138922	###	-9917600	-5.80E-04	-0.138922
-5.80E-04	-0.138946	###	-1E+07	-5.90E-04	-0.141317
-5.90E-04	-0.141341	###	-1E+07	-5.96E-04	-0.142635
-5.96E-04	-0.142826	###	-1E+07	-6.01E-04	-0.143952
-6.02E-04	-0.144096	###	-1E+07	-6.07E-04	-0.145437
-6.07E-04	-0.145389	###	-1E+07	-6.12E-04	-0.146635
-6.15E-04	-0.14721	###	-1E+07	-6.18E-04	-0.147952
-6.19E-04	-0.148359	###	-1E+07	-6.26E-04	-0.149844
-6.25E-04	-0.149581	###	-1E+07	-6.30E-04	-0.15097
-6.30E-04	-0.150778	###	-1E+07	-6.35E-04	-0.152192
-6.38E-04	-0.15291	###	-1E+07	-6.40E-04	-0.153198
-6.44E-04	-0.154275	###	-1E+07	-6.47E-04	-0.154898
-6.49E-04	-0.155497	###	-1E+07	-6.52E-04	-0.156144

-6.55E-04 -0.156958	### -1E+07 -6.62E-04 -0.158539
-6.61E-04 -0.158228	### -1E+07 -6.67E-04 -0.159737
-6.68E-04 -0.160048	### -1E+07 -6.77E-04 -0.162132
-6.74E-04 -0.161413	### -1E+07 -6.83E-04 -0.163665
-6.84E-04 -0.163808	### -1E+07 -6.91E-04 -0.165533
-6.84E-04 -0.163904	### -1E+07 -7.01E-04 -0.167928
-6.90E-04 -0.165269	### -9996000 -7.11E-04 -0.170323
-6.96E-04 -0.166587	### -9986200 -7.14E-04 -0.17097
-7.00E-04 -0.167689	### -9956800 -7.24E-04 -0.173365
-7.10E-04 -0.170084	### -9947000 -7.32E-04 -0.175234
-7.12E-04 -0.170467	### -9917600 -7.42E-04 -0.177629
-7.18E-04 -0.171952	### -9907800 -7.45E-04 -0.178515
-7.23E-04 -0.173126	### -9888200 -7.55E-04 -0.18091
-7.28E-04 -0.174275	### -9878400 -7.57E-04 -0.181269
-7.38E-04 -0.176671	### -9858800 -7.67E-04 -0.183665
-7.48E-04 -0.179066	### -9839200 -7.76E-04 -0.185772
-7.51E-04 -0.17988	### -9809800 -7.86E-04 -0.188168
-7.61E-04 -0.182275	### -9809800 -7.86E-04 -0.188263
-7.61E-04 -0.182347	### -9789220 -7.96E-04 -0.190659
-7.71E-04 -0.184599	### -9780400 -8.00E-04 -0.191593
-7.81E-04 -0.186994	### -9752960 -8.10E-04 -0.193988
-7.87E-04 -0.188431	### -9727480 -8.20E-04 -0.196383
-7.92E-04 -0.189725	### -9716700 -8.25E-04 -0.197485
-7.97E-04 -0.190946	### -9692200 -8.35E-04 -0.19988
-8.07E-04 -0.193198	### -9675540 -8.42E-04 -0.201749
-8.12E-04 -0.194467	### -9654960 -8.52E-04 -0.204144
-8.22E-04 -0.196862	### -9641240 -8.60E-04 -0.20594
-8.27E-04 -0.19806	### -9616740 -8.70E-04 -0.208335
-8.37E-04 -0.200455	### -9606940 -8.75E-04 -0.209557
-8.45E-04 -0.202371	### -9591260 -8.83E-04 -0.211545
-8.54E-04 -0.204551	### -9573620 -8.93E-04 -0.21394
-8.64E-04 -0.206946	### -9556960 -9.03E-04 -0.216335
-8.74E-04 -0.209341	### -9540300 -9.13E-04 -0.218731
-8.82E-04 -0.211329	### -9525600 -9.23E-04 -0.221126
-8.92E-04 -0.213725	### -9510900 -9.33E-04 -0.223521
-9.02E-04 -0.21612	### -9504040 -9.38E-04 -0.224743
-9.06E-04 -0.21703	### -9491300 -9.48E-04 -0.227138
-9.16E-04 -0.219425	### -9478560 -9.58E-04 -0.229533
-9.26E-04 -0.22182	### -9466800 -9.68E-04 -0.231928
-9.28E-04 -0.222347	### -9456020 -9.78E-04 -0.234323
-9.38E-04 -0.224743	### -9445240 -9.88E-04 -0.236719
-9.46E-04 -0.226515	### -9434460 -9.98E-04 -0.239114
-9.56E-04 -0.22891	### -9429560 -1.00E-03 -0.24024
-9.66E-04 -0.231305	### -9417800 -1.01E-03 -0.242635
-9.72E-04 -0.232838	### -9406040 -1.02E-03 -0.24503
-9.82E-04 -0.235234	### -9393300 -1.03E-03 -0.247425
-9.92E-04 -0.237629	### -9381540 -1.04E-03 -0.24982
-9.96E-04 -0.238467	### -9370760 -1.05E-03 -0.252216

-1.01E-03 -0.240958	### -9362920 -1.06E-03 -0.253653
-1.02E-03 -0.243353	### -9351160 -1.07E-03 -0.256048
-1.02E-03 -0.244551	### -9339400 -1.08E-03 -0.258443
-1.03E-03 -0.246946	### -9324700 -1.09E-03 -0.260838
-1.04E-03 -0.247904	### -9312940 -1.10E-03 -0.263234
-1.05E-03 -0.250299	### -9310980 -1.10E-03 -0.263473
-1.05E-03 -0.250539	### -9295300 -1.11E-03 -0.265868
-1.06E-03 -0.252934	### -9280600 -1.12E-03 -0.268263
-1.06E-03 -0.253413	### -9279620 -1.12E-03 -0.268263
-1.07E-03 -0.255808	### -9264920 -1.13E-03 -0.270659
-1.08E-03 -0.258204	### -9262960 -1.13E-03 -0.271138
-1.09E-03 -0.260359	### -9246300 -1.14E-03 -0.273533
-1.10E-03 -0.262754	### -9229640 -1.15E-03 -0.275928
-1.11E-03 -0.26491	### -9214940 -1.16E-03 -0.278323
-1.12E-03 -0.267305	### -9201220 -1.17E-03 -0.28024
-1.13E-03 -0.269461	### -9186520 -1.18E-03 -0.282635
-1.13E-03 -0.271377	### -9170840 -1.19E-03 -0.28503
-1.14E-03 -0.273772	### -9155160 -1.20E-03 -0.287425
-1.15E-03 -0.276168	### -9145360 -1.21E-03 -0.289102
-1.16E-03 -0.276886	### -9127720 -1.22E-03 -0.291497
-1.16E-03 -0.278563	### -9112040 -1.23E-03 -0.293892
-1.17E-03 -0.280958	### -9106160 -1.23E-03 -0.29485
-1.18E-03 -0.283353	### -9090480 -1.24E-03 -0.297246
-1.19E-03 -0.285749	### -9074800 -1.25E-03 -0.299641
-1.20E-03 -0.288144	### -9061080 -1.26E-03 -0.302036
-1.21E-03 -0.290539	### -9047360 -1.27E-03 -0.304431
-1.22E-03 -0.292216	### -9033640 -1.28E-03 -0.306826
-1.23E-03 -0.294611	### -9018940 -1.29E-03 -0.309222
-1.24E-03 -0.296766	### -9014040 -1.29E-03 -0.30994
-1.25E-03 -0.299162	### -8998360 -1.30E-03 -0.312335
-1.25E-03 -0.30012	### -8981700 -1.31E-03 -0.314731
-1.26E-03 -0.302515	### -8964060 -1.32E-03 -0.317126
-1.27E-03 -0.303713	### -8947400 -1.33E-03 -0.319521
-1.28E-03 -0.306108	### -8928780 -1.34E-03 -0.321916
-1.29E-03 -0.308024	### -8921920 -1.35E-03 -0.322874
-1.30E-03 -0.310419	### -8903300 -1.36E-03 -0.325269
-1.31E-03 -0.312814	### -8884680 -1.37E-03 -0.327665
-1.32E-03 -0.31521	### -8867040 -1.38E-03 -0.33006
-1.33E-03 -0.317605	### -8850380 -1.39E-03 -0.332455
-1.34E-03 -0.32	### -8833720 -1.40E-03 -0.33485
-1.35E-03 -0.322395	### -8817060 -1.41E-03 -0.337246
-1.36E-03 -0.324551	### -8800400 -1.42E-03 -0.339641
-1.37E-03 -0.326946	### -8783740 -1.43E-03 -0.342036
-1.38E-03 -0.329341	### -8767080 -1.44E-03 -0.344431
-1.39E-03 -0.331737	### -8759240 -1.44E-03 -0.345629
-1.40E-03 -0.334132	### -8741600 -1.45E-03 -0.348024
-1.40E-03 -0.334371	### -8723960 -1.46E-03 -0.350419
-1.41E-03 -0.336766	### -8707300 -1.47E-03 -0.352575


-1.42E-03 -0.339162	### -8688680 -1.48E-03 -0.35497
-1.43E-03 -0.341557	### -8682800 -1.49E-03 -0.355928
-1.43E-03 -0.342754	### -8664180 -1.50E-03 -0.358323
-1.44E-03 -0.34515	### -8646540 -1.51E-03 -0.360719
-1.45E-03 -0.347545	### -8627920 -1.52E-03 -0.363114
-1.46E-03 -0.34994	### -8611260 -1.53E-03 -0.365509
-1.47E-03 -0.352335	### -8593620 -1.54E-03 -0.367904
-1.48E-03 -0.354731	### -8575980 -1.55E-03 -0.370299
-1.49E-03 -0.357126	### -8559320 -1.56E-03 -0.372695
-1.50E-03 -0.359521	### -8541680 -1.57E-03 -0.37509
-1.51E-03 -0.361916	### -8525020 -1.58E-03 -0.377485
-1.52E-03 -0.364311	### -8508360 -1.59E-03 -0.37988
-1.53E-03 -0.366707	### -8507380 -1.59E-03 -0.38012
-1.54E-03 -0.369102	### -8490720 -1.60E-03 -0.382515
-1.54E-03 -0.369102	### -8475040 -1.61E-03 -0.38491
-1.55E-03 -0.371497	### -8457400 -1.62E-03 -0.387305
-1.56E-03 -0.373892	### -8444660 -1.62E-03 -0.388982
-1.56E-03 -0.373892	### -8428000 -1.63E-03 -0.391377
-1.57E-03 -0.376287	### -8410360 -1.64E-03 -0.393772
-1.58E-03 -0.378683	### -8395660 -1.65E-03 -0.395928
-1.59E-03 -0.381078	### -8378020 -1.66E-03 -0.398323
-1.60E-03 -0.383473	### -8365280 -1.67E-03 -0.40024
-1.61E-03 -0.384671	### -8346660 -1.68E-03 -0.402635
-1.62E-03 -0.387066	### -8330000 -1.69E-03 -0.40503
-1.63E-03 -0.389461	### -8313340 -1.70E-03 -0.407425
-1.64E-03 -0.391856	### -8294720 -1.71E-03 -0.40982
-1.65E-03 -0.394251	### -8277080 -1.72E-03 -0.412216
-1.66E-03 -0.396647	### -8260420 -1.73E-03 -0.414611
-1.66E-03 -0.398084	### -8241800 -1.74E-03 -0.417006
-1.67E-03 -0.400479	### -8225140 -1.75E-03 -0.419401
-1.68E-03 -0.402874	### -8207500 -1.76E-03 -0.421796
-1.68E-03 -0.403353	### -8191820 -1.77E-03 -0.423952
-1.69E-03 -0.405749	### -8175160 -1.78E-03 -0.426347
-1.70E-03 -0.407186	### -8158500 -1.79E-03 -0.428743
-1.71E-03 -0.409581	### -8142820 -1.80E-03 -0.431138
-1.72E-03 -0.411976	### -8126160 -1.81E-03 -0.433533
-1.73E-03 -0.414371	### -8112440 -1.82E-03 -0.435689
-1.74E-03 -0.416766	### -8096760 -1.83E-03 -0.438084
-1.74E-03 -0.417485	### -8082060 -1.84E-03 -0.440479
-1.75E-03 -0.41988	### -8067360 -1.85E-03 -0.442874
-1.76E-03 -0.421557	### -8052660 -1.86E-03 -0.445269
-1.77E-03 -0.423952	### -8046780 -1.86E-03 -0.446467
-1.78E-03 -0.426347	### -8032080 -1.87E-03 -0.448862
-1.79E-03 -0.428743	### -8018360 -1.88E-03 -0.451257
-1.80E-03 -0.431138	### -8004640 -1.89E-03 -0.453653
-1.81E-03 -0.433533	### -7990920 -1.90E-03 -0.456048
-1.82E-03 -0.435928	### -7978180 -1.91E-03 -0.458443
-1.83E-03 -0.438323	### -7963480 -1.92E-03 -0.460838

-1.84E-03 -0.440719	### -7949760 -1.93E-03 -0.463234
-1.85E-03 -0.443114	### -7937020 -1.94E-03 -0.465629
-1.86E-03 -0.44503	### -7922320 -1.95E-03 -0.468024
-1.87E-03 -0.447425	### -7908600 -1.96E-03 -0.470419
-1.88E-03 -0.449102	### -7895860 -1.97E-03 -0.472814
-1.89E-03 -0.451497	### -7883120 -1.98E-03 -0.47521
-1.90E-03 -0.453892	### -7870380 -1.99E-03 -0.477605
-1.91E-03 -0.456287	### -7857640 -2.00E-03 -0.48
-1.91E-03 -0.458443	### -7844900 -2.01E-03 -0.482395
-1.92E-03 -0.460838	### -7832160 -2.02E-03 -0.48479
-1.93E-03 -0.463234	### -7819420 -2.03E-03 -0.487186
-1.94E-03 -0.465629	### -7806680 -2.04E-03 -0.489581
-1.95E-03 -0.468024	### -7794920 -2.05E-03 -0.491976
-1.96E-03 -0.470419	### -7782180 -2.06E-03 -0.494371
-1.97E-03 -0.472814	### -7772380 -2.07E-03 -0.496527
-1.98E-03 -0.47521	### -7760620 -2.08E-03 -0.498922
-1.99E-03 -0.477605	### -7748860 -2.09E-03 -0.501317
-2.00E-03 -0.48	### -7738080 -2.10E-03 -0.503713
-2.01E-03 -0.482395	### -7734160 -2.11E-03 -0.504431
-2.02E-03 -0.48479	### -7722400 -2.12E-03 -0.506826
-2.03E-03 -0.487186	### -7710640 -2.13E-03 -0.509222
-2.04E-03 -0.489581	### -7698880 -2.14E-03 -0.511617
-2.05E-03 -0.490539	### -7695940 -2.14E-03 -0.512335
-2.06E-03 -0.492934	### -7683200 -2.15E-03 -0.514731
-2.07E-03 -0.495329	### -7670460 -2.16E-03 -0.517126
-2.07E-03 -0.496048	### -7658700 -2.17E-03 -0.519521
-2.08E-03 -0.498443	### -7645960 -2.18E-03 -0.521916
-2.08E-03 -0.499162	### -7633220 -2.19E-03 -0.524311
-2.09E-03 -0.501557	### -7621460 -2.20E-03 -0.526707
-2.10E-03 -0.503952	### -7608720 -2.21E-03 -0.529102
-2.11E-03 -0.506347	### -7596960 -2.22E-03 -0.531497
-2.12E-03 -0.508743	### -7585200 -2.23E-03 -0.533892
-2.13E-03 -0.511138	### -7575400 -2.24E-03 -0.535808
-2.14E-03 -0.513533	### -7562660 -2.25E-03 -0.538204
-2.15E-03 -0.515928	### -7550900 -2.26E-03 -0.540599
-2.16E-03 -0.516168	### -7538160 -2.27E-03 -0.542994
-2.17E-03 -0.518563	### -7526400 -2.28E-03 -0.545389
-2.18E-03 -0.520958	### -7514640 -2.29E-03 -0.547784
-2.19E-03 -0.523353	### -7502880 -2.30E-03 -0.55018
-2.19E-03 -0.52479	### -7498960 -2.30E-03 -0.551138
-2.20E-03 -0.527186	### -7487200 -2.31E-03 -0.553533
-2.21E-03 -0.529581	### -7475440 -2.32E-03 -0.555928
-2.21E-03 -0.529581	### -7464660 -2.33E-03 -0.558323
-2.22E-03 -0.531976	### -7452900 -2.34E-03 -0.560719
-2.23E-03 -0.534371	### -7443100 -2.35E-03 -0.563114
-2.24E-03 -0.535808	### -7432320 -2.36E-03 -0.565509
-2.25E-03 -0.538204	### -7422520 -2.37E-03 -0.567904
-2.26E-03 -0.540599	### -7414680 -2.38E-03 -0.569581

-2.27E-03 -0.542994	### -7403900 -2.39E-03 -0.571976
-2.28E-03 -0.545389	### -7394100 -2.40E-03 -0.574371
-2.29E-03 -0.547784	### -7384300 -2.41E-03 -0.576766
-2.30E-03 -0.55018	### -7373520 -2.42E-03 -0.579162
-2.30E-03 -0.550898	### -7363720 -2.43E-03 -0.581557
-2.31E-03 -0.553293	### -7352940 -2.44E-03 -0.583952
-2.32E-03 -0.555689	### -7343140 -2.45E-03 -0.586347
-2.33E-03 -0.558084	### -7333340 -2.46E-03 -0.588743
-2.34E-03 -0.560479	### -7322560 -2.47E-03 -0.591138
-2.35E-03 -0.562874	### -7315700 -2.48E-03 -0.592814
-2.36E-03 -0.565269	### -7303940 -2.49E-03 -0.59521
-2.36E-03 -0.566228	### -7293160 -2.50E-03 -0.597605
-2.37E-03 -0.568623	### -7283360 -2.51E-03 -0.6
-2.38E-03 -0.571018	### -7272580 -2.52E-03 -0.602395
-2.39E-03 -0.573413	### -7262780 -2.53E-03 -0.60479
-2.40E-03 -0.575808	### -7253960 -2.54E-03 -0.607186
-2.41E-03 -0.578204	### -7245140 -2.55E-03 -0.609581
-2.42E-03 -0.578922	### -7235340 -2.56E-03 -0.611976
-2.43E-03 -0.581317	### -7226520 -2.57E-03 -0.614371
-2.44E-03 -0.583713	### -7217700 -2.58E-03 -0.616766
-2.45E-03 -0.586108	### -7208880 -2.59E-03 -0.619162
-2.46E-03 -0.588503	### -7200060 -2.60E-03 -0.621557
-2.47E-03 -0.590898	### -7190260 -2.61E-03 -0.623952
-2.48E-03 -0.593293	### -7189280 -2.61E-03 -0.624192
-2.49E-03 -0.595689	### -7179480 -2.62E-03 -0.626587
-2.50E-03 -0.597605	### -7170660 -2.63E-03 -0.628982
-2.51E-03 -0.6	### -7160860 -2.64E-03 -0.631377
-2.52E-03 -0.602395	### -7151060 -2.65E-03 -0.633772

Tanker (T4) Idchk = 2
20% outer shell damage


frame space	4.175	9.80E-06	1000
Moment	Rotation		Curvature
1.74E+09	17091.2	1.00E-06	0.00024
3.49E+09	34182.4	2.00E-06	0.000479
5.23E+09	51273.6	3.00E-06	0.000719



3.84E+11	3760260	2.20E-04	0.052695
4.01E+11	3930780	2.30E-04	0.05509
4.19E+11	4101300	2.40E-04	0.057485
4.36E+11	4272800	2.50E-04	0.05988
4.53E+11	4443320	2.60E-04	0.062275
4.71E+11	4613840	2.70E-04	0.064671
4.88E+11	4785340	2.80E-04	0.067066
5.06E+11	4955860	2.90E-04	0.069461
5.23E+11	5127360	3.00E-04	0.071856
5.41E+11	5297880	3.10E-04	0.074251
5.58E+11	5468400	3.20E-04	0.076647
5.76E+11	5639900	3.30E-04	0.079042
5.93E+11	5810420	3.40E-04	0.081437

Tanker (T4) Idchk = 1
40% outer shell damage

frame space	4.175	9.80E-06
Moment	Rotation	
1.74E+09	17061.8	1.00E-06
3.48E+09	34113.8	2.00E-06
5.22E+09	51175.6	3.00E-06



3.83E+11	3752420	2.20E-04
4.00E+11	3922940	2.30E-04
4.18E+11	4093460	2.40E-04
4.35E+11	4263980	2.50E-04
4.53E+11	4434500	2.60E-04
4.70E+11	4605020	2.70E-04
4.87E+11	4775540	2.80E-04
5.05E+11	4946060	2.90E-04
5.22E+11	5116580	3.00E-04
5.40E+11	5287100	3.10E-04
5.57E+11	5457620	3.20E-04
5.74E+11	5628140	3.30E-04
5.92E+11	5798660	3.40E-04

6.10E+11	5981920	3.50E-04	0.083832
6.28E+11	6152440	3.60E-04	0.086228
6.45E+11	6322960	3.70E-04	0.088623
6.63E+11	6494460	3.80E-04	0.091018
6.80E+11	6664980	3.90E-04	0.093413
6.98E+11	6835500	4.00E-04	0.095808
7.15E+11	7007000	4.10E-04	0.098204
7.32E+11	7177520	4.20E-04	0.100599
7.50E+11	7349020	4.30E-04	0.102994
7.67E+11	7519540	4.40E-04	0.105389
7.85E+11	7690060	4.50E-04	0.107784
8.02E+11	7861560	4.60E-04	0.11018
8.20E+11	8032080	4.70E-04	0.112575
8.37E+11	8202600	4.80E-04	0.11497
8.55E+11	8374100	4.90E-04	0.117365
8.72E+11	8544620	5.00E-04	0.11976
8.89E+11	8716120	5.10E-04	0.122156
9.07E+11	8886640	5.20E-04	0.124551
9.24E+11	9057160	5.30E-04	0.126946
9.42E+11	9228660	5.40E-04	0.129341
9.59E+11	9399180	5.50E-04	0.131737
9.77E+11	9569700	5.60E-04	0.134132
9.94E+11	9741200	5.70E-04	0.136527
1.01E+12	9907800	5.80E-04	0.138922
1.03E+12	10084200	5.90E-04	0.141317
1.05E+12	10250800	6.00E-04	0.143713
1.06E+12	10427200	6.10E-04	0.146108
1.08E+12	10593800	6.20E-04	0.148503
1.10E+12	10770200	6.30E-04	0.150898
1.12E+12	10936800	6.40E-04	0.153293
1.13E+12	11103400	6.50E-04	0.155689
1.15E+12	11240600	6.58E-04	0.157485
1.16E+12	11319000	6.64E-04	0.15897
1.16E+12	11397400	6.70E-04	0.160455
1.17E+12	11475800	6.77E-04	0.16206
1.18E+12	11554200	6.84E-04	0.163737
1.19E+12	11632600	6.91E-04	0.165461
1.19E+12	11701200	6.98E-04	0.16721
1.20E+12	11779600	7.06E-04	0.169006
1.21E+12	11848200	7.13E-04	0.170826
1.22E+12	11916800	7.21E-04	0.172623
1.22E+12	11975600	7.28E-04	0.174443
1.23E+12	12024600	7.35E-04	0.175976
1.23E+12	12093200	7.43E-04	0.178036
1.24E+12	12152000	7.53E-04	0.180431
1.24E+12	12161800	7.55E-04	0.180719
1.25E+12	12230400	7.65E-04	0.183114
1.25E+12	12259800	7.69E-04	0.18424

6.09E+11	5969180	3.50E-04
6.27E+11	6139700	3.60E-04
6.44E+11	6310220	3.70E-04
6.61E+11	6480740	3.80E-04
6.79E+11	6651260	3.90E-04
6.96E+11	6821780	4.00E-04
7.14E+11	6992300	4.10E-04
7.31E+11	7163800	4.20E-04
7.48E+11	7334320	4.30E-04
7.66E+11	7504840	4.40E-04
7.83E+11	7675360	4.50E-04
8.01E+11	7845880	4.60E-04
8.18E+11	8016400	4.70E-04
8.35E+11	8186920	4.80E-04
8.53E+11	8357440	4.90E-04
8.70E+11	8527960	5.00E-04
8.88E+11	8698480	5.10E-04
9.05E+11	8869000	5.20E-04
9.22E+11	9039520	5.30E-04
9.40E+11	9210040	5.40E-04
9.57E+11	9380560	5.50E-04
9.75E+11	9551080	5.60E-04
9.92E+11	9721600	5.70E-04
1.01E+12	9888200	5.80E-04
1.03E+12	10064600	5.90E-04
1.04E+12	10231200	6.00E-04
1.06E+12	10407600	6.10E-04
1.08E+12	10574200	6.20E-04
1.10E+12	10740800	6.30E-04
1.11E+12	10917200	6.40E-04
1.13E+12	11083800	6.50E-04
1.14E+12	11191600	6.56E-04
1.15E+12	11309200	6.64E-04
1.17E+12	11417000	6.71E-04
1.17E+12	11505200	6.79E-04
1.18E+12	11583600	6.86E-04
1.19E+12	11642400	6.93E-04
1.19E+12	11691400	6.99E-04
1.20E+12	11740400	7.05E-04
1.21E+12	11818800	7.15E-04
1.21E+12	11887400	7.25E-04
1.21E+12	11897200	7.26E-04
1.22E+12	11965800	7.36E-04
1.23E+12	12034400	7.46E-04
1.24E+12	12103000	7.56E-04
1.24E+12	12171600	7.66E-04
1.24E+12	12171600	7.67E-04
1.25E+12	12240200	7.77E-04

1.26E+12	12318600	7.79E-04	0.186635
1.26E+12	12318600	7.80E-04	0.186802
1.26E+12	12377400	7.90E-04	0.189198
1.26E+12	12377400	7.91E-04	0.189533
1.27E+12	12436200	8.01E-04	0.191928
1.27E+12	12455800	8.06E-04	0.192934
1.28E+12	12504800	8.16E-04	0.195329
1.28E+12	12514600	8.17E-04	0.195737
1.28E+12	12553800	8.26E-04	0.197725
1.29E+12	12593000	8.33E-04	0.199497
1.29E+12	12632200	8.43E-04	0.201892
1.29E+12	12642000	8.43E-04	0.202012
1.29E+12	12681200	8.53E-04	0.204407
1.30E+12	12710600	8.61E-04	0.206156
1.30E+12	12749800	8.71E-04	0.208551
1.30E+12	12759600	8.73E-04	0.209174
1.31E+12	12798800	8.83E-04	0.211569
1.31E+12	12808600	8.85E-04	0.212
1.31E+12	12847800	8.95E-04	0.214251
1.31E+12	12877200	9.03E-04	0.216168
1.32E+12	12906600	9.12E-04	0.218323
1.32E+12	12936000	9.22E-04	0.220719
1.32E+12	12945800	9.23E-04	0.221174
1.32E+12	12975200	9.33E-04	0.223569
1.33E+12	12985000	9.38E-04	0.224743
1.33E+12	13014400	9.48E-04	0.227138
1.33E+12	13034000	9.53E-04	0.228144
1.33E+12	13063400	9.63E-04	0.230539
1.34E+12	13092800	9.73E-04	0.232934
1.34E+12	13092800	9.75E-04	0.233581
1.34E+12	13122200	9.85E-04	0.235976
1.34E+12	13141800	9.91E-04	0.237389
1.34E+12	13161400	1.00E-03	0.23976
1.35E+12	13190800	1.01E-03	0.242156
1.35E+12	13200600	1.02E-03	0.243353
1.35E+12	13220200	1.03E-03	0.245749
1.35E+12	13249600	1.04E-03	0.247904
1.35E+12	13269200	1.05E-03	0.250299
1.35E+12	13269200	1.05E-03	0.250299
1.36E+12	13288800	1.06E-03	0.252695
1.36E+12	13298600	1.07E-03	0.25509
1.36E+12	13308400	1.07E-03	0.255808
1.36E+12	13318200	1.08E-03	0.258204
1.36E+12	13318200	1.08E-03	0.258683
1.36E+12	13328000	1.09E-03	0.261078
1.36E+12	13328000	1.09E-03	0.261557
1.36E+12	13328000	1.10E-03	0.263952
1.36E+12	13337800	1.11E-03	0.26491

1.26E+12	12299000	7.87E-04
1.26E+12	12357800	7.97E-04
1.27E+12	12416600	8.07E-04
1.27E+12	12475400	8.17E-04
1.28E+12	12495000	8.21E-04
1.28E+12	12544000	8.31E-04
1.28E+12	12573400	8.37E-04
1.29E+12	12602800	8.46E-04
1.29E+12	12622400	8.56E-04
1.29E+12	12632200	8.60E-04
1.29E+12	12671400	8.70E-04
1.30E+12	12691000	8.75E-04
1.30E+12	12720400	8.85E-04
1.30E+12	12730200	8.87E-04
1.30E+12	12759600	8.97E-04
1.31E+12	12789000	9.05E-04
1.31E+12	12818400	9.15E-04
1.31E+12	12847800	9.25E-04
1.31E+12	12867400	9.31E-04
1.32E+12	12887000	9.41E-04
1.32E+12	12896800	9.45E-04
1.32E+12	12926200	9.55E-04
1.32E+12	12945800	9.61E-04
1.32E+12	12965400	9.71E-04
1.33E+12	12994800	9.81E-04
1.33E+12	12994800	9.82E-04
1.33E+12	13014400	9.92E-04
1.33E+12	13024200	9.95E-04
1.33E+12	13043800	1.01E-03
1.33E+12	13043800	1.01E-03
1.33E+12	13063400	1.02E-03
1.34E+12	13092800	1.03E-03
1.34E+12	13092800	1.03E-03
1.34E+12	13112400	1.04E-03
1.34E+12	13132000	1.05E-03
1.34E+12	13151600	1.06E-03
1.34E+12	13171200	1.07E-03
1.35E+12	13190800	1.08E-03
1.35E+12	13200600	1.08E-03
1.35E+12	13220200	1.09E-03
1.35E+12	13239800	1.10E-03
1.35E+12	13239800	1.10E-03
1.35E+12	13259400	1.11E-03
1.35E+12	13259400	1.11E-03
1.35E+12	13269200	1.12E-03
1.36E+12	13288800	1.13E-03
1.36E+12	13298600	1.14E-03
1.36E+12	13308400	1.15E-03

1.36E+12	13337800	1.12E-03	0.267305
1.36E+12	13337800	1.12E-03	0.268503
1.36E+12	13347600	1.13E-03	0.270898
1.36E+12	13347600	1.14E-03	0.273293
1.36E+12	13357400	1.15E-03	0.275689
1.36E+12	13357400	1.15E-03	0.276407
1.36E+12	13357400	1.16E-03	0.278802
1.36E+12	13357400	1.17E-03	0.279521
1.36E+12	13357400	1.18E-03	0.281916
1.36E+12	13357400	1.18E-03	0.282395
1.36E+12	13357400	1.19E-03	0.28479
1.36E+12	13357400	1.19E-03	0.28503
1.36E+12	13357400	1.20E-03	0.287425
1.36E+12	13357400	1.21E-03	0.288862
1.36E+12	13357400	1.22E-03	0.291257
1.36E+12	13357400	1.23E-03	0.293653
1.36E+12	13347600	1.23E-03	0.294132
1.36E+12	13347600	1.24E-03	0.296527
1.36E+12	13347600	1.24E-03	0.297246
1.36E+12	13337800	1.25E-03	0.299641
1.36E+12	13328000	1.26E-03	0.302036
1.36E+12	13318200	1.26E-03	0.302754
1.36E+12	13308400	1.27E-03	0.30515
1.36E+12	13308400	1.28E-03	0.306587
1.36E+12	13298600	1.29E-03	0.308743
1.36E+12	13288800	1.30E-03	0.311138
1.36E+12	13279000	1.31E-03	0.312575
1.35E+12	13269200	1.32E-03	0.31497
1.35E+12	13269200	1.32E-03	0.315689
1.35E+12	13259400	1.33E-03	0.318084
1.35E+12	13239800	1.34E-03	0.320479
1.35E+12	13230000	1.35E-03	0.322635
1.35E+12	13220200	1.36E-03	0.32503
1.35E+12	13210400	1.37E-03	0.327425
1.35E+12	13210400	1.37E-03	0.327425
1.35E+12	13200600	1.38E-03	0.329341
1.35E+12	13181000	1.39E-03	0.331737
1.35E+12	13181000	1.39E-03	0.331976
1.34E+12	13161400	1.39E-03	0.333892
1.34E+12	13141800	1.40E-03	0.336287
1.34E+12	13122200	1.41E-03	0.338204
1.34E+12	13102600	1.42E-03	0.340599
1.34E+12	13083000	1.43E-03	0.342994
1.33E+12	13063400	1.44E-03	0.345389
1.33E+12	13053600	1.45E-03	0.347784
1.33E+12	13043800	1.46E-03	0.349222
1.33E+12	13024200	1.47E-03	0.351617
1.33E+12	13014400	1.48E-03	0.353772

1.36E+12	13308400	1.15E-03
1.36E+12	13318200	1.16E-03
1.36E+12	13337800	1.17E-03
1.36E+12	13337800	1.17E-03
1.36E+12	13337800	1.18E-03
1.36E+12	13347600	1.19E-03
1.36E+12	13347600	1.20E-03
1.36E+12	13347600	1.21E-03
1.36E+12	13337800	1.22E-03
1.36E+12	13328000	1.23E-03
1.36E+12	13318200	1.23E-03
1.36E+12	13298600	1.24E-03
1.36E+12	13288800	1.25E-03
1.36E+12	13288800	1.26E-03
1.36E+12	13279000	1.27E-03
1.35E+12	13269200	1.28E-03
1.35E+12	13269200	1.29E-03
1.35E+12	13259400	1.30E-03
1.35E+12	13259400	1.31E-03
1.35E+12	13249600	1.32E-03
1.35E+12	13249600	1.32E-03
1.35E+12	13239800	1.33E-03
1.35E+12	13239800	1.34E-03
1.35E+12	13230000	1.35E-03
1.35E+12	13220200	1.36E-03
1.35E+12	13220200	1.37E-03
1.35E+12	13200600	1.38E-03
1.35E+12	13190800	1.39E-03
1.35E+12	13181000	1.40E-03
1.34E+12	13151600	1.41E-03
1.34E+12	13151600	1.41E-03
1.34E+12	13141800	1.42E-03
1.34E+12	13122200	1.43E-03
1.34E+12	13102600	1.44E-03
1.34E+12	13083000	1.45E-03
1.34E+12	13083000	1.45E-03
1.33E+12	13063400	1.46E-03
1.33E+12	13063400	1.46E-03
1.33E+12	13053600	1.47E-03
1.33E+12	13043800	1.47E-03
1.33E+12	13034000	1.48E-03
1.33E+12	13014400	1.49E-03
1.33E+12	13004600	1.50E-03
1.33E+12	12994800	1.51E-03
1.32E+12	12975200	1.52E-03
1.32E+12	12965400	1.53E-03
1.32E+12	12955600	1.54E-03
1.32E+12	12945800	1.55E-03


1.33E+12	13004600	1.49E-03	0.356168	1.32E+12	12936000	1.56E-03
1.33E+12	12994800	1.49E-03	0.357605	1.32E+12	12926200	1.57E-03
1.32E+12	12975200	1.50E-03	0.36	1.32E+12	12916400	1.58E-03
1.32E+12	12965400	1.51E-03	0.361677	1.32E+12	12906600	1.59E-03
1.32E+12	12955600	1.52E-03	0.363114	1.32E+12	12896800	1.60E-03
1.32E+12	12945800	1.53E-03	0.365509	1.32E+12	12896800	1.60E-03
1.32E+12	12936000	1.54E-03	0.367904	1.32E+12	12887000	1.61E-03
1.32E+12	12926200	1.54E-03	0.369102	1.31E+12	12877200	1.62E-03
1.32E+12	12916400	1.55E-03	0.371497	1.31E+12	12867400	1.63E-03
1.32E+12	12896800	1.56E-03	0.373892	1.31E+12	12857600	1.64E-03
1.32E+12	12887000	1.57E-03	0.376287	1.31E+12	12847800	1.65E-03
1.31E+12	12877200	1.58E-03	0.378683	1.31E+12	12838000	1.66E-03
1.31E+12	12857600	1.59E-03	0.381078	1.31E+12	12818400	1.67E-03
1.31E+12	12847800	1.60E-03	0.383473	1.31E+12	12808600	1.68E-03
1.31E+12	12838000	1.61E-03	0.38515	1.31E+12	12798800	1.69E-03
1.31E+12	12818400	1.62E-03	0.387545	1.31E+12	12789000	1.70E-03
1.31E+12	12808600	1.63E-03	0.38994	1.30E+12	12779200	1.71E-03
1.31E+12	12798800	1.64E-03	0.391856	1.30E+12	12769400	1.72E-03
1.30E+12	12779200	1.65E-03	0.394251	1.30E+12	12759600	1.72E-03
1.30E+12	12779200	1.65E-03	0.395689	1.30E+12	12749800	1.73E-03
1.30E+12	12759600	1.66E-03	0.398084	1.30E+12	12740000	1.74E-03
1.30E+12	12749800	1.67E-03	0.400479	1.30E+12	12730200	1.75E-03
1.30E+12	12740000	1.68E-03	0.401916	1.30E+12	12720400	1.76E-03
1.30E+12	12730200	1.69E-03	0.403593	1.30E+12	12710600	1.77E-03
1.30E+12	12720400	1.70E-03	0.405988	1.30E+12	12700800	1.78E-03
1.30E+12	12710600	1.70E-03	0.407665	1.30E+12	12691000	1.79E-03
1.30E+12	12700800	1.71E-03	0.41006	1.29E+12	12681200	1.80E-03
1.30E+12	12691000	1.72E-03	0.412455	1.29E+12	12681200	1.81E-03
1.29E+12	12681200	1.73E-03	0.41485	1.29E+12	12671400	1.82E-03
1.29E+12	12671400	1.74E-03	0.417246	1.29E+12	12661600	1.82E-03
1.29E+12	12651800	1.75E-03	0.419641	1.29E+12	12651800	1.83E-03
1.29E+12	12651800	1.76E-03	0.421078	1.29E+12	12642000	1.84E-03
1.29E+12	12642000	1.77E-03	0.423473	1.29E+12	12632200	1.85E-03
1.29E+12	12622400	1.78E-03	0.425868	1.29E+12	12612600	1.86E-03
1.29E+12	12612600	1.79E-03	0.428263	1.29E+12	12602800	1.87E-03
1.29E+12	12602800	1.80E-03	0.430659	1.29E+12	12593000	1.88E-03
1.29E+12	12593000	1.81E-03	0.433054	1.28E+12	12583200	1.89E-03
1.28E+12	12583200	1.82E-03	0.435449	1.28E+12	12573400	1.90E-03
1.28E+12	12573400	1.83E-03	0.437844	1.28E+12	12563600	1.91E-03
1.28E+12	12573400	1.83E-03	0.438802	1.28E+12	12553800	1.92E-03
1.28E+12	12563600	1.84E-03	0.441198	1.28E+12	12544000	1.93E-03
1.28E+12	12553800	1.85E-03	0.443593	1.28E+12	12524400	1.94E-03
1.28E+12	12553800	1.85E-03	0.444072	1.28E+12	12514600	1.95E-03
1.28E+12	12544000	1.86E-03	0.446467	1.28E+12	12504800	1.96E-03
1.28E+12	12534200	1.87E-03	0.448862	1.28E+12	12495000	1.97E-03
1.28E+12	12524400	1.88E-03	0.451257	1.27E+12	12485200	1.98E-03
1.28E+12	12524400	1.89E-03	0.452216	1.27E+12	12475400	1.99E-03
1.28E+12	12514600	1.90E-03	0.454611	1.27E+12	12465600	2.00E-03

1.28E+12	12504800	1.91E-03	0.457006
1.28E+12	12495000	1.92E-03	0.459401
1.27E+12	12485200	1.93E-03	0.461796
1.27E+12	12475400	1.94E-03	0.464192
1.27E+12	12465600	1.95E-03	0.466587
1.27E+12	12455800	1.96E-03	0.468982
1.27E+12	12446000	1.97E-03	0.471377
1.27E+12	12446000	1.97E-03	0.471856
1.27E+12	12436200	1.98E-03	0.474251
1.27E+12	12426400	1.99E-03	0.476647
1.27E+12	12416600	2.00E-03	0.479042
1.27E+12	12406800	2.00E-03	0.47976
1.27E+12	12397000	2.01E-03	0.482156
1.27E+12	12397000	2.02E-03	0.482635
1.26E+12	12387200	2.03E-03	0.48503
1.26E+12	12377400	2.04E-03	0.487425
1.26E+12	12367600	2.05E-03	0.48982
1.26E+12	12357800	2.06E-03	0.492216
1.26E+12	12348000	2.07E-03	0.494611
1.26E+12	12348000	2.07E-03	0.49509
1.26E+12	12338200	2.08E-03	0.497485
1.26E+12	12328400	2.09E-03	0.49988
1.26E+12	12328400	2.09E-03	0.500599
1.26E+12	12318600	2.10E-03	0.502994
1.26E+12	12308800	2.11E-03	0.505389
1.26E+12	12299000	2.12E-03	0.507784
1.25E+12	12289200	2.13E-03	0.51018
1.25E+12	12279400	2.14E-03	0.512575
1.25E+12	12259800	2.15E-03	0.51497
1.25E+12	12250000	2.16E-03	0.517365
1.25E+12	12240200	2.17E-03	0.51976
1.25E+12	12230400	2.18E-03	0.522156
1.25E+12	12220600	2.19E-03	0.524551
1.25E+12	12220600	2.20E-03	0.526228
1.25E+12	12210800	2.21E-03	0.528623
1.25E+12	12201000	2.22E-03	0.531018
1.24E+12	12191200	2.22E-03	0.532455
1.24E+12	12181400	2.23E-03	0.53485
1.24E+12	12171600	2.24E-03	0.537246
1.24E+12	12161800	2.25E-03	0.539641
1.24E+12	12152000	2.26E-03	0.542036
1.24E+12	12142200	2.27E-03	0.544431
1.24E+12	12132400	2.28E-03	0.546826
1.24E+12	12122600	2.29E-03	0.548024
1.24E+12	12112800	2.30E-03	0.550419
1.24E+12	12103000	2.31E-03	0.552814
1.23E+12	12093200	2.32E-03	0.55521
1.23E+12	12083400	2.33E-03	0.557605

1.27E+12	12465600	2.01E-03
1.27E+12	12455800	2.02E-03
1.27E+12	12446000	2.03E-03
1.27E+12	12436200	2.04E-03
1.27E+12	12416600	2.05E-03
1.27E+12	12406800	2.06E-03
1.27E+12	12406800	2.06E-03
1.26E+12	12387200	2.07E-03
1.26E+12	12377400	2.08E-03
1.26E+12	12367600	2.09E-03
1.26E+12	12357800	2.10E-03
1.26E+12	12348000	2.11E-03
1.26E+12	12338200	2.11E-03
1.26E+12	12328400	2.12E-03
1.26E+12	12318600	2.13E-03
1.26E+12	12308800	2.14E-03
1.26E+12	12299000	2.15E-03
1.25E+12	12289200	2.16E-03
1.25E+12	12279400	2.17E-03
1.25E+12	12269600	2.18E-03
1.25E+12	12259800	2.19E-03
1.25E+12	12250000	2.20E-03
1.25E+12	12250000	2.20E-03
1.25E+12	12240200	2.21E-03
1.25E+12	12230400	2.22E-03
1.25E+12	12220600	2.23E-03
1.25E+12	12210800	2.24E-03
1.25E+12	12201000	2.25E-03
1.24E+12	12191200	2.26E-03
1.24E+12	12181400	2.27E-03
1.24E+12	12171600	2.28E-03
1.24E+12	12161800	2.29E-03
1.24E+12	12152000	2.30E-03
1.24E+12	12142200	2.31E-03
1.24E+12	12132400	2.32E-03
1.24E+12	12122600	2.33E-03
1.24E+12	12122600	2.34E-03
1.24E+12	12112800	2.35E-03
1.24E+12	12103000	2.36E-03
1.23E+12	12093200	2.37E-03
1.23E+12	12083400	2.38E-03
1.23E+12	12073600	2.39E-03
1.23E+12	12073600	2.40E-03
1.23E+12	12063800	2.41E-03
1.23E+12	12054000	2.42E-03
1.23E+12	12044200	2.43E-03
1.23E+12	12044200	2.43E-03
1.23E+12	12034400	2.44E-03

1.23E+12	12073600	2.34E-03	0.56
1.23E+12	12063800	2.35E-03	0.562156
1.23E+12	12054000	2.36E-03	0.564551
1.23E+12	12044200	2.37E-03	0.566946
1.23E+12	12034400	2.38E-03	0.569341
1.23E+12	12024600	2.39E-03	0.571737
1.23E+12	12014800	2.40E-03	0.574132
1.23E+12	12005000	2.41E-03	0.576527
1.23E+12	12005000	2.41E-03	0.577485
1.22E+12	11995200	2.42E-03	0.57988
1.22E+12	11985400	2.43E-03	0.582275
1.22E+12	11975600	2.44E-03	0.584671
1.22E+12	11965800	2.45E-03	0.587066
1.22E+12	11956000	2.46E-03	0.589461
1.22E+12	11946200	2.47E-03	0.591856
1.22E+12	11936400	2.48E-03	0.594251
0.00E+00	0	0.00E+00	
###	-17091.2	-1.00E-06	-0.00024
###	-34172.6	-2.00E-06	-0.000479
###	-51254	-3.00E-06	-0.000719

m)



Bending moment x 10⁶ (kN-m)

0.00958
0.01198
0.01437
0.01677
0.01916
0.02156
0.02395
0.00479
0.007186
0.009581
0.011976
0.014371
0.016766
0.019162

###	-1537620	-9.00E-05	-0.021557
###	-1708140	-1.00E-04	-0.023952
###	-1878660	-1.10E-04	-0.026347
###	-2049180	-1.20E-04	-0.028743
###	-2220680	-1.30E-04	-0.031138
###	-2391200	-1.40E-04	-0.033533
###	-2561720	-1.50E-04	-0.035928
###	-2732240	-1.60E-04	-0.038323
###	-2903740	-1.70E-04	-0.040719
###	-3074260	-1.80E-04	-0.043114
###	-3244780	-1.90E-04	-0.045509
###	-3415300	-2.00E-04	-0.047904
###	-3586800	-2.10E-04	-0.050299
###	-3757320	-2.20E-04	-0.052695

1.23E+12	12024600	2.45E-03
1.23E+12	12024600	2.46E-03
1.23E+12	12014800	2.47E-03
1.23E+12	12005000	2.48E-03
1.22E+12	11995200	2.49E-03
1.22E+12	11995200	2.50E-03
1.22E+12	11985400	2.51E-03
1.22E+12	11985400	2.52E-03
1.22E+12	11975600	2.53E-03
1.22E+12	11975600	2.53E-03
1.22E+12	11965800	2.54E-03
1.22E+12	11956000	2.55E-03
1.22E+12	11946200	2.56E-03
1.22E+12	11946200	2.57E-03
1.22E+12	11946200	2.57E-03
1.22E+12	11936400	2.58E-03
0.00E+00	0	0.00E+00
###	-17061.8	-1.00E-06
###	-34104	-2.00E-06
###	-51146.2	-3.00E-06

##
##
##
##
##
##
##
##
##
##
##
##
##
##
##

-0.8	-0.7	-0.6

###	-1535700	-9.00E-05
###	-1704220	-1.00E-04
###	-1874740	-1.10E-04
###	-2045260	-1.20E-04
###	-2215780	-1.30E-04
###	-2386300	-1.40E-04
###	-2556820	-1.50E-04
###	-2727340	-1.60E-04
###	-2897860	-1.70E-04
###	-3067400	-1.80E-04
###	-3237920	-1.90E-04
###	-3408440	-2.00E-04
###	-3578960	-2.10E-04
###	-3749480	-2.20E-04

-3927840 -2.30E-04 -0.05509
-4098360 -2.40E-04 -0.057485
-4268880 -2.50E-04 -0.05988
-4440380 -2.60E-04 -0.062275
-4610900 -2.70E-04 -0.064671
-4781420 -2.80E-04 -0.067066
-4951940 -2.90E-04 -0.069461
-5122460 -3.00E-04 -0.071856
-5292980 -3.10E-04 -0.074251
-5464480 -3.20E-04 -0.076647
-5635000 -3.30E-04 -0.079042
-5805520 -3.40E-04 -0.081437
-5976040 -3.50E-04 -0.083832
-6146560 -3.60E-04 -0.086228
-6317080 -3.70E-04 -0.088623
-6487600 -3.80E-04 -0.091018
-6658120 -3.90E-04 -0.093413
-6828640 -4.00E-04 -0.095808
-6999160 -4.10E-04 -0.098204
-7169680 -4.20E-04 -0.100599
-7340200 -4.30E-04 -0.102994
-7510720 -4.40E-04 -0.105389
-7681240 -4.50E-04 -0.107784
-7851760 -4.60E-04 -0.11018
-8021300 -4.70E-04 -0.112575
-8191820 -4.80E-04 -0.11497
-8361360 -4.90E-04 -0.117365
-8530900 -5.00E-04 -0.11976
-8700440 -5.10E-04 -0.122156
-8869980 -5.20E-04 -0.124551
-9038540 -5.30E-04 -0.126946
-9208080 -5.40E-04 -0.129341
-9375660 -5.50E-04 -0.131737
-9544220 -5.60E-04 -0.134132
-9662800 -5.67E-04 -0.135832
-9829400 -5.77E-04 -0.138228
-9996000 -5.87E-04 -0.140623
-1E+07 -5.91E-04 -0.141461
-1E+07 -5.96E-04 -0.142826
-1E+07 -6.04E-04 -0.144599
-1E+07 -6.09E-04 -0.145916
-1E+07 -6.14E-04 -0.147114
-1E+07 -6.21E-04 -0.148647
-1E+07 -6.27E-04 -0.15006
-1E+07 -6.34E-04 -0.15188
-1E+07 -6.44E-04 -0.154204
-1E+07 -6.50E-04 -0.155593
-1E+07 -6.55E-04 -0.156934

-3920000 -2.30E-04
-4090520 -2.40E-04
-4261040 -2.50E-04
-4430580 -2.60E-04
-4601100 -2.70E-04
-4771620 -2.80E-04
-4942140 -2.90E-04
-5112660 -3.00E-04
-5283180 -3.10E-04
-5452720 -3.20E-04
-5623240 -3.30E-04
-5793760 -3.40E-04
-5964280 -3.50E-04
-6133820 -3.60E-04
-6304340 -3.70E-04
-6474860 -3.80E-04
-6645380 -3.90E-04
-6814920 -4.00E-04
-6985440 -4.10E-04
-7155960 -4.20E-04
-7325500 -4.30E-04
-7496020 -4.40E-04
-7665560 -4.50E-04
-7836080 -4.60E-04
-8005620 -4.70E-04
-8175160 -4.80E-04
-8344700 -4.90E-04
-8514240 -5.00E-04
-8683780 -5.10E-04
-8852340 -5.20E-04
-9021880 -5.30E-04
-9190440 -5.40E-04
-9358020 -5.50E-04
-9525600 -5.60E-04
-9692200 -5.70E-04
-9858800 -5.80E-04
-1E+07 -5.90E-04
-1E+07 -5.92E-04
-1E+07 -5.98E-04
-1E+07 -6.04E-04
-1E+07 -6.09E-04
-1E+07 -6.14E-04
-1E+07 -6.22E-04
-1E+07 -6.26E-04
-1E+07 -6.31E-04
-1E+07 -6.38E-04
-1E+07 -6.42E-04
-1E+07 -6.47E-04

-1E+07 -6.61E-04 -0.158347
-1E+07 -6.66E-04 -0.159449
-1E+07 -6.70E-04 -0.160527
-1E+07 -6.80E-04 -0.162922
-1E+07 -6.83E-04 -0.163641
-1E+07 -6.91E-04 -0.165437
-1E+07 -6.97E-04 -0.167018
-1E+07 -7.06E-04 -0.169174
-9986200 -7.16E-04 -0.171569
-9966600 -7.25E-04 -0.173725
-9947000 -7.34E-04 -0.17576
-9937200 -7.39E-04 -0.17691
-9917600 -7.45E-04 -0.178539
-9898000 -7.55E-04 -0.180934
-9888200 -7.59E-04 -0.181772
-9868600 -7.69E-04 -0.184168
-9858800 -7.72E-04 -0.184814
-9839200 -7.80E-04 -0.18685
-9819600 -7.90E-04 -0.189246
-9819600 -7.92E-04 -0.189605
-9800000 -8.01E-04 -0.19176
-9782360 -8.11E-04 -0.194156
-9770600 -8.16E-04 -0.195329
-9754920 -8.22E-04 -0.196982
-9739240 -8.30E-04 -0.198683
-9718660 -8.40E-04 -0.201078
-9697100 -8.50E-04 -0.203473
-9688280 -8.54E-04 -0.204431
-9666720 -8.64E-04 -0.206826
-9646140 -8.74E-04 -0.209222
-9641240 -8.76E-04 -0.20982
-9621640 -8.86E-04 -0.212216
-9610860 -8.92E-04 -0.213581
-9594200 -9.02E-04 -0.215976
-9578520 -9.12E-04 -0.218371
-9573620 -9.15E-04 -0.219114
-9555980 -9.25E-04 -0.221509
-9540300 -9.35E-04 -0.223904
-9538340 -9.36E-04 -0.224144
-9531480 -9.41E-04 -0.225365
-9518740 -9.49E-04 -0.227329
-9504040 -9.59E-04 -0.229725
-9489340 -9.69E-04 -0.23212
-9481500 -9.75E-04 -0.233413
-9468760 -9.85E-04 -0.235808
-9456020 -9.95E-04 -0.238204
-9447200 -1.00E-03 -0.23976
-9434460 -1.01E-03 -0.242156

-1E+07 -6.57E-04
-1E+07 -6.57E-04
-9986200 -6.62E-04
-9937200 -6.72E-04
-9917600 -6.78E-04
-9888200 -6.86E-04
-9849000 -6.96E-04
-9819600 -7.06E-04
-9809800 -7.08E-04
-9780400 -7.18E-04
-9759820 -7.25E-04
-9727480 -7.35E-04
-9717680 -7.38E-04
-9691220 -7.47E-04
-9662800 -7.57E-04
-9634380 -7.67E-04
-9632420 -7.68E-04
-9603020 -7.77E-04
-9573620 -7.87E-04
-9563820 -7.90E-04
-9533440 -8.00E-04
-9505020 -8.10E-04
-9491300 -8.15E-04
-9463860 -8.25E-04
-9449160 -8.32E-04
-9424660 -8.42E-04
-9408980 -8.49E-04
-9385460 -8.59E-04
-9373700 -8.65E-04
-9359980 -8.71E-04
-9341360 -8.81E-04
-9322740 -8.91E-04
-9306080 -9.01E-04
-9289420 -9.11E-04
-9274720 -9.21E-04
-9265900 -9.27E-04
-9252180 -9.37E-04
-9238460 -9.47E-04
-9225720 -9.57E-04
-9213960 -9.67E-04
-9202200 -9.77E-04
-9191420 -9.87E-04
-9188480 -9.90E-04
-9176720 -1.00E-03
-9175740 -1.00E-03
-9164960 -1.01E-03
-9164960 -1.01E-03
-9153200 -1.02E-03

-9431520 -1.01E-03 -0.242874
-9417800 -1.02E-03 -0.245269
-9417800 -1.02E-03 -0.245269
-9405060 -1.03E-03 -0.247665
-9404080 -1.04E-03 -0.247904
-9391340 -1.05E-03 -0.250299
-9378600 -1.06E-03 -0.252695
-9374680 -1.06E-03 -0.253174
-9360960 -1.07E-03 -0.255569
-9359980 -1.07E-03 -0.256048
-9344300 -1.08E-03 -0.258443
-9330580 -1.09E-03 -0.260838
-9316860 -1.10E-03 -0.263234
-9307060 -1.11E-03 -0.26491
-9296280 -1.11E-03 -0.266826
-9281580 -1.12E-03 -0.269222
-9270800 -1.13E-03 -0.271138
-9254140 -1.14E-03 -0.273533
-9239440 -1.15E-03 -0.275928
-9225720 -1.16E-03 -0.278323
-9216900 -1.17E-03 -0.27976
-9201220 -1.18E-03 -0.282156
-9199260 -1.18E-03 -0.282395
-9183580 -1.19E-03 -0.28479
-9168880 -1.20E-03 -0.287186
-9153200 -1.21E-03 -0.289581
-9139480 -1.22E-03 -0.291976
-9132620 -1.22E-03 -0.292934
-9120860 -1.23E-03 -0.29509
-9105180 -1.24E-03 -0.297485
-9088520 -1.25E-03 -0.29988
-9084600 -1.25E-03 -0.300359
-9068920 -1.26E-03 -0.302754
-9054220 -1.27E-03 -0.30515
-9044420 -1.28E-03 -0.306826
-9027760 -1.29E-03 -0.309222
-9011100 -1.30E-03 -0.311617
-8994440 -1.31E-03 -0.314012
-8977780 -1.32E-03 -0.316407
-8961120 -1.33E-03 -0.318802
-8944460 -1.34E-03 -0.321198
-8931720 -1.35E-03 -0.322874
-8914080 -1.36E-03 -0.325269
-8903300 -1.36E-03 -0.326707
-8886640 -1.37E-03 -0.329102
-8869000 -1.38E-03 -0.331497
-8851360 -1.39E-03 -0.333892
-8846460 -1.40E-03 -0.334611

-9142420 -1.03E-03
-9131640 -1.04E-03
-9126740 -1.05E-03
-9114980 -1.06E-03
-9103220 -1.07E-03
-9101260 -1.07E-03
-9087540 -1.08E-03
-9077740 -1.09E-03
-9062060 -1.10E-03
-9048340 -1.11E-03
-9045400 -1.11E-03
-9031680 -1.12E-03
-9030700 -1.12E-03
-9016980 -1.13E-03
-9001300 -1.14E-03
-8988560 -1.15E-03
-8978760 -1.16E-03
-8965040 -1.17E-03
-8951320 -1.18E-03
-8936620 -1.19E-03
-8927800 -1.19E-03
-8912120 -1.20E-03
-8897420 -1.21E-03
-8889580 -1.22E-03
-8874880 -1.23E-03
-8860180 -1.24E-03
-8848420 -1.25E-03
-8835680 -1.26E-03
-8822940 -1.27E-03
-8809220 -1.28E-03
-8807260 -1.28E-03
-8793540 -1.29E-03
-8777860 -1.30E-03
-8762180 -1.31E-03
-8746500 -1.32E-03
-8727880 -1.33E-03
-8719060 -1.33E-03
-8700440 -1.34E-03
-8682800 -1.35E-03
-8666140 -1.36E-03
-8649480 -1.37E-03
-8633800 -1.38E-03
-8618120 -1.39E-03
-8602440 -1.40E-03
-8586760 -1.41E-03
-8570100 -1.42E-03
-8566180 -1.43E-03
-8550500 -1.44E-03

-8827840 -1.41E-03 -0.337006
-8814120 -1.42E-03 -0.338922
-8795500 -1.43E-03 -0.341317
-8777860 -1.44E-03 -0.343713
-8759240 -1.45E-03 -0.346108
-8742580 -1.46E-03 -0.348503
-8724940 -1.47E-03 -0.350898
-8712200 -1.47E-03 -0.352814
-8694560 -1.48E-03 -0.35521
-8677900 -1.49E-03 -0.357605
-8666140 -1.50E-03 -0.359281
-8649480 -1.51E-03 -0.361677
-8632820 -1.52E-03 -0.364072
-8624980 -1.52E-03 -0.36503
-8608320 -1.53E-03 -0.367425
-8607340 -1.53E-03 -0.367425
-8589700 -1.54E-03 -0.36982
-8572060 -1.55E-03 -0.372216
-8553440 -1.56E-03 -0.374611
-8546580 -1.57E-03 -0.375569
-8528940 -1.58E-03 -0.377964
-8527960 -1.58E-03 -0.378204
-8509340 -1.59E-03 -0.380599
-8492680 -1.60E-03 -0.382994
-8475040 -1.61E-03 -0.385389
-8458380 -1.62E-03 -0.387784
-8440740 -1.63E-03 -0.39018
-8424080 -1.64E-03 -0.392575
-8407420 -1.65E-03 -0.39497
-8399580 -1.65E-03 -0.395928
-8382920 -1.66E-03 -0.398323
-8379980 -1.67E-03 -0.398802
-8363320 -1.68E-03 -0.401198
-8346660 -1.69E-03 -0.403593
-8330000 -1.70E-03 -0.405988
-8320200 -1.70E-03 -0.407425
-8303540 -1.71E-03 -0.40982
-8289820 -1.72E-03 -0.411737
-8273160 -1.73E-03 -0.414132
-8257480 -1.74E-03 -0.416527
-8241800 -1.75E-03 -0.418922
-8226120 -1.76E-03 -0.421317
-8211420 -1.77E-03 -0.423713
-8197700 -1.78E-03 -0.425868
-8182020 -1.79E-03 -0.428263
-8166340 -1.80E-03 -0.430659
-8150660 -1.81E-03 -0.433054
-8134980 -1.82E-03 -0.435449

-8533840 -1.45E-03
-8515220 -1.46E-03
-8513260 -1.46E-03
-8496600 -1.47E-03
-8493660 -1.47E-03
-8475040 -1.48E-03
-8457400 -1.49E-03
-8439760 -1.50E-03
-8422120 -1.51E-03
-8405460 -1.52E-03
-8388800 -1.53E-03
-8372140 -1.54E-03
-8355480 -1.55E-03
-8339800 -1.56E-03
-8329020 -1.57E-03
-8312360 -1.58E-03
-8296680 -1.59E-03
-8280020 -1.60E-03
-8263360 -1.61E-03
-8263360 -1.61E-03
-8246700 -1.62E-03
-8229060 -1.63E-03
-8211420 -1.64E-03
-8210440 -1.64E-03
-8193780 -1.65E-03
-8183980 -1.65E-03
-8166340 -1.66E-03
-8149680 -1.67E-03
-8133020 -1.68E-03
-8116360 -1.69E-03
-8098720 -1.70E-03
-8082060 -1.71E-03
-8064420 -1.72E-03
-8046780 -1.73E-03
-8030120 -1.74E-03
-8021300 -1.75E-03
-8004640 -1.76E-03
-7988960 -1.77E-03
-7972300 -1.78E-03
-7956620 -1.79E-03
-7940940 -1.80E-03
-7939960 -1.80E-03
-7924280 -1.81E-03
-7909580 -1.82E-03
-7894880 -1.83E-03
-7881160 -1.84E-03
-7871360 -1.85E-03
-7856660 -1.86E-03

-8119300 -1.83E-03 -0.437844
-8104600 -1.84E-03 -0.44024
-8088920 -1.85E-03 -0.442635
-8074220 -1.86E-03 -0.44503
-8061480 -1.87E-03 -0.447186
-8047760 -1.88E-03 -0.449341
-8033060 -1.89E-03 -0.451737
-8018360 -1.90E-03 -0.454132
-8003660 -1.91E-03 -0.456527
-7988960 -1.92E-03 -0.458922
-7974260 -1.93E-03 -0.461317
-7962500 -1.93E-03 -0.463234
-7948780 -1.94E-03 -0.465629
-7935060 -1.95E-03 -0.468024
-7922320 -1.96E-03 -0.470419
-7909580 -1.97E-03 -0.472814
-7896840 -1.98E-03 -0.47521
-7884100 -1.99E-03 -0.477605
-7871360 -2.00E-03 -0.48
-7862540 -2.01E-03 -0.481916
-7849800 -2.02E-03 -0.484311
-7838040 -2.03E-03 -0.486467
-7825300 -2.04E-03 -0.488862
-7822360 -2.04E-03 -0.489341
-7808640 -2.05E-03 -0.491737
-7795900 -2.06E-03 -0.494132
-7783160 -2.07E-03 -0.496527
-7773360 -2.08E-03 -0.498443
-7760620 -2.09E-03 -0.500838
-7747880 -2.10E-03 -0.503234
-7739060 -2.11E-03 -0.50491
-7726320 -2.12E-03 -0.507305
-7713580 -2.13E-03 -0.509701
-7700840 -2.14E-03 -0.512096
-7688100 -2.15E-03 -0.514491
-7675360 -2.16E-03 -0.516886
-7663600 -2.17E-03 -0.519281
-7655760 -2.17E-03 -0.520719
-7644000 -2.18E-03 -0.523114
-7631260 -2.19E-03 -0.525509
-7619500 -2.20E-03 -0.527904
-7608720 -2.21E-03 -0.53006
-7596960 -2.22E-03 -0.532455
-7586180 -2.23E-03 -0.53485
-7574420 -2.24E-03 -0.537246
-7563640 -2.25E-03 -0.539641
-7560700 -2.26E-03 -0.54012
-7548940 -2.27E-03 -0.542515


-7842940 -1.87E-03
-7830200 -1.88E-03
-7816480 -1.89E-03
-7803740 -1.90E-03
-7790020 -1.91E-03
-7776300 -1.92E-03
-7764540 -1.93E-03
-7750820 -1.94E-03
-7737100 -1.95E-03
-7723380 -1.96E-03
-7710640 -1.97E-03
-7698880 -1.98E-03
-7686140 -1.99E-03
-7673400 -2.00E-03
-7661640 -2.01E-03
-7648900 -2.02E-03
-7644000 -2.02E-03
-7632240 -2.03E-03
-7619500 -2.04E-03
-7607740 -2.05E-03
-7598920 -2.06E-03
-7587160 -2.07E-03
-7576380 -2.08E-03
-7565600 -2.09E-03
-7565600 -2.09E-03
-7553840 -2.10E-03
-7543060 -2.11E-03
-7531300 -2.12E-03
-7528360 -2.12E-03
-7516600 -2.13E-03
-7503860 -2.14E-03
-7492100 -2.15E-03
-7479360 -2.16E-03
-7466620 -2.17E-03
-7454860 -2.18E-03
-7443100 -2.19E-03
-7431340 -2.20E-03
-7419580 -2.21E-03
-7413700 -2.22E-03
-7400960 -2.23E-03
-7389200 -2.24E-03
-7377440 -2.25E-03
-7365680 -2.26E-03
-7362740 -2.26E-03
-7350980 -2.27E-03
-7339220 -2.28E-03
-7335300 -2.28E-03
-7323540 -2.29E-03

-7541100 -2.27E-03 -0.544431
-7529340 -2.28E-03 -0.546826
-7517580 -2.29E-03 -0.549222
-7505820 -2.30E-03 -0.551617
-7494060 -2.31E-03 -0.554012
-7483280 -2.32E-03 -0.556407
-7471520 -2.33E-03 -0.558802
-7460740 -2.34E-03 -0.561198
-7449960 -2.35E-03 -0.563593
-7439180 -2.36E-03 -0.565988
-7428400 -2.37E-03 -0.568383
-7417620 -2.38E-03 -0.570778
-7412720 -2.39E-03 -0.571737
-7401940 -2.40E-03 -0.574132
-7395080 -2.40E-03 -0.575808
-7384300 -2.41E-03 -0.578204
-7373520 -2.42E-03 -0.580599
-7363720 -2.43E-03 -0.582994
-7353920 -2.44E-03 -0.58515
-7343140 -2.45E-03 -0.587545
-7332360 -2.46E-03 -0.58994
-7321580 -2.47E-03 -0.592335
-7310800 -2.48E-03 -0.594731
-7306880 -2.49E-03 -0.595449
-7297080 -2.50E-03 -0.597844
-7286300 -2.51E-03 -0.60024
-7276500 -2.52E-03 -0.602635
-7266700 -2.53E-03 -0.60503

-7312760 -2.30E-03
-7301000 -2.31E-03
-7290220 -2.32E-03
-7279440 -2.33E-03
-7269640 -2.34E-03
-7258860 -2.35E-03
-7254940 -2.35E-03
-7245140 -2.36E-03
-7235340 -2.37E-03
-7225540 -2.38E-03
-7215740 -2.39E-03
-7205940 -2.40E-03
-7195160 -2.41E-03
-7185360 -2.42E-03
-7175560 -2.43E-03
-7164780 -2.44E-03
-7156940 -2.45E-03
-7146160 -2.46E-03
-7135380 -2.47E-03
-7124600 -2.48E-03
-7114800 -2.49E-03
-7105000 -2.50E-03
-7095200 -2.51E-03
-7085400 -2.52E-03
-7076580 -2.53E-03
-7067760 -2.54E-03
-7058940 -2.55E-03
-7050120 -2.56E-03

Tanker (T4) Idchk = 2
40% outer shell damage

1000	frame space	4.175	9.80E-06	1000	frame space
Curvature	Moment	Rotation	Curvature	Moment	
0.00024	1.73E+09	16954	1.00E-06	0.00024	1.74E+09
0.000479	3.46E+09	33898.2	2.00E-06	0.000479	3.48E+09
0.000719	5.19E+09	50852.2	3.00E-06	0.000719	5.22E+09



0.052695	3.81E+11	3728900	2.20E-04	0.052695	3.83E+11
0.05509	3.98E+11	3898440	2.30E-04	0.05509	4.00E+11
0.057485	4.15E+11	4067980	2.40E-04	0.057485	4.17E+11
0.05988	4.32E+11	4237520	2.50E-04	0.05988	4.35E+11
0.062275	4.50E+11	4407060	2.60E-04	0.062275	4.52E+11
0.064671	4.67E+11	4576600	2.70E-04	0.064671	4.69E+11
0.067066	4.84E+11	4746140	2.80E-04	0.067066	4.87E+11
0.069461	5.02E+11	4915680	2.90E-04	0.069461	5.04E+11
0.071856	5.19E+11	5085220	3.00E-04	0.071856	5.22E+11
0.074251	5.36E+11	5254760	3.10E-04	0.074251	5.39E+11
0.076647	5.53E+11	5423320	3.20E-04	0.076647	5.56E+11
0.079042	5.71E+11	5592860	3.30E-04	0.079042	5.74E+11
0.081437	5.88E+11	5762400	3.40E-04	0.081437	5.91E+11

0.083832	6.05E+11	5931940	3.50E-04	0.083832	6.09E+11
0.086228	6.23E+11	6101480	3.60E-04	0.086228	6.26E+11
0.088623	6.40E+11	6271020	3.70E-04	0.088623	6.43E+11
0.091018	6.57E+11	6440560	3.80E-04	0.091018	6.61E+11
0.093413	6.75E+11	6610100	3.90E-04	0.093413	6.78E+11
0.095808	6.92E+11	6779640	4.00E-04	0.095808	6.95E+11
0.098204	7.09E+11	6949180	4.10E-04	0.098204	7.13E+11
0.100599	7.26E+11	7118720	4.20E-04	0.100599	7.30E+11
0.102994	7.44E+11	7288260	4.30E-04	0.102994	7.48E+11
0.105389	7.61E+11	7457800	4.40E-04	0.105389	7.65E+11
0.107784	7.78E+11	7627340	4.50E-04	0.107784	7.82E+11
0.11018	7.96E+11	7796880	4.60E-04	0.11018	8.00E+11
0.112575	8.13E+11	7966420	4.70E-04	0.112575	8.17E+11
0.11497	8.30E+11	8135960	4.80E-04	0.11497	8.35E+11
0.117365	8.48E+11	8305500	4.90E-04	0.117365	8.52E+11
0.11976	8.65E+11	8474060	5.00E-04	0.11976	8.69E+11
0.122156	8.82E+11	8643600	5.10E-04	0.122156	8.87E+11
0.124551	8.99E+11	8813140	5.20E-04	0.124551	9.04E+11
0.126946	9.17E+11	8982680	5.30E-04	0.126946	9.21E+11
0.129341	9.34E+11	9152220	5.40E-04	0.129341	9.39E+11
0.131737	9.51E+11	9321760	5.50E-04	0.131737	9.56E+11
0.134132	9.69E+11	9491300	5.60E-04	0.134132	9.74E+11
0.136527	9.86E+11	9660840	5.70E-04	0.136527	9.91E+11
0.138922	1.00E+12	9829400	5.80E-04	0.138922	1.01E+12
0.141317	1.02E+12	9996000	5.90E-04	0.141317	1.03E+12
0.143713	1.04E+12	10172400	6.00E-04	0.143713	1.04E+12
0.146108	1.06E+12	10339000	6.10E-04	0.146108	1.06E+12
0.148503	1.07E+12	10505600	6.20E-04	0.148503	1.08E+12
0.150898	1.09E+12	10682000	6.30E-04	0.150898	1.10E+12
0.153293	1.11E+12	10848600	6.40E-04	0.153293	1.11E+12
0.155689	1.11E+12	10887800	6.43E-04	0.15394	1.13E+12
0.15715	1.13E+12	11044600	6.52E-04	0.156096	1.14E+12
0.158946	1.13E+12	11113200	6.57E-04	0.157413	1.15E+12
0.16079	1.15E+12	11221000	6.66E-04	0.159569	1.16E+12
0.162587	1.15E+12	11309200	6.74E-04	0.161389	1.17E+12
0.164359	1.16E+12	11397400	6.82E-04	0.163257	1.18E+12
0.16594	1.17E+12	11475800	6.90E-04	0.165174	1.19E+12
0.167353	1.18E+12	11554200	6.98E-04	0.167162	1.19E+12
0.16891	1.19E+12	11642400	7.06E-04	0.169198	1.19E+12
0.171305	1.19E+12	11691400	7.13E-04	0.170659	1.20E+12
0.173701	1.20E+12	11740400	7.19E-04	0.172096	1.21E+12
0.173916	1.21E+12	11818800	7.28E-04	0.174419	1.21E+12
0.176311	1.21E+12	11887400	7.37E-04	0.176575	1.22E+12
0.178707	1.22E+12	11946200	7.46E-04	0.178683	1.22E+12
0.181102	1.22E+12	11995200	7.54E-04	0.180671	1.23E+12
0.183497	1.23E+12	12034400	7.61E-04	0.182228	1.24E+12
0.183784	1.23E+12	12093200	7.71E-04	0.184623	1.24E+12
0.18618	1.24E+12	12103000	7.73E-04	0.185126	1.25E+12

0.188575	1.24E+12	12161800	7.83E-04	0.187473	1.25E+12
0.19097	1.25E+12	12201000	7.91E-04	0.189341	1.26E+12
0.193365	1.25E+12	12250000	8.01E-04	0.191737	1.26E+12
0.19576	1.25E+12	12250000	8.01E-04	0.191904	1.27E+12
0.196623	1.25E+12	12289200	8.10E-04	0.19394	1.27E+12
0.199018	1.26E+12	12338200	8.20E-04	0.196335	1.28E+12
0.200551	1.26E+12	12338200	8.21E-04	0.196599	1.28E+12
0.202611	1.26E+12	12387200	8.31E-04	0.198994	1.28E+12
0.205006	1.27E+12	12426400	8.40E-04	0.201293	1.29E+12
0.205916	1.27E+12	12465600	8.50E-04	0.203689	1.29E+12
0.208311	1.27E+12	12475400	8.52E-04	0.204024	1.29E+12
0.209677	1.28E+12	12514600	8.62E-04	0.206419	1.29E+12
0.212072	1.28E+12	12524400	8.64E-04	0.207018	1.29E+12
0.212383	1.28E+12	12563600	8.74E-04	0.209413	1.30E+12
0.214778	1.28E+12	12583200	8.80E-04	0.210826	1.30E+12
0.216743	1.29E+12	12622400	8.90E-04	0.213222	1.30E+12
0.21909	1.29E+12	12651800	8.99E-04	0.215329	1.31E+12
0.221485	1.29E+12	12681200	9.09E-04	0.217725	1.31E+12
0.223042	1.30E+12	12700800	9.13E-04	0.218683	1.31E+12
0.225437	1.30E+12	12730200	9.23E-04	0.221078	1.31E+12
0.226395	1.30E+12	12740000	9.26E-04	0.221868	1.32E+12
0.22879	1.30E+12	12769400	9.36E-04	0.224263	1.32E+12
0.230132	1.30E+12	12779200	9.39E-04	0.224934	1.32E+12
0.232527	1.31E+12	12808600	9.49E-04	0.227329	1.32E+12
0.234922	1.31E+12	12838000	9.58E-04	0.229557	1.32E+12
0.235257	1.31E+12	12857600	9.68E-04	0.231952	1.32E+12
0.237653	1.31E+12	12867400	9.72E-04	0.23291	1.32E+12
0.238275	1.32E+12	12896800	9.82E-04	0.235305	1.33E+12
0.240719	1.32E+12	12906600	9.86E-04	0.236048	1.33E+12
0.240719	1.32E+12	12926200	9.96E-04	0.238443	1.33E+12
0.243114	1.32E+12	12936000	9.97E-04	0.238683	1.33E+12
0.245509	1.32E+12	12955600	1.01E-03	0.240958	1.33E+12
0.246228	1.32E+12	12975200	1.02E-03	0.243114	1.34E+12
0.248623	1.33E+12	13004600	1.03E-03	0.245509	1.34E+12
0.250778	1.33E+12	13024200	1.04E-03	0.247904	1.34E+12
0.253174	1.33E+12	13034000	1.04E-03	0.248862	1.34E+12
0.255569	1.33E+12	13053600	1.05E-03	0.251257	1.34E+12
0.257964	1.33E+12	13063400	1.06E-03	0.252934	1.34E+12
0.259162	1.34E+12	13083000	1.07E-03	0.255329	1.35E+12
0.261557	1.34E+12	13083000	1.07E-03	0.256287	1.35E+12
0.263952	1.34E+12	13102600	1.08E-03	0.258683	1.35E+12
0.264431	1.34E+12	13102600	1.08E-03	0.259401	1.35E+12
0.266826	1.34E+12	13112400	1.09E-03	0.261796	1.35E+12
0.266826	1.34E+12	13112400	1.10E-03	0.262994	1.35E+12
0.269222	1.34E+12	13122200	1.11E-03	0.265389	1.35E+12
0.271617	1.34E+12	13132000	1.11E-03	0.266347	1.35E+12
0.272096	1.34E+12	13132000	1.12E-03	0.268743	1.35E+12
0.274491	1.34E+12	13141800	1.13E-03	0.269461	1.36E+12

0.27521	1.34E+12	13141800	1.14E-03	0.271856	1.36E+12
0.277605	1.34E+12	13151600	1.14E-03	0.273054	1.36E+12
0.28	1.34E+12	13151600	1.15E-03	0.275449	1.36E+12
0.28	1.34E+12	13151600	1.15E-03	0.276168	1.36E+12
0.282395	1.34E+12	13161400	1.16E-03	0.278563	1.36E+12
0.28479	1.34E+12	13161400	1.17E-03	0.279521	1.36E+12
0.287186	1.34E+12	13171200	1.18E-03	0.281916	1.36E+12
0.289341	1.34E+12	13171200	1.18E-03	0.283353	1.36E+12
0.291497	1.35E+12	13181000	1.19E-03	0.285749	1.36E+12
0.293892	1.35E+12	13181000	1.20E-03	0.288144	1.36E+12
0.29509	1.35E+12	13181000	1.21E-03	0.288862	1.35E+12
0.297485	1.35E+12	13181000	1.22E-03	0.291257	1.35E+12
0.298683	1.35E+12	13181000	1.22E-03	0.291976	1.35E+12
0.301078	1.35E+12	13181000	1.23E-03	0.294371	1.35E+12
0.303473	1.35E+12	13181000	1.23E-03	0.294611	1.35E+12
0.305868	1.35E+12	13181000	1.24E-03	0.297006	1.35E+12
0.308263	1.35E+12	13181000	1.24E-03	0.297725	1.35E+12
0.310659	1.34E+12	13171200	1.25E-03	0.30012	1.35E+12
0.313054	1.34E+12	13171200	1.26E-03	0.300599	1.35E+12
0.315449	1.34E+12	13171200	1.27E-03	0.302994	1.35E+12
0.317126	1.34E+12	13171200	1.27E-03	0.304192	1.35E+12
0.319521	1.34E+12	13161400	1.28E-03	0.306587	1.35E+12
0.321437	1.34E+12	13161400	1.28E-03	0.307305	1.35E+12
0.323832	1.34E+12	13161400	1.29E-03	0.309701	1.35E+12
0.326228	1.34E+12	13161400	1.30E-03	0.311377	1.35E+12
0.328144	1.34E+12	13151600	1.31E-03	0.313772	1.35E+12
0.330539	1.34E+12	13151600	1.32E-03	0.316168	1.34E+12
0.332934	1.34E+12	13151600	1.33E-03	0.317605	1.34E+12
0.335329	1.34E+12	13141800	1.34E-03	0.32	1.34E+12
0.337725	1.34E+12	13141800	1.34E-03	0.320479	1.34E+12
0.337964	1.34E+12	13132000	1.35E-03	0.322635	1.34E+12
0.339641	1.34E+12	13112400	1.36E-03	0.32503	1.34E+12
0.341796	1.34E+12	13112400	1.36E-03	0.325749	1.34E+12
0.344192	1.34E+12	13102600	1.37E-03	0.328144	1.33E+12
0.346587	1.34E+12	13092800	1.37E-03	0.328623	1.33E+12
0.346826	1.34E+12	13083000	1.38E-03	0.331018	1.33E+12
0.349222	1.33E+12	13073200	1.39E-03	0.332695	1.33E+12
0.349461	1.33E+12	13063400	1.40E-03	0.33509	1.33E+12
0.351856	1.33E+12	13053600	1.41E-03	0.337485	1.33E+12
0.352575	1.33E+12	13043800	1.41E-03	0.338683	1.33E+12
0.35497	1.33E+12	13034000	1.42E-03	0.341078	1.33E+12
0.357365	1.33E+12	13034000	1.43E-03	0.341796	1.32E+12
0.35976	1.33E+12	13024200	1.44E-03	0.344192	1.32E+12
0.361198	1.33E+12	13014400	1.45E-03	0.346587	1.32E+12
0.363593	1.33E+12	13004600	1.45E-03	0.348263	1.32E+12
0.365988	1.33E+12	12985000	1.46E-03	0.350659	1.32E+12
0.368383	1.32E+12	12975200	1.47E-03	0.353054	1.32E+12
0.370778	1.32E+12	12975200	1.47E-03	0.353054	1.32E+12

0.373174	1.32E+12	12955600	1.48E-03	0.355449	1.32E+12
0.375569	1.32E+12	12955600	1.49E-03	0.355689	1.32E+12
0.377964	1.32E+12	12936000	1.50E-03	0.358084	1.31E+12
0.380359	1.32E+12	12926200	1.50E-03	0.35976	1.31E+12
0.382754	1.32E+12	12906600	1.51E-03	0.361437	1.31E+12
0.383234	1.32E+12	12887000	1.52E-03	0.363832	1.31E+12
0.385629	1.31E+12	12867400	1.53E-03	0.366228	1.31E+12
0.388024	1.31E+12	12857600	1.54E-03	0.367904	1.31E+12
0.390419	1.31E+12	12838000	1.55E-03	0.370299	1.31E+12
0.392335	1.31E+12	12828200	1.56E-03	0.372695	1.31E+12
0.394731	1.31E+12	12808600	1.57E-03	0.37509	1.31E+12
0.397126	1.31E+12	12798800	1.58E-03	0.377485	1.30E+12
0.399521	1.31E+12	12789000	1.58E-03	0.378443	1.30E+12
0.401916	1.30E+12	12779200	1.59E-03	0.380838	1.30E+12
0.404311	1.30E+12	12769400	1.59E-03	0.381796	1.30E+12
0.406707	1.30E+12	12759600	1.60E-03	0.384192	1.30E+12
0.409102	1.30E+12	12740000	1.61E-03	0.386587	1.30E+12
0.411497	1.30E+12	12730200	1.62E-03	0.388982	1.30E+12
0.412934	1.30E+12	12720400	1.63E-03	0.390419	1.30E+12
0.415329	1.30E+12	12710600	1.64E-03	0.392814	1.30E+12
0.417725	1.30E+12	12691000	1.65E-03	0.39521	1.30E+12
0.42012	1.30E+12	12691000	1.66E-03	0.396407	1.29E+12
0.422515	1.29E+12	12671400	1.67E-03	0.398802	1.29E+12
0.423234	1.29E+12	12671400	1.67E-03	0.399281	1.29E+12
0.425629	1.29E+12	12661600	1.68E-03	0.401677	1.29E+12
0.428024	1.29E+12	12642000	1.69E-03	0.404072	1.29E+12
0.430419	1.29E+12	12632200	1.70E-03	0.406467	1.29E+12
0.432814	1.29E+12	12622400	1.71E-03	0.408862	1.29E+12
0.43521	1.29E+12	12612600	1.72E-03	0.411257	1.29E+12
0.436168	1.29E+12	12602800	1.73E-03	0.413653	1.29E+12
0.438563	1.29E+12	12593000	1.73E-03	0.41509	1.29E+12
0.440958	1.28E+12	12583200	1.74E-03	0.417485	1.28E+12
0.443353	1.28E+12	12573400	1.75E-03	0.418683	1.28E+12
0.445749	1.28E+12	12563600	1.76E-03	0.421078	1.28E+12
0.448144	1.28E+12	12553800	1.77E-03	0.423473	1.28E+12
0.450539	1.28E+12	12544000	1.78E-03	0.425868	1.28E+12
0.452934	1.28E+12	12534200	1.79E-03	0.428263	1.28E+12
0.455329	1.28E+12	12524400	1.80E-03	0.430659	1.28E+12
0.457725	1.28E+12	12514600	1.81E-03	0.433054	1.28E+12
0.46012	1.28E+12	12504800	1.82E-03	0.435449	1.27E+12
0.462515	1.28E+12	12495000	1.83E-03	0.437844	1.27E+12
0.46491	1.27E+12	12485200	1.84E-03	0.44024	1.27E+12
0.467305	1.27E+12	12475400	1.85E-03	0.442635	1.27E+12
0.469461	1.27E+12	12465600	1.86E-03	0.44503	1.27E+12
0.471856	1.27E+12	12455800	1.87E-03	0.447425	1.27E+12
0.474251	1.27E+12	12446000	1.88E-03	0.44982	1.27E+12
0.475689	1.27E+12	12446000	1.88E-03	0.450539	1.27E+12
0.478084	1.27E+12	12436200	1.89E-03	0.452934	1.27E+12

0.48024	1.27E+12	12436200	1.90E-03	0.453892	1.27E+12
0.482635	1.27E+12	12426400	1.91E-03	0.456287	1.26E+12
0.48503	1.27E+12	12416600	1.92E-03	0.458683	1.26E+12
0.487425	1.27E+12	12406800	1.92E-03	0.46012	1.26E+12
0.48982	1.27E+12	12406800	1.93E-03	0.462515	1.26E+12
0.492216	1.27E+12	12397000	1.94E-03	0.464671	1.26E+12
0.493653	1.26E+12	12387200	1.95E-03	0.467066	1.26E+12
0.496048	1.26E+12	12377400	1.96E-03	0.468263	1.26E+12
0.498443	1.26E+12	12367600	1.97E-03	0.470659	1.26E+12
0.500838	1.26E+12	12367600	1.98E-03	0.473054	1.25E+12
0.503234	1.26E+12	12357800	1.99E-03	0.475449	1.25E+12
0.505629	1.26E+12	12348000	2.00E-03	0.477844	1.25E+12
0.506347	1.26E+12	12348000	2.00E-03	0.478084	1.25E+12
0.508743	1.26E+12	12338200	2.01E-03	0.480479	1.25E+12
0.511138	1.26E+12	12328400	2.02E-03	0.482635	1.25E+12
0.513533	1.26E+12	12318600	2.03E-03	0.48503	1.25E+12
0.515928	1.26E+12	12308800	2.04E-03	0.487425	1.25E+12
0.517126	1.26E+12	12299000	2.05E-03	0.48982	1.25E+12
0.519521	1.25E+12	12289200	2.05E-03	0.491497	1.24E+12
0.521916	1.25E+12	12279400	2.06E-03	0.493892	1.24E+12
0.524311	1.25E+12	12269600	2.07E-03	0.496287	1.24E+12
0.526707	1.25E+12	12269600	2.08E-03	0.498683	1.24E+12
0.526946	1.25E+12	12259800	2.08E-03	0.498922	1.24E+12
0.529341	1.25E+12	12250000	2.09E-03	0.501317	1.24E+12
0.531737	1.25E+12	12240200	2.10E-03	0.503713	1.24E+12
0.534132	1.25E+12	12240200	2.11E-03	0.506108	1.24E+12
0.536527	1.25E+12	12230400	2.12E-03	0.508503	1.23E+12
0.538922	1.25E+12	12220600	2.13E-03	0.510898	1.23E+12
0.541317	1.25E+12	12210800	2.14E-03	0.513293	1.23E+12
0.543713	1.25E+12	12201000	2.15E-03	0.515689	1.23E+12
0.546108	1.24E+12	12191200	2.16E-03	0.518084	1.23E+12
0.548503	1.24E+12	12191200	2.17E-03	0.518563	1.23E+12
0.550898	1.24E+12	12181400	2.18E-03	0.520958	1.23E+12
0.553293	1.24E+12	12171600	2.19E-03	0.523353	1.23E+12
0.555689	1.24E+12	12161800	2.20E-03	0.525749	1.23E+12
0.558084	1.24E+12	12152000	2.21E-03	0.528144	1.23E+12
0.560479	1.24E+12	12142200	2.21E-03	0.52982	1.23E+12
0.562874	1.24E+12	12132400	2.22E-03	0.532216	1.22E+12
0.565269	1.24E+12	12122600	2.23E-03	0.534611	1.22E+12
0.567665	1.24E+12	12112800	2.24E-03	0.537006	1.22E+12
0.57006	1.24E+12	12103000	2.25E-03	0.539401	1.22E+12
0.572455	1.23E+12	12093200	2.26E-03	0.541796	1.22E+12
0.57485	1.23E+12	12083400	2.27E-03	0.544192	1.22E+12
0.577246	1.23E+12	12073600	2.28E-03	0.546587	1.22E+12
0.579641	1.23E+12	12063800	2.29E-03	0.548982	1.22E+12
0.582036	1.23E+12	12054000	2.30E-03	0.551377	1.22E+12
0.582994	1.23E+12	12054000	2.31E-03	0.552575	1.22E+12
0.585389	1.23E+12	12044200	2.32E-03	0.55497	1.22E+12

0.587784	1.23E+12	12034400	2.33E-03	0.557365	1.22E+12
0.59018	1.23E+12	12024600	2.34E-03	0.55976	1.22E+12
0.592575	1.23E+12	12014800	2.35E-03	0.562156	1.21E+12
0.59497	1.23E+12	12014800	2.36E-03	0.564551	1.21E+12
0.597365	1.23E+12	12005000	2.37E-03	0.566946	1.21E+12
0.598563	1.22E+12	11995200	2.38E-03	0.569341	1.21E+12
0.600958	1.22E+12	11985400	2.39E-03	0.571737	1.21E+12
0.603353	1.22E+12	11975600	2.40E-03	0.574132	1.21E+12
0.605749	1.22E+12	11965800	2.41E-03	0.576527	1.21E+12
0.606228	1.22E+12	11956000	2.42E-03	0.578922	1.21E+12
0.608623	1.22E+12	11956000	2.43E-03	0.581317	1.21E+12
0.611018	1.22E+12	11946200	2.44E-03	0.583713	1.21E+12
0.613413	1.22E+12	11936400	2.45E-03	0.586108	1.20E+12
0.615808	1.22E+12	11936400	2.45E-03	0.586587	1.20E+12
0.616048	1.22E+12	11926600	2.46E-03	0.588982	1.20E+12
0.618443	1.22E+12	11916800	2.47E-03	0.591377	1.20E+12
	0.00E+00	0	0.00E+00		0.00E+00
-0.00024	###	-16954	-1.00E-06	-0.00024	###
-0.000479	###	-33888.4	-2.00E-06	-0.000479	###
-0.000719	###	-50832.6	-3.00E-06	-0.000719	###

Curvature x 10-3 (1/m)

Case 2

Bending moment x 106 (kN-m)

000958
001198
001437
001677
001916
002156
002395
00479
007186
009581
011976
014371
016766
019162

-0.021557	###	-1524880	-9.00E-05	-0.021557	###
-0.023952	###	-1693440	-1.00E-04	-0.023952	###
-0.026347	###	-1862980	-1.10E-04	-0.026347	###
-0.028743	###	-2032520	-1.20E-04	-0.028743	###
-0.031138	###	-2202060	-1.30E-04	-0.031138	###
-0.033533	###	-2371600	-1.40E-04	-0.033533	###
-0.035928	###	-2541140	-1.50E-04	-0.035928	###
-0.038323	###	-2709700	-1.60E-04	-0.038323	###
-0.040719	###	-2879240	-1.70E-04	-0.040719	###
-0.043114	###	-3048780	-1.80E-04	-0.043114	###
-0.045509	###	-3218320	-1.90E-04	-0.045509	###
-0.047904	###	-3387860	-2.00E-04	-0.047904	###
-0.050299	###	-3556420	-2.10E-04	-0.050299	###
-0.052695	###	-3725960	-2.20E-04	-0.052695	###

-0.05509	###	-3895500	-2.30E-04	-0.05509	###
-0.057485	###	-4065040	-2.40E-04	-0.057485	###
-0.05988	###	-4233600	-2.50E-04	-0.05988	###
-0.062275	###	-4403140	-2.60E-04	-0.062275	###
-0.064671	###	-4572680	-2.70E-04	-0.064671	###
-0.067066	###	-4742220	-2.80E-04	-0.067066	###
-0.069461	###	-4910780	-2.90E-04	-0.069461	###
-0.071856	###	-5080320	-3.00E-04	-0.071856	###
-0.074251	###	-5249860	-3.10E-04	-0.074251	###
-0.076647	###	-5419400	-3.20E-04	-0.076647	###
-0.079042	###	-5587960	-3.30E-04	-0.079042	###
-0.081437	###	-5757500	-3.40E-04	-0.081437	###
-0.083832	###	-5927040	-3.50E-04	-0.083832	###
-0.086228	###	-6095600	-3.60E-04	-0.086228	###
-0.088623	###	-6265140	-3.70E-04	-0.088623	###
-0.091018	###	-6434680	-3.80E-04	-0.091018	###
-0.093413	###	-6603240	-3.90E-04	-0.093413	###
-0.095808	###	-6772780	-4.00E-04	-0.095808	###
-0.098204	###	-6941340	-4.10E-04	-0.098204	###
-0.100599	###	-7110880	-4.20E-04	-0.100599	###
-0.102994	###	-7279440	-4.30E-04	-0.102994	###
-0.105389	###	-7448980	-4.40E-04	-0.105389	###
-0.107784	###	-7617540	-4.50E-04	-0.107784	###
-0.11018	###	-7786100	-4.60E-04	-0.11018	###
-0.112575	###	-7954660	-4.70E-04	-0.112575	###
-0.11497	###	-8123220	-4.80E-04	-0.11497	###
-0.117365	###	-8291780	-4.90E-04	-0.117365	###
-0.11976	###	-8459360	-5.00E-04	-0.11976	###
-0.122156	###	-8627920	-5.10E-04	-0.122156	###
-0.124551	###	-8795500	-5.20E-04	-0.124551	###
-0.126946	###	-8962100	-5.30E-04	-0.126946	###
-0.129341	###	-9129680	-5.40E-04	-0.129341	###
-0.131737	###	-9296280	-5.50E-04	-0.131737	###
-0.134132	###	-9374680	-5.55E-04	-0.132886	###
-0.136527	###	-9541280	-5.65E-04	-0.135281	###
-0.138922	###	-9703960	-5.75E-04	-0.137677	###
-0.141317	###	-9858800	-5.85E-04	-0.140048	###
-0.14182	###	-9927400	-5.91E-04	-0.141509	###
-0.143114	###	-9956800	-5.95E-04	-0.142563	###
-0.144575	###	-9976400	-6.00E-04	-0.143784	###
-0.145772	###	-9986200	-6.05E-04	-0.144934	###
-0.147042	###	-9986200	-6.10E-04	-0.14606	###
-0.148862	###	-9986200	-6.16E-04	-0.147545	###
-0.150036	###	-9986200	-6.21E-04	-0.148743	###
-0.15121	###	-9986200	-6.26E-04	-0.149964	###
-0.152838	###	-9976400	-6.33E-04	-0.151545	###
-0.153868	###	-9976400	-6.39E-04	-0.153126	###
-0.155042	###	-9966600	-6.48E-04	-0.15521	###

-0.157437	###	-9956800	-6.55E-04	-0.156862	###
-0.157461	###	-9937200	-6.61E-04	-0.158299	###
-0.158563	###	-9917600	-6.67E-04	-0.159784	###
-0.160958	###	-9898000	-6.73E-04	-0.161126	###
-0.162371	###	-9858800	-6.83E-04	-0.163521	###
-0.164216	###	-9858800	-6.86E-04	-0.164192	###
-0.166611	###	-9819600	-6.96E-04	-0.166587	###
-0.169006	###	-9819600	-6.98E-04	-0.167186	###
-0.169461	###	-9795100	-7.05E-04	-0.168814	###
-0.171856	###	-9777460	-7.11E-04	-0.170204	###
-0.173653	###	-9754920	-7.17E-04	-0.171784	###
-0.176048	###	-9725520	-7.27E-04	-0.17418	###
-0.176862	###	-9705920	-7.34E-04	-0.175856	###
-0.178922	###	-9679460	-7.44E-04	-0.178251	###
-0.181317	###	-9653980	-7.54E-04	-0.180647	###
-0.183713	###	-9640260	-7.60E-04	-0.18206	###
-0.183856	###	-9623600	-7.68E-04	-0.183928	###
-0.18606	###	-9602040	-7.78E-04	-0.186323	###
-0.188455	###	-9598120	-7.80E-04	-0.186778	###
-0.189317	###	-9576560	-7.90E-04	-0.189174	###
-0.191713	###	-9575580	-7.91E-04	-0.189365	###
-0.194108	###	-9555000	-8.01E-04	-0.19176	###
-0.195281	###	-9536380	-8.11E-04	-0.194156	###
-0.197677	###	-9532460	-8.13E-04	-0.194707	###
-0.199162	###	-9512860	-8.23E-04	-0.197102	###
-0.201557	###	-9503060	-8.27E-04	-0.198132	###
-0.203329	###	-9492280	-8.32E-04	-0.199281	###
-0.205725	###	-9471700	-8.42E-04	-0.201677	###
-0.20709	###	-9466800	-8.44E-04	-0.202251	###
-0.208695	###	-9447200	-8.54E-04	-0.204647	###
-0.21109	###	-9427600	-8.64E-04	-0.207042	###
-0.213485	###	-9424660	-8.66E-04	-0.207425	###
-0.21588	###	-9404080	-8.76E-04	-0.20982	###
-0.218275	###	-9383500	-8.86E-04	-0.212216	###
-0.220671	###	-9365860	-8.96E-04	-0.214611	###
-0.222036	###	-9359000	-9.00E-04	-0.215569	###
-0.224431	###	-9346260	-9.07E-04	-0.217317	###
-0.226826	###	-9329600	-9.17E-04	-0.219713	###
-0.229222	###	-9314900	-9.27E-04	-0.222108	###
-0.231617	###	-9312940	-9.28E-04	-0.222371	###
-0.234012	###	-9299220	-9.37E-04	-0.224479	###
-0.236407	###	-9283540	-9.47E-04	-0.226874	###
-0.237078	###	-9280600	-9.49E-04	-0.227281	###
-0.239473	###	-9269820	-9.56E-04	-0.229006	###
-0.23976	###	-9255120	-9.66E-04	-0.231401	###
-0.242156	###	-9242380	-9.75E-04	-0.233629	###
-0.242156	###	-9229640	-9.84E-04	-0.235641	###
-0.244551	###	-9214940	-9.94E-04	-0.238036	###


-0.246946	###	-9203180	-1.00E-03	-0.24	###
-0.249341	###	-9189460	-1.01E-03	-0.242395	###
-0.250299	###	-9175740	-1.02E-03	-0.24479	###
-0.252695	###	-9175740	-1.02E-03	-0.24479	###
-0.25509	###	-9163000	-1.03E-03	-0.247186	###
-0.255329	###	-9150260	-1.04E-03	-0.249581	###
-0.257725	###	-9138500	-1.05E-03	-0.251976	###
-0.26012	###	-9129680	-1.06E-03	-0.253653	###
-0.262515	###	-9116940	-1.07E-03	-0.256048	###
-0.26491	###	-9114000	-1.07E-03	-0.256766	###
-0.265389	###	-9102240	-1.08E-03	-0.259162	###
-0.267784	###	-9100280	-1.08E-03	-0.259641	###
-0.268024	###	-9086560	-1.09E-03	-0.262036	###
-0.270419	###	-9073820	-1.10E-03	-0.264431	###
-0.272814	###	-9061080	-1.11E-03	-0.266826	###
-0.27521	###	-9055200	-1.12E-03	-0.268024	###
-0.276647	###	-9042460	-1.13E-03	-0.270419	###
-0.279042	###	-9033640	-1.14E-03	-0.271856	###
-0.281437	###	-9021880	-1.15E-03	-0.274251	###
-0.283832	###	-9014040	-1.15E-03	-0.275928	###
-0.285509	###	-9001300	-1.16E-03	-0.278323	###
-0.287904	###	-8988560	-1.17E-03	-0.280719	###
-0.290299	###	-8988560	-1.17E-03	-0.280719	###
-0.291737	###	-8975820	-1.18E-03	-0.283114	###
-0.294132	###	-8967980	-1.19E-03	-0.284551	###
-0.296527	###	-8954260	-1.20E-03	-0.286707	###
-0.298922	###	-8939560	-1.21E-03	-0.289102	###
-0.301317	###	-8924860	-1.22E-03	-0.291497	###
-0.303713	###	-8921920	-1.22E-03	-0.291976	###
-0.306108	###	-8907220	-1.23E-03	-0.294371	###
-0.306347	###	-8892520	-1.24E-03	-0.296766	###
-0.308743	###	-8877820	-1.25E-03	-0.299162	###
-0.311138	###	-8870960	-1.25E-03	-0.300359	###
-0.313533	###	-8856260	-1.26E-03	-0.302754	###
-0.315928	###	-8840580	-1.27E-03	-0.30515	###
-0.318323	###	-8825880	-1.28E-03	-0.307545	###
-0.319521	###	-8811180	-1.29E-03	-0.30994	###
-0.321916	###	-8796480	-1.30E-03	-0.312096	###
-0.324311	###	-8779820	-1.31E-03	-0.314491	###
-0.326707	###	-8763160	-1.32E-03	-0.316886	###
-0.329102	###	-8746500	-1.33E-03	-0.319281	###
-0.331497	###	-8743560	-1.34E-03	-0.31976	###
-0.333892	###	-8724940	-1.35E-03	-0.322156	###
-0.336287	###	-8707300	-1.36E-03	-0.324551	###
-0.338683	###	-8690640	-1.37E-03	-0.326946	###
-0.341078	###	-8673980	-1.38E-03	-0.329341	###
-0.341557	###	-8656340	-1.39E-03	-0.331737	###
-0.343952	###	-8652420	-1.39E-03	-0.332216	###

-0.346347	###	-8635760	-1.40E-03	-0.334611	###
-0.348743	###	-8628900	-1.40E-03	-0.335569	###
-0.349222	###	-8611260	-1.41E-03	-0.337964	###
-0.351617	###	-8594600	-1.42E-03	-0.340359	###
-0.351856	###	-8582840	-1.43E-03	-0.342036	###
-0.354251	###	-8567160	-1.44E-03	-0.344431	###
-0.356647	###	-8561280	-1.44E-03	-0.34515	###
-0.359042	###	-8543640	-1.45E-03	-0.347545	###
-0.361437	###	-8531880	-1.46E-03	-0.349222	###
-0.363832	###	-8514240	-1.47E-03	-0.351617	###
-0.366228	###	-8505420	-1.47E-03	-0.352814	###
-0.368623	###	-8487780	-1.48E-03	-0.35521	###
-0.371018	###	-8471120	-1.49E-03	-0.357605	###
-0.373413	###	-8455440	-1.50E-03	-0.35976	###
-0.37509	###	-8437800	-1.51E-03	-0.362156	###
-0.377485	###	-8420160	-1.52E-03	-0.364551	###
-0.37988	###	-8403500	-1.53E-03	-0.366946	###
-0.382275	###	-8386840	-1.54E-03	-0.369341	###
-0.384671	###	-8374100	-1.55E-03	-0.371257	###
-0.384671	###	-8357440	-1.56E-03	-0.373653	###
-0.387066	###	-8339800	-1.57E-03	-0.376048	###
-0.389461	###	-8323140	-1.58E-03	-0.378443	###
-0.391856	###	-8306480	-1.59E-03	-0.380838	###
-0.392096	###	-8297660	-1.60E-03	-0.382036	###
-0.394491	###	-8281000	-1.61E-03	-0.384431	###
-0.395928	###	-8272180	-1.61E-03	-0.385629	###
-0.398323	###	-8255520	-1.62E-03	-0.388024	###
-0.400719	###	-8246700	-1.63E-03	-0.389222	###
-0.403114	###	-8230040	-1.64E-03	-0.391617	###
-0.405509	###	-8226120	-1.64E-03	-0.392335	###
-0.407904	###	-8209460	-1.65E-03	-0.394731	###
-0.410299	###	-8193780	-1.66E-03	-0.397126	###
-0.412695	###	-8178100	-1.67E-03	-0.399521	###
-0.41509	###	-8161440	-1.68E-03	-0.401916	###
-0.417485	###	-8145760	-1.69E-03	-0.404311	###
-0.418922	###	-8130080	-1.70E-03	-0.406707	###
-0.421317	###	-8115380	-1.71E-03	-0.409102	###
-0.423713	###	-8099700	-1.72E-03	-0.411497	###
-0.426108	###	-8085000	-1.73E-03	-0.413892	###
-0.428503	###	-8069320	-1.74E-03	-0.416287	###
-0.430898	###	-8064420	-1.74E-03	-0.417246	###
-0.430898	###	-8049720	-1.75E-03	-0.419641	###
-0.433293	###	-8047760	-1.75E-03	-0.41988	###
-0.435689	###	-8033060	-1.76E-03	-0.422275	###
-0.438084	###	-8018360	-1.77E-03	-0.424671	###
-0.440479	###	-8003660	-1.78E-03	-0.427066	###
-0.442395	###	-7989940	-1.79E-03	-0.429461	###
-0.44479	###	-7975240	-1.80E-03	-0.431856	###

-0.447186	###	-7961520	-1.81E-03	-0.434012	###
-0.449581	###	-7945840	-1.82E-03	-0.436407	###
-0.451976	###	-7931140	-1.83E-03	-0.438802	###
-0.454371	###	-7916440	-1.84E-03	-0.441198	###
-0.456766	###	-7901740	-1.85E-03	-0.443593	###
-0.459162	###	-7887040	-1.86E-03	-0.445988	###
-0.461317	###	-7871360	-1.87E-03	-0.448383	###
-0.463713	###	-7856660	-1.88E-03	-0.450778	###
-0.466108	###	-7841960	-1.89E-03	-0.453174	###
-0.468503	###	-7828240	-1.90E-03	-0.455569	###
-0.470898	###	-7819420	-1.91E-03	-0.457006	###
-0.473293	###	-7804720	-1.92E-03	-0.459401	###
-0.475689	###	-7791000	-1.93E-03	-0.461796	###
-0.478084	###	-7777280	-1.94E-03	-0.464192	###
-0.480479	###	-7767480	-1.95E-03	-0.466108	###
-0.482874	###	-7753760	-1.96E-03	-0.468503	###
-0.483832	###	-7741020	-1.97E-03	-0.470898	###
-0.486228	###	-7737100	-1.97E-03	-0.471377	###
-0.488623	###	-7723380	-1.98E-03	-0.473772	###
-0.491018	###	-7710640	-1.99E-03	-0.476168	###
-0.492934	###	-7696920	-2.00E-03	-0.478563	###
-0.495329	###	-7684180	-2.01E-03	-0.480958	###
-0.497725	###	-7670460	-2.02E-03	-0.483353	###
-0.50012	###	-7667520	-2.02E-03	-0.484072	###
-0.50012	###	-7653800	-2.03E-03	-0.486467	###
-0.502515	###	-7640080	-2.04E-03	-0.488862	###
-0.50491	###	-7626360	-2.05E-03	-0.491257	###
-0.507305	###	-7613620	-2.06E-03	-0.493653	###
-0.507784	###	-7608720	-2.07E-03	-0.494611	###
-0.51018	###	-7595980	-2.08E-03	-0.497006	###
-0.512575	###	-7583240	-2.09E-03	-0.499401	###
-0.51497	###	-7570500	-2.10E-03	-0.501796	###
-0.517365	###	-7560700	-2.10E-03	-0.503713	###
-0.51976	###	-7547960	-2.11E-03	-0.506108	###
-0.522156	###	-7535220	-2.12E-03	-0.508503	###
-0.524551	###	-7523460	-2.13E-03	-0.510898	###
-0.526946	###	-7510720	-2.14E-03	-0.513293	###
-0.529341	###	-7498960	-2.15E-03	-0.515689	###
-0.530539	###	-7487200	-2.16E-03	-0.518084	###
-0.532934	###	-7474460	-2.17E-03	-0.520479	###
-0.535329	###	-7470540	-2.18E-03	-0.521198	###
-0.537725	###	-7458780	-2.19E-03	-0.523593	###
-0.54012	###	-7447020	-2.20E-03	-0.525988	###
-0.540599	###	-7436240	-2.21E-03	-0.528383	###
-0.542994	###	-7424480	-2.22E-03	-0.530778	###
-0.545389	###	-7413700	-2.23E-03	-0.533174	###
-0.546347	###	-7401940	-2.24E-03	-0.535569	###
-0.548743	###	-7391160	-2.25E-03	-0.537964	###

-0.551138	### -7382340 -2.25E-03 -0.53988	###
-0.553533	### -7371560 -2.26E-03 -0.542275	###
-0.555928	### -7359800 -2.27E-03 -0.544671	###
-0.558323	### -7349020 -2.28E-03 -0.547066	###
-0.560719	### -7338240 -2.29E-03 -0.549461	###
-0.563114	### -7326480 -2.30E-03 -0.551856	###
-0.563832	### -7315700 -2.31E-03 -0.554251	###
-0.566228	### -7313740 -2.32E-03 -0.554731	###
-0.568623	### -7302960 -2.33E-03 -0.557126	###
-0.571018	### -7291200 -2.34E-03 -0.559521	###
-0.573413	### -7288260 -2.34E-03 -0.560479	###
-0.575808	### -7276500 -2.35E-03 -0.562874	###
-0.578204	### -7265720 -2.36E-03 -0.565269	###
-0.580599	### -7254940 -2.37E-03 -0.567665	###
-0.582994	### -7244160 -2.38E-03 -0.57006	###
-0.585389	### -7233380 -2.39E-03 -0.572455	###
-0.587545	### -7222600 -2.40E-03 -0.57485	###
-0.58994	### -7212800 -2.41E-03 -0.577246	###
-0.592335	### -7202020 -2.42E-03 -0.579641	###
-0.594731	### -7192220 -2.43E-03 -0.582036	###
-0.597126	### -7181440 -2.44E-03 -0.584431	###
-0.599521	### -7181440 -2.44E-03 -0.584431	###
-0.601916	### -7171640 -2.45E-03 -0.586826	###
-0.604311	### -7164780 -2.46E-03 -0.588263	###
-0.606707	### -7154000 -2.47E-03 -0.590659	###
-0.609102	### -7148120 -2.47E-03 -0.591856	###
-0.611497	### -7137340 -2.48E-03 -0.594251	###
-0.613892	### -7126560 -2.49E-03 -0.596647	###

Tanker (T4) Idchk = 1			Tanker (T4) Idchk = 2			
70% outer shell damage			70% outer shell damage			
4.175	9.80E-06	1000	frame space	4.175	9.80E-06	1000
Rotation		Curvature	Moment	Rotation		Curvature
17042.2	1.00E-06	0.00024	1.73E+09	16914.8	1.00E-06	0.00024
34084.4	2.00E-06	0.000479	3.45E+09	33829.6	2.00E-06	0.000479
51116.8	3.00E-06	0.000719	5.18E+09	50744.4	3.00E-06	0.000719



3748500	2.20E-04	0.052695	3.80E+11	3721060	2.20E-04	0.052695
3919020	2.30E-04	0.05509	3.97E+11	3889620	2.30E-04	0.05509
4089540	2.40E-04	0.057485	4.14E+11	4059160	2.40E-04	0.057485
4260060	2.50E-04	0.05988	4.31E+11	4227720	2.50E-04	0.05988
4429600	2.60E-04	0.062275	4.49E+11	4397260	2.60E-04	0.062275
4600120	2.70E-04	0.064671	4.66E+11	4566800	2.70E-04	0.064671
4770640	2.80E-04	0.067066	4.83E+11	4735360	2.80E-04	0.067066
4941160	2.90E-04	0.069461	5.01E+11	4904900	2.90E-04	0.069461
5111680	3.00E-04	0.071856	5.18E+11	5073460	3.00E-04	0.071856
5282200	3.10E-04	0.074251	5.35E+11	5243000	3.10E-04	0.074251
5452720	3.20E-04	0.076647	5.52E+11	5411560	3.20E-04	0.076647
5622260	3.30E-04	0.079042	5.70E+11	5581100	3.30E-04	0.079042
5792780	3.40E-04	0.081437	5.87E+11	5750640	3.40E-04	0.081437

5963300	3.50E-04	0.083832	6.04E+11	5919200	3.50E-04	0.083832
6133820	3.60E-04	0.086228	6.21E+11	6088740	3.60E-04	0.086228
6304340	3.70E-04	0.088623	6.39E+11	6257300	3.70E-04	0.088623
6474860	3.80E-04	0.091018	6.56E+11	6426840	3.80E-04	0.091018
6644400	3.90E-04	0.093413	6.73E+11	6595400	3.90E-04	0.093413
6814920	4.00E-04	0.095808	6.90E+11	6764940	4.00E-04	0.095808
6985440	4.10E-04	0.098204	7.08E+11	6934480	4.10E-04	0.098204
7155960	4.20E-04	0.100599	7.25E+11	7103040	4.20E-04	0.100599
7326480	4.30E-04	0.102994	7.42E+11	7272580	4.30E-04	0.102994
7497000	4.40E-04	0.105389	7.59E+11	7441140	4.40E-04	0.105389
7667520	4.50E-04	0.107784	7.77E+11	7610680	4.50E-04	0.107784
7837060	4.60E-04	0.11018	7.94E+11	7779240	4.60E-04	0.11018
8007580	4.70E-04	0.112575	8.11E+11	7948780	4.70E-04	0.112575
8178100	4.80E-04	0.11497	8.28E+11	8118320	4.80E-04	0.11497
8348620	4.90E-04	0.117365	8.46E+11	8286880	4.90E-04	0.117365
8519140	5.00E-04	0.11976	8.63E+11	8456420	5.00E-04	0.11976
8689660	5.10E-04	0.122156	8.80E+11	8624980	5.10E-04	0.122156
8860180	5.20E-04	0.124551	8.97E+11	8794520	5.20E-04	0.124551
9029720	5.30E-04	0.126946	9.15E+11	8963080	5.30E-04	0.126946
9200240	5.40E-04	0.129341	9.32E+11	9132620	5.40E-04	0.129341
9370760	5.50E-04	0.131737	9.49E+11	9301180	5.50E-04	0.131737
9541280	5.60E-04	0.134132	9.66E+11	9470720	5.60E-04	0.134132
9711800	5.70E-04	0.136527	9.84E+11	9640260	5.70E-04	0.136527
9878400	5.80E-04	0.138922	1.00E+12	9809800	5.80E-04	0.138922
10054800	5.90E-04	0.141317	1.02E+12	9976400	5.90E-04	0.141317
10221400	6.00E-04	0.143713	1.04E+12	10143000	6.00E-04	0.143713
10397800	6.10E-04	0.146108	1.05E+12	10319400	6.10E-04	0.146108
10564400	6.20E-04	0.148503	1.07E+12	10486000	6.20E-04	0.148503
10731000	6.30E-04	0.150898	1.09E+12	10652600	6.30E-04	0.150898
10907400	6.40E-04	0.153293	1.10E+12	10731000	6.35E-04	0.151976
11074000	6.50E-04	0.155689	1.11E+12	10848600	6.41E-04	0.153605
11162200	6.55E-04	0.156886	1.12E+12	10927000	6.47E-04	0.154994
11279800	6.63E-04	0.158683	1.12E+12	11015200	6.55E-04	0.156814
11377800	6.70E-04	0.160503	1.14E+12	11123000	6.64E-04	0.15897
11475800	6.78E-04	0.162299	1.14E+12	11211200	6.72E-04	0.160886
11554200	6.85E-04	0.164072	1.15E+12	11299400	6.80E-04	0.162874
11613000	6.92E-04	0.165629	1.16E+12	11368000	6.86E-04	0.164359
11652200	6.97E-04	0.167018	1.17E+12	11426800	6.93E-04	0.165988
11701200	7.04E-04	0.168575	1.17E+12	11505200	7.01E-04	0.167976
11779600	7.14E-04	0.17097	1.18E+12	11564000	7.08E-04	0.169533
11858000	7.24E-04	0.173365	1.19E+12	11632600	7.16E-04	0.171521
11858000	7.25E-04	0.173533	1.20E+12	11711000	7.26E-04	0.173772
11926600	7.35E-04	0.175928	1.20E+12	11779600	7.36E-04	0.176168
11995200	7.45E-04	0.178323	1.20E+12	11779600	7.36E-04	0.176168
12054000	7.55E-04	0.180719	1.21E+12	11838400	7.44E-04	0.178156
12122600	7.65E-04	0.183114	1.21E+12	11887400	7.52E-04	0.18
12142200	7.68E-04	0.183976	1.22E+12	11936400	7.62E-04	0.182395
12201000	7.78E-04	0.186371	1.22E+12	11946200	7.63E-04	0.182635


12269600	7.88E-04	0.188766	1.22E+12	11995200	7.73E-04	0.18503
12328400	7.98E-04	0.191162	1.23E+12	12024600	7.77E-04	0.186156
12387200	8.08E-04	0.193557	1.23E+12	12054000	7.84E-04	0.187737
12446000	8.18E-04	0.195952	1.24E+12	12103000	7.93E-04	0.189988
12446000	8.18E-04	0.195952	1.24E+12	12142200	8.01E-04	0.191928
12495000	8.28E-04	0.198347	1.24E+12	12181400	8.11E-04	0.194323
12544000	8.38E-04	0.200743	1.24E+12	12191200	8.13E-04	0.194731
12583200	8.46E-04	0.202707	1.25E+12	12230400	8.23E-04	0.197126
12602800	8.55E-04	0.20479	1.25E+12	12259800	8.30E-04	0.198683
12622400	8.65E-04	0.207186	1.26E+12	12299000	8.40E-04	0.201078
12642000	8.69E-04	0.20812	1.26E+12	12299000	8.40E-04	0.201078
12671400	8.79E-04	0.210515	1.26E+12	12338200	8.50E-04	0.203473
12681200	8.81E-04	0.211018	1.26E+12	12377400	8.59E-04	0.205844
12710600	8.91E-04	0.213413	1.27E+12	12406800	8.69E-04	0.20824
12730200	8.98E-04	0.215114	1.27E+12	12416600	8.71E-04	0.208719
12759600	9.08E-04	0.217437	1.27E+12	12446000	8.81E-04	0.211114
12789000	9.18E-04	0.219832	1.27E+12	12475400	8.89E-04	0.213006
12818400	9.28E-04	0.222204	1.28E+12	12504800	8.99E-04	0.215401
12838000	9.38E-04	0.224599	1.28E+12	12524400	9.05E-04	0.216719
12857600	9.43E-04	0.225964	1.28E+12	12553800	9.15E-04	0.219114
12887000	9.53E-04	0.228359	1.28E+12	12583200	9.22E-04	0.220766
12906600	9.63E-04	0.230754	1.29E+12	12602800	9.31E-04	0.222922
12926200	9.73E-04	0.23315	1.29E+12	12632200	9.41E-04	0.225317
12955600	9.83E-04	0.235545	1.29E+12	12642000	9.43E-04	0.225892
12955600	9.85E-04	0.236	1.29E+12	12661600	9.53E-04	0.228287
12975200	9.95E-04	0.238395	1.30E+12	12691000	9.63E-04	0.230683
12975200	9.96E-04	0.238467	1.30E+12	12700800	9.70E-04	0.232263
12994800	1.01E-03	0.240958	1.30E+12	12730200	9.80E-04	0.234659
13014400	1.02E-03	0.243353	1.30E+12	12740000	9.87E-04	0.236335
13043800	1.03E-03	0.245749	1.30E+12	12769400	9.97E-04	0.238731
13063400	1.04E-03	0.248144	1.31E+12	12789000	1.00E-03	0.240479
13063400	1.04E-03	0.248383	1.31E+12	12808600	1.01E-03	0.242874
13083000	1.05E-03	0.250778	1.31E+12	12828200	1.02E-03	0.245269
13102600	1.06E-03	0.253174	1.31E+12	12838000	1.03E-03	0.245988
13122200	1.07E-03	0.255569	1.31E+12	12857600	1.04E-03	0.248383
13141800	1.08E-03	0.257964	1.31E+12	12867400	1.05E-03	0.250778
13151600	1.09E-03	0.260359	1.32E+12	12887000	1.06E-03	0.253174
13161400	1.09E-03	0.261557	1.32E+12	12887000	1.06E-03	0.253413
13181000	1.10E-03	0.263952	1.32E+12	12906600	1.07E-03	0.255808
13190800	1.11E-03	0.266347	1.32E+12	12906600	1.07E-03	0.255808
13210400	1.12E-03	0.268743	1.32E+12	12926200	1.08E-03	0.258204
13230000	1.13E-03	0.271138	1.32E+12	12926200	1.08E-03	0.258922
13230000	1.13E-03	0.271617	1.32E+12	12936000	1.09E-03	0.261317
13249600	1.14E-03	0.274012	1.32E+12	12945800	1.10E-03	0.263234
13249600	1.15E-03	0.27521	1.32E+12	12955600	1.11E-03	0.265629
13269200	1.16E-03	0.277605	1.32E+12	12965400	1.11E-03	0.266587
13269200	1.17E-03	0.279521	1.32E+12	12975200	1.12E-03	0.268982
13288800	1.18E-03	0.281916	1.32E+12	12975200	1.13E-03	0.26994

13288800	1.19E-03	0.284311	1.33E+12	12985000	1.14E-03	0.272335
13298600	1.20E-03	0.286707	1.33E+12	12985000	1.14E-03	0.272814
13308400	1.21E-03	0.289102	1.33E+12	12994800	1.15E-03	0.27521
13308400	1.22E-03	0.291497	1.33E+12	12994800	1.15E-03	0.275928
13318200	1.23E-03	0.293892	1.33E+12	13004600	1.16E-03	0.278323
13318200	1.24E-03	0.296287	1.33E+12	13004600	1.17E-03	0.279042
13318200	1.24E-03	0.297725	1.33E+12	13004600	1.18E-03	0.281437
13308400	1.25E-03	0.29988	1.33E+12	13004600	1.18E-03	0.282395
13298600	1.26E-03	0.302275	1.33E+12	13014400	1.19E-03	0.28479
13288800	1.27E-03	0.303473	1.33E+12	13014400	1.20E-03	0.287186
13269200	1.28E-03	0.305868	1.33E+12	13014400	1.21E-03	0.289581
13269200	1.28E-03	0.306347	1.33E+12	13014400	1.22E-03	0.291976
13249600	1.29E-03	0.308743	1.33E+12	13014400	1.22E-03	0.291976
13239800	1.30E-03	0.311138	1.33E+12	13024200	1.23E-03	0.294371
13239800	1.31E-03	0.313533	1.33E+12	13024200	1.24E-03	0.296766
13230000	1.32E-03	0.315928	1.33E+12	13024200	1.25E-03	0.299162
13230000	1.33E-03	0.318323	1.33E+12	13024200	1.26E-03	0.301317
13220200	1.34E-03	0.320719	1.33E+12	13024200	1.27E-03	0.303713
13220200	1.35E-03	0.323114	1.33E+12	13024200	1.28E-03	0.305629
13220200	1.36E-03	0.325269	1.33E+12	13024200	1.29E-03	0.308024
13210400	1.37E-03	0.327665	1.33E+12	13024200	1.29E-03	0.308982
13210400	1.38E-03	0.33006	1.33E+12	13024200	1.30E-03	0.311377
13200600	1.38E-03	0.330539	1.33E+12	13024200	1.31E-03	0.313054
13200600	1.39E-03	0.332934	1.33E+12	13024200	1.32E-03	0.315449
13190800	1.40E-03	0.335329	1.33E+12	13014400	1.33E-03	0.317365
13181000	1.40E-03	0.336048	1.33E+12	13014400	1.34E-03	0.31976
13171200	1.41E-03	0.338443	1.33E+12	13014400	1.35E-03	0.322156
13151600	1.42E-03	0.340838	1.33E+12	13014400	1.35E-03	0.322395
13141800	1.43E-03	0.343234	1.33E+12	13004600	1.36E-03	0.32479
13112400	1.44E-03	0.345629	1.33E+12	13004600	1.36E-03	0.326707
13112400	1.44E-03	0.345868	1.33E+12	12994800	1.37E-03	0.329102
13092800	1.45E-03	0.348263	1.33E+12	12994800	1.38E-03	0.329581
13083000	1.46E-03	0.348982	1.33E+12	12994800	1.39E-03	0.331976
13063400	1.47E-03	0.351377	1.33E+12	12985000	1.40E-03	0.334371
13043800	1.48E-03	0.353772	1.33E+12	12985000	1.40E-03	0.334611
13043800	1.48E-03	0.354012	1.33E+12	12985000	1.41E-03	0.337006
13034000	1.49E-03	0.356407	1.33E+12	12985000	1.41E-03	0.337246
13024200	1.49E-03	0.356886	1.32E+12	12975200	1.42E-03	0.339641
13014400	1.50E-03	0.359281	1.32E+12	12975200	1.43E-03	0.342036
13004600	1.51E-03	0.360479	1.32E+12	12965400	1.44E-03	0.343713
12985000	1.52E-03	0.362874	1.32E+12	12955600	1.45E-03	0.346108
12975200	1.53E-03	0.365269	1.32E+12	12955600	1.45E-03	0.346347
12955600	1.54E-03	0.367665	1.32E+12	12945800	1.46E-03	0.348743
12955600	1.54E-03	0.368383	1.32E+12	12945800	1.46E-03	0.34994
12945800	1.55E-03	0.370778	1.32E+12	12926200	1.47E-03	0.352335
12926200	1.56E-03	0.373174	1.32E+12	12926200	1.47E-03	0.352335
12916400	1.57E-03	0.375569	1.32E+12	12916400	1.48E-03	0.354731
12906600	1.58E-03	0.377964	1.32E+12	12916400	1.49E-03	0.355689

12896800	1.59E-03	0.380359	1.32E+12	12906600	1.50E-03	0.358084
12887000	1.60E-03	0.382754	1.32E+12	12896800	1.50E-03	0.358802
12877200	1.61E-03	0.38515	1.32E+12	12887000	1.51E-03	0.361198
12867400	1.62E-03	0.387545	1.31E+12	12877200	1.52E-03	0.363593
12857600	1.63E-03	0.38994	1.31E+12	12877200	1.52E-03	0.363593
12847800	1.64E-03	0.392335	1.31E+12	12867400	1.53E-03	0.365988
12838000	1.65E-03	0.394731	1.31E+12	12847800	1.54E-03	0.368383
12828200	1.66E-03	0.397126	1.31E+12	12838000	1.55E-03	0.37006
12818400	1.67E-03	0.399281	1.31E+12	12828200	1.56E-03	0.372455
12808600	1.68E-03	0.401677	1.31E+12	12828200	1.56E-03	0.372934
12789000	1.69E-03	0.404072	1.31E+12	12808600	1.57E-03	0.375329
12779200	1.70E-03	0.406467	1.31E+12	12798800	1.58E-03	0.377725
12769400	1.71E-03	0.408862	1.30E+12	12779200	1.59E-03	0.38012
12759600	1.72E-03	0.410778	1.30E+12	12779200	1.59E-03	0.381557
12749800	1.73E-03	0.413174	1.30E+12	12759600	1.60E-03	0.383952
12740000	1.74E-03	0.415569	1.30E+12	12749800	1.61E-03	0.384671
12730200	1.75E-03	0.417964	1.30E+12	12730200	1.62E-03	0.387066
12720400	1.75E-03	0.418683	1.30E+12	12720400	1.63E-03	0.389461
12710600	1.76E-03	0.421078	1.30E+12	12720400	1.63E-03	0.389701
12700800	1.77E-03	0.423473	1.30E+12	12700800	1.64E-03	0.392096
12691000	1.78E-03	0.425868	1.30E+12	12691000	1.64E-03	0.393772
12681200	1.79E-03	0.428263	1.29E+12	12671400	1.65E-03	0.396168
12681200	1.79E-03	0.428503	1.29E+12	12671400	1.65E-03	0.396168
12671400	1.80E-03	0.430898	1.29E+12	12661600	1.66E-03	0.398323
12661600	1.81E-03	0.433293	1.29E+12	12651800	1.67E-03	0.400719
12651800	1.82E-03	0.435689	1.29E+12	12642000	1.68E-03	0.401677
12642000	1.83E-03	0.438084	1.29E+12	12632200	1.69E-03	0.403593
12632200	1.84E-03	0.440479	1.29E+12	12622400	1.70E-03	0.405988
12622400	1.84E-03	0.440958	1.29E+12	12602800	1.71E-03	0.408383
12612600	1.85E-03	0.443353	1.29E+12	12593000	1.72E-03	0.410778
12602800	1.86E-03	0.445749	1.28E+12	12573400	1.73E-03	0.413174
12583200	1.87E-03	0.448144	1.28E+12	12563600	1.73E-03	0.415329
12573400	1.88E-03	0.450539	1.28E+12	12553800	1.74E-03	0.417725
12563600	1.89E-03	0.452934	1.28E+12	12544000	1.75E-03	0.42012
12553800	1.90E-03	0.455329	1.28E+12	12534200	1.76E-03	0.422515
12544000	1.91E-03	0.457725	1.28E+12	12514600	1.77E-03	0.42491
12524400	1.92E-03	0.46012	1.28E+12	12514600	1.78E-03	0.425389
12514600	1.93E-03	0.462515	1.28E+12	12504800	1.79E-03	0.427784
12504800	1.94E-03	0.46491	1.28E+12	12495000	1.80E-03	0.42994
12485200	1.95E-03	0.467305	1.27E+12	12485200	1.81E-03	0.432335
12475400	1.96E-03	0.469701	1.27E+12	12475400	1.82E-03	0.434731
12475400	1.97E-03	0.470898	1.27E+12	12475400	1.82E-03	0.43521
12455800	1.98E-03	0.473293	1.27E+12	12465600	1.83E-03	0.437605
12446000	1.99E-03	0.475689	1.27E+12	12455800	1.84E-03	0.44
12446000	1.99E-03	0.476886	1.27E+12	12446000	1.85E-03	0.442395
12436200	2.00E-03	0.479281	1.27E+12	12446000	1.85E-03	0.443593
12426400	2.01E-03	0.480479	1.27E+12	12436200	1.86E-03	0.445988
12416600	2.02E-03	0.482874	1.27E+12	12426400	1.87E-03	0.448383

12406800	2.03E-03	0.485269	1.27E+12	12416600	1.88E-03	0.450778
12387200	2.04E-03	0.487665	1.27E+12	12406800	1.89E-03	0.453174
12377400	2.05E-03	0.49006	1.27E+12	12406800	1.90E-03	0.455569
12367600	2.06E-03	0.492455	1.27E+12	12397000	1.91E-03	0.456527
12357800	2.07E-03	0.49485	1.26E+12	12387200	1.92E-03	0.458922
12338200	2.08E-03	0.497246	1.26E+12	12387200	1.92E-03	0.460359
12328400	2.09E-03	0.499641	1.26E+12	12377400	1.93E-03	0.462754
12308800	2.10E-03	0.502036	1.26E+12	12367600	1.94E-03	0.46515
12308800	2.10E-03	0.503234	1.26E+12	12357800	1.95E-03	0.467545
12289200	2.11E-03	0.505629	1.26E+12	12357800	1.95E-03	0.468024
12279400	2.12E-03	0.508024	1.26E+12	12348000	1.96E-03	0.470419
12259800	2.13E-03	0.510419	1.26E+12	12338200	1.97E-03	0.472814
12250000	2.14E-03	0.512096	1.26E+12	12328400	1.98E-03	0.47521
12240200	2.15E-03	0.514491	1.26E+12	12328400	1.99E-03	0.475449
12230400	2.16E-03	0.516886	1.26E+12	12318600	2.00E-03	0.477844
12220600	2.17E-03	0.519281	1.26E+12	12318600	2.00E-03	0.478323
12210800	2.17E-03	0.520719	1.26E+12	12308800	2.01E-03	0.480719
12201000	2.18E-03	0.523114	1.26E+12	12299000	2.02E-03	0.483114
12181400	2.19E-03	0.525509	1.25E+12	12289200	2.03E-03	0.485509
12171600	2.20E-03	0.527904	1.25E+12	12279400	2.04E-03	0.487904
12161800	2.21E-03	0.530299	1.25E+12	12269600	2.05E-03	0.490299
12152000	2.22E-03	0.532695	1.25E+12	12269600	2.05E-03	0.491018
12132400	2.23E-03	0.53509	1.25E+12	12259800	2.06E-03	0.493413
12122600	2.24E-03	0.537485	1.25E+12	12250000	2.07E-03	0.495808
12112800	2.25E-03	0.53988	1.25E+12	12240200	2.08E-03	0.498204
12103000	2.26E-03	0.542275	1.25E+12	12230400	2.09E-03	0.500599
12093200	2.27E-03	0.544671	1.25E+12	12220600	2.10E-03	0.502994
12083400	2.28E-03	0.547066	1.25E+12	12210800	2.11E-03	0.505389
12073600	2.29E-03	0.549461	1.25E+12	12201000	2.12E-03	0.507784
12063800	2.30E-03	0.551856	1.25E+12	12201000	2.13E-03	0.51018
12054000	2.31E-03	0.554251	1.24E+12	12191200	2.13E-03	0.510898
12044200	2.32E-03	0.556647	1.24E+12	12191200	2.14E-03	0.513293
12034400	2.33E-03	0.559042	1.24E+12	12181400	2.15E-03	0.515689
12024600	2.34E-03	0.561437	1.24E+12	12171600	2.16E-03	0.517605
12014800	2.35E-03	0.563832	1.24E+12	12161800	2.17E-03	0.52
12005000	2.36E-03	0.566228	1.24E+12	12152000	2.18E-03	0.522395
12005000	2.37E-03	0.567186	1.24E+12	12142200	2.19E-03	0.52479
11995200	2.38E-03	0.569581	1.24E+12	12142200	2.20E-03	0.527186
11985400	2.39E-03	0.571976	1.24E+12	12132400	2.21E-03	0.528623
11975600	2.40E-03	0.574371	1.24E+12	12122600	2.22E-03	0.531018
11965800	2.41E-03	0.576766	1.24E+12	12112800	2.23E-03	0.533413
11956000	2.42E-03	0.579162	1.24E+12	12103000	2.24E-03	0.535808
11956000	2.42E-03	0.580599	1.23E+12	12093200	2.25E-03	0.538204
11946200	2.43E-03	0.582994	1.23E+12	12093200	2.26E-03	0.540599
11936400	2.44E-03	0.585389	1.23E+12	12083400	2.26E-03	0.541078
11926600	2.45E-03	0.586826	1.23E+12	12083400	2.27E-03	0.543473
11926600	2.46E-03	0.589222	1.23E+12	12073600	2.28E-03	0.545868
11916800	2.47E-03	0.591617	1.23E+12	12063800	2.29E-03	0.548263

11916800	2.47E-03	0.591856	1.23E+12	12054000	2.30E-03	0.550659
11907000	2.48E-03	0.594251	1.23E+12	12044200	2.31E-03	0.553054
11897200	2.49E-03	0.596647	1.23E+12	12034400	2.32E-03	0.555449
11877600	2.50E-03	0.599042	1.23E+12	12024600	2.33E-03	0.557844
11867800	2.51E-03	0.601437	1.23E+12	12024600	2.34E-03	0.56024
11867800	2.52E-03	0.602395	1.23E+12	12014800	2.35E-03	0.562635
11858000	2.53E-03	0.60479	1.23E+12	12005000	2.36E-03	0.56503
11848200	2.54E-03	0.607186	1.22E+12	11995200	2.37E-03	0.567425
11838400	2.55E-03	0.609581	1.22E+12	11985400	2.38E-03	0.56982
11838400	2.55E-03	0.60982	1.22E+12	11985400	2.38E-03	0.570539
11828600	2.56E-03	0.612216	1.22E+12	11975600	2.39E-03	0.572934
11818800	2.57E-03	0.614611	1.22E+12	11975600	2.40E-03	0.575329
11799200	2.58E-03	0.617006	1.22E+12	11965800	2.41E-03	0.576527
11789400	2.59E-03	0.619401	1.22E+12	11956000	2.42E-03	0.578922
11779600	2.60E-03	0.621796	1.22E+12	11956000	2.43E-03	0.581317
11769800	2.61E-03	0.624192	1.22E+12	11946200	2.44E-03	0.583713
0	0.00E+00		0.00E+00	0	0.00E+00	
-17042.2	-1.00E-06	-0.00024	###	-16914.8	-1.00E-06	-0.00024
-34064.8	-2.00E-06	-0.000479	###	-33819.8	-2.00E-06	-0.000479
-51097.2	-3.00E-06	-0.000719	###	-50715	-3.00E-06	-0.000719



-1532720	-9.00E-05	-0.021557	###	-1520960	-9.00E-05	-0.021557
-1703240	-1.00E-04	-0.023952	###	-1690500	-1.00E-04	-0.023952
-1872780	-1.10E-04	-0.026347	###	-1859060	-1.10E-04	-0.026347
-2043300	-1.20E-04	-0.028743	###	-2028600	-1.20E-04	-0.028743
-2213820	-1.30E-04	-0.031138	###	-2197160	-1.30E-04	-0.031138
-2383360	-1.40E-04	-0.033533	###	-2365720	-1.40E-04	-0.033533
-2553880	-1.50E-04	-0.035928	###	-2535260	-1.50E-04	-0.035928
-2724400	-1.60E-04	-0.038323	###	-2703820	-1.60E-04	-0.038323
-2894920	-1.70E-04	-0.040719	###	-2873360	-1.70E-04	-0.040719
-3064460	-1.80E-04	-0.043114	###	-3041920	-1.80E-04	-0.043114
-3234980	-1.90E-04	-0.045509	###	-3211460	-1.90E-04	-0.045509
-3405500	-2.00E-04	-0.047904	###	-3380020	-2.00E-04	-0.047904
-3575040	-2.10E-04	-0.050299	###	-3548580	-2.10E-04	-0.050299
-3745560	-2.20E-04	-0.052695	###	-3718120	-2.20E-04	-0.052695

-3916080	-2.30E-04	-0.05509	###	-3886680	-2.30E-04	-0.05509
-4085620	-2.40E-04	-0.057485	###	-4056220	-2.40E-04	-0.057485
-4256140	-2.50E-04	-0.05988	###	-4224780	-2.50E-04	-0.05988
-4426660	-2.60E-04	-0.062275	###	-4393340	-2.60E-04	-0.062275
-4596200	-2.70E-04	-0.064671	###	-4562880	-2.70E-04	-0.064671
-4766720	-2.80E-04	-0.067066	###	-4731440	-2.80E-04	-0.067066
-4937240	-2.90E-04	-0.069461	###	-4900000	-2.90E-04	-0.069461
-5106780	-3.00E-04	-0.071856	###	-5069540	-3.00E-04	-0.071856
-5277300	-3.10E-04	-0.074251	###	-5238100	-3.10E-04	-0.074251
-5447820	-3.20E-04	-0.076647	###	-5406660	-3.20E-04	-0.076647
-5617360	-3.30E-04	-0.079042	###	-5576200	-3.30E-04	-0.079042
-5787880	-3.40E-04	-0.081437	###	-5744760	-3.40E-04	-0.081437
-5957420	-3.50E-04	-0.083832	###	-5913320	-3.50E-04	-0.083832
-6127940	-3.60E-04	-0.086228	###	-6082860	-3.60E-04	-0.086228
-6298460	-3.70E-04	-0.088623	###	-6251420	-3.70E-04	-0.088623
-6468000	-3.80E-04	-0.091018	###	-6419980	-3.80E-04	-0.091018
-6638520	-3.90E-04	-0.093413	###	-6588540	-3.90E-04	-0.093413
-6808060	-4.00E-04	-0.095808	###	-6758080	-4.00E-04	-0.095808
-6978580	-4.10E-04	-0.098204	###	-6926640	-4.10E-04	-0.098204
-7148120	-4.20E-04	-0.100599	###	-7095200	-4.20E-04	-0.100599
-7317660	-4.30E-04	-0.102994	###	-7263760	-4.30E-04	-0.102994
-7488180	-4.40E-04	-0.105389	###	-7432320	-4.40E-04	-0.105389
-7657720	-4.50E-04	-0.107784	###	-7600880	-4.50E-04	-0.107784
-7827260	-4.60E-04	-0.11018	###	-7769440	-4.60E-04	-0.11018
-7997780	-4.70E-04	-0.112575	###	-7937020	-4.70E-04	-0.112575
-8167320	-4.80E-04	-0.11497	###	-8104600	-4.80E-04	-0.11497
-8335880	-4.90E-04	-0.117365	###	-8273160	-4.90E-04	-0.117365
-8505420	-5.00E-04	-0.11976	###	-8440740	-5.00E-04	-0.11976
-8674960	-5.10E-04	-0.122156	###	-8607340	-5.10E-04	-0.122156
-8843520	-5.20E-04	-0.124551	###	-8774920	-5.20E-04	-0.124551
-9012080	-5.30E-04	-0.126946	###	-8941520	-5.30E-04	-0.126946
-9179660	-5.40E-04	-0.129341	###	-9108120	-5.40E-04	-0.129341
-9348220	-5.50E-04	-0.131737	###	-9234540	-5.48E-04	-0.131162
-9514820	-5.60E-04	-0.134132	###	-9400160	-5.58E-04	-0.133557
-9681420	-5.70E-04	-0.136527	###	-9563820	-5.68E-04	-0.135952
-9849000	-5.80E-04	-0.138922	###	-9723560	-5.78E-04	-0.138347
-1E+07	-5.90E-04	-0.141317	###	-9733360	-5.78E-04	-0.138491
-1E+07	-5.91E-04	-0.141581	###	-9796080	-5.84E-04	-0.139976
-1E+07	-5.96E-04	-0.14285	###	-9819600	-5.89E-04	-0.140982
-1E+07	-6.03E-04	-0.144311	###	-9839200	-5.95E-04	-0.142395
-1E+07	-6.08E-04	-0.145509	###	-9849000	-6.01E-04	-0.14388
-1E+07	-6.13E-04	-0.146754	###	-9858800	-6.06E-04	-0.145102
-1E+07	-6.20E-04	-0.148527	###	-9858800	-6.11E-04	-0.146371
-1E+07	-6.25E-04	-0.149701	###	-9858800	-6.18E-04	-0.148024
-1E+07	-6.30E-04	-0.15085	###	-9858800	-6.26E-04	-0.149868
-1E+07	-6.37E-04	-0.152455	###	-9839200	-6.36E-04	-0.152263
-1E+07	-6.41E-04	-0.153461	###	-9839200	-6.39E-04	-0.152982
-1E+07	-6.45E-04	-0.154587	###	-9829400	-6.49E-04	-0.155377

-9956800 -6.55E-04 -0.156982
-9956800 -6.56E-04 -0.157006
-9937200 -6.60E-04 -0.158036
-9888200 -6.70E-04 -0.160431
-9868600 -6.75E-04 -0.161749
-9829400 -6.83E-04 -0.163569
-9793140 -6.93E-04 -0.165964
-9753940 -7.03E-04 -0.168359
-9749040 -7.04E-04 -0.168695
-9714740 -7.14E-04 -0.17109
-9692200 -7.21E-04 -0.17279
-9655940 -7.31E-04 -0.175186
-9645160 -7.35E-04 -0.175952
-9621640 -7.42E-04 -0.177629
-9589300 -7.52E-04 -0.180024
-9556960 -7.62E-04 -0.182419
-9552060 -7.63E-04 -0.182754
-9520700 -7.71E-04 -0.184766
-9488360 -7.81E-04 -0.187162
-9476600 -7.85E-04 -0.187952
-9441320 -7.95E-04 -0.190347
-9408980 -8.05E-04 -0.192743
-9393300 -8.09E-04 -0.193844
-9362920 -8.19E-04 -0.19624
-9348220 -8.24E-04 -0.197437
-9319800 -8.34E-04 -0.199832
-9302160 -8.41E-04 -0.201509
-9273740 -8.51E-04 -0.203904
-9260020 -8.57E-04 -0.205293
-9247280 -8.63E-04 -0.206587
-9223760 -8.73E-04 -0.208982
-9201220 -8.83E-04 -0.211377
-9180640 -8.93E-04 -0.213772
-9160060 -9.03E-04 -0.216168
-9141440 -9.13E-04 -0.218563
-9131640 -9.17E-04 -0.219737
-9114000 -9.27E-04 -0.222132
-9096360 -9.37E-04 -0.224527
-9080680 -9.47E-04 -0.226922
-9065000 -9.57E-04 -0.229317
-9049320 -9.67E-04 -0.231713
-9035600 -9.77E-04 -0.234012
-9019920 -9.87E-04 -0.236407
-9016980 -9.88E-04 -0.236743
-9002280 -9.98E-04 -0.239138
-8987580 -1.01E-03 -0.241437
-8971900 -1.02E-03 -0.243832
-8957200 -1.03E-03 -0.246228

-9829400 -6.49E-04 -0.155401
-9819600 -6.54E-04 -0.156599
-9800000 -6.59E-04 -0.157796
-9786280 -6.64E-04 -0.159138
-9765700 -6.70E-04 -0.160359
-9725520 -6.80E-04 -0.162754
-9725520 -6.80E-04 -0.162754
-9688280 -6.90E-04 -0.16515
-9680440 -6.92E-04 -0.165725
-9645160 -7.02E-04 -0.16812
-9636340 -7.05E-04 -0.168766
-9615760 -7.11E-04 -0.170299
-9584400 -7.20E-04 -0.172527
-9554020 -7.30E-04 -0.174778
-9524620 -7.39E-04 -0.177054
-9496200 -7.49E-04 -0.179449
-9488360 -7.52E-04 -0.180144
-9462880 -7.62E-04 -0.182539
-9462880 -7.62E-04 -0.182611
-9438380 -7.72E-04 -0.185006
-9423680 -7.79E-04 -0.186587
-9405060 -7.88E-04 -0.188623
-9382520 -7.98E-04 -0.191018
-9377620 -8.00E-04 -0.191545
-9364880 -8.06E-04 -0.193078
-9343320 -8.16E-04 -0.195473
-9324700 -8.25E-04 -0.197677
-9303140 -8.35E-04 -0.200072
-9299220 -8.37E-04 -0.200407
-9286480 -8.42E-04 -0.201701
-9274720 -8.47E-04 -0.202898
-9259040 -8.55E-04 -0.204695
-9242380 -8.62E-04 -0.206395
-9220820 -8.72E-04 -0.20879
-9200240 -8.82E-04 -0.211186
-9199260 -8.82E-04 -0.211234
-9175740 -8.92E-04 -0.213629
-9172800 -8.93E-04 -0.213988
-9154180 -9.02E-04 -0.216024
-9132620 -9.12E-04 -0.218419
-9126740 -9.15E-04 -0.21909
-9105180 -9.25E-04 -0.221485
-9105180 -9.25E-04 -0.221533
-9090480 -9.32E-04 -0.223234
-9070880 -9.42E-04 -0.225629
-9059120 -9.49E-04 -0.227186
-9038540 -9.59E-04 -0.229581
-9023840 -9.66E-04 -0.231401

-8957200 -1.03E-03 -0.246467
-8943480 -1.04E-03 -0.248383
-8927800 -1.05E-03 -0.250778
-8918000 -1.05E-03 -0.252216
-8902320 -1.06E-03 -0.254611
-8892520 -1.07E-03 -0.256048
-8875860 -1.08E-03 -0.258443
-8858220 -1.09E-03 -0.260838
-8852340 -1.09E-03 -0.261796
-8836660 -1.10E-03 -0.263952
-8820000 -1.11E-03 -0.266347
-8802360 -1.12E-03 -0.268743
-8784720 -1.13E-03 -0.271138
-8780800 -1.14E-03 -0.271856
-8764140 -1.15E-03 -0.274251
-8746500 -1.16E-03 -0.276647
-8729840 -1.17E-03 -0.279042
-8721020 -1.17E-03 -0.280479
-8704360 -1.18E-03 -0.282874
-8687700 -1.19E-03 -0.285269
-8676920 -1.20E-03 -0.286946
-8659280 -1.21E-03 -0.289341
-8643600 -1.22E-03 -0.291737
-8628900 -1.23E-03 -0.294132
-8615180 -1.24E-03 -0.296527
-8600480 -1.25E-03 -0.298922
-8591660 -1.25E-03 -0.300359
-8576960 -1.26E-03 -0.302754
-8561280 -1.27E-03 -0.30515
-8544620 -1.28E-03 -0.307545
-8529920 -1.29E-03 -0.309701
-8511300 -1.30E-03 -0.312096
-8498560 -1.31E-03 -0.314012
-8478960 -1.32E-03 -0.316407
-8460340 -1.33E-03 -0.318802
-8443680 -1.34E-03 -0.321198
-8426040 -1.35E-03 -0.323593
-8409380 -1.36E-03 -0.325988
-8392720 -1.37E-03 -0.328383
-8376060 -1.38E-03 -0.330778
-8359400 -1.39E-03 -0.333174
-8348620 -1.40E-03 -0.334611
-8331960 -1.41E-03 -0.337006
-8314320 -1.42E-03 -0.339401
-8295700 -1.43E-03 -0.341796
-8287860 -1.43E-03 -0.342754
-8273160 -1.44E-03 -0.344671
-8255520 -1.45E-03 -0.347066

-9005220 -9.76E-04 -0.233796
-9001300 -9.78E-04 -0.234347
-8986600 -9.86E-04 -0.23612
-8967980 -9.96E-04 -0.238515
-8949360 -1.01E-03 -0.240958
-8943480 -1.01E-03 -0.241677
-8926820 -1.02E-03 -0.244072
-8910160 -1.03E-03 -0.246467
-8893500 -1.04E-03 -0.248862
-8877820 -1.05E-03 -0.251257
-8863120 -1.06E-03 -0.253653
-8861160 -1.06E-03 -0.254132
-8847440 -1.07E-03 -0.256527
-8833720 -1.08E-03 -0.258922
-8821960 -1.09E-03 -0.261078
-8810200 -1.10E-03 -0.262994
-8798440 -1.11E-03 -0.26491
-8784720 -1.12E-03 -0.267305
-8782760 -1.12E-03 -0.267545
-8768060 -1.13E-03 -0.26994
-8755320 -1.14E-03 -0.272335
-8741600 -1.15E-03 -0.274731
-8735720 -1.15E-03 -0.275689
-8722980 -1.16E-03 -0.278084
-8722000 -1.16E-03 -0.278563
-8708280 -1.17E-03 -0.280958
-8696520 -1.18E-03 -0.282874
-8682800 -1.19E-03 -0.285269
-8676920 -1.20E-03 -0.286228
-8661240 -1.21E-03 -0.288623
-8656340 -1.21E-03 -0.289581
-8641640 -1.22E-03 -0.291976
-8634780 -1.22E-03 -0.293174
-8619100 -1.23E-03 -0.295569
-8602440 -1.24E-03 -0.297964
-8586760 -1.25E-03 -0.300359
-8573040 -1.26E-03 -0.302275
-8556380 -1.27E-03 -0.304671
-8539720 -1.28E-03 -0.307066
-8531880 -1.29E-03 -0.308263
-8514240 -1.30E-03 -0.310659
-8497580 -1.31E-03 -0.313054
-8495620 -1.31E-03 -0.313293
-8477980 -1.32E-03 -0.315689
-8460340 -1.33E-03 -0.318084
-8444660 -1.34E-03 -0.320479
-8429960 -1.35E-03 -0.322635
-8411340 -1.36E-03 -0.32503

-8236900 -1.46E-03 -0.349461
-8219260 -1.47E-03 -0.351856
-8201620 -1.48E-03 -0.354251
-8184960 -1.49E-03 -0.356647
-8168300 -1.50E-03 -0.359042
-8151640 -1.51E-03 -0.361437
-8134980 -1.52E-03 -0.363832
-8122240 -1.53E-03 -0.365749
-8105580 -1.54E-03 -0.368144
-8089900 -1.55E-03 -0.370299
-8073240 -1.56E-03 -0.372695
-8056580 -1.57E-03 -0.37509
-8047760 -1.57E-03 -0.376527
-8030120 -1.58E-03 -0.378922
-8012480 -1.59E-03 -0.381317
-7994840 -1.60E-03 -0.383713
-7987980 -1.61E-03 -0.384671
-7971320 -1.62E-03 -0.387066
-7967400 -1.62E-03 -0.387545
-7950740 -1.63E-03 -0.38994
-7934080 -1.64E-03 -0.392335
-7917420 -1.65E-03 -0.394731
-7900760 -1.66E-03 -0.397126
-7884100 -1.67E-03 -0.399521
-7867440 -1.68E-03 -0.401916
-7850780 -1.69E-03 -0.404311
-7833140 -1.70E-03 -0.406707
-7816480 -1.71E-03 -0.409102
-7811580 -1.71E-03 -0.41006
-7794920 -1.72E-03 -0.412455
-7779240 -1.73E-03 -0.41485
-7763560 -1.74E-03 -0.417246
-7747880 -1.75E-03 -0.419641
-7734160 -1.76E-03 -0.421796
-7719460 -1.77E-03 -0.424192
-7704760 -1.78E-03 -0.426587
-7690060 -1.79E-03 -0.428982
-7675360 -1.80E-03 -0.431377
-7661640 -1.81E-03 -0.433772
-7659680 -1.81E-03 -0.434251
-7644980 -1.82E-03 -0.436647
-7631260 -1.83E-03 -0.439042
-7618520 -1.84E-03 -0.441437
-7605780 -1.85E-03 -0.443832
-7592060 -1.86E-03 -0.446228
-7579320 -1.87E-03 -0.448623
-7566580 -1.88E-03 -0.451018
-7552860 -1.89E-03 -0.453413

-8392720 -1.37E-03 -0.327425
-8380960 -1.37E-03 -0.328862
-8363320 -1.38E-03 -0.331257
-8345680 -1.39E-03 -0.333653
-8329020 -1.40E-03 -0.336048
-8312360 -1.41E-03 -0.338443
-8295700 -1.42E-03 -0.340838
-8286880 -1.43E-03 -0.342036
-8270220 -1.44E-03 -0.344431
-8253560 -1.45E-03 -0.346826
-8236900 -1.46E-03 -0.349222
-8234940 -1.46E-03 -0.349461
-8218280 -1.47E-03 -0.351856
-8202600 -1.48E-03 -0.354251
-8186920 -1.49E-03 -0.356647
-8178100 -1.49E-03 -0.357844
-8160460 -1.50E-03 -0.36024
-8143800 -1.51E-03 -0.362635
-8127140 -1.52E-03 -0.36503
-8111460 -1.53E-03 -0.367425
-8095780 -1.54E-03 -0.36982
-8080100 -1.55E-03 -0.372216
-8064420 -1.56E-03 -0.374611
-8049720 -1.57E-03 -0.377006
-8035020 -1.58E-03 -0.379401
-8020320 -1.59E-03 -0.381796
-8010520 -1.60E-03 -0.383234
-7995820 -1.61E-03 -0.385629
-7981120 -1.62E-03 -0.388024
-7965440 -1.63E-03 -0.390419
-7950740 -1.64E-03 -0.392814
-7936040 -1.65E-03 -0.39521
-7921340 -1.66E-03 -0.397605
-7906640 -1.67E-03 -0.4
-7903700 -1.67E-03 -0.400479
-7888020 -1.68E-03 -0.402874
-7872340 -1.69E-03 -0.405269
-7857640 -1.70E-03 -0.407665
-7842940 -1.71E-03 -0.41006
-7828240 -1.72E-03 -0.412455
-7814520 -1.73E-03 -0.41485
-7800800 -1.74E-03 -0.417246
-7786100 -1.75E-03 -0.419641
-7772380 -1.76E-03 -0.422036
-7761600 -1.77E-03 -0.423952
-7747880 -1.78E-03 -0.426347
-7734160 -1.79E-03 -0.428743
-7719460 -1.80E-03 -0.431138

-7539140 -1.90E-03 -0.455808
-7526400 -1.91E-03 -0.458204
-7512680 -1.92E-03 -0.460599
-7502880 -1.93E-03 -0.462275
-7490140 -1.94E-03 -0.464671
-7478380 -1.95E-03 -0.467066
-7465640 -1.96E-03 -0.469461
-7453880 -1.97E-03 -0.471856
-7442120 -1.98E-03 -0.474251
-7430360 -1.99E-03 -0.476647
-7418600 -2.00E-03 -0.479042
-7406840 -2.01E-03 -0.481437
-7405860 -2.01E-03 -0.481677
-7394100 -2.02E-03 -0.484072
-7382340 -2.03E-03 -0.486467
-7370580 -2.04E-03 -0.488862
-7359800 -2.05E-03 -0.491018
-7348040 -2.06E-03 -0.493413
-7336280 -2.07E-03 -0.495808
-7325500 -2.08E-03 -0.498204
-7322560 -2.08E-03 -0.498922
-7310800 -2.09E-03 -0.501317
-7298060 -2.10E-03 -0.503713
-7286300 -2.11E-03 -0.506108
-7274540 -2.12E-03 -0.508503
-7261800 -2.13E-03 -0.510898
-7250040 -2.14E-03 -0.513293
-7238280 -2.15E-03 -0.515689
-7226520 -2.16E-03 -0.518084
-7216720 -2.17E-03 -0.52
-7204960 -2.18E-03 -0.522395
-7192220 -2.19E-03 -0.52479
-7180460 -2.20E-03 -0.527186
-7168700 -2.21E-03 -0.529581
-7159880 -2.22E-03 -0.531257
-7149100 -2.23E-03 -0.533653
-7137340 -2.24E-03 -0.536048
-7134400 -2.24E-03 -0.536766
-7122640 -2.25E-03 -0.539162
-7111860 -2.26E-03 -0.541557
-7101080 -2.27E-03 -0.543952
-7090300 -2.28E-03 -0.546347
-7079520 -2.29E-03 -0.548743
-7068740 -2.30E-03 -0.551138
-7061880 -2.31E-03 -0.552575
-7051100 -2.32E-03 -0.55497
-7040320 -2.33E-03 -0.557365
-7030520 -2.34E-03 -0.55976

-7714560 -1.80E-03 -0.432096
-7699860 -1.81E-03 -0.434491
-7692020 -1.82E-03 -0.435928
-7677320 -1.83E-03 -0.438323
-7665560 -1.84E-03 -0.44024
-7651840 -1.85E-03 -0.442635
-7637140 -1.86E-03 -0.44503
-7622440 -1.87E-03 -0.447425
-7607740 -1.88E-03 -0.44982
-7593040 -1.89E-03 -0.452216
-7592060 -1.89E-03 -0.452455
-7576380 -1.90E-03 -0.45485
-7561680 -1.91E-03 -0.457246
-7546980 -1.92E-03 -0.459641
-7532280 -1.93E-03 -0.462036
-7517580 -1.94E-03 -0.464431
-7514640 -1.94E-03 -0.46491
-7499940 -1.95E-03 -0.467305
-7486220 -1.96E-03 -0.469701
-7486220 -1.96E-03 -0.469701
-7472500 -1.97E-03 -0.472096
-7457800 -1.98E-03 -0.474491
-7451920 -1.99E-03 -0.475689
-7438200 -2.00E-03 -0.478084
-7424480 -2.01E-03 -0.480479
-7415660 -2.01E-03 -0.482156
-7401940 -2.02E-03 -0.484551
-7389200 -2.03E-03 -0.486707
-7376460 -2.04E-03 -0.489102
-7364700 -2.05E-03 -0.491497
-7351960 -2.06E-03 -0.493892
-7344120 -2.07E-03 -0.495569
-7331380 -2.08E-03 -0.497964
-7319620 -2.09E-03 -0.500359
-7306880 -2.10E-03 -0.502754
-7295120 -2.11E-03 -0.50515
-7283360 -2.12E-03 -0.507545
-7270620 -2.13E-03 -0.50994
-7257880 -2.14E-03 -0.512335
-7253960 -2.14E-03 -0.513293
-7241220 -2.15E-03 -0.515689
-7228480 -2.16E-03 -0.518084
-7216720 -2.17E-03 -0.520479
-7204960 -2.18E-03 -0.522874
-7193200 -2.19E-03 -0.525269
-7181440 -2.20E-03 -0.527665
-7169680 -2.21E-03 -0.53006
-7157920 -2.22E-03 -0.532455

-7020720 -2.35E-03 -0.562156
-7011900 -2.36E-03 -0.564551
-7002100 -2.37E-03 -0.566946
-6992300 -2.38E-03 -0.569341
-6983480 -2.39E-03 -0.571737
-6973680 -2.40E-03 -0.574132
-6963880 -2.41E-03 -0.576527
-6961920 -2.41E-03 -0.577006
-6952120 -2.42E-03 -0.579401
-6941340 -2.43E-03 -0.581796
-6931540 -2.44E-03 -0.584192
-6921740 -2.45E-03 -0.586587
-6911940 -2.46E-03 -0.588982
-6901160 -2.47E-03 -0.591377
-6891360 -2.48E-03 -0.593772
-6882540 -2.49E-03 -0.596168
-6872740 -2.50E-03 -0.598563
-6863920 -2.51E-03 -0.600958
-6855100 -2.52E-03 -0.603353
-6846280 -2.53E-03 -0.605749
-6836480 -2.54E-03 -0.608144
-6827660 -2.55E-03 -0.610539
-6818840 -2.56E-03 -0.612934
-6810020 -2.57E-03 -0.615329
-6801200 -2.58E-03 -0.617725
-6792380 -2.59E-03 -0.62012
-6785520 -2.60E-03 -0.622036
-6776700 -2.61E-03 -0.624431

-7147140 -2.23E-03 -0.53485
-7142240 -2.24E-03 -0.535808
-7130480 -2.25E-03 -0.538204
-7119700 -2.26E-03 -0.540599
-7110880 -2.26E-03 -0.542275
-7099120 -2.27E-03 -0.544671
-7088340 -2.28E-03 -0.547066
-7076580 -2.29E-03 -0.549461
-7065800 -2.30E-03 -0.551856
-7055020 -2.31E-03 -0.554251
-7045220 -2.32E-03 -0.556647
-7034440 -2.33E-03 -0.559042
-7026600 -2.34E-03 -0.560958
-7015820 -2.35E-03 -0.563353
-7006020 -2.36E-03 -0.565749
-6995240 -2.37E-03 -0.568144
-6985440 -2.38E-03 -0.570539
-6975640 -2.39E-03 -0.572934
-6965840 -2.40E-03 -0.575329
-6956040 -2.41E-03 -0.577725
-6946240 -2.42E-03 -0.58012
-6943300 -2.43E-03 -0.580838
-6933500 -2.44E-03 -0.583234
-6922720 -2.45E-03 -0.585629
-6912920 -2.46E-03 -0.588024
-6903120 -2.47E-03 -0.590419
-6894300 -2.48E-03 -0.592814
-6884500 -2.49E-03 -0.59521

[
k
k
]

Bulk Carrier (B1) Idchk = 1			
10% damage			
frame space =	4.175	9.80E-06	1000
Moment		Rotation	Curvature
8.28E+08	8118.32	1.00E-06	0.0002395
1.66E+09	16228.8	2.00E-06	0.000479
2.48E+09	24343.2	3.00E-06	0.0007186
3.31E+09	32457.6	4.00E-06	0.0009581
4.14E+09	40562.2	5.00E-06	0.0011976
4.97E+09	48676.6	6.00E-06	0.0014371
5.80E+09	56791	7.00E-06	0.0016766
6.62E+09	64905.4	8.00E-06	0.0019162
7.45E+09	73019.8	9.00E-06	0.0021557
8.28E+09	81124.4	1.00E-05	0.0023952
1.66E+10	162288	2.00E-05	0.0047904
2.48E+10	243334	3.00E-05	0.0071856
3.31E+10	324478	4.00E-05	0.0095808
4.14E+10	405622	5.00E-05	0.011976
4.97E+10	486766	6.00E-05	0.0143713
5.79E+10	567812	7.00E-05	0.0167665
6.62E+10	648956	8.00E-05	0.0191617
7.45E+10	730100	9.00E-05	0.0215569
8.28E+10	811244	1.00E-04	0.0239521
9.11E+10	892388	1.10E-04	0.0263473
9.93E+10	973434	1.20E-04	0.0287425
1.08E+11	1054480	1.30E-04	0.0311377
1.16E+11	1135820	1.40E-04	0.0335329
1.24E+11	1217160	1.50E-04	0.0359281
1.32E+11	1297520	1.60E-04	0.0383234
1.41E+11	1378860	1.70E-04	0.0407186
1.49E+11	1460200	1.80E-04	0.0431138
1.57E+11	1541540	1.90E-04	0.045509
1.66E+11	1622880	2.00E-04	0.0479042
1.74E+11	1703240	2.10E-04	0.0502994
1.82E+11	1784580	2.20E-04	0.0526946
1.90E+11	1865920	2.30E-04	0.0550898
1.99E+11	1947260	2.40E-04	0.057485
2.07E+11	2027620	2.50E-04	0.0598802
2.15E+11	2108960	2.60E-04	0.0622754
2.24E+11	2190300	2.70E-04	0.0646707
2.32E+11	2271640	2.80E-04	0.0670659
2.40E+11	2352000	2.90E-04	0.0694611
2.48E+11	2433340	3.00E-04	0.0718563
2.57E+11	2514680	3.10E-04	0.0742515
2.65E+11	2596020	3.20E-04	0.0766467
2.73E+11	2676380	3.30E-04	0.0790419

Bulk Carrier (B1)	
10% dam.	
frame space =	4.175
Moment	
8.23E+08	8067.36
1.65E+09	16130.8
2.47E+09	24186.4
3.29E+09	32251.8
4.11E+09	40317.2
4.94E+09	48372.8
5.76E+09	56438.2
6.58E+09	64503.6
7.40E+09	72559.2
8.23E+09	80624.6
1.65E+10	161210
2.47E+10	241864
3.29E+10	322518
4.11E+10	403074
4.94E+10	483728
5.76E+10	564284
6.58E+10	644938
7.40E+10	725592
8.23E+10	806148
9.05E+10	886802
9.87E+10	967358
1.07E+11	1047620
1.15E+11	1128960
1.23E+11	1209320
1.32E+11	1289680
1.40E+11	1370040
1.48E+11	1451380
1.56E+11	1531740
1.65E+11	1612100
1.73E+11	1692460
1.81E+11	1773800
1.89E+11	1854160
1.97E+11	1934520
2.06E+11	2014880
2.14E+11	2096220
2.22E+11	2176580
2.30E+11	2256940
2.39E+11	2337300
2.47E+11	2417660
2.55E+11	2498020
2.63E+11	2579360
2.71E+11	2659720


2.81E+11	2757720	3.40E-04	0.0814371	2.80E+11	2740080
2.90E+11	2839060	3.50E-04	0.0838323	2.88E+11	2820440
2.98E+11	2920400	3.60E-04	0.0862275	2.96E+11	2900800
3.06E+11	3000760	3.70E-04	0.0886228	3.04E+11	2982140
3.15E+11	3082100	3.80E-04	0.091018	3.13E+11	3062500
3.23E+11	3163440	3.90E-04	0.0934132	3.21E+11	3142860
3.31E+11	3243800	4.00E-04	0.0958084	3.29E+11	3223220
3.39E+11	3325140	4.10E-04	0.0982036	3.37E+11	3303580
3.48E+11	3406480	4.20E-04	0.1005988	3.45E+11	3383940
3.56E+11	3486840	4.30E-04	0.102994	3.54E+11	3465280
3.64E+11	3568180	4.40E-04	0.1053892	3.62E+11	3545640
3.72E+11	3649520	4.50E-04	0.1077844	3.70E+11	3626000
3.81E+11	3729880	4.60E-04	0.1101796	3.78E+11	3706360
3.89E+11	3811220	4.70E-04	0.1125749	3.86E+11	3786720
3.97E+11	3892560	4.80E-04	0.1149701	3.95E+11	3867080
4.05E+11	3972920	4.90E-04	0.1173653	4.03E+11	3948420
4.14E+11	4054260	5.00E-04	0.1197605	4.11E+11	4028780
4.22E+11	4135600	5.10E-04	0.1221557	4.19E+11	4109140
4.30E+11	4215960	5.20E-04	0.1245509	4.28E+11	4189500
4.39E+11	4297300	5.30E-04	0.1269461	4.36E+11	4269860
4.47E+11	4378640	5.40E-04	0.1293413	4.44E+11	4350220
4.55E+11	4459000	5.50E-04	0.1317365	4.52E+11	4430580
4.63E+11	4540340	5.60E-04	0.1341317	4.60E+11	4510940
4.72E+11	4620700	5.70E-04	0.1365269	4.69E+11	4591300
4.80E+11	4702040	5.80E-04	0.1389222	4.77E+11	4671660
4.88E+11	4782400	5.90E-04	0.1413174	4.85E+11	4752020
4.96E+11	4862760	6.00E-04	0.1437126	4.93E+11	4831400
5.05E+11	4944100	6.10E-04	0.1461078	5.01E+11	4911760
5.13E+11	5024460	6.20E-04	0.148503	5.09E+11	4991140
5.21E+11	5103840	6.30E-04	0.1508982	5.17E+11	5070520
5.29E+11	5184200	6.40E-04	0.1532934	5.26E+11	5149900
5.37E+11	5264560	6.50E-04	0.1556886	5.34E+11	5228300
5.45E+11	5343940	6.60E-04	0.1580838	5.42E+11	5306700
5.53E+11	5422340	6.70E-04	0.160479	5.50E+11	5385100
5.61E+11	5500740	6.80E-04	0.1628743	5.57E+11	5462520
5.69E+11	5579140	6.90E-04	0.1652695	5.65E+11	5539940
5.77E+11	5656560	7.00E-04	0.1676647	5.73E+11	5617360
5.85E+11	5733980	7.10E-04	0.1700599	5.81E+11	5692820
5.93E+11	5810420	7.20E-04	0.1724551	5.81E+11	5693800
6.01E+11	5886860	7.30E-04	0.1748503	5.87E+11	5755540
6.08E+11	5962320	7.40E-04	0.1772455	5.90E+11	5778080
6.09E+11	5970160	7.41E-04	0.177509	5.96E+11	5838840
6.15E+11	6030920	7.50E-04	0.1795449	6.02E+11	5897640
6.20E+11	6076980	7.57E-04	0.1813892	6.03E+11	5908420
6.25E+11	6120100	7.66E-04	0.1833533	6.09E+11	5966240
6.28E+11	6152440	7.73E-04	0.1850778	6.10E+11	5981920
6.31E+11	6183800	7.80E-04	0.1868503	6.15E+11	6028960

6.35E+11	6223000	7.90E-04	0.1892455	6.19E+11	6070120
6.38E+11	6254360	7.98E-04	0.1911617	6.24E+11	6115200
6.42E+11	6291600	8.08E-04	0.1935569	6.29E+11	6160280
6.46E+11	6328840	8.18E-04	0.1959521	6.32E+11	6192620
6.46E+11	6329820	8.18E-04	0.196024	6.36E+11	6228880
6.49E+11	6363140	8.28E-04	0.1983234	6.39E+11	6265140
6.52E+11	6393520	8.38E-04	0.2007186	6.43E+11	6297480
6.54E+11	6409200	8.43E-04	0.202012	6.46E+11	6331780
6.56E+11	6431740	8.51E-04	0.2038563	6.49E+11	6360200
6.59E+11	6457220	8.61E-04	0.2062515	6.52E+11	6386660
6.60E+11	6469960	8.66E-04	0.2074251	6.52E+11	6389600
6.63E+11	6496420	8.76E-04	0.2098204	6.55E+11	6414100
6.64E+11	6504260	8.79E-04	0.2105868	6.55E+11	6419980
6.66E+11	6524840	8.89E-04	0.212982	6.57E+11	6436640
6.68E+11	6544440	8.99E-04	0.2153772	6.59E+11	6456240
6.70E+11	6565020	9.09E-04	0.2177725	6.59E+11	6460160
6.72E+11	6584620	9.19E-04	0.2201677	6.61E+11	6478780
6.73E+11	6594420	9.24E-04	0.2213174	6.61E+11	6479760
6.75E+11	6612060	9.34E-04	0.2237126	6.63E+11	6494460
6.76E+11	6625780	9.42E-04	0.225509	6.64E+11	6511120
6.78E+11	6643420	9.52E-04	0.2279042	6.65E+11	6519940
6.78E+11	6644400	9.52E-04	0.2280479	6.67E+11	6535620
6.79E+11	6657140	9.62E-04	0.2304431	6.68E+11	6543460
6.80E+11	6662040	9.67E-04	0.231497	6.69E+11	6554240
6.81E+11	6671840	9.77E-04	0.2338922	6.69E+11	6555220
6.82E+11	6680660	9.86E-04	0.2361677	6.70E+11	6564040
6.82E+11	6686540	9.96E-04	0.2385629	6.70E+11	6566000
6.83E+11	6693400	1.01E-03	0.2409581	6.71E+11	6572860
6.84E+11	6701240	1.02E-03	0.2433533	6.71E+11	6578740
6.84E+11	6703200	1.02E-03	0.2438323	6.72E+11	6582660
6.85E+11	6710060	1.03E-03	0.2462275	6.72E+11	6584620
6.85E+11	6714960	1.04E-03	0.2481437	6.72E+11	6584620
6.86E+11	6721820	1.05E-03	0.2505389	6.72E+11	6583640
6.86E+11	6723780	1.05E-03	0.251497	6.71E+11	6578740
6.87E+11	6729660	1.06E-03	0.2538922	6.71E+11	6578740
6.87E+11	6735540	1.07E-03	0.2562874	6.71E+11	6572860
6.87E+11	6736520	1.07E-03	0.2567665	6.70E+11	6566980
6.88E+11	6741420	1.08E-03	0.2591617	6.69E+11	6559140
6.88E+11	6742400	1.09E-03	0.2601198	6.68E+11	6550320
6.88E+11	6744360	1.10E-03	0.262515	6.67E+11	6536600
6.88E+11	6745340	1.10E-03	0.2634731	6.66E+11	6526800
6.88E+11	6746320	1.11E-03	0.2658683	6.65E+11	6517980
6.89E+11	6747300	1.12E-03	0.2675449	6.64E+11	6502300
6.88E+11	6746320	1.13E-03	0.2699401	6.61E+11	6481720
6.88E+11	6742400	1.14E-03	0.2723353	6.60E+11	6468980
6.86E+11	6721820	1.14E-03	0.2735329	6.58E+11	6450360
6.81E+11	6676740	1.15E-03	0.2754491	6.56E+11	6429780

6.78E+11	6640480	1.16E-03	0.2771257	6.54E+11	6405280
6.76E+11	6624800	1.16E-03	0.2778443	6.51E+11	6380780
6.71E+11	6572860	1.17E-03	0.2802395	6.51E+11	6377840
6.69E+11	6559140	1.17E-03	0.2809581	6.48E+11	6353340
6.65E+11	6519940	1.18E-03	0.2831138	6.47E+11	6341580
6.63E+11	6493480	1.19E-03	0.2845509	6.45E+11	6323940
6.59E+11	6461140	1.20E-03	0.2862275	6.44E+11	6307280
6.55E+11	6418020	1.21E-03	0.2886228	6.42E+11	6290620
6.52E+11	6386660	1.21E-03	0.2905389	6.39E+11	6261220
6.47E+11	6337660	1.22E-03	0.2929341	6.38E+11	6248480
6.42E+11	6293560	1.23E-03	0.2953293	6.35E+11	6219080
6.41E+11	6285720	1.24E-03	0.2958084	6.33E+11	6206340
6.38E+11	6247500	1.25E-03	0.2982036	6.31E+11	6181840
6.34E+11	6209280	1.26E-03	0.3005988	6.29E+11	6159300
6.30E+11	6174980	1.27E-03	0.302994	6.26E+11	6136760
6.27E+11	6143620	1.28E-03	0.3053892	6.24E+11	6115200
6.25E+11	6123040	1.28E-03	0.3068263	6.23E+11	6104420
6.22E+11	6093640	1.29E-03	0.3092216	6.21E+11	6084820
6.19E+11	6064240	1.30E-03	0.3116168	6.19E+11	6066200
6.16E+11	6036800	1.31E-03	0.314012	6.18E+11	6056400
6.13E+11	6010340	1.32E-03	0.3164072	6.16E+11	6038760
6.11E+11	5986820	1.33E-03	0.3188024	6.14E+11	6017200
6.08E+11	5962320	1.34E-03	0.3211976	6.13E+11	6009360
6.06E+11	5938800	1.35E-03	0.3235928	6.11E+11	5990740
6.04E+11	5916260	1.36E-03	0.325988	6.10E+11	5978980
6.02E+11	5895680	1.37E-03	0.3283832	6.08E+11	5959380
6.00E+11	5876080	1.38E-03	0.3307784	6.07E+11	5949580
5.98E+11	5856480	1.39E-03	0.3331737	6.05E+11	5929000
5.96E+11	5838840	1.40E-03	0.3355689	6.03E+11	5909400
5.94E+11	5820220	1.41E-03	0.3379641	6.01E+11	5890780
5.93E+11	5814340	1.42E-03	0.3389222	6.00E+11	5881960
5.91E+11	5795720	1.43E-03	0.3413174	5.98E+11	5863340
5.90E+11	5778080	1.44E-03	0.3437126	5.98E+11	5859420
5.89E+11	5767300	1.44E-03	0.3453892	5.96E+11	5835900
5.87E+11	5749660	1.45E-03	0.3477844	5.93E+11	5813360
5.85E+11	5733000	1.46E-03	0.3501796	5.91E+11	5792780
5.83E+11	5716340	1.47E-03	0.3525749	5.89E+11	5773180
5.82E+11	5700660	1.48E-03	0.3549701	5.87E+11	5753580
5.81E+11	5696740	1.48E-03	0.3554491	5.86E+11	5746720
5.79E+11	5678120	1.49E-03	0.3578443	5.84E+11	5727120
5.78E+11	5661460	1.50E-03	0.3602395	5.82E+11	5707520
5.76E+11	5643820	1.51E-03	0.3626347	5.81E+11	5688900
5.74E+11	5628140	1.52E-03	0.3650299	5.79E+11	5671260
5.72E+11	5609520	1.53E-03	0.3674251	5.77E+11	5653620
5.71E+11	5592860	1.54E-03	0.3698204	5.75E+11	5636960
5.69E+11	5576200	1.55E-03	0.3722156	5.74E+11	5620300
5.67E+11	5559540	1.56E-03	0.3746108	5.72E+11	5604620

5.66E+11	5542880	1.57E-03	0.377006	5.70E+11	5588940
5.64E+11	5528180	1.58E-03	0.3794012	5.69E+11	5574240
5.63E+11	5512500	1.59E-03	0.3817964	5.67E+11	5559540
5.61E+11	5497800	1.60E-03	0.3841916	5.66E+11	5544840
5.60E+11	5483100	1.61E-03	0.3865868	5.64E+11	5531120
5.58E+11	5469380	1.62E-03	0.388982	5.63E+11	5517400
5.57E+11	5455660	1.63E-03	0.3913772	5.62E+11	5504660
5.56E+11	5450760	1.64E-03	0.3923353	5.60E+11	5491920
5.55E+11	5437040	1.65E-03	0.3947305	5.59E+11	5479180
5.53E+11	5423320	1.66E-03	0.3971257	5.58E+11	5467420
5.52E+11	5410580	1.67E-03	0.399521	5.57E+11	5454680
5.51E+11	5397840	1.68E-03	0.4019162	5.56E+11	5447820
5.50E+11	5385100	1.69E-03	0.4043114	5.55E+11	5436060
5.48E+11	5372360	1.70E-03	0.4067066	5.54E+11	5424300
5.47E+11	5360600	1.71E-03	0.4091018	5.52E+11	5413520
5.46E+11	5348840	1.72E-03	0.411497	5.52E+11	5410580
5.45E+11	5337080	1.73E-03	0.4138922	5.51E+11	5399800
5.44E+11	5326300	1.74E-03	0.4162874	5.50E+11	5388040
5.42E+11	5314540	1.75E-03	0.4186826	5.49E+11	5378240
5.41E+11	5303760	1.76E-03	0.4210778	5.48E+11	5367460
5.40E+11	5292980	1.77E-03	0.4234731	5.47E+11	5356680
5.39E+11	5282200	1.78E-03	0.4258683	5.46E+11	5345900
5.38E+11	5272400	1.79E-03	0.4282635	5.45E+11	5342960
5.37E+11	5260640	1.80E-03	0.4306587	5.44E+11	5330220
5.36E+11	5249860	1.81E-03	0.4330539	5.43E+11	5318460
5.35E+11	5239080	1.82E-03	0.4354491	5.42E+11	5306700
5.34E+11	5229280	1.83E-03	0.4378443	5.40E+11	5295920
5.33E+11	5218500	1.84E-03	0.4402395	5.39E+11	5285140
5.31E+11	5207720	1.85E-03	0.4426347	5.38E+11	5273380
5.30E+11	5197920	1.86E-03	0.4450299	5.37E+11	5262600
5.29E+11	5188120	1.87E-03	0.4474251	5.36E+11	5251820
5.28E+11	5178320	1.88E-03	0.4498204	5.35E+11	5241040
5.27E+11	5168520	1.89E-03	0.4522156	5.34E+11	5230260
5.26E+11	5158720	1.90E-03	0.4546108	5.33E+11	5220460
5.26E+11	5149900	1.91E-03	0.457006	5.32E+11	5209680
5.25E+11	5140100	1.92E-03	0.4594012	5.31E+11	5198900
5.24E+11	5131280	1.93E-03	0.4617964	5.29E+11	5188120
5.23E+11	5122460	1.94E-03	0.4641916	5.28E+11	5178320
5.22E+11	5112660	1.95E-03	0.4665868	5.27E+11	5168520
5.21E+11	5103840	1.96E-03	0.468982	5.26E+11	5158720
5.20E+11	5096000	1.97E-03	0.4713772	5.25E+11	5147940
5.19E+11	5087180	1.98E-03	0.4737725	5.24E+11	5139120
5.18E+11	5079340	1.99E-03	0.4761677	5.23E+11	5129320
5.17E+11	5070520	2.00E-03	0.4785629	5.22E+11	5119520
5.17E+11	5062680	2.01E-03	0.4809581	5.22E+11	5114620
5.16E+11	5053860	2.02E-03	0.4833533	5.21E+11	5105800
5.15E+11	5046020	2.03E-03	0.4857485	5.20E+11	5096000

5.14E+11	5038180	2.04E-03	0.4881437	5.19E+11	5087180
5.13E+11	5030340	2.05E-03	0.4905389	5.18E+11	5079340
5.13E+11	5022500	2.06E-03	0.4929341	5.17E+11	5070520
5.12E+11	5014660	2.07E-03	0.4953293	5.16E+11	5060720
5.11E+11	5006820	2.08E-03	0.4977246	5.16E+11	5051900
5.10E+11	4998980	2.09E-03	0.5001198	5.15E+11	5043080
5.09E+11	4992120	2.10E-03	0.502515	5.14E+11	5035240
5.09E+11	4984280	2.11E-03	0.5049102	5.13E+11	5026420
5.08E+11	4977420	2.12E-03	0.5073054	5.12E+11	5017600
5.07E+11	4969580	2.13E-03	0.5097006	5.11E+11	5009760
5.06E+11	4962720	2.14E-03	0.5120958	5.10E+11	5000940
5.06E+11	4954880	2.15E-03	0.514491	5.10E+11	4993100
5.05E+11	4948020	2.16E-03	0.5168862	5.09E+11	4985260
5.04E+11	4940180	2.17E-03	0.5192814	5.08E+11	4977420
5.03E+11	4933320	2.18E-03	0.5216766	5.07E+11	4969580
5.03E+11	4925480	2.19E-03	0.5240719	5.06E+11	4961740
5.02E+11	4918620	2.20E-03	0.5264671	5.06E+11	4953900
5.01E+11	4911760	2.21E-03	0.5288623	5.05E+11	4946060
5.01E+11	4905880	2.22E-03	0.5312575	5.04E+11	4939200
5.00E+11	4899020	2.23E-03	0.5336527	5.03E+11	4931360
4.99E+11	4892160	2.24E-03	0.5360479	5.03E+11	4924500
4.99E+11	4885300	2.25E-03	0.5384431	5.02E+11	4916660
4.98E+11	4878440	2.26E-03	0.5408383	5.01E+11	4909800
4.97E+11	4871580	2.27E-03	0.5432335	5.00E+11	4902940
4.96E+11	4864720	2.28E-03	0.5456287	5.00E+11	4896080
4.96E+11	4856880	2.29E-03	0.548024	4.99E+11	4889220
4.95E+11	4850020	2.30E-03	0.5504192	4.98E+11	4882360
4.94E+11	4843160	2.31E-03	0.5528144	4.98E+11	4875500
4.94E+11	4836300	2.32E-03	0.5552096	4.97E+11	4868640
4.93E+11	4829440	2.33E-03	0.5576048	4.96E+11	4861780
4.92E+11	4823560	2.34E-03	0.56	4.95E+11	4854920
4.92E+11	4816700	2.35E-03	0.5623952	4.95E+11	4849040
4.91E+11	4809840	2.36E-03	0.5647904	4.94E+11	4842180
4.90E+11	4803960	2.37E-03	0.5671856	4.93E+11	4835320
4.90E+11	4797100	2.38E-03	0.5695808	4.93E+11	4829440
4.89E+11	4790240	2.39E-03	0.571976	4.92E+11	4822580
4.88E+11	4783380	2.40E-03	0.5743713	4.92E+11	4816700
4.88E+11	4777500	2.41E-03	0.5767665	4.91E+11	4809840
4.87E+11	4770640	2.42E-03	0.5791617	4.90E+11	4803960
4.86E+11	4763780	2.43E-03	0.5815569	4.90E+11	4797100
4.86E+11	4757900	2.44E-03	0.5839521	4.89E+11	4791220
4.85E+11	4751040	2.45E-03	0.5863473	4.88E+11	4784360
4.84E+11	4744180	2.46E-03	0.5887425	4.88E+11	4778480
4.84E+11	4738300	2.47E-03	0.5911377	4.87E+11	4771620
4.83E+11	4731440	2.48E-03	0.5935329	4.86E+11	4765740
4.82E+11	4725560	2.49E-03	0.5959281	4.86E+11	4758880
4.82E+11	4719680	2.50E-03	0.5983234	4.85E+11	4753000



-1.32E+11	-1294580	-1.60E-04	-0.0383234	-1.31E+11	-1286740
-1.40E+11	-1375920	-1.70E-04	-0.0407186	-1.39E+11	-1366120
-1.49E+11	-1456280	-1.80E-04	-0.0431138	-1.48E+11	-1446480
-1.57E+11	-1536640	-1.90E-04	-0.045509	-1.56E+11	-1526840
-1.65E+11	-1617000	-2.00E-04	-0.0479042	-1.64E+11	-1606220
-1.73E+11	-1698340	-2.10E-04	-0.0502994	-1.72E+11	-1686580
-1.82E+11	-1778700	-2.20E-04	-0.0526946	-1.80E+11	-1766940
-1.90E+11	-1859060	-2.30E-04	-0.0550898	-1.88E+11	-1846320
-1.98E+11	-1939420	-2.40E-04	-0.057485	-1.97E+11	-1926680
-2.06E+11	-2019780	-2.50E-04	-0.0598802	-2.05E+11	-2006060
-2.14E+11	-2100140	-2.60E-04	-0.0622754	-2.13E+11	-2085440
-2.23E+11	-2180500	-2.70E-04	-0.0646707	-2.21E+11	-2165800
-2.31E+11	-2260860	-2.80E-04	-0.0670659	-2.29E+11	-2245180
-2.39E+11	-2341220	-2.90E-04	-0.0694611	-2.37E+11	-2325540
-2.47E+11	-2421580	-3.00E-04	-0.0718563	-2.45E+11	-2404920
-2.55E+11	-2501940	-3.10E-04	-0.0742515	-2.54E+11	-2484300
-2.63E+11	-2581320	-3.20E-04	-0.0766467	-2.62E+11	-2564660
-2.72E+11	-2661680	-3.30E-04	-0.0790419	-2.70E+11	-2644040
-2.80E+11	-2742040	-3.40E-04	-0.0814371	-2.78E+11	-2723420
-2.88E+11	-2822400	-3.50E-04	-0.0838323	-2.86E+11	-2802800
-2.96E+11	-2901780	-3.60E-04	-0.0862275	-2.94E+11	-2882180
-3.04E+11	-2982140	-3.70E-04	-0.0886228	-3.02E+11	-2961560
-3.13E+11	-3062500	-3.80E-04	-0.091018	-3.10E+11	-3040940
-3.21E+11	-3141880	-3.90E-04	-0.0934132	-3.18E+11	-3120320
-3.29E+11	-3222240	-4.00E-04	-0.0958084	-3.27E+11	-3199700
-3.37E+11	-3301620	-4.10E-04	-0.0982036	-3.35E+11	-3279080
-3.45E+11	-3381980	-4.20E-04	-0.1005988	-3.43E+11	-3358460
-3.53E+11	-3461360	-4.30E-04	-0.102994	-3.51E+11	-3436860
-3.61E+11	-3540740	-4.40E-04	-0.1053892	-3.59E+11	-3516240
-3.70E+11	-3621100	-4.50E-04	-0.1077844	-3.67E+11	-3595620
-3.78E+11	-3700480	-4.60E-04	-0.1101796	-3.75E+11	-3674020
-3.86E+11	-3779860	-4.70E-04	-0.1125749	-3.83E+11	-3753400
-3.94E+11	-3859240	-4.80E-04	-0.1149701	-3.91E+11	-3831800
-4.02E+11	-3938620	-4.90E-04	-0.1173653	-3.99E+11	-3911180
-4.10E+11	-4018000	-5.00E-04	-0.1197605	-4.07E+11	-3989580
-4.18E+11	-4097380	-5.10E-04	-0.1221557	-4.15E+11	-4067980
-4.26E+11	-4176760	-5.20E-04	-0.1245509	-4.23E+11	-4145400
-4.34E+11	-4255160	-5.30E-04	-0.1269461	-4.31E+11	-4223800
-4.42E+11	-4333560	-5.40E-04	-0.1293413	-4.39E+11	-4301220
-4.50E+11	-4411960	-5.50E-04	-0.1317365	-4.47E+11	-4378640
-4.58E+11	-4490360	-5.60E-04	-0.1341317	-4.55E+11	-4456060
-4.66E+11	-4567780	-5.70E-04	-0.1365269	-4.63E+11	-4532500
-4.74E+11	-4645200	-5.80E-04	-0.1389222	-4.70E+11	-4608940
-4.82E+11	-4722620	-5.90E-04	-0.1413174	-4.78E+11	-4685380
-4.90E+11	-4799060	-6.00E-04	-0.1437126	-4.86E+11	-4760840
-4.98E+11	-4875500	-6.10E-04	-0.1461078	-4.94E+11	-4836300
-5.05E+11	-4951940	-6.20E-04	-0.148503	-5.01E+11	-4911760

-5.13E+11	-5027400	-6.30E-04	-0.1508982	-5.05E+11	-4951940
-5.21E+11	-5102860	-6.40E-04	-0.1532934	-5.13E+11	-5025440
-5.28E+11	-5178320	-6.50E-04	-0.1556886	-5.20E+11	-5098940
-5.31E+11	-5206740	-6.54E-04	-0.1565988	-5.22E+11	-5114620
-5.39E+11	-5280240	-6.64E-04	-0.158994	-5.29E+11	-5187140
-5.46E+11	-5353740	-6.74E-04	-0.1613892	-5.34E+11	-5229280
-5.51E+11	-5397840	-6.80E-04	-0.1628743	-5.40E+11	-5289060
-5.58E+11	-5469380	-6.90E-04	-0.1652695	-5.43E+11	-5316500
-5.64E+11	-5524260	-6.98E-04	-0.1671617	-5.45E+11	-5336100
-5.69E+11	-5574240	-7.05E-04	-0.1689102	-5.47E+11	-5355700
-5.74E+11	-5623240	-7.13E-04	-0.1708503	-5.49E+11	-5379220
-5.77E+11	-5657540	-7.21E-04	-0.1726707	-5.53E+11	-5417440
-5.79E+11	-5673220	-7.28E-04	-0.1744192	-5.54E+11	-5427240
-5.80E+11	-5680080	-7.35E-04	-0.1759521	-5.56E+11	-5443900
-5.80E+11	-5682040	-7.40E-04	-0.1772216	-5.58E+11	-5471340
-5.80E+11	-5683020	-7.48E-04	-0.1791138	-5.61E+11	-5494860
-5.79E+11	-5676160	-7.58E-04	-0.181509	-5.63E+11	-5513480
-5.78E+11	-5665380	-7.68E-04	-0.1839042	-5.64E+11	-5529160
-5.78E+11	-5663420	-7.70E-04	-0.1843593	-5.65E+11	-5540920
-5.77E+11	-5650680	-7.80E-04	-0.1867545	-5.66E+11	-5547780
-5.76E+11	-5642840	-7.85E-04	-0.1880958	-5.66E+11	-5546800
-5.75E+11	-5631080	-7.91E-04	-0.1894611	-5.66E+11	-5544840
-5.72E+11	-5609520	-8.01E-04	-0.1918563	-5.64E+11	-5531120
-5.70E+11	-5586000	-8.09E-04	-0.1937725	-5.64E+11	-5522300
-5.68E+11	-5569340	-8.13E-04	-0.1947545	-5.60E+11	-5488000
-5.64E+11	-5531120	-8.21E-04	-0.1966228	-5.58E+11	-5472320
-5.60E+11	-5488980	-8.26E-04	-0.1979162	-5.55E+11	-5439980
-5.51E+11	-5398820	-8.36E-04	-0.2003114	-5.52E+11	-5406660
-5.39E+11	-5281220	-8.46E-04	-0.2027066	-5.49E+11	-5378240
-5.31E+11	-5200860	-8.53E-04	-0.2043593	-5.45E+11	-5342960
-5.20E+11	-5096980	-8.63E-04	-0.2067545	-5.41E+11	-5302780
-5.11E+11	-5010740	-8.73E-04	-0.2091497	-5.40E+11	-5290040
-5.04E+11	-4941160	-8.83E-04	-0.2115449	-5.36E+11	-5254760
-4.98E+11	-4882360	-8.93E-04	-0.2139401	-5.36E+11	-5254760
-4.96E+11	-4859820	-8.99E-04	-0.2152096	-5.33E+11	-5224380
-4.94E+11	-4842180	-9.03E-04	-0.2161916	-5.30E+11	-5194000
-4.90E+11	-4799060	-9.13E-04	-0.2185868	-5.27E+11	-5163620
-4.86E+11	-4764760	-9.23E-04	-0.220982	-5.27E+11	-5162640
-4.83E+11	-4732420	-9.33E-04	-0.2233772	-5.23E+11	-5122460
-4.80E+11	-4703020	-9.43E-04	-0.2257725	-5.18E+11	-5077380
-4.77E+11	-4676560	-9.53E-04	-0.2281677	-5.15E+11	-5047980
-4.75E+11	-4650100	-9.63E-04	-0.2305629	-5.13E+11	-5024460
-4.72E+11	-4626580	-9.73E-04	-0.2329581	-5.07E+11	-4967620
-4.70E+11	-4604040	-9.83E-04	-0.2353533	-5.07E+11	-4963700
-4.68E+11	-4583460	-9.93E-04	-0.2377485	-4.99E+11	-4890200
-4.66E+11	-4562880	-1.00E-03	-0.2402395	-4.93E+11	-4827480
-4.64E+11	-4544260	-1.01E-03	-0.2426347	-4.87E+11	-4775540

-4.62E+11	-4525640	-1.02E-03	-0.2450299	-4.86E+11	-4757900
-4.60E+11	-4507020	-1.03E-03	-0.2474251	-4.81E+11	-4717720
-4.58E+11	-4488400	-1.04E-03	-0.2498204	-4.78E+11	-4683420
-4.56E+11	-4470760	-1.05E-03	-0.2522156	-4.75E+11	-4652060
-4.55E+11	-4454100	-1.06E-03	-0.2546108	-4.72E+11	-4625600
-4.53E+11	-4436460	-1.07E-03	-0.257006	-4.70E+11	-4605020
-4.51E+11	-4419800	-1.08E-03	-0.2594012	-4.67E+11	-4580520
-4.49E+11	-4403140	-1.09E-03	-0.2617964	-4.65E+11	-4558960
-4.48E+11	-4387460	-1.10E-03	-0.2641916	-4.65E+11	-4556020
-4.46E+11	-4370800	-1.11E-03	-0.2665868	-4.63E+11	-4534460
-4.44E+11	-4355120	-1.12E-03	-0.268982	-4.61E+11	-4513880
-4.43E+11	-4339440	-1.13E-03	-0.2713772	-4.59E+11	-4494280
-4.41E+11	-4323760	-1.14E-03	-0.2737725	-4.57E+11	-4475660
-4.40E+11	-4308080	-1.15E-03	-0.2761677	-4.55E+11	-4458020
-4.38E+11	-4291420	-1.16E-03	-0.2785629	-4.53E+11	-4440380
-4.36E+11	-4275740	-1.17E-03	-0.2809581	-4.51E+11	-4423720
-4.35E+11	-4260060	-1.18E-03	-0.2833533	-4.50E+11	-4407060
-4.33E+11	-4244380	-1.19E-03	-0.2857485	-4.48E+11	-4391380
-4.31E+11	-4227720	-1.20E-03	-0.2881437	-4.47E+11	-4375700
-4.30E+11	-4211060	-1.21E-03	-0.2905389	-4.45E+11	-4361000
-4.28E+11	-4194400	-1.22E-03	-0.2929341	-4.44E+11	-4346300
-4.26E+11	-4176760	-1.23E-03	-0.2953293	-4.42E+11	-4334540
-4.24E+11	-4159120	-1.24E-03	-0.2977246	-4.41E+11	-4319840
-4.23E+11	-4141480	-1.25E-03	-0.3001198	-4.39E+11	-4306120
-4.21E+11	-4124820	-1.26E-03	-0.302515	-4.38E+11	-4291420
-4.19E+11	-4108160	-1.27E-03	-0.3049102	-4.37E+11	-4277700
-4.18E+11	-4093460	-1.28E-03	-0.3073054	-4.35E+11	-4263980
-4.16E+11	-4078760	-1.29E-03	-0.3097006	-4.34E+11	-4251240
-4.15E+11	-4066020	-1.30E-03	-0.3120958	-4.32E+11	-4236540
-4.14E+11	-4059160	-1.31E-03	-0.3132934	-4.31E+11	-4223800
-4.13E+11	-4046420	-1.32E-03	-0.3156886	-4.30E+11	-4209100
-4.12E+11	-4034660	-1.33E-03	-0.3180838	-4.28E+11	-4195380
-4.10E+11	-4021920	-1.34E-03	-0.320479	-4.27E+11	-4181660
-4.09E+11	-4011140	-1.35E-03	-0.3228743	-4.25E+11	-4166960
-4.08E+11	-4000360	-1.36E-03	-0.3252695	-4.24E+11	-4152260
-4.07E+11	-3990560	-1.37E-03	-0.3276647	-4.22E+11	-4137560
-4.06E+11	-3979780	-1.38E-03	-0.3300599	-4.21E+11	-4122860
-4.05E+11	-3969980	-1.39E-03	-0.3324551	-4.19E+11	-4107180
-4.04E+11	-3959200	-1.40E-03	-0.3348503	-4.17E+11	-4090520
-4.03E+11	-3950380	-1.41E-03	-0.3372455	-4.16E+11	-4073860
-4.02E+11	-3940580	-1.42E-03	-0.3396407	-4.14E+11	-4058180
-4.01E+11	-3931760	-1.43E-03	-0.3420359	-4.13E+11	-4044460
-4.00E+11	-3922940	-1.44E-03	-0.3444311	-4.11E+11	-4029760
-3.99E+11	-3914120	-1.45E-03	-0.3468263	-4.10E+11	-4015060
-3.99E+11	-3905300	-1.46E-03	-0.3492216	-4.09E+11	-4003300
-3.98E+11	-3896480	-1.47E-03	-0.3516168	-4.07E+11	-3992520
-3.97E+11	-3888640	-1.48E-03	-0.354012	-4.06E+11	-3980760

-3.96E+11	-3880800	-1.49E-03	-0.3564072	-4.05E+11	-3969980
-3.95E+11	-3872960	-1.50E-03	-0.3588024	-4.04E+11	-3959200
-3.94E+11	-3865120	-1.51E-03	-0.3611976	-4.03E+11	-3949400
-3.94E+11	-3857280	-1.52E-03	-0.3635928	-4.02E+11	-3939600
-3.93E+11	-3849440	-1.53E-03	-0.365988	-4.01E+11	-3929800
-3.92E+11	-3842580	-1.54E-03	-0.3683832	-4.00E+11	-3920980
-3.91E+11	-3834740	-1.55E-03	-0.3707784	-4.00E+11	-3920980
-3.91E+11	-3827880	-1.56E-03	-0.3731737	-3.99E+11	-3911180
-3.90E+11	-3821020	-1.57E-03	-0.3755689	-3.98E+11	-3903340
-3.89E+11	-3814160	-1.58E-03	-0.3779641	-3.97E+11	-3894520
-3.89E+11	-3807300	-1.59E-03	-0.3803593	-3.97E+11	-3885700
-3.88E+11	-3800440	-1.60E-03	-0.3827545	-3.96E+11	-3876880
-3.87E+11	-3794560	-1.61E-03	-0.3851497	-3.95E+11	-3869040
-3.87E+11	-3787700	-1.62E-03	-0.3875449	-3.94E+11	-3861200
-3.86E+11	-3781820	-1.63E-03	-0.3899401	-3.93E+11	-3853360
-3.85E+11	-3774960	-1.64E-03	-0.3923353	-3.92E+11	-3845520
-3.85E+11	-3769080	-1.65E-03	-0.3947305	-3.92E+11	-3838660
-3.84E+11	-3763200	-1.66E-03	-0.3971257	-3.91E+11	-3830820
-3.83E+11	-3757320	-1.67E-03	-0.399521	-3.90E+11	-3823960
-3.83E+11	-3751440	-1.68E-03	-0.4019162	-3.89E+11	-3816120
-3.82E+11	-3745560	-1.69E-03	-0.4043114	-3.89E+11	-3809260
-3.82E+11	-3739680	-1.70E-03	-0.4067066	-3.88E+11	-3802400
-3.81E+11	-3733800	-1.71E-03	-0.4091018	-3.87E+11	-3795540
-3.81E+11	-3728900	-1.72E-03	-0.411497	-3.87E+11	-3789660
-3.80E+11	-3723020	-1.73E-03	-0.4138922	-3.86E+11	-3782800
-3.79E+11	-3717140	-1.74E-03	-0.4162874	-3.85E+11	-3776920
-3.79E+11	-3712240	-1.75E-03	-0.4186826	-3.85E+11	-3770060
-3.78E+11	-3706360	-1.76E-03	-0.4210778	-3.84E+11	-3764180
-3.78E+11	-3701460	-1.77E-03	-0.4234731	-3.83E+11	-3757320
-3.77E+11	-3696560	-1.78E-03	-0.4258683	-3.83E+11	-3751440
-3.77E+11	-3691660	-1.79E-03	-0.4282635	-3.82E+11	-3745560
-3.76E+11	-3685780	-1.80E-03	-0.4306587	-3.82E+11	-3739680
-3.76E+11	-3680880	-1.81E-03	-0.4330539	-3.81E+11	-3733800
-3.75E+11	-3675980	-1.82E-03	-0.4354491	-3.80E+11	-3727920
-3.75E+11	-3671080	-1.83E-03	-0.4378443	-3.80E+11	-3722040
-3.74E+11	-3666180	-1.84E-03	-0.4402395	-3.79E+11	-3717140
-3.74E+11	-3661280	-1.85E-03	-0.4426347	-3.79E+11	-3711260
-3.73E+11	-3656380	-1.86E-03	-0.4450299	-3.78E+11	-3706360
-3.73E+11	-3652460	-1.87E-03	-0.4474251	-3.78E+11	-3700480
-3.72E+11	-3647560	-1.88E-03	-0.4498204	-3.77E+11	-3695580
-3.72E+11	-3642660	-1.89E-03	-0.4522156	-3.77E+11	-3689700
-3.71E+11	-3638740	-1.90E-03	-0.4546108	-3.76E+11	-3684800
-3.71E+11	-3633840	-1.91E-03	-0.457006	-3.76E+11	-3679900
-3.70E+11	-3628940	-1.92E-03	-0.4594012	-3.75E+11	-3676960
-3.70E+11	-3625020	-1.93E-03	-0.4617964	-3.75E+11	-3672060
-3.69E+11	-3620120	-1.94E-03	-0.4641916	-3.74E+11	-3667160
-3.69E+11	-3616200	-1.95E-03	-0.4665868	-3.74E+11	-3662260

-3.69E+11	-3611300	-1.96E-03	-0.468982	-3.73E+11	-3657360
-3.68E+11	-3607380	-1.97E-03	-0.4713772	-3.73E+11	-3652460
-3.68E+11	-3603460	-1.98E-03	-0.4737725	-3.72E+11	-3647560
-3.67E+11	-3598560	-1.99E-03	-0.4761677	-3.72E+11	-3642660
-3.67E+11	-3594640	-2.00E-03	-0.4785629	-3.71E+11	-3637760
-3.66E+11	-3590720	-2.01E-03	-0.4809581	-3.71E+11	-3633840
-3.66E+11	-3589740	-2.01E-03	-0.4811976	-3.70E+11	-3628940
-3.66E+11	-3585820	-2.02E-03	-0.4835928	-3.70E+11	-3624040
-3.66E+11	-3581900	-2.03E-03	-0.485988	-3.69E+11	-3620120
-3.65E+11	-3577000	-2.04E-03	-0.4883832	-3.69E+11	-3615220
-3.65E+11	-3573080	-2.05E-03	-0.4907784	-3.69E+11	-3611300
-3.64E+11	-3569160	-2.06E-03	-0.4931737	-3.68E+11	-3607380
-3.64E+11	-3565240	-2.07E-03	-0.4955689	-3.68E+11	-3602480
-3.63E+11	-3561320	-2.08E-03	-0.4979641	-3.67E+11	-3598560
-3.63E+11	-3557400	-2.09E-03	-0.5003593	-3.67E+11	-3593660
-3.63E+11	-3553480	-2.10E-03	-0.5027545	-3.66E+11	-3589740
-3.62E+11	-3549560	-2.11E-03	-0.5051497	-3.66E+11	-3585820
-3.62E+11	-3545640	-2.12E-03	-0.5075449	-3.66E+11	-3581900
-3.61E+11	-3541720	-2.13E-03	-0.5099401	-3.65E+11	-3577980
-3.61E+11	-3537800	-2.14E-03	-0.5123353	-3.65E+11	-3573080
-3.61E+11	-3534860	-2.15E-03	-0.5147305	-3.64E+11	-3569160
-3.60E+11	-3530940	-2.16E-03	-0.5171257	-3.64E+11	-3565240
-3.60E+11	-3527020	-2.17E-03	-0.519521	-3.63E+11	-3561320
-3.60E+11	-3523100	-2.18E-03	-0.5219162	-3.63E+11	-3559360
-3.59E+11	-3520160	-2.19E-03	-0.5243114	-3.63E+11	-3555440
-3.59E+11	-3516240	-2.20E-03	-0.5267066	-3.62E+11	-3551520
-3.58E+11	-3512320	-2.21E-03	-0.5291018	-3.62E+11	-3547600
-3.58E+11	-3509380	-2.22E-03	-0.531497	-3.62E+11	-3544660
-3.58E+11	-3505460	-2.23E-03	-0.5338922	-3.61E+11	-3540740
-3.57E+11	-3501540	-2.24E-03	-0.5362874	-3.61E+11	-3536820
-3.57E+11	-3498600	-2.25E-03	-0.5386826	-3.61E+11	-3532900
-3.57E+11	-3494680	-2.26E-03	-0.5410778	-3.60E+11	-3528980
-3.56E+11	-3491740	-2.27E-03	-0.5434731	-3.60E+11	-3526040
-3.56E+11	-3488800	-2.28E-03	-0.5458683	-3.59E+11	-3522120
-3.56E+11	-3486840	-2.29E-03	-0.5473054	-3.59E+11	-3519180
-3.55E+11	-3482920	-2.30E-03	-0.5497006	-3.59E+11	-3515260
-3.55E+11	-3479980	-2.31E-03	-0.5520958	-3.58E+11	-3511340
-3.55E+11	-3476060	-2.32E-03	-0.554491	-3.58E+11	-3508400
-3.54E+11	-3473120	-2.33E-03	-0.5568862	-3.58E+11	-3504480
-3.54E+11	-3470180	-2.34E-03	-0.5592814	-3.57E+11	-3501540
-3.54E+11	-3466260	-2.35E-03	-0.5616766	-3.57E+11	-3497620
-3.53E+11	-3463320	-2.36E-03	-0.5640719	-3.57E+11	-3493700
-3.53E+11	-3460380	-2.37E-03	-0.5664671	-3.56E+11	-3490760
-3.53E+11	-3456460	-2.38E-03	-0.5688623	-3.56E+11	-3486840
-3.52E+11	-3453520	-2.39E-03	-0.5712575	-3.56E+11	-3483900
-3.52E+11	-3450580	-2.40E-03	-0.5736527	-3.55E+11	-3479980
-3.52E+11	-3447640	-2.41E-03	-0.5760479	-3.55E+11	-3477040

-3.52E+11	-3444700	-2.42E-03	-0.5784431	-3.55E+11	-3474100
-3.51E+11	-3441760	-2.43E-03	-0.5808383	-3.54E+11	-3470180
-3.51E+11	-3437840	-2.44E-03	-0.5832335	-3.54E+11	-3467240
-3.51E+11	-3434900	-2.45E-03	-0.5856287	-3.54E+11	-3464300
-3.50E+11	-3431960	-2.46E-03	-0.588024	-3.53E+11	-3460380
-3.50E+11	-3429020	-2.47E-03	-0.5904192	-3.53E+11	-3457440
-3.50E+11	-3426080	-2.48E-03	-0.5928144	-3.53E+11	-3454500
-3.49E+11	-3423140	-2.49E-03	-0.5952096	-3.52E+11	-3450580
-3.49E+11	-3420200	-2.50E-03	-0.5976048	-3.52E+11	-3447640
-3.49E+11	-3417260	-2.51E-03	-0.6	-3.52E+11	-3444700
-3.48E+11	-3414320	-2.52E-03	-0.6023952	-3.51E+11	-3441760
-3.48E+11	-3411380	-2.53E-03	-0.6047904	-3.51E+11	-3438820
-3.48E+11	-3408440	-2.54E-03	-0.6071856	-3.51E+11	-3434900
-3.48E+11	-3405500	-2.55E-03	-0.6095808	-3.50E+11	-3431960
-3.47E+11	-3402560	-2.56E-03	-0.611976	-3.50E+11	-3429020
-3.47E+11	-3399620	-2.57E-03	-0.6143713	-3.50E+11	-3426080
-3.47E+11	-3396680	-2.58E-03	-0.6167665	-3.50E+11	-3425100
-3.46E+11	-3393740	-2.59E-03	-0.6191617	-3.49E+11	-3422160
-3.46E+11	-3391780	-2.60E-03	-0.6215569	-3.49E+11	-3419220
-3.46E+11	-3388840	-2.61E-03	-0.6239521	-3.49E+11	-3416280
-3.46E+11	-3385900	-2.62E-03	-0.6263473	-3.48E+11	-3413340
-3.45E+11	-3382960	-2.63E-03	-0.6287425	-3.48E+11	-3410400
-3.45E+11	-3380020	-2.64E-03	-0.6311377	-3.48E+11	-3407460
-3.45E+11	-3378060	-2.65E-03	-0.6335329	-3.47E+11	-3404520
-3.44E+11	-3375120	-2.66E-03	-0.6359281	-3.47E+11	-3401580
-3.44E+11	-3372180	-2.67E-03	-0.6383234	-3.47E+11	-3398640
-3.44E+11	-3369240	-2.68E-03	-0.6407186	-3.47E+11	-3395700
-3.44E+11	-3367280	-2.69E-03	-0.6431138	-3.46E+11	-3392760
-3.43E+11	-3364340	-2.70E-03	-0.645509	-3.46E+11	-3389820
-3.43E+11	-3361400	-2.71E-03	-0.6479042	-3.46E+11	-3387860
-3.43E+11	-3358460	-2.72E-03	-0.6502994	-3.45E+11	-3384920
-3.43E+11	-3356500	-2.73E-03	-0.6526946	-3.45E+11	-3381980
-3.42E+11	-3353560	-2.74E-03	-0.6550898	-3.45E+11	-3379040
-3.42E+11	-3351600	-2.75E-03	-0.657485	-3.45E+11	-3376100
-3.42E+11	-3348660	-2.76E-03	-0.6598802	-3.44E+11	-3374140
-3.41E+11	-3345720	-2.77E-03	-0.6622754	-3.44E+11	-3371200
-3.41E+11	-3343760	-2.78E-03	-0.6646707	-3.44E+11	-3368260
-3.41E+11	-3340820	-2.79E-03	-0.6670659	-3.43E+11	-3365320
-3.41E+11	-3338860	-2.80E-03	-0.6694611	-3.43E+11	-3363360
-3.40E+11	-3335920	-2.81E-03	-0.6718563	-3.43E+11	-3360420

) Idchk = 2

age

Bulk Carrier (B1) Idchk = 1

20% damage

9.80E-06 1000		frame space = 4.175		9.80E-06 1000	
Rotation	Curvature	Moment		Rotation	Curvature
1.00E-06	0.00024	8.14E+08	7981.12	1.00E-06	0.00024
2.00E-06	0.000479	1.63E+09	15954.4	2.00E-06	0.000479
3.00E-06	0.000719	2.44E+09	23931.6	3.00E-06	0.000719
4.00E-06	0.000958	3.26E+09	31908.8	4.00E-06	0.000958
5.00E-06	0.001198	4.07E+09	39886	5.00E-06	0.001198
6.00E-06	0.001437	4.88E+09	47863.2	6.00E-06	0.001437
7.00E-06	0.001677	5.70E+09	55840.4	7.00E-06	0.001677
8.00E-06	0.001916	6.51E+09	63817.6	8.00E-06	0.001916
9.00E-06	0.002156	7.33E+09	71794.8	9.00E-06	0.002156
1.00E-05	0.002395	8.14E+09	79762.2	1.00E-05	0.002395
2.00E-05	0.00479	1.63E+10	159544	2.00E-05	0.00479
3.00E-05	0.007186	2.44E+10	239316	3.00E-05	0.007186
4.00E-05	0.009581	3.26E+10	319088	4.00E-05	0.009581
5.00E-05	0.011976	4.07E+10	398860	5.00E-05	0.011976
6.00E-05	0.014371	4.88E+10	478534	6.00E-05	0.014371
7.00E-05	0.016766	5.70E+10	558306	7.00E-05	0.016766
8.00E-05	0.019162	6.51E+10	638078	8.00E-05	0.019162
9.00E-05	0.021557	7.33E+10	717850	9.00E-05	0.021557
1.00E-04	0.023952	8.14E+10	797622	1.00E-04	0.023952
1.10E-04	0.026347	8.95E+10	877394	1.10E-04	0.026347
1.20E-04	0.028743	9.77E+10	957166	1.20E-04	0.028743
1.30E-04	0.031138	1.06E+11	1036840	1.30E-04	0.031138
1.40E-04	0.033533	1.14E+11	1116220	1.40E-04	0.033533
1.50E-04	0.035928	1.22E+11	1196580	1.50E-04	0.035928
1.60E-04	0.038323	1.30E+11	1275960	1.60E-04	0.038323
1.70E-04	0.040719	1.38E+11	1356320	1.70E-04	0.040719
1.80E-04	0.043114	1.47E+11	1435700	1.80E-04	0.043114
1.90E-04	0.045509	1.55E+11	1515080	1.90E-04	0.045509
2.00E-04	0.047904	1.63E+11	1595440	2.00E-04	0.047904
2.10E-04	0.050299	1.71E+11	1674820	2.10E-04	0.050299
2.20E-04	0.052695	1.79E+11	1755180	2.20E-04	0.052695
2.30E-04	0.05509	1.87E+11	1834560	2.30E-04	0.05509
2.40E-04	0.057485	1.95E+11	1913940	2.40E-04	0.057485
2.50E-04	0.05988	2.04E+11	1994300	2.50E-04	0.05988
2.60E-04	0.062275	2.12E+11	2073680	2.60E-04	0.062275
2.70E-04	0.064671	2.20E+11	2153060	2.70E-04	0.064671
2.80E-04	0.067066	2.28E+11	2233420	2.80E-04	0.067066
2.90E-04	0.069461	2.36E+11	2312800	2.90E-04	0.069461
3.00E-04	0.071856	2.44E+11	2393160	3.00E-04	0.071856
3.10E-04	0.074251	2.52E+11	2472540	3.10E-04	0.074251
3.20E-04	0.076647	2.60E+11	2551920	3.20E-04	0.076647
3.30E-04	0.079042	2.69E+11	2632280	3.30E-04	0.079042

3.40E-04	0.081437	2.77E+11	2711660	3.40E-04	0.081437
3.50E-04	0.083832	2.85E+11	2791040	3.50E-04	0.083832
3.60E-04	0.086228	2.93E+11	2871400	3.60E-04	0.086228
3.70E-04	0.088623	3.01E+11	2950780	3.70E-04	0.088623
3.80E-04	0.091018	3.09E+11	3030160	3.80E-04	0.091018
3.90E-04	0.093413	3.17E+11	3110520	3.90E-04	0.093413
4.00E-04	0.095808	3.26E+11	3189900	4.00E-04	0.095808
4.10E-04	0.098204	3.34E+11	3269280	4.10E-04	0.098204
4.20E-04	0.100599	3.42E+11	3349640	4.20E-04	0.100599
4.30E-04	0.102994	3.50E+11	3429020	4.30E-04	0.102994
4.40E-04	0.105389	3.58E+11	3508400	4.40E-04	0.105389
4.50E-04	0.107784	3.66E+11	3588760	4.50E-04	0.107784
4.60E-04	0.11018	3.74E+11	3668140	4.60E-04	0.11018
4.70E-04	0.112575	3.82E+11	3747520	4.70E-04	0.112575
4.80E-04	0.11497	3.91E+11	3826900	4.80E-04	0.11497
4.90E-04	0.117365	3.99E+11	3907260	4.90E-04	0.117365
5.00E-04	0.11976	4.07E+11	3986640	5.00E-04	0.11976
5.10E-04	0.122156	4.15E+11	4066020	5.10E-04	0.122156
5.20E-04	0.124551	4.23E+11	4146380	5.20E-04	0.124551
5.30E-04	0.126946	4.31E+11	4225760	5.30E-04	0.126946
5.40E-04	0.129341	4.39E+11	4305140	5.40E-04	0.129341
5.50E-04	0.131737	4.47E+11	4384520	5.50E-04	0.131737
5.60E-04	0.134132	4.56E+11	4464880	5.60E-04	0.134132
5.70E-04	0.136527	4.64E+11	4544260	5.70E-04	0.136527
5.80E-04	0.138922	4.72E+11	4623640	5.80E-04	0.138922
5.90E-04	0.141317	4.80E+11	4703020	5.90E-04	0.141317
6.00E-04	0.143713	4.88E+11	4782400	6.00E-04	0.143713
6.10E-04	0.146108	4.96E+11	4861780	6.10E-04	0.146108
6.20E-04	0.148503	5.04E+11	4941160	6.20E-04	0.148503
6.30E-04	0.150898	5.12E+11	5019560	6.30E-04	0.150898
6.40E-04	0.153293	5.20E+11	5098940	6.40E-04	0.153293
6.50E-04	0.155689	5.28E+11	5177340	6.50E-04	0.155689
6.60E-04	0.158084	5.36E+11	5255740	6.60E-04	0.158084
6.70E-04	0.160479	5.44E+11	5335120	6.70E-04	0.160479
6.80E-04	0.162874	5.52E+11	5411560	6.80E-04	0.162874
6.90E-04	0.165269	5.60E+11	5488980	6.90E-04	0.165269
7.00E-04	0.167665	5.68E+11	5566400	7.00E-04	0.167665
7.10E-04	0.17006	5.76E+11	5641860	7.10E-04	0.17006
7.10E-04	0.17006	5.84E+11	5718300	7.20E-04	0.172455
7.20E-04	0.172455	5.91E+11	5793760	7.30E-04	0.17485
7.24E-04	0.173389	5.93E+11	5806500	7.32E-04	0.175257
7.34E-04	0.175784	5.98E+11	5864320	7.40E-04	0.177222
7.44E-04	0.17818	6.03E+11	5908420	7.47E-04	0.178994
7.46E-04	0.178587	6.07E+11	5949580	7.55E-04	0.180886
7.56E-04	0.180982	6.10E+11	5979960	7.62E-04	0.182539
7.58E-04	0.181653	6.13E+11	6008380	7.69E-04	0.184216
7.67E-04	0.183641	6.17E+11	6047580	7.79E-04	0.186611


7.74E-04	0.185461	6.20E+11	6079920	7.87E-04	0.188599
7.83E-04	0.187521	6.24E+11	6117160	7.97E-04	0.190994
7.92E-04	0.189749	6.27E+11	6140680	8.04E-04	0.192623
8.00E-04	0.191569	6.30E+11	6174000	8.14E-04	0.195018
8.08E-04	0.193581	6.30E+11	6174980	8.14E-04	0.195066
8.17E-04	0.19576	6.33E+11	6204380	8.24E-04	0.197461
8.26E-04	0.197844	6.34E+11	6210260	8.27E-04	0.197964
8.36E-04	0.200216	6.36E+11	6232800	8.35E-04	0.2
8.45E-04	0.202491	6.39E+11	6258280	8.45E-04	0.202395
8.55E-04	0.204886	6.41E+11	6282780	8.55E-04	0.20479
8.56E-04	0.205102	6.43E+11	6300420	8.62E-04	0.206539
8.66E-04	0.207497	6.45E+11	6321000	8.72E-04	0.208934
8.69E-04	0.208168	6.47E+11	6341580	8.82E-04	0.211329
8.76E-04	0.209844	6.49E+11	6362160	8.92E-04	0.213725
8.86E-04	0.21224	6.51E+11	6378820	9.01E-04	0.215737
8.88E-04	0.212647	6.53E+11	6397440	9.11E-04	0.218132
8.98E-04	0.215042	6.55E+11	6416060	9.21E-04	0.220527
8.98E-04	0.215186	6.56E+11	6426840	9.27E-04	0.221964
9.06E-04	0.217102	6.57E+11	6442520	9.37E-04	0.224359
9.16E-04	0.219497	6.57E+11	6442520	9.37E-04	0.224431
9.22E-04	0.220766	6.59E+11	6456240	9.47E-04	0.226826
9.32E-04	0.223162	6.60E+11	6469960	9.57E-04	0.229222
9.37E-04	0.224359	6.62E+11	6483680	9.67E-04	0.231617
9.47E-04	0.226754	6.63E+11	6497400	9.77E-04	0.233988
9.47E-04	0.22685	6.64E+11	6509160	9.87E-04	0.236383
9.57E-04	0.229246	6.65E+11	6513080	9.91E-04	0.237341
9.59E-04	0.229796	6.66E+11	6523860	1.00E-03	0.23976
9.68E-04	0.231784	6.67E+11	6532680	1.01E-03	0.241916
9.76E-04	0.233772	6.68E+11	6541500	1.02E-03	0.244311
9.84E-04	0.235713	6.68E+11	6546400	1.03E-03	0.245988
9.94E-04	0.238108	6.69E+11	6552280	1.04E-03	0.248383
9.94E-04	0.238156	6.69E+11	6558160	1.05E-03	0.250778
1.00E-03	0.24024	6.70E+11	6562080	1.06E-03	0.252934
1.01E-03	0.242635	6.70E+11	6565020	1.07E-03	0.255329
1.01E-03	0.242874	6.70E+11	6566980	1.08E-03	0.257485
1.02E-03	0.244551	6.70E+11	6569920	1.09E-03	0.25988
1.03E-03	0.246228	6.71E+11	6572860	1.09E-03	0.262036
1.04E-03	0.248144	6.71E+11	6575800	1.10E-03	0.264431
1.04E-03	0.24982	6.71E+11	6575800	1.11E-03	0.264671
1.05E-03	0.252216	6.71E+11	6578740	1.12E-03	0.267066
1.06E-03	0.253892	6.72E+11	6581680	1.13E-03	0.269461
1.07E-03	0.25509	6.72E+11	6584620	1.14E-03	0.271856
1.07E-03	0.257246	6.72E+11	6586580	1.14E-03	0.273293
1.08E-03	0.259641	6.72E+11	6588540	1.15E-03	0.275689
1.09E-03	0.261317	6.73E+11	6590500	1.16E-03	0.277126
1.10E-03	0.263234	6.73E+11	6593440	1.17E-03	0.279521
1.11E-03	0.265389	6.73E+11	6596380	1.18E-03	0.281916

1.12E-03	0.267784	6.73E+11	6599320	1.19E-03	0.284311
1.13E-03	0.27018	6.73E+11	6599320	1.19E-03	0.284551
1.13E-03	0.270419	6.74E+11	6602260	1.20E-03	0.286946
1.14E-03	0.272814	6.74E+11	6605200	1.21E-03	0.289341
1.14E-03	0.274012	6.74E+11	6606180	1.22E-03	0.291737
1.15E-03	0.275449	6.74E+11	6606180	1.22E-03	0.292216
1.16E-03	0.276886	6.74E+11	6607160	1.23E-03	0.294611
1.16E-03	0.278323	6.74E+11	6608140	1.24E-03	0.296287
1.17E-03	0.280719	6.74E+11	6609120	1.25E-03	0.298683
1.18E-03	0.281677	6.74E+11	6609120	1.25E-03	0.299401
1.19E-03	0.284072	6.74E+11	6608140	1.26E-03	0.301796
1.19E-03	0.285269	6.73E+11	6597360	1.27E-03	0.304192
1.20E-03	0.287425	6.73E+11	6595400	1.27E-03	0.304431
1.21E-03	0.28982	6.71E+11	6573840	1.28E-03	0.305868
1.22E-03	0.292216	6.67E+11	6539540	1.28E-03	0.307545
1.23E-03	0.294611	6.65E+11	6517000	1.29E-03	0.308503
1.24E-03	0.295808	6.60E+11	6470940	1.30E-03	0.310898
1.25E-03	0.298204	6.58E+11	6450360	1.30E-03	0.312335
1.26E-03	0.300599	6.56E+11	6428800	1.31E-03	0.313533
1.26E-03	0.302036	6.52E+11	6392540	1.32E-03	0.315689
1.27E-03	0.304192	6.48E+11	6349420	1.33E-03	0.318084
1.28E-03	0.306587	6.47E+11	6344520	1.33E-03	0.318323
1.29E-03	0.307784	6.44E+11	6312180	1.34E-03	0.320479
1.30E-03	0.31018	6.40E+11	6275920	1.35E-03	0.322874
1.30E-03	0.311856	6.37E+11	6241620	1.36E-03	0.325269
1.31E-03	0.314251	6.34E+11	6216140	1.37E-03	0.327186
1.32E-03	0.315449	6.30E+11	6177920	1.38E-03	0.329581
1.33E-03	0.317844	6.28E+11	6149500	1.38E-03	0.331497
1.34E-03	0.32024	6.24E+11	6119120	1.39E-03	0.333892
1.35E-03	0.322635	6.21E+11	6089720	1.40E-03	0.336287
1.35E-03	0.323593	6.18E+11	6060320	1.41E-03	0.338683
1.36E-03	0.325988	6.15E+11	6029940	1.42E-03	0.341078
1.36E-03	0.326707	6.13E+11	6003480	1.43E-03	0.343473
1.37E-03	0.329102	6.12E+11	5993680	1.44E-03	0.344431
1.38E-03	0.331497	6.09E+11	5967220	1.45E-03	0.346826
1.39E-03	0.333892	6.06E+11	5941740	1.46E-03	0.349222
1.40E-03	0.336287	6.04E+11	5918220	1.47E-03	0.351617
1.41E-03	0.338683	6.01E+11	5893720	1.48E-03	0.354012
1.42E-03	0.339401	5.99E+11	5870200	1.49E-03	0.356407
1.43E-03	0.341796	5.97E+11	5848640	1.50E-03	0.358802
1.44E-03	0.344192	5.95E+11	5828060	1.51E-03	0.361198
1.45E-03	0.346587	5.93E+11	5808460	1.52E-03	0.363593
1.46E-03	0.348982	5.91E+11	5788860	1.53E-03	0.365988
1.47E-03	0.351377	5.89E+11	5771220	1.54E-03	0.368383
1.48E-03	0.353772	5.87E+11	5753580	1.55E-03	0.370778
1.49E-03	0.356168	5.85E+11	5736920	1.56E-03	0.373174
1.50E-03	0.358563	5.84E+11	5720260	1.57E-03	0.375569


1.51E-03	0.360958	5.82E+11	5704580	1.58E-03	0.377964
1.52E-03	0.363353	5.81E+11	5689880	1.59E-03	0.380359
1.53E-03	0.365749	5.80E+11	5679100	1.60E-03	0.382036
1.54E-03	0.368144	5.78E+11	5663420	1.61E-03	0.384431
1.55E-03	0.370539	5.76E+11	5648720	1.62E-03	0.386826
1.56E-03	0.372934	5.76E+11	5643820	1.62E-03	0.387545
1.57E-03	0.375329	5.75E+11	5630100	1.63E-03	0.38994
1.58E-03	0.377725	5.73E+11	5616380	1.64E-03	0.392335
1.59E-03	0.38012	5.72E+11	5602660	1.65E-03	0.394731
1.60E-03	0.382515	5.72E+11	5602660	1.65E-03	0.394731
1.61E-03	0.38491	5.70E+11	5586980	1.66E-03	0.397126
1.61E-03	0.386347	5.69E+11	5572280	1.67E-03	0.399521
1.62E-03	0.388743	5.67E+11	5558560	1.68E-03	0.401916
1.63E-03	0.391138	5.66E+11	5543860	1.69E-03	0.404311
1.64E-03	0.393533	5.65E+11	5537000	1.69E-03	0.405509
1.65E-03	0.394012	5.63E+11	5518380	1.70E-03	0.407904
1.66E-03	0.396407	5.62E+11	5504660	1.71E-03	0.410299
1.67E-03	0.398802	5.60E+11	5489960	1.72E-03	0.412695
1.68E-03	0.401198	5.59E+11	5475260	1.73E-03	0.41509
1.69E-03	0.403593	5.57E+11	5460560	1.74E-03	0.417485
1.70E-03	0.405988	5.56E+11	5446840	1.75E-03	0.41988
1.71E-03	0.408383	5.54E+11	5433120	1.76E-03	0.422275
1.71E-03	0.409102	5.53E+11	5419400	1.77E-03	0.424671
1.72E-03	0.411497	5.52E+11	5405680	1.78E-03	0.427066
1.73E-03	0.413892	5.50E+11	5391960	1.79E-03	0.429461
1.74E-03	0.416287	5.49E+11	5379220	1.80E-03	0.431856
1.75E-03	0.418683	5.48E+11	5365500	1.81E-03	0.434251
1.76E-03	0.421078	5.46E+11	5353740	1.82E-03	0.436647
1.77E-03	0.423473	5.45E+11	5341000	1.83E-03	0.439042
1.78E-03	0.425868	5.44E+11	5329240	1.84E-03	0.441437
1.79E-03	0.428263	5.43E+11	5317480	1.85E-03	0.443832
1.80E-03	0.430659	5.42E+11	5311600	1.86E-03	0.445269
1.81E-03	0.433054	5.41E+11	5299840	1.87E-03	0.447665
1.82E-03	0.435449	5.40E+11	5288080	1.88E-03	0.45006
1.83E-03	0.437844	5.39E+11	5277300	1.89E-03	0.452455
1.84E-03	0.44024	5.37E+11	5265540	1.90E-03	0.45485
1.85E-03	0.442635	5.36E+11	5254760	1.91E-03	0.457246
1.86E-03	0.44503	5.35E+11	5244960	1.92E-03	0.459641
1.87E-03	0.447425	5.34E+11	5234180	1.93E-03	0.462036
1.88E-03	0.44982	5.33E+11	5224380	1.94E-03	0.464431
1.89E-03	0.452216	5.32E+11	5213600	1.95E-03	0.466826
1.90E-03	0.454611	5.31E+11	5203800	1.96E-03	0.469222
1.91E-03	0.457006	5.30E+11	5194000	1.97E-03	0.471617
1.92E-03	0.459401	5.29E+11	5185180	1.98E-03	0.474012
1.92E-03	0.460599	5.28E+11	5175380	1.99E-03	0.476407
1.93E-03	0.462994	5.27E+11	5165580	2.00E-03	0.478802
1.94E-03	0.465389	5.26E+11	5156760	2.01E-03	0.481198

1.95E-03	0.467784	5.25E+11	5147940	2.02E-03	0.483593
1.96E-03	0.46994	5.24E+11	5139120	2.03E-03	0.485988
1.97E-03	0.472335	5.24E+11	5130300	2.04E-03	0.488383
1.98E-03	0.474731	5.23E+11	5121480	2.05E-03	0.490778
1.99E-03	0.477126	5.22E+11	5113640	2.06E-03	0.493174
2.00E-03	0.479521	5.21E+11	5104820	2.07E-03	0.495569
2.01E-03	0.481916	5.20E+11	5096980	2.08E-03	0.497964
2.02E-03	0.484311	5.19E+11	5088160	2.09E-03	0.500359
2.03E-03	0.486707	5.18E+11	5080320	2.10E-03	0.502754
2.04E-03	0.489102	5.18E+11	5072480	2.11E-03	0.50515
2.05E-03	0.491497	5.17E+11	5064640	2.12E-03	0.507545
2.06E-03	0.493892	5.16E+11	5056800	2.13E-03	0.50994
2.07E-03	0.496287	5.15E+11	5049940	2.14E-03	0.512335
2.08E-03	0.498683	5.15E+11	5042100	2.15E-03	0.514731
2.09E-03	0.501078	5.14E+11	5034260	2.16E-03	0.517126
2.10E-03	0.503473	5.13E+11	5025440	2.17E-03	0.519521
2.11E-03	0.505868	5.12E+11	5017600	2.18E-03	0.521916
2.12E-03	0.508263	5.11E+11	5008780	2.19E-03	0.524311
2.13E-03	0.510659	5.10E+11	5000940	2.20E-03	0.526707
2.14E-03	0.513054	5.10E+11	4993100	2.21E-03	0.529102
2.15E-03	0.515449	5.09E+11	4986240	2.22E-03	0.531497
2.16E-03	0.517844	5.08E+11	4978400	2.23E-03	0.533892
2.17E-03	0.52024	5.07E+11	4970560	2.24E-03	0.536287
2.18E-03	0.522635	5.07E+11	4963700	2.25E-03	0.538683
2.19E-03	0.52503	5.06E+11	4955860	2.26E-03	0.541078
2.20E-03	0.527425	5.05E+11	4948020	2.27E-03	0.543473
2.21E-03	0.52982	5.04E+11	4941160	2.28E-03	0.545868
2.22E-03	0.532216	5.03E+11	4933320	2.29E-03	0.548263
2.23E-03	0.534611	5.03E+11	4926460	2.30E-03	0.550659
2.24E-03	0.537006	5.02E+11	4918620	2.31E-03	0.553054
2.25E-03	0.539401	5.01E+11	4911760	2.32E-03	0.555449
2.26E-03	0.541796	5.01E+11	4904900	2.33E-03	0.557844
2.27E-03	0.544192	5.00E+11	4898040	2.34E-03	0.56024
2.28E-03	0.546587	4.99E+11	4891180	2.35E-03	0.562635
2.29E-03	0.548982	4.98E+11	4884320	2.36E-03	0.56503
2.30E-03	0.551377	4.98E+11	4877460	2.37E-03	0.567425
2.31E-03	0.553772	4.97E+11	4870600	2.38E-03	0.56982
2.32E-03	0.556168	4.96E+11	4863740	2.39E-03	0.572216
2.33E-03	0.558563	4.96E+11	4856880	2.40E-03	0.574611
2.34E-03	0.560958	4.95E+11	4850020	2.41E-03	0.577006
2.35E-03	0.563353	4.94E+11	4843160	2.42E-03	0.579401
2.36E-03	0.565749	4.94E+11	4837280	2.43E-03	0.581796
2.37E-03	0.568144	4.93E+11	4830420	2.44E-03	0.584192
2.38E-03	0.570539	4.92E+11	4823560	2.45E-03	0.586587
2.39E-03	0.572934	4.92E+11	4817680	2.46E-03	0.588982
2.40E-03	0.575329	4.91E+11	4810820	2.47E-03	0.591377
2.41E-03	0.577725	4.90E+11	4804940	2.48E-03	0.593772

2.42E-03	0.58012
2.43E-03	0.582515
2.44E-03	0.58491
2.45E-03	0.587305
2.46E-03	0.589701
2.47E-03	0.592096
2.48E-03	0.594491
2.49E-03	0.596886
2.50E-03	0.599281
2.51E-03	0.601677
2.52E-03	0.604072
2.53E-03	0.606467
2.54E-03	0.608862
2.55E-03	0.611257
2.56E-03	0.613653
2.57E-03	0.616048
2.58E-03	0.618443
2.59E-03	0.620838
2.60E-03	0.623234
2.61E-03	0.625629
2.62E-03	0.628024
2.63E-03	0.630419
0.00E+00	
-1.00E-06	-0.00024
-2.00E-06	-0.00048
	-0.00072
	-0.00096
	-0.0012
	-0.00144
	-0.00168
	-0.00192
	-0.00216
	-0.0024
	-0.00479
	-0.00719
	-0.00958
	-0.01198
	-0.01437
	-0.01677
	-0.01916
	-0.02156
-1.00E-04	-0.02395
-1.10E-04	-0.02635
-1.20E-04	-0.02874
-1.30E-04	-0.03114
-1.40E-04	-0.03353
-1.50E-04	-0.03593



4.90E+11	4799060	2.49E-03	0.596168
4.89E+11	4793180	2.50E-03	0.598563
4.89E+11	4787300	2.51E-03	0.600958
4.88E+11	4781420	2.52E-03	0.603353
4.87E+11	4775540	2.53E-03	0.605749
4.87E+11	4769660	2.54E-03	0.608144
4.86E+11	4763780	2.55E-03	0.610539
4.86E+11	4757900	2.56E-03	0.612934
4.85E+11	4752020	2.57E-03	0.615329
4.84E+11	4746140	2.58E-03	0.617725
4.84E+11	4740260	2.59E-03	0.62012
4.83E+11	4734380	2.60E-03	0.622515
4.83E+11	4729480	2.61E-03	0.62491
4.82E+11	4723600	2.62E-03	0.627305
4.81E+11	4717720	2.63E-03	0.629701
4.81E+11	4712820	2.64E-03	0.632096
4.80E+11	4706940	2.65E-03	0.634491
4.80E+11	4701060	2.66E-03	0.636886
4.79E+11	4696160	2.67E-03	0.639281
4.79E+11	4690280	2.68E-03	0.641677
4.78E+11	4684400	2.69E-03	0.644072
4.77E+11	4678520	2.70E-03	0.646467
0.00E+00	0	0.00E+00	
-8.14E+08	-7981.12	-1.00E-06	-0.00024
-1.63E+09	-15954.4	-2.00E-06	-0.00048
-2.44E+09			
-3.26E+09			
-4.07E+09			
-4.88E+09			
-5.70E+09			
-6.51E+09			
-7.32E+09			
-8.14E+09			
-1.63E+10			
-2.44E+10			
-3.25E+10			
-4.07E+10			
-4.88E+10			
-5.70E+10			
-6.51E+10			
-7.32E+10			
-8.13E+10	-796936	-1.00E-04	-0.02395
-8.94E+10	-876218	-1.10E-04	-0.02635
-9.75E+10	-955598	-1.20E-04	-0.02874
-1.06E+11	-1034880	-1.30E-04	-0.03114
-1.14E+11	-1114260	-1.40E-04	-0.03353
-1.22E+11	-1193640	-1.50E-04	-0.03593



-1.60E-04	-0.03832	-1.30E+11	-1273020	-1.60E-04	-0.03832
-1.70E-04	-0.04072	-1.38E+11	-1352400	-1.70E-04	-0.04072
-1.80E-04	-0.04311	-1.46E+11	-1430800	-1.80E-04	-0.04311
-1.90E-04	-0.04551	-1.54E+11	-1510180	-1.90E-04	-0.04551
-2.00E-04	-0.0479	-1.62E+11	-1589560	-2.00E-04	-0.0479
-2.10E-04	-0.0503	-1.70E+11	-1668940	-2.10E-04	-0.0503
-2.20E-04	-0.05269	-1.78E+11	-1747340	-2.20E-04	-0.05269
-2.30E-04	-0.05509	-1.86E+11	-1826720	-2.30E-04	-0.05509
-2.40E-04	-0.05749	-1.95E+11	-1906100	-2.40E-04	-0.05749
-2.50E-04	-0.05988	-2.03E+11	-1984500	-2.50E-04	-0.05988
-2.60E-04	-0.06228	-2.11E+11	-2063880	-2.60E-04	-0.06228
-2.70E-04	-0.06467	-2.19E+11	-2142280	-2.70E-04	-0.06467
-2.80E-04	-0.06707	-2.27E+11	-2221660	-2.80E-04	-0.06707
-2.90E-04	-0.06946	-2.35E+11	-2300060	-2.90E-04	-0.06946
-3.00E-04	-0.07186	-2.43E+11	-2379440	-3.00E-04	-0.07186
-3.10E-04	-0.07425	-2.51E+11	-2457840	-3.10E-04	-0.07425
-3.20E-04	-0.07665	-2.59E+11	-2536240	-3.20E-04	-0.07665
-3.30E-04	-0.07904	-2.67E+11	-2615620	-3.30E-04	-0.07904
-3.40E-04	-0.08144	-2.75E+11	-2694020	-3.40E-04	-0.08144
-3.50E-04	-0.08383	-2.83E+11	-2773400	-3.50E-04	-0.08383
-3.60E-04	-0.08623	-2.91E+11	-2851800	-3.60E-04	-0.08623
-3.70E-04	-0.08862	-2.99E+11	-2930200	-3.70E-04	-0.08862
-3.80E-04	-0.09102	-3.07E+11	-3009580	-3.80E-04	-0.09102
-3.90E-04	-0.09341	-3.15E+11	-3087980	-3.90E-04	-0.09341
-4.00E-04	-0.09581	-3.23E+11	-3166380	-4.00E-04	-0.09581
-4.10E-04	-0.0982	-3.31E+11	-3244780	-4.10E-04	-0.0982
-4.20E-04	-0.1006	-3.39E+11	-3323180	-4.20E-04	-0.1006
-4.30E-04	-0.10299	-3.47E+11	-3401580	-4.30E-04	-0.10299
-4.40E-04	-0.10539	-3.55E+11	-3479980	-4.40E-04	-0.10539
-4.50E-04	-0.10778	-3.63E+11	-3558380	-4.50E-04	-0.10778
-4.60E-04	-0.11018	-3.71E+11	-3636780	-4.60E-04	-0.11018
-4.70E-04	-0.11257	-3.79E+11	-3715180	-4.70E-04	-0.11257
-4.80E-04	-0.11497	-3.87E+11	-3793580	-4.80E-04	-0.11497
-4.90E-04	-0.11737	-3.95E+11	-3871980	-4.90E-04	-0.11737
-5.00E-04	-0.11976	-4.03E+11	-3949400	-5.00E-04	-0.11976
-5.10E-04	-0.12216	-4.11E+11	-4027800	-5.10E-04	-0.12216
-5.20E-04	-0.12455	-4.19E+11	-4105220	-5.20E-04	-0.12455
-5.30E-04	-0.12695	-4.27E+11	-4182640	-5.30E-04	-0.12695
-5.40E-04	-0.12934	-4.35E+11	-4260060	-5.40E-04	-0.12934
-5.50E-04	-0.13174	-4.43E+11	-4336500	-5.50E-04	-0.13174
-5.60E-04	-0.13413	-4.50E+11	-4412940	-5.60E-04	-0.13413
-5.70E-04	-0.13653	-4.58E+11	-4489380	-5.70E-04	-0.13653
-5.80E-04	-0.13892	-4.66E+11	-4564840	-5.80E-04	-0.13892
-5.90E-04	-0.14132	-4.74E+11	-4641280	-5.90E-04	-0.14132
-6.00E-04	-0.14371	-4.81E+11	-4716740	-6.00E-04	-0.14371
-6.10E-04	-0.14611	-4.89E+11	-4791220	-6.10E-04	-0.14611
-6.20E-04	-0.1485	-4.97E+11	-4865700	-6.20E-04	-0.1485

-6.25E-04	-0.1498	-5.04E+11	-4939200	-6.30E-04	-0.1509
-6.35E-04	-0.15219	-5.12E+11	-5013680	-6.40E-04	-0.15329
-6.45E-04	-0.15459	-5.16E+11	-5057780	-6.46E-04	-0.15478
-6.48E-04	-0.15511	-5.24E+11	-5130300	-6.56E-04	-0.15717
-6.58E-04	-0.15751	-5.31E+11	-5202820	-6.66E-04	-0.15957
-6.64E-04	-0.15895	-5.35E+11	-5242020	-6.72E-04	-0.16091
-6.72E-04	-0.16103	-5.42E+11	-5312580	-6.82E-04	-0.16331
-6.78E-04	-0.16242	-5.47E+11	-5357660	-6.88E-04	-0.16489
-6.83E-04	-0.16354	-5.52E+11	-5408620	-6.96E-04	-0.16671
-6.87E-04	-0.16465	-5.56E+11	-5448800	-7.03E-04	-0.16831
-6.93E-04	-0.16604	-5.60E+11	-5484080	-7.10E-04	-0.17008
-7.03E-04	-0.16843	-5.61E+11	-5497800	-7.15E-04	-0.17131
-7.06E-04	-0.16913	-5.62E+11	-5505640	-7.21E-04	-0.17262
-7.11E-04	-0.17023	-5.62E+11	-5510540	-7.31E-04	-0.17502
-7.19E-04	-0.17226	-5.62E+11	-5510540	-7.31E-04	-0.17509
-7.27E-04	-0.17411	-5.62E+11	-5508580	-7.37E-04	-0.17655
-7.34E-04	-0.17578	-5.61E+11	-5497800	-7.47E-04	-0.17895
-7.40E-04	-0.17734	-5.60E+11	-5483100	-7.57E-04	-0.18134
-7.46E-04	-0.17873	-5.59E+11	-5481140	-7.58E-04	-0.1816
-7.51E-04	-0.17988	-5.58E+11	-5464480	-7.68E-04	-0.184
-7.61E-04	-0.18228	-5.56E+11	-5452720	-7.74E-04	-0.18546
-7.63E-04	-0.18266	-5.55E+11	-5441940	-7.79E-04	-0.18651
-7.70E-04	-0.18448	-5.53E+11	-5415480	-7.89E-04	-0.18891
-7.74E-04	-0.18529	-5.50E+11	-5390000	-7.96E-04	-0.19075
-7.84E-04	-0.18769	-5.45E+11	-5344920	-8.06E-04	-0.19315
-7.87E-04	-0.18855	-5.45E+11	-5339040	-8.07E-04	-0.19337
-7.94E-04	-0.19011	-5.42E+11	-5308660	-8.12E-04	-0.19449
-8.00E-04	-0.19171	-5.34E+11	-5233200	-8.22E-04	-0.19689
-8.06E-04	-0.19308	-5.24E+11	-5134220	-8.32E-04	-0.19928
-8.14E-04	-0.19497	-5.14E+11	-5034260	-8.41E-04	-0.20144
-8.24E-04	-0.19737	-5.04E+11	-4934300	-8.51E-04	-0.20383
-8.28E-04	-0.19835	-4.95E+11	-4851000	-8.61E-04	-0.20623
-8.38E-04	-0.20074	-4.88E+11	-4781420	-8.71E-04	-0.20862
-8.38E-04	-0.20077	-4.82E+11	-4725560	-8.81E-04	-0.21102
-8.48E-04	-0.20316	-4.80E+11	-4699100	-8.87E-04	-0.21234
-8.58E-04	-0.20556	-4.75E+11	-4657940	-8.97E-04	-0.21473
-8.68E-04	-0.20795	-4.72E+11	-4620700	-9.07E-04	-0.21713
-8.68E-04	-0.20798	-4.68E+11	-4589340	-9.17E-04	-0.21952
-8.78E-04	-0.21037	-4.65E+11	-4558960	-9.27E-04	-0.22192
-8.88E-04	-0.21277	-4.63E+11	-4532500	-9.37E-04	-0.22431
-8.94E-04	-0.21418	-4.60E+11	-4508000	-9.47E-04	-0.22671
-8.99E-04	-0.21526	-4.58E+11	-4483500	-9.57E-04	-0.2291
-9.09E-04	-0.21765	-4.55E+11	-4461940	-9.67E-04	-0.2315
-9.09E-04	-0.2178	-4.53E+11	-4441360	-9.77E-04	-0.23389
-9.19E-04	-0.22019	-4.51E+11	-4420780	-9.87E-04	-0.23629
-9.29E-04	-0.22259	-4.49E+11	-4402160	-9.97E-04	-0.23868
-9.39E-04	-0.22498	-4.47E+11	-4383540	-1.01E-03	-0.2412

-9.44E-04	-0.22604	-4.46E+11	-4365900	-1.02E-03	-0.24359
-9.54E-04	-0.22843	-4.44E+11	-4348260	-1.03E-03	-0.24599
-9.64E-04	-0.23083	-4.42E+11	-4330620	-1.04E-03	-0.24838
-9.74E-04	-0.23322	-4.40E+11	-4313960	-1.05E-03	-0.25078
-9.84E-04	-0.23562	-4.39E+11	-4298280	-1.06E-03	-0.25317
-9.92E-04	-0.23756	-4.37E+11	-4281620	-1.07E-03	-0.25557
-1.00E-03	-0.24	-4.35E+11	-4264960	-1.08E-03	-0.25796
-1.01E-03	-0.2424	-4.34E+11	-4250260	-1.09E-03	-0.26036
-1.01E-03	-0.24263	-4.32E+11	-4234580	-1.10E-03	-0.26275
-1.02E-03	-0.24503	-4.31E+11	-4218900	-1.11E-03	-0.26515
-1.03E-03	-0.24743	-4.29E+11	-4203220	-1.12E-03	-0.26754
-1.04E-03	-0.24982	-4.27E+11	-4188520	-1.13E-03	-0.26994
-1.05E-03	-0.25222	-4.26E+11	-4173820	-1.14E-03	-0.27234
-1.06E-03	-0.25461	-4.24E+11	-4158140	-1.15E-03	-0.27473
-1.07E-03	-0.25701	-4.23E+11	-4142460	-1.16E-03	-0.27713
-1.08E-03	-0.2594	-4.21E+11	-4127760	-1.17E-03	-0.27952
-1.09E-03	-0.2618	-4.20E+11	-4113060	-1.18E-03	-0.28192
-1.10E-03	-0.26419	-4.18E+11	-4097380	-1.19E-03	-0.28431
-1.11E-03	-0.26659	-4.16E+11	-4080720	-1.20E-03	-0.28671
-1.12E-03	-0.26898	-4.15E+11	-4065040	-1.21E-03	-0.2891
-1.13E-03	-0.27138	-4.13E+11	-4049360	-1.22E-03	-0.2915
-1.14E-03	-0.27353	-4.12E+11	-4032700	-1.23E-03	-0.29389
-1.15E-03	-0.27593	-4.10E+11	-4015060	-1.24E-03	-0.29629
-1.16E-03	-0.27832	-4.08E+11	-3998400	-1.25E-03	-0.29868
-1.17E-03	-0.28072	-4.06E+11	-3982720	-1.26E-03	-0.30108
-1.18E-03	-0.28311	-4.05E+11	-3967040	-1.27E-03	-0.30347
-1.19E-03	-0.28551	-4.03E+11	-3952340	-1.28E-03	-0.30587
-1.20E-03	-0.2879	-4.02E+11	-3938620	-1.29E-03	-0.30826
-1.21E-03	-0.2903	-4.01E+11	-3933720	-1.29E-03	-0.30898
-1.22E-03	-0.29269	-4.00E+11	-3921960	-1.30E-03	-0.31138
-1.23E-03	-0.29509	-3.99E+11	-3909220	-1.31E-03	-0.31377
-1.24E-03	-0.29749	-3.98E+11	-3897460	-1.32E-03	-0.31617
-1.25E-03	-0.29988	-3.97E+11	-3885700	-1.33E-03	-0.31856
-1.26E-03	-0.30228	-3.95E+11	-3874920	-1.34E-03	-0.32096
-1.27E-03	-0.30467	-3.94E+11	-3865120	-1.35E-03	-0.32335
-1.28E-03	-0.30707	-3.93E+11	-3854340	-1.36E-03	-0.32575
-1.29E-03	-0.30946	-3.92E+11	-3844540	-1.37E-03	-0.32814
-1.30E-03	-0.31186	-3.91E+11	-3834740	-1.38E-03	-0.33054
-1.31E-03	-0.31425	-3.90E+11	-3824940	-1.39E-03	-0.33293
-1.32E-03	-0.31665	-3.89E+11	-3816120	-1.40E-03	-0.33533
-1.33E-03	-0.31904	-3.89E+11	-3807300	-1.41E-03	-0.33772
-1.34E-03	-0.32144	-3.88E+11	-3798480	-1.42E-03	-0.34012
-1.35E-03	-0.32383	-3.87E+11	-3790640	-1.43E-03	-0.34251
-1.36E-03	-0.32623	-3.86E+11	-3781820	-1.44E-03	-0.34491
-1.37E-03	-0.32862	-3.85E+11	-3773980	-1.45E-03	-0.34731
-1.38E-03	-0.33102	-3.84E+11	-3765160	-1.46E-03	-0.3497
-1.39E-03	-0.33341	-3.83E+11	-3757320	-1.47E-03	-0.3521

-1.40E-03	-0.33581	-3.83E+11	-3749480	-1.48E-03	-0.35449
-1.41E-03	-0.3382	-3.82E+11	-3742620	-1.49E-03	-0.35689
-1.42E-03	-0.3406	-3.81E+11	-3734780	-1.50E-03	-0.35928
-1.43E-03	-0.34299	-3.80E+11	-3727920	-1.51E-03	-0.36168
-1.44E-03	-0.34539	-3.80E+11	-3720080	-1.52E-03	-0.36407
-1.45E-03	-0.34778	-3.79E+11	-3713220	-1.53E-03	-0.36647
-1.45E-03	-0.34778	-3.78E+11	-3706360	-1.54E-03	-0.36886
-1.46E-03	-0.35018	-3.78E+11	-3699500	-1.55E-03	-0.37126
-1.47E-03	-0.35257	-3.77E+11	-3692640	-1.56E-03	-0.37365
-1.48E-03	-0.35497	-3.76E+11	-3686760	-1.57E-03	-0.37605
-1.49E-03	-0.35737	-3.76E+11	-3679900	-1.58E-03	-0.37844
-1.50E-03	-0.35976	-3.75E+11	-3674020	-1.59E-03	-0.38084
-1.51E-03	-0.36216	-3.74E+11	-3668140	-1.60E-03	-0.38323
-1.52E-03	-0.36455	-3.74E+11	-3661280	-1.61E-03	-0.38563
-1.53E-03	-0.36695	-3.73E+11	-3655400	-1.62E-03	-0.38802
-1.54E-03	-0.36934	-3.72E+11	-3649520	-1.63E-03	-0.39042
-1.55E-03	-0.37174	-3.72E+11	-3643640	-1.64E-03	-0.39281
-1.56E-03	-0.37413	-3.71E+11	-3637760	-1.65E-03	-0.39521
-1.57E-03	-0.37653	-3.71E+11	-3631880	-1.66E-03	-0.3976
-1.58E-03	-0.37892	-3.70E+11	-3626980	-1.67E-03	-0.4
-1.59E-03	-0.38132	-3.70E+11	-3621100	-1.68E-03	-0.4024
-1.60E-03	-0.38371	-3.69E+11	-3615220	-1.69E-03	-0.40479
-1.61E-03	-0.38611	-3.68E+11	-3610320	-1.70E-03	-0.40719
-1.62E-03	-0.3885	-3.68E+11	-3605420	-1.71E-03	-0.40958
-1.63E-03	-0.3909	-3.67E+11	-3599540	-1.72E-03	-0.41198
-1.64E-03	-0.39329	-3.67E+11	-3594640	-1.73E-03	-0.41437
-1.65E-03	-0.39569	-3.66E+11	-3589740	-1.74E-03	-0.41677
-1.66E-03	-0.39808	-3.66E+11	-3583860	-1.75E-03	-0.41916
-1.67E-03	-0.40048	-3.65E+11	-3578960	-1.76E-03	-0.42156
-1.68E-03	-0.40287	-3.65E+11	-3574060	-1.77E-03	-0.42395
-1.69E-03	-0.40527	-3.64E+11	-3569160	-1.78E-03	-0.42635
-1.70E-03	-0.40766	-3.64E+11	-3564260	-1.79E-03	-0.42874
-1.71E-03	-0.41006	-3.63E+11	-3559360	-1.80E-03	-0.43114
-1.72E-03	-0.41246	-3.63E+11	-3555440	-1.81E-03	-0.43353
-1.73E-03	-0.41485	-3.62E+11	-3550540	-1.82E-03	-0.43593
-1.74E-03	-0.41725	-3.62E+11	-3545640	-1.83E-03	-0.43832
-1.75E-03	-0.41964	-3.61E+11	-3540740	-1.84E-03	-0.44072
-1.76E-03	-0.42204	-3.61E+11	-3536820	-1.85E-03	-0.44311
-1.77E-03	-0.42443	-3.60E+11	-3531920	-1.86E-03	-0.44551
-1.78E-03	-0.42683	-3.60E+11	-3528000	-1.87E-03	-0.4479
-1.79E-03	-0.42922	-3.60E+11	-3523100	-1.88E-03	-0.4503
-1.80E-03	-0.43162	-3.59E+11	-3519180	-1.89E-03	-0.45269
-1.81E-03	-0.43401	-3.59E+11	-3514280	-1.90E-03	-0.45509
-1.82E-03	-0.43545	-3.58E+11	-3510360	-1.91E-03	-0.45749
-1.83E-03	-0.43784	-3.58E+11	-3506440	-1.92E-03	-0.45988
-1.84E-03	-0.44024	-3.57E+11	-3501540	-1.93E-03	-0.46228
-1.85E-03	-0.44263	-3.57E+11	-3497620	-1.94E-03	-0.46467

-1.86E-03	-0.44503	-3.57E+11	-3493700	-1.95E-03	-0.46707
-1.87E-03	-0.44743	-3.56E+11	-3489780	-1.96E-03	-0.46946
-1.88E-03	-0.44982	-3.56E+11	-3484880	-1.97E-03	-0.47186
-1.89E-03	-0.45222	-3.55E+11	-3480960	-1.98E-03	-0.47425
-1.90E-03	-0.45461	-3.55E+11	-3479000	-1.99E-03	-0.47569
-1.91E-03	-0.45701	-3.55E+11	-3475080	-2.00E-03	-0.47808
-1.92E-03	-0.4594	-3.54E+11	-3471160	-2.01E-03	-0.48048
-1.93E-03	-0.4618	-3.54E+11	-3467240	-2.02E-03	-0.48287
-1.94E-03	-0.46419	-3.53E+11	-3463320	-2.03E-03	-0.48527
-1.95E-03	-0.46659	-3.53E+11	-3459400	-2.04E-03	-0.48766
-1.96E-03	-0.46898	-3.53E+11	-3455480	-2.05E-03	-0.49006
-1.97E-03	-0.47138	-3.52E+11	-3451560	-2.06E-03	-0.49246
-1.98E-03	-0.47377	-3.52E+11	-3447640	-2.07E-03	-0.49485
-1.99E-03	-0.47617	-3.51E+11	-3443720	-2.08E-03	-0.49725
-2.00E-03	-0.47856	-3.51E+11	-3439800	-2.09E-03	-0.49964
-2.01E-03	-0.48096	-3.51E+11	-3435880	-2.10E-03	-0.50204
-2.02E-03	-0.48335	-3.50E+11	-3432940	-2.11E-03	-0.50443
-2.03E-03	-0.48575	-3.50E+11	-3429020	-2.12E-03	-0.50683
-2.04E-03	-0.48814	-3.50E+11	-3425100	-2.13E-03	-0.50922
-2.05E-03	-0.49054	-3.49E+11	-3422160	-2.14E-03	-0.51162
-2.06E-03	-0.49293	-3.49E+11	-3418240	-2.15E-03	-0.51401
-2.07E-03	-0.49533	-3.49E+11	-3415300	-2.16E-03	-0.51641
-2.08E-03	-0.49772	-3.48E+11	-3411380	-2.17E-03	-0.5188
-2.08E-03	-0.49892	-3.48E+11	-3407460	-2.18E-03	-0.5212
-2.09E-03	-0.50132	-3.47E+11	-3404520	-2.19E-03	-0.52359
-2.10E-03	-0.50371	-3.47E+11	-3400600	-2.20E-03	-0.52599
-2.11E-03	-0.50611	-3.47E+11	-3397660	-2.21E-03	-0.52838
-2.12E-03	-0.5085	-3.46E+11	-3394720	-2.22E-03	-0.53078
-2.13E-03	-0.5109	-3.46E+11	-3390800	-2.23E-03	-0.53317
-2.14E-03	-0.51329	-3.46E+11	-3387860	-2.24E-03	-0.53557
-2.15E-03	-0.51569	-3.45E+11	-3383940	-2.25E-03	-0.53796
-2.16E-03	-0.51808	-3.45E+11	-3381000	-2.26E-03	-0.54036
-2.17E-03	-0.52048	-3.45E+11	-3379040	-2.26E-03	-0.5418
-2.18E-03	-0.52287	-3.45E+11	-3376100	-2.27E-03	-0.54419
-2.19E-03	-0.52479	-3.44E+11	-3373160	-2.28E-03	-0.54659
-2.20E-03	-0.52719	-3.44E+11	-3370220	-2.29E-03	-0.54898
-2.21E-03	-0.52958	-3.44E+11	-3366300	-2.30E-03	-0.55138
-2.22E-03	-0.53198	-3.43E+11	-3363360	-2.31E-03	-0.55377
-2.23E-03	-0.53437	-3.43E+11	-3360420	-2.32E-03	-0.55617
-2.24E-03	-0.53677	-3.43E+11	-3357480	-2.33E-03	-0.55856
-2.25E-03	-0.53916	-3.42E+11	-3354540	-2.34E-03	-0.56096
-2.26E-03	-0.54156	-3.42E+11	-3351600	-2.35E-03	-0.56335
-2.27E-03	-0.54395	-3.42E+11	-3347680	-2.36E-03	-0.56575
-2.28E-03	-0.54635	-3.41E+11	-3344740	-2.37E-03	-0.56814
-2.29E-03	-0.54874	-3.41E+11	-3341800	-2.38E-03	-0.57054
-2.30E-03	-0.55114	-3.41E+11	-3338860	-2.39E-03	-0.57293
-2.31E-03	-0.55353	-3.40E+11	-3335920	-2.40E-03	-0.57533

-2.32E-03	-0.55593	-3.40E+11	-3332980	-2.41E-03	-0.57772
-2.33E-03	-0.55832	-3.40E+11	-3330040	-2.42E-03	-0.58012
-2.34E-03	-0.56072	-3.40E+11	-3327100	-2.43E-03	-0.58251
-2.35E-03	-0.56311	-3.39E+11	-3324160	-2.44E-03	-0.58491
-2.36E-03	-0.56551	-3.39E+11	-3322200	-2.45E-03	-0.58731
-2.37E-03	-0.5679	-3.39E+11	-3319260	-2.46E-03	-0.5897
-2.38E-03	-0.5703	-3.38E+11	-3316320	-2.47E-03	-0.5921
-2.39E-03	-0.57269	-3.38E+11	-3313380	-2.48E-03	-0.59449
-2.40E-03	-0.57509	-3.38E+11	-3310440	-2.49E-03	-0.59689
-2.41E-03	-0.57749	-3.38E+11	-3307500	-2.50E-03	-0.59928
-2.42E-03	-0.57988	-3.37E+11	-3304560	-2.51E-03	-0.60168
-2.43E-03	-0.58228	-3.37E+11	-3301620	-2.52E-03	-0.60407
-2.44E-03	-0.58467	-3.37E+11	-3298680	-2.53E-03	-0.60647
-2.45E-03	-0.58707	-3.36E+11	-3296720	-2.54E-03	-0.60886
-2.46E-03	-0.58946	-3.36E+11	-3293780	-2.55E-03	-0.61126
-2.47E-03	-0.59186	-3.36E+11	-3290840	-2.56E-03	-0.61365
-2.48E-03	-0.59281	-3.36E+11	-3287900	-2.57E-03	-0.61605
-2.49E-03	-0.59521	-3.35E+11	-3285940	-2.58E-03	-0.61844
-2.50E-03	-0.5976	-3.35E+11	-3283000	-2.59E-03	-0.62084
-2.51E-03	-0.6	-3.35E+11	-3280060	-2.60E-03	-0.62323
-2.52E-03	-0.6024	-3.35E+11	-3278100	-2.61E-03	-0.62563
-2.53E-03	-0.60479	-3.34E+11	-3275160	-2.62E-03	-0.62802
-2.54E-03	-0.60719	-3.34E+11	-3272220	-2.63E-03	-0.63042
-2.55E-03	-0.60958	-3.34E+11	-3270260	-2.64E-03	-0.63281
-2.56E-03	-0.61198	-3.33E+11	-3267320	-2.65E-03	-0.63521
-2.57E-03	-0.61437	-3.33E+11	-3265360	-2.66E-03	-0.6376
-2.58E-03	-0.61677	-3.33E+11	-3262420	-2.67E-03	-0.64
-2.59E-03	-0.61916	-3.33E+11	-3259480	-2.68E-03	-0.6424
-2.60E-03	-0.62156	-3.32E+11	-3257520	-2.69E-03	-0.64479
-2.61E-03	-0.62395	-3.32E+11	-3254580	-2.70E-03	-0.64719
-2.62E-03	-0.62635	-3.32E+11	-3252620	-2.71E-03	-0.64958
-2.63E-03	-0.62874	-3.32E+11	-3249680	-2.72E-03	-0.65198
-2.64E-03	-0.63114	-3.31E+11	-3247720	-2.73E-03	-0.65437
-2.65E-03	-0.63353	-3.31E+11	-3244780	-2.74E-03	-0.65677
-2.66E-03	-0.63593	-3.31E+11	-3242820	-2.75E-03	-0.65916
-2.67E-03	-0.63832	-3.31E+11	-3240860	-2.76E-03	-0.66156
-2.68E-03	-0.64072	-3.30E+11	-3237920	-2.77E-03	-0.66395
-2.69E-03	-0.64311	-3.30E+11	-3235960	-2.78E-03	-0.66635
-2.70E-03	-0.64551	-3.30E+11	-3233020	-2.79E-03	-0.66874
-2.71E-03	-0.6479	-3.30E+11	-3231060	-2.80E-03	-0.67114

Bulk Carrier (B1) Idchk = 2**20% damage**

frame space =	4.175	9.80E-06	1000
Moment		Rotation	Curvature
8.05E+08	7891.94	1.00E-06	0.00024
1.61E+09	15778	2.00E-06	0.000479
2.42E+09	23667	3.00E-06	0.000719
3.22E+09	31556	4.00E-06	0.000958
4.02E+09	39435.2	5.00E-06	0.001198
4.83E+09	47324.2	6.00E-06	0.001437
5.63E+09	55213.2	7.00E-06	0.001677
6.44E+09	63092.4	8.00E-06	0.001916
7.24E+09	70981.4	9.00E-06	0.002156
8.05E+09	78870.4	1.00E-05	0.002395
1.61E+10	157780	2.00E-05	0.00479
2.41E+10	236572	3.00E-05	0.007186
3.22E+10	315462	4.00E-05	0.009581
4.02E+10	394352	5.00E-05	0.011976
4.83E+10	473144	6.00E-05	0.014371
5.63E+10	552034	7.00E-05	0.016766
6.44E+10	630924	8.00E-05	0.019162
7.24E+10	709814	9.00E-05	0.021557
8.05E+10	788606	1.00E-04	0.023952
8.85E+10	867496	1.10E-04	0.026347
9.66E+10	946386	1.20E-04	0.028743
1.05E+11	1025080	1.30E-04	0.031138
1.13E+11	1104460	1.40E-04	0.033533
1.21E+11	1182860	1.50E-04	0.035928
1.29E+11	1262240	1.60E-04	0.038323
1.37E+11	1340640	1.70E-04	0.040719
1.45E+11	1420020	1.80E-04	0.043114
1.53E+11	1498420	1.90E-04	0.045509
1.61E+11	1576820	2.00E-04	0.047904
1.69E+11	1656200	2.10E-04	0.050299
1.77E+11	1734600	2.20E-04	0.052695
1.85E+11	1813980	2.30E-04	0.05509
1.93E+11	1892380	2.40E-04	0.057485
2.01E+11	1971760	2.50E-04	0.05988
2.09E+11	2050160	2.60E-04	0.062275
2.17E+11	2128560	2.70E-04	0.064671
2.25E+11	2207940	2.80E-04	0.067066
2.33E+11	2286340	2.90E-04	0.069461
2.41E+11	2365720	3.00E-04	0.071856
2.49E+11	2444120	3.10E-04	0.074251
2.57E+11	2522520	3.20E-04	0.076647
2.66E+11	2601900	3.30E-04	0.079042

Bulk Carrier (B1) Idchk = 1**40% damage**

frame spa	4.175	9.80E-06	1000
Moment		Rotation	Curvature
8.07E+08	7911.54	1.00E-06	0.00024
1.61E+09	15817.2	2.00E-06	0.000479
2.42E+09	23725.8	3.00E-06	0.000719
3.23E+09	31634.4	4.00E-06	0.000958
4.04E+09	39543	5.00E-06	0.001198
4.84E+09	47441.8	6.00E-06	0.001437
5.65E+09	55350.4	7.00E-06	0.001677
6.46E+09	63259	8.00E-06	0.001916
7.26E+09	71167.6	9.00E-06	0.002156
8.07E+09	79076.2	1.00E-05	0.002395
1.61E+10	158172	2.00E-05	0.00479
2.42E+10	237160	3.00E-05	0.007186
3.23E+10	316246	4.00E-05	0.009581
4.03E+10	395332	5.00E-05	0.011976
4.84E+10	474418	6.00E-05	0.014371
5.65E+10	553504	7.00E-05	0.016766
6.46E+10	632590	8.00E-05	0.019162
7.26E+10	711578	9.00E-05	0.021557
8.07E+10	790664	1.00E-04	0.023952
8.88E+10	869750	1.10E-04	0.026347
9.68E+10	948836	1.20E-04	0.028743
1.05E+11	1028020	1.30E-04	0.031138
1.13E+11	1107400	1.40E-04	0.033533
1.21E+11	1185800	1.50E-04	0.035928
1.29E+11	1265180	1.60E-04	0.038323
1.37E+11	1344560	1.70E-04	0.040719
1.45E+11	1422960	1.80E-04	0.043114
1.53E+11	1502340	1.90E-04	0.045509
1.61E+11	1581720	2.00E-04	0.047904
1.69E+11	1660120	2.10E-04	0.050299
1.78E+11	1739500	2.20E-04	0.052695
1.86E+11	1818880	2.30E-04	0.05509
1.94E+11	1897280	2.40E-04	0.057485
2.02E+11	1976660	2.50E-04	0.05988
2.10E+11	2056040	2.60E-04	0.062275
2.18E+11	2134440	2.70E-04	0.064671
2.26E+11	2213820	2.80E-04	0.067066
2.34E+11	2293200	2.90E-04	0.069461
2.42E+11	2371600	3.00E-04	0.071856
2.50E+11	2450980	3.10E-04	0.074251
2.58E+11	2530360	3.20E-04	0.076647
2.66E+11	2608760	3.30E-04	0.079042

2.74E+11	2680300	3.40E-04	0.081437
2.82E+11	2758700	3.50E-04	0.083832
2.90E+11	2838080	3.60E-04	0.086228
2.98E+11	2916480	3.70E-04	0.088623
3.06E+11	2995860	3.80E-04	0.091018
3.14E+11	3074260	3.90E-04	0.093413
3.22E+11	3152660	4.00E-04	0.095808
3.30E+11	3232040	4.10E-04	0.098204
3.38E+11	3310440	4.20E-04	0.100599
3.46E+11	3389820	4.30E-04	0.102994
3.54E+11	3468220	4.40E-04	0.105389
3.62E+11	3546620	4.50E-04	0.107784
3.70E+11	3626000	4.60E-04	0.11018
3.78E+11	3704400	4.70E-04	0.112575
3.86E+11	3782800	4.80E-04	0.11497
3.94E+11	3862180	4.90E-04	0.117365
4.02E+11	3940580	5.00E-04	0.11976
4.10E+11	4018980	5.10E-04	0.122156
4.18E+11	4098360	5.20E-04	0.124551
4.26E+11	4176760	5.30E-04	0.126946
4.34E+11	4255160	5.40E-04	0.129341
4.42E+11	4334540	5.50E-04	0.131737
4.50E+11	4412940	5.60E-04	0.134132
4.58E+11	4491340	5.70E-04	0.136527
4.66E+11	4569740	5.80E-04	0.138922
4.74E+11	4648140	5.90E-04	0.141317
4.82E+11	4726540	6.00E-04	0.143713
4.90E+11	4803960	6.10E-04	0.146108
4.98E+11	4882360	6.20E-04	0.148503
5.06E+11	4959780	6.30E-04	0.150898
5.14E+11	5037200	6.40E-04	0.153293
5.22E+11	5114620	6.50E-04	0.155689
5.30E+11	5192040	6.60E-04	0.158084
5.38E+11	5268480	6.70E-04	0.160479
5.45E+11	5344920	6.80E-04	0.162874
5.47E+11	5357660	6.82E-04	0.163281
5.52E+11	5410580	6.89E-04	0.164958
5.56E+11	5450760	6.96E-04	0.166587
5.62E+11	5506620	7.05E-04	0.168814
5.68E+11	5565420	7.15E-04	0.17121
5.73E+11	5616380	7.24E-04	0.173317
5.79E+11	5674200	7.34E-04	0.175713
5.81E+11	5696740	7.38E-04	0.176671
5.87E+11	5750640	7.48E-04	0.179066
5.92E+11	5803560	7.58E-04	0.181461
5.93E+11	5808460	7.59E-04	0.181701
5.97E+11	5848640	7.67E-04	0.183593

2.74E+11	2688140	3.40E-04	0.081437
2.82E+11	2767520	3.50E-04	0.083832
2.90E+11	2845920	3.60E-04	0.086228
2.99E+11	2925300	3.70E-04	0.088623
3.07E+11	3004680	3.80E-04	0.091018
3.15E+11	3083080	3.90E-04	0.093413
3.23E+11	3162460	4.00E-04	0.095808
3.31E+11	3240860	4.10E-04	0.098204
3.39E+11	3320240	4.20E-04	0.100599
3.47E+11	3399620	4.30E-04	0.102994
3.55E+11	3478020	4.40E-04	0.105389
3.63E+11	3557400	4.50E-04	0.107784
3.71E+11	3635800	4.60E-04	0.11018
3.79E+11	3715180	4.70E-04	0.112575
3.87E+11	3794560	4.80E-04	0.11497
3.95E+11	3872960	4.90E-04	0.117365
4.03E+11	3952340	5.00E-04	0.11976
4.11E+11	4030740	5.10E-04	0.122156
4.19E+11	4110120	5.20E-04	0.124551
4.28E+11	4189500	5.30E-04	0.126946
4.36E+11	4267900	5.40E-04	0.129341
4.44E+11	4347280	5.50E-04	0.131737
4.52E+11	4425680	5.60E-04	0.134132
4.60E+11	4505060	5.70E-04	0.136527
4.68E+11	4583460	5.80E-04	0.138922
4.76E+11	4662840	5.90E-04	0.141317
4.84E+11	4741240	6.00E-04	0.143713
4.92E+11	4819640	6.10E-04	0.146108
5.00E+11	4899020	6.20E-04	0.148503
5.08E+11	4977420	6.30E-04	0.150898
5.16E+11	5055820	6.40E-04	0.153293
5.24E+11	5133240	6.50E-04	0.155689
5.32E+11	5211640	6.60E-04	0.158084
5.40E+11	5290040	6.70E-04	0.160479
5.48E+11	5367460	6.80E-04	0.162874
5.56E+11	5443900	6.90E-04	0.165269
5.63E+11	5521320	7.00E-04	0.167665
5.71E+11	5597760	7.10E-04	0.17006
5.79E+11	5673220	7.20E-04	0.172455
5.82E+11	5701640	7.24E-04	0.173365
5.88E+11	5757500	7.32E-04	0.175257
5.92E+11	5800620	7.39E-04	0.176982
5.96E+11	5839820	7.47E-04	0.178826
5.99E+11	5868240	7.53E-04	0.180431
6.02E+11	5895680	7.60E-04	0.182036
6.06E+11	5933900	7.70E-04	0.184431
6.09E+11	5963300	7.78E-04	0.186251


6.02E+11	5894700	7.77E-04	0.185988	6.12E+11	5998580	7.88E-04	0.188647
6.02E+11	5896660	7.77E-04	0.186084	6.14E+11	6016220	7.93E-04	0.189868
6.05E+11	5924100	7.83E-04	0.187593	6.17E+11	6049540	8.03E-04	0.192263
6.09E+11	5965260	7.93E-04	0.189916	6.18E+11	6051500	8.03E-04	0.192407
6.13E+11	6004460	8.03E-04	0.192287	6.21E+11	6080900	8.13E-04	0.194802
6.16E+11	6036800	8.12E-04	0.194371	6.21E+11	6089720	8.17E-04	0.195593
6.19E+11	6067180	8.20E-04	0.196503	6.24E+11	6114220	8.27E-04	0.197988
6.22E+11	6097560	8.30E-04	0.198707	6.26E+11	6136760	8.37E-04	0.200383
6.25E+11	6121080	8.38E-04	0.200719	6.29E+11	6160280	8.47E-04	0.202778
6.27E+11	6147540	8.48E-04	0.203066	6.29E+11	6164200	8.48E-04	0.20321
6.29E+11	6165180	8.55E-04	0.20479	6.31E+11	6183800	8.58E-04	0.205605
6.31E+11	6187720	8.65E-04	0.207186	6.33E+11	6202420	8.68E-04	0.208
6.31E+11	6187720	8.65E-04	0.20721	6.35E+11	6222020	8.78E-04	0.210395
6.34E+11	6208300	8.75E-04	0.209605	6.36E+11	6231820	8.84E-04	0.211617
6.34E+11	6215160	8.78E-04	0.210347	6.38E+11	6249460	8.94E-04	0.214012
6.36E+11	6232800	8.88E-04	0.212695	6.39E+11	6266120	9.04E-04	0.216407
6.38E+11	6249460	8.98E-04	0.21509	6.40E+11	6274940	9.09E-04	0.217701
6.38E+11	6255340	9.02E-04	0.216048	6.42E+11	6286700	9.17E-04	0.219617
6.40E+11	6270040	9.12E-04	0.218443	6.43E+11	6300420	9.27E-04	0.222012
6.40E+11	6271020	9.13E-04	0.218659	6.44E+11	6314140	9.37E-04	0.224407
6.41E+11	6283760	9.23E-04	0.221054	6.46E+11	6326880	9.47E-04	0.226802
6.41E+11	6283760	9.23E-04	0.22115	6.46E+11	6334720	9.52E-04	0.228048
6.42E+11	6294540	9.32E-04	0.223305	6.48E+11	6345500	9.62E-04	0.230443
6.43E+11	6305320	9.42E-04	0.225701	6.48E+11	6350400	9.66E-04	0.231353
6.44E+11	6308260	9.45E-04	0.226228	6.49E+11	6359220	9.76E-04	0.233749
6.45E+11	6316100	9.52E-04	0.228096	6.50E+11	6367060	9.84E-04	0.235665
6.45E+11	6324920	9.62E-04	0.230491	6.51E+11	6374900	9.94E-04	0.23806
6.46E+11	6326880	9.65E-04	0.23121	6.51E+11	6377840	9.98E-04	0.23897
6.46E+11	6333740	9.75E-04	0.233509	6.51E+11	6383720	1.01E-03	0.241437
6.47E+11	6338640	9.85E-04	0.235904	6.52E+11	6389600	1.02E-03	0.243832
6.47E+11	6338640	9.86E-04	0.236216	6.53E+11	6396460	1.03E-03	0.246228
6.47E+11	6341580	9.96E-04	0.238611	6.53E+11	6398420	1.03E-03	0.246946
6.47E+11	6341580	1.00E-03	0.23976	6.54E+11	6404300	1.04E-03	0.249341
6.47E+11	6342560	1.01E-03	0.241916	6.54E+11	6409200	1.05E-03	0.251737
6.47E+11	6342560	1.02E-03	0.244311	6.54E+11	6410180	1.05E-03	0.252216
6.47E+11	6342560	1.02E-03	0.244551	6.55E+11	6415080	1.06E-03	0.254611
6.47E+11	6341580	1.03E-03	0.245988	6.55E+11	6419000	1.07E-03	0.257006
6.47E+11	6336680	1.04E-03	0.248383	6.56E+11	6423900	1.08E-03	0.259401
6.46E+11	6334720	1.04E-03	0.249581	6.56E+11	6426840	1.09E-03	0.261557
6.46E+11	6329820	1.05E-03	0.251976	6.56E+11	6431740	1.10E-03	0.263952
6.46E+11	6328840	1.05E-03	0.252455	6.57E+11	6435660	1.11E-03	0.266347
6.45E+11	6322960	1.06E-03	0.25485	6.57E+11	6438600	1.12E-03	0.268743
6.45E+11	6322960	1.07E-03	0.25509	6.57E+11	6439580	1.13E-03	0.26994
6.45E+11	6316100	1.07E-03	0.257246	6.57E+11	6442520	1.14E-03	0.272335
6.44E+11	6306300	1.08E-03	0.259641	6.58E+11	6444480	1.15E-03	0.274731
6.44E+11	6306300	1.08E-03	0.259641	6.58E+11	6445460	1.15E-03	0.275928
6.43E+11	6298460	1.09E-03	0.261557	6.58E+11	6447420	1.16E-03	0.278323

6.42E+11	6288660	1.10E-03	0.263952	6.58E+11	6447420	1.17E-03	0.280479
6.42E+11	6286700	1.10E-03	0.264192	6.58E+11	6448400	1.18E-03	0.282874
6.40E+11	6275920	1.11E-03	0.266587	6.58E+11	6450360	1.19E-03	0.285269
6.40E+11	6272980	1.12E-03	0.267305	6.58E+11	6450360	1.19E-03	0.285509
6.39E+11	6265140	1.12E-03	0.268743	6.58E+11	6451340	1.20E-03	0.287904
6.38E+11	6253380	1.13E-03	0.270898	6.59E+11	6453300	1.21E-03	0.290299
6.37E+11	6241620	1.14E-03	0.273054	6.59E+11	6455260	1.22E-03	0.292216
6.35E+11	6226920	1.15E-03	0.275449	6.59E+11	6456240	1.23E-03	0.294611
6.34E+11	6212220	1.16E-03	0.277844	6.59E+11	6458200	1.24E-03	0.297006
6.34E+11	6210260	1.16E-03	0.278323	6.59E+11	6460160	1.25E-03	0.299401
6.32E+11	6195560	1.17E-03	0.280719	6.60E+11	6463100	1.26E-03	0.301796
6.32E+11	6194580	1.17E-03	0.280719	6.60E+11	6465060	1.27E-03	0.304192
6.31E+11	6181840	1.18E-03	0.282635	6.60E+11	6465060	1.27E-03	0.304671
6.29E+11	6168120	1.19E-03	0.284551	6.60E+11	6467020	1.28E-03	0.307066
6.28E+11	6158320	1.19E-03	0.285988	6.60E+11	6469960	1.29E-03	0.309461
6.27E+11	6141660	1.20E-03	0.288383	6.60E+11	6471920	1.30E-03	0.311856
6.27E+11	6140680	1.20E-03	0.288383	6.61E+11	6473880	1.31E-03	0.314251
6.25E+11	6127940	1.21E-03	0.290299	6.61E+11	6475840	1.32E-03	0.316647
6.24E+11	6112260	1.22E-03	0.292695	6.61E+11	6476820	1.33E-03	0.317844
6.23E+11	6102460	1.23E-03	0.294371	6.61E+11	6479760	1.34E-03	0.32024
6.21E+11	6089720	1.24E-03	0.296287	6.61E+11	6481720	1.35E-03	0.322635
6.20E+11	6076980	1.25E-03	0.298204	6.62E+11	6482700	1.35E-03	0.324311
6.18E+11	6059340	1.26E-03	0.300599	6.62E+11	6483680	1.36E-03	0.326707
6.17E+11	6046600	1.26E-03	0.302515	6.62E+11	6484660	1.37E-03	0.329102
6.16E+11	6032880	1.27E-03	0.304192	6.62E+11	6484660	1.38E-03	0.33006
6.14E+11	6017200	1.28E-03	0.306347	6.62E+11	6485640	1.39E-03	0.332455
6.12E+11	5994660	1.29E-03	0.308743	6.62E+11	6485640	1.40E-03	0.33485
6.11E+11	5986820	1.29E-03	0.309701	6.62E+11	6486620	1.41E-03	0.337246
6.09E+11	5966240	1.30E-03	0.312096	6.62E+11	6486620	1.42E-03	0.339641
6.07E+11	5952520	1.31E-03	0.313533	6.62E+11	6486620	1.42E-03	0.34012
6.06E+11	5934880	1.32E-03	0.315689	6.62E+11	6486620	1.43E-03	0.342515
6.04E+11	5915280	1.33E-03	0.318084	6.62E+11	6485640	1.44E-03	0.34491
6.03E+11	5912340	1.33E-03	0.318563	6.62E+11	6485640	1.45E-03	0.347305
6.01E+11	5893720	1.34E-03	0.320958	6.62E+11	6485640	1.46E-03	0.349701
6.00E+11	5876080	1.35E-03	0.323353	6.62E+11	6485640	1.47E-03	0.352096
5.99E+11	5867260	1.36E-03	0.324551	6.62E+11	6485640	1.47E-03	0.352575
5.97E+11	5851580	1.37E-03	0.326946	6.62E+11	6484660	1.48E-03	0.35497
5.97E+11	5846680	1.37E-03	0.327665	6.61E+11	6480740	1.49E-03	0.355928
5.95E+11	5831980	1.38E-03	0.33006	6.61E+11	6478780	1.50E-03	0.358323
5.94E+11	5821200	1.39E-03	0.331737	6.61E+11	6479760	1.51E-03	0.360719
5.93E+11	5806500	1.40E-03	0.334132	6.61E+11	6480740	1.52E-03	0.363114
5.91E+11	5791800	1.41E-03	0.336527	6.62E+11	6482700	1.53E-03	0.365509
5.90E+11	5778080	1.42E-03	0.338922	6.62E+11	6483680	1.54E-03	0.367904
5.89E+11	5774160	1.42E-03	0.339641	6.65E+11	6513080	1.55E-03	0.370299
5.88E+11	5760440	1.43E-03	0.342036	6.65E+11	6512100	1.56E-03	0.372695
5.86E+11	5746720	1.44E-03	0.344431	6.65E+11	6512100	1.57E-03	0.37509
5.85E+11	5733980	1.45E-03	0.346826	6.65E+11	6512100	1.57E-03	0.37509

5.84E+11	5727120	1.45E-03	0.348024	6.65E+11	6512100	1.58E-03	0.377485
5.83E+11	5714380	1.46E-03	0.350419	6.64E+11	6507200	1.58E-03	0.379162
5.82E+11	5702620	1.47E-03	0.352814	6.62E+11	6482700	1.59E-03	0.381557
5.81E+11	5690860	1.48E-03	0.35521	6.61E+11	6474860	1.60E-03	0.382036
5.80E+11	5681060	1.49E-03	0.357126	6.57E+11	6439580	1.60E-03	0.384192
5.79E+11	5669300	1.50E-03	0.359521	6.52E+11	6393520	1.61E-03	0.386587
5.77E+11	5657540	1.51E-03	0.361916	6.52E+11	6389600	1.62E-03	0.386826
5.77E+11	5654600	1.51E-03	0.362635	6.49E+11	6360200	1.63E-03	0.389222
5.76E+11	5642840	1.52E-03	0.36503	6.48E+11	6353340	1.63E-03	0.38994
5.75E+11	5630100	1.53E-03	0.367425	6.47E+11	6338640	1.63E-03	0.391138
5.73E+11	5618340	1.54E-03	0.369581	6.44E+11	6314140	1.64E-03	0.393533
5.72E+11	5605600	1.55E-03	0.371976	6.44E+11	6308260	1.65E-03	0.394012
5.71E+11	5593840	1.56E-03	0.374371	6.42E+11	6288660	1.65E-03	0.395689
5.70E+11	5587960	1.57E-03	0.375569	6.38E+11	6252400	1.66E-03	0.398084
5.69E+11	5575220	1.58E-03	0.377964	6.36E+11	6230840	1.67E-03	0.4
5.68E+11	5563460	1.59E-03	0.380359	6.33E+11	6202420	1.68E-03	0.402395
5.67E+11	5551700	1.60E-03	0.382754	6.33E+11	6199480	1.68E-03	0.402395
5.65E+11	5539940	1.61E-03	0.38515	6.30E+11	6173020	1.69E-03	0.40479
5.64E+11	5528180	1.62E-03	0.387545	6.27E+11	6145580	1.70E-03	0.407186
5.64E+11	5525240	1.62E-03	0.388263	6.25E+11	6120100	1.71E-03	0.409581
5.62E+11	5509560	1.63E-03	0.390659	6.22E+11	6097560	1.72E-03	0.411976
5.61E+11	5494860	1.64E-03	0.393054	6.20E+11	6076980	1.73E-03	0.414371
5.59E+11	5480160	1.65E-03	0.395449	6.19E+11	6068160	1.74E-03	0.415569
5.58E+11	5468400	1.66E-03	0.397365	6.17E+11	6048560	1.74E-03	0.417485
5.57E+11	5455660	1.67E-03	0.39976	6.15E+11	6025040	1.75E-03	0.41988
5.55E+11	5442920	1.68E-03	0.402156	6.12E+11	6001520	1.76E-03	0.422275
5.54E+11	5430180	1.69E-03	0.404551	6.10E+11	5979960	1.77E-03	0.424671
5.53E+11	5418420	1.70E-03	0.406946	6.08E+11	5959380	1.78E-03	0.427066
5.52E+11	5405680	1.71E-03	0.409341	6.06E+11	5940760	1.79E-03	0.429461
5.50E+11	5393920	1.72E-03	0.411737	6.04E+11	5921160	1.80E-03	0.431856
5.49E+11	5383140	1.73E-03	0.414132	6.02E+11	5902540	1.81E-03	0.434251
5.48E+11	5371380	1.74E-03	0.416527	6.02E+11	5901560	1.81E-03	0.434251
5.47E+11	5360600	1.75E-03	0.418922	6.01E+11	5884900	1.82E-03	0.436647
5.46E+11	5349820	1.76E-03	0.421317	5.99E+11	5868240	1.83E-03	0.439042
5.45E+11	5339040	1.77E-03	0.423713	5.97E+11	5850600	1.84E-03	0.441437
5.44E+11	5328260	1.78E-03	0.426108	5.95E+11	5833940	1.85E-03	0.443832
5.43E+11	5318460	1.79E-03	0.428503	5.94E+11	5818260	1.86E-03	0.446228
5.42E+11	5307680	1.80E-03	0.430898	5.92E+11	5802580	1.87E-03	0.448623
5.41E+11	5296900	1.81E-03	0.433293	5.91E+11	5786900	1.88E-03	0.451018
5.39E+11	5286120	1.82E-03	0.435689	5.89E+11	5772200	1.89E-03	0.453413
5.38E+11	5275340	1.83E-03	0.438084	5.88E+11	5758480	1.90E-03	0.455808
5.37E+11	5265540	1.84E-03	0.440479	5.86E+11	5745740	1.91E-03	0.458204
5.36E+11	5255740	1.85E-03	0.442874	5.85E+11	5730060	1.92E-03	0.460599
5.35E+11	5245940	1.86E-03	0.445269	5.83E+11	5715360	1.93E-03	0.462994
5.34E+11	5236140	1.87E-03	0.447665	5.82E+11	5700660	1.94E-03	0.465389
5.33E+11	5226340	1.88E-03	0.45006	5.80E+11	5686940	1.95E-03	0.467784
5.32E+11	5216540	1.89E-03	0.452455	5.79E+11	5673220	1.96E-03	0.47018


5.31E+11	5207720	1.90E-03	0.45485	5.78E+11	5660480	1.97E-03	0.472575
5.31E+11	5198900	1.91E-03	0.457246	5.76E+11	5647740	1.98E-03	0.47497
5.30E+11	5190080	1.92E-03	0.459641	5.75E+11	5635000	1.99E-03	0.477365
5.29E+11	5181260	1.93E-03	0.462036	5.74E+11	5623240	2.00E-03	0.47976
5.28E+11	5172440	1.94E-03	0.464431	5.73E+11	5611480	2.01E-03	0.482156
5.28E+11	5169500	1.94E-03	0.46491	5.72E+11	5600700	2.02E-03	0.484551
5.27E+11	5160680	1.95E-03	0.467305	5.71E+11	5594820	2.03E-03	0.485749
5.26E+11	5151860	1.96E-03	0.469701	5.70E+11	5583060	2.04E-03	0.488144
5.25E+11	5143040	1.97E-03	0.472096	5.69E+11	5580120	2.04E-03	0.488623
5.25E+11	5142060	1.97E-03	0.472575	5.68E+11	5565420	2.05E-03	0.491018
5.24E+11	5133240	1.98E-03	0.47497	5.67E+11	5553660	2.06E-03	0.493413
5.23E+11	5124420	1.99E-03	0.477365	5.65E+11	5540920	2.07E-03	0.495808
5.22E+11	5116580	2.00E-03	0.47976	5.64E+11	5530140	2.08E-03	0.498204
5.22E+11	5115600	2.00E-03	0.47976	5.63E+11	5518380	2.09E-03	0.500599
5.21E+11	5105800	2.01E-03	0.482156	5.62E+11	5511520	2.10E-03	0.502036
5.20E+11	5096000	2.02E-03	0.484551	5.61E+11	5497800	2.11E-03	0.504431
5.19E+11	5087180	2.03E-03	0.486946	5.60E+11	5485060	2.12E-03	0.506826
5.18E+11	5079340	2.04E-03	0.489341	5.59E+11	5473300	2.13E-03	0.509222
5.17E+11	5070520	2.05E-03	0.491737	5.57E+11	5462520	2.14E-03	0.511617
5.17E+11	5061700	2.06E-03	0.494132	5.56E+11	5451740	2.15E-03	0.514012
5.16E+11	5053860	2.07E-03	0.496527	5.55E+11	5440960	2.16E-03	0.516407
5.15E+11	5046020	2.08E-03	0.498922	5.54E+11	5431160	2.17E-03	0.518802
5.14E+11	5037200	2.09E-03	0.501317	5.53E+11	5420380	2.18E-03	0.521198
5.13E+11	5029360	2.10E-03	0.503713	5.52E+11	5409600	2.19E-03	0.523593
5.12E+11	5021520	2.11E-03	0.506108	5.51E+11	5398820	2.20E-03	0.525988
5.12E+11	5013680	2.12E-03	0.508503	5.50E+11	5387060	2.21E-03	0.528383
5.11E+11	5005840	2.13E-03	0.510898	5.49E+11	5377260	2.22E-03	0.530778
5.10E+11	4998000	2.14E-03	0.513293	5.48E+11	5366480	2.23E-03	0.533174
5.09E+11	4990160	2.15E-03	0.515689	5.47E+11	5355700	2.24E-03	0.535569
5.08E+11	4982320	2.16E-03	0.518084	5.45E+11	5344920	2.25E-03	0.537964
5.08E+11	4974480	2.17E-03	0.520479	5.44E+11	5334140	2.26E-03	0.540359
5.07E+11	4966640	2.18E-03	0.522874	5.43E+11	5323360	2.27E-03	0.542754
5.06E+11	4959780	2.19E-03	0.525269	5.42E+11	5312580	2.28E-03	0.54515
5.05E+11	4951940	2.20E-03	0.527665	5.41E+11	5302780	2.29E-03	0.547545
5.05E+11	4944100	2.21E-03	0.53006	5.40E+11	5292980	2.30E-03	0.54994
5.04E+11	4937240	2.22E-03	0.532455	5.39E+11	5282200	2.31E-03	0.552335
5.03E+11	4929400	2.23E-03	0.53485	5.38E+11	5272400	2.32E-03	0.554731
5.02E+11	4922540	2.24E-03	0.537246	5.37E+11	5261620	2.33E-03	0.557126
5.02E+11	4914700	2.25E-03	0.539641	5.36E+11	5251820	2.34E-03	0.559521
5.01E+11	4906860	2.26E-03	0.542036	5.35E+11	5242020	2.35E-03	0.561916
5.00E+11	4900000	2.27E-03	0.544431	5.34E+11	5232220	2.36E-03	0.564311
4.99E+11	4892160	2.28E-03	0.546826	5.33E+11	5222420	2.37E-03	0.566707
4.99E+11	4885300	2.29E-03	0.549222	5.32E+11	5213600	2.38E-03	0.569102
4.98E+11	4878440	2.30E-03	0.551617	5.31E+11	5203800	2.39E-03	0.571497
4.97E+11	4871580	2.31E-03	0.554012	5.31E+11	5203800	2.39E-03	0.571737
4.96E+11	4863740	2.32E-03	0.556407	5.30E+11	5194000	2.40E-03	0.574132
4.96E+11	4856880	2.33E-03	0.558802	5.29E+11	5184200	2.41E-03	0.576527

4.95E+11	4850020	2.34E-03	0.561198
4.94E+11	4843160	2.35E-03	0.563593
4.94E+11	4837280	2.36E-03	0.565988
4.94E+11	4836300	2.37E-03	0.566467
4.93E+11	4829440	2.38E-03	0.568862
4.92E+11	4822580	2.39E-03	0.571257
4.91E+11	4815720	2.40E-03	0.573653
4.91E+11	4808860	2.41E-03	0.576048
4.90E+11	4802980	2.42E-03	0.578443
4.89E+11	4796120	2.43E-03	0.580838
4.89E+11	4790240	2.44E-03	0.583234
4.88E+11	4783380	2.45E-03	0.585629
4.88E+11	4777500	2.46E-03	0.588024
4.87E+11	4770640	2.47E-03	0.590419
4.86E+11	4764760	2.48E-03	0.592814
4.86E+11	4758880	2.49E-03	0.59521
4.85E+11	4753000	2.50E-03	0.597605
4.84E+11	4747120	2.51E-03	0.6
4.84E+11	4741240	2.52E-03	0.602395
4.83E+11	4735360	2.53E-03	0.60479
4.83E+11	4729480	2.54E-03	0.607186
4.82E+11	4723600	2.55E-03	0.609581
0.00E+00	0	0.00E+00	
-8.05E+08	-7891.94	-1.00E-06	-0.00024
-1.61E+09	-15778	-2.00E-06	-0.00048



-8.04E+10	-787430	-1.00E-04	-0.02395
-8.84E+10	-865928	-1.10E-04	-0.02635
-9.64E+10	-944328	-1.20E-04	-0.02874
-1.04E+11	-1023120	-1.30E-04	-0.03114
-1.12E+11	-1101520	-1.40E-04	-0.03353
-1.20E+11	-1179920	-1.50E-04	-0.03593

5.28E+11	5175380	2.42E-03	0.578922
5.27E+11	5165580	2.43E-03	0.581317
5.26E+11	5156760	2.44E-03	0.583713
5.25E+11	5147940	2.45E-03	0.586108
5.24E+11	5139120	2.46E-03	0.588503
5.24E+11	5130300	2.47E-03	0.590898
5.23E+11	5121480	2.48E-03	0.593293
5.22E+11	5113640	2.49E-03	0.595689
5.21E+11	5104820	2.50E-03	0.598084
5.20E+11	5096980	2.51E-03	0.600479
5.19E+11	5088160	2.52E-03	0.602874
5.18E+11	5080320	2.53E-03	0.605269
5.18E+11	5072480	2.54E-03	0.607665
5.17E+11	5064640	2.55E-03	0.61006
5.16E+11	5056800	2.56E-03	0.612455
5.15E+11	5048960	2.57E-03	0.61485
5.14E+11	5041120	2.58E-03	0.617246
5.14E+11	5033280	2.59E-03	0.619641
5.13E+11	5025440	2.60E-03	0.622036
5.12E+11	5018580	2.61E-03	0.624431
5.11E+11	5010740	2.62E-03	0.626826
5.11E+11	5003880	2.63E-03	0.629222
0.00E+00	0	0.00E+00	
-8.07E+08	-7911.54	-1.00E-06	-0.00024
-1.61E+09	-15817.2	-2.00E-06	-0.00048
-2.42E+09	-23716	-3.00E-06	-0.00072



-8.06E+10	-868770	-1.10E-04	-0.02635
-8.87E+10	-947562	-1.20E-04	-0.02874
-9.67E+10	-1026060	-1.30E-04	-0.03114
-1.05E+11	-1105440	-1.40E-04	-0.03353
-1.13E+11	-1183840	-1.50E-04	-0.03593

-1.28E+11	-1257340	-1.60E-04	-0.03832	-1.29E+11	-1262240	-1.60E-04	-0.03832
-1.36E+11	-1335740	-1.70E-04	-0.04072	-1.37E+11	-1341620	-1.70E-04	-0.04072
-1.44E+11	-1414140	-1.80E-04	-0.04311	-1.45E+11	-1420020	-1.80E-04	-0.04311
-1.52E+11	-1492540	-1.90E-04	-0.04551	-1.53E+11	-1498420	-1.90E-04	-0.04551
-1.60E+11	-1570940	-2.00E-04	-0.0479	-1.61E+11	-1576820	-2.00E-04	-0.0479
-1.68E+11	-1648360	-2.10E-04	-0.0503	-1.69E+11	-1656200	-2.10E-04	-0.0503
-1.76E+11	-1726760	-2.20E-04	-0.05269	-1.77E+11	-1734600	-2.20E-04	-0.05269
-1.84E+11	-1804180	-2.30E-04	-0.05509	-1.85E+11	-1813000	-2.30E-04	-0.05509
-1.92E+11	-1882580	-2.40E-04	-0.05749	-1.93E+11	-1891400	-2.40E-04	-0.05749
-2.00E+11	-1960980	-2.50E-04	-0.05988	-2.01E+11	-1969800	-2.50E-04	-0.05988
-2.08E+11	-2038400	-2.60E-04	-0.06228	-2.09E+11	-2048200	-2.60E-04	-0.06228
-2.16E+11	-2116800	-2.70E-04	-0.06467	-2.17E+11	-2126600	-2.70E-04	-0.06467
-2.24E+11	-2194220	-2.80E-04	-0.06707	-2.25E+11	-2205000	-2.80E-04	-0.06707
-2.32E+11	-2272620	-2.90E-04	-0.06946	-2.33E+11	-2283400	-2.90E-04	-0.06946
-2.40E+11	-2350040	-3.00E-04	-0.07186	-2.41E+11	-2361800	-3.00E-04	-0.07186
-2.48E+11	-2428440	-3.10E-04	-0.07425	-2.49E+11	-2440200	-3.10E-04	-0.07425
-2.56E+11	-2505860	-3.20E-04	-0.07665	-2.57E+11	-2517620	-3.20E-04	-0.07665
-2.64E+11	-2584260	-3.30E-04	-0.07904	-2.65E+11	-2596020	-3.30E-04	-0.07904
-2.72E+11	-2661680	-3.40E-04	-0.08144	-2.73E+11	-2674420	-3.40E-04	-0.08144
-2.80E+11	-2739100	-3.50E-04	-0.08383	-2.81E+11	-2752820	-3.50E-04	-0.08383
-2.88E+11	-2817500	-3.60E-04	-0.08623	-2.89E+11	-2831220	-3.60E-04	-0.08623
-2.95E+11	-2894920	-3.70E-04	-0.08862	-2.97E+11	-2909620	-3.70E-04	-0.08862
-3.03E+11	-2972340	-3.80E-04	-0.09102	-3.05E+11	-2987040	-3.80E-04	-0.09102
-3.11E+11	-3049760	-3.90E-04	-0.09341	-3.13E+11	-3065440	-3.90E-04	-0.09341
-3.19E+11	-3127180	-4.00E-04	-0.09581	-3.21E+11	-3143840	-4.00E-04	-0.09581
-3.27E+11	-3205580	-4.10E-04	-0.0982	-3.29E+11	-3221260	-4.10E-04	-0.0982
-3.35E+11	-3283000	-4.20E-04	-0.1006	-3.37E+11	-3299660	-4.20E-04	-0.1006
-3.43E+11	-3360420	-4.30E-04	-0.10299	-3.45E+11	-3377080	-4.30E-04	-0.10299
-3.51E+11	-3437840	-4.40E-04	-0.10539	-3.53E+11	-3455480	-4.40E-04	-0.10539
-3.59E+11	-3515260	-4.50E-04	-0.10778	-3.61E+11	-3533880	-4.50E-04	-0.10778
-3.67E+11	-3592680	-4.60E-04	-0.11018	-3.69E+11	-3611300	-4.60E-04	-0.11018
-3.74E+11	-3669120	-4.70E-04	-0.11257	-3.77E+11	-3689700	-4.70E-04	-0.11257
-3.82E+11	-3746540	-4.80E-04	-0.11497	-3.84E+11	-3767120	-4.80E-04	-0.11497
-3.90E+11	-3822980	-4.90E-04	-0.11737	-3.92E+11	-3844540	-4.90E-04	-0.11737
-3.98E+11	-3899420	-5.00E-04	-0.11976	-4.00E+11	-3922940	-5.00E-04	-0.11976
-4.06E+11	-3975860	-5.10E-04	-0.12216	-4.08E+11	-3999380	-5.10E-04	-0.12216
-4.14E+11	-4052300	-5.20E-04	-0.12455	-4.16E+11	-4076800	-5.20E-04	-0.12455
-4.21E+11	-4127760	-5.30E-04	-0.12695	-4.24E+11	-4154220	-5.30E-04	-0.12695
-4.29E+11	-4203220	-5.40E-04	-0.12934	-4.32E+11	-4230660	-5.40E-04	-0.12934
-4.37E+11	-4278680	-5.50E-04	-0.13174	-4.39E+11	-4306120	-5.50E-04	-0.13174
-4.44E+11	-4354140	-5.60E-04	-0.13413	-4.47E+11	-4382560	-5.60E-04	-0.13413
-4.52E+11	-4428620	-5.70E-04	-0.13653	-4.55E+11	-4458020	-5.70E-04	-0.13653
-4.59E+11	-4502120	-5.80E-04	-0.13892	-4.63E+11	-4533480	-5.80E-04	-0.13892
-4.67E+11	-4576600	-5.90E-04	-0.14132	-4.70E+11	-4608940	-5.90E-04	-0.14132
-4.75E+11	-4650100	-6.00E-04	-0.14371	-4.78E+11	-4683420	-6.00E-04	-0.14371
-4.81E+11	-4708900	-6.08E-04	-0.14565	-4.85E+11	-4756920	-6.10E-04	-0.14611
-4.88E+11	-4780440	-6.18E-04	-0.14805	-4.93E+11	-4831400	-6.20E-04	-0.1485

-4.95E+11	-4851980	-6.28E-04	-0.15044	-5.01E+11	-4904900	-6.30E-04	-0.1509
-4.96E+11	-4855900	-6.29E-04	-0.15059	-5.08E+11	-4977420	-6.40E-04	-0.15329
-5.03E+11	-4925480	-6.39E-04	-0.15298	-5.09E+11	-4987220	-6.41E-04	-0.15363
-5.04E+11	-4943120	-6.41E-04	-0.15358	-5.16E+11	-5059740	-6.51E-04	-0.15602
-5.09E+11	-4985260	-6.48E-04	-0.15509	-5.24E+11	-5131280	-6.61E-04	-0.15842
-5.13E+11	-5025440	-6.54E-04	-0.15657	-5.27E+11	-5168520	-6.67E-04	-0.15969
-5.16E+11	-5054840	-6.61E-04	-0.15823	-5.35E+11	-5238100	-6.77E-04	-0.16208
-5.18E+11	-5078360	-6.67E-04	-0.15966	-5.39E+11	-5277300	-6.83E-04	-0.16347
-5.21E+11	-5107760	-6.75E-04	-0.1617	-5.44E+11	-5329240	-6.90E-04	-0.16534
-5.23E+11	-5129320	-6.82E-04	-0.16335	-5.48E+11	-5371380	-6.97E-04	-0.16695
-5.26E+11	-5151860	-6.90E-04	-0.1652	-5.52E+11	-5409600	-7.05E-04	-0.16889
-5.27E+11	-5167540	-6.96E-04	-0.16668	-5.54E+11	-5426260	-7.12E-04	-0.17051
-5.29E+11	-5188120	-7.04E-04	-0.16857	-5.54E+11	-5430180	-7.18E-04	-0.17193
-5.31E+11	-5203800	-7.10E-04	-0.17016	-5.54E+11	-5430180	-7.26E-04	-0.1738
-5.32E+11	-5215560	-7.16E-04	-0.17157	-5.54E+11	-5427240	-7.31E-04	-0.17499
-5.34E+11	-5236140	-7.26E-04	-0.17396	-5.53E+11	-5415480	-7.41E-04	-0.17739
-5.35E+11	-5240060	-7.29E-04	-0.17449	-5.51E+11	-5398820	-7.51E-04	-0.17978
-5.36E+11	-5248880	-7.35E-04	-0.1761	-5.51E+11	-5396860	-7.51E-04	-0.17993
-5.36E+11	-5251820	-7.40E-04	-0.17725	-5.49E+11	-5379220	-7.61E-04	-0.18232
-5.36E+11	-5254760	-7.49E-04	-0.17943	-5.48E+11	-5366480	-7.68E-04	-0.18388
-5.35E+11	-5244960	-7.58E-04	-0.18153	-5.45E+11	-5340020	-7.78E-04	-0.18628
-5.33E+11	-5224380	-7.67E-04	-0.18371	-5.42E+11	-5311600	-7.88E-04	-0.18867
-5.30E+11	-5192040	-7.77E-04	-0.18601	-5.41E+11	-5305720	-7.89E-04	-0.18901
-5.26E+11	-5154800	-7.87E-04	-0.18841	-5.37E+11	-5260640	-7.99E-04	-0.1914
-5.26E+11	-5154800	-7.87E-04	-0.18843	-5.37E+11	-5257700	-8.00E-04	-0.19152
-5.23E+11	-5124420	-7.97E-04	-0.19083	-5.33E+11	-5224380	-8.05E-04	-0.19281
-5.23E+11	-5121480	-7.98E-04	-0.19107	-5.25E+11	-5148920	-8.15E-04	-0.19521
-5.21E+11	-5100900	-8.06E-04	-0.19293	-5.15E+11	-5048960	-8.25E-04	-0.1976
-5.19E+11	-5085220	-8.13E-04	-0.19461	-5.06E+11	-4958800	-8.33E-04	-0.19957
-5.17E+11	-5066600	-8.20E-04	-0.1965	-4.96E+11	-4856880	-8.43E-04	-0.20196
-5.16E+11	-5051900	-8.28E-04	-0.1982	-4.87E+11	-4769660	-8.53E-04	-0.20436
-5.13E+11	-5031320	-8.38E-04	-0.2006	-4.79E+11	-4695180	-8.63E-04	-0.20675
-5.13E+11	-5024460	-8.42E-04	-0.20156	-4.73E+11	-4636380	-8.73E-04	-0.20915
-5.12E+11	-5013680	-8.46E-04	-0.20273	-4.71E+11	-4612860	-8.78E-04	-0.2103
-5.09E+11	-4991140	-8.56E-04	-0.20513	-4.66E+11	-4569740	-8.88E-04	-0.21269
-5.07E+11	-4967620	-8.66E-04	-0.20752	-4.62E+11	-4530540	-8.98E-04	-0.21509
-5.04E+11	-4939200	-8.76E-04	-0.20992	-4.59E+11	-4498200	-9.08E-04	-0.21749
-5.04E+11	-4937240	-8.77E-04	-0.21011	-4.56E+11	-4467820	-9.18E-04	-0.21988
-5.02E+11	-4914700	-8.85E-04	-0.21188	-4.53E+11	-4439400	-9.28E-04	-0.22228
-4.98E+11	-4875500	-8.95E-04	-0.21428	-4.50E+11	-4413920	-9.38E-04	-0.22467
-4.93E+11	-4829440	-9.05E-04	-0.21667	-4.48E+11	-4390400	-9.48E-04	-0.22707
-4.93E+11	-4829440	-9.05E-04	-0.21669	-4.46E+11	-4367860	-9.58E-04	-0.22946
-4.90E+11	-4802980	-9.10E-04	-0.21796	-4.44E+11	-4347280	-9.68E-04	-0.23186
-4.85E+11	-4751040	-9.20E-04	-0.22036	-4.42E+11	-4326700	-9.78E-04	-0.23425
-4.84E+11	-4743200	-9.22E-04	-0.22072	-4.40E+11	-4307100	-9.88E-04	-0.23665
-4.78E+11	-4681460	-9.32E-04	-0.22311	-4.38E+11	-4289460	-9.98E-04	-0.23904
-4.72E+11	-4624620	-9.42E-04	-0.22551	-4.36E+11	-4270840	-1.01E-03	-0.24144

-4.67E+11	-4577580	-9.52E-04	-0.2279	-4.34E+11	-4253200	-1.02E-03	-0.24383
-4.64E+11	-4547200	-9.59E-04	-0.22972	-4.32E+11	-4235560	-1.03E-03	-0.24623
-4.60E+11	-4511920	-9.69E-04	-0.23212	-4.31E+11	-4218900	-1.04E-03	-0.24862
-4.57E+11	-4482520	-9.79E-04	-0.23451	-4.29E+11	-4202240	-1.05E-03	-0.25102
-4.55E+11	-4455080	-9.89E-04	-0.23691	-4.27E+11	-4186560	-1.06E-03	-0.25341
-4.52E+11	-4430580	-9.99E-04	-0.23931	-4.26E+11	-4169900	-1.07E-03	-0.25581
-4.50E+11	-4410980	-1.01E-03	-0.24144	-4.24E+11	-4155200	-1.08E-03	-0.2582
-4.48E+11	-4389420	-1.02E-03	-0.24383	-4.22E+11	-4139520	-1.09E-03	-0.2606
-4.46E+11	-4369820	-1.03E-03	-0.24623	-4.21E+11	-4123840	-1.10E-03	-0.26299
-4.45E+11	-4360020	-1.03E-03	-0.24719	-4.19E+11	-4108160	-1.11E-03	-0.26539
-4.43E+11	-4341400	-1.04E-03	-0.24958	-4.18E+11	-4092480	-1.12E-03	-0.26778
-4.41E+11	-4322780	-1.05E-03	-0.25198	-4.16E+11	-4077780	-1.13E-03	-0.27018
-4.39E+11	-4306120	-1.06E-03	-0.25437	-4.15E+11	-4063080	-1.14E-03	-0.27257
-4.38E+11	-4288480	-1.07E-03	-0.25677	-4.13E+11	-4047400	-1.15E-03	-0.27497
-4.37E+11	-4286520	-1.07E-03	-0.25701	-4.11E+11	-4031720	-1.16E-03	-0.27737
-4.36E+11	-4270840	-1.08E-03	-0.2594	-4.10E+11	-4017020	-1.17E-03	-0.27976
-4.34E+11	-4255160	-1.09E-03	-0.2618	-4.08E+11	-4001340	-1.18E-03	-0.28216
-4.33E+11	-4239480	-1.10E-03	-0.26419	-4.07E+11	-3985660	-1.19E-03	-0.28455
-4.31E+11	-4224780	-1.11E-03	-0.26659	-4.05E+11	-3969980	-1.20E-03	-0.28695
-4.30E+11	-4210080	-1.12E-03	-0.26898	-4.04E+11	-3954300	-1.21E-03	-0.28934
-4.28E+11	-4196360	-1.13E-03	-0.27138	-4.02E+11	-3938620	-1.22E-03	-0.29174
-4.27E+11	-4182640	-1.14E-03	-0.27377	-4.00E+11	-3921960	-1.23E-03	-0.29413
-4.25E+11	-4168920	-1.15E-03	-0.27617	-3.98E+11	-3904320	-1.24E-03	-0.29653
-4.24E+11	-4155200	-1.16E-03	-0.27856	-3.97E+11	-3888640	-1.25E-03	-0.29892
-4.23E+11	-4142460	-1.17E-03	-0.28096	-3.95E+11	-3873940	-1.26E-03	-0.30132
-4.21E+11	-4129720	-1.18E-03	-0.28335	-3.94E+11	-3859240	-1.27E-03	-0.30371
-4.20E+11	-4116000	-1.19E-03	-0.28575	-3.93E+11	-3849440	-1.28E-03	-0.30539
-4.19E+11	-4103260	-1.20E-03	-0.28814	-3.91E+11	-3835720	-1.29E-03	-0.30778
-4.17E+11	-4090520	-1.21E-03	-0.29054	-3.90E+11	-3823960	-1.30E-03	-0.31018
-4.16E+11	-4077780	-1.22E-03	-0.29293	-3.89E+11	-3812200	-1.31E-03	-0.31257
-4.15E+11	-4065040	-1.23E-03	-0.29533	-3.88E+11	-3800440	-1.32E-03	-0.31497
-4.14E+11	-4052300	-1.24E-03	-0.29772	-3.87E+11	-3788680	-1.33E-03	-0.31737
-4.12E+11	-4039560	-1.25E-03	-0.30012	-3.86E+11	-3777900	-1.34E-03	-0.31976
-4.11E+11	-4025840	-1.26E-03	-0.30251	-3.85E+11	-3768100	-1.35E-03	-0.32216
-4.09E+11	-4012120	-1.27E-03	-0.30491	-3.84E+11	-3758300	-1.36E-03	-0.32455
-4.08E+11	-3998400	-1.28E-03	-0.30731	-3.83E+11	-3748500	-1.37E-03	-0.32695
-4.07E+11	-3984680	-1.29E-03	-0.3097	-3.82E+11	-3738700	-1.38E-03	-0.32934
-4.05E+11	-3970960	-1.30E-03	-0.3121	-3.81E+11	-3728900	-1.39E-03	-0.33174
-4.04E+11	-3954300	-1.31E-03	-0.31449	-3.80E+11	-3720080	-1.40E-03	-0.33413
-4.02E+11	-3938620	-1.32E-03	-0.31689	-3.79E+11	-3711260	-1.41E-03	-0.33653
-4.00E+11	-3922940	-1.33E-03	-0.31928	-3.78E+11	-3703420	-1.42E-03	-0.33892
-3.99E+11	-3908240	-1.34E-03	-0.32168	-3.77E+11	-3694600	-1.43E-03	-0.34132
-3.97E+11	-3894520	-1.35E-03	-0.32407	-3.76E+11	-3685780	-1.44E-03	-0.34371
-3.96E+11	-3880800	-1.36E-03	-0.32647	-3.75E+11	-3677940	-1.45E-03	-0.34611
-3.95E+11	-3869040	-1.37E-03	-0.32886	-3.75E+11	-3670100	-1.46E-03	-0.3485
-3.94E+11	-3857280	-1.38E-03	-0.33126	-3.74E+11	-3662260	-1.47E-03	-0.3509
-3.93E+11	-3846500	-1.39E-03	-0.33365	-3.73E+11	-3654420	-1.48E-03	-0.35329

-3.91E+11	-3835720	-1.40E-03	-0.33605	-3.72E+11	-3647560	-1.49E-03	-0.35569
-3.90E+11	-3824940	-1.41E-03	-0.33844	-3.72E+11	-3640700	-1.50E-03	-0.35808
-3.89E+11	-3816120	-1.42E-03	-0.34084	-3.71E+11	-3632860	-1.51E-03	-0.36048
-3.88E+11	-3806320	-1.43E-03	-0.34323	-3.70E+11	-3626000	-1.52E-03	-0.36287
-3.88E+11	-3797500	-1.44E-03	-0.34563	-3.69E+11	-3619140	-1.53E-03	-0.36527
-3.87E+11	-3788680	-1.45E-03	-0.34802	-3.69E+11	-3612280	-1.54E-03	-0.36766
-3.86E+11	-3779860	-1.46E-03	-0.35042	-3.68E+11	-3605420	-1.55E-03	-0.37006
-3.85E+11	-3771040	-1.47E-03	-0.35281	-3.67E+11	-3599540	-1.56E-03	-0.37246
-3.84E+11	-3766140	-1.48E-03	-0.35449	-3.67E+11	-3592680	-1.57E-03	-0.37485
-3.83E+11	-3757320	-1.49E-03	-0.35689	-3.66E+11	-3586800	-1.58E-03	-0.37725
-3.83E+11	-3749480	-1.50E-03	-0.35928	-3.65E+11	-3579940	-1.59E-03	-0.37964
-3.82E+11	-3741640	-1.51E-03	-0.36168	-3.65E+11	-3574060	-1.60E-03	-0.38204
-3.81E+11	-3733800	-1.52E-03	-0.36407	-3.64E+11	-3568180	-1.61E-03	-0.38443
-3.80E+11	-3725960	-1.53E-03	-0.36647	-3.64E+11	-3562300	-1.62E-03	-0.38683
-3.80E+11	-3719100	-1.54E-03	-0.36886	-3.63E+11	-3556420	-1.63E-03	-0.38922
-3.79E+11	-3711260	-1.55E-03	-0.37126	-3.62E+11	-3550540	-1.64E-03	-0.39162
-3.78E+11	-3704400	-1.56E-03	-0.37365	-3.62E+11	-3544660	-1.65E-03	-0.39401
-3.77E+11	-3697540	-1.57E-03	-0.37605	-3.61E+11	-3539760	-1.66E-03	-0.39641
-3.77E+11	-3690680	-1.58E-03	-0.37844	-3.61E+11	-3533880	-1.67E-03	-0.3988
-3.76E+11	-3683820	-1.59E-03	-0.38084	-3.60E+11	-3528980	-1.68E-03	-0.4012
-3.75E+11	-3676960	-1.60E-03	-0.38323	-3.60E+11	-3523100	-1.69E-03	-0.40359
-3.75E+11	-3670100	-1.61E-03	-0.38563	-3.59E+11	-3518200	-1.70E-03	-0.40599
-3.74E+11	-3664220	-1.62E-03	-0.38802	-3.58E+11	-3512320	-1.71E-03	-0.40838
-3.73E+11	-3658340	-1.63E-03	-0.39042	-3.58E+11	-3507420	-1.72E-03	-0.41078
-3.73E+11	-3651480	-1.64E-03	-0.39281	-3.57E+11	-3502520	-1.73E-03	-0.41317
-3.72E+11	-3645600	-1.65E-03	-0.39521	-3.57E+11	-3497620	-1.74E-03	-0.41557
-3.71E+11	-3639720	-1.66E-03	-0.3976	-3.56E+11	-3492720	-1.75E-03	-0.41796
-3.71E+11	-3633840	-1.67E-03	-0.4	-3.56E+11	-3487820	-1.76E-03	-0.42036
-3.70E+11	-3626980	-1.68E-03	-0.4024	-3.55E+11	-3482920	-1.77E-03	-0.42275
-3.70E+11	-3622080	-1.69E-03	-0.40479	-3.55E+11	-3478020	-1.78E-03	-0.42515
-3.69E+11	-3616200	-1.70E-03	-0.40719	-3.54E+11	-3473120	-1.79E-03	-0.42754
-3.68E+11	-3610320	-1.71E-03	-0.40958	-3.54E+11	-3468220	-1.80E-03	-0.42994
-3.68E+11	-3605420	-1.72E-03	-0.41198	-3.53E+11	-3463320	-1.81E-03	-0.43234
-3.67E+11	-3600520	-1.73E-03	-0.41389	-3.53E+11	-3459400	-1.82E-03	-0.43473
-3.67E+11	-3595620	-1.74E-03	-0.41629	-3.53E+11	-3454500	-1.83E-03	-0.43713
-3.66E+11	-3589740	-1.75E-03	-0.41868	-3.52E+11	-3450580	-1.84E-03	-0.43952
-3.66E+11	-3584840	-1.76E-03	-0.42108	-3.52E+11	-3445680	-1.85E-03	-0.44192
-3.65E+11	-3578960	-1.77E-03	-0.42347	-3.51E+11	-3441760	-1.86E-03	-0.44431
-3.65E+11	-3574060	-1.78E-03	-0.42587	-3.51E+11	-3436860	-1.87E-03	-0.44671
-3.64E+11	-3569160	-1.79E-03	-0.42826	-3.50E+11	-3432940	-1.88E-03	-0.4491
-3.64E+11	-3564260	-1.80E-03	-0.43066	-3.50E+11	-3428040	-1.89E-03	-0.4515
-3.63E+11	-3559360	-1.81E-03	-0.43305	-3.49E+11	-3424120	-1.90E-03	-0.45389
-3.63E+11	-3554460	-1.82E-03	-0.43545	-3.49E+11	-3420200	-1.91E-03	-0.45629
-3.62E+11	-3549560	-1.83E-03	-0.43784	-3.49E+11	-3416280	-1.92E-03	-0.45868
-3.62E+11	-3544660	-1.84E-03	-0.44024	-3.48E+11	-3411380	-1.93E-03	-0.46108
-3.61E+11	-3539760	-1.85E-03	-0.44263	-3.48E+11	-3407460	-1.94E-03	-0.46347
-3.61E+11	-3534860	-1.86E-03	-0.44503	-3.47E+11	-3403540	-1.95E-03	-0.46587

-3.60E+11	-3530940	-1.87E-03	-0.44743	-3.47E+11	-3399620	-1.96E-03	-0.46826
-3.60E+11	-3526040	-1.88E-03	-0.44982	-3.47E+11	-3395700	-1.96E-03	-0.47042
-3.59E+11	-3521140	-1.89E-03	-0.45222	-3.46E+11	-3391780	-1.97E-03	-0.47281
-3.59E+11	-3517220	-1.90E-03	-0.45461	-3.46E+11	-3387860	-1.98E-03	-0.47521
-3.58E+11	-3512320	-1.91E-03	-0.45701	-3.45E+11	-3383940	-1.99E-03	-0.4776
-3.58E+11	-3508400	-1.92E-03	-0.4594	-3.45E+11	-3380020	-2.00E-03	-0.48
-3.58E+11	-3504480	-1.93E-03	-0.4618	-3.45E+11	-3376100	-2.01E-03	-0.4824
-3.57E+11	-3499580	-1.94E-03	-0.46419	-3.44E+11	-3372180	-2.02E-03	-0.48479
-3.57E+11	-3495660	-1.95E-03	-0.46659	-3.44E+11	-3368260	-2.03E-03	-0.48719
-3.56E+11	-3491740	-1.96E-03	-0.46898	-3.43E+11	-3365320	-2.04E-03	-0.48958
-3.56E+11	-3487820	-1.97E-03	-0.47138	-3.43E+11	-3361400	-2.05E-03	-0.49198
-3.55E+11	-3482920	-1.98E-03	-0.47377	-3.43E+11	-3357480	-2.06E-03	-0.49437
-3.55E+11	-3479000	-1.99E-03	-0.47617	-3.42E+11	-3353560	-2.07E-03	-0.49677
-3.55E+11	-3479000	-1.99E-03	-0.47641	-3.42E+11	-3349640	-2.08E-03	-0.49916
-3.55E+11	-3475080	-2.00E-03	-0.4788	-3.42E+11	-3346700	-2.09E-03	-0.50156
-3.54E+11	-3470180	-2.01E-03	-0.4812	-3.41E+11	-3342780	-2.10E-03	-0.50395
-3.54E+11	-3466260	-2.02E-03	-0.48359	-3.41E+11	-3339840	-2.11E-03	-0.50635
-3.53E+11	-3462340	-2.03E-03	-0.48599	-3.40E+11	-3335920	-2.12E-03	-0.50874
-3.53E+11	-3458420	-2.04E-03	-0.48838	-3.40E+11	-3332980	-2.13E-03	-0.51114
-3.53E+11	-3455480	-2.05E-03	-0.49078	-3.40E+11	-3329060	-2.14E-03	-0.51353
-3.52E+11	-3451560	-2.06E-03	-0.49317	-3.39E+11	-3326120	-2.15E-03	-0.51593
-3.52E+11	-3447640	-2.07E-03	-0.49557	-3.39E+11	-3322200	-2.16E-03	-0.51832
-3.51E+11	-3443720	-2.08E-03	-0.49796	-3.39E+11	-3319260	-2.17E-03	-0.52072
-3.51E+11	-3439800	-2.09E-03	-0.50036	-3.38E+11	-3315340	-2.18E-03	-0.52311
-3.51E+11	-3436860	-2.10E-03	-0.50275	-3.38E+11	-3312400	-2.19E-03	-0.52551
-3.50E+11	-3432940	-2.11E-03	-0.50515	-3.38E+11	-3308480	-2.20E-03	-0.5279
-3.50E+11	-3429020	-2.12E-03	-0.50754	-3.37E+11	-3305540	-2.21E-03	-0.5303
-3.50E+11	-3426080	-2.13E-03	-0.50994	-3.37E+11	-3302600	-2.22E-03	-0.53269
-3.49E+11	-3422160	-2.14E-03	-0.51234	-3.37E+11	-3299660	-2.23E-03	-0.53509
-3.49E+11	-3418240	-2.15E-03	-0.51473	-3.37E+11	-3297700	-2.24E-03	-0.53605
-3.49E+11	-3415300	-2.16E-03	-0.51713	-3.36E+11	-3294760	-2.25E-03	-0.53844
-3.48E+11	-3411380	-2.17E-03	-0.51952	-3.36E+11	-3291820	-2.26E-03	-0.54084
-3.48E+11	-3408440	-2.18E-03	-0.52192	-3.36E+11	-3288880	-2.27E-03	-0.54323
-3.47E+11	-3404520	-2.19E-03	-0.52431	-3.35E+11	-3284960	-2.28E-03	-0.54563
-3.47E+11	-3401580	-2.20E-03	-0.52671	-3.35E+11	-3282020	-2.29E-03	-0.54802
-3.47E+11	-3397660	-2.21E-03	-0.5291	-3.35E+11	-3279080	-2.30E-03	-0.55042
-3.46E+11	-3394720	-2.22E-03	-0.5315	-3.34E+11	-3276140	-2.31E-03	-0.55281
-3.46E+11	-3390800	-2.23E-03	-0.53389	-3.34E+11	-3273200	-2.32E-03	-0.55521
-3.46E+11	-3390800	-2.23E-03	-0.53389	-3.34E+11	-3270260	-2.33E-03	-0.5576
-3.46E+11	-3387860	-2.24E-03	-0.53629	-3.33E+11	-3267320	-2.34E-03	-0.56
-3.45E+11	-3384920	-2.25E-03	-0.53868	-3.33E+11	-3264380	-2.35E-03	-0.5624
-3.45E+11	-3381000	-2.26E-03	-0.54108	-3.33E+11	-3261440	-2.36E-03	-0.56479
-3.45E+11	-3378060	-2.27E-03	-0.54347	-3.33E+11	-3258500	-2.37E-03	-0.56719
-3.44E+11	-3374140	-2.28E-03	-0.54587	-3.32E+11	-3255560	-2.38E-03	-0.56958
-3.44E+11	-3371200	-2.29E-03	-0.54826	-3.32E+11	-3252620	-2.39E-03	-0.57198
-3.44E+11	-3368260	-2.30E-03	-0.55066	-3.32E+11	-3249680	-2.40E-03	-0.57437
-3.43E+11	-3364340	-2.31E-03	-0.55305	-3.31E+11	-3246740	-2.41E-03	-0.57677

-3.43E+11	-3361400	-2.32E-03	-0.55545	-3.31E+11	-3243800	-2.42E-03	-0.57916
-3.43E+11	-3358460	-2.33E-03	-0.55784	-3.31E+11	-3240860	-2.43E-03	-0.58156
-3.42E+11	-3355520	-2.34E-03	-0.56024	-3.30E+11	-3237920	-2.44E-03	-0.58395
-3.42E+11	-3352580	-2.35E-03	-0.56263	-3.30E+11	-3235960	-2.45E-03	-0.58635
-3.42E+11	-3349640	-2.36E-03	-0.56503	-3.30E+11	-3233020	-2.46E-03	-0.58874
-3.41E+11	-3345720	-2.37E-03	-0.56743	-3.30E+11	-3230080	-2.47E-03	-0.59114
-3.41E+11	-3342780	-2.38E-03	-0.56982	-3.29E+11	-3227140	-2.48E-03	-0.59353
-3.41E+11	-3339840	-2.39E-03	-0.57222	-3.29E+11	-3224200	-2.49E-03	-0.59593
-3.41E+11	-3336900	-2.40E-03	-0.57461	-3.29E+11	-3221260	-2.50E-03	-0.59832
-3.40E+11	-3333960	-2.41E-03	-0.57701	-3.29E+11	-3219300	-2.51E-03	-0.60072
-3.40E+11	-3331020	-2.42E-03	-0.5794	-3.28E+11	-3216360	-2.52E-03	-0.60311
-3.40E+11	-3328080	-2.43E-03	-0.5818	-3.28E+11	-3213420	-2.53E-03	-0.60551
-3.39E+11	-3325140	-2.44E-03	-0.58419	-3.28E+11	-3210480	-2.54E-03	-0.6079
-3.39E+11	-3322200	-2.45E-03	-0.58659	-3.27E+11	-3208520	-2.55E-03	-0.6103
-3.39E+11	-3319260	-2.46E-03	-0.58898	-3.27E+11	-3205580	-2.56E-03	-0.61269
-3.38E+11	-3316320	-2.47E-03	-0.59138	-3.27E+11	-3203620	-2.57E-03	-0.61509
-3.38E+11	-3313380	-2.48E-03	-0.59377	-3.27E+11	-3200680	-2.58E-03	-0.61749
-3.38E+11	-3310440	-2.49E-03	-0.59617	-3.26E+11	-3197740	-2.59E-03	-0.61988
-3.38E+11	-3307500	-2.50E-03	-0.59856	-3.26E+11	-3195780	-2.60E-03	-0.62228
-3.37E+11	-3305540	-2.51E-03	-0.60096	-3.26E+11	-3192840	-2.61E-03	-0.62467
-3.37E+11	-3303580	-2.52E-03	-0.60263	-3.26E+11	-3190880	-2.62E-03	-0.62707
-3.37E+11	-3300640	-2.53E-03	-0.60503	-3.25E+11	-3187940	-2.63E-03	-0.62946
-3.37E+11	-3297700	-2.54E-03	-0.60743	-3.25E+11	-3185980	-2.64E-03	-0.63186
-3.36E+11	-3294760	-2.55E-03	-0.60982	-3.25E+11	-3183040	-2.65E-03	-0.63425
-3.36E+11	-3292800	-2.56E-03	-0.61222	-3.25E+11	-3181080	-2.66E-03	-0.63665
-3.36E+11	-3289860	-2.57E-03	-0.61461	-3.24E+11	-3178140	-2.67E-03	-0.63904
-3.36E+11	-3287900	-2.57E-03	-0.61629	-3.24E+11	-3176180	-2.68E-03	-0.64144
-3.35E+11	-3284960	-2.58E-03	-0.61868	-3.24E+11	-3173240	-2.69E-03	-0.64383
-3.35E+11	-3282020	-2.59E-03	-0.62108	-3.24E+11	-3171280	-2.70E-03	-0.64623
-3.35E+11	-3279080	-2.60E-03	-0.62347	-3.23E+11	-3168340	-2.71E-03	-0.64862
-3.34E+11	-3276140	-2.61E-03	-0.62587	-3.23E+11	-3166380	-2.72E-03	-0.65102
-3.34E+11	-3273200	-2.62E-03	-0.62826	-3.23E+11	-3163440	-2.73E-03	-0.65341
-3.34E+11	-3270260	-2.63E-03	-0.63066	-3.23E+11	-3161480	-2.74E-03	-0.65581
-3.33E+11	-3267320	-2.64E-03	-0.63305	-3.22E+11	-3159520	-2.75E-03	-0.6582
-3.33E+11	-3264380	-2.65E-03	-0.63545	-3.22E+11	-3156580	-2.76E-03	-0.6606
-3.33E+11	-3261440	-2.66E-03	-0.63784	-3.22E+11	-3154620	-2.77E-03	-0.66299
-3.33E+11	-3258500	-2.67E-03	-0.64024	-3.22E+11	-3152660	-2.78E-03	-0.66539
-3.32E+11	-3256540	-2.68E-03	-0.64263	-3.21E+11	-3149720	-2.79E-03	-0.66778
-3.32E+11	-3253600	-2.69E-03	-0.64503	-3.21E+11	-3147760	-2.80E-03	-0.67018
-3.32E+11	-3250660	-2.70E-03	-0.64743	-3.21E+11	-3144820	-2.81E-03	-0.67257

Bulk Carrier (B1) Idchk = 2				Bulk Carrier (B1) Idchk = 1			
40% damage				70% damage			
frame space	4.175	9.80E-06	1000	frame space	4.175	9.80E-06	1000
Moment	Rotation		Curvature	Moment	Rotation		Curvature
7.93E+08	7773.36	1.00E-06	0.00024	8.07E+08	7906.64	1.00E-06	0.00024
1.59E+09	15542.8	2.00E-06	0.000479	1.61E+09	15807.4	2.00E-06	0.000479
2.38E+09	23314.2	3.00E-06	0.000719	2.42E+09	23706.2	3.00E-06	0.000719
3.17E+09	31075.8	4.00E-06	0.000958	3.23E+09	31614.8	4.00E-06	0.000958
3.96E+09	38847.2	5.00E-06	0.001198	4.03E+09	39513.6	5.00E-06	0.001198
4.76E+09	46618.6	6.00E-06	0.001437	4.84E+09	47412.4	6.00E-06	0.001437
5.55E+09	54380.2	7.00E-06	0.001677	5.65E+09	55321	7.00E-06	0.001677
6.34E+09	62151.6	8.00E-06	0.001916	6.45E+09	63219.8	8.00E-06	0.001916
7.14E+09	69923	9.00E-06	0.002156	7.26E+09	71118.6	9.00E-06	0.002156
7.93E+09	77684.6	1.00E-05	0.002395	8.06E+09	79027.2	1.00E-05	0.002395
1.59E+10	155330	2.00E-05	0.00479	1.61E+10	158074	2.00E-05	0.00479
2.38E+10	233044	3.00E-05	0.007186	2.42E+10	237062	3.00E-05	0.007186
3.17E+10	310758	4.00E-05	0.009581	3.23E+10	316050	4.00E-05	0.009581
3.96E+10	388374	5.00E-05	0.011976	4.03E+10	395136	5.00E-05	0.011976
4.76E+10	466088	6.00E-05	0.014371	4.84E+10	474124	6.00E-05	0.014371
5.55E+10	543802	7.00E-05	0.016766	5.64E+10	553112	7.00E-05	0.016766
6.34E+10	621418	8.00E-05	0.019162	6.45E+10	632198	8.00E-05	0.019162
7.13E+10	699132	9.00E-05	0.021557	7.26E+10	711186	9.00E-05	0.021557
7.93E+10	776846	1.00E-04	0.023952	8.06E+10	790174	1.00E-04	0.023952
8.72E+10	854462	1.10E-04	0.026347	8.87E+10	869162	1.10E-04	0.026347
9.51E+10	932176	1.20E-04	0.028743	9.68E+10	948248	1.20E-04	0.028743
1.03E+11	1009400	1.30E-04	0.031138	1.05E+11	1027040	1.30E-04	0.031138
1.11E+11	1087800	1.40E-04	0.033533	1.13E+11	1106420	1.40E-04	0.033533
1.19E+11	1165220	1.50E-04	0.035928	1.21E+11	1184820	1.50E-04	0.035928
1.27E+11	1242640	1.60E-04	0.038323	1.29E+11	1264200	1.60E-04	0.038323
1.35E+11	1321040	1.70E-04	0.040719	1.37E+11	1343580	1.70E-04	0.040719
1.43E+11	1398460	1.80E-04	0.043114	1.45E+11	1421980	1.80E-04	0.043114
1.51E+11	1475880	1.90E-04	0.045509	1.53E+11	1501360	1.90E-04	0.045509
1.59E+11	1553300	2.00E-04	0.047904	1.61E+11	1580740	2.00E-04	0.047904
1.67E+11	1631700	2.10E-04	0.050299	1.69E+11	1659140	2.10E-04	0.050299
1.74E+11	1709120	2.20E-04	0.052695	1.77E+11	1738520	2.20E-04	0.052695
1.82E+11	1786540	2.30E-04	0.05509	1.86E+11	1817900	2.30E-04	0.05509
1.90E+11	1863960	2.40E-04	0.057485	1.94E+11	1896300	2.40E-04	0.057485
1.98E+11	1941380	2.50E-04	0.05988	2.02E+11	1975680	2.50E-04	0.05988
2.06E+11	2018800	2.60E-04	0.062275	2.10E+11	2054080	2.60E-04	0.062275
2.14E+11	2097200	2.70E-04	0.064671	2.18E+11	2133460	2.70E-04	0.064671
2.22E+11	2174620	2.80E-04	0.067066	2.26E+11	2212840	2.80E-04	0.067066
2.30E+11	2252040	2.90E-04	0.069461	2.34E+11	2291240	2.90E-04	0.069461
2.38E+11	2329460	3.00E-04	0.071856	2.42E+11	2370620	3.00E-04	0.071856
2.46E+11	2406880	3.10E-04	0.074251	2.50E+11	2450000	3.10E-04	0.074251
2.54E+11	2485280	3.20E-04	0.076647	2.58E+11	2528400	3.20E-04	0.076647
2.62E+11	2562700	3.30E-04	0.079042	2.66E+11	2607780	3.30E-04	0.079042

2.69E+11	2640120	3.40E-04	0.081437	2.74E+11	2686180	3.40E-04	0.081437
2.77E+11	2717540	3.50E-04	0.083832	2.82E+11	2765560	3.50E-04	0.083832
2.85E+11	2794960	3.60E-04	0.086228	2.90E+11	2844940	3.60E-04	0.086228
2.93E+11	2872380	3.70E-04	0.088623	2.98E+11	2923340	3.70E-04	0.088623
3.01E+11	2950780	3.80E-04	0.091018	3.06E+11	3002720	3.80E-04	0.091018
3.09E+11	3028200	3.90E-04	0.093413	3.14E+11	3081120	3.90E-04	0.093413
3.17E+11	3105620	4.00E-04	0.095808	3.23E+11	3160500	4.00E-04	0.095808
3.25E+11	3183040	4.10E-04	0.098204	3.31E+11	3239880	4.10E-04	0.098204
3.33E+11	3260460	4.20E-04	0.100599	3.39E+11	3318280	4.20E-04	0.100599
3.41E+11	3337880	4.30E-04	0.102994	3.47E+11	3397660	4.30E-04	0.102994
3.49E+11	3416280	4.40E-04	0.105389	3.55E+11	3476060	4.40E-04	0.105389
3.57E+11	3493700	4.50E-04	0.107784	3.63E+11	3555440	4.50E-04	0.107784
3.64E+11	3571120	4.60E-04	0.11018	3.71E+11	3633840	4.60E-04	0.11018
3.72E+11	3648540	4.70E-04	0.112575	3.79E+11	3713220	4.70E-04	0.112575
3.80E+11	3725960	4.80E-04	0.11497	3.87E+11	3792600	4.80E-04	0.11497
3.88E+11	3803380	4.90E-04	0.117365	3.95E+11	3871000	4.90E-04	0.117365
3.96E+11	3880800	5.00E-04	0.11976	4.03E+11	3950380	5.00E-04	0.11976
4.04E+11	3958220	5.10E-04	0.122156	4.11E+11	4028780	5.10E-04	0.122156
4.12E+11	4036620	5.20E-04	0.124551	4.19E+11	4108160	5.20E-04	0.124551
4.20E+11	4114040	5.30E-04	0.126946	4.27E+11	4186560	5.30E-04	0.126946
4.28E+11	4191460	5.40E-04	0.129341	4.35E+11	4265940	5.40E-04	0.129341
4.36E+11	4268880	5.50E-04	0.131737	4.43E+11	4345320	5.50E-04	0.131737
4.44E+11	4346300	5.60E-04	0.134132	4.51E+11	4423720	5.60E-04	0.134132
4.51E+11	4423720	5.70E-04	0.136527	4.59E+11	4502120	5.70E-04	0.136527
4.59E+11	4500160	5.80E-04	0.138922	4.68E+11	4581500	5.80E-04	0.138922
4.67E+11	4577580	5.90E-04	0.141317	4.76E+11	4659900	5.90E-04	0.141317
4.75E+11	4655000	6.00E-04	0.143713	4.84E+11	4739280	6.00E-04	0.143713
4.83E+11	4731440	6.10E-04	0.146108	4.92E+11	4817680	6.10E-04	0.146108
4.91E+11	4808860	6.20E-04	0.148503	5.00E+11	4896080	6.20E-04	0.148503
4.99E+11	4885300	6.30E-04	0.150898	5.08E+11	4975460	6.30E-04	0.150898
5.06E+11	4961740	6.40E-04	0.153293	5.16E+11	5052880	6.40E-04	0.153293
5.14E+11	5037200	6.50E-04	0.155689	5.24E+11	5131280	6.50E-04	0.155689
5.18E+11	5074440	6.55E-04	0.156838	5.32E+11	5209680	6.60E-04	0.158084
5.24E+11	5131280	6.62E-04	0.158635	5.40E+11	5287100	6.70E-04	0.160479
5.28E+11	5175380	6.69E-04	0.160192	5.48E+11	5365500	6.80E-04	0.162874
5.34E+11	5233200	6.79E-04	0.162587	5.55E+11	5441940	6.90E-04	0.165269
5.38E+11	5268480	6.85E-04	0.164024	5.63E+11	5518380	7.00E-04	0.167665
5.43E+11	5325320	6.95E-04	0.166419	5.71E+11	5594820	7.10E-04	0.17006
5.45E+11	5341000	6.98E-04	0.16709	5.79E+11	5670280	7.20E-04	0.172455
5.51E+11	5396860	7.08E-04	0.169485	5.82E+11	5700660	7.24E-04	0.173437
5.52E+11	5408620	7.10E-04	0.169988	5.88E+11	5757500	7.32E-04	0.175353
5.57E+11	5460560	7.20E-04	0.172383	5.92E+11	5800620	7.39E-04	0.177054
5.62E+11	5509560	7.29E-04	0.174587	5.96E+11	5838840	7.47E-04	0.178898
5.67E+11	5554640	7.38E-04	0.176814	5.99E+11	5867260	7.54E-04	0.180479
5.72E+11	5601680	7.48E-04	0.17921	6.02E+11	5894700	7.60E-04	0.182084
5.72E+11	5603640	7.49E-04	0.179329	6.05E+11	5932920	7.70E-04	0.184479
5.76E+11	5648720	7.59E-04	0.181725	6.08E+11	5961340	7.78E-04	0.186275


5.78E+11	5664400	7.62E-04	0.182539	6.12E+11	5996620	7.88E-04	0.188671
5.81E+11	5691840	7.68E-04	0.184048	6.14E+11	6014260	7.93E-04	0.189892
5.85E+11	5729080	7.78E-04	0.186251	6.17E+11	6047580	8.03E-04	0.192287
5.88E+11	5760440	7.86E-04	0.188263	6.17E+11	6048560	8.03E-04	0.192407
5.91E+11	5790820	7.94E-04	0.190251	6.20E+11	6076980	8.13E-04	0.194802
5.94E+11	5825120	8.04E-04	0.192647	6.21E+11	6085800	8.16E-04	0.195545
5.95E+11	5826100	8.04E-04	0.192671	6.23E+11	6109320	8.26E-04	0.19794
5.97E+11	5853540	8.14E-04	0.19485	6.26E+11	6132840	8.36E-04	0.200335
6.00E+11	5879020	8.23E-04	0.19703	6.28E+11	6155380	8.46E-04	0.202731
6.02E+11	5899600	8.31E-04	0.198922	6.28E+11	6158320	8.48E-04	0.20309
6.04E+11	5922140	8.41E-04	0.201317	6.30E+11	6177920	8.58E-04	0.205485
6.05E+11	5926060	8.42E-04	0.201725	6.32E+11	6192620	8.66E-04	0.207401
6.07E+11	5946640	8.52E-04	0.20412	6.34E+11	6211240	8.76E-04	0.209796
6.08E+11	5957420	8.58E-04	0.205389	6.35E+11	6223980	8.82E-04	0.211353
6.10E+11	5975060	8.68E-04	0.207784	6.37E+11	6240640	8.92E-04	0.213749
6.10E+11	5978980	8.70E-04	0.208335	6.39E+11	6257300	9.02E-04	0.216144
6.12E+11	5992700	8.80E-04	0.210731	6.39E+11	6265140	9.08E-04	0.217365
6.12E+11	5993680	8.80E-04	0.210754	6.41E+11	6276900	9.15E-04	0.219234
6.13E+11	6005440	8.90E-04	0.21315	6.42E+11	6289640	9.25E-04	0.221629
6.13E+11	6010340	8.94E-04	0.214108	6.43E+11	6302380	9.35E-04	0.224024
6.14E+11	6021120	9.04E-04	0.216503	6.44E+11	6315120	9.45E-04	0.226419
6.15E+11	6027980	9.10E-04	0.217892	6.45E+11	6321000	9.50E-04	0.227497
6.16E+11	6037780	9.20E-04	0.220287	6.46E+11	6331780	9.60E-04	0.229892
6.16E+11	6039740	9.21E-04	0.220695	6.47E+11	6335700	9.64E-04	0.230778
6.17E+11	6048560	9.31E-04	0.22309	6.48E+11	6345500	9.74E-04	0.233174
6.17E+11	6048560	9.32E-04	0.223257	6.48E+11	6351380	9.81E-04	0.234946
6.18E+11	6057380	9.42E-04	0.225653	6.49E+11	6359220	9.91E-04	0.237341
6.18E+11	6060320	9.46E-04	0.226659	6.49E+11	6362160	9.94E-04	0.238108
6.19E+11	6066200	9.55E-04	0.228719	6.50E+11	6367060	1.00E-03	0.240479
6.19E+11	6070120	9.65E-04	0.231114	6.50E+11	6372940	1.01E-03	0.242874
6.20E+11	6074040	9.75E-04	0.233509	6.51E+11	6378820	1.02E-03	0.245269
6.20E+11	6074040	9.76E-04	0.233701	6.51E+11	6380780	1.03E-03	0.245749
6.20E+11	6076000	9.86E-04	0.236096	6.52E+11	6385680	1.04E-03	0.248144
6.20E+11	6076980	9.90E-04	0.23715	6.52E+11	6390580	1.05E-03	0.250539
6.20E+11	6077960	1.00E-03	0.239521	6.52E+11	6390580	1.05E-03	0.251018
6.20E+11	6077960	1.01E-03	0.240719	6.53E+11	6394500	1.06E-03	0.253413
6.20E+11	6077960	1.01E-03	0.242156	6.53E+11	6398420	1.07E-03	0.255808
6.20E+11	6077960	1.02E-03	0.244311	6.53E+11	6401360	1.08E-03	0.258204
6.20E+11	6076980	1.03E-03	0.246707	6.54E+11	6405280	1.09E-03	0.260599
6.20E+11	6076000	1.03E-03	0.247665	6.54E+11	6409200	1.10E-03	0.262994
6.20E+11	6075020	1.04E-03	0.249341	6.54E+11	6413120	1.11E-03	0.265389
6.20E+11	6073060	1.05E-03	0.251737	6.55E+11	6416060	1.12E-03	0.267305
6.20E+11	6072080	1.05E-03	0.252216	6.55E+11	6419980	1.13E-03	0.269701
6.19E+11	6070120	1.06E-03	0.254611	6.55E+11	6422920	1.14E-03	0.272096
6.19E+11	6068160	1.07E-03	0.255808	6.56E+11	6425860	1.15E-03	0.274491
6.19E+11	6064240	1.08E-03	0.257964	6.56E+11	6427820	1.16E-03	0.276886
6.18E+11	6059340	1.09E-03	0.260359	6.56E+11	6428800	1.16E-03	0.277844

6.18E+11	6059340	1.09E-03	0.260359	6.56E+11	6430760	1.17E-03	0.28024
6.18E+11	6054440	1.10E-03	0.262515	6.56E+11	6432720	1.18E-03	0.282635
6.17E+11	6047580	1.11E-03	0.26491	6.57E+11	6433700	1.19E-03	0.284311
6.17E+11	6047580	1.11E-03	0.26515	6.57E+11	6434680	1.20E-03	0.286707
6.17E+11	6041700	1.12E-03	0.267545	6.57E+11	6434680	1.21E-03	0.289102
6.16E+11	6040720	1.12E-03	0.267784	6.57E+11	6435660	1.22E-03	0.291497
6.16E+11	6034840	1.13E-03	0.26994	6.57E+11	6436640	1.22E-03	0.293174
6.15E+11	6027000	1.14E-03	0.272335	6.57E+11	6438600	1.23E-03	0.295569
6.14E+11	6020140	1.15E-03	0.274731	6.57E+11	6439580	1.24E-03	0.297964
6.14E+11	6012300	1.16E-03	0.277126	6.57E+11	6441540	1.25E-03	0.300359
6.13E+11	6004460	1.17E-03	0.279521	6.57E+11	6441540	1.26E-03	0.300599
6.12E+11	6001520	1.17E-03	0.28024	6.58E+11	6443500	1.27E-03	0.302994
6.12E+11	5993680	1.18E-03	0.282395	6.58E+11	6444480	1.28E-03	0.305389
6.11E+11	5986820	1.19E-03	0.284311	6.58E+11	6446440	1.29E-03	0.307784
6.10E+11	5977020	1.20E-03	0.286707	6.58E+11	6448400	1.30E-03	0.31018
6.10E+11	5976040	1.20E-03	0.286946	6.58E+11	6450360	1.31E-03	0.312575
6.09E+11	5965260	1.21E-03	0.289341	6.58E+11	6452320	1.31E-03	0.314731
6.08E+11	5960360	1.21E-03	0.290539	6.59E+11	6453300	1.32E-03	0.317126
6.07E+11	5949580	1.22E-03	0.292934	6.59E+11	6454280	1.33E-03	0.318084
6.06E+11	5939780	1.23E-03	0.295329	6.59E+11	6455260	1.34E-03	0.320479
6.06E+11	5935860	1.24E-03	0.296287	6.59E+11	6455260	1.35E-03	0.322874
6.05E+11	5927040	1.25E-03	0.298683	6.59E+11	6455260	1.36E-03	0.325269
6.04E+11	5917240	1.26E-03	0.301078	6.59E+11	6456240	1.37E-03	0.327665
6.03E+11	5908420	1.27E-03	0.303473	6.59E+11	6456240	1.38E-03	0.33006
6.03E+11	5904500	1.27E-03	0.304671	6.59E+11	6456240	1.39E-03	0.332455
6.02E+11	5895680	1.28E-03	0.307066	6.59E+11	6457220	1.40E-03	0.33485
6.01E+11	5889800	1.29E-03	0.308503	6.59E+11	6457220	1.40E-03	0.33485
6.00E+11	5877060	1.30E-03	0.310898	6.59E+11	6457220	1.41E-03	0.337246
5.99E+11	5871180	1.30E-03	0.312096	6.59E+11	6458200	1.42E-03	0.339641
5.98E+11	5861380	1.31E-03	0.314491	6.59E+11	6458200	1.43E-03	0.342036
5.97E+11	5849620	1.32E-03	0.316886	6.59E+11	6459180	1.44E-03	0.344431
5.97E+11	5849620	1.32E-03	0.316886	6.59E+11	6459180	1.45E-03	0.346826
5.96E+11	5837860	1.33E-03	0.319281	6.59E+11	6459180	1.46E-03	0.349222
5.96E+11	5836880	1.33E-03	0.319521	6.59E+11	6459180	1.47E-03	0.351617
5.94E+11	5825120	1.34E-03	0.321916	6.59E+11	6459180	1.47E-03	0.351856
5.94E+11	5825120	1.34E-03	0.321916	6.59E+11	6460160	1.48E-03	0.354251
5.93E+11	5814340	1.35E-03	0.324311	6.59E+11	6460160	1.49E-03	0.356647
5.92E+11	5802580	1.36E-03	0.326707	6.59E+11	6460160	1.50E-03	0.359042
5.91E+11	5791800	1.37E-03	0.329102	6.59E+11	6460160	1.51E-03	0.360958
5.91E+11	5790820	1.38E-03	0.329341	6.59E+11	6460160	1.52E-03	0.363353
5.90E+11	5779060	1.39E-03	0.331737	6.59E+11	6460160	1.53E-03	0.365749
5.89E+11	5771220	1.39E-03	0.333653	6.59E+11	6460160	1.54E-03	0.368144
5.88E+11	5762400	1.40E-03	0.335569	6.59E+11	6459180	1.55E-03	0.370539
5.87E+11	5752600	1.41E-03	0.337964	6.59E+11	6459180	1.56E-03	0.372934
5.87E+11	5750640	1.41E-03	0.338204	6.59E+11	6459180	1.57E-03	0.375329
5.86E+11	5739860	1.42E-03	0.340599	6.59E+11	6459180	1.58E-03	0.377725
5.85E+11	5730060	1.43E-03	0.342994	6.59E+11	6458200	1.59E-03	0.38012

5.84E+11	5725160	1.44E-03	0.344192	6.59E+11	6458200	1.59E-03	0.380359
5.83E+11	5714380	1.45E-03	0.346587	6.59E+11	6457220	1.60E-03	0.382754
5.82E+11	5703600	1.46E-03	0.348982	6.59E+11	6458200	1.61E-03	0.38515
5.81E+11	5692820	1.47E-03	0.351377	6.59E+11	6458200	1.61E-03	0.385389
5.80E+11	5685960	1.47E-03	0.352814	6.58E+11	6451340	1.62E-03	0.387784
5.79E+11	5675180	1.48E-03	0.35521	6.56E+11	6426840	1.63E-03	0.389701
5.78E+11	5664400	1.49E-03	0.357605	6.52E+11	6389600	1.63E-03	0.391377
5.77E+11	5653620	1.50E-03	0.36	6.47E+11	6337660	1.64E-03	0.393772
5.76E+11	5647740	1.51E-03	0.361437	6.46E+11	6330800	1.65E-03	0.394251
5.75E+11	5636960	1.52E-03	0.363832	6.42E+11	6295520	1.66E-03	0.396647
5.75E+11	5633040	1.52E-03	0.364551	6.42E+11	6292580	1.66E-03	0.396886
5.74E+11	5622260	1.53E-03	0.366946	6.40E+11	6275920	1.66E-03	0.398323
5.73E+11	5617360	1.54E-03	0.367904	6.38E+11	6248480	1.67E-03	0.400719
5.72E+11	5608540	1.54E-03	0.36982	6.37E+11	6242600	1.68E-03	0.401198
5.71E+11	5597760	1.55E-03	0.372216	6.34E+11	6214180	1.68E-03	0.403353
5.71E+11	5597760	1.55E-03	0.372216	6.30E+11	6173020	1.69E-03	0.405749
5.70E+11	5586980	1.56E-03	0.374611	6.28E+11	6154400	1.70E-03	0.406946
5.69E+11	5575220	1.57E-03	0.377006	6.25E+11	6120100	1.71E-03	0.409341
5.69E+11	5571300	1.58E-03	0.377964	6.24E+11	6119120	1.71E-03	0.409581
5.67E+11	5560520	1.59E-03	0.380359	6.21E+11	6086780	1.72E-03	0.411976
5.66E+11	5550720	1.60E-03	0.382754	6.18E+11	6057380	1.73E-03	0.414371
5.66E+11	5550720	1.60E-03	0.382754	6.15E+11	6026020	1.74E-03	0.416766
5.65E+11	5540920	1.61E-03	0.38515	6.12E+11	5999560	1.75E-03	0.419162
5.65E+11	5539940	1.61E-03	0.385389	6.10E+11	5974080	1.76E-03	0.421557
5.64E+11	5530140	1.62E-03	0.387784	6.09E+11	5966240	1.76E-03	0.422275
5.63E+11	5520340	1.63E-03	0.39018	6.07E+11	5946640	1.77E-03	0.423952
5.62E+11	5511520	1.64E-03	0.392575	6.04E+11	5919200	1.78E-03	0.426347
5.62E+11	5503680	1.65E-03	0.394491	6.01E+11	5890780	1.79E-03	0.428743
5.61E+11	5493880	1.66E-03	0.396886	5.98E+11	5864320	1.80E-03	0.431138
5.60E+11	5485060	1.67E-03	0.399281	5.96E+11	5839820	1.81E-03	0.433533
5.59E+11	5476240	1.68E-03	0.401677	5.94E+11	5817280	1.82E-03	0.435928
5.58E+11	5467420	1.69E-03	0.404072	5.91E+11	5793760	1.83E-03	0.438323
5.58E+11	5465460	1.69E-03	0.40479	5.90E+11	5777100	1.84E-03	0.44024
5.57E+11	5456640	1.70E-03	0.407186	5.87E+11	5755540	1.85E-03	0.442635
5.56E+11	5447820	1.71E-03	0.409581	5.85E+11	5733980	1.86E-03	0.44503
5.55E+11	5439000	1.72E-03	0.411976	5.83E+11	5713400	1.87E-03	0.447425
5.54E+11	5431160	1.73E-03	0.414371	5.81E+11	5692820	1.88E-03	0.44982
5.53E+11	5422340	1.74E-03	0.416766	5.79E+11	5673220	1.89E-03	0.452216
5.53E+11	5415480	1.75E-03	0.418683	5.77E+11	5654600	1.90E-03	0.454611
5.52E+11	5407640	1.76E-03	0.421078	5.75E+11	5636960	1.91E-03	0.457006
5.51E+11	5399800	1.77E-03	0.423473	5.73E+11	5618340	1.92E-03	0.459401
5.50E+11	5391960	1.78E-03	0.425868	5.72E+11	5601680	1.93E-03	0.461796
5.49E+11	5384120	1.79E-03	0.428263	5.70E+11	5586000	1.94E-03	0.464192
5.49E+11	5376280	1.80E-03	0.430659	5.68E+11	5569340	1.95E-03	0.466587
5.48E+11	5368440	1.81E-03	0.433054	5.67E+11	5552680	1.96E-03	0.468982
5.48E+11	5367460	1.81E-03	0.433533	5.65E+11	5536020	1.97E-03	0.471377
5.47E+11	5359620	1.82E-03	0.435928	5.63E+11	5521320	1.98E-03	0.473772


5.46E+11	5351780	1.83E-03	0.438323	5.62E+11	5506620	1.99E-03	0.476168
5.45E+11	5344920	1.84E-03	0.440719	5.60E+11	5491920	2.00E-03	0.478563
5.45E+11	5337080	1.85E-03	0.443114	5.59E+11	5477220	2.01E-03	0.480958
5.44E+11	5330220	1.86E-03	0.445509	5.58E+11	5463500	2.02E-03	0.483353
5.43E+11	5323360	1.87E-03	0.447904	5.56E+11	5449780	2.03E-03	0.485749
5.43E+11	5316500	1.88E-03	0.45006	5.55E+11	5436060	2.04E-03	0.488144
5.42E+11	5310620	1.89E-03	0.452216	5.54E+11	5425280	2.05E-03	0.49006
5.41E+11	5302780	1.90E-03	0.454611	5.52E+11	5411560	2.06E-03	0.492455
5.40E+11	5295920	1.91E-03	0.457006	5.51E+11	5394900	2.07E-03	0.49485
5.40E+11	5289060	1.92E-03	0.459401	5.49E+11	5380200	2.08E-03	0.497246
5.39E+11	5282200	1.93E-03	0.461796	5.48E+11	5366480	2.09E-03	0.499641
5.38E+11	5275340	1.94E-03	0.464192	5.46E+11	5352760	2.10E-03	0.502036
5.38E+11	5268480	1.95E-03	0.466587	5.45E+11	5340020	2.11E-03	0.504431
5.37E+11	5265540	1.95E-03	0.467545	5.44E+11	5334140	2.11E-03	0.505629
5.37E+11	5258680	1.96E-03	0.46994	5.43E+11	5318460	2.12E-03	0.508024
5.36E+11	5251820	1.97E-03	0.472335	5.41E+11	5304740	2.13E-03	0.510419
5.35E+11	5244960	1.98E-03	0.474731	5.40E+11	5291020	2.14E-03	0.512814
5.35E+11	5238100	1.99E-03	0.477126	5.39E+11	5277300	2.15E-03	0.51521
5.34E+11	5232220	2.00E-03	0.479521	5.37E+11	5265540	2.16E-03	0.517605
5.34E+11	5231240	2.00E-03	0.47976	5.36E+11	5252800	2.17E-03	0.52
5.33E+11	5225360	2.01E-03	0.482156	5.35E+11	5241040	2.18E-03	0.522395
5.33E+11	5218500	2.02E-03	0.484551	5.34E+11	5228300	2.19E-03	0.52479
5.32E+11	5211640	2.03E-03	0.486946	5.32E+11	5216540	2.20E-03	0.527186
5.31E+11	5204780	2.04E-03	0.489341	5.31E+11	5204780	2.21E-03	0.529581
5.30E+11	5197920	2.05E-03	0.491737	5.30E+11	5193020	2.22E-03	0.531976
5.30E+11	5192040	2.06E-03	0.494132	5.29E+11	5181260	2.23E-03	0.534371
5.29E+11	5185180	2.07E-03	0.496527	5.28E+11	5170480	2.24E-03	0.536766
5.29E+11	5180280	2.08E-03	0.498683	5.26E+11	5158720	2.25E-03	0.539162
5.28E+11	5174400	2.09E-03	0.500838	5.25E+11	5146960	2.26E-03	0.541557
5.27E+11	5167540	2.10E-03	0.503234	5.24E+11	5136180	2.27E-03	0.543952
5.27E+11	5160680	2.11E-03	0.505629	5.23E+11	5124420	2.28E-03	0.546347
5.26E+11	5154800	2.12E-03	0.508024	5.22E+11	5113640	2.29E-03	0.548743
5.25E+11	5147940	2.13E-03	0.510419	5.21E+11	5103840	2.30E-03	0.551138
5.25E+11	5141080	2.14E-03	0.512814	5.20E+11	5093060	2.31E-03	0.553533
5.24E+11	5134220	2.15E-03	0.51521	5.19E+11	5082280	2.32E-03	0.555928
5.23E+11	5127360	2.16E-03	0.517605	5.18E+11	5071500	2.33E-03	0.558323
5.23E+11	5120500	2.17E-03	0.52	5.17E+11	5061700	2.34E-03	0.560719
5.22E+11	5113640	2.18E-03	0.522395	5.15E+11	5050920	2.35E-03	0.563114
5.21E+11	5107760	2.19E-03	0.52479	5.14E+11	5041120	2.36E-03	0.565509
5.21E+11	5100900	2.20E-03	0.527186	5.13E+11	5031320	2.37E-03	0.567904
5.20E+11	5095020	2.21E-03	0.529581	5.12E+11	5021520	2.38E-03	0.570299
5.19E+11	5089140	2.22E-03	0.531976	5.12E+11	5012700	2.39E-03	0.572695
5.19E+11	5083260	2.23E-03	0.534371	5.11E+11	5005840	2.40E-03	0.574611
5.18E+11	5077380	2.24E-03	0.536766	5.10E+11	4996040	2.41E-03	0.577006
5.18E+11	5071500	2.25E-03	0.539162	5.09E+11	4986240	2.42E-03	0.579401
5.17E+11	5065620	2.26E-03	0.541557	5.08E+11	4977420	2.43E-03	0.581796
5.16E+11	5060720	2.27E-03	0.543713	5.07E+11	4968600	2.44E-03	0.584192

5.16E+11	5055820	2.28E-03	0.545629
5.15E+11	5045040	2.29E-03	0.548024
5.14E+11	5037200	2.30E-03	0.550419
5.13E+11	5028380	2.31E-03	0.552814
5.12E+11	5020540	2.32E-03	0.55521
5.12E+11	5012700	2.33E-03	0.557605
5.11E+11	5004860	2.34E-03	0.56
5.10E+11	4998000	2.35E-03	0.562395
5.09E+11	4991140	2.36E-03	0.56479
5.09E+11	4984280	2.37E-03	0.567186
5.08E+11	4977420	2.38E-03	0.569581
5.07E+11	4971540	2.39E-03	0.571976
5.07E+11	4964680	2.40E-03	0.574371
5.06E+11	4958800	2.41E-03	0.576766
5.05E+11	4952920	2.42E-03	0.579162
5.05E+11	4947040	2.43E-03	0.581557
5.04E+11	4941160	2.44E-03	0.583952
5.04E+11	4935280	2.45E-03	0.586347
5.03E+11	4929400	2.46E-03	0.588743
5.02E+11	4923520	2.47E-03	0.591138
5.02E+11	4917640	2.48E-03	0.593533
5.01E+11	4912740	2.49E-03	0.595928
0.00E+00	0	0.00E+00	
-7.93E+08	-7773.36	-1.00E-06	-0.00024
-1.59E+09	-15542.8	-2.00E-06	-0.00048
-2.38E+09	-23304.4	-3.00E-06	-0.00072



-8.71E+10	-853972	-1.10E-04	-0.02635
-9.51E+10	-931588	-1.20E-04	-0.02874
-1.03E+11	-1009400	-1.30E-04	-0.03114
-1.11E+11	-1086820	-1.40E-04	-0.03353
-1.19E+11	-1164240	-1.50E-04	-0.03593

5.06E+11	4959780	2.45E-03	0.586587
5.05E+11	4950960	2.46E-03	0.588982
5.04E+11	4942140	2.47E-03	0.591377
5.03E+11	4933320	2.48E-03	0.593772
5.03E+11	4924500	2.49E-03	0.596168
5.02E+11	4916660	2.50E-03	0.598563
5.01E+11	4907840	2.51E-03	0.600958
5.00E+11	4900000	2.52E-03	0.603353
4.99E+11	4892160	2.53E-03	0.605749
4.98E+11	4883340	2.54E-03	0.608144
4.98E+11	4875500	2.55E-03	0.610539
4.97E+11	4868640	2.56E-03	0.612934
4.96E+11	4860800	2.57E-03	0.615329
4.95E+11	4852960	2.58E-03	0.617725
4.94E+11	4845120	2.59E-03	0.62012
4.94E+11	4837280	2.60E-03	0.622515
4.93E+11	4829440	2.61E-03	0.62491
4.92E+11	4822580	2.62E-03	0.627305
4.91E+11	4814740	2.63E-03	0.629701
4.91E+11	4807880	2.64E-03	0.632096
4.90E+11	4800040	2.65E-03	0.634491
4.89E+11	4793180	2.66E-03	0.636886
0.00E+00	0	0.00E+00	
-8.07E+08	-7906.64	-1.00E-06	-0.00024
-1.61E+09	-15807.4	-2.00E-06	-0.00048
-2.42E+09	-23706.2	-3.00E-06	-0.00072



-8.86E+10	-868280	-1.10E-04	-0.02635
-9.66E+10	-946974	-1.20E-04	-0.02874
-1.05E+11	-1026060	-1.30E-04	-0.03114
-1.13E+11	-1104460	-1.40E-04	-0.03353
-1.21E+11	-1182860	-1.50E-04	-0.03593

-1.27E+11	-1241660	-1.60E-04	-0.03832	-1.29E+11	-1262240	-1.60E-04	-0.03832
-1.35E+11	-1319080	-1.70E-04	-0.04072	-1.37E+11	-1340640	-1.70E-04	-0.04072
-1.43E+11	-1396500	-1.80E-04	-0.04311	-1.45E+11	-1419040	-1.80E-04	-0.04311
-1.50E+11	-1472940	-1.90E-04	-0.04551	-1.53E+11	-1497440	-1.90E-04	-0.04551
-1.58E+11	-1550360	-2.00E-04	-0.0479	-1.61E+11	-1575840	-2.00E-04	-0.0479
-1.66E+11	-1627780	-2.10E-04	-0.0503	-1.69E+11	-1655220	-2.10E-04	-0.0503
-1.74E+11	-1704220	-2.20E-04	-0.05269	-1.77E+11	-1733620	-2.20E-04	-0.05269
-1.82E+11	-1781640	-2.30E-04	-0.05509	-1.85E+11	-1812020	-2.30E-04	-0.05509
-1.90E+11	-1859060	-2.40E-04	-0.05749	-1.93E+11	-1890420	-2.40E-04	-0.05749
-1.98E+11	-1935500	-2.50E-04	-0.05988	-2.01E+11	-1968820	-2.50E-04	-0.05988
-2.05E+11	-2012920	-2.60E-04	-0.06228	-2.09E+11	-2047220	-2.60E-04	-0.06228
-2.13E+11	-2090340	-2.70E-04	-0.06467	-2.17E+11	-2124640	-2.70E-04	-0.06467
-2.21E+11	-2166780	-2.80E-04	-0.06707	-2.25E+11	-2203040	-2.80E-04	-0.06707
-2.29E+11	-2244200	-2.90E-04	-0.06946	-2.33E+11	-2281440	-2.90E-04	-0.06946
-2.37E+11	-2321620	-3.00E-04	-0.07186	-2.41E+11	-2359840	-3.00E-04	-0.07186
-2.45E+11	-2398060	-3.10E-04	-0.07425	-2.49E+11	-2438240	-3.10E-04	-0.07425
-2.53E+11	-2475480	-3.20E-04	-0.07665	-2.57E+11	-2516640	-3.20E-04	-0.07665
-2.60E+11	-2551920	-3.30E-04	-0.07904	-2.65E+11	-2595040	-3.30E-04	-0.07904
-2.68E+11	-2629340	-3.40E-04	-0.08144	-2.73E+11	-2672460	-3.40E-04	-0.08144
-2.76E+11	-2705780	-3.50E-04	-0.08383	-2.81E+11	-2750860	-3.50E-04	-0.08383
-2.84E+11	-2783200	-3.60E-04	-0.08623	-2.89E+11	-2829260	-3.60E-04	-0.08623
-2.92E+11	-2859640	-3.70E-04	-0.08862	-2.97E+11	-2907660	-3.70E-04	-0.08862
-3.00E+11	-2937060	-3.80E-04	-0.09102	-3.05E+11	-2985080	-3.80E-04	-0.09102
-3.08E+11	-3013500	-3.90E-04	-0.09341	-3.13E+11	-3063480	-3.90E-04	-0.09341
-3.15E+11	-3090920	-4.00E-04	-0.09581	-3.21E+11	-3141880	-4.00E-04	-0.09581
-3.23E+11	-3167360	-4.10E-04	-0.0982	-3.29E+11	-3219300	-4.10E-04	-0.0982
-3.31E+11	-3244780	-4.20E-04	-0.1006	-3.37E+11	-3297700	-4.20E-04	-0.1006
-3.39E+11	-3321220	-4.30E-04	-0.10299	-3.44E+11	-3375120	-4.30E-04	-0.10299
-3.47E+11	-3397660	-4.40E-04	-0.10539	-3.52E+11	-3453520	-4.40E-04	-0.10539
-3.55E+11	-3475080	-4.50E-04	-0.10778	-3.60E+11	-3530940	-4.50E-04	-0.10778
-3.62E+11	-3551520	-4.60E-04	-0.11018	-3.68E+11	-3609340	-4.60E-04	-0.11018
-3.70E+11	-3626980	-4.70E-04	-0.11257	-3.76E+11	-3686760	-4.70E-04	-0.11257
-3.78E+11	-3703420	-4.80E-04	-0.11497	-3.84E+11	-3765160	-4.80E-04	-0.11497
-3.86E+11	-3779860	-4.90E-04	-0.11737	-3.92E+11	-3842580	-4.90E-04	-0.11737
-3.93E+11	-3855320	-5.00E-04	-0.11976	-4.00E+11	-3920000	-5.00E-04	-0.11976
-4.01E+11	-3929800	-5.10E-04	-0.12216	-4.08E+11	-3997420	-5.10E-04	-0.12216
-4.09E+11	-4005260	-5.20E-04	-0.12455	-4.16E+11	-4074840	-5.20E-04	-0.12455
-4.16E+11	-4079740	-5.30E-04	-0.12695	-4.24E+11	-4151280	-5.30E-04	-0.12695
-4.24E+11	-4154220	-5.40E-04	-0.12934	-4.31E+11	-4227720	-5.40E-04	-0.12934
-4.32E+11	-4228700	-5.50E-04	-0.13174	-4.39E+11	-4304160	-5.50E-04	-0.13174
-4.39E+11	-4303180	-5.60E-04	-0.13413	-4.47E+11	-4379620	-5.60E-04	-0.13413
-4.47E+11	-4376680	-5.70E-04	-0.13653	-4.55E+11	-4455080	-5.70E-04	-0.13653
-4.54E+11	-4450180	-5.80E-04	-0.13892	-4.62E+11	-4530540	-5.80E-04	-0.13892
-4.62E+11	-4522700	-5.90E-04	-0.14132	-4.70E+11	-4606000	-5.90E-04	-0.14132
-4.66E+11	-4566800	-5.96E-04	-0.1428	-4.78E+11	-4680480	-6.00E-04	-0.14371
-4.73E+11	-4638340	-6.06E-04	-0.1452	-4.85E+11	-4754960	-6.10E-04	-0.14611
-4.78E+11	-4688320	-6.13E-04	-0.14687	-4.93E+11	-4828460	-6.20E-04	-0.1485

-4.86E+11	-4757900	-6.23E-04	-0.14927	-5.00E+11	-4901960	-6.30E-04	-0.1509
-4.88E+11	-4778480	-6.26E-04	-0.15001	-5.08E+11	-4974480	-6.40E-04	-0.15329
-4.92E+11	-4819640	-6.33E-04	-0.1515	-5.09E+11	-4986240	-6.42E-04	-0.15368
-4.96E+11	-4861780	-6.39E-04	-0.1531	-5.16E+11	-5057780	-6.52E-04	-0.15607
-4.99E+11	-4886280	-6.45E-04	-0.15444	-5.23E+11	-5129320	-6.62E-04	-0.15847
-5.02E+11	-4921560	-6.55E-04	-0.15684	-5.27E+11	-5166560	-6.67E-04	-0.15974
-5.03E+11	-4931360	-6.58E-04	-0.15751	-5.34E+11	-5236140	-6.77E-04	-0.16213
-5.05E+11	-4949000	-6.63E-04	-0.15885	-5.38E+11	-5275340	-6.83E-04	-0.16352
-5.07E+11	-4969580	-6.71E-04	-0.16065	-5.44E+11	-5327280	-6.91E-04	-0.16539
-5.09E+11	-4984280	-6.76E-04	-0.16194	-5.48E+11	-5369420	-6.97E-04	-0.16699
-5.11E+11	-5007800	-6.86E-04	-0.16434	-5.52E+11	-5406660	-7.05E-04	-0.16891
-5.12E+11	-5015640	-6.89E-04	-0.16513	-5.53E+11	-5423320	-7.12E-04	-0.17054
-5.13E+11	-5026420	-6.95E-04	-0.16642	-5.54E+11	-5427240	-7.18E-04	-0.17193
-5.14E+11	-5037200	-7.00E-04	-0.16759	-5.54E+11	-5426260	-7.26E-04	-0.17377
-5.16E+11	-5057780	-7.10E-04	-0.16999	-5.53E+11	-5423320	-7.31E-04	-0.17497
-5.18E+11	-5071500	-7.18E-04	-0.17188	-5.52E+11	-5410580	-7.41E-04	-0.17737
-5.19E+11	-5083260	-7.26E-04	-0.17392	-5.50E+11	-5391960	-7.51E-04	-0.17976
-5.19E+11	-5086200	-7.34E-04	-0.17586	-5.50E+11	-5390980	-7.51E-04	-0.17983
-5.19E+11	-5081300	-7.41E-04	-0.17739	-5.48E+11	-5371380	-7.61E-04	-0.18223
-5.17E+11	-5066600	-7.49E-04	-0.1795	-5.47E+11	-5358640	-7.67E-04	-0.18374
-5.15E+11	-5050920	-7.56E-04	-0.18101	-5.44E+11	-5331200	-7.77E-04	-0.18613
-5.13E+11	-5022500	-7.66E-04	-0.1834	-5.41E+11	-5299840	-7.87E-04	-0.18853
-5.11E+11	-5011720	-7.70E-04	-0.18443	-5.40E+11	-5295920	-7.88E-04	-0.18874
-5.09E+11	-4987220	-7.80E-04	-0.18673	-5.36E+11	-5248880	-7.98E-04	-0.19114
-5.07E+11	-4966640	-7.90E-04	-0.18913	-5.36E+11	-5247900	-7.98E-04	-0.19119
-5.06E+11	-4962720	-7.93E-04	-0.18982	-5.32E+11	-5212620	-8.04E-04	-0.19248
-5.05E+11	-4946060	-8.03E-04	-0.19222	-5.24E+11	-5133240	-8.14E-04	-0.19487
-5.05E+11	-4944100	-8.05E-04	-0.19279	-5.13E+11	-5027400	-8.24E-04	-0.19727
-5.03E+11	-4933320	-8.14E-04	-0.19485	-5.05E+11	-4944100	-8.31E-04	-0.19899
-5.02E+11	-4921560	-8.22E-04	-0.19696	-4.94E+11	-4837280	-8.41E-04	-0.20139
-5.01E+11	-4909800	-8.30E-04	-0.19878	-4.84E+11	-4745160	-8.51E-04	-0.20378
-5.00E+11	-4899020	-8.37E-04	-0.20048	-4.76E+11	-4667740	-8.61E-04	-0.20618
-4.98E+11	-4882360	-8.47E-04	-0.20287	-4.70E+11	-4606980	-8.71E-04	-0.20857
-4.98E+11	-4875500	-8.51E-04	-0.2039	-4.68E+11	-4589340	-8.74E-04	-0.20937
-4.95E+11	-4854920	-8.61E-04	-0.2063	-4.64E+11	-4543280	-8.84E-04	-0.21176
-4.93E+11	-4830420	-8.71E-04	-0.20869	-4.59E+11	-4501140	-8.94E-04	-0.21416
-4.90E+11	-4802980	-8.81E-04	-0.21109	-4.56E+11	-4465860	-9.04E-04	-0.21655
-4.89E+11	-4796120	-8.84E-04	-0.21171	-4.53E+11	-4434500	-9.14E-04	-0.21895
-4.86E+11	-4766720	-8.93E-04	-0.21399	-4.49E+11	-4404120	-9.24E-04	-0.22134
-4.82E+11	-4724580	-9.03E-04	-0.21638	-4.47E+11	-4377660	-9.34E-04	-0.22374
-4.78E+11	-4686360	-9.12E-04	-0.21849	-4.44E+11	-4352180	-9.44E-04	-0.22613
-4.75E+11	-4658920	-9.18E-04	-0.21998	-4.42E+11	-4328660	-9.54E-04	-0.22853
-4.70E+11	-4608940	-9.28E-04	-0.22237	-4.40E+11	-4307100	-9.64E-04	-0.23092
-4.69E+11	-4598160	-9.31E-04	-0.2229	-4.37E+11	-4285540	-9.74E-04	-0.23332
-4.63E+11	-4539360	-9.41E-04	-0.22529	-4.35E+11	-4263980	-9.84E-04	-0.23571
-4.58E+11	-4489380	-9.51E-04	-0.22769	-4.33E+11	-4245360	-9.94E-04	-0.23811
-4.54E+11	-4447240	-9.61E-04	-0.23008	-4.31E+11	-4225760	-1.00E-03	-0.24048

-4.50E+11	-4410980	-9.71E-04	-0.23248	-4.29E+11	-4207140	-1.01E-03	-0.24287
-4.50E+11	-4410980	-9.71E-04	-0.2325	-4.27E+11	-4188520	-1.02E-03	-0.24527
-4.47E+11	-4378640	-9.81E-04	-0.2349	-4.26E+11	-4171860	-1.03E-03	-0.24766
-4.44E+11	-4352180	-9.91E-04	-0.23729	-4.24E+11	-4154220	-1.04E-03	-0.25006
-4.42E+11	-4326700	-1.00E-03	-0.23976	-4.22E+11	-4137560	-1.05E-03	-0.25246
-4.39E+11	-4303180	-1.01E-03	-0.24216	-4.21E+11	-4120900	-1.06E-03	-0.25485
-4.39E+11	-4298280	-1.01E-03	-0.24263	-4.19E+11	-4105220	-1.07E-03	-0.25725
-4.37E+11	-4283580	-1.02E-03	-0.24431	-4.17E+11	-4088560	-1.08E-03	-0.25964
-4.35E+11	-4263000	-1.03E-03	-0.24671	-4.16E+11	-4072880	-1.09E-03	-0.26204
-4.33E+11	-4243400	-1.04E-03	-0.2491	-4.14E+11	-4057200	-1.10E-03	-0.26443
-4.32E+11	-4230660	-1.05E-03	-0.25078	-4.12E+11	-4041520	-1.11E-03	-0.26683
-4.30E+11	-4213020	-1.06E-03	-0.25317	-4.11E+11	-4025840	-1.12E-03	-0.26922
-4.28E+11	-4195380	-1.07E-03	-0.25557	-4.09E+11	-4010160	-1.13E-03	-0.27162
-4.26E+11	-4178720	-1.08E-03	-0.25796	-4.08E+11	-3994480	-1.14E-03	-0.27401
-4.25E+11	-4163040	-1.09E-03	-0.26036	-4.06E+11	-3978800	-1.15E-03	-0.27641
-4.23E+11	-4147360	-1.10E-03	-0.26275	-4.05E+11	-3964100	-1.16E-03	-0.2788
-4.22E+11	-4132660	-1.11E-03	-0.26515	-4.03E+11	-3948420	-1.17E-03	-0.2812
-4.20E+11	-4117960	-1.12E-03	-0.26754	-4.01E+11	-3931760	-1.18E-03	-0.28359
-4.19E+11	-4103260	-1.13E-03	-0.26994	-4.00E+11	-3916080	-1.19E-03	-0.28599
-4.17E+11	-4089540	-1.14E-03	-0.27234	-3.98E+11	-3900400	-1.20E-03	-0.28838
-4.16E+11	-4076800	-1.15E-03	-0.27473	-3.96E+11	-3883740	-1.21E-03	-0.29078
-4.15E+11	-4063080	-1.16E-03	-0.27713	-3.95E+11	-3867080	-1.22E-03	-0.29317
-4.13E+11	-4050340	-1.17E-03	-0.27952	-3.93E+11	-3849440	-1.23E-03	-0.29557
-4.12E+11	-4037600	-1.18E-03	-0.28192	-3.91E+11	-3833760	-1.24E-03	-0.29796
-4.11E+11	-4024860	-1.19E-03	-0.28431	-3.90E+11	-3818080	-1.25E-03	-0.30036
-4.09E+11	-4012120	-1.20E-03	-0.28671	-3.89E+11	-3809260	-1.26E-03	-0.3018
-4.08E+11	-3999380	-1.21E-03	-0.2891	-3.87E+11	-3794560	-1.27E-03	-0.30419
-4.07E+11	-3987620	-1.22E-03	-0.2915	-3.86E+11	-3781820	-1.28E-03	-0.30659
-4.06E+11	-3974880	-1.23E-03	-0.29389	-3.85E+11	-3769080	-1.29E-03	-0.30898
-4.04E+11	-3963120	-1.24E-03	-0.29629	-3.83E+11	-3757320	-1.30E-03	-0.31138
-4.03E+11	-3950380	-1.25E-03	-0.29868	-3.82E+11	-3745560	-1.31E-03	-0.31377
-4.02E+11	-3937640	-1.26E-03	-0.30108	-3.81E+11	-3733800	-1.32E-03	-0.31617
-4.01E+11	-3925880	-1.27E-03	-0.30347	-3.80E+11	-3724000	-1.33E-03	-0.31856
-3.99E+11	-3913140	-1.28E-03	-0.30587	-3.79E+11	-3713220	-1.34E-03	-0.32096
-3.98E+11	-3899420	-1.29E-03	-0.30826	-3.78E+11	-3703420	-1.35E-03	-0.32335
-3.97E+11	-3885700	-1.30E-03	-0.31066	-3.77E+11	-3693620	-1.36E-03	-0.32575
-3.95E+11	-3871980	-1.31E-03	-0.31305	-3.76E+11	-3683820	-1.37E-03	-0.32814
-3.94E+11	-3857280	-1.32E-03	-0.31545	-3.75E+11	-3674020	-1.38E-03	-0.33054
-3.92E+11	-3841600	-1.33E-03	-0.31784	-3.74E+11	-3665200	-1.39E-03	-0.33293
-3.91E+11	-3826900	-1.34E-03	-0.32024	-3.73E+11	-3656380	-1.40E-03	-0.33533
-3.89E+11	-3811220	-1.35E-03	-0.32263	-3.72E+11	-3647560	-1.41E-03	-0.33772
-3.88E+11	-3798480	-1.36E-03	-0.32503	-3.71E+11	-3639720	-1.42E-03	-0.34012
-3.86E+11	-3784760	-1.37E-03	-0.32743	-3.71E+11	-3630900	-1.43E-03	-0.34251
-3.85E+11	-3771040	-1.38E-03	-0.32982	-3.70E+11	-3623060	-1.44E-03	-0.34491
-3.84E+11	-3759280	-1.39E-03	-0.33222	-3.69E+11	-3614240	-1.45E-03	-0.34731
-3.83E+11	-3748500	-1.40E-03	-0.33461	-3.68E+11	-3607380	-1.46E-03	-0.3497
-3.81E+11	-3737720	-1.41E-03	-0.33701	-3.67E+11	-3599540	-1.47E-03	-0.3521

-3.80E+11	-3727920	-1.42E-03	-0.3394	-3.67E+11	-3591700	-1.48E-03	-0.35449
-3.79E+11	-3718120	-1.43E-03	-0.3418	-3.66E+11	-3584840	-1.49E-03	-0.35689
-3.78E+11	-3708320	-1.44E-03	-0.34419	-3.65E+11	-3577000	-1.50E-03	-0.35928
-3.78E+11	-3699500	-1.45E-03	-0.34659	-3.64E+11	-3570140	-1.51E-03	-0.36168
-3.77E+11	-3690680	-1.46E-03	-0.34898	-3.64E+11	-3563280	-1.52E-03	-0.36407
-3.76E+11	-3681860	-1.47E-03	-0.35138	-3.63E+11	-3556420	-1.53E-03	-0.36647
-3.75E+11	-3674020	-1.48E-03	-0.35377	-3.62E+11	-3549560	-1.54E-03	-0.36886
-3.74E+11	-3665200	-1.49E-03	-0.35617	-3.62E+11	-3542700	-1.55E-03	-0.37126
-3.73E+11	-3657360	-1.50E-03	-0.35856	-3.61E+11	-3536820	-1.56E-03	-0.37365
-3.73E+11	-3653440	-1.50E-03	-0.36	-3.60E+11	-3530940	-1.57E-03	-0.37605
-3.72E+11	-3645600	-1.51E-03	-0.3624	-3.60E+11	-3524080	-1.58E-03	-0.37844
-3.71E+11	-3637760	-1.52E-03	-0.36479	-3.59E+11	-3518200	-1.59E-03	-0.38084
-3.70E+11	-3629920	-1.53E-03	-0.36719	-3.58E+11	-3512320	-1.60E-03	-0.38323
-3.70E+11	-3623060	-1.54E-03	-0.36958	-3.58E+11	-3505460	-1.61E-03	-0.38563
-3.69E+11	-3615220	-1.55E-03	-0.37198	-3.57E+11	-3499580	-1.62E-03	-0.38802
-3.68E+11	-3608360	-1.56E-03	-0.37437	-3.57E+11	-3494680	-1.63E-03	-0.39042
-3.68E+11	-3601500	-1.57E-03	-0.37677	-3.56E+11	-3488800	-1.64E-03	-0.39281
-3.67E+11	-3594640	-1.58E-03	-0.37916	-3.55E+11	-3482920	-1.65E-03	-0.39521
-3.66E+11	-3587780	-1.59E-03	-0.38156	-3.55E+11	-3477040	-1.66E-03	-0.3976
-3.66E+11	-3581900	-1.60E-03	-0.38395	-3.54E+11	-3472140	-1.67E-03	-0.4
-3.65E+11	-3575040	-1.61E-03	-0.38635	-3.54E+11	-3466260	-1.68E-03	-0.4024
-3.64E+11	-3569160	-1.62E-03	-0.38874	-3.53E+11	-3461360	-1.69E-03	-0.40479
-3.64E+11	-3562300	-1.63E-03	-0.39114	-3.53E+11	-3455480	-1.70E-03	-0.40719
-3.63E+11	-3557400	-1.64E-03	-0.39329	-3.52E+11	-3450580	-1.71E-03	-0.40958
-3.62E+11	-3550540	-1.65E-03	-0.39569	-3.52E+11	-3445680	-1.72E-03	-0.41198
-3.62E+11	-3544660	-1.66E-03	-0.39808	-3.51E+11	-3440780	-1.73E-03	-0.41437
-3.61E+11	-3538780	-1.67E-03	-0.40048	-3.51E+11	-3435880	-1.74E-03	-0.41677
-3.61E+11	-3532900	-1.68E-03	-0.40287	-3.50E+11	-3430980	-1.75E-03	-0.41916
-3.60E+11	-3527020	-1.69E-03	-0.40527	-3.50E+11	-3426080	-1.76E-03	-0.42156
-3.59E+11	-3522120	-1.70E-03	-0.40766	-3.49E+11	-3421180	-1.77E-03	-0.42395
-3.59E+11	-3516240	-1.71E-03	-0.41006	-3.49E+11	-3416280	-1.78E-03	-0.42635
-3.58E+11	-3511340	-1.72E-03	-0.41246	-3.48E+11	-3411380	-1.79E-03	-0.42874
-3.58E+11	-3505460	-1.73E-03	-0.41485	-3.48E+11	-3406480	-1.80E-03	-0.43114
-3.57E+11	-3500560	-1.74E-03	-0.41725	-3.47E+11	-3402560	-1.81E-03	-0.43353
-3.57E+11	-3494680	-1.75E-03	-0.41964	-3.47E+11	-3397660	-1.82E-03	-0.43593
-3.56E+11	-3489780	-1.76E-03	-0.42204	-3.46E+11	-3392760	-1.83E-03	-0.43832
-3.56E+11	-3484880	-1.77E-03	-0.42443	-3.46E+11	-3388840	-1.84E-03	-0.44072
-3.55E+11	-3479000	-1.78E-03	-0.42683	-3.45E+11	-3383940	-1.85E-03	-0.44311
-3.55E+11	-3475080	-1.79E-03	-0.42922	-3.45E+11	-3380020	-1.86E-03	-0.44551
-3.54E+11	-3470180	-1.80E-03	-0.43162	-3.45E+11	-3376100	-1.87E-03	-0.4479
-3.54E+11	-3465280	-1.81E-03	-0.43401	-3.44E+11	-3371200	-1.88E-03	-0.4503
-3.53E+11	-3460380	-1.82E-03	-0.43641	-3.44E+11	-3367280	-1.89E-03	-0.45269
-3.53E+11	-3455480	-1.83E-03	-0.4388	-3.43E+11	-3363360	-1.90E-03	-0.45509
-3.52E+11	-3450580	-1.84E-03	-0.4412	-3.43E+11	-3358460	-1.91E-03	-0.45749
-3.52E+11	-3446660	-1.85E-03	-0.44359	-3.42E+11	-3354540	-1.92E-03	-0.45988
-3.51E+11	-3441760	-1.86E-03	-0.44599	-3.42E+11	-3350620	-1.93E-03	-0.46228
-3.51E+11	-3436860	-1.87E-03	-0.44838	-3.42E+11	-3346700	-1.94E-03	-0.46443

-3.50E+11	-3432940	-1.88E-03	-0.45078	-3.41E+11	-3342780	-1.95E-03	-0.46683
-3.50E+11	-3428040	-1.89E-03	-0.45317	-3.41E+11	-3338860	-1.96E-03	-0.46922
-3.50E+11	-3425100	-1.90E-03	-0.45485	-3.40E+11	-3334940	-1.97E-03	-0.47162
-3.49E+11	-3421180	-1.91E-03	-0.45725	-3.40E+11	-3331020	-1.98E-03	-0.47401
-3.49E+11	-3416280	-1.92E-03	-0.45964	-3.40E+11	-3327100	-1.99E-03	-0.47641
-3.48E+11	-3412360	-1.93E-03	-0.46204	-3.39E+11	-3323180	-2.00E-03	-0.4788
-3.48E+11	-3408440	-1.94E-03	-0.46443	-3.39E+11	-3319260	-2.01E-03	-0.4812
-3.47E+11	-3404520	-1.95E-03	-0.46683	-3.38E+11	-3315340	-2.02E-03	-0.48359
-3.47E+11	-3400600	-1.96E-03	-0.46922	-3.38E+11	-3311420	-2.03E-03	-0.48599
-3.47E+11	-3395700	-1.97E-03	-0.47162	-3.38E+11	-3307500	-2.04E-03	-0.48838
-3.46E+11	-3391780	-1.98E-03	-0.47401	-3.37E+11	-3304560	-2.05E-03	-0.49078
-3.46E+11	-3387860	-1.99E-03	-0.47641	-3.37E+11	-3300640	-2.06E-03	-0.49317
-3.45E+11	-3383940	-2.00E-03	-0.4788	-3.36E+11	-3296720	-2.07E-03	-0.49557
-3.45E+11	-3380020	-2.01E-03	-0.4812	-3.36E+11	-3292800	-2.08E-03	-0.49796
-3.45E+11	-3377080	-2.02E-03	-0.48359	-3.36E+11	-3289860	-2.09E-03	-0.50036
-3.44E+11	-3373160	-2.03E-03	-0.48599	-3.35E+11	-3285940	-2.10E-03	-0.50275
-3.44E+11	-3369240	-2.04E-03	-0.48838	-3.35E+11	-3282020	-2.11E-03	-0.50515
-3.43E+11	-3365320	-2.05E-03	-0.49078	-3.35E+11	-3279080	-2.12E-03	-0.50754
-3.43E+11	-3361400	-2.06E-03	-0.49317	-3.34E+11	-3275160	-2.13E-03	-0.50994
-3.43E+11	-3358460	-2.07E-03	-0.49557	-3.34E+11	-3272220	-2.14E-03	-0.51234
-3.42E+11	-3354540	-2.08E-03	-0.49796	-3.34E+11	-3268300	-2.15E-03	-0.51473
-3.42E+11	-3350620	-2.09E-03	-0.50036	-3.33E+11	-3265360	-2.16E-03	-0.51713
-3.42E+11	-3347680	-2.10E-03	-0.50275	-3.33E+11	-3262420	-2.17E-03	-0.51952
-3.41E+11	-3343760	-2.11E-03	-0.50515	-3.33E+11	-3258500	-2.18E-03	-0.52192
-3.41E+11	-3339840	-2.12E-03	-0.50754	-3.32E+11	-3255560	-2.19E-03	-0.52431
-3.41E+11	-3336900	-2.13E-03	-0.50994	-3.32E+11	-3251640	-2.20E-03	-0.52671
-3.40E+11	-3332980	-2.14E-03	-0.51234	-3.32E+11	-3248700	-2.21E-03	-0.5291
-3.40E+11	-3330040	-2.15E-03	-0.51473	-3.31E+11	-3247720	-2.21E-03	-0.52958
-3.39E+11	-3326120	-2.16E-03	-0.51713	-3.31E+11	-3244780	-2.22E-03	-0.53198
-3.39E+11	-3323180	-2.17E-03	-0.51952	-3.31E+11	-3241840	-2.23E-03	-0.53437
-3.39E+11	-3319260	-2.18E-03	-0.52192	-3.31E+11	-3238900	-2.24E-03	-0.53677
-3.38E+11	-3316320	-2.19E-03	-0.52431	-3.30E+11	-3234980	-2.25E-03	-0.53916
-3.38E+11	-3313380	-2.20E-03	-0.52671	-3.30E+11	-3232040	-2.26E-03	-0.54156
-3.38E+11	-3309460	-2.21E-03	-0.5291	-3.30E+11	-3229100	-2.27E-03	-0.54395
-3.37E+11	-3306520	-2.22E-03	-0.5315	-3.29E+11	-3226160	-2.28E-03	-0.54635
-3.37E+11	-3303580	-2.23E-03	-0.53389	-3.29E+11	-3223220	-2.29E-03	-0.54874
-3.37E+11	-3299660	-2.24E-03	-0.53629	-3.29E+11	-3220280	-2.30E-03	-0.55114
-3.36E+11	-3296720	-2.25E-03	-0.53868	-3.28E+11	-3217340	-2.31E-03	-0.55353
-3.36E+11	-3293780	-2.26E-03	-0.54108	-3.28E+11	-3214400	-2.32E-03	-0.55593
-3.36E+11	-3292800	-2.26E-03	-0.54204	-3.28E+11	-3210480	-2.33E-03	-0.55832
-3.36E+11	-3288880	-2.27E-03	-0.54443	-3.27E+11	-3207540	-2.34E-03	-0.56072
-3.35E+11	-3285940	-2.28E-03	-0.54683	-3.27E+11	-3204600	-2.35E-03	-0.56311
-3.35E+11	-3283000	-2.29E-03	-0.54922	-3.27E+11	-3201660	-2.36E-03	-0.56551
-3.35E+11	-3280060	-2.30E-03	-0.55162	-3.26E+11	-3198720	-2.37E-03	-0.5679
-3.34E+11	-3276140	-2.31E-03	-0.55401	-3.26E+11	-3196760	-2.38E-03	-0.5703
-3.34E+11	-3273200	-2.32E-03	-0.55641	-3.26E+11	-3193820	-2.39E-03	-0.57269
-3.34E+11	-3270260	-2.33E-03	-0.5588	-3.26E+11	-3190880	-2.40E-03	-0.57509

-3.33E+11	-3267320	-2.34E-03	-0.5612	-3.25E+11	-3187940	-2.41E-03	-0.57749
-3.33E+11	-3264380	-2.35E-03	-0.56359	-3.25E+11	-3185000	-2.42E-03	-0.57988
-3.33E+11	-3261440	-2.36E-03	-0.56599	-3.25E+11	-3182060	-2.43E-03	-0.58228
-3.33E+11	-3258500	-2.37E-03	-0.56838	-3.25E+11	-3180100	-2.44E-03	-0.58467
-3.32E+11	-3255560	-2.38E-03	-0.57078	-3.24E+11	-3177160	-2.45E-03	-0.58707
-3.32E+11	-3252620	-2.39E-03	-0.57317	-3.24E+11	-3174220	-2.46E-03	-0.58946
-3.32E+11	-3249680	-2.40E-03	-0.57557	-3.24E+11	-3171280	-2.47E-03	-0.59186
-3.31E+11	-3246740	-2.41E-03	-0.57796	-3.23E+11	-3168340	-2.48E-03	-0.59425
-3.31E+11	-3243800	-2.42E-03	-0.58036	-3.23E+11	-3166380	-2.49E-03	-0.59665
-3.31E+11	-3240860	-2.43E-03	-0.58275	-3.23E+11	-3163440	-2.50E-03	-0.59904
-3.31E+11	-3239880	-2.44E-03	-0.58371	-3.23E+11	-3160500	-2.51E-03	-0.60144
-3.30E+11	-3236940	-2.45E-03	-0.58611	-3.22E+11	-3157560	-2.52E-03	-0.60383
-3.30E+11	-3234000	-2.46E-03	-0.5885	-3.22E+11	-3155600	-2.53E-03	-0.60623
-3.30E+11	-3230080	-2.47E-03	-0.5909	-3.22E+11	-3152660	-2.54E-03	-0.60862
-3.29E+11	-3227140	-2.48E-03	-0.59329	-3.21E+11	-3149720	-2.55E-03	-0.61102
-3.29E+11	-3224200	-2.49E-03	-0.59569	-3.21E+11	-3147760	-2.56E-03	-0.61341
-3.29E+11	-3221260	-2.50E-03	-0.59808	-3.21E+11	-3144820	-2.57E-03	-0.61581
-3.28E+11	-3218320	-2.51E-03	-0.60048	-3.21E+11	-3142860	-2.58E-03	-0.6182
-3.28E+11	-3215380	-2.52E-03	-0.60287	-3.20E+11	-3139920	-2.59E-03	-0.6206
-3.28E+11	-3212440	-2.53E-03	-0.60527	-3.20E+11	-3137960	-2.60E-03	-0.62299
-3.28E+11	-3209500	-2.54E-03	-0.60766	-3.20E+11	-3135020	-2.61E-03	-0.62539
-3.27E+11	-3206560	-2.55E-03	-0.61006	-3.20E+11	-3133060	-2.62E-03	-0.62778
-3.27E+11	-3204600	-2.56E-03	-0.61246	-3.19E+11	-3130120	-2.63E-03	-0.63018
-3.27E+11	-3201660	-2.57E-03	-0.61485	-3.19E+11	-3127180	-2.64E-03	-0.63257
-3.26E+11	-3198720	-2.58E-03	-0.61725	-3.19E+11	-3125220	-2.65E-03	-0.63497
-3.26E+11	-3195780	-2.59E-03	-0.61964	-3.19E+11	-3123260	-2.66E-03	-0.63737
-3.26E+11	-3192840	-2.60E-03	-0.62204	-3.18E+11	-3120320	-2.67E-03	-0.63976
-3.26E+11	-3189900	-2.61E-03	-0.62443	-3.18E+11	-3118360	-2.68E-03	-0.64216
-3.25E+11	-3186960	-2.62E-03	-0.62683	-3.18E+11	-3115420	-2.69E-03	-0.64455
-3.25E+11	-3185000	-2.63E-03	-0.62922	-3.18E+11	-3113460	-2.70E-03	-0.64695
-3.25E+11	-3182060	-2.64E-03	-0.63162	-3.17E+11	-3110520	-2.71E-03	-0.64934
-3.24E+11	-3179120	-2.65E-03	-0.63401	-3.17E+11	-3108560	-2.72E-03	-0.65174
-3.24E+11	-3176180	-2.66E-03	-0.63641	-3.17E+11	-3106600	-2.73E-03	-0.65413
-3.24E+11	-3173240	-2.67E-03	-0.6388	-3.17E+11	-3103660	-2.74E-03	-0.65653
-3.24E+11	-3171280	-2.68E-03	-0.6412	-3.17E+11	-3101700	-2.75E-03	-0.65892
-3.23E+11	-3168340	-2.69E-03	-0.64359	-3.16E+11	-3099740	-2.76E-03	-0.66132
-3.23E+11	-3165400	-2.70E-03	-0.64599	-3.16E+11	-3096800	-2.77E-03	-0.66371
-3.23E+11	-3163440	-2.71E-03	-0.64838	-3.16E+11	-3094840	-2.78E-03	-0.66611
-3.23E+11	-3160500	-2.72E-03	-0.65078	-3.16E+11	-3092880	-2.79E-03	-0.6685
-3.22E+11	-3157560	-2.73E-03	-0.65317	-3.15E+11	-3089940	-2.80E-03	-0.6709

Bulk Carrier (B1) Idchk = 2**70% damage**

frame space	4.175	9.80E-06	1000
Moment		Rotation	Curvature
7.92E+08	7761.6	1.00E-06	0.00024
1.58E+09	15513.4	2.00E-06	0.000479
2.38E+09	23275	3.00E-06	0.000719
3.17E+09	31026.8	4.00E-06	0.000958
3.96E+09	38788.4	5.00E-06	0.001198
4.75E+09	46540.2	6.00E-06	0.001437
5.54E+09	54301.8	7.00E-06	0.001677
6.33E+09	62053.6	8.00E-06	0.001916
7.12E+09	69815.2	9.00E-06	0.002156
7.92E+09	77567	1.00E-05	0.002395
1.58E+10	155134	2.00E-05	0.00479
2.37E+10	232652	3.00E-05	0.007186
3.17E+10	310268	4.00E-05	0.009581
3.96E+10	387786	5.00E-05	0.011976
4.75E+10	465402	6.00E-05	0.014371
5.54E+10	542920	7.00E-05	0.016766
6.33E+10	620536	8.00E-05	0.019162
7.12E+10	698054	9.00E-05	0.021557
7.92E+10	775670	1.00E-04	0.023952
8.71E+10	853188	1.10E-04	0.026347
9.50E+10	930804	1.20E-04	0.028743
1.03E+11	1008420	1.30E-04	0.031138
1.11E+11	1085840	1.40E-04	0.033533
1.19E+11	1163260	1.50E-04	0.035928
1.27E+11	1240680	1.60E-04	0.038323
1.35E+11	1318100	1.70E-04	0.040719
1.43E+11	1396500	1.80E-04	0.043114
1.50E+11	1473920	1.90E-04	0.045509
1.58E+11	1551340	2.00E-04	0.047904
1.66E+11	1628760	2.10E-04	0.050299
1.74E+11	1706180	2.20E-04	0.052695
1.82E+11	1783600	2.30E-04	0.05509
1.90E+11	1861020	2.40E-04	0.057485
1.98E+11	1938440	2.50E-04	0.05988
2.06E+11	2015860	2.60E-04	0.062275
2.14E+11	2093280	2.70E-04	0.064671
2.22E+11	2170700	2.80E-04	0.067066
2.29E+11	2248120	2.90E-04	0.069461
2.37E+11	2326520	3.00E-04	0.071856
2.45E+11	2403940	3.10E-04	0.074251
2.53E+11	2481360	3.20E-04	0.076647
2.61E+11	2558780	3.30E-04	0.079042

2.69E+11	2636200	3.40E-04	0.081437
2.77E+11	2713620	3.50E-04	0.083832
2.85E+11	2791040	3.60E-04	0.086228
2.93E+11	2868460	3.70E-04	0.088623
3.01E+11	2945880	3.80E-04	0.091018
3.09E+11	3023300	3.90E-04	0.093413
3.16E+11	3100720	4.00E-04	0.095808
3.24E+11	3178140	4.10E-04	0.098204
3.32E+11	3255560	4.20E-04	0.100599
3.40E+11	3332980	4.30E-04	0.102994
3.48E+11	3410400	4.40E-04	0.105389
3.56E+11	3487820	4.50E-04	0.107784
3.64E+11	3565240	4.60E-04	0.11018
3.72E+11	3642660	4.70E-04	0.112575
3.80E+11	3720080	4.80E-04	0.11497
3.88E+11	3797500	4.90E-04	0.117365
3.95E+11	3874920	5.00E-04	0.11976
4.03E+11	3952340	5.10E-04	0.122156
4.11E+11	4029760	5.20E-04	0.124551
4.19E+11	4107180	5.30E-04	0.126946
4.27E+11	4184600	5.40E-04	0.129341
4.35E+11	4262020	5.50E-04	0.131737
4.43E+11	4339440	5.60E-04	0.134132
4.51E+11	4416860	5.70E-04	0.136527
4.59E+11	4493300	5.80E-04	0.138922
4.66E+11	4570720	5.90E-04	0.141317
4.74E+11	4647160	6.00E-04	0.143713
4.82E+11	4724580	6.10E-04	0.146108
4.90E+11	4801020	6.20E-04	0.148503
4.98E+11	4877460	6.30E-04	0.150898
5.06E+11	4953900	6.40E-04	0.153293
5.11E+11	5009760	6.47E-04	0.155066
5.17E+11	5068560	6.55E-04	0.15691
5.22E+11	5119520	6.63E-04	0.158683
5.28E+11	5177340	6.73E-04	0.161078
5.32E+11	5212620	6.79E-04	0.162587
5.38E+11	5268480	6.89E-04	0.164934
5.41E+11	5305720	6.95E-04	0.166563
5.45E+11	5338060	7.01E-04	0.167952
5.48E+11	5369420	7.07E-04	0.169365
5.53E+11	5421360	7.17E-04	0.17176
5.54E+11	5427240	7.18E-04	0.172048
5.59E+11	5475260	7.28E-04	0.174443
5.59E+11	5479180	7.29E-04	0.174635
5.63E+11	5518380	7.38E-04	0.176647
5.68E+11	5562480	7.48E-04	0.179042
5.71E+11	5597760	7.56E-04	0.180982


5.75E+11	5637940	7.66E-04	0.183377
5.76E+11	5643820	7.67E-04	0.183713
5.79E+11	5669300	7.74E-04	0.185269
5.82E+11	5703600	7.83E-04	0.187545
5.85E+11	5733000	7.91E-04	0.189533
5.88E+11	5763380	8.01E-04	0.191928
5.89E+11	5772200	8.04E-04	0.192599
5.91E+11	5793760	8.12E-04	0.194419
5.94E+11	5817280	8.22E-04	0.19679
5.96E+11	5839820	8.32E-04	0.199186
5.97E+11	5845700	8.34E-04	0.199737
5.98E+11	5863340	8.44E-04	0.202132
5.99E+11	5871180	8.48E-04	0.203138
6.01E+11	5887840	8.58E-04	0.205533
6.02E+11	5894700	8.63E-04	0.206611
6.03E+11	5907440	8.73E-04	0.209006
6.04E+11	5915280	8.79E-04	0.210515
6.05E+11	5926060	8.89E-04	0.21291
6.05E+11	5928020	8.91E-04	0.213293
6.06E+11	5937820	9.01E-04	0.215689
6.06E+11	5942720	9.06E-04	0.216886
6.07E+11	5950560	9.16E-04	0.219281
6.07E+11	5952520	9.17E-04	0.219689
6.08E+11	5959380	9.27E-04	0.222084
6.08E+11	5960360	9.30E-04	0.222635
6.09E+11	5964280	9.37E-04	0.224335
6.09E+11	5968200	9.47E-04	0.226731
6.09E+11	5969180	9.49E-04	0.227329
6.09E+11	5971140	9.59E-04	0.229725
6.09E+11	5971140	9.60E-04	0.229964
6.09E+11	5972120	9.70E-04	0.232359
6.09E+11	5972120	9.72E-04	0.232719
6.10E+11	5973100	9.82E-04	0.235114
6.09E+11	5972120	9.88E-04	0.236695
6.09E+11	5972120	9.98E-04	0.239018
6.09E+11	5971140	1.01E-03	0.241437
6.09E+11	5970160	1.01E-03	0.242635
6.09E+11	5968200	1.02E-03	0.24503
6.09E+11	5968200	1.02E-03	0.245269
6.09E+11	5966240	1.03E-03	0.247665
6.09E+11	5966240	1.04E-03	0.248144
6.09E+11	5965260	1.04E-03	0.249341
6.08E+11	5961340	1.05E-03	0.251737
6.08E+11	5957420	1.06E-03	0.254132
6.08E+11	5956440	1.06E-03	0.25485
6.07E+11	5952520	1.07E-03	0.257246
6.07E+11	5948600	1.08E-03	0.259641

6.07E+11	5947620	1.09E-03	0.25988
6.07E+11	5943700	1.09E-03	0.262036
6.06E+11	5938800	1.10E-03	0.264431
6.06E+11	5938800	1.11E-03	0.264671
6.05E+11	5932920	1.12E-03	0.267066
6.05E+11	5931940	1.12E-03	0.267305
6.05E+11	5926060	1.13E-03	0.269701
6.05E+11	5925080	1.13E-03	0.26994
6.04E+11	5918220	1.14E-03	0.272335
6.03E+11	5910380	1.15E-03	0.274731
6.03E+11	5908420	1.15E-03	0.275449
6.02E+11	5900580	1.16E-03	0.277844
6.02E+11	5894700	1.17E-03	0.27976
6.01E+11	5886860	1.18E-03	0.282156
6.00E+11	5879020	1.19E-03	0.284551
6.00E+11	5878040	1.19E-03	0.28503
5.99E+11	5870200	1.20E-03	0.287425
5.98E+11	5863340	1.21E-03	0.28982
5.98E+11	5857460	1.22E-03	0.291976
5.97E+11	5849620	1.23E-03	0.294371
5.97E+11	5845700	1.23E-03	0.295569
5.96E+11	5837860	1.24E-03	0.297964
5.95E+11	5831000	1.25E-03	0.30012
5.94E+11	5823160	1.26E-03	0.302515
5.94E+11	5820220	1.27E-03	0.303473
5.93E+11	5812380	1.28E-03	0.305868
5.93E+11	5808460	1.28E-03	0.307066
5.92E+11	5796700	1.29E-03	0.309461
5.91E+11	5791800	1.30E-03	0.310659
5.90E+11	5782000	1.31E-03	0.313054
5.89E+11	5774160	1.32E-03	0.31521
5.88E+11	5764360	1.33E-03	0.317605
5.88E+11	5763380	1.33E-03	0.317844
5.87E+11	5754560	1.34E-03	0.32024
5.86E+11	5744760	1.35E-03	0.322635
5.85E+11	5736920	1.36E-03	0.32503
5.85E+11	5735940	1.36E-03	0.325509
5.84E+11	5727120	1.37E-03	0.327904
5.84E+11	5726140	1.37E-03	0.328144
5.84E+11	5718300	1.38E-03	0.330539
5.83E+11	5717320	1.38E-03	0.330539
5.83E+11	5709480	1.39E-03	0.332934
5.82E+11	5701640	1.40E-03	0.335329
5.81E+11	5692820	1.41E-03	0.337725
5.80E+11	5686940	1.42E-03	0.339401
5.80E+11	5679100	1.43E-03	0.341796
5.79E+11	5672240	1.44E-03	0.343952

5.78E+11	5663420	1.45E-03	0.346347
5.77E+11	5655580	1.46E-03	0.348743
5.76E+11	5646760	1.47E-03	0.351138
5.76E+11	5646760	1.47E-03	0.351377
5.75E+11	5638920	1.48E-03	0.353772
5.75E+11	5631080	1.49E-03	0.356168
5.74E+11	5625200	1.50E-03	0.358084
5.73E+11	5617360	1.51E-03	0.360479
5.72E+11	5609520	1.52E-03	0.362874
5.72E+11	5602660	1.53E-03	0.365269
5.71E+11	5595800	1.54E-03	0.367665
5.70E+11	5588940	1.55E-03	0.37006
5.70E+11	5582080	1.56E-03	0.372455
5.70E+11	5581100	1.56E-03	0.372934
5.69E+11	5574240	1.57E-03	0.375329
5.69E+11	5571300	1.57E-03	0.376287
5.68E+11	5564440	1.58E-03	0.378683
5.68E+11	5562480	1.58E-03	0.379401
5.67E+11	5555620	1.59E-03	0.381796
5.66E+11	5548760	1.60E-03	0.384192
5.65E+11	5540920	1.61E-03	0.386587
5.65E+11	5534060	1.62E-03	0.388982
5.65E+11	5533080	1.63E-03	0.389461
5.64E+11	5526220	1.64E-03	0.391856
5.63E+11	5518380	1.65E-03	0.394251
5.63E+11	5518380	1.65E-03	0.394251
5.62E+11	5511520	1.66E-03	0.396647
5.62E+11	5503680	1.67E-03	0.399042
5.61E+11	5496820	1.68E-03	0.401437
5.60E+11	5489960	1.69E-03	0.403832
5.60E+11	5483100	1.70E-03	0.405988
5.59E+11	5475260	1.71E-03	0.408383
5.58E+11	5472320	1.71E-03	0.409341
5.58E+11	5464480	1.72E-03	0.411737
5.57E+11	5456640	1.73E-03	0.414132
5.56E+11	5448800	1.74E-03	0.416527
5.55E+11	5441940	1.75E-03	0.418922
5.55E+11	5434100	1.76E-03	0.421317
5.54E+11	5426260	1.77E-03	0.423713
5.54E+11	5425280	1.77E-03	0.423952
5.53E+11	5417440	1.78E-03	0.426347
5.52E+11	5409600	1.79E-03	0.428743
5.51E+11	5401760	1.80E-03	0.431138
5.50E+11	5393920	1.81E-03	0.433533
5.50E+11	5386080	1.82E-03	0.435928
5.50E+11	5385100	1.82E-03	0.436168
5.49E+11	5378240	1.83E-03	0.438323

5.48E+11	5369420	1.84E-03	0.440719
5.47E+11	5362560	1.85E-03	0.442874
5.46E+11	5354720	1.86E-03	0.445269
5.46E+11	5345900	1.87E-03	0.447665
5.45E+11	5341000	1.88E-03	0.449102
5.44E+11	5333160	1.89E-03	0.451497
5.43E+11	5325320	1.90E-03	0.453892
5.43E+11	5317480	1.91E-03	0.456287
5.42E+11	5312580	1.91E-03	0.457964
5.41E+11	5304740	1.92E-03	0.460359
5.41E+11	5297880	1.93E-03	0.462754
5.40E+11	5290040	1.94E-03	0.46515
5.39E+11	5283180	1.95E-03	0.467545
5.39E+11	5278280	1.96E-03	0.469222
5.38E+11	5271420	1.97E-03	0.471617
5.37E+11	5264560	1.98E-03	0.474012
5.37E+11	5257700	1.99E-03	0.476407
5.36E+11	5250840	2.00E-03	0.478802
5.35E+11	5244960	2.01E-03	0.481198
5.35E+11	5238100	2.02E-03	0.483593
5.35E+11	5238100	2.02E-03	0.483832
5.34E+11	5231240	2.03E-03	0.486228
5.33E+11	5225360	2.04E-03	0.488623
5.33E+11	5219480	2.05E-03	0.491018
5.32E+11	5214580	2.06E-03	0.492934
5.31E+11	5207720	2.07E-03	0.495329
5.31E+11	5201840	2.08E-03	0.497725
5.30E+11	5196940	2.09E-03	0.50012
5.30E+11	5194980	2.09E-03	0.500838
5.30E+11	5189100	2.10E-03	0.503234
5.29E+11	5183220	2.11E-03	0.505629
5.28E+11	5177340	2.12E-03	0.508024
5.28E+11	5171460	2.13E-03	0.510419
5.27E+11	5166560	2.14E-03	0.512814
5.27E+11	5160680	2.15E-03	0.51521
5.26E+11	5154800	2.16E-03	0.517605
5.26E+11	5149900	2.17E-03	0.52
5.25E+11	5148920	2.17E-03	0.52024
5.25E+11	5144020	2.18E-03	0.522635
5.24E+11	5138140	2.19E-03	0.52503
5.24E+11	5133240	2.20E-03	0.527425
5.23E+11	5128340	2.21E-03	0.52982
5.23E+11	5123440	2.22E-03	0.532216
5.22E+11	5117560	2.23E-03	0.534611
5.22E+11	5112660	2.24E-03	0.537006
5.21E+11	5107760	2.25E-03	0.539401
5.21E+11	5103840	2.26E-03	0.541796

5.21E+11	5100900	2.27E-03	0.543234
5.20E+11	5096000	2.28E-03	0.545629
5.20E+11	5091100	2.29E-03	0.548024
5.19E+11	5086200	2.30E-03	0.550419
5.19E+11	5082280	2.31E-03	0.552814
5.18E+11	5077380	2.32E-03	0.55521
5.18E+11	5072480	2.33E-03	0.557605
5.17E+11	5068560	2.34E-03	0.56
5.17E+11	5065620	2.34E-03	0.561198
5.16E+11	5060720	2.35E-03	0.563593
5.16E+11	5056800	2.36E-03	0.565988
5.16E+11	5051900	2.37E-03	0.568383
5.15E+11	5047980	2.38E-03	0.570778
5.15E+11	5043080	2.39E-03	0.573174
5.14E+11	5038180	2.40E-03	0.575569
5.14E+11	5034260	2.41E-03	0.577964
5.13E+11	5029360	2.42E-03	0.580359
5.13E+11	5025440	2.43E-03	0.582754
5.12E+11	5021520	2.44E-03	0.58515
5.12E+11	5016620	2.45E-03	0.587545
5.12E+11	5012700	2.46E-03	0.58994
5.11E+11	5008780	2.47E-03	0.592335
0.00E+00	0	0.00E+00	
-7.92E+08	-7761.6	-1.00E-06	-0.00024
-1.58E+09	-15513.4	-2.00E-06	-0.00048
-2.37E+09	-23265.2	-3.00E-06	-0.00072



-8.70E+10	-852698	-1.10E-04	-0.02635
-9.49E+10	-930118	-1.20E-04	-0.02874
-1.03E+11	-1007440	-1.30E-04	-0.03114
-1.11E+11	-1084860	-1.40E-04	-0.03353
-1.19E+11	-1162280	-1.50E-04	-0.03593

-1.27E+11	-1239700	-1.60E-04	-0.03832
-1.34E+11	-1317120	-1.70E-04	-0.04072
-1.42E+11	-1393560	-1.80E-04	-0.04311
-1.50E+11	-1470980	-1.90E-04	-0.04551
-1.58E+11	-1548400	-2.00E-04	-0.0479
-1.66E+11	-1624840	-2.10E-04	-0.0503
-1.74E+11	-1702260	-2.20E-04	-0.05269
-1.82E+11	-1778700	-2.30E-04	-0.05509
-1.89E+11	-1856120	-2.40E-04	-0.05749
-1.97E+11	-1933540	-2.50E-04	-0.05988
-2.05E+11	-2009980	-2.60E-04	-0.06228
-2.13E+11	-2087400	-2.70E-04	-0.06467
-2.21E+11	-2163840	-2.80E-04	-0.06707
-2.29E+11	-2241260	-2.90E-04	-0.06946
-2.37E+11	-2317700	-3.00E-04	-0.07186
-2.44E+11	-2395120	-3.10E-04	-0.07425
-2.52E+11	-2471560	-3.20E-04	-0.07665
-2.60E+11	-2548980	-3.30E-04	-0.07904
-2.68E+11	-2625420	-3.40E-04	-0.08144
-2.76E+11	-2702840	-3.50E-04	-0.08383
-2.84E+11	-2779280	-3.60E-04	-0.08623
-2.92E+11	-2856700	-3.70E-04	-0.08862
-2.99E+11	-2933140	-3.80E-04	-0.09102
-3.07E+11	-3010560	-3.90E-04	-0.09341
-3.15E+11	-3087000	-4.00E-04	-0.09581
-3.23E+11	-3163440	-4.10E-04	-0.0982
-3.31E+11	-3240860	-4.20E-04	-0.1006
-3.39E+11	-3317300	-4.30E-04	-0.10299
-3.46E+11	-3393740	-4.40E-04	-0.10539
-3.54E+11	-3470180	-4.50E-04	-0.10778
-3.62E+11	-3546620	-4.60E-04	-0.11018
-3.70E+11	-3623060	-4.70E-04	-0.11257
-3.77E+11	-3698520	-4.80E-04	-0.11497
-3.85E+11	-3774960	-4.90E-04	-0.11737
-3.93E+11	-3849440	-5.00E-04	-0.11976
-4.01E+11	-3924900	-5.10E-04	-0.12216
-4.08E+11	-4000360	-5.20E-04	-0.12455
-4.16E+11	-4074840	-5.30E-04	-0.12695
-4.23E+11	-4149320	-5.40E-04	-0.12934
-4.31E+11	-4222820	-5.50E-04	-0.13174
-4.38E+11	-4296320	-5.60E-04	-0.13413
-4.46E+11	-4369820	-5.70E-04	-0.13653
-4.53E+11	-4443320	-5.80E-04	-0.13892
-4.61E+11	-4515840	-5.90E-04	-0.14132
-4.63E+11	-4532500	-5.92E-04	-0.14189
-4.70E+11	-4604040	-6.02E-04	-0.14429
-4.74E+11	-4645200	-6.08E-04	-0.14568


-4.81E+11	-4714780	-6.18E-04	-0.14807
-4.83E+11	-4736340	-6.21E-04	-0.14884
-4.87E+11	-4772600	-6.27E-04	-0.15016
-4.91E+11	-4810820	-6.33E-04	-0.15157
-4.93E+11	-4834340	-6.37E-04	-0.15267
-4.96E+11	-4855900	-6.43E-04	-0.15401
-4.99E+11	-4889220	-6.53E-04	-0.15638
-5.02E+11	-4917640	-6.63E-04	-0.15878
-5.02E+11	-4918620	-6.64E-04	-0.15895
-5.03E+11	-4929400	-6.68E-04	-0.1601
-5.05E+11	-4950960	-6.78E-04	-0.16249
-5.06E+11	-4953900	-6.80E-04	-0.16287
-5.06E+11	-4962720	-6.85E-04	-0.16414
-5.07E+11	-4971540	-6.90E-04	-0.16532
-5.09E+11	-4988200	-7.00E-04	-0.16771
-5.09E+11	-4990160	-7.01E-04	-0.16795
-5.10E+11	-4997020	-7.06E-04	-0.16905
-5.11E+11	-5007800	-7.16E-04	-0.17145
-5.11E+11	-5009760	-7.25E-04	-0.17356
-5.11E+11	-5007800	-7.28E-04	-0.17444
-5.10E+11	-4997020	-7.36E-04	-0.17617
-5.08E+11	-4980360	-7.41E-04	-0.17756
-5.06E+11	-4954880	-7.50E-04	-0.17954
-5.02E+11	-4923520	-7.60E-04	-0.18194
-5.02E+11	-4921560	-7.61E-04	-0.18218
-5.00E+11	-4897060	-7.71E-04	-0.18457
-4.99E+11	-4894120	-7.72E-04	-0.18498
-4.98E+11	-4877460	-7.82E-04	-0.18723
-4.96E+11	-4864720	-7.92E-04	-0.18963
-4.96E+11	-4859820	-7.97E-04	-0.1909
-4.95E+11	-4850020	-8.07E-04	-0.19329
-4.95E+11	-4848060	-8.11E-04	-0.19413
-4.94E+11	-4839240	-8.20E-04	-0.19641
-4.93E+11	-4830420	-8.30E-04	-0.19871
-4.92E+11	-4822580	-8.36E-04	-0.20019
-4.91E+11	-4810820	-8.45E-04	-0.20244
-4.89E+11	-4796120	-8.55E-04	-0.20484
-4.89E+11	-4792200	-8.58E-04	-0.20551
-4.87E+11	-4771620	-8.68E-04	-0.2079
-4.85E+11	-4748100	-8.78E-04	-0.2103
-4.82E+11	-4720660	-8.88E-04	-0.21269
-4.81E+11	-4713800	-8.90E-04	-0.21327
-4.78E+11	-4684400	-9.00E-04	-0.21566
-4.78E+11	-4679500	-9.02E-04	-0.21607
-4.73E+11	-4639320	-9.12E-04	-0.21847
-4.70E+11	-4605020	-9.20E-04	-0.22036
-4.67E+11	-4573660	-9.27E-04	-0.22201

-4.65E+11	-4557000	-9.31E-04	-0.22295
-4.61E+11	-4514860	-9.40E-04	-0.2252
-4.55E+11	-4458020	-9.50E-04	-0.22759
-4.50E+11	-4410980	-9.60E-04	-0.22999
-4.46E+11	-4370800	-9.70E-04	-0.23238
-4.43E+11	-4337480	-9.80E-04	-0.23478
-4.42E+11	-4329640	-9.83E-04	-0.23538
-4.39E+11	-4301220	-9.93E-04	-0.23777
-4.36E+11	-4275740	-1.00E-03	-0.24024
-4.34E+11	-4251240	-1.01E-03	-0.24263
-4.32E+11	-4229680	-1.02E-03	-0.24503
-4.30E+11	-4209100	-1.03E-03	-0.24743
-4.30E+11	-4209100	-1.03E-03	-0.24743
-4.28E+11	-4189500	-1.04E-03	-0.24982
-4.26E+11	-4170880	-1.05E-03	-0.25222
-4.24E+11	-4153240	-1.06E-03	-0.25461
-4.24E+11	-4153240	-1.06E-03	-0.25461
-4.22E+11	-4135600	-1.07E-03	-0.25701
-4.20E+11	-4118940	-1.08E-03	-0.2594
-4.19E+11	-4103260	-1.09E-03	-0.2618
-4.17E+11	-4087580	-1.10E-03	-0.26419
-4.16E+11	-4072880	-1.11E-03	-0.26659
-4.14E+11	-4058180	-1.12E-03	-0.26898
-4.13E+11	-4044460	-1.13E-03	-0.27138
-4.11E+11	-4030740	-1.14E-03	-0.27377
-4.10E+11	-4017020	-1.15E-03	-0.27617
-4.09E+11	-4004280	-1.16E-03	-0.27856
-4.07E+11	-3991540	-1.17E-03	-0.28096
-4.06E+11	-3978800	-1.18E-03	-0.28335
-4.05E+11	-3966060	-1.19E-03	-0.28575
-4.04E+11	-3954300	-1.20E-03	-0.28814
-4.02E+11	-3941560	-1.21E-03	-0.29054
-4.01E+11	-3928820	-1.22E-03	-0.29293
-4.00E+11	-3917060	-1.23E-03	-0.29533
-3.99E+11	-3905300	-1.24E-03	-0.29772
-3.97E+11	-3893540	-1.25E-03	-0.30012
-3.96E+11	-3880800	-1.26E-03	-0.30251
-3.95E+11	-3868060	-1.27E-03	-0.30491
-3.94E+11	-3856300	-1.28E-03	-0.30731
-3.92E+11	-3843560	-1.29E-03	-0.3097
-3.91E+11	-3829840	-1.30E-03	-0.3121
-3.89E+11	-3816120	-1.31E-03	-0.31449
-3.88E+11	-3803380	-1.32E-03	-0.31689
-3.87E+11	-3787700	-1.33E-03	-0.31928
-3.85E+11	-3773000	-1.34E-03	-0.32168
-3.83E+11	-3757320	-1.35E-03	-0.32407
-3.82E+11	-3743600	-1.36E-03	-0.32647

-3.81E+11	-3730860	-1.37E-03	-0.32886
-3.79E+11	-3717140	-1.38E-03	-0.33126
-3.78E+11	-3705380	-1.39E-03	-0.33365
-3.77E+11	-3694600	-1.40E-03	-0.33605
-3.76E+11	-3684800	-1.41E-03	-0.33844
-3.75E+11	-3674020	-1.42E-03	-0.34084
-3.74E+11	-3664220	-1.43E-03	-0.34323
-3.73E+11	-3654420	-1.44E-03	-0.34563
-3.72E+11	-3645600	-1.45E-03	-0.34802
-3.71E+11	-3636780	-1.46E-03	-0.35042
-3.70E+11	-3627960	-1.47E-03	-0.35281
-3.69E+11	-3620120	-1.48E-03	-0.35521
-3.69E+11	-3611300	-1.49E-03	-0.3576
-3.68E+11	-3604440	-1.50E-03	-0.36
-3.67E+11	-3596600	-1.51E-03	-0.3624
-3.66E+11	-3588760	-1.52E-03	-0.36479
-3.66E+11	-3582880	-1.53E-03	-0.36671
-3.65E+11	-3575040	-1.54E-03	-0.3691
-3.65E+11	-3572100	-1.55E-03	-0.3703
-3.64E+11	-3564260	-1.56E-03	-0.37269
-3.63E+11	-3557400	-1.57E-03	-0.37509
-3.62E+11	-3550540	-1.58E-03	-0.37749
-3.62E+11	-3543680	-1.59E-03	-0.37988
-3.61E+11	-3536820	-1.60E-03	-0.38228
-3.60E+11	-3530940	-1.61E-03	-0.38467
-3.60E+11	-3524080	-1.62E-03	-0.38707
-3.59E+11	-3517220	-1.63E-03	-0.38946
-3.58E+11	-3511340	-1.64E-03	-0.39186
-3.58E+11	-3505460	-1.65E-03	-0.39425
-3.57E+11	-3498600	-1.66E-03	-0.39665
-3.56E+11	-3492720	-1.67E-03	-0.39904
-3.56E+11	-3487820	-1.68E-03	-0.40144
-3.55E+11	-3481940	-1.69E-03	-0.40383
-3.55E+11	-3476060	-1.70E-03	-0.40623
-3.54E+11	-3470180	-1.71E-03	-0.40862
-3.54E+11	-3464300	-1.72E-03	-0.41102
-3.53E+11	-3459400	-1.73E-03	-0.41341
-3.52E+11	-3453520	-1.74E-03	-0.41581
-3.52E+11	-3448620	-1.75E-03	-0.4182
-3.51E+11	-3443720	-1.76E-03	-0.4206
-3.51E+11	-3437840	-1.77E-03	-0.42299
-3.50E+11	-3432940	-1.78E-03	-0.42539
-3.50E+11	-3428040	-1.79E-03	-0.42778
-3.49E+11	-3423140	-1.80E-03	-0.43018
-3.49E+11	-3423140	-1.80E-03	-0.43018
-3.49E+11	-3418240	-1.81E-03	-0.43257
-3.48E+11	-3413340	-1.82E-03	-0.43497

-3.48E+11	-3408440	-1.83E-03	-0.43737
-3.47E+11	-3403540	-1.84E-03	-0.43976
-3.47E+11	-3399620	-1.85E-03	-0.44216
-3.46E+11	-3394720	-1.86E-03	-0.44455
-3.46E+11	-3389820	-1.87E-03	-0.44695
-3.46E+11	-3385900	-1.88E-03	-0.44934
-3.45E+11	-3381000	-1.89E-03	-0.45174
-3.45E+11	-3377080	-1.90E-03	-0.45413
-3.44E+11	-3373160	-1.91E-03	-0.45653
-3.44E+11	-3368260	-1.92E-03	-0.45892
-3.43E+11	-3364340	-1.93E-03	-0.46132
-3.43E+11	-3360420	-1.94E-03	-0.46371
-3.43E+11	-3356500	-1.95E-03	-0.46611
-3.42E+11	-3351600	-1.96E-03	-0.4685
-3.42E+11	-3347680	-1.97E-03	-0.4709
-3.41E+11	-3343760	-1.98E-03	-0.47329
-3.41E+11	-3339840	-1.99E-03	-0.47569
-3.40E+11	-3335920	-2.00E-03	-0.47808
-3.40E+11	-3332000	-2.01E-03	-0.48048
-3.40E+11	-3328080	-2.02E-03	-0.48287
-3.39E+11	-3325140	-2.03E-03	-0.48527
-3.39E+11	-3321220	-2.04E-03	-0.48766
-3.39E+11	-3317300	-2.05E-03	-0.49006
-3.38E+11	-3313380	-2.06E-03	-0.49246
-3.38E+11	-3309460	-2.07E-03	-0.49485
-3.37E+11	-3306520	-2.08E-03	-0.49725
-3.37E+11	-3302600	-2.09E-03	-0.49964
-3.37E+11	-3298680	-2.10E-03	-0.50204
-3.36E+11	-3295740	-2.11E-03	-0.50443
-3.36E+11	-3291820	-2.12E-03	-0.50683
-3.36E+11	-3288880	-2.13E-03	-0.50922
-3.35E+11	-3284960	-2.14E-03	-0.51162
-3.35E+11	-3282020	-2.15E-03	-0.51401
-3.35E+11	-3278100	-2.16E-03	-0.51641
-3.34E+11	-3275160	-2.17E-03	-0.5188
-3.34E+11	-3271240	-2.18E-03	-0.5212
-3.34E+11	-3268300	-2.19E-03	-0.52359
-3.33E+11	-3265360	-2.20E-03	-0.52599
-3.33E+11	-3261440	-2.21E-03	-0.52838
-3.33E+11	-3258500	-2.22E-03	-0.53078
-3.32E+11	-3255560	-2.23E-03	-0.53317
-3.32E+11	-3252620	-2.24E-03	-0.53557
-3.32E+11	-3248700	-2.25E-03	-0.53796
-3.31E+11	-3245760	-2.26E-03	-0.54036
-3.31E+11	-3242820	-2.27E-03	-0.54275
-3.31E+11	-3239880	-2.28E-03	-0.54491
-3.30E+11	-3236940	-2.29E-03	-0.54731

-3.30E+11	-3233020	-2.30E-03	-0.5497
-3.30E+11	-3230080	-2.31E-03	-0.5521
-3.30E+11	-3229100	-2.31E-03	-0.55257
-3.29E+11	-3226160	-2.32E-03	-0.55497
-3.29E+11	-3222240	-2.33E-03	-0.55737
-3.29E+11	-3219300	-2.34E-03	-0.55976
-3.28E+11	-3216360	-2.35E-03	-0.56216
-3.28E+11	-3213420	-2.36E-03	-0.56455
-3.28E+11	-3209500	-2.37E-03	-0.56695
-3.27E+11	-3206560	-2.38E-03	-0.56934
-3.27E+11	-3203620	-2.39E-03	-0.57174
-3.27E+11	-3200680	-2.40E-03	-0.57413
-3.26E+11	-3197740	-2.41E-03	-0.57653
-3.26E+11	-3193820	-2.42E-03	-0.57892
-3.26E+11	-3190880	-2.43E-03	-0.58132
-3.25E+11	-3187940	-2.44E-03	-0.58371
-3.25E+11	-3185000	-2.45E-03	-0.58611
-3.25E+11	-3182060	-2.46E-03	-0.5885
-3.24E+11	-3179120	-2.47E-03	-0.5909
-3.24E+11	-3176180	-2.48E-03	-0.59329
-3.24E+11	-3173240	-2.49E-03	-0.59569
-3.24E+11	-3170300	-2.50E-03	-0.59808
-3.23E+11	-3167360	-2.51E-03	-0.60048
-3.23E+11	-3164420	-2.52E-03	-0.60287
-3.23E+11	-3161480	-2.53E-03	-0.60527
-3.22E+11	-3158540	-2.54E-03	-0.60766
-3.22E+11	-3156580	-2.55E-03	-0.61006
-3.22E+11	-3153640	-2.56E-03	-0.61246
-3.22E+11	-3150700	-2.57E-03	-0.61485
-3.21E+11	-3147760	-2.58E-03	-0.61725
-3.21E+11	-3144820	-2.59E-03	-0.61964
-3.21E+11	-3141880	-2.60E-03	-0.62204
-3.20E+11	-3138940	-2.61E-03	-0.62443
-3.20E+11	-3137960	-2.61E-03	-0.62587
-3.20E+11	-3135020	-2.62E-03	-0.62826
-3.20E+11	-3132080	-2.63E-03	-0.63066
-3.19E+11	-3130120	-2.64E-03	-0.63305
-3.19E+11	-3127180	-2.65E-03	-0.63545
-3.19E+11	-3124240	-2.66E-03	-0.63784
-3.19E+11	-3121300	-2.67E-03	-0.64024



3.07E+11	3012520	3.40E-04	0.081437	3.07E+11	3005660	3.40E-04	0.081437
3.17E+11	3101700	3.50E-04	0.083832	3.16E+11	3093860	3.50E-04	0.083832
3.26E+11	3189900	3.60E-04	0.086228	3.25E+11	3182060	3.60E-04	0.086228
3.35E+11	3278100	3.70E-04	0.088623	3.34E+11	3270260	3.70E-04	0.088623
3.44E+11	3367280	3.80E-04	0.091018	3.43E+11	3358460	3.80E-04	0.091018
3.53E+11	3455480	3.90E-04	0.093413	3.52E+11	3446660	3.90E-04	0.093413
3.62E+11	3543680	4.00E-04	0.095808	3.61E+11	3534860	4.00E-04	0.095808
3.71E+11	3632860	4.10E-04	0.098204	3.70E+11	3623060	4.10E-04	0.098204
3.80E+11	3721060	4.20E-04	0.100599	3.79E+11	3711260	4.20E-04	0.100599
3.89E+11	3809260	4.30E-04	0.102994	3.88E+11	3799460	4.30E-04	0.102994
3.98E+11	3898440	4.40E-04	0.105389	3.97E+11	3887660	4.40E-04	0.105389
4.07E+11	3986640	4.50E-04	0.107784	4.06E+11	3975860	4.50E-04	0.107784
4.16E+11	4074840	4.60E-04	0.11018	4.15E+11	4065040	4.60E-04	0.11018
4.25E+11	4163040	4.70E-04	0.112575	4.24E+11	4153240	4.70E-04	0.112575
4.34E+11	4252220	4.80E-04	0.11497	4.33E+11	4241440	4.80E-04	0.11497
4.43E+11	4340420	4.90E-04	0.117365	4.42E+11	4329640	4.90E-04	0.117365
4.52E+11	4428620	5.00E-04	0.11976	4.51E+11	4417840	5.00E-04	0.11976
4.61E+11	4517800	5.10E-04	0.122156	4.60E+11	4506040	5.10E-04	0.122156
4.70E+11	4606000	5.20E-04	0.124551	4.69E+11	4594240	5.20E-04	0.124551
4.79E+11	4694200	5.30E-04	0.126946	4.78E+11	4682440	5.30E-04	0.126946
4.88E+11	4782400	5.40E-04	0.129341	4.87E+11	4770640	5.40E-04	0.129341
4.97E+11	4871580	5.50E-04	0.131737	4.96E+11	4858840	5.50E-04	0.131737
5.06E+11	4959780	5.60E-04	0.134132	5.05E+11	4947040	5.60E-04	0.134132
5.15E+11	5047980	5.70E-04	0.136527	5.14E+11	5035240	5.70E-04	0.136527
5.24E+11	5136180	5.80E-04	0.138922	5.23E+11	5123440	5.80E-04	0.138922
5.33E+11	5225360	5.90E-04	0.141317	5.32E+11	5211640	5.90E-04	0.141317
5.42E+11	5313560	6.00E-04	0.143713	5.41E+11	5299840	6.00E-04	0.143713
5.51E+11	5401760	6.10E-04	0.146108	5.50E+11	5388040	6.10E-04	0.146108
5.60E+11	5489960	6.20E-04	0.148503	5.59E+11	5476240	6.20E-04	0.148503
5.69E+11	5578160	6.30E-04	0.150898	5.68E+11	5564440	6.30E-04	0.150898
5.78E+11	5667340	6.40E-04	0.153293	5.77E+11	5652640	6.40E-04	0.153293
5.87E+11	5755540	6.50E-04	0.155689	5.86E+11	5740840	6.50E-04	0.155689
5.96E+11	5843740	6.60E-04	0.158084	5.95E+11	5829040	6.60E-04	0.158084
6.05E+11	5931940	6.70E-04	0.160479	6.04E+11	5917240	6.70E-04	0.160479
6.14E+11	6020140	6.80E-04	0.162874	6.13E+11	6005440	6.80E-04	0.162874
6.23E+11	6109320	6.90E-04	0.165269	6.22E+11	6093640	6.90E-04	0.165269
6.32E+11	6197520	7.00E-04	0.167665	6.31E+11	6181840	7.00E-04	0.167665
6.41E+11	6285720	7.10E-04	0.17006	6.40E+11	6269060	7.10E-04	0.17006
6.50E+11	6373920	7.20E-04	0.172455	6.49E+11	6357260	7.20E-04	0.172455
6.59E+11	6462120	7.30E-04	0.17485	6.58E+11	6445460	7.30E-04	0.17485
6.68E+11	6550320	7.40E-04	0.177246	6.67E+11	6533660	7.40E-04	0.177246
6.78E+11	6639500	7.50E-04	0.179641	6.76E+11	6621860	7.50E-04	0.179641
6.87E+11	6727700	7.60E-04	0.182036	6.85E+11	6710060	7.60E-04	0.182036
6.96E+11	6815900	7.70E-04	0.184431	6.94E+11	6798260	7.70E-04	0.184431
7.05E+11	6904100	7.80E-04	0.186826	7.03E+11	6886460	7.80E-04	0.186826
7.14E+11	6992300	7.90E-04	0.189222	7.12E+11	6974660	7.90E-04	0.189222
7.23E+11	7080500	8.00E-04	0.191617	7.21E+11	7062860	8.00E-04	0.191617


7.32E+11	7169680	8.10E-04	0.194012	7.30E+11	7151060	8.10E-04	0.194012
7.41E+11	7257880	8.20E-04	0.196407	7.39E+11	7239260	8.20E-04	0.196407
7.50E+11	7346080	8.30E-04	0.198802	7.41E+11	7259840	8.22E-04	0.196982
7.59E+11	7434280	8.40E-04	0.201198	7.47E+11	7324520	8.30E-04	0.198874
7.61E+11	7457800	8.43E-04	0.20182	7.55E+11	7396060	8.40E-04	0.201269
7.69E+11	7539140	8.52E-04	0.204168	7.56E+11	7405860	8.42E-04	0.201605
7.76E+11	7607740	8.62E-04	0.206419	7.63E+11	7476420	8.52E-04	0.204
7.81E+11	7655760	8.70E-04	0.208359	7.69E+11	7540120	8.61E-04	0.20618
7.87E+11	7707700	8.80E-04	0.210754	7.76E+11	7606760	8.71E-04	0.208575
7.90E+11	7739060	8.86E-04	0.212216	7.79E+11	7634200	8.75E-04	0.209557
7.95E+11	7789040	8.96E-04	0.214611	7.85E+11	7695940	8.85E-04	0.211952
8.00E+11	7840000	9.06E-04	0.217006	7.86E+11	7704760	8.86E-04	0.212311
8.00E+11	7841960	9.07E-04	0.217126	7.92E+11	7762580	8.96E-04	0.214707
8.05E+11	7889000	9.17E-04	0.219521	7.93E+11	7772380	8.98E-04	0.21509
8.10E+11	7935060	9.27E-04	0.221916	7.98E+11	7824320	9.08E-04	0.217389
8.10E+11	7937020	9.27E-04	0.221988	8.03E+11	7872340	9.18E-04	0.219784
8.14E+11	7974260	9.35E-04	0.223976	8.08E+11	7919380	9.28E-04	0.22218
8.18E+11	8016400	9.45E-04	0.226371	8.09E+11	7931140	9.30E-04	0.222778
8.22E+11	8058540	9.55E-04	0.228766	8.14E+11	7974260	9.40E-04	0.225174
8.27E+11	8099700	9.65E-04	0.231114	8.18E+11	8017380	9.50E-04	0.227569
8.31E+11	8138900	9.75E-04	0.233509	8.23E+11	8060500	9.60E-04	0.229964
8.34E+11	8177120	9.85E-04	0.235904	8.23E+11	8067360	9.62E-04	0.230299
8.35E+11	8179080	9.85E-04	0.235976	8.27E+11	8107540	9.72E-04	0.232695
8.38E+11	8216320	9.95E-04	0.238371	8.28E+11	8118320	9.74E-04	0.233365
8.39E+11	8217300	9.96E-04	0.238491	8.32E+11	8157520	9.84E-04	0.23576
8.42E+11	8251600	1.01E-03	0.240958	8.35E+11	8182020	9.91E-04	0.237269
8.46E+11	8286880	1.02E-03	0.243353	8.38E+11	8216320	1.00E-03	0.23976
8.49E+11	8321180	1.03E-03	0.245749	8.42E+11	8250620	1.01E-03	0.242156
8.50E+11	8330000	1.03E-03	0.246228	8.45E+11	8284920	1.02E-03	0.244551
8.53E+11	8362340	1.04E-03	0.248623	8.46E+11	8286880	1.02E-03	0.244551
8.57E+11	8393700	1.05E-03	0.251018	8.49E+11	8318240	1.03E-03	0.246946
8.57E+11	8396640	1.05E-03	0.251257	8.52E+11	8347640	1.04E-03	0.249341
8.60E+11	8425060	1.06E-03	0.253653	8.55E+11	8378020	1.05E-03	0.251737
8.61E+11	8436820	1.06E-03	0.254611	8.56E+11	8383900	1.05E-03	0.252216
8.64E+11	8463280	1.07E-03	0.257006	8.58E+11	8412320	1.06E-03	0.254611
8.66E+11	8488760	1.08E-03	0.259401	8.60E+11	8427020	1.07E-03	0.255808
8.69E+11	8515220	1.09E-03	0.261796	8.63E+11	8452500	1.08E-03	0.258204
8.70E+11	8529920	1.10E-03	0.263234	8.64E+11	8471120	1.09E-03	0.25988
8.73E+11	8551480	1.11E-03	0.265629	8.67E+11	8494640	1.10E-03	0.262275
8.75E+11	8573040	1.12E-03	0.268024	8.69E+11	8519140	1.11E-03	0.264671
8.77E+11	8594600	1.13E-03	0.270419	8.70E+11	8524040	1.11E-03	0.265389
8.78E+11	8604400	1.13E-03	0.271617	8.72E+11	8545600	1.12E-03	0.267784
8.80E+11	8621060	1.14E-03	0.274012	8.74E+11	8567160	1.13E-03	0.27018
8.81E+11	8637720	1.15E-03	0.276407	8.75E+11	8570100	1.13E-03	0.270419
8.83E+11	8655360	1.16E-03	0.278802	8.77E+11	8589700	1.14E-03	0.272814
8.84E+11	8662220	1.17E-03	0.27976	8.78E+11	8608320	1.15E-03	0.27521
8.85E+11	8676920	1.18E-03	0.282156	8.79E+11	8610280	1.15E-03	0.275449

8.87E+11	8691620	1.19E-03	0.284551	8.81E+11	8628900	1.16E-03	0.277844
8.87E+11	8693580	1.19E-03	0.28479	8.81E+11	8637720	1.17E-03	0.279042
8.88E+11	8706320	1.20E-03	0.287186	8.83E+11	8653400	1.18E-03	0.281437
8.90E+11	8720040	1.21E-03	0.289581	8.85E+11	8668100	1.19E-03	0.283832
8.91E+11	8732780	1.22E-03	0.291976	8.86E+11	8680840	1.19E-03	0.285988
8.91E+11	8733760	1.22E-03	0.291976	8.87E+11	8694560	1.20E-03	0.288383
8.93E+11	8747480	1.23E-03	0.294371	8.89E+11	8707300	1.21E-03	0.290778
8.93E+11	8754340	1.24E-03	0.295808	8.90E+11	8720040	1.22E-03	0.293174
8.95E+11	8766100	1.25E-03	0.298204	8.91E+11	8728860	1.23E-03	0.294611
8.96E+11	8776880	1.26E-03	0.300599	8.92E+11	8739640	1.24E-03	0.297006
8.96E+11	8776880	1.26E-03	0.300599	8.93E+11	8751400	1.25E-03	0.299401
8.97E+11	8786680	1.27E-03	0.302994	8.94E+11	8761200	1.26E-03	0.301796
8.98E+11	8796480	1.28E-03	0.305389	8.95E+11	8771980	1.27E-03	0.304192
8.99E+11	8805300	1.29E-03	0.307784	8.96E+11	8783740	1.28E-03	0.306587
9.00E+11	8815100	1.30E-03	0.31018	8.97E+11	8794520	1.29E-03	0.308982
9.01E+11	8824900	1.31E-03	0.312575	8.98E+11	8801380	1.30E-03	0.310419
9.01E+11	8833720	1.32E-03	0.31497	8.99E+11	8812160	1.31E-03	0.312814
9.02E+11	8843520	1.33E-03	0.317365	9.00E+11	8820980	1.31E-03	0.314731
9.03E+11	8852340	1.34E-03	0.31976	9.01E+11	8830780	1.32E-03	0.317126
9.04E+11	8862140	1.35E-03	0.322156	9.02E+11	8839600	1.33E-03	0.319521
9.05E+11	8870960	1.36E-03	0.324551	9.02E+11	8840580	1.34E-03	0.31976
9.06E+11	8879780	1.37E-03	0.326946	9.03E+11	8849400	1.35E-03	0.322156
9.07E+11	8889580	1.38E-03	0.329341	9.04E+11	8858220	1.36E-03	0.324551
9.08E+11	8898400	1.39E-03	0.331737	9.05E+11	8867040	1.37E-03	0.326946
9.09E+11	8907220	1.40E-03	0.334132	9.05E+11	8869000	1.37E-03	0.327665
9.10E+11	8917020	1.41E-03	0.336527	9.06E+11	8876840	1.38E-03	0.33006
9.11E+11	8925840	1.42E-03	0.338922	9.07E+11	8884680	1.39E-03	0.332455
9.12E+11	8934660	1.43E-03	0.341317	9.07E+11	8889580	1.39E-03	0.333653
9.13E+11	8943480	1.44E-03	0.343713	9.08E+11	8897420	1.40E-03	0.336048
9.14E+11	8952300	1.45E-03	0.346108	9.09E+11	8905260	1.41E-03	0.338443
9.14E+11	8961120	1.46E-03	0.348503	9.10E+11	8913100	1.42E-03	0.340838
9.15E+11	8969940	1.47E-03	0.350898	9.10E+11	8919960	1.43E-03	0.343234
9.16E+11	8974840	1.47E-03	0.352335	9.11E+11	8927800	1.44E-03	0.345629
9.17E+11	8982680	1.48E-03	0.354731	9.11E+11	8930740	1.45E-03	0.346587
9.17E+11	8990520	1.49E-03	0.357126	9.12E+11	8937600	1.46E-03	0.348982
9.18E+11	8998360	1.50E-03	0.359521	9.13E+11	8945440	1.47E-03	0.351377
9.19E+11	9006200	1.51E-03	0.361916	9.13E+11	8946420	1.47E-03	0.351856
9.20E+11	9011100	1.52E-03	0.363593	9.14E+11	8953280	1.48E-03	0.354251
9.20E+11	9015020	1.53E-03	0.365988	9.14E+11	8956220	1.48E-03	0.355449
9.20E+11	9018940	1.54E-03	0.368383	9.14E+11	8960140	1.49E-03	0.357844
9.21E+11	9022860	1.55E-03	0.370778	9.15E+11	8964060	1.50E-03	0.36024
9.21E+11	9023840	1.55E-03	0.371497	9.15E+11	8964060	1.50E-03	0.36024
9.21E+11	9027760	1.56E-03	0.373892	9.15E+11	8967000	1.51E-03	0.362635
9.22E+11	9030700	1.57E-03	0.376287	9.15E+11	8970920	1.52E-03	0.36503
9.22E+11	9033640	1.58E-03	0.378683	9.16E+11	8972880	1.53E-03	0.366707
9.22E+11	9036580	1.59E-03	0.381078	9.16E+11	8976800	1.54E-03	0.369102
9.23E+11	9040500	1.60E-03	0.383473	9.16E+11	8979740	1.55E-03	0.371497

9.23E+11	9043440	1.61E-03	0.385868	9.17E+11	8982680	1.56E-03	0.373892
9.23E+11	9044420	1.61E-03	0.386347	9.17E+11	8983660	1.56E-03	0.374371
9.23E+11	9044420	1.62E-03	0.388743	9.17E+11	8986600	1.57E-03	0.376766
9.23E+11	9044420	1.63E-03	0.391138	9.17E+11	8989540	1.58E-03	0.379162
9.23E+11	9045400	1.64E-03	0.392096	9.18E+11	8993460	1.59E-03	0.381557
9.23E+11	9045400	1.65E-03	0.394491	9.18E+11	8996400	1.60E-03	0.383952
9.23E+11	9046380	1.66E-03	0.396886	9.18E+11	8999340	1.61E-03	0.386347
9.23E+11	9046380	1.67E-03	0.399281	9.19E+11	9002280	1.62E-03	0.388743
9.23E+11	9047360	1.68E-03	0.401677	9.19E+11	9006200	1.63E-03	0.391138
9.23E+11	9048340	1.69E-03	0.404072	9.19E+11	9006200	1.63E-03	0.391138
9.23E+11	9048340	1.69E-03	0.404311	9.19E+11	9009140	1.64E-03	0.393533
9.23E+11	9049320	1.70E-03	0.406707	9.20E+11	9012080	1.65E-03	0.395928
9.23E+11	9049320	1.71E-03	0.409102	9.20E+11	9015020	1.66E-03	0.398323
9.24E+11	9050300	1.72E-03	0.411497	9.20E+11	9017960	1.67E-03	0.400719
9.24E+11	9051280	1.73E-03	0.413892	9.20E+11	9019920	1.68E-03	0.401916
9.24E+11	9052260	1.74E-03	0.416048	9.21E+11	9022860	1.69E-03	0.404311
9.24E+11	9053240	1.75E-03	0.418443	9.21E+11	9025800	1.70E-03	0.406707
9.24E+11	9053240	1.76E-03	0.420838	9.21E+11	9027760	1.71E-03	0.408862
9.24E+11	9054220	1.77E-03	0.423234	9.22E+11	9030700	1.72E-03	0.411257
9.24E+11	9055200	1.78E-03	0.425629	9.22E+11	9033640	1.73E-03	0.413653
9.24E+11	9057160	1.79E-03	0.428024	9.22E+11	9036580	1.74E-03	0.415808
9.24E+11	9058140	1.80E-03	0.430419	9.22E+11	9039520	1.75E-03	0.418204
9.24E+11	9059120	1.80E-03	0.432096	9.23E+11	9042460	1.76E-03	0.420599
9.25E+11	9060100	1.81E-03	0.434491	9.23E+11	9045400	1.77E-03	0.422994
9.25E+11	9061080	1.82E-03	0.436886	9.23E+11	9046380	1.77E-03	0.423473
9.25E+11	9062060	1.83E-03	0.439281	9.23E+11	9048340	1.78E-03	0.425868
9.25E+11	9063040	1.84E-03	0.441677	9.24E+11	9051280	1.79E-03	0.428263
9.25E+11	9065000	1.85E-03	0.444072	9.24E+11	9052260	1.79E-03	0.429222
9.25E+11	9065980	1.86E-03	0.446467	9.24E+11	9053240	1.80E-03	0.431617
9.25E+11	9066960	1.87E-03	0.448383	9.24E+11	9054220	1.81E-03	0.434012
9.25E+11	9067940	1.88E-03	0.450778	9.24E+11	9055200	1.82E-03	0.436407
9.25E+11	9068920	1.89E-03	0.453174	9.24E+11	9056180	1.83E-03	0.437844
9.26E+11	9069900	1.90E-03	0.455569	9.24E+11	9057160	1.84E-03	0.44024
9.26E+11	9070880	1.91E-03	0.457964	9.24E+11	9058140	1.85E-03	0.442635
9.26E+11	9072840	1.92E-03	0.460359	9.24E+11	9059120	1.86E-03	0.44503
9.26E+11	9073820	1.93E-03	0.462754	9.25E+11	9060100	1.87E-03	0.447425
9.26E+11	9074800	1.94E-03	0.46515	9.25E+11	9061080	1.88E-03	0.44982
9.26E+11	9075780	1.95E-03	0.467545	9.25E+11	9062060	1.89E-03	0.452216
9.26E+11	9076760	1.96E-03	0.46994	9.25E+11	9063040	1.90E-03	0.454611
9.26E+11	9078720	1.97E-03	0.472335	9.25E+11	9065000	1.91E-03	0.457006
9.27E+11	9079700	1.98E-03	0.474731	9.25E+11	9065980	1.92E-03	0.459162
9.27E+11	9080680	1.99E-03	0.477126	9.25E+11	9066960	1.93E-03	0.461557
9.27E+11	9081660	2.00E-03	0.479521	9.25E+11	9067940	1.94E-03	0.463952
9.27E+11	9082640	2.01E-03	0.480479	9.25E+11	9068920	1.95E-03	0.466347
9.27E+11	9083620	2.02E-03	0.482874	9.26E+11	9070880	1.96E-03	0.468743
9.27E+11	9085580	2.03E-03	0.485269	9.26E+11	9071860	1.96E-03	0.470419
9.27E+11	9086560	2.04E-03	0.487665	9.26E+11	9072840	1.97E-03	0.472814

9.27E+11	9087540	2.05E-03	0.49006	9.26E+11	9073820	1.98E-03	0.47521
9.28E+11	9089500	2.06E-03	0.492455	9.26E+11	9075780	1.99E-03	0.477605
9.28E+11	9090480	2.07E-03	0.49485	9.26E+11	9076760	2.00E-03	0.48
9.28E+11	9092440	2.08E-03	0.497246	9.26E+11	9078720	2.01E-03	0.482395
9.28E+11	9093420	2.09E-03	0.499641	9.26E+11	9078720	2.02E-03	0.482874
9.28E+11	9095380	2.10E-03	0.502036	9.27E+11	9079700	2.03E-03	0.485269
9.28E+11	9096360	2.11E-03	0.504431	9.27E+11	9081660	2.04E-03	0.487665
9.28E+11	9098320	2.12E-03	0.506826	9.27E+11	9082640	2.05E-03	0.49006
9.29E+11	9099300	2.13E-03	0.509222	9.27E+11	9082640	2.05E-03	0.490539
9.29E+11	9100280	2.14E-03	0.511617	9.27E+11	9084600	2.06E-03	0.492934
9.29E+11	9102240	2.15E-03	0.514012	9.27E+11	9085580	2.07E-03	0.495329
9.29E+11	9103220	2.16E-03	0.516407	9.27E+11	9086560	2.08E-03	0.497485
9.29E+11	9105180	2.17E-03	0.518563	9.27E+11	9088520	2.09E-03	0.49988
9.29E+11	9106160	2.18E-03	0.520958	9.28E+11	9089500	2.10E-03	0.502275
9.29E+11	9108120	2.19E-03	0.523353	9.28E+11	9091460	2.11E-03	0.504671
9.30E+11	9109100	2.20E-03	0.525749	9.28E+11	9092440	2.12E-03	0.507066
9.30E+11	9111060	2.21E-03	0.528144	9.28E+11	9093420	2.13E-03	0.509461
9.30E+11	9113020	2.22E-03	0.530539	9.28E+11	9095380	2.14E-03	0.511856
9.30E+11	9114000	2.23E-03	0.532934	9.28E+11	9096360	2.15E-03	0.514251
9.30E+11	9115960	2.24E-03	0.535329	9.28E+11	9098320	2.16E-03	0.516647
9.30E+11	9116940	2.25E-03	0.537725	9.29E+11	9099300	2.17E-03	0.519042
9.31E+11	9118900	2.26E-03	0.54012	9.29E+11	9100280	2.18E-03	0.520958
9.31E+11	9120860	2.27E-03	0.542515	9.29E+11	9102240	2.19E-03	0.523353
9.31E+11	9121840	2.28E-03	0.54491	9.29E+11	9103220	2.20E-03	0.525749
9.31E+11	9123800	2.29E-03	0.547305	9.29E+11	9105180	2.21E-03	0.528144
9.31E+11	9124780	2.30E-03	0.549701	9.29E+11	9106160	2.22E-03	0.530539
9.31E+11	9126740	2.31E-03	0.552096	9.29E+11	9108120	2.23E-03	0.532934
9.32E+11	9128700	2.32E-03	0.554491	9.30E+11	9109100	2.24E-03	0.535329
9.32E+11	9129680	2.33E-03	0.556886	9.30E+11	9111060	2.25E-03	0.537725
9.32E+11	9131640	2.34E-03	0.559281	9.30E+11	9112040	2.26E-03	0.54012
9.32E+11	9132620	2.35E-03	0.561677	9.30E+11	9114000	2.27E-03	0.542515
9.32E+11	9134580	2.36E-03	0.564072	9.30E+11	9114980	2.28E-03	0.54491
9.32E+11	9136540	2.37E-03	0.566467	9.30E+11	9116940	2.29E-03	0.547305
9.32E+11	9137520	2.38E-03	0.568862	9.30E+11	9117920	2.29E-03	0.548263
9.33E+11	9138500	2.38E-03	0.570299	9.31E+11	9118900	2.30E-03	0.550659
9.33E+11	9140460	2.39E-03	0.572695	9.31E+11	9119880	2.31E-03	0.553054
9.33E+11	9142420	2.40E-03	0.57509	9.31E+11	9121840	2.32E-03	0.555449
9.33E+11	9143400	2.41E-03	0.577485	9.31E+11	9122820	2.33E-03	0.557844
9.33E+11	9145360	2.42E-03	0.57988	9.31E+11	9123800	2.34E-03	0.56024
9.33E+11	9147320	2.43E-03	0.582275	9.31E+11	9125760	2.35E-03	0.562635
9.34E+11	9148300	2.44E-03	0.584671	9.31E+11	9125760	2.35E-03	0.563832
9.34E+11	9150260	2.45E-03	0.587066	9.31E+11	9127720	2.36E-03	0.566228
9.34E+11	9152220	2.46E-03	0.589461	9.32E+11	9128700	2.37E-03	0.568623
9.34E+11	9153200	2.47E-03	0.591617	9.32E+11	9129680	2.38E-03	0.571018
9.34E+11	9155160	2.48E-03	0.594012	9.32E+11	9130660	2.39E-03	0.573413
9.34E+11	9157120	2.49E-03	0.596407	9.32E+11	9131640	2.40E-03	0.575808
9.35E+11	9158100	2.50E-03	0.598802	9.32E+11	9132620	2.41E-03	0.577246

9.35E+11	9160060	2.51E-03	0.601198	9.32E+11	9133600	2.42E-03	0.579641
9.35E+11	9162020	2.52E-03	0.603593	9.32E+11	9134580	2.43E-03	0.582036
9.35E+11	9163000	2.53E-03	0.605988	9.32E+11	9135560	2.44E-03	0.584431
9.35E+11	9164960	2.54E-03	0.608383	9.32E+11	9136540	2.45E-03	0.586826
9.35E+11	9166920	2.55E-03	0.610778	9.32E+11	9137520	2.46E-03	0.589222
9.36E+11	9167900	2.56E-03	0.613174	9.32E+11	9137520	2.46E-03	0.589461
9.36E+11	9169860	2.57E-03	0.615569	9.33E+11	9138500	2.47E-03	0.591856
9.36E+11	9170840	2.58E-03	0.617964	9.33E+11	9138500	2.48E-03	0.594251
9.36E+11	9172800	2.59E-03	0.620359	9.33E+11	9139480	2.49E-03	0.596647
9.36E+11	9174760	2.60E-03	0.622754	9.33E+11	9139480	2.50E-03	0.599042
9.36E+11	9175740	2.61E-03	0.62515	9.33E+11	9139480	2.50E-03	0.59976
9.37E+11	9177700	2.62E-03	0.627545	9.33E+11	9140460	2.51E-03	0.602156
9.37E+11	9179660	2.63E-03	0.62994	9.33E+11	9140460	2.52E-03	0.604551
9.37E+11	9180640	2.64E-03	0.632335	9.33E+11	9140460	2.53E-03	0.605988
9.37E+11	9182600	2.65E-03	0.634731	9.33E+11	9140460	2.54E-03	0.608383
9.37E+11	9184560	2.66E-03	0.637126	9.33E+11	9140460	2.55E-03	0.610778
9.37E+11	9184560	2.66E-03	0.637844	9.33E+11	9140460	2.56E-03	0.613174
9.37E+11	9186520	2.67E-03	0.64024	9.33E+11	9140460	2.56E-03	0.613653
9.38E+11	9188480	2.68E-03	0.642635	9.33E+11	9138500	2.57E-03	0.616048
9.38E+11	9189460	2.69E-03	0.64503	9.32E+11	9137520	2.58E-03	0.618443
9.38E+11	9191420	2.70E-03	0.647425	9.32E+11	9137520	2.58E-03	0.618922
9.38E+11	9193380	2.71E-03	0.64982	9.32E+11	9135560	2.59E-03	0.621317
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-9.07E+08	-8885.66	-1.00E-06	-0.00024	-9.05E+08	-8864.1	-1.00E-06	-0.00024
-1.81E+09	-17747.8	-2.00E-06	-0.00048	-1.81E+09	-17708.6	-2.00E-06	-0.00048
-2.72E+09	-26616.8	-3.00E-06	-0.00072	-2.71E+09	-26548.2	-3.00E-06	-0.00072
-3.62E+09	-35485.8	-4.00E-06	-0.00096	-3.61E+09	-35397.6	-4.00E-06	-0.00096
-4.53E+09	-44364.8	-5.00E-06	-0.0012				
-5.43E+09	-53243.8	-6.00E-06	-0.00144				
-6.34E+09	-62122.8	-7.00E-06	-0.00168				
-7.24E+09	-71001.8	-8.00E-06	-0.00192				
-8.14E+09	-79880.8	-9.00E-06	-0.00216				
-9.05E+09	-88759.8	-1.00E-05	-0.0024				
-1.81E+10	-177638.6	-2.00E-05	-0.00479				
-2.71E+10	-266477.4	-3.00E-05	-0.00719				
-3.62E+10	-355316.2	-4.00E-05	-0.00958				
-4.52E+10	-444155	-5.00E-05	-0.01198				
-5.43E+10	-532994	-6.00E-05	-0.01437				
-6.33E+10	-621833	-7.00E-05	-0.01677				
-7.24E+10	-710672	-8.00E-05	-0.01916				
-8.14E+10	-799511	-9.00E-05	-0.02156				
-9.05E+10	-888350	-1.00E-04	-0.02395	-9.03E+10	-884450	-1.00E-04	-0.02395
-9.95E+10	-975198	-1.10E-04	-0.02635	-9.93E+10	-972846	-1.10E-04	-0.02635
-1.09E+11	-1064280	-1.20E-04	-0.02874	-1.08E+11	-1061340	-1.20E-04	-0.02874
-1.18E+11	-1152480	-1.30E-04	-0.03114	-1.17E+11	-1149540	-1.30E-04	-0.03114
-1.27E+11	-1240680	-1.40E-04	-0.03353	-1.26E+11	-1237740	-1.40E-04	-0.03353
-1.36E+11	-1328880	-1.50E-04	-0.03593	-1.35E+11	-1325940	-1.50E-04	-0.03593



-1.45E+11	-1418060	-1.60E-04	-0.03832	-1.44E+11	-1414140	-1.60E-04	-0.03832
-1.54E+11	-1506260	-1.70E-04	-0.04072	-1.53E+11	-1502340	-1.70E-04	-0.04072
-1.63E+11	-1594460	-1.80E-04	-0.04311	-1.62E+11	-1590540	-1.80E-04	-0.04311
-1.72E+11	-1682660	-1.90E-04	-0.04551	-1.71E+11	-1678740	-1.90E-04	-0.04551
-1.81E+11	-1771840	-2.00E-04	-0.0479	-1.80E+11	-1766940	-2.00E-04	-0.0479
-1.90E+11	-1860040	-2.10E-04	-0.0503	-1.89E+11	-1855140	-2.10E-04	-0.0503
-1.99E+11	-1947260	-2.20E-04	-0.05269	-1.98E+11	-1942360	-2.20E-04	-0.05269
-2.08E+11	-2035460	-2.30E-04	-0.05509	-2.07E+11	-2030560	-2.30E-04	-0.05509
-2.17E+11	-2123660	-2.40E-04	-0.05749	-2.16E+11	-2118760	-2.40E-04	-0.05749
-2.26E+11	-2211860	-2.50E-04	-0.05988	-2.25E+11	-2205980	-2.50E-04	-0.05988
-2.35E+11	-2299080	-2.60E-04	-0.06228	-2.34E+11	-2294180	-2.60E-04	-0.06228
-2.44E+11	-2387280	-2.70E-04	-0.06467	-2.43E+11	-2381400	-2.70E-04	-0.06467
-2.53E+11	-2475480	-2.80E-04	-0.06707	-2.52E+11	-2468620	-2.80E-04	-0.06707
-2.62E+11	-2562700	-2.90E-04	-0.06946	-2.61E+11	-2556820	-2.90E-04	-0.06946
-2.71E+11	-2650900	-3.00E-04	-0.07186	-2.70E+11	-2644040	-3.00E-04	-0.07186
-2.80E+11	-2739100	-3.10E-04	-0.07425	-2.79E+11	-2732240	-3.10E-04	-0.07425
-2.88E+11	-2826320	-3.20E-04	-0.07665	-2.88E+11	-2819460	-3.20E-04	-0.07665
-2.97E+11	-2914520	-3.30E-04	-0.07904	-2.97E+11	-2906680	-3.30E-04	-0.07904
-3.06E+11	-3001740	-3.40E-04	-0.08144	-3.06E+11	-2994880	-3.40E-04	-0.08144
-3.15E+11	-3089940	-3.50E-04	-0.08383	-3.15E+11	-3082100	-3.50E-04	-0.08383
-3.24E+11	-3178140	-3.60E-04	-0.08623	-3.23E+11	-3169320	-3.60E-04	-0.08623
-3.33E+11	-3265360	-3.70E-04	-0.08862	-3.32E+11	-3257520	-3.70E-04	-0.08862
-3.42E+11	-3353560	-3.80E-04	-0.09102	-3.41E+11	-3344740	-3.80E-04	-0.09102
-3.51E+11	-3440780	-3.90E-04	-0.09341	-3.50E+11	-3431960	-3.90E-04	-0.09341
-3.60E+11	-3528000	-4.00E-04	-0.09581	-3.59E+11	-3519180	-4.00E-04	-0.09581
-3.69E+11	-3616200	-4.10E-04	-0.0982	-3.68E+11	-3606400	-4.10E-04	-0.0982
-3.78E+11	-3703420	-4.20E-04	-0.1006	-3.77E+11	-3693620	-4.20E-04	-0.1006
-3.87E+11	-3790640	-4.30E-04	-0.10299	-3.86E+11	-3780840	-4.30E-04	-0.10299
-3.96E+11	-3877860	-4.40E-04	-0.10539	-3.95E+11	-3868060	-4.40E-04	-0.10539
-4.05E+11	-3966060	-4.50E-04	-0.10778	-4.04E+11	-3955280	-4.50E-04	-0.10778
-4.14E+11	-4053280	-4.60E-04	-0.11018	-4.13E+11	-4042500	-4.60E-04	-0.11018
-4.23E+11	-4140500	-4.70E-04	-0.11257	-4.21E+11	-4129720	-4.70E-04	-0.11257
-4.31E+11	-4227720	-4.80E-04	-0.11497	-4.30E+11	-4216940	-4.80E-04	-0.11497
-4.40E+11	-4315920	-4.90E-04	-0.11737	-4.39E+11	-4304160	-4.90E-04	-0.11737
-4.49E+11	-4403140	-5.00E-04	-0.11976	-4.48E+11	-4390400	-5.00E-04	-0.11976
-4.58E+11	-4490360	-5.10E-04	-0.12216	-4.57E+11	-4476640	-5.10E-04	-0.12216
-4.67E+11	-4577580	-5.20E-04	-0.12455	-4.66E+11	-4563860	-5.20E-04	-0.12455
-4.76E+11	-4663820	-5.30E-04	-0.12695	-4.75E+11	-4650100	-5.30E-04	-0.12695
-4.85E+11	-4751040	-5.40E-04	-0.12934	-4.83E+11	-4736340	-5.40E-04	-0.12934
-4.94E+11	-4838260	-5.50E-04	-0.13174	-4.92E+11	-4822580	-5.50E-04	-0.13174
-5.03E+11	-4924500	-5.60E-04	-0.13413	-5.01E+11	-4908820	-5.60E-04	-0.13413
-5.11E+11	-5010740	-5.70E-04	-0.13653	-5.10E+11	-4995060	-5.70E-04	-0.13653
-5.20E+11	-5096980	-5.80E-04	-0.13892	-5.19E+11	-5081300	-5.80E-04	-0.13892
-5.29E+11	-5183220	-5.90E-04	-0.14132	-5.27E+11	-5166560	-5.90E-04	-0.14132
-5.38E+11	-5268480	-6.00E-04	-0.14371	-5.36E+11	-5252800	-6.00E-04	-0.14371
-5.46E+11	-5354720	-6.10E-04	-0.14611	-5.45E+11	-5338060	-6.10E-04	-0.14611
-5.55E+11	-5439980	-6.20E-04	-0.1485	-5.53E+11	-5423320	-6.20E-04	-0.1485

-5.64E+11	-5525240	-6.30E-04	-0.1509	-5.62E+11	-5508580	-6.30E-04	-0.1509
-5.73E+11	-5610500	-6.40E-04	-0.15329	-5.71E+11	-5592860	-6.40E-04	-0.15329
-5.81E+11	-5695760	-6.50E-04	-0.15569	-5.79E+11	-5678120	-6.50E-04	-0.15569
-5.90E+11	-5780040	-6.60E-04	-0.15808	-5.88E+11	-5762400	-6.60E-04	-0.15808
-5.98E+11	-5864320	-6.70E-04	-0.16048	-5.97E+11	-5846680	-6.70E-04	-0.16048
-6.07E+11	-5948600	-6.80E-04	-0.16287	-6.05E+11	-5930960	-6.80E-04	-0.16287
-6.16E+11	-6032880	-6.90E-04	-0.16527	-6.14E+11	-6014260	-6.90E-04	-0.16527
-6.24E+11	-6116180	-7.00E-04	-0.16766	-6.22E+11	-6097560	-7.00E-04	-0.16766
-6.33E+11	-6199480	-7.10E-04	-0.17006	-6.31E+11	-6179880	-7.10E-04	-0.17006
-6.41E+11	-6282780	-7.20E-04	-0.17246	-6.39E+11	-6260240	-7.20E-04	-0.17246
-6.49E+11	-6364120	-7.30E-04	-0.17485	-6.47E+11	-6340600	-7.30E-04	-0.17485
-6.58E+11	-6445460	-7.40E-04	-0.17725	-6.55E+11	-6419980	-7.40E-04	-0.17725
-6.66E+11	-6523860	-7.50E-04	-0.17964	-6.63E+11	-6498380	-7.50E-04	-0.17964
-6.74E+11	-6601280	-7.60E-04	-0.18204	-6.65E+11	-6519940	-7.53E-04	-0.18031
-6.81E+11	-6677720	-7.70E-04	-0.18443	-6.71E+11	-6576780	-7.60E-04	-0.18211
-6.84E+11	-6701240	-7.73E-04	-0.1852	-6.77E+11	-6629700	-7.68E-04	-0.1839
-6.90E+11	-6760040	-7.81E-04	-0.18711	-6.78E+11	-6646360	-7.73E-04	-0.18525
-6.96E+11	-6817860	-7.90E-04	-0.1892	-6.82E+11	-6679680	-7.83E-04	-0.18764
-6.98E+11	-6844320	-7.98E-04	-0.19114	-6.82E+11	-6679680	-7.84E-04	-0.18766
-6.99E+11	-6848240	-8.04E-04	-0.1925	-6.84E+11	-6704180	-7.91E-04	-0.18949
-6.98E+11	-6836480	-8.11E-04	-0.19413	-6.87E+11	-6728680	-7.99E-04	-0.1914
-6.95E+11	-6813940	-8.21E-04	-0.19653	-6.89E+11	-6755140	-8.09E-04	-0.1938
-6.95E+11	-6806100	-8.25E-04	-0.19749	-6.90E+11	-6761020	-8.11E-04	-0.19432
-6.93E+11	-6794340	-8.31E-04	-0.19902	-6.91E+11	-6772780	-8.21E-04	-0.19672
-6.91E+11	-6775720	-8.41E-04	-0.20141	-6.91E+11	-6772780	-8.22E-04	-0.19679
-6.91E+11	-6773760	-8.42E-04	-0.20165	-6.91E+11	-6773760	-8.31E-04	-0.19892
-6.88E+11	-6740440	-8.52E-04	-0.20405	-6.90E+11	-6764940	-8.35E-04	-0.20007
-6.84E+11	-6703200	-8.62E-04	-0.20644	-6.88E+11	-6743380	-8.42E-04	-0.20165
-6.84E+11	-6699280	-8.63E-04	-0.20661	-6.85E+11	-6708100	-8.48E-04	-0.20319
-6.77E+11	-6638520	-8.73E-04	-0.20901	-6.80E+11	-6664980	-8.55E-04	-0.20467
-6.75E+11	-6615980	-8.75E-04	-0.20968	-6.72E+11	-6589520	-8.65E-04	-0.20707
-6.64E+11	-6505240	-8.85E-04	-0.21207	-6.69E+11	-6553260	-8.70E-04	-0.20826
-6.60E+11	-6467020	-8.89E-04	-0.21286	-6.63E+11	-6498380	-8.77E-04	-0.21006
-6.53E+11	-6402340	-8.94E-04	-0.21418	-6.57E+11	-6434680	-8.85E-04	-0.21207
-6.48E+11	-6352360	-8.98E-04	-0.21516	-6.51E+11	-6376860	-8.93E-04	-0.21392
-6.35E+11	-6223980	-9.08E-04	-0.21756	-6.47E+11	-6341580	-8.98E-04	-0.21509
-6.23E+11	-6101480	-9.18E-04	-0.21995	-6.40E+11	-6267100	-9.08E-04	-0.21749
-6.12E+11	-6000540	-9.28E-04	-0.22235	-6.35E+11	-6219080	-9.14E-04	-0.21899
-6.12E+11	-6000540	-9.28E-04	-0.22235	-6.27E+11	-6140680	-9.24E-04	-0.22139
-6.03E+11	-5911360	-9.38E-04	-0.22474	-6.24E+11	-6110300	-9.28E-04	-0.2223
-5.96E+11	-5835900	-9.48E-04	-0.22714	-6.16E+11	-6032880	-9.37E-04	-0.22434
-5.89E+11	-5771220	-9.58E-04	-0.22953	-6.06E+11	-5935860	-9.47E-04	-0.22673
-5.83E+11	-5709480	-9.68E-04	-0.23193	-6.06E+11	-5935860	-9.47E-04	-0.22673
-5.80E+11	-5686940	-9.73E-04	-0.23298	-5.97E+11	-5847660	-9.57E-04	-0.22913
-5.75E+11	-5635980	-9.83E-04	-0.23538	-5.89E+11	-5773180	-9.67E-04	-0.23152
-5.70E+11	-5585020	-9.93E-04	-0.23777	-5.86E+11	-5743780	-9.71E-04	-0.23262
-5.65E+11	-5539940	-1.00E-03	-0.24024	-5.80E+11	-5679100	-9.81E-04	-0.23502


-5.65E+11	-5537980	-1.00E-03	-0.24024	-5.74E+11	-5622260	-9.91E-04	-0.23741
-5.61E+11	-5494860	-1.01E-03	-0.24263	-5.69E+11	-5572280	-1.00E-03	-0.23976
-5.57E+11	-5453700	-1.02E-03	-0.24503	-5.64E+11	-5526220	-1.01E-03	-0.24216
-5.53E+11	-5416460	-1.03E-03	-0.24743	-5.59E+11	-5482120	-1.02E-03	-0.24455
-5.49E+11	-5379220	-1.04E-03	-0.24982	-5.58E+11	-5471340	-1.02E-03	-0.24527
-5.45E+11	-5342960	-1.05E-03	-0.25222	-5.54E+11	-5432140	-1.03E-03	-0.24766
-5.42E+11	-5308660	-1.06E-03	-0.25461	-5.50E+11	-5392940	-1.04E-03	-0.25006
-5.39E+11	-5277300	-1.07E-03	-0.25701	-5.47E+11	-5358640	-1.05E-03	-0.25222
-5.35E+11	-5245940	-1.08E-03	-0.2594	-5.43E+11	-5324340	-1.06E-03	-0.25461
-5.32E+11	-5214580	-1.09E-03	-0.2618	-5.40E+11	-5292980	-1.07E-03	-0.25701
-5.29E+11	-5186160	-1.10E-03	-0.26419	-5.37E+11	-5261620	-1.08E-03	-0.2594
-5.26E+11	-5158720	-1.11E-03	-0.26659	-5.34E+11	-5231240	-1.09E-03	-0.2618
-5.24E+11	-5131280	-1.12E-03	-0.26898	-5.31E+11	-5202820	-1.10E-03	-0.26419
-5.21E+11	-5104820	-1.13E-03	-0.27138	-5.28E+11	-5173420	-1.11E-03	-0.26659
-5.18E+11	-5078360	-1.14E-03	-0.27377	-5.25E+11	-5145980	-1.12E-03	-0.26898
-5.16E+11	-5053860	-1.15E-03	-0.27617	-5.23E+11	-5124420	-1.13E-03	-0.27114
-5.13E+11	-5030340	-1.16E-03	-0.27856	-5.20E+11	-5096980	-1.14E-03	-0.27353
-5.11E+11	-5005840	-1.17E-03	-0.28096	-5.18E+11	-5071500	-1.15E-03	-0.27593
-5.08E+11	-4982320	-1.18E-03	-0.28335	-5.15E+11	-5045040	-1.16E-03	-0.27832
-5.06E+11	-4959780	-1.19E-03	-0.28575	-5.12E+11	-5020540	-1.17E-03	-0.28072
-5.04E+11	-4937240	-1.20E-03	-0.28814	-5.10E+11	-4997020	-1.18E-03	-0.28311
-5.02E+11	-4915680	-1.21E-03	-0.29054	-5.08E+11	-4973500	-1.19E-03	-0.28551
-4.99E+11	-4894120	-1.22E-03	-0.29293	-5.05E+11	-4950960	-1.20E-03	-0.2879
-4.97E+11	-4872560	-1.23E-03	-0.29533	-5.03E+11	-4928420	-1.21E-03	-0.2903
-4.95E+11	-4851980	-1.24E-03	-0.29772	-5.01E+11	-4906860	-1.22E-03	-0.29269
-4.93E+11	-4831400	-1.25E-03	-0.30012	-4.99E+11	-4885300	-1.23E-03	-0.29509
-4.91E+11	-4811800	-1.26E-03	-0.30251	-4.96E+11	-4864720	-1.24E-03	-0.29749
-4.89E+11	-4792200	-1.27E-03	-0.30491	-4.94E+11	-4845120	-1.25E-03	-0.29988
-4.87E+11	-4773580	-1.28E-03	-0.30731	-4.94E+11	-4842180	-1.25E-03	-0.30012
-4.85E+11	-4754960	-1.29E-03	-0.3097	-4.92E+11	-4822580	-1.26E-03	-0.30251
-4.83E+11	-4735360	-1.30E-03	-0.3121	-4.90E+11	-4802980	-1.27E-03	-0.30491
-4.81E+11	-4717720	-1.31E-03	-0.31449	-4.88E+11	-4783380	-1.28E-03	-0.30731
-4.80E+11	-4700080	-1.32E-03	-0.31689	-4.86E+11	-4764760	-1.29E-03	-0.3097
-4.78E+11	-4682440	-1.33E-03	-0.31928	-4.84E+11	-4746140	-1.30E-03	-0.3121
-4.76E+11	-4665780	-1.34E-03	-0.32168	-4.83E+11	-4728500	-1.31E-03	-0.31449
-4.74E+11	-4649120	-1.35E-03	-0.32407	-4.81E+11	-4709880	-1.32E-03	-0.31689
-4.73E+11	-4632460	-1.36E-03	-0.32647	-4.79E+11	-4692240	-1.33E-03	-0.31928
-4.71E+11	-4615800	-1.37E-03	-0.32886	-4.77E+11	-4674600	-1.34E-03	-0.32168
-4.69E+11	-4599140	-1.38E-03	-0.33126	-4.75E+11	-4656960	-1.35E-03	-0.32407
-4.68E+11	-4583460	-1.39E-03	-0.33365	-4.74E+11	-4640300	-1.36E-03	-0.32647
-4.66E+11	-4568760	-1.40E-03	-0.33605	-4.72E+11	-4624620	-1.37E-03	-0.32886
-4.65E+11	-4553080	-1.41E-03	-0.33844	-4.70E+11	-4608940	-1.38E-03	-0.33126
-4.63E+11	-4538380	-1.42E-03	-0.34084	-4.69E+11	-4592280	-1.39E-03	-0.33365
-4.62E+11	-4523680	-1.43E-03	-0.34323	-4.67E+11	-4576600	-1.40E-03	-0.33605
-4.60E+11	-4508000	-1.44E-03	-0.34563	-4.65E+11	-4560920	-1.41E-03	-0.33844
-4.59E+11	-4493300	-1.45E-03	-0.34802	-4.64E+11	-4546220	-1.42E-03	-0.34084
-4.57E+11	-4478600	-1.46E-03	-0.35042	-4.62E+11	-4531520	-1.43E-03	-0.34323

-4.56E+11	-4463900	-1.47E-03	-0.35281	-4.61E+11	-4516820	-1.44E-03	-0.34563
-4.54E+11	-4448220	-1.48E-03	-0.35521	-4.59E+11	-4501140	-1.45E-03	-0.34802
-4.52E+11	-4432540	-1.49E-03	-0.3576	-4.58E+11	-4485460	-1.46E-03	-0.35042
-4.51E+11	-4416860	-1.50E-03	-0.36	-4.56E+11	-4470760	-1.47E-03	-0.35281
-4.49E+11	-4401180	-1.51E-03	-0.3624	-4.55E+11	-4456060	-1.48E-03	-0.35521
-4.48E+11	-4385500	-1.52E-03	-0.36479	-4.53E+11	-4440380	-1.49E-03	-0.3576
-4.46E+11	-4370800	-1.53E-03	-0.36719	-4.52E+11	-4425680	-1.50E-03	-0.36
-4.45E+11	-4356100	-1.54E-03	-0.36958	-4.50E+11	-4410000	-1.51E-03	-0.3624
-4.43E+11	-4341400	-1.55E-03	-0.37198	-4.48E+11	-4394320	-1.52E-03	-0.36479
-4.42E+11	-4326700	-1.56E-03	-0.37437	-4.47E+11	-4379620	-1.53E-03	-0.36719
-4.40E+11	-4312000	-1.57E-03	-0.37677	-4.45E+11	-4363940	-1.54E-03	-0.36958
-4.39E+11	-4297300	-1.58E-03	-0.37916	-4.44E+11	-4349240	-1.55E-03	-0.37198
-4.37E+11	-4283580	-1.59E-03	-0.38156	-4.42E+11	-4334540	-1.56E-03	-0.37437
-4.36E+11	-4268880	-1.60E-03	-0.38395	-4.41E+11	-4319840	-1.57E-03	-0.37677
-4.34E+11	-4255160	-1.61E-03	-0.38635	-4.39E+11	-4306120	-1.58E-03	-0.37916
-4.33E+11	-4241440	-1.62E-03	-0.38874	-4.38E+11	-4291420	-1.59E-03	-0.38156
-4.31E+11	-4226740	-1.63E-03	-0.39114	-4.37E+11	-4277700	-1.60E-03	-0.38395
-4.30E+11	-4213020	-1.64E-03	-0.39353	-4.35E+11	-4263000	-1.61E-03	-0.38635
-4.29E+11	-4199300	-1.65E-03	-0.39593	-4.34E+11	-4248300	-1.62E-03	-0.38874
-4.27E+11	-4185580	-1.66E-03	-0.39832	-4.32E+11	-4234580	-1.63E-03	-0.39114
-4.26E+11	-4171860	-1.67E-03	-0.40072	-4.31E+11	-4220860	-1.64E-03	-0.39353
-4.24E+11	-4159120	-1.68E-03	-0.40311	-4.29E+11	-4207140	-1.65E-03	-0.39593
-4.23E+11	-4145400	-1.69E-03	-0.40551	-4.28E+11	-4193420	-1.66E-03	-0.39832
-4.22E+11	-4132660	-1.70E-03	-0.4079	-4.27E+11	-4179700	-1.67E-03	-0.40072
-4.20E+11	-4119920	-1.71E-03	-0.4103	-4.25E+11	-4165980	-1.68E-03	-0.40311
-4.19E+11	-4107180	-1.72E-03	-0.41269	-4.24E+11	-4153240	-1.69E-03	-0.40551
-4.18E+11	-4094440	-1.73E-03	-0.41509	-4.22E+11	-4139520	-1.70E-03	-0.4079
-4.17E+11	-4081700	-1.74E-03	-0.41749	-4.21E+11	-4126780	-1.71E-03	-0.4103
-4.15E+11	-4068960	-1.75E-03	-0.41988	-4.20E+11	-4114040	-1.72E-03	-0.41269
-4.14E+11	-4056220	-1.76E-03	-0.42228	-4.19E+11	-4101300	-1.73E-03	-0.41509
-4.13E+11	-4044460	-1.77E-03	-0.42467	-4.17E+11	-4088560	-1.74E-03	-0.41749
-4.11E+11	-4031720	-1.78E-03	-0.42707	-4.16E+11	-4075820	-1.75E-03	-0.41988
-4.10E+11	-4019960	-1.79E-03	-0.42946	-4.15E+11	-4063080	-1.76E-03	-0.42228
-4.09E+11	-4007220	-1.80E-03	-0.43186	-4.13E+11	-4051320	-1.77E-03	-0.42467
-4.08E+11	-3995460	-1.81E-03	-0.43425	-4.13E+11	-4050340	-1.77E-03	-0.42467
-4.07E+11	-3983700	-1.82E-03	-0.43665	-4.12E+11	-4038580	-1.78E-03	-0.42707
-4.05E+11	-3971940	-1.83E-03	-0.43904	-4.11E+11	-4025840	-1.79E-03	-0.42946
-4.04E+11	-3960180	-1.84E-03	-0.44144	-4.10E+11	-4014080	-1.80E-03	-0.43186
-4.03E+11	-3949400	-1.85E-03	-0.44383	-4.08E+11	-4002320	-1.81E-03	-0.43425
-4.02E+11	-3937640	-1.86E-03	-0.44623	-4.07E+11	-3989580	-1.82E-03	-0.43665
-4.01E+11	-3925880	-1.87E-03	-0.44862	-4.06E+11	-3977820	-1.83E-03	-0.43904
-4.00E+11	-3915100	-1.88E-03	-0.45102	-4.05E+11	-3966060	-1.84E-03	-0.44144
-3.98E+11	-3903340	-1.89E-03	-0.45341	-4.04E+11	-3955280	-1.85E-03	-0.44383
-3.97E+11	-3892560	-1.90E-03	-0.45581	-4.02E+11	-3943520	-1.86E-03	-0.44623
-3.96E+11	-3881780	-1.91E-03	-0.4582	-4.01E+11	-3931760	-1.87E-03	-0.44862
-3.95E+11	-3871000	-1.92E-03	-0.4606	-4.00E+11	-3920980	-1.88E-03	-0.45102
-3.94E+11	-3860220	-1.93E-03	-0.46299	-3.99E+11	-3909220	-1.89E-03	-0.45341

-3.93E+11	-3849440	-1.94E-03	-0.46539	-3.98E+11	-3898440	-1.90E-03	-0.45581
-3.92E+11	-3839640	-1.95E-03	-0.46778	-3.97E+11	-3887660	-1.91E-03	-0.4582
-3.91E+11	-3828860	-1.96E-03	-0.47018	-3.96E+11	-3876880	-1.92E-03	-0.4606
-3.90E+11	-3818080	-1.97E-03	-0.47257	-3.95E+11	-3870020	-1.93E-03	-0.46204
-3.89E+11	-3808280	-1.98E-03	-0.47497	-3.94E+11	-3859240	-1.94E-03	-0.46443
-3.88E+11	-3798480	-1.99E-03	-0.47737	-3.93E+11	-3848460	-1.95E-03	-0.46683
-3.87E+11	-3789660	-2.00E-03	-0.47976	-3.92E+11	-3838660	-1.96E-03	-0.46922
-3.86E+11	-3780840	-2.01E-03	-0.48216	-3.91E+11	-3827880	-1.97E-03	-0.47162
-3.85E+11	-3771040	-2.02E-03	-0.48455	-3.90E+11	-3818080	-1.98E-03	-0.47401
-3.84E+11	-3762220	-2.03E-03	-0.48695	-3.89E+11	-3808280	-1.99E-03	-0.47641
-3.83E+11	-3753400	-2.04E-03	-0.48934	-3.88E+11	-3798480	-2.00E-03	-0.4788
-3.82E+11	-3744580	-2.05E-03	-0.49174	-3.87E+11	-3789660	-2.01E-03	-0.4812
-3.81E+11	-3736740	-2.06E-03	-0.49413	-3.86E+11	-3779860	-2.02E-03	-0.48359
-3.80E+11	-3727920	-2.07E-03	-0.49653	-3.85E+11	-3771040	-2.03E-03	-0.48599
-3.80E+11	-3719100	-2.08E-03	-0.49892	-3.84E+11	-3762220	-2.04E-03	-0.48838
-3.79E+11	-3710280	-2.09E-03	-0.50132	-3.83E+11	-3753400	-2.05E-03	-0.49078
-3.78E+11	-3702440	-2.10E-03	-0.50371	-3.82E+11	-3744580	-2.06E-03	-0.49317
-3.77E+11	-3694600	-2.11E-03	-0.50611	-3.81E+11	-3735760	-2.07E-03	-0.49557
-3.76E+11	-3686760	-2.12E-03	-0.5085	-3.80E+11	-3726940	-2.08E-03	-0.49796
-3.75E+11	-3678920	-2.13E-03	-0.5109	-3.80E+11	-3719100	-2.09E-03	-0.50036
-3.75E+11	-3671080	-2.14E-03	-0.51329	-3.79E+11	-3710280	-2.10E-03	-0.50275
-3.74E+11	-3663240	-2.15E-03	-0.51569	-3.78E+11	-3702440	-2.11E-03	-0.50515
-3.73E+11	-3655400	-2.16E-03	-0.51808	-3.77E+11	-3694600	-2.12E-03	-0.50754
-3.72E+11	-3647560	-2.17E-03	-0.52048	-3.76E+11	-3685780	-2.13E-03	-0.50994
-3.71E+11	-3639720	-2.18E-03	-0.52287	-3.75E+11	-3677940	-2.14E-03	-0.51234
-3.71E+11	-3632860	-2.19E-03	-0.52527	-3.75E+11	-3670100	-2.15E-03	-0.51473
-3.70E+11	-3625020	-2.20E-03	-0.52766	-3.74E+11	-3662260	-2.16E-03	-0.51713
-3.69E+11	-3617180	-2.21E-03	-0.53006	-3.73E+11	-3654420	-2.17E-03	-0.51952
-3.68E+11	-3609340	-2.22E-03	-0.53246	-3.72E+11	-3647560	-2.18E-03	-0.52192
-3.68E+11	-3602480	-2.23E-03	-0.53485	-3.71E+11	-3639720	-2.19E-03	-0.52431
-3.67E+11	-3595620	-2.24E-03	-0.53725	-3.71E+11	-3631880	-2.20E-03	-0.52671
-3.66E+11	-3588760	-2.25E-03	-0.53964	-3.70E+11	-3624040	-2.21E-03	-0.5291
-3.66E+11	-3581900	-2.26E-03	-0.54204	-3.69E+11	-3617180	-2.22E-03	-0.5315
-3.65E+11	-3575040	-2.27E-03	-0.54443	-3.68E+11	-3609340	-2.23E-03	-0.53389
-3.64E+11	-3568180	-2.28E-03	-0.54683	-3.68E+11	-3602480	-2.24E-03	-0.53629
-3.63E+11	-3561320	-2.29E-03	-0.54922	-3.67E+11	-3595620	-2.25E-03	-0.53868
-3.63E+11	-3555440	-2.30E-03	-0.55162	-3.66E+11	-3588760	-2.26E-03	-0.54108
-3.62E+11	-3548580	-2.31E-03	-0.55401	-3.66E+11	-3581900	-2.27E-03	-0.54347
-3.61E+11	-3541720	-2.32E-03	-0.55641	-3.65E+11	-3575040	-2.28E-03	-0.54587
-3.61E+11	-3534860	-2.33E-03	-0.5588	-3.64E+11	-3568180	-2.29E-03	-0.54826
-3.60E+11	-3528980	-2.34E-03	-0.5612	-3.63E+11	-3561320	-2.30E-03	-0.55066
-3.59E+11	-3522120	-2.35E-03	-0.56359	-3.63E+11	-3554460	-2.31E-03	-0.55305
-3.59E+11	-3516240	-2.36E-03	-0.56599	-3.62E+11	-3548580	-2.32E-03	-0.55545
-3.58E+11	-3509380	-2.37E-03	-0.56838	-3.61E+11	-3541720	-2.33E-03	-0.55784
-3.58E+11	-3503500	-2.38E-03	-0.57078	-3.61E+11	-3534860	-2.34E-03	-0.56024
-3.57E+11	-3496640	-2.39E-03	-0.57317	-3.60E+11	-3528980	-2.35E-03	-0.56263
-3.56E+11	-3490760	-2.40E-03	-0.57557	-3.59E+11	-3522120	-2.36E-03	-0.56503

-3.56E+11	-3484880	-2.41E-03	-0.57796	-3.59E+11	-3516240	-2.37E-03	-0.56743
-3.55E+11	-3479000	-2.42E-03	-0.58036	-3.58E+11	-3509380	-2.38E-03	-0.56982
-3.55E+11	-3474100	-2.43E-03	-0.58275	-3.58E+11	-3503500	-2.39E-03	-0.57222
-3.54E+11	-3468220	-2.44E-03	-0.58515	-3.57E+11	-3497620	-2.40E-03	-0.57461
-3.53E+11	-3463320	-2.45E-03	-0.58754	-3.56E+11	-3490760	-2.41E-03	-0.57701
-3.53E+11	-3457440	-2.46E-03	-0.58994	-3.56E+11	-3484880	-2.42E-03	-0.5794
-3.52E+11	-3452540	-2.47E-03	-0.59234	-3.55E+11	-3479980	-2.43E-03	-0.5818
-3.52E+11	-3446660	-2.48E-03	-0.59473	-3.55E+11	-3474100	-2.44E-03	-0.58419
-3.51E+11	-3441760	-2.49E-03	-0.59713	-3.54E+11	-3468220	-2.45E-03	-0.58659
-3.51E+11	-3436860	-2.50E-03	-0.59952	-3.53E+11	-3463320	-2.46E-03	-0.58898
-3.50E+11	-3430980	-2.51E-03	-0.60192	-3.53E+11	-3457440	-2.47E-03	-0.59138
-3.50E+11	-3426080	-2.52E-03	-0.60431	-3.52E+11	-3452540	-2.48E-03	-0.59377
-3.49E+11	-3421180	-2.53E-03	-0.60671	-3.52E+11	-3447640	-2.49E-03	-0.59617
-3.49E+11	-3416280	-2.54E-03	-0.6091	-3.51E+11	-3441760	-2.50E-03	-0.59856
-3.48E+11	-3411380	-2.55E-03	-0.6115	-3.51E+11	-3436860	-2.51E-03	-0.60096
-3.48E+11	-3405500	-2.56E-03	-0.61389	-3.50E+11	-3431960	-2.52E-03	-0.60335
-3.47E+11	-3400600	-2.57E-03	-0.61629	-3.50E+11	-3426080	-2.53E-03	-0.60575
-3.47E+11	-3395700	-2.58E-03	-0.61868	-3.49E+11	-3421180	-2.54E-03	-0.60814
-3.46E+11	-3390800	-2.59E-03	-0.62108	-3.49E+11	-3416280	-2.55E-03	-0.61054
-3.46E+11	-3385900	-2.60E-03	-0.62347	-3.48E+11	-3411380	-2.56E-03	-0.61293
-3.45E+11	-3381000	-2.61E-03	-0.62587	-3.48E+11	-3406480	-2.57E-03	-0.61533
-3.45E+11	-3376100	-2.62E-03	-0.62826	-3.47E+11	-3400600	-2.58E-03	-0.61772
-3.44E+11	-3371200	-2.63E-03	-0.63066	-3.47E+11	-3395700	-2.59E-03	-0.62012
-3.44E+11	-3366300	-2.64E-03	-0.63305	-3.46E+11	-3390800	-2.60E-03	-0.62251
-3.43E+11	-3362380	-2.65E-03	-0.63545	-3.46E+11	-3385900	-2.61E-03	-0.62491
-3.43E+11	-3357480	-2.66E-03	-0.63784	-3.45E+11	-3381000	-2.62E-03	-0.62731
-3.42E+11	-3353560	-2.67E-03	-0.64024	-3.45E+11	-3376100	-2.63E-03	-0.6297
-3.42E+11	-3348660	-2.68E-03	-0.64263	-3.44E+11	-3372180	-2.64E-03	-0.6321
-3.41E+11	-3344740	-2.69E-03	-0.64503	-3.44E+11	-3367280	-2.65E-03	-0.63449
-3.41E+11	-3339840	-2.70E-03	-0.64743	-3.43E+11	-3362380	-2.66E-03	-0.63689
-3.40E+11	-3335920	-2.71E-03	-0.64982	-3.43E+11	-3358460	-2.67E-03	-0.63928
-3.40E+11	-3331020	-2.72E-03	-0.65222	-3.42E+11	-3353560	-2.68E-03	-0.64168
-3.40E+11	-3327100	-2.73E-03	-0.65461	-3.42E+11	-3349640	-2.69E-03	-0.64407
-3.39E+11	-3322200	-2.74E-03	-0.65701	-3.41E+11	-3344740	-2.70E-03	-0.64647
-3.39E+11	-3318280	-2.75E-03	-0.6594	-3.41E+11	-3340820	-2.71E-03	-0.64886
-3.38E+11	-3313380	-2.76E-03	-0.6618	-3.40E+11	-3335920	-2.72E-03	-0.65126
-3.38E+11	-3309460	-2.77E-03	-0.66419	-3.40E+11	-3332000	-2.73E-03	-0.65365
-3.37E+11	-3305540	-2.78E-03	-0.66659	-3.40E+11	-3327100	-2.74E-03	-0.65605
-3.37E+11	-3300640	-2.79E-03	-0.66898	-3.39E+11	-3323180	-2.75E-03	-0.65844
-3.36E+11	-3296720	-2.80E-03	-0.67138	-3.39E+11	-3318280	-2.76E-03	-0.66084

Bulk Carrier (B4) Idchk = 1				Bulk Carrier (B4) Idchk = 2			
20% damage				20% damage			
frame spa	4.175	9.80E-06	1000	frame spa	4.175	9.80E-06	1000
Moment	Rotation			Moment	Rotation		
8.90E+08	8722	1.00E-06	0.00024	8.85E+08	8673.98	1.00E-06	0.00024
1.78E+09	17424.4	2.00E-06	0.000479	1.77E+09	17326.4	2.00E-06	0.000479



2.04E+11	2001160	2.30E-04	0.05509	2.03E+11	1990380	2.30E-04	0.05509
2.13E+11	2088380	2.40E-04	0.057485	2.12E+11	2076620	2.40E-04	0.057485
2.22E+11	2175600	2.50E-04	0.05988	2.21E+11	2162860	2.50E-04	0.05988
2.31E+11	2262820	2.60E-04	0.062275	2.30E+11	2249100	2.60E-04	0.062275
2.40E+11	2349060	2.70E-04	0.064671	2.38E+11	2336320	2.70E-04	0.064671
2.49E+11	2436280	2.80E-04	0.067066	2.47E+11	2422560	2.80E-04	0.067066
2.58E+11	2523500	2.90E-04	0.069461	2.56E+11	2508800	2.90E-04	0.069461
2.66E+11	2610720	3.00E-04	0.071856	2.65E+11	2595040	3.00E-04	0.071856
2.75E+11	2696960	3.10E-04	0.074251	2.74E+11	2681280	3.10E-04	0.074251
2.84E+11	2784180	3.20E-04	0.076647	2.83E+11	2768500	3.20E-04	0.076647
2.93E+11	2871400	3.30E-04	0.079042	2.91E+11	2854740	3.30E-04	0.079042

3.02E+11	2957640	3.40E-04	0.081437	3.00E+11	2940980	3.40E-04	0.081437
3.11E+11	3044860	3.50E-04	0.083832	3.09E+11	3027220	3.50E-04	0.083832
3.20E+11	3132080	3.60E-04	0.086228	3.18E+11	3113460	3.60E-04	0.086228
3.28E+11	3218320	3.70E-04	0.088623	3.27E+11	3200680	3.70E-04	0.088623
3.37E+11	3305540	3.80E-04	0.091018	3.35E+11	3286920	3.80E-04	0.091018
3.46E+11	3392760	3.90E-04	0.093413	3.44E+11	3373160	3.90E-04	0.093413
3.55E+11	3479980	4.00E-04	0.095808	3.53E+11	3459400	4.00E-04	0.095808
3.64E+11	3566220	4.10E-04	0.098204	3.62E+11	3545640	4.10E-04	0.098204
3.73E+11	3653440	4.20E-04	0.100599	3.71E+11	3631880	4.20E-04	0.100599
3.82E+11	3740660	4.30E-04	0.102994	3.79E+11	3718120	4.30E-04	0.102994
3.91E+11	3826900	4.40E-04	0.105389	3.88E+11	3805340	4.40E-04	0.105389
3.99E+11	3914120	4.50E-04	0.107784	3.97E+11	3891580	4.50E-04	0.107784
4.08E+11	4001340	4.60E-04	0.11018	4.06E+11	3977820	4.60E-04	0.11018
4.17E+11	4087580	4.70E-04	0.112575	4.15E+11	4064060	4.70E-04	0.112575
4.26E+11	4174800	4.80E-04	0.11497	4.24E+11	4150300	4.80E-04	0.11497
4.35E+11	4261040	4.90E-04	0.117365	4.32E+11	4236540	4.90E-04	0.117365
4.44E+11	4348260	5.00E-04	0.11976	4.41E+11	4322780	5.00E-04	0.11976
4.53E+11	4435480	5.10E-04	0.122156	4.50E+11	4409020	5.10E-04	0.122156
4.61E+11	4521720	5.20E-04	0.124551	4.59E+11	4495260	5.20E-04	0.124551
4.70E+11	4608940	5.30E-04	0.126946	4.68E+11	4581500	5.30E-04	0.126946
4.79E+11	4696160	5.40E-04	0.129341	4.76E+11	4668720	5.40E-04	0.129341
4.88E+11	4782400	5.50E-04	0.131737	4.85E+11	4754960	5.50E-04	0.131737
4.97E+11	4869620	5.60E-04	0.134132	4.94E+11	4841200	5.60E-04	0.134132
5.06E+11	4956840	5.70E-04	0.136527	5.03E+11	4927440	5.70E-04	0.136527
5.15E+11	5043080	5.80E-04	0.138922	5.12E+11	5013680	5.80E-04	0.138922
5.24E+11	5130300	5.90E-04	0.141317	5.20E+11	5099920	5.90E-04	0.141317
5.32E+11	5216540	6.00E-04	0.143713	5.29E+11	5186160	6.00E-04	0.143713
5.41E+11	5303760	6.10E-04	0.146108	5.38E+11	5272400	6.10E-04	0.146108
5.50E+11	5390980	6.20E-04	0.148503	5.47E+11	5358640	6.20E-04	0.148503
5.59E+11	5477220	6.30E-04	0.150898	5.56E+11	5444880	6.30E-04	0.150898
5.68E+11	5564440	6.40E-04	0.153293	5.64E+11	5531120	6.40E-04	0.153293
5.77E+11	5650680	6.50E-04	0.155689	5.73E+11	5617360	6.50E-04	0.155689
5.86E+11	5737900	6.60E-04	0.158084	5.82E+11	5703600	6.60E-04	0.158084
5.94E+11	5825120	6.70E-04	0.160479	5.91E+11	5790820	6.70E-04	0.160479
6.03E+11	5911360	6.80E-04	0.162874	6.00E+11	5877060	6.80E-04	0.162874
6.12E+11	5998580	6.90E-04	0.165269	6.09E+11	5963300	6.90E-04	0.165269
6.21E+11	6084820	7.00E-04	0.167665	6.17E+11	6049540	7.00E-04	0.167665
6.30E+11	6172040	7.10E-04	0.17006	6.26E+11	6135780	7.10E-04	0.17006
6.39E+11	6258280	7.20E-04	0.172455	6.35E+11	6222020	7.20E-04	0.172455
6.48E+11	6345500	7.30E-04	0.17485	6.44E+11	6308260	7.30E-04	0.17485
6.56E+11	6431740	7.40E-04	0.177246	6.53E+11	6394500	7.40E-04	0.177246
6.65E+11	6518960	7.50E-04	0.179641	6.61E+11	6480740	7.50E-04	0.179641
6.74E+11	6606180	7.60E-04	0.182036	6.70E+11	6566980	7.60E-04	0.182036
6.83E+11	6692420	7.70E-04	0.184431	6.79E+11	6653220	7.70E-04	0.184431
6.92E+11	6779640	7.80E-04	0.186826	6.88E+11	6739460	7.80E-04	0.186826
7.01E+11	6865880	7.90E-04	0.189222	6.97E+11	6825700	7.90E-04	0.189222
7.10E+11	6953100	8.00E-04	0.191617	7.05E+11	6911940	8.00E-04	0.191617


7.18E+11	7039340	8.10E-04	0.194012	7.07E+11	6924680	8.02E-04	0.191976
7.27E+11	7126560	8.20E-04	0.196407	7.14E+11	6993280	8.12E-04	0.194371
7.36E+11	7212800	8.30E-04	0.198802	7.16E+11	7015820	8.15E-04	0.195162
7.39E+11	7242200	8.33E-04	0.199593	7.23E+11	7082460	8.25E-04	0.197557
7.47E+11	7320600	8.43E-04	0.201892	7.30E+11	7150080	8.35E-04	0.199952
7.54E+11	7385280	8.52E-04	0.204096	7.37E+11	7217700	8.45E-04	0.202347
7.58E+11	7430360	8.60E-04	0.205988	7.37E+11	7217700	8.45E-04	0.202347
7.63E+11	7480340	8.70E-04	0.208383	7.43E+11	7284340	8.55E-04	0.204743
7.66E+11	7507780	8.76E-04	0.209749	7.45E+11	7303940	8.58E-04	0.205485
7.71E+11	7555800	8.86E-04	0.212144	7.52E+11	7368620	8.68E-04	0.20788
7.76E+11	7602840	8.96E-04	0.214491	7.52E+11	7371560	8.68E-04	0.208
7.80E+11	7646940	9.06E-04	0.216886	7.58E+11	7432320	8.78E-04	0.210395
7.85E+11	7690060	9.15E-04	0.219234	7.59E+11	7442120	8.80E-04	0.210778
7.88E+11	7724360	9.23E-04	0.221174	7.65E+11	7497980	8.90E-04	0.21315
7.92E+11	7763560	9.33E-04	0.223569	7.69E+11	7539140	8.98E-04	0.214994
7.96E+11	7802760	9.43E-04	0.225964	7.73E+11	7576380	9.05E-04	0.216766
8.00E+11	7838040	9.52E-04	0.228096	7.78E+11	7623420	9.15E-04	0.219162
8.04E+11	7874300	9.62E-04	0.230491	7.80E+11	7641060	9.19E-04	0.220048
8.07E+11	7908600	9.72E-04	0.232814	7.83E+11	7676340	9.27E-04	0.222036
8.11E+11	7942900	9.82E-04	0.23521	7.87E+11	7715540	9.37E-04	0.224431
8.11E+11	7942900	9.82E-04	0.23521	7.90E+11	7740040	9.43E-04	0.225892
8.14E+11	7975240	9.92E-04	0.237605	7.93E+11	7772380	9.52E-04	0.227904
8.17E+11	8006600	1.00E-03	0.24	7.97E+11	7809620	9.62E-04	0.230299
8.20E+11	8037960	1.01E-03	0.242395	7.98E+11	7817460	9.64E-04	0.230802
8.21E+11	8042860	1.01E-03	0.242874	8.01E+11	7852740	9.74E-04	0.233198
8.24E+11	8071280	1.02E-03	0.245269	8.04E+11	7883120	9.82E-04	0.235234
8.27E+11	8100680	1.03E-03	0.247665	8.08E+11	7916440	9.92E-04	0.237629
8.27E+11	8100680	1.03E-03	0.247665	8.10E+11	7938000	9.99E-04	0.239234
8.29E+11	8128120	1.04E-03	0.25006	8.13E+11	7969360	1.01E-03	0.241677
8.30E+11	8137920	1.05E-03	0.250778	8.14E+11	7972300	1.01E-03	0.241916
8.33E+11	8162420	1.06E-03	0.253174	8.17E+11	8001700	1.02E-03	0.244311
8.35E+11	8186920	1.07E-03	0.255569	8.18E+11	8012480	1.02E-03	0.24503
8.38E+11	8211420	1.08E-03	0.257964	8.21E+11	8041880	1.03E-03	0.247425
8.39E+11	8223180	1.08E-03	0.259162	8.21E+11	8047760	1.04E-03	0.247904
8.41E+11	8242780	1.09E-03	0.261557	8.24E+11	8075200	1.05E-03	0.250299
8.43E+11	8263360	1.10E-03	0.263952	8.26E+11	8096760	1.05E-03	0.252216
8.45E+11	8282960	1.11E-03	0.266347	8.29E+11	8122240	1.06E-03	0.254611
8.46E+11	8288840	1.12E-03	0.267066	8.31E+11	8147720	1.07E-03	0.257006
8.48E+11	8306480	1.13E-03	0.269461	8.32E+11	8150660	1.08E-03	0.257485
8.49E+11	8324120	1.14E-03	0.271856	8.34E+11	8173200	1.09E-03	0.25988
8.51E+11	8341760	1.15E-03	0.274251	8.36E+11	8195740	1.10E-03	0.262275
8.52E+11	8346660	1.15E-03	0.27497	8.39E+11	8217300	1.11E-03	0.264671
8.53E+11	8362340	1.16E-03	0.277365	8.40E+11	8227100	1.11E-03	0.265629
8.55E+11	8377040	1.17E-03	0.27976	8.42E+11	8247680	1.12E-03	0.268024
8.55E+11	8378020	1.17E-03	0.28	8.43E+11	8259440	1.13E-03	0.269701
8.56E+11	8391740	1.18E-03	0.282395	8.45E+11	8277080	1.14E-03	0.272096
8.58E+11	8405460	1.19E-03	0.28479	8.46E+11	8294720	1.15E-03	0.274491

8.59E+11	8419180	1.20E-03	0.287186	8.48E+11	8312360	1.16E-03	0.276886
8.60E+11	8431920	1.21E-03	0.289581	8.49E+11	8323140	1.16E-03	0.278323
8.61E+11	8439760	1.21E-03	0.290778	8.51E+11	8339800	1.17E-03	0.280719
8.62E+11	8451520	1.22E-03	0.293174	8.53E+11	8355480	1.18E-03	0.283114
8.64E+11	8462300	1.23E-03	0.295329	8.54E+11	8367240	1.19E-03	0.28479
8.65E+11	8472100	1.24E-03	0.297725	8.55E+11	8381940	1.20E-03	0.287186
8.66E+11	8481900	1.25E-03	0.30012	8.57E+11	8395660	1.21E-03	0.289581
8.67E+11	8491700	1.26E-03	0.302515	8.57E+11	8395660	1.21E-03	0.289581
8.68E+11	8501500	1.27E-03	0.30491	8.58E+11	8409380	1.22E-03	0.291976
8.69E+11	8511300	1.28E-03	0.307305	8.59E+11	8422120	1.23E-03	0.294371
8.70E+11	8522080	1.29E-03	0.309701	8.60E+11	8428000	1.23E-03	0.295329
8.71E+11	8531880	1.30E-03	0.312096	8.61E+11	8440740	1.24E-03	0.297725
8.72E+11	8540700	1.31E-03	0.314491	8.62E+11	8445640	1.25E-03	0.298683
8.72E+11	8545600	1.32E-03	0.315449	8.63E+11	8457400	1.26E-03	0.301078
8.73E+11	8554420	1.33E-03	0.317844	8.64E+11	8468180	1.27E-03	0.303473
8.74E+11	8564220	1.34E-03	0.32024	8.65E+11	8479940	1.28E-03	0.305868
8.75E+11	8574020	1.35E-03	0.322635	8.66E+11	8486800	1.28E-03	0.307545
8.76E+11	8583820	1.36E-03	0.32503	8.67E+11	8497580	1.29E-03	0.30994
8.77E+11	8592640	1.37E-03	0.327425	8.68E+11	8508360	1.30E-03	0.312335
8.78E+11	8602440	1.38E-03	0.32982	8.69E+11	8519140	1.31E-03	0.314731
8.79E+11	8612240	1.39E-03	0.332216	8.70E+11	8529920	1.32E-03	0.317126
8.80E+11	8621060	1.40E-03	0.334611	8.72E+11	8540700	1.33E-03	0.319521
8.81E+11	8630860	1.41E-03	0.337006	8.72E+11	8546580	1.34E-03	0.320958
8.82E+11	8640660	1.42E-03	0.339401	8.73E+11	8556380	1.35E-03	0.323353
8.83E+11	8649480	1.43E-03	0.341796	8.74E+11	8565200	1.36E-03	0.325749
8.84E+11	8659280	1.44E-03	0.344192	8.74E+11	8566180	1.36E-03	0.325988
8.85E+11	8668100	1.45E-03	0.346587	8.75E+11	8575000	1.37E-03	0.328383
8.86E+11	8677900	1.46E-03	0.348982	8.76E+11	8582840	1.38E-03	0.330778
8.86E+11	8686720	1.47E-03	0.351377	8.77E+11	8591660	1.39E-03	0.333174
8.87E+11	8696520	1.48E-03	0.353772	8.77E+11	8598520	1.40E-03	0.33509
8.88E+11	8705340	1.49E-03	0.356168	8.78E+11	8603420	1.41E-03	0.337485
8.89E+11	8714160	1.50E-03	0.358563	8.78E+11	8608320	1.42E-03	0.33988
8.90E+11	8722980	1.51E-03	0.360958	8.79E+11	8611260	1.43E-03	0.341317
8.91E+11	8732780	1.52E-03	0.363353	8.79E+11	8616160	1.44E-03	0.343713
8.92E+11	8741600	1.53E-03	0.365749	8.80E+11	8621060	1.45E-03	0.346108
8.93E+11	8750420	1.54E-03	0.368144	8.80E+11	8625960	1.46E-03	0.348503
8.94E+11	8759240	1.55E-03	0.370539	8.80E+11	8625960	1.46E-03	0.348743
8.94E+11	8764140	1.55E-03	0.371737	8.81E+11	8630860	1.47E-03	0.351138
8.95E+11	8767080	1.56E-03	0.374132	8.81E+11	8635760	1.48E-03	0.353533
8.95E+11	8770020	1.57E-03	0.376527	8.81E+11	8635760	1.48E-03	0.353772
8.95E+11	8773940	1.58E-03	0.378922	8.82E+11	8640660	1.49E-03	0.356168
8.96E+11	8776880	1.59E-03	0.381317	8.82E+11	8644580	1.50E-03	0.358563
8.96E+11	8779820	1.60E-03	0.383473	8.83E+11	8649480	1.51E-03	0.360958
8.96E+11	8781780	1.61E-03	0.385868	8.83E+11	8653400	1.52E-03	0.363353
8.96E+11	8784720	1.62E-03	0.388263	8.83E+11	8657320	1.53E-03	0.365749
8.97E+11	8786680	1.63E-03	0.390659	8.84E+11	8662220	1.54E-03	0.368144
8.97E+11	8788640	1.64E-03	0.391856	8.84E+11	8666140	1.55E-03	0.370539

8.97E+11	8789620	1.65E-03	0.394251	8.85E+11	8670060	1.56E-03	0.372934
8.97E+11	8790600	1.66E-03	0.396647	8.85E+11	8674960	1.57E-03	0.375329
8.97E+11	8791580	1.67E-03	0.399042	8.86E+11	8677900	1.57E-03	0.377006
8.97E+11	8792560	1.68E-03	0.401437	8.86E+11	8681820	1.58E-03	0.379401
8.97E+11	8792560	1.69E-03	0.403832	8.86E+11	8685740	1.59E-03	0.381796
8.97E+11	8792560	1.70E-03	0.406228	8.87E+11	8689660	1.60E-03	0.383952
8.97E+11	8792560	1.71E-03	0.408623	8.87E+11	8693580	1.61E-03	0.386347
8.97E+11	8792560	1.71E-03	0.409581	8.88E+11	8697500	1.62E-03	0.388743
8.97E+11	8792560	1.72E-03	0.411976	8.88E+11	8701420	1.63E-03	0.390898
8.97E+11	8792560	1.73E-03	0.414371	8.88E+11	8705340	1.64E-03	0.393293
8.97E+11	8792560	1.74E-03	0.416766	8.89E+11	8709260	1.65E-03	0.395689
8.97E+11	8792560	1.75E-03	0.419162	8.89E+11	8713180	1.66E-03	0.398084
8.97E+11	8791580	1.76E-03	0.421557	8.90E+11	8717100	1.67E-03	0.400479
8.97E+11	8792560	1.77E-03	0.423952	8.90E+11	8721020	1.68E-03	0.402874
8.97E+11	8792560	1.78E-03	0.426347	8.90E+11	8724940	1.69E-03	0.405269
8.97E+11	8792560	1.79E-03	0.428743	8.90E+11	8724940	1.69E-03	0.405749
8.97E+11	8792560	1.79E-03	0.428982	8.91E+11	8728860	1.70E-03	0.408144
8.97E+11	8792560	1.80E-03	0.431377	8.91E+11	8732780	1.71E-03	0.410539
8.97E+11	8793540	1.81E-03	0.433772	8.92E+11	8736700	1.72E-03	0.412934
8.97E+11	8794520	1.82E-03	0.436168	8.92E+11	8737680	1.73E-03	0.413653
8.97E+11	8794520	1.83E-03	0.437126	8.92E+11	8741600	1.74E-03	0.416048
8.98E+11	8795500	1.84E-03	0.439521	8.92E+11	8745520	1.75E-03	0.418443
8.98E+11	8795500	1.85E-03	0.441916	8.93E+11	8748460	1.76E-03	0.420359
8.98E+11	8796480	1.85E-03	0.443353	8.93E+11	8751400	1.77E-03	0.422754
8.98E+11	8796480	1.86E-03	0.445749	8.93E+11	8755320	1.78E-03	0.42515
8.98E+11	8797460	1.87E-03	0.448144	8.94E+11	8759240	1.79E-03	0.427545
8.98E+11	8798440	1.88E-03	0.450539	8.94E+11	8763160	1.80E-03	0.42994
8.98E+11	8798440	1.88E-03	0.451257	8.95E+11	8766100	1.81E-03	0.432335
8.98E+11	8799420	1.89E-03	0.453653	8.95E+11	8770020	1.82E-03	0.434731
8.98E+11	8800400	1.90E-03	0.456048	8.95E+11	8773940	1.83E-03	0.437126
8.98E+11	8800400	1.91E-03	0.458443	8.95E+11	8774920	1.83E-03	0.438323
8.98E+11	8801380	1.92E-03	0.460838	8.96E+11	8776880	1.84E-03	0.440719
8.98E+11	8802360	1.93E-03	0.463234	8.96E+11	8778840	1.85E-03	0.443114
8.98E+11	8803340	1.94E-03	0.465629	8.96E+11	8780800	1.86E-03	0.445509
8.99E+11	8805300	1.95E-03	0.468024	8.96E+11	8780800	1.86E-03	0.445988
8.99E+11	8805300	1.95E-03	0.468024	8.96E+11	8782760	1.87E-03	0.448383
8.99E+11	8806280	1.96E-03	0.470419	8.96E+11	8783740	1.88E-03	0.450778
8.99E+11	8807260	1.97E-03	0.472814	8.97E+11	8785700	1.89E-03	0.453174
8.99E+11	8808240	1.98E-03	0.47521	8.97E+11	8786680	1.90E-03	0.45509
8.99E+11	8809220	1.99E-03	0.477605	8.97E+11	8788640	1.91E-03	0.457485
8.99E+11	8811180	2.00E-03	0.48	8.97E+11	8790600	1.92E-03	0.45988
8.99E+11	8812160	2.01E-03	0.482395	8.97E+11	8791580	1.93E-03	0.462275
8.99E+11	8813140	2.02E-03	0.48479	8.97E+11	8792560	1.94E-03	0.463952
8.99E+11	8814120	2.03E-03	0.487186	8.97E+11	8794520	1.95E-03	0.466347
9.00E+11	8815100	2.04E-03	0.489581	8.98E+11	8795500	1.96E-03	0.468743
9.00E+11	8816080	2.05E-03	0.490539	8.98E+11	8797460	1.97E-03	0.471138
9.00E+11	8817060	2.06E-03	0.492934	8.98E+11	8798440	1.97E-03	0.472575

9.00E+11	8818040	2.07E-03	0.495329	8.98E+11	8799420	1.98E-03	0.47497
9.00E+11	8819020	2.08E-03	0.497725	8.98E+11	8801380	1.99E-03	0.477365
9.00E+11	8820000	2.09E-03	0.50012	8.98E+11	8802360	2.00E-03	0.47976
9.00E+11	8820980	2.10E-03	0.502515	8.98E+11	8803340	2.01E-03	0.481198
9.00E+11	8821960	2.10E-03	0.503234	8.98E+11	8804320	2.02E-03	0.483593
9.00E+11	8822940	2.11E-03	0.505629	8.99E+11	8806280	2.03E-03	0.485988
9.00E+11	8823920	2.12E-03	0.508024	8.99E+11	8807260	2.04E-03	0.488144
9.01E+11	8825880	2.13E-03	0.510419	8.99E+11	8808240	2.05E-03	0.490539
9.01E+11	8826860	2.14E-03	0.512814	8.99E+11	8809220	2.06E-03	0.492934
9.01E+11	8827840	2.15E-03	0.51521	8.99E+11	8811180	2.07E-03	0.495329
9.01E+11	8829800	2.16E-03	0.517605	8.99E+11	8812160	2.08E-03	0.497725
9.01E+11	8830780	2.17E-03	0.52	8.99E+11	8813140	2.08E-03	0.498443
9.01E+11	8830780	2.17E-03	0.520719	8.99E+11	8814120	2.09E-03	0.500838
9.01E+11	8832740	2.18E-03	0.523114	9.00E+11	8815100	2.10E-03	0.503234
9.01E+11	8833720	2.19E-03	0.525509	9.00E+11	8816080	2.11E-03	0.505629
9.02E+11	8834700	2.20E-03	0.527904	9.00E+11	8818040	2.12E-03	0.508024
9.02E+11	8836660	2.21E-03	0.530299	9.00E+11	8818040	2.12E-03	0.508024
9.02E+11	8837640	2.22E-03	0.532695	9.00E+11	8819020	2.13E-03	0.510419
9.02E+11	8839600	2.23E-03	0.53509	9.00E+11	8820000	2.14E-03	0.512814
9.02E+11	8840580	2.24E-03	0.537485	9.00E+11	8820980	2.15E-03	0.51521
9.02E+11	8842540	2.25E-03	0.53988	9.00E+11	8822940	2.16E-03	0.517605
9.02E+11	8843520	2.26E-03	0.542275	9.00E+11	8823920	2.17E-03	0.52
9.03E+11	8845480	2.27E-03	0.544671	9.01E+11	8824900	2.18E-03	0.522395
9.03E+11	8846460	2.28E-03	0.547066	9.01E+11	8825880	2.19E-03	0.52479
9.03E+11	8848420	2.29E-03	0.549461	9.01E+11	8827840	2.20E-03	0.527186
9.03E+11	8849400	2.30E-03	0.551856	9.01E+11	8828820	2.21E-03	0.529581
9.03E+11	8851360	2.31E-03	0.554251	9.01E+11	8829800	2.22E-03	0.531976
9.03E+11	8852340	2.32E-03	0.556647	9.01E+11	8830780	2.23E-03	0.533174
9.04E+11	8854300	2.33E-03	0.559042	9.01E+11	8831760	2.24E-03	0.535569
9.04E+11	8855280	2.34E-03	0.561437	9.01E+11	8833720	2.25E-03	0.537964
9.04E+11	8856260	2.35E-03	0.562395	9.02E+11	8834700	2.26E-03	0.540359
9.04E+11	8857240	2.36E-03	0.56479	9.02E+11	8835680	2.27E-03	0.542754
9.04E+11	8859200	2.37E-03	0.567186	9.02E+11	8836660	2.28E-03	0.54515
9.04E+11	8861160	2.38E-03	0.569581	9.02E+11	8837640	2.28E-03	0.546587
9.04E+11	8862140	2.39E-03	0.571976	9.02E+11	8838620	2.29E-03	0.548982
9.05E+11	8864100	2.40E-03	0.574371	9.02E+11	8840580	2.30E-03	0.551377
9.05E+11	8865080	2.41E-03	0.576766	9.02E+11	8841560	2.31E-03	0.553772
9.05E+11	8867040	2.42E-03	0.579162	9.02E+11	8842540	2.32E-03	0.556168
9.05E+11	8869000	2.43E-03	0.581557	9.03E+11	8844500	2.33E-03	0.558563
9.05E+11	8869980	2.44E-03	0.583952	9.03E+11	8844500	2.33E-03	0.558802
9.05E+11	8871940	2.45E-03	0.586347	9.03E+11	8845480	2.34E-03	0.561198
9.05E+11	8872920	2.46E-03	0.588743	9.03E+11	8846460	2.35E-03	0.563593
9.06E+11	8874880	2.47E-03	0.591138	9.03E+11	8848420	2.36E-03	0.565988
9.06E+11	8876840	2.48E-03	0.593533	9.03E+11	8848420	2.36E-03	0.566228
9.06E+11	8877820	2.49E-03	0.595928	9.03E+11	8849400	2.37E-03	0.568623
9.06E+11	8879780	2.50E-03	0.598323	9.03E+11	8850380	2.38E-03	0.571018
9.06E+11	8881740	2.51E-03	0.600719	9.03E+11	8851360	2.39E-03	0.573413

9.06E+11	8882720	2.52E-03	0.603114	9.03E+11	8852340	2.40E-03	0.575329
9.07E+11	8884680	2.53E-03	0.605509	9.03E+11	8852340	2.41E-03	0.577725
9.07E+11	8886640	2.54E-03	0.607904	9.03E+11	8853320	2.42E-03	0.58012
9.07E+11	8887620	2.55E-03	0.610299	9.04E+11	8854300	2.43E-03	0.582515
9.07E+11	8889580	2.56E-03	0.612695	9.04E+11	8854300	2.43E-03	0.582994
9.07E+11	8891540	2.57E-03	0.61509	9.04E+11	8855280	2.44E-03	0.585389
9.07E+11	8892520	2.58E-03	0.617485	9.04E+11	8856260	2.45E-03	0.587784
9.08E+11	8893500	2.58E-03	0.618922	9.04E+11	8857240	2.46E-03	0.59018
9.08E+11	8895460	2.59E-03	0.621317	9.04E+11	8858220	2.47E-03	0.592575
9.08E+11	8897420	2.60E-03	0.623713	9.04E+11	8858220	2.48E-03	0.593054
9.08E+11	8899380	2.61E-03	0.626108	9.04E+11	8858220	2.49E-03	0.595449
9.08E+11	8900360	2.62E-03	0.628503	9.04E+11	8859200	2.50E-03	0.597844
9.08E+11	8902320	2.63E-03	0.630898	9.04E+11	8860180	2.51E-03	0.60024
9.09E+11	8904280	2.64E-03	0.633293	9.04E+11	8860180	2.52E-03	0.602635
9.09E+11	8905260	2.65E-03	0.635689	9.04E+11	8861160	2.53E-03	0.60503
9.09E+11	8907220	2.66E-03	0.638084	9.04E+11	8861160	2.53E-03	0.605269
9.09E+11	8909180	2.67E-03	0.640479	9.04E+11	8862140	2.54E-03	0.607665
9.09E+11	8911140	2.68E-03	0.642874	9.04E+11	8862140	2.55E-03	0.61006
9.09E+11	8912120	2.69E-03	0.645269	9.04E+11	8863120	2.56E-03	0.612455
9.10E+11	8914080	2.70E-03	0.647665	9.04E+11	8862140	2.57E-03	0.61485
9.10E+11	8915060	2.71E-03	0.648623	9.04E+11	8861160	2.58E-03	0.617246
9.10E+11	8916040	2.72E-03	0.651018	9.04E+11	8859200	2.59E-03	0.619641
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-8.90E+08	-8722	-1.00E-06	-0.00024	-8.85E+08	-8673.98	-1.00E-06	-0.00024
-1.78E+09	-17424.4	-2.00E-06	-0.00048	-1.77E+09	-17326.4	-2.00E-06	-0.00048
-2.67E+09	-26126.8	-3.00E-06	-0.00072	-2.65E+09	-25979.8	-3.00E-06	-0.00072
-3.55E+09	-34829.2	-4.00E-06	-0.00096	-3.53E+09	-34633.2	-4.00E-06	-0.00096
-4.44E+09							
-5.33E+09							
-6.22E+09							
-7.11E+09							
-7.99E+09							
-8.88E+09							
-1.78E+10							
-2.66E+10							
-3.55E+10							
-4.44E+10							
-5.33E+10							
-6.22E+10							
-7.10E+10							
-7.99E+10							
-8.88E+10	-870240	-1.00E-04	-0.02355	-8.85E+10	-865436	-1.00E-04	-0.02355
-9.77E+10	-957264	-1.10E-04	-0.02635	-9.71E+10	-951972	-1.10E-04	-0.02635
-1.07E+11	-1043700	-1.20E-04	-0.02874	-1.06E+11	-1038800	-1.20E-04	-0.02874
-1.15E+11	-1130920	-1.30E-04	-0.03114	-1.15E+11	-1125040	-1.30E-04	-0.03114
-1.24E+11	-1218140	-1.40E-04	-0.03353	-1.24E+11	-1211280	-1.40E-04	-0.03353
-1.33E+11	-1304380	-1.50E-04	-0.03593	-1.32E+11	-1297520	-1.50E-04	-0.03593



-1.42E+11	-1391600	-1.60E-04	-0.03832	-1.41E+11	-1383760	-1.60E-04	-0.03832
-1.51E+11	-1478820	-1.70E-04	-0.04072	-1.50E+11	-1470000	-1.70E-04	-0.04072
-1.60E+11	-1565060	-1.80E-04	-0.04311	-1.59E+11	-1556240	-1.80E-04	-0.04311
-1.69E+11	-1652280	-1.90E-04	-0.04551	-1.68E+11	-1642480	-1.90E-04	-0.04551
-1.77E+11	-1738520	-2.00E-04	-0.0479	-1.76E+11	-1728720	-2.00E-04	-0.0479
-1.86E+11	-1825740	-2.10E-04	-0.0503	-1.85E+11	-1814960	-2.10E-04	-0.0503
-1.95E+11	-1911980	-2.20E-04	-0.05269	-1.94E+11	-1901200	-2.20E-04	-0.05269
-2.04E+11	-1998220	-2.30E-04	-0.05509	-2.03E+11	-1987440	-2.30E-04	-0.05509
-2.13E+11	-2084460	-2.40E-04	-0.05749	-2.12E+11	-2073680	-2.40E-04	-0.05749
-2.22E+11	-2170700	-2.50E-04	-0.05988	-2.20E+11	-2158940	-2.50E-04	-0.05988
-2.30E+11	-2256940	-2.60E-04	-0.06228	-2.29E+11	-2245180	-2.60E-04	-0.06228
-2.39E+11	-2344160	-2.70E-04	-0.06467	-2.38E+11	-2331420	-2.70E-04	-0.06467
-2.48E+11	-2430400	-2.80E-04	-0.06707	-2.47E+11	-2416680	-2.80E-04	-0.06707
-2.57E+11	-2516640	-2.90E-04	-0.06946	-2.55E+11	-2502920	-2.90E-04	-0.06946
-2.66E+11	-2602880	-3.00E-04	-0.07186	-2.64E+11	-2588180	-3.00E-04	-0.07186
-2.74E+11	-2689120	-3.10E-04	-0.07425	-2.73E+11	-2674420	-3.10E-04	-0.07425
-2.83E+11	-2775360	-3.20E-04	-0.07665	-2.82E+11	-2760660	-3.20E-04	-0.07665
-2.92E+11	-2861600	-3.30E-04	-0.07904	-2.90E+11	-2845920	-3.30E-04	-0.07904
-3.01E+11	-2947840	-3.40E-04	-0.08144	-2.99E+11	-2931180	-3.40E-04	-0.08144
-3.10E+11	-3034080	-3.50E-04	-0.08383	-3.08E+11	-3017420	-3.50E-04	-0.08383
-3.18E+11	-3120320	-3.60E-04	-0.08623	-3.17E+11	-3102680	-3.60E-04	-0.08623
-3.27E+11	-3206560	-3.70E-04	-0.08862	-3.25E+11	-3188920	-3.70E-04	-0.08862
-3.36E+11	-3292800	-3.80E-04	-0.09102	-3.34E+11	-3274180	-3.80E-04	-0.09102
-3.45E+11	-3379040	-3.90E-04	-0.09341	-3.43E+11	-3359440	-3.90E-04	-0.09341
-3.54E+11	-3464300	-4.00E-04	-0.09581	-3.52E+11	-3445680	-4.00E-04	-0.09581
-3.62E+11	-3550540	-4.10E-04	-0.0982	-3.60E+11	-3530940	-4.10E-04	-0.0982
-3.71E+11	-3636780	-4.20E-04	-0.1006	-3.69E+11	-3616200	-4.20E-04	-0.1006
-3.80E+11	-3723020	-4.30E-04	-0.10299	-3.78E+11	-3701460	-4.30E-04	-0.10299
-3.89E+11	-3808280	-4.40E-04	-0.10539	-3.86E+11	-3786720	-4.40E-04	-0.10539
-3.97E+11	-3894520	-4.50E-04	-0.10778	-3.95E+11	-3871980	-4.50E-04	-0.10778
-4.06E+11	-3980760	-4.60E-04	-0.11018	-4.04E+11	-3957240	-4.60E-04	-0.11018
-4.15E+11	-4066020	-4.70E-04	-0.11257	-4.13E+11	-4042500	-4.70E-04	-0.11257
-4.24E+11	-4152260	-4.80E-04	-0.11497	-4.21E+11	-4127760	-4.80E-04	-0.11497
-4.33E+11	-4238500	-4.90E-04	-0.11737	-4.30E+11	-4212040	-4.90E-04	-0.11737
-4.41E+11	-4323760	-5.00E-04	-0.11976	-4.38E+11	-4296320	-5.00E-04	-0.11976
-4.50E+11	-4409020	-5.10E-04	-0.12216	-4.47E+11	-4381580	-5.10E-04	-0.12216
-4.59E+11	-4494280	-5.20E-04	-0.12455	-4.56E+11	-4465860	-5.20E-04	-0.12455
-4.67E+11	-4579540	-5.30E-04	-0.12695	-4.64E+11	-4550140	-5.30E-04	-0.12695
-4.76E+11	-4664800	-5.40E-04	-0.12934	-4.73E+11	-4634420	-5.40E-04	-0.12934
-4.85E+11	-4750060	-5.50E-04	-0.13174	-4.82E+11	-4718700	-5.50E-04	-0.13174
-4.93E+11	-4834340	-5.60E-04	-0.13413	-4.90E+11	-4802980	-5.60E-04	-0.13413
-5.02E+11	-4919600	-5.70E-04	-0.13653	-4.99E+11	-4886280	-5.70E-04	-0.13653
-5.11E+11	-5003880	-5.80E-04	-0.13892	-5.07E+11	-4970560	-5.80E-04	-0.13892
-5.19E+11	-5088160	-5.90E-04	-0.14132	-5.16E+11	-5053860	-5.90E-04	-0.14132
-5.28E+11	-5171460	-6.00E-04	-0.14371	-5.24E+11	-5138140	-6.00E-04	-0.14371
-5.36E+11	-5255740	-6.10E-04	-0.14611	-5.33E+11	-5221440	-6.10E-04	-0.14611
-5.45E+11	-5339040	-6.20E-04	-0.1485	-5.41E+11	-5304740	-6.20E-04	-0.1485

-5.53E+11	-5423320	-6.30E-04	-0.1509	-5.50E+11	-5387060	-6.30E-04	-0.1509
-5.62E+11	-5506620	-6.40E-04	-0.15329	-5.58E+11	-5470360	-6.40E-04	-0.15329
-5.70E+11	-5589920	-6.50E-04	-0.15569	-5.67E+11	-5552680	-6.50E-04	-0.15569
-5.79E+11	-5672240	-6.60E-04	-0.15808	-5.75E+11	-5635000	-6.60E-04	-0.15808
-5.87E+11	-5755540	-6.70E-04	-0.16048	-5.83E+11	-5716340	-6.70E-04	-0.16048
-5.96E+11	-5837860	-6.80E-04	-0.16287	-5.92E+11	-5797680	-6.80E-04	-0.16287
-6.04E+11	-5920180	-6.90E-04	-0.16527	-6.00E+11	-5879020	-6.90E-04	-0.16527
-6.12E+11	-6001520	-7.00E-04	-0.16766	-6.08E+11	-5958400	-7.00E-04	-0.16766
-6.21E+11	-6082860	-7.10E-04	-0.17006	-6.16E+11	-6036800	-7.10E-04	-0.17006
-6.29E+11	-6163220	-7.20E-04	-0.17246	-6.24E+11	-6114220	-7.20E-04	-0.17246
-6.37E+11	-6242600	-7.30E-04	-0.17485	-6.32E+11	-6191640	-7.30E-04	-0.17485
-6.45E+11	-6320020	-7.40E-04	-0.17725	-6.35E+11	-6223980	-7.34E-04	-0.1759
-6.53E+11	-6395480	-7.50E-04	-0.17964	-6.41E+11	-6279840	-7.42E-04	-0.17768
-6.60E+11	-6469960	-7.60E-04	-0.18204	-6.42E+11	-6293560	-7.47E-04	-0.17892
-6.64E+11	-6503280	-7.65E-04	-0.18311	-6.45E+11	-6321980	-7.57E-04	-0.18132
-6.70E+11	-6563060	-7.73E-04	-0.18513	-6.46E+11	-6328840	-7.59E-04	-0.18184
-6.75E+11	-6612060	-7.81E-04	-0.18697	-6.48E+11	-6348440	-7.66E-04	-0.18345
-6.77E+11	-6637540	-7.87E-04	-0.18853	-6.51E+11	-6374900	-7.76E-04	-0.18584
-6.78E+11	-6645380	-7.94E-04	-0.19013	-6.53E+11	-6401360	-7.86E-04	-0.18824
-6.77E+11	-6630680	-8.02E-04	-0.19198	-6.53E+11	-6402340	-7.86E-04	-0.18831
-6.74E+11	-6602260	-8.12E-04	-0.19437	-6.56E+11	-6423900	-7.96E-04	-0.19071
-6.73E+11	-6592460	-8.15E-04	-0.19528	-6.56E+11	-6425860	-7.98E-04	-0.19111
-6.71E+11	-6578740	-8.22E-04	-0.19679	-6.56E+11	-6429780	-8.02E-04	-0.19219
-6.69E+11	-6555220	-8.32E-04	-0.19919	-6.56E+11	-6428800	-8.09E-04	-0.19375
-6.65E+11	-6517980	-8.42E-04	-0.20158	-6.55E+11	-6416060	-8.18E-04	-0.1959
-6.61E+11	-6473880	-8.52E-04	-0.20395	-6.53E+11	-6395480	-8.25E-04	-0.19756
-6.54E+11	-6409200	-8.62E-04	-0.20635	-6.50E+11	-6369020	-8.32E-04	-0.19923
-6.52E+11	-6391560	-8.64E-04	-0.20685	-6.47E+11	-6337660	-8.39E-04	-0.20098
-6.41E+11	-6285720	-8.74E-04	-0.20925	-6.43E+11	-6304340	-8.46E-04	-0.20273
-6.38E+11	-6248480	-8.77E-04	-0.21004	-6.40E+11	-6268080	-8.54E-04	-0.20443
-6.31E+11	-6182820	-8.83E-04	-0.21143	-6.35E+11	-6220060	-8.62E-04	-0.20644
-6.19E+11	-6066200	-8.93E-04	-0.21382	-6.29E+11	-6166160	-8.71E-04	-0.20865
-6.07E+11	-5946640	-9.03E-04	-0.21622	-6.27E+11	-6139700	-8.76E-04	-0.20992
-5.96E+11	-5842760	-9.13E-04	-0.21861	-6.22E+11	-6097560	-8.84E-04	-0.21181
-5.92E+11	-5801600	-9.18E-04	-0.21976	-6.19E+11	-6061300	-8.92E-04	-0.21358
-5.83E+11	-5715360	-9.28E-04	-0.22216	-6.13E+11	-6011320	-9.02E-04	-0.21598
-5.76E+11	-5641860	-9.38E-04	-0.22455	-6.12E+11	-6001520	-9.04E-04	-0.21648
-5.69E+11	-5580120	-9.48E-04	-0.22695	-6.07E+11	-5945660	-9.14E-04	-0.21887
-5.64E+11	-5522300	-9.58E-04	-0.22934	-6.01E+11	-5886860	-9.24E-04	-0.22127
-5.61E+11	-5500740	-9.62E-04	-0.23037	-6.00E+11	-5878040	-9.25E-04	-0.2216
-5.56E+11	-5450760	-9.72E-04	-0.23277	-5.93E+11	-5815320	-9.35E-04	-0.224
-5.51E+11	-5402740	-9.82E-04	-0.23516	-5.88E+11	-5766320	-9.43E-04	-0.22577
-5.47E+11	-5357660	-9.92E-04	-0.23756	-5.85E+11	-5731040	-9.47E-04	-0.22687
-5.47E+11	-5355700	-9.92E-04	-0.2377	-5.76E+11	-5647740	-9.57E-04	-0.22927
-5.42E+11	-5314540	-1.00E-03	-0.24	-5.68E+11	-5565420	-9.67E-04	-0.23166
-5.38E+11	-5274360	-1.01E-03	-0.2424	-5.61E+11	-5497800	-9.77E-04	-0.23406
-5.34E+11	-5236140	-1.02E-03	-0.24479	-5.57E+11	-5462520	-9.83E-04	-0.23547


-5.31E+11	-5200860	-1.03E-03	-0.24719	-5.52E+11	-5404700	-9.93E-04	-0.23787
-5.27E+11	-5167540	-1.04E-03	-0.24958	-5.46E+11	-5354720	-1.00E-03	-0.24024
-5.24E+11	-5134220	-1.05E-03	-0.25198	-5.42E+11	-5308660	-1.01E-03	-0.24263
-5.21E+11	-5103840	-1.06E-03	-0.25437	-5.37E+11	-5265540	-1.02E-03	-0.24503
-5.18E+11	-5074440	-1.07E-03	-0.25677	-5.33E+11	-5226340	-1.03E-03	-0.24743
-5.15E+11	-5045040	-1.08E-03	-0.25916	-5.31E+11	-5200860	-1.04E-03	-0.2491
-5.12E+11	-5016620	-1.09E-03	-0.26156	-5.27E+11	-5165580	-1.05E-03	-0.2515
-5.09E+11	-4990160	-1.10E-03	-0.26395	-5.24E+11	-5132260	-1.06E-03	-0.25389
-5.07E+11	-4964680	-1.11E-03	-0.26635	-5.21E+11	-5102860	-1.07E-03	-0.25605
-5.04E+11	-4939200	-1.12E-03	-0.26874	-5.18E+11	-5071500	-1.08E-03	-0.25844
-5.01E+11	-4913720	-1.13E-03	-0.27114	-5.16E+11	-5056800	-1.08E-03	-0.25964
-4.99E+11	-4890200	-1.14E-03	-0.27353	-5.13E+11	-5028380	-1.09E-03	-0.26204
-4.97E+11	-4866680	-1.15E-03	-0.27593	-5.10E+11	-5000940	-1.10E-03	-0.26443
-4.94E+11	-4844140	-1.16E-03	-0.27832	-5.08E+11	-4974480	-1.11E-03	-0.26683
-4.92E+11	-4821600	-1.17E-03	-0.28072	-5.05E+11	-4948020	-1.12E-03	-0.26922
-4.90E+11	-4801020	-1.18E-03	-0.28311	-5.02E+11	-4921560	-1.13E-03	-0.27162
-4.88E+11	-4779460	-1.19E-03	-0.28551	-5.00E+11	-4897060	-1.14E-03	-0.27401
-4.86E+11	-4758880	-1.20E-03	-0.2879	-4.97E+11	-4872560	-1.15E-03	-0.27641
-4.84E+11	-4739280	-1.21E-03	-0.2903	-4.95E+11	-4849040	-1.16E-03	-0.2788
-4.82E+11	-4718700	-1.22E-03	-0.29269	-4.92E+11	-4825520	-1.17E-03	-0.2812
-4.79E+11	-4698120	-1.23E-03	-0.29509	-4.90E+11	-4802980	-1.18E-03	-0.28359
-4.77E+11	-4678520	-1.24E-03	-0.29749	-4.88E+11	-4780440	-1.19E-03	-0.28599
-4.76E+11	-4659900	-1.25E-03	-0.29988	-4.86E+11	-4758880	-1.20E-03	-0.28838
-4.74E+11	-4641280	-1.26E-03	-0.30228	-4.84E+11	-4738300	-1.21E-03	-0.29078
-4.72E+11	-4622660	-1.27E-03	-0.30467	-4.81E+11	-4717720	-1.22E-03	-0.29317
-4.70E+11	-4604040	-1.28E-03	-0.30707	-4.79E+11	-4698120	-1.23E-03	-0.29557
-4.68E+11	-4586400	-1.29E-03	-0.30946	-4.77E+11	-4678520	-1.24E-03	-0.29796
-4.66E+11	-4568760	-1.30E-03	-0.31186	-4.75E+11	-4658920	-1.25E-03	-0.30036
-4.64E+11	-4551120	-1.31E-03	-0.31425	-4.74E+11	-4640300	-1.26E-03	-0.30275
-4.63E+11	-4535440	-1.32E-03	-0.31665	-4.72E+11	-4625600	-1.27E-03	-0.30467
-4.61E+11	-4518780	-1.33E-03	-0.31904	-4.70E+11	-4606980	-1.28E-03	-0.30707
-4.59E+11	-4502120	-1.34E-03	-0.32144	-4.68E+11	-4588360	-1.29E-03	-0.30946
-4.58E+11	-4486440	-1.35E-03	-0.32383	-4.66E+11	-4570720	-1.30E-03	-0.31186
-4.56E+11	-4470760	-1.36E-03	-0.32623	-4.65E+11	-4554060	-1.31E-03	-0.31425
-4.55E+11	-4455080	-1.37E-03	-0.32862	-4.63E+11	-4536420	-1.32E-03	-0.31665
-4.53E+11	-4439400	-1.38E-03	-0.33102	-4.61E+11	-4519760	-1.33E-03	-0.31904
-4.52E+11	-4424700	-1.39E-03	-0.33341	-4.60E+11	-4503100	-1.34E-03	-0.32144
-4.50E+11	-4410000	-1.40E-03	-0.33581	-4.58E+11	-4487420	-1.35E-03	-0.32383
-4.49E+11	-4395300	-1.41E-03	-0.3382	-4.56E+11	-4471740	-1.36E-03	-0.32623
-4.47E+11	-4380600	-1.42E-03	-0.3406	-4.55E+11	-4456060	-1.37E-03	-0.32862
-4.46E+11	-4366880	-1.43E-03	-0.34299	-4.53E+11	-4440380	-1.38E-03	-0.33102
-4.44E+11	-4353160	-1.44E-03	-0.34539	-4.52E+11	-4425680	-1.39E-03	-0.33341
-4.43E+11	-4338460	-1.45E-03	-0.34778	-4.50E+11	-4410000	-1.40E-03	-0.33581
-4.41E+11	-4324740	-1.46E-03	-0.35018	-4.49E+11	-4395300	-1.41E-03	-0.3382
-4.40E+11	-4310040	-1.47E-03	-0.35257	-4.47E+11	-4380600	-1.42E-03	-0.3406
-4.38E+11	-4294360	-1.48E-03	-0.35497	-4.45E+11	-4364920	-1.43E-03	-0.34299
-4.37E+11	-4279660	-1.49E-03	-0.35737	-4.44E+11	-4350220	-1.44E-03	-0.34539

-4.35E+11	-4263980	-1.50E-03	-0.35976	-4.42E+11	-4335520	-1.45E-03	-0.34778
-4.34E+11	-4249280	-1.51E-03	-0.36216	-4.41E+11	-4320820	-1.46E-03	-0.35018
-4.32E+11	-4234580	-1.52E-03	-0.36455	-4.39E+11	-4306120	-1.47E-03	-0.35257
-4.31E+11	-4219880	-1.53E-03	-0.36695	-4.38E+11	-4292400	-1.48E-03	-0.35497
-4.29E+11	-4206160	-1.54E-03	-0.36934	-4.37E+11	-4277700	-1.49E-03	-0.35737
-4.28E+11	-4192440	-1.55E-03	-0.37174	-4.35E+11	-4263980	-1.50E-03	-0.35976
-4.26E+11	-4177740	-1.56E-03	-0.37413	-4.34E+11	-4249280	-1.51E-03	-0.36216
-4.25E+11	-4164020	-1.57E-03	-0.37653	-4.32E+11	-4235560	-1.52E-03	-0.36455
-4.24E+11	-4150300	-1.58E-03	-0.37892	-4.31E+11	-4220860	-1.53E-03	-0.36695
-4.22E+11	-4136580	-1.59E-03	-0.38132	-4.29E+11	-4206160	-1.54E-03	-0.36934
-4.21E+11	-4122860	-1.60E-03	-0.38371	-4.28E+11	-4191460	-1.55E-03	-0.37174
-4.19E+11	-4110120	-1.61E-03	-0.38611	-4.26E+11	-4177740	-1.56E-03	-0.37413
-4.18E+11	-4096400	-1.62E-03	-0.3885	-4.25E+11	-4164020	-1.57E-03	-0.37653
-4.17E+11	-4082680	-1.63E-03	-0.3909	-4.23E+11	-4149320	-1.58E-03	-0.37892
-4.15E+11	-4068960	-1.64E-03	-0.39329	-4.22E+11	-4135600	-1.59E-03	-0.38132
-4.14E+11	-4056220	-1.65E-03	-0.39569	-4.21E+11	-4121880	-1.60E-03	-0.38371
-4.13E+11	-4042500	-1.66E-03	-0.39808	-4.19E+11	-4108160	-1.61E-03	-0.38611
-4.11E+11	-4029760	-1.67E-03	-0.40048	-4.18E+11	-4094440	-1.62E-03	-0.3885
-4.10E+11	-4017020	-1.68E-03	-0.40287	-4.17E+11	-4081700	-1.63E-03	-0.3909
-4.09E+11	-4004280	-1.69E-03	-0.40527	-4.15E+11	-4067980	-1.64E-03	-0.39329
-4.07E+11	-3991540	-1.70E-03	-0.40766	-4.14E+11	-4054260	-1.65E-03	-0.39569
-4.06E+11	-3979780	-1.71E-03	-0.41006	-4.12E+11	-4041520	-1.66E-03	-0.39808
-4.05E+11	-3967040	-1.72E-03	-0.41246	-4.11E+11	-4028780	-1.67E-03	-0.40048
-4.04E+11	-3954300	-1.73E-03	-0.41485	-4.10E+11	-4015060	-1.68E-03	-0.40287
-4.02E+11	-3942540	-1.74E-03	-0.41725	-4.08E+11	-4002320	-1.69E-03	-0.40527
-4.01E+11	-3930780	-1.75E-03	-0.41964	-4.07E+11	-3989580	-1.70E-03	-0.40766
-4.00E+11	-3919020	-1.76E-03	-0.42204	-4.06E+11	-3979780	-1.71E-03	-0.40958
-3.99E+11	-3907260	-1.77E-03	-0.42443	-4.05E+11	-3968020	-1.72E-03	-0.41198
-3.98E+11	-3895500	-1.78E-03	-0.42683	-4.04E+11	-3955280	-1.73E-03	-0.41437
-3.96E+11	-3883740	-1.79E-03	-0.42922	-4.02E+11	-3942540	-1.74E-03	-0.41677
-3.95E+11	-3871980	-1.80E-03	-0.43162	-4.01E+11	-3930780	-1.75E-03	-0.41916
-3.94E+11	-3860220	-1.81E-03	-0.43401	-4.00E+11	-3918040	-1.76E-03	-0.42156
-3.93E+11	-3848460	-1.82E-03	-0.43641	-3.99E+11	-3906280	-1.77E-03	-0.42395
-3.92E+11	-3837680	-1.83E-03	-0.4388	-3.97E+11	-3894520	-1.78E-03	-0.42635
-3.91E+11	-3830820	-1.84E-03	-0.44024	-3.96E+11	-3882760	-1.79E-03	-0.42874
-3.90E+11	-3819060	-1.85E-03	-0.44263	-3.95E+11	-3871000	-1.80E-03	-0.43114
-3.89E+11	-3808280	-1.86E-03	-0.44503	-3.94E+11	-3859240	-1.81E-03	-0.43353
-3.87E+11	-3796520	-1.87E-03	-0.44743	-3.93E+11	-3847480	-1.82E-03	-0.43593
-3.86E+11	-3785740	-1.88E-03	-0.44982	-3.91E+11	-3835720	-1.83E-03	-0.43832
-3.85E+11	-3774960	-1.89E-03	-0.45222	-3.90E+11	-3824940	-1.84E-03	-0.44072
-3.84E+11	-3764180	-1.90E-03	-0.45461	-3.89E+11	-3813180	-1.85E-03	-0.44311
-3.83E+11	-3753400	-1.91E-03	-0.45701	-3.88E+11	-3802400	-1.86E-03	-0.44551
-3.82E+11	-3742620	-1.92E-03	-0.4594	-3.87E+11	-3791620	-1.87E-03	-0.4479
-3.81E+11	-3732820	-1.93E-03	-0.4618	-3.86E+11	-3780840	-1.88E-03	-0.4503
-3.80E+11	-3723020	-1.94E-03	-0.46419	-3.85E+11	-3770060	-1.89E-03	-0.45269
-3.79E+11	-3713220	-1.95E-03	-0.46659	-3.84E+11	-3759280	-1.90E-03	-0.45509
-3.78E+11	-3702440	-1.96E-03	-0.46898	-3.83E+11	-3748500	-1.91E-03	-0.45749

-3.77E+11	-3692640	-1.97E-03	-0.47138	-3.82E+11	-3738700	-1.92E-03	-0.45988
-3.76E+11	-3682840	-1.98E-03	-0.47377	-3.80E+11	-3727920	-1.93E-03	-0.46228
-3.75E+11	-3674020	-1.99E-03	-0.47617	-3.79E+11	-3717140	-1.94E-03	-0.46467
-3.74E+11	-3665200	-2.00E-03	-0.47856	-3.78E+11	-3707340	-1.95E-03	-0.46707
-3.73E+11	-3656380	-2.01E-03	-0.48096	-3.78E+11	-3702440	-1.96E-03	-0.4685
-3.72E+11	-3647560	-2.02E-03	-0.48335	-3.77E+11	-3692640	-1.97E-03	-0.4709
-3.71E+11	-3638740	-2.03E-03	-0.48575	-3.76E+11	-3682840	-1.98E-03	-0.47329
-3.71E+11	-3630900	-2.04E-03	-0.48814	-3.75E+11	-3674020	-1.99E-03	-0.47569
-3.70E+11	-3622080	-2.05E-03	-0.49054	-3.74E+11	-3664220	-2.00E-03	-0.47808
-3.69E+11	-3614240	-2.06E-03	-0.49293	-3.73E+11	-3655400	-2.01E-03	-0.48048
-3.68E+11	-3605420	-2.07E-03	-0.49533	-3.72E+11	-3646580	-2.02E-03	-0.48287
-3.67E+11	-3597580	-2.08E-03	-0.49772	-3.71E+11	-3636780	-2.03E-03	-0.48527
-3.66E+11	-3588760	-2.09E-03	-0.50012	-3.70E+11	-3627960	-2.04E-03	-0.48766
-3.65E+11	-3580920	-2.10E-03	-0.50251	-3.69E+11	-3620120	-2.05E-03	-0.49006
-3.65E+11	-3573080	-2.11E-03	-0.50491	-3.69E+11	-3611300	-2.06E-03	-0.49246
-3.64E+11	-3565240	-2.12E-03	-0.50731	-3.68E+11	-3603460	-2.07E-03	-0.49485
-3.63E+11	-3558380	-2.13E-03	-0.5097	-3.67E+11	-3594640	-2.08E-03	-0.49725
-3.62E+11	-3550540	-2.14E-03	-0.5121	-3.66E+11	-3586800	-2.09E-03	-0.49964
-3.62E+11	-3543680	-2.15E-03	-0.51449	-3.65E+11	-3578960	-2.10E-03	-0.50204
-3.61E+11	-3535840	-2.16E-03	-0.51689	-3.64E+11	-3571120	-2.11E-03	-0.50443
-3.60E+11	-3528000	-2.17E-03	-0.51928	-3.64E+11	-3563280	-2.12E-03	-0.50683
-3.59E+11	-3521140	-2.18E-03	-0.52168	-3.63E+11	-3555440	-2.13E-03	-0.50922
-3.59E+11	-3513300	-2.19E-03	-0.52407	-3.62E+11	-3547600	-2.14E-03	-0.51162
-3.58E+11	-3506440	-2.20E-03	-0.52647	-3.61E+11	-3539760	-2.15E-03	-0.51401
-3.57E+11	-3499580	-2.21E-03	-0.52886	-3.61E+11	-3532900	-2.16E-03	-0.51641
-3.56E+11	-3491740	-2.22E-03	-0.53126	-3.60E+11	-3525060	-2.17E-03	-0.5188
-3.56E+11	-3484880	-2.23E-03	-0.53365	-3.59E+11	-3517220	-2.18E-03	-0.5212
-3.55E+11	-3478020	-2.24E-03	-0.53605	-3.58E+11	-3510360	-2.19E-03	-0.52359
-3.54E+11	-3471160	-2.25E-03	-0.53844	-3.57E+11	-3502520	-2.20E-03	-0.52599
-3.54E+11	-3465280	-2.26E-03	-0.54084	-3.57E+11	-3495660	-2.21E-03	-0.52838
-3.53E+11	-3458420	-2.27E-03	-0.54323	-3.56E+11	-3488800	-2.22E-03	-0.53078
-3.52E+11	-3452540	-2.28E-03	-0.54563	-3.55E+11	-3481940	-2.23E-03	-0.53317
-3.52E+11	-3445680	-2.29E-03	-0.54802	-3.55E+11	-3475080	-2.24E-03	-0.53557
-3.51E+11	-3439800	-2.30E-03	-0.55042	-3.54E+11	-3468220	-2.25E-03	-0.53796
-3.50E+11	-3432940	-2.31E-03	-0.55281	-3.53E+11	-3461360	-2.26E-03	-0.54036
-3.50E+11	-3427060	-2.32E-03	-0.55521	-3.53E+11	-3454500	-2.27E-03	-0.54275
-3.49E+11	-3420200	-2.33E-03	-0.5576	-3.52E+11	-3447640	-2.28E-03	-0.54515
-3.48E+11	-3414320	-2.34E-03	-0.56	-3.51E+11	-3440780	-2.29E-03	-0.54754
-3.48E+11	-3408440	-2.35E-03	-0.5624	-3.51E+11	-3434900	-2.30E-03	-0.54994
-3.47E+11	-3401580	-2.36E-03	-0.56479	-3.50E+11	-3428040	-2.31E-03	-0.55234
-3.47E+11	-3395700	-2.37E-03	-0.56719	-3.49E+11	-3422160	-2.32E-03	-0.55473
-3.46E+11	-3389820	-2.38E-03	-0.56958	-3.49E+11	-3415300	-2.33E-03	-0.55713
-3.45E+11	-3383940	-2.39E-03	-0.57198	-3.48E+11	-3409420	-2.34E-03	-0.55952
-3.45E+11	-3378060	-2.40E-03	-0.57437	-3.47E+11	-3403540	-2.35E-03	-0.56192
-3.44E+11	-3372180	-2.41E-03	-0.57677	-3.47E+11	-3396680	-2.36E-03	-0.56431
-3.44E+11	-3366300	-2.42E-03	-0.57916	-3.46E+11	-3390800	-2.37E-03	-0.56671
-3.43E+11	-3361400	-2.43E-03	-0.58156	-3.45E+11	-3384920	-2.38E-03	-0.5691

-3.43E+11	-3356500	-2.44E-03	-0.58395	-3.45E+11	-3379040	-2.39E-03	-0.5715
-3.42E+11	-3350620	-2.45E-03	-0.58635	-3.44E+11	-3373160	-2.40E-03	-0.57389
-3.41E+11	-3345720	-2.46E-03	-0.58874	-3.44E+11	-3368260	-2.41E-03	-0.57629
-3.41E+11	-3340820	-2.47E-03	-0.59114	-3.43E+11	-3362380	-2.42E-03	-0.57868
-3.40E+11	-3335920	-2.48E-03	-0.59353	-3.43E+11	-3356500	-2.43E-03	-0.58108
-3.40E+11	-3331020	-2.49E-03	-0.59593	-3.42E+11	-3351600	-2.44E-03	-0.58347
-3.39E+11	-3326120	-2.50E-03	-0.59832	-3.41E+11	-3345720	-2.45E-03	-0.58587
-3.39E+11	-3321220	-2.51E-03	-0.60072	-3.41E+11	-3340820	-2.46E-03	-0.58826
-3.38E+11	-3316320	-2.52E-03	-0.60311	-3.40E+11	-3335920	-2.47E-03	-0.59066
-3.38E+11	-3311420	-2.53E-03	-0.60551	-3.40E+11	-3330040	-2.48E-03	-0.59305
-3.37E+11	-3306520	-2.54E-03	-0.6079	-3.39E+11	-3325140	-2.49E-03	-0.59545
-3.37E+11	-3301620	-2.55E-03	-0.6103	-3.39E+11	-3320240	-2.50E-03	-0.59784
-3.36E+11	-3296720	-2.56E-03	-0.61269	-3.38E+11	-3315340	-2.51E-03	-0.60024
-3.36E+11	-3291820	-2.57E-03	-0.61509	-3.38E+11	-3310440	-2.52E-03	-0.60263
-3.35E+11	-3286920	-2.58E-03	-0.61749	-3.37E+11	-3305540	-2.53E-03	-0.60503
-3.35E+11	-3282020	-2.59E-03	-0.61988	-3.37E+11	-3300640	-2.54E-03	-0.60743
-3.34E+11	-3277120	-2.60E-03	-0.62228	-3.36E+11	-3295740	-2.55E-03	-0.60982
-3.34E+11	-3272220	-2.61E-03	-0.62467	-3.36E+11	-3290840	-2.56E-03	-0.61222
-3.34E+11	-3268300	-2.62E-03	-0.62707	-3.35E+11	-3285940	-2.57E-03	-0.61461
-3.33E+11	-3263400	-2.63E-03	-0.62946	-3.35E+11	-3281040	-2.58E-03	-0.61701
-3.33E+11	-3259480	-2.64E-03	-0.63186	-3.34E+11	-3276140	-2.59E-03	-0.6194
-3.32E+11	-3255560	-2.65E-03	-0.63425	-3.34E+11	-3272220	-2.60E-03	-0.6218
-3.32E+11	-3250660	-2.66E-03	-0.63665	-3.33E+11	-3267320	-2.61E-03	-0.62419
-3.31E+11	-3246740	-2.67E-03	-0.63904	-3.33E+11	-3262420	-2.62E-03	-0.62659
-3.31E+11	-3242820	-2.68E-03	-0.64144	-3.33E+11	-3258500	-2.63E-03	-0.62898
-3.30E+11	-3237920	-2.69E-03	-0.64383	-3.32E+11	-3253600	-2.64E-03	-0.63138
-3.30E+11	-3234000	-2.70E-03	-0.64623	-3.32E+11	-3249680	-2.65E-03	-0.63377
-3.30E+11	-3230080	-2.71E-03	-0.64862	-3.31E+11	-3244780	-2.66E-03	-0.63617
-3.29E+11	-3226160	-2.72E-03	-0.65102	-3.31E+11	-3240860	-2.67E-03	-0.63856
-3.29E+11	-3221260	-2.73E-03	-0.65341	-3.30E+11	-3236940	-2.68E-03	-0.64096
-3.28E+11	-3217340	-2.74E-03	-0.65581	-3.30E+11	-3232040	-2.69E-03	-0.64335
-3.28E+11	-3213420	-2.75E-03	-0.6582	-3.29E+11	-3228120	-2.70E-03	-0.64575
-3.28E+11	-3209500	-2.76E-03	-0.6606	-3.29E+11	-3224200	-2.71E-03	-0.64814
-3.27E+11	-3205580	-2.77E-03	-0.66299	-3.29E+11	-3219300	-2.72E-03	-0.65054
-3.27E+11	-3200680	-2.78E-03	-0.66539	-3.28E+11	-3215380	-2.73E-03	-0.65293
-3.26E+11	-3196760	-2.79E-03	-0.66778	-3.28E+11	-3211460	-2.74E-03	-0.65533
-3.26E+11	-3192840	-2.80E-03	-0.67018	-3.27E+11	-3207540	-2.75E-03	-0.65772
-3.25E+11	-3188920	-2.81E-03	-0.67257	-3.27E+11	-3202640	-2.76E-03	-0.66012
-3.25E+11	-3185000	-2.82E-03	-0.67497	-3.26E+11	-3198720	-2.77E-03	-0.66251
-3.25E+11	-3181080	-2.83E-03	-0.67737	-3.26E+11	-3194800	-2.78E-03	-0.66491

Bulk Carrier (B4) Idchk = 1				Bulk Carrier (B4) Idchk = 2			
40% damage				40% damage			
frame spa	4.175	9.80E-06	1000	frame spa	4.175	9.80E-06	1000
Moment	Rotation		Curvature	Moment	Rotation		Curvature
8.79E+08	8616.16	1.00E-06	0.00024	8.70E+08	8522.08	1.00E-06	0.00024
1.76E+09	17208.8	2.00E-06	0.000479	1.74E+09	17022.6	2.00E-06	0.000479



2.02E+11	1977640	2.30E-04	0.05509	2.00E+11	1955100	2.30E-04	0.05509
2.11E+11	2062900	2.40E-04	0.057485	2.08E+11	2040360	2.40E-04	0.057485
2.19E+11	2149140	2.50E-04	0.05988	2.17E+11	2125620	2.50E-04	0.05988
2.28E+11	2235380	2.60E-04	0.062275	2.26E+11	2209900	2.60E-04	0.062275
2.37E+11	2320640	2.70E-04	0.064671	2.34E+11	2295160	2.70E-04	0.064671
2.46E+11	2406880	2.80E-04	0.067066	2.43E+11	2380420	2.80E-04	0.067066
2.54E+11	2493120	2.90E-04	0.069461	2.52E+11	2464700	2.90E-04	0.069461
2.63E+11	2578380	3.00E-04	0.071856	2.60E+11	2549960	3.00E-04	0.071856
2.72E+11	2664620	3.10E-04	0.074251	2.69E+11	2635220	3.10E-04	0.074251
2.81E+11	2750860	3.20E-04	0.076647	2.78E+11	2719500	3.20E-04	0.076647
2.89E+11	2836120	3.30E-04	0.079042	2.86E+11	2804760	3.30E-04	0.079042

2.98E+11	2922360	3.40E-04	0.081437	2.95E+11	2890020	3.40E-04	0.081437
3.07E+11	3008600	3.50E-04	0.083832	3.04E+11	2974300	3.50E-04	0.083832
3.16E+11	3093860	3.60E-04	0.086228	3.12E+11	3059560	3.60E-04	0.086228
3.25E+11	3180100	3.70E-04	0.088623	3.21E+11	3143840	3.70E-04	0.088623
3.33E+11	3266340	3.80E-04	0.091018	3.30E+11	3229100	3.80E-04	0.091018
3.42E+11	3351600	3.90E-04	0.093413	3.38E+11	3314360	3.90E-04	0.093413
3.51E+11	3437840	4.00E-04	0.095808	3.47E+11	3398640	4.00E-04	0.095808
3.60E+11	3523100	4.10E-04	0.098204	3.56E+11	3483900	4.10E-04	0.098204
3.68E+11	3609340	4.20E-04	0.100599	3.64E+11	3568180	4.20E-04	0.100599
3.77E+11	3695580	4.30E-04	0.102994	3.73E+11	3653440	4.30E-04	0.102994
3.86E+11	3780840	4.40E-04	0.105389	3.82E+11	3738700	4.40E-04	0.105389
3.95E+11	3867080	4.50E-04	0.107784	3.90E+11	3822980	4.50E-04	0.107784
4.03E+11	3953320	4.60E-04	0.11018	3.99E+11	3908240	4.60E-04	0.11018
4.12E+11	4038580	4.70E-04	0.112575	4.07E+11	3992520	4.70E-04	0.112575
4.21E+11	4124820	4.80E-04	0.11497	4.16E+11	4077780	4.80E-04	0.11497
4.30E+11	4210080	4.90E-04	0.117365	4.25E+11	4162060	4.90E-04	0.117365
4.38E+11	4296320	5.00E-04	0.11976	4.33E+11	4247320	5.00E-04	0.11976
4.47E+11	4382560	5.10E-04	0.122156	4.42E+11	4332580	5.10E-04	0.122156
4.56E+11	4467820	5.20E-04	0.124551	4.51E+11	4416860	5.20E-04	0.124551
4.65E+11	4554060	5.30E-04	0.126946	4.59E+11	4502120	5.30E-04	0.126946
4.73E+11	4639320	5.40E-04	0.129341	4.68E+11	4586400	5.40E-04	0.129341
4.82E+11	4725560	5.50E-04	0.131737	4.77E+11	4671660	5.50E-04	0.131737
4.91E+11	4810820	5.60E-04	0.134132	4.85E+11	4755940	5.60E-04	0.134132
5.00E+11	4897060	5.70E-04	0.136527	4.94E+11	4841200	5.70E-04	0.136527
5.09E+11	4983300	5.80E-04	0.138922	5.03E+11	4925480	5.80E-04	0.138922
5.17E+11	5068560	5.90E-04	0.141317	5.11E+11	5010740	5.90E-04	0.141317
5.26E+11	5154800	6.00E-04	0.143713	5.20E+11	5095020	6.00E-04	0.143713
5.35E+11	5240060	6.10E-04	0.146108	5.29E+11	5180280	6.10E-04	0.146108
5.44E+11	5326300	6.20E-04	0.148503	5.37E+11	5264560	6.20E-04	0.148503
5.52E+11	5411560	6.30E-04	0.150898	5.46E+11	5349820	6.30E-04	0.150898
5.61E+11	5497800	6.40E-04	0.153293	5.55E+11	5434100	6.40E-04	0.153293
5.70E+11	5584040	6.50E-04	0.155689	5.63E+11	5519360	6.50E-04	0.155689
5.79E+11	5669300	6.60E-04	0.158084	5.72E+11	5604620	6.60E-04	0.158084
5.87E+11	5755540	6.70E-04	0.160479	5.81E+11	5688900	6.70E-04	0.160479
5.96E+11	5840800	6.80E-04	0.162874	5.89E+11	5774160	6.80E-04	0.162874
6.05E+11	5927040	6.90E-04	0.165269	5.98E+11	5858440	6.90E-04	0.165269
6.14E+11	6012300	7.00E-04	0.167665	6.07E+11	5943700	7.00E-04	0.167665
6.22E+11	6098540	7.10E-04	0.17006	6.15E+11	6027980	7.10E-04	0.17006
6.31E+11	6183800	7.20E-04	0.172455	6.24E+11	6113240	7.20E-04	0.172455
6.40E+11	6270040	7.30E-04	0.17485	6.32E+11	6197520	7.30E-04	0.17485
6.49E+11	6355300	7.40E-04	0.177246	6.41E+11	6282780	7.40E-04	0.177246
6.57E+11	6441540	7.50E-04	0.179641	6.50E+11	6367060	7.50E-04	0.179641
6.66E+11	6526800	7.60E-04	0.182036	6.58E+11	6452320	7.60E-04	0.182036
6.75E+11	6613040	7.70E-04	0.184431	6.65E+11	6517000	7.68E-04	0.18388
6.84E+11	6698300	7.80E-04	0.186826	6.72E+11	6586580	7.76E-04	0.185844
6.92E+11	6784540	7.90E-04	0.189222	6.79E+11	6651260	7.86E-04	0.18824
7.01E+11	6869800	8.00E-04	0.191617	6.85E+11	6715940	7.96E-04	0.190635


7.10E+11	6956040	8.10E-04	0.194012	6.86E+11	6717900	7.96E-04	0.190683
7.19E+11	7041300	8.20E-04	0.196407	6.92E+11	6781600	8.06E-04	0.193078
7.22E+11	7071680	8.24E-04	0.197246	6.96E+11	6820800	8.12E-04	0.194539
7.29E+11	7147140	8.33E-04	0.199473	7.03E+11	6884500	8.22E-04	0.196934
7.36E+11	7208880	8.42E-04	0.201629	7.07E+11	6930560	8.30E-04	0.198707
7.40E+11	7252000	8.50E-04	0.203473	7.14E+11	6992300	8.40E-04	0.201102
7.45E+11	7299040	8.60E-04	0.205868	7.20E+11	7054040	8.50E-04	0.203497
7.47E+11	7323540	8.65E-04	0.207114	7.20E+11	7056980	8.50E-04	0.203617
7.52E+11	7368620	8.75E-04	0.209509	7.26E+11	7115780	8.60E-04	0.206012
7.56E+11	7410760	8.84E-04	0.211713	7.31E+11	7160860	8.68E-04	0.207832
7.61E+11	7452900	8.94E-04	0.214108	7.36E+11	7209860	8.77E-04	0.209988
7.64E+11	7491120	9.03E-04	0.216311	7.40E+11	7255920	8.86E-04	0.212096
7.68E+11	7522480	9.11E-04	0.218156	7.45E+11	7301000	8.95E-04	0.214251
7.71E+11	7558740	9.21E-04	0.220551	7.49E+11	7338240	9.03E-04	0.216168
7.75E+11	7595980	9.31E-04	0.222946	7.53E+11	7383320	9.13E-04	0.218563
7.78E+11	7625380	9.39E-04	0.224862	7.54E+11	7386260	9.13E-04	0.218683
7.82E+11	7658700	9.49E-04	0.227257	7.58E+11	7425460	9.22E-04	0.220934
7.85E+11	7688100	9.58E-04	0.229389	7.61E+11	7457800	9.31E-04	0.222874
7.88E+11	7719460	9.67E-04	0.231713	7.65E+11	7492100	9.41E-04	0.225269
7.91E+11	7747880	9.77E-04	0.234108	7.65E+11	7496020	9.42E-04	0.225509
7.94E+11	7776300	9.87E-04	0.236503	7.68E+11	7528360	9.52E-04	0.227904
7.97E+11	7805700	9.97E-04	0.238898	7.71E+11	7550900	9.59E-04	0.229605
7.97E+11	7805700	9.98E-04	0.23897	7.74E+11	7580300	9.69E-04	0.232
7.99E+11	7832160	1.01E-03	0.241437	7.76E+11	7608720	9.79E-04	0.234395
8.02E+11	7855680	1.02E-03	0.243593	7.77E+11	7618520	9.82E-04	0.235257
8.04E+11	7880180	1.03E-03	0.245988	7.80E+11	7645960	9.92E-04	0.237653
8.05E+11	7888020	1.03E-03	0.246707	7.83E+11	7672420	1.00E-03	0.24
8.07E+11	7909580	1.04E-03	0.249102	7.83E+11	7676340	1.00E-03	0.240479
8.09E+11	7931140	1.05E-03	0.251497	7.86E+11	7699860	1.01E-03	0.242874
8.12E+11	7952700	1.06E-03	0.253892	7.86E+11	7700840	1.01E-03	0.242874
8.12E+11	7958580	1.06E-03	0.254611	7.88E+11	7722400	1.02E-03	0.245269
8.14E+11	7975240	1.07E-03	0.257006	7.90E+11	7743960	1.03E-03	0.247665
8.16E+11	7991900	1.08E-03	0.259401	7.91E+11	7748860	1.04E-03	0.248144
8.17E+11	8008560	1.09E-03	0.261796	7.93E+11	7768460	1.05E-03	0.250539
8.18E+11	8011500	1.09E-03	0.262036	7.94E+11	7783160	1.05E-03	0.252216
8.19E+11	8025220	1.10E-03	0.264431	7.96E+11	7801780	1.06E-03	0.254611
8.20E+11	8038940	1.11E-03	0.266826	7.98E+11	7821380	1.07E-03	0.257006
8.22E+11	8052660	1.12E-03	0.269222	7.99E+11	7832160	1.08E-03	0.258443
8.22E+11	8054620	1.13E-03	0.269701	8.01E+11	7848820	1.09E-03	0.260838
8.23E+11	8066380	1.14E-03	0.272096	8.03E+11	7864500	1.10E-03	0.263234
8.24E+11	8078140	1.15E-03	0.274251	8.04E+11	7881160	1.11E-03	0.265629
8.25E+11	8087940	1.16E-03	0.276647	8.06E+11	7896840	1.12E-03	0.268024
8.26E+11	8097740	1.17E-03	0.279042	8.07E+11	7912520	1.13E-03	0.270419
8.27E+11	8107540	1.18E-03	0.281437	8.08E+11	7919380	1.13E-03	0.271377
8.28E+11	8118320	1.19E-03	0.283832	8.10E+11	7934080	1.14E-03	0.273772
8.29E+11	8120280	1.19E-03	0.284311	8.11E+11	7948780	1.15E-03	0.276168
8.30E+11	8130080	1.20E-03	0.286707	8.12E+11	7954660	1.16E-03	0.277126

8.30E+11	8136940	1.21E-03	0.288623	8.13E+11	7968380	1.17E-03	0.279521
8.31E+11	8144780	1.22E-03	0.291018	8.14E+11	7981120	1.18E-03	0.281916
8.32E+11	8151640	1.23E-03	0.293413	8.15E+11	7985040	1.18E-03	0.282635
8.33E+11	8158500	1.24E-03	0.295808	8.16E+11	7996800	1.19E-03	0.28503
8.33E+11	8166340	1.25E-03	0.298204	8.17E+11	8008560	1.20E-03	0.287425
8.34E+11	8173200	1.26E-03	0.300599	8.19E+11	8021300	1.21E-03	0.28982
8.35E+11	8180060	1.27E-03	0.302994	8.20E+11	8033060	1.22E-03	0.292216
8.36E+11	8187900	1.28E-03	0.305389	8.21E+11	8040900	1.23E-03	0.293653
8.36E+11	8194760	1.29E-03	0.307784	8.22E+11	8050700	1.24E-03	0.296048
8.37E+11	8201620	1.30E-03	0.31018	8.22E+11	8051680	1.24E-03	0.296527
8.38E+11	8208480	1.31E-03	0.312575	8.23E+11	8061480	1.25E-03	0.298922
8.38E+11	8216320	1.32E-03	0.31497	8.24E+11	8070300	1.26E-03	0.301317
8.39E+11	8223180	1.33E-03	0.317365	8.24E+11	8079120	1.27E-03	0.303713
8.40E+11	8230040	1.34E-03	0.31976	8.24E+11	8079120	1.27E-03	0.303713
8.41E+11	8237880	1.35E-03	0.322156	8.25E+11	8087940	1.28E-03	0.306108
8.41E+11	8244740	1.36E-03	0.324551	8.26E+11	8091860	1.28E-03	0.307066
8.42E+11	8251600	1.37E-03	0.326946	8.27E+11	8099700	1.29E-03	0.309461
8.43E+11	8258460	1.38E-03	0.329341	8.27E+11	8106560	1.30E-03	0.311856
8.44E+11	8266300	1.39E-03	0.331737	8.28E+11	8113420	1.31E-03	0.314251
8.44E+11	8273160	1.40E-03	0.334132	8.28E+11	8115380	1.32E-03	0.31497
8.45E+11	8280020	1.41E-03	0.336527	8.29E+11	8122240	1.33E-03	0.317365
8.46E+11	8286880	1.42E-03	0.338922	8.30E+11	8129100	1.34E-03	0.31976
8.46E+11	8293740	1.43E-03	0.341317	8.30E+11	8135960	1.35E-03	0.322156
8.47E+11	8301580	1.44E-03	0.343713	8.31E+11	8139880	1.35E-03	0.323353
8.48E+11	8308440	1.45E-03	0.346108	8.31E+11	8146740	1.36E-03	0.325749
8.49E+11	8315300	1.46E-03	0.348503	8.32E+11	8153600	1.37E-03	0.328144
8.49E+11	8322160	1.47E-03	0.350898	8.33E+11	8159480	1.38E-03	0.330539
8.50E+11	8329020	1.48E-03	0.353293	8.33E+11	8166340	1.39E-03	0.332934
8.51E+11	8335880	1.49E-03	0.355689	8.34E+11	8168300	1.39E-03	0.333653
8.51E+11	8337840	1.49E-03	0.356647	8.34E+11	8174180	1.40E-03	0.336048
8.51E+11	8341760	1.50E-03	0.359042	8.35E+11	8180060	1.41E-03	0.338443
8.52E+11	8345680	1.51E-03	0.361437	8.35E+11	8183000	1.42E-03	0.339401
8.52E+11	8348620	1.52E-03	0.363832	8.36E+11	8187900	1.43E-03	0.341796
8.52E+11	8352540	1.53E-03	0.366228	8.36E+11	8192800	1.44E-03	0.344192
8.53E+11	8356460	1.54E-03	0.368623	8.37E+11	8198680	1.45E-03	0.346587
8.53E+11	8359400	1.55E-03	0.371018	8.37E+11	8203580	1.46E-03	0.348982
8.53E+11	8363320	1.56E-03	0.373413	8.37E+11	8203580	1.46E-03	0.349222
8.54E+11	8367240	1.57E-03	0.375808	8.38E+11	8209460	1.47E-03	0.351617
8.54E+11	8370180	1.58E-03	0.378204	8.38E+11	8214360	1.48E-03	0.354012
8.55E+11	8374100	1.59E-03	0.380599	8.39E+11	8219260	1.49E-03	0.356407
8.55E+11	8377040	1.60E-03	0.382994	8.39E+11	8224160	1.50E-03	0.358802
8.55E+11	8380960	1.61E-03	0.385389	8.40E+11	8229060	1.51E-03	0.361198
8.56E+11	8384880	1.62E-03	0.387784	8.40E+11	8233960	1.52E-03	0.363593
8.56E+11	8387820	1.63E-03	0.39018	8.41E+11	8238860	1.53E-03	0.365988
8.56E+11	8391740	1.64E-03	0.392575	8.41E+11	8240820	1.53E-03	0.366467
8.57E+11	8394680	1.65E-03	0.39497	8.41E+11	8245720	1.54E-03	0.368862
8.57E+11	8398600	1.66E-03	0.397365	8.42E+11	8249640	1.55E-03	0.371257

8.57E+11	8401540	1.67E-03	0.39976	8.42E+11	8254540	1.56E-03	0.373653
8.58E+11	8405460	1.68E-03	0.402156	8.43E+11	8259440	1.57E-03	0.376048
8.58E+11	8408400	1.69E-03	0.404551	8.43E+11	8264340	1.58E-03	0.378443
8.58E+11	8411340	1.70E-03	0.406946	8.44E+11	8269240	1.59E-03	0.380838
8.59E+11	8415260	1.71E-03	0.409341	8.44E+11	8272180	1.60E-03	0.382275
8.59E+11	8418200	1.72E-03	0.411737	8.45E+11	8277080	1.61E-03	0.384671
8.59E+11	8422120	1.73E-03	0.414132	8.45E+11	8281980	1.62E-03	0.387066
8.60E+11	8425060	1.74E-03	0.416527	8.46E+11	8286880	1.63E-03	0.389461
8.60E+11	8428000	1.75E-03	0.418922	8.46E+11	8291780	1.64E-03	0.391856
8.60E+11	8431920	1.76E-03	0.421317	8.46E+11	8293740	1.64E-03	0.393293
8.61E+11	8434860	1.77E-03	0.423713	8.47E+11	8298640	1.65E-03	0.395689
8.61E+11	8437800	1.78E-03	0.426108	8.47E+11	8303540	1.66E-03	0.398084
8.61E+11	8441720	1.79E-03	0.428503	8.48E+11	8308440	1.67E-03	0.400479
8.62E+11	8444660	1.80E-03	0.430898	8.48E+11	8308440	1.67E-03	0.400719
8.62E+11	8446620	1.81E-03	0.432335	8.48E+11	8313340	1.68E-03	0.403114
8.62E+11	8449560	1.82E-03	0.434731	8.49E+11	8318240	1.69E-03	0.405509
8.63E+11	8452500	1.83E-03	0.437126	8.49E+11	8322160	1.70E-03	0.407904
8.63E+11	8456420	1.84E-03	0.439521	8.50E+11	8327060	1.71E-03	0.410299
8.63E+11	8459360	1.85E-03	0.441916	8.50E+11	8328040	1.72E-03	0.411018
8.63E+11	8460340	1.85E-03	0.442635	8.50E+11	8332940	1.73E-03	0.413413
8.64E+11	8462300	1.86E-03	0.44503	8.51E+11	8337840	1.74E-03	0.415808
8.64E+11	8465240	1.87E-03	0.447425	8.51E+11	8341760	1.75E-03	0.418204
8.64E+11	8468180	1.88E-03	0.44982	8.52E+11	8346660	1.76E-03	0.420599
8.64E+11	8469160	1.88E-03	0.451257	8.52E+11	8350580	1.77E-03	0.422994
8.64E+11	8471120	1.89E-03	0.453653	8.53E+11	8355480	1.78E-03	0.425389
8.65E+11	8472100	1.90E-03	0.456048	8.53E+11	8359400	1.79E-03	0.427784
8.65E+11	8473080	1.91E-03	0.458443	8.53E+11	8361360	1.79E-03	0.428503
8.65E+11	8474060	1.92E-03	0.460838	8.54E+11	8366260	1.80E-03	0.430898
8.65E+11	8474060	1.93E-03	0.463234	8.54E+11	8370180	1.81E-03	0.433293
8.65E+11	8474060	1.94E-03	0.465629	8.55E+11	8375080	1.82E-03	0.435689
8.65E+11	8474060	1.95E-03	0.468024	8.55E+11	8376060	1.82E-03	0.436168
8.65E+11	8474060	1.96E-03	0.470419	8.55E+11	8379980	1.83E-03	0.438563
8.65E+11	8474060	1.97E-03	0.472814	8.56E+11	8383900	1.84E-03	0.440958
8.65E+11	8474060	1.98E-03	0.47521	8.56E+11	8387820	1.85E-03	0.443114
8.65E+11	8474060	1.99E-03	0.477605	8.56E+11	8391740	1.86E-03	0.445509
8.65E+11	8474060	2.00E-03	0.48	8.57E+11	8395660	1.87E-03	0.447904
8.65E+11	8474060	2.01E-03	0.481916	8.57E+11	8400560	1.88E-03	0.450299
8.65E+11	8475040	2.02E-03	0.484311	8.58E+11	8404480	1.89E-03	0.452695
8.65E+11	8475040	2.03E-03	0.486707	8.58E+11	8408400	1.90E-03	0.45509
8.65E+11	8475040	2.04E-03	0.489102	8.58E+11	8409380	1.90E-03	0.455329
8.65E+11	8476020	2.05E-03	0.491497	8.58E+11	8411340	1.91E-03	0.457725
8.65E+11	8476020	2.06E-03	0.492216	8.59E+11	8413300	1.92E-03	0.46012
8.65E+11	8477000	2.07E-03	0.494611	8.59E+11	8416240	1.93E-03	0.462515
8.65E+11	8477980	2.08E-03	0.497006	8.59E+11	8418200	1.94E-03	0.46491
8.65E+11	8477980	2.08E-03	0.497964	8.59E+11	8420160	1.95E-03	0.467305
8.65E+11	8478960	2.09E-03	0.500359	8.59E+11	8422120	1.96E-03	0.469461
8.65E+11	8478960	2.10E-03	0.502754	8.60E+11	8425060	1.97E-03	0.471856

8.65E+11	8479940	2.11E-03	0.50515	8.60E+11	8427020	1.98E-03	0.474251
8.65E+11	8480920	2.12E-03	0.507545	8.60E+11	8428980	1.99E-03	0.476647
8.66E+11	8481900	2.13E-03	0.50994	8.60E+11	8431920	2.00E-03	0.479042
8.66E+11	8481900	2.14E-03	0.512096	8.61E+11	8433880	2.01E-03	0.481437
8.66E+11	8482880	2.15E-03	0.514491	8.61E+11	8435840	2.02E-03	0.483832
8.66E+11	8483860	2.16E-03	0.516886	8.61E+11	8436820	2.03E-03	0.48503
8.66E+11	8484840	2.17E-03	0.519281	8.61E+11	8438780	2.04E-03	0.487425
8.66E+11	8485820	2.18E-03	0.521677	8.61E+11	8441720	2.05E-03	0.48982
8.66E+11	8486800	2.19E-03	0.524072	8.62E+11	8443680	2.06E-03	0.492216
8.66E+11	8487780	2.20E-03	0.526467	8.62E+11	8445640	2.07E-03	0.494611
8.66E+11	8488760	2.21E-03	0.528862	8.62E+11	8447600	2.08E-03	0.497006
8.66E+11	8489740	2.22E-03	0.531257	8.62E+11	8450540	2.09E-03	0.499401
8.66E+11	8490720	2.22E-03	0.531976	8.62E+11	8451520	2.09E-03	0.500599
8.67E+11	8491700	2.23E-03	0.534371	8.63E+11	8453480	2.10E-03	0.502994
8.67E+11	8492680	2.24E-03	0.536766	8.63E+11	8455440	2.11E-03	0.505389
8.67E+11	8493660	2.25E-03	0.539162	8.63E+11	8457400	2.12E-03	0.507784
8.67E+11	8494640	2.26E-03	0.541557	8.63E+11	8458380	2.13E-03	0.509222
8.67E+11	8496600	2.27E-03	0.543952	8.63E+11	8460340	2.14E-03	0.511617
8.67E+11	8497580	2.28E-03	0.546347	8.64E+11	8462300	2.15E-03	0.514012
8.67E+11	8498560	2.29E-03	0.548743	8.64E+11	8464260	2.16E-03	0.516407
8.67E+11	8499540	2.30E-03	0.551138	8.64E+11	8465240	2.16E-03	0.517605
8.67E+11	8500520	2.31E-03	0.553533	8.64E+11	8466220	2.17E-03	0.52
8.68E+11	8502480	2.32E-03	0.555928	8.64E+11	8467200	2.18E-03	0.522395
8.68E+11	8502480	2.33E-03	0.557365	8.64E+11	8467200	2.19E-03	0.52479
8.68E+11	8503460	2.34E-03	0.55976	8.64E+11	8468180	2.20E-03	0.527186
8.68E+11	8505420	2.35E-03	0.562156	8.64E+11	8468180	2.20E-03	0.527665
8.68E+11	8506400	2.36E-03	0.564551	8.64E+11	8469160	2.21E-03	0.53006
8.68E+11	8507380	2.37E-03	0.566946	8.64E+11	8470140	2.22E-03	0.532455
8.68E+11	8508360	2.38E-03	0.569341	8.64E+11	8471120	2.23E-03	0.53485
8.68E+11	8510320	2.39E-03	0.571737	8.64E+11	8471120	2.24E-03	0.537246
8.69E+11	8511300	2.40E-03	0.574132	8.65E+11	8472100	2.25E-03	0.539641
8.69E+11	8512280	2.41E-03	0.576527	8.65E+11	8473080	2.26E-03	0.542036
8.69E+11	8514240	2.42E-03	0.578922	8.65E+11	8473080	2.26E-03	0.542036
8.69E+11	8515220	2.43E-03	0.581317	8.65E+11	8473080	2.27E-03	0.544431
8.69E+11	8516200	2.44E-03	0.583713	8.65E+11	8474060	2.28E-03	0.546826
8.69E+11	8518160	2.45E-03	0.586108	8.65E+11	8474060	2.29E-03	0.549222
8.69E+11	8519140	2.46E-03	0.588503	8.65E+11	8475040	2.30E-03	0.551617
8.70E+11	8521100	2.47E-03	0.590898	8.65E+11	8475040	2.31E-03	0.554012
8.70E+11	8522080	2.47E-03	0.592335	8.65E+11	8475040	2.32E-03	0.556407
8.70E+11	8523060	2.48E-03	0.594731	8.65E+11	8476020	2.33E-03	0.558802
8.70E+11	8524040	2.49E-03	0.597126	8.65E+11	8476020	2.34E-03	0.56
8.70E+11	8526000	2.50E-03	0.599521	8.65E+11	8476020	2.35E-03	0.562395
8.70E+11	8526980	2.51E-03	0.601916	8.65E+11	8476020	2.36E-03	0.56479
8.70E+11	8527960	2.52E-03	0.602874	8.65E+11	8476020	2.37E-03	0.567186
8.70E+11	8528940	2.53E-03	0.605269	8.65E+11	8476020	2.38E-03	0.569581
8.71E+11	8530900	2.54E-03	0.607665	8.65E+11	8476020	2.38E-03	0.570778
8.71E+11	8531880	2.55E-03	0.61006	8.65E+11	8476020	2.39E-03	0.573174

8.71E+11	8533840	2.56E-03	0.612455	8.65E+11	8476020	2.40E-03	0.575329
8.71E+11	8534820	2.57E-03	0.61485	8.65E+11	8475040	2.41E-03	0.577725
8.71E+11	8536780	2.58E-03	0.617246	8.65E+11	8474060	2.42E-03	0.58012
8.71E+11	8538740	2.59E-03	0.619641	8.65E+11	8473080	2.43E-03	0.582515
8.71E+11	8539720	2.60E-03	0.622036	8.65E+11	8472100	2.44E-03	0.58491
8.72E+11	8541680	2.61E-03	0.624431	8.64E+11	8471120	2.45E-03	0.587305
8.72E+11	8542660	2.62E-03	0.626826	8.64E+11	8470140	2.46E-03	0.589701
8.72E+11	8544620	2.63E-03	0.629222	8.64E+11	8469160	2.47E-03	0.592096
8.72E+11	8545600	2.64E-03	0.631617	8.64E+11	8469160	2.47E-03	0.592096
8.72E+11	8547560	2.65E-03	0.634012	8.64E+11	8468180	2.48E-03	0.594491
8.72E+11	8549520	2.66E-03	0.636407	8.64E+11	8467200	2.49E-03	0.596886
8.73E+11	8550500	2.67E-03	0.638802	8.64E+11	8466220	2.50E-03	0.598323
8.73E+11	8551480	2.67E-03	0.640479	8.64E+11	8465240	2.51E-03	0.600719
8.73E+11	8553440	2.68E-03	0.642874	8.64E+11	8463280	2.52E-03	0.603114
8.73E+11	8555400	2.69E-03	0.645269	8.64E+11	8462300	2.53E-03	0.605509
8.73E+11	8556380	2.70E-03	0.647665	8.63E+11	8461320	2.54E-03	0.607904
8.73E+11	8558340	2.71E-03	0.65006	8.63E+11	8460340	2.54E-03	0.608623
8.73E+11	8559320	2.72E-03	0.652455	8.63E+11	8458380	2.55E-03	0.611018
8.74E+11	8561280	2.73E-03	0.65485	8.63E+11	8457400	2.56E-03	0.612695
8.74E+11	8563240	2.74E-03	0.657246	8.63E+11	8454460	2.57E-03	0.61509
8.74E+11	8564220	2.75E-03	0.659641	8.62E+11	8451520	2.58E-03	0.617485
8.74E+11	8566180	2.76E-03	0.662036	8.62E+11	8450540	2.58E-03	0.618683
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-8.79E+08	-8616.16	-1.00E-06	-0.00024	-8.70E+08	-8522.08	-1.00E-06	-0.00024
-1.76E+09	-17208.8	-2.00E-06	-0.00048	-1.74E+09	-17022.6	-2.00E-06	-0.00048
-2.63E+09	-25803.4	-3.00E-06	-0.00072	-2.61E+09	-25529	-3.00E-06	-0.00072
-3.51E+09	-34398	-4.00E-06	-0.00096	-3.47E+09	-34025.6	-4.00E-06	-0.00096
-4.39E+09							0012
-5.26E+09							0144
-6.14E+09							0168
-7.02E+09							0192
-7.90E+09							0216
-8.77E+09							0024
-1.75E+10							0479
-2.63E+10							0719
-3.51E+10							0958
-4.39E+10							1198
-5.26E+10							1437
-6.14E+10							1677
-7.02E+10							1916
-7.89E+10							2156
-8.77E+10	-859558	-1.00E-04	-0.02395	-8.68E+10	-850150	-1.00E-04	-0.02395
-9.65E+10	-945406	-1.10E-04	-0.02635	-9.54E+10	-935018	-1.10E-04	-0.02635
-1.05E+11	-1030960	-1.20E-04	-0.02874	-1.04E+11	-1020180	-1.20E-04	-0.02874
-1.14E+11	-1117200	-1.30E-04	-0.03114	-1.13E+11	-1104460	-1.30E-04	-0.03114
-1.23E+11	-1202460	-1.40E-04	-0.03353	-1.21E+11	-1189720	-1.40E-04	-0.03353
-1.32E+11	-1288700	-1.50E-04	-0.03593	-1.30E+11	-1274980	-1.50E-04	-0.03593



-1.40E+11	-1373960	-1.60E-04	-0.03832	-1.39E+11	-1359260	-1.60E-04	-0.03832
-1.49E+11	-1460200	-1.70E-04	-0.04072	-1.47E+11	-1444520	-1.70E-04	-0.04072
-1.58E+11	-1545460	-1.80E-04	-0.04311	-1.56E+11	-1528800	-1.80E-04	-0.04311
-1.67E+11	-1631700	-1.90E-04	-0.04551	-1.65E+11	-1613080	-1.90E-04	-0.04551
-1.75E+11	-1716960	-2.00E-04	-0.0479	-1.73E+11	-1698340	-2.00E-04	-0.0479
-1.84E+11	-1802220	-2.10E-04	-0.0503	-1.82E+11	-1782620	-2.10E-04	-0.0503
-1.93E+11	-1888460	-2.20E-04	-0.05269	-1.91E+11	-1866900	-2.20E-04	-0.05269
-2.01E+11	-1973720	-2.30E-04	-0.05509	-1.99E+11	-1951180	-2.30E-04	-0.05509
-2.10E+11	-2058980	-2.40E-04	-0.05749	-2.08E+11	-2036440	-2.40E-04	-0.05749
-2.19E+11	-2144240	-2.50E-04	-0.05988	-2.16E+11	-2120720	-2.50E-04	-0.05988
-2.28E+11	-2229500	-2.60E-04	-0.06228	-2.25E+11	-2205000	-2.60E-04	-0.06228
-2.36E+11	-2314760	-2.70E-04	-0.06467	-2.34E+11	-2289280	-2.70E-04	-0.06467
-2.45E+11	-2400020	-2.80E-04	-0.06707	-2.42E+11	-2373560	-2.80E-04	-0.06707
-2.54E+11	-2485280	-2.90E-04	-0.06946	-2.51E+11	-2457840	-2.90E-04	-0.06946
-2.62E+11	-2570540	-3.00E-04	-0.07186	-2.59E+11	-2542120	-3.00E-04	-0.07186
-2.71E+11	-2655800	-3.10E-04	-0.07425	-2.68E+11	-2626400	-3.10E-04	-0.07425
-2.80E+11	-2741060	-3.20E-04	-0.07665	-2.77E+11	-2710680	-3.20E-04	-0.07665
-2.88E+11	-2825340	-3.30E-04	-0.07904	-2.85E+11	-2794960	-3.30E-04	-0.07904
-2.97E+11	-2910600	-3.40E-04	-0.08144	-2.94E+11	-2879240	-3.40E-04	-0.08144
-3.06E+11	-2995860	-3.50E-04	-0.08383	-3.02E+11	-2963520	-3.50E-04	-0.08383
-3.14E+11	-3081120	-3.60E-04	-0.08623	-3.11E+11	-3047800	-3.60E-04	-0.08623
-3.23E+11	-3166380	-3.70E-04	-0.08862	-3.20E+11	-3132080	-3.70E-04	-0.08862
-3.32E+11	-3251640	-3.80E-04	-0.09102	-3.28E+11	-3216360	-3.80E-04	-0.09102
-3.41E+11	-3336900	-3.90E-04	-0.09341	-3.37E+11	-3300640	-3.90E-04	-0.09341
-3.49E+11	-3421180	-4.00E-04	-0.09581	-3.45E+11	-3384920	-4.00E-04	-0.09581
-3.58E+11	-3506440	-4.10E-04	-0.0982	-3.54E+11	-3469200	-4.10E-04	-0.0982
-3.67E+11	-3591700	-4.20E-04	-0.1006	-3.63E+11	-3553480	-4.20E-04	-0.1006
-3.75E+11	-3676960	-4.30E-04	-0.10299	-3.71E+11	-3637760	-4.30E-04	-0.10299
-3.84E+11	-3761240	-4.40E-04	-0.10539	-3.80E+11	-3722040	-4.40E-04	-0.10539
-3.93E+11	-3846500	-4.50E-04	-0.10778	-3.88E+11	-3806320	-4.50E-04	-0.10778
-4.01E+11	-3931760	-4.60E-04	-0.11018	-3.97E+11	-3889620	-4.60E-04	-0.11018
-4.10E+11	-4016040	-4.70E-04	-0.11257	-4.06E+11	-3973900	-4.70E-04	-0.11257
-4.19E+11	-4101300	-4.80E-04	-0.11497	-4.14E+11	-4058180	-4.80E-04	-0.11497
-4.27E+11	-4186560	-4.90E-04	-0.11737	-4.23E+11	-4142460	-4.90E-04	-0.11737
-4.36E+11	-4270840	-5.00E-04	-0.11976	-4.31E+11	-4225760	-5.00E-04	-0.11976
-4.45E+11	-4356100	-5.10E-04	-0.12216	-4.40E+11	-4310040	-5.10E-04	-0.12216
-4.53E+11	-4440380	-5.20E-04	-0.12455	-4.48E+11	-4393340	-5.20E-04	-0.12455
-4.62E+11	-4524660	-5.30E-04	-0.12695	-4.57E+11	-4477620	-5.30E-04	-0.12695
-4.70E+11	-4608940	-5.40E-04	-0.12934	-4.65E+11	-4560920	-5.40E-04	-0.12934
-4.79E+11	-4693220	-5.50E-04	-0.13174	-4.74E+11	-4644220	-5.50E-04	-0.13174
-4.88E+11	-4777500	-5.60E-04	-0.13413	-4.82E+11	-4727520	-5.60E-04	-0.13413
-4.96E+11	-4860800	-5.70E-04	-0.13653	-4.91E+11	-4810820	-5.70E-04	-0.13653
-5.05E+11	-4945080	-5.80E-04	-0.13892	-4.99E+11	-4894120	-5.80E-04	-0.13892
-5.13E+11	-5028380	-5.90E-04	-0.14132	-5.08E+11	-4977420	-5.90E-04	-0.14132
-5.22E+11	-5111680	-6.00E-04	-0.14371	-5.16E+11	-5059740	-6.00E-04	-0.14371
-5.30E+11	-5194980	-6.10E-04	-0.14611	-5.25E+11	-5143040	-6.10E-04	-0.14611
-5.39E+11	-5278280	-6.20E-04	-0.1485	-5.33E+11	-5225360	-6.20E-04	-0.1485

-5.47E+11	-5361580	-6.30E-04	-0.1509	-5.42E+11	-5307680	-6.30E-04	-0.1509
-5.56E+11	-5443900	-6.40E-04	-0.15329	-5.50E+11	-5390000	-6.40E-04	-0.15329
-5.64E+11	-5527200	-6.50E-04	-0.15569	-5.58E+11	-5471340	-6.50E-04	-0.15569
-5.72E+11	-5609520	-6.60E-04	-0.15808	-5.67E+11	-5552680	-6.60E-04	-0.15808
-5.81E+11	-5690860	-6.70E-04	-0.16048	-5.75E+11	-5634020	-6.70E-04	-0.16048
-5.89E+11	-5773180	-6.80E-04	-0.16287	-5.83E+11	-5712420	-6.80E-04	-0.16287
-5.97E+11	-5854520	-6.90E-04	-0.16527	-5.91E+11	-5790820	-6.90E-04	-0.16527
-6.06E+11	-5935860	-7.00E-04	-0.16766	-5.99E+11	-5869220	-7.00E-04	-0.16766
-6.14E+11	-6015240	-7.10E-04	-0.17006	-6.07E+11	-5945660	-7.10E-04	-0.17006
-6.22E+11	-6094620	-7.20E-04	-0.17246	-6.11E+11	-5982900	-7.15E-04	-0.17123
-6.30E+11	-6172040	-7.30E-04	-0.17485	-6.18E+11	-6058360	-7.25E-04	-0.17363
-6.38E+11	-6247500	-7.40E-04	-0.17725	-6.19E+11	-6064240	-7.26E-04	-0.17384
-6.45E+11	-6321980	-7.50E-04	-0.17964	-6.21E+11	-6081880	-7.33E-04	-0.17564
-6.51E+11	-6374900	-7.57E-04	-0.18134	-6.23E+11	-6101480	-7.40E-04	-0.17727
-6.57E+11	-6436640	-7.66E-04	-0.18345	-6.24E+11	-6116180	-7.45E-04	-0.17849
-6.61E+11	-6479760	-7.73E-04	-0.1851	-6.27E+11	-6139700	-7.54E-04	-0.18062
-6.64E+11	-6508180	-7.80E-04	-0.1868	-6.29E+11	-6166160	-7.64E-04	-0.18302
-6.65E+11	-6516020	-7.86E-04	-0.18836	-6.30E+11	-6171060	-7.66E-04	-0.1835
-6.63E+11	-6500340	-7.94E-04	-0.19008	-6.32E+11	-6192620	-7.76E-04	-0.18589
-6.61E+11	-6472900	-8.04E-04	-0.19248	-6.32E+11	-6197520	-7.79E-04	-0.18651
-6.59E+11	-6461140	-8.08E-04	-0.19351	-6.33E+11	-6205360	-7.85E-04	-0.1879
-6.58E+11	-6446440	-8.14E-04	-0.19499	-6.33E+11	-6206340	-7.91E-04	-0.18939
-6.56E+11	-6423900	-8.23E-04	-0.1972	-6.33E+11	-6201440	-7.96E-04	-0.19075
-6.52E+11	-6384700	-8.33E-04	-0.19959	-6.32E+11	-6190660	-8.03E-04	-0.19229
-6.47E+11	-6342560	-8.43E-04	-0.20189	-6.30E+11	-6169100	-8.11E-04	-0.19416
-6.41E+11	-6276900	-8.53E-04	-0.20429	-6.27E+11	-6142640	-8.18E-04	-0.19595
-6.39E+11	-6262200	-8.55E-04	-0.20467	-6.24E+11	-6112260	-8.25E-04	-0.19763
-6.28E+11	-6157340	-8.65E-04	-0.20707	-6.19E+11	-6062280	-8.35E-04	-0.20002
-6.25E+11	-6121080	-8.68E-04	-0.20783	-6.18E+11	-6057380	-8.36E-04	-0.20029
-6.18E+11	-6052480	-8.74E-04	-0.20925	-6.14E+11	-6018180	-8.45E-04	-0.20247
-6.05E+11	-5931940	-8.84E-04	-0.21164	-6.11E+11	-5983880	-8.55E-04	-0.20472
-5.93E+11	-5810420	-8.94E-04	-0.21404	-6.07E+11	-5950560	-8.64E-04	-0.20699
-5.82E+11	-5703600	-9.04E-04	-0.21643	-6.05E+11	-5929980	-8.70E-04	-0.20838
-5.78E+11	-5665380	-9.08E-04	-0.21744	-6.02E+11	-5894700	-8.79E-04	-0.21061
-5.69E+11	-5572280	-9.18E-04	-0.21983	-5.97E+11	-5852560	-8.89E-04	-0.21301
-5.61E+11	-5497800	-9.28E-04	-0.22223	-5.94E+11	-5821200	-8.97E-04	-0.21473
-5.55E+11	-5435080	-9.38E-04	-0.22462	-5.91E+11	-5787880	-9.04E-04	-0.21653
-5.49E+11	-5376280	-9.48E-04	-0.22702	-5.88E+11	-5757500	-9.11E-04	-0.21825
-5.47E+11	-5359620	-9.51E-04	-0.22778	-5.83E+11	-5712420	-9.21E-04	-0.22057
-5.42E+11	-5307680	-9.61E-04	-0.23018	-5.78E+11	-5660480	-9.31E-04	-0.22297
-5.37E+11	-5258680	-9.71E-04	-0.23257	-5.76E+11	-5645780	-9.34E-04	-0.22362
-5.32E+11	-5211640	-9.81E-04	-0.23497	-5.70E+11	-5588940	-9.44E-04	-0.22601
-5.32E+11	-5211640	-9.81E-04	-0.23502	-5.64E+11	-5527200	-9.54E-04	-0.22841
-5.28E+11	-5169500	-9.91E-04	-0.23741	-5.62E+11	-5509560	-9.57E-04	-0.22913
-5.23E+11	-5128340	-1.00E-03	-0.23976	-5.58E+11	-5469380	-9.62E-04	-0.2304
-5.19E+11	-5089140	-1.01E-03	-0.24216	-5.51E+11	-5394900	-9.72E-04	-0.23279
-5.16E+11	-5053860	-1.02E-03	-0.24455	-5.44E+11	-5326300	-9.82E-04	-0.23519

-5.12E+11	-5019560	-1.03E-03	-0.24695	-5.37E+11	-5265540	-9.92E-04	-0.23758
-5.09E+11	-4986240	-1.04E-03	-0.24934	-5.35E+11	-5244960	-9.96E-04	-0.23851
-5.06E+11	-4953900	-1.05E-03	-0.25174	-5.30E+11	-5189100	-1.01E-03	-0.24096
-5.03E+11	-4924500	-1.06E-03	-0.25413	-5.25E+11	-5142060	-1.02E-03	-0.24335
-5.00E+11	-4895100	-1.07E-03	-0.25653	-5.20E+11	-5099920	-1.03E-03	-0.24575
-4.97E+11	-4866680	-1.08E-03	-0.25892	-5.19E+11	-5086200	-1.03E-03	-0.24647
-4.94E+11	-4839240	-1.09E-03	-0.26132	-5.15E+11	-5047000	-1.04E-03	-0.24886
-4.91E+11	-4813760	-1.10E-03	-0.26371	-5.11E+11	-5009760	-1.05E-03	-0.25126
-4.89E+11	-4788280	-1.11E-03	-0.26611	-5.08E+11	-4978400	-1.06E-03	-0.25341
-4.86E+11	-4762800	-1.12E-03	-0.2685	-5.05E+11	-4945080	-1.07E-03	-0.25581
-4.84E+11	-4738300	-1.13E-03	-0.2709	-5.02E+11	-4914700	-1.08E-03	-0.2582
-4.81E+11	-4714780	-1.14E-03	-0.27329	-4.99E+11	-4887260	-1.09E-03	-0.26036
-4.79E+11	-4691260	-1.15E-03	-0.27569	-4.96E+11	-4858840	-1.10E-03	-0.26275
-4.76E+11	-4668720	-1.16E-03	-0.27808	-4.93E+11	-4831400	-1.11E-03	-0.26515
-4.75E+11	-4655000	-1.17E-03	-0.27952	-4.90E+11	-4805920	-1.12E-03	-0.26754
-4.73E+11	-4632460	-1.18E-03	-0.28192	-4.88E+11	-4780440	-1.13E-03	-0.26994
-4.71E+11	-4611880	-1.19E-03	-0.28431	-4.85E+11	-4756920	-1.14E-03	-0.27234
-4.69E+11	-4591300	-1.20E-03	-0.28671	-4.83E+11	-4732420	-1.15E-03	-0.27473
-4.66E+11	-4570720	-1.21E-03	-0.2891	-4.81E+11	-4708900	-1.16E-03	-0.27713
-4.64E+11	-4551120	-1.22E-03	-0.2915	-4.78E+11	-4685380	-1.17E-03	-0.27952
-4.62E+11	-4530540	-1.23E-03	-0.29389	-4.76E+11	-4663820	-1.18E-03	-0.28192
-4.60E+11	-4511920	-1.24E-03	-0.29629	-4.74E+11	-4642260	-1.19E-03	-0.28431
-4.59E+11	-4493300	-1.25E-03	-0.29868	-4.72E+11	-4620700	-1.20E-03	-0.28671
-4.57E+11	-4475660	-1.26E-03	-0.30108	-4.69E+11	-4599140	-1.21E-03	-0.2891
-4.55E+11	-4457040	-1.27E-03	-0.30347	-4.67E+11	-4578560	-1.22E-03	-0.2915
-4.53E+11	-4439400	-1.28E-03	-0.30587	-4.65E+11	-4557980	-1.23E-03	-0.29389
-4.51E+11	-4421760	-1.29E-03	-0.30826	-4.63E+11	-4538380	-1.24E-03	-0.29629
-4.49E+11	-4404120	-1.30E-03	-0.31066	-4.61E+11	-4519760	-1.25E-03	-0.29868
-4.48E+11	-4387460	-1.31E-03	-0.31305	-4.59E+11	-4501140	-1.26E-03	-0.30108
-4.46E+11	-4370800	-1.32E-03	-0.31545	-4.57E+11	-4482520	-1.27E-03	-0.30347
-4.44E+11	-4355120	-1.33E-03	-0.31784	-4.56E+11	-4464880	-1.28E-03	-0.30587
-4.43E+11	-4339440	-1.34E-03	-0.32024	-4.54E+11	-4446260	-1.29E-03	-0.30826
-4.41E+11	-4323760	-1.35E-03	-0.32263	-4.52E+11	-4430580	-1.30E-03	-0.31042
-4.40E+11	-4308080	-1.36E-03	-0.32503	-4.50E+11	-4412940	-1.31E-03	-0.31281
-4.38E+11	-4292400	-1.37E-03	-0.32743	-4.49E+11	-4396280	-1.32E-03	-0.31521
-4.37E+11	-4277700	-1.38E-03	-0.32982	-4.47E+11	-4379620	-1.33E-03	-0.3176
-4.35E+11	-4263000	-1.39E-03	-0.33222	-4.45E+11	-4363940	-1.34E-03	-0.32
-4.34E+11	-4248300	-1.40E-03	-0.33461	-4.44E+11	-4347280	-1.35E-03	-0.3224
-4.32E+11	-4234580	-1.41E-03	-0.33701	-4.42E+11	-4331600	-1.36E-03	-0.32479
-4.31E+11	-4220860	-1.42E-03	-0.3394	-4.41E+11	-4316900	-1.37E-03	-0.32719
-4.29E+11	-4206160	-1.43E-03	-0.3418	-4.39E+11	-4301220	-1.38E-03	-0.32958
-4.28E+11	-4192440	-1.44E-03	-0.34419	-4.37E+11	-4286520	-1.39E-03	-0.33198
-4.26E+11	-4178720	-1.45E-03	-0.34659	-4.36E+11	-4270840	-1.40E-03	-0.33437
-4.25E+11	-4165000	-1.46E-03	-0.34898	-4.34E+11	-4255160	-1.41E-03	-0.33677
-4.24E+11	-4150300	-1.47E-03	-0.35138	-4.33E+11	-4240460	-1.42E-03	-0.33916
-4.22E+11	-4134620	-1.48E-03	-0.35377	-4.31E+11	-4224780	-1.43E-03	-0.34156
-4.20E+11	-4119920	-1.49E-03	-0.35617	-4.30E+11	-4210080	-1.44E-03	-0.34395

-4.19E+11	-4105220	-1.50E-03	-0.35856	-4.28E+11	-4195380	-1.45E-03	-0.34635
-4.17E+11	-4090520	-1.51E-03	-0.36096	-4.27E+11	-4180680	-1.46E-03	-0.34874
-4.16E+11	-4076800	-1.52E-03	-0.36335	-4.25E+11	-4166960	-1.47E-03	-0.35114
-4.15E+11	-4062100	-1.53E-03	-0.36575	-4.24E+11	-4153240	-1.48E-03	-0.35353
-4.13E+11	-4048380	-1.54E-03	-0.36814	-4.22E+11	-4139520	-1.49E-03	-0.35593
-4.12E+11	-4034660	-1.55E-03	-0.37054	-4.21E+11	-4125800	-1.50E-03	-0.35832
-4.10E+11	-4020940	-1.56E-03	-0.37293	-4.20E+11	-4111100	-1.51E-03	-0.36072
-4.09E+11	-4007220	-1.57E-03	-0.37533	-4.18E+11	-4097380	-1.52E-03	-0.36311
-4.08E+11	-3993500	-1.58E-03	-0.37772	-4.17E+11	-4084640	-1.53E-03	-0.36551
-4.06E+11	-3980760	-1.59E-03	-0.38012	-4.15E+11	-4070920	-1.54E-03	-0.3679
-4.05E+11	-3967040	-1.60E-03	-0.38251	-4.14E+11	-4056220	-1.55E-03	-0.3703
-4.04E+11	-3954300	-1.61E-03	-0.38491	-4.13E+11	-4042500	-1.56E-03	-0.37269
-4.02E+11	-3941560	-1.62E-03	-0.38731	-4.11E+11	-4028780	-1.57E-03	-0.37509
-4.01E+11	-3927840	-1.63E-03	-0.3897	-4.10E+11	-4015060	-1.58E-03	-0.37749
-4.00E+11	-3915100	-1.64E-03	-0.3921	-4.08E+11	-4000360	-1.59E-03	-0.37988
-3.98E+11	-3901380	-1.65E-03	-0.39449	-4.07E+11	-3987620	-1.60E-03	-0.38228
-3.97E+11	-3888640	-1.66E-03	-0.39689	-4.06E+11	-3973900	-1.61E-03	-0.38467
-3.96E+11	-3876880	-1.67E-03	-0.39928	-4.04E+11	-3961160	-1.62E-03	-0.38707
-3.94E+11	-3864140	-1.68E-03	-0.40168	-4.03E+11	-3949400	-1.63E-03	-0.38922
-3.93E+11	-3851400	-1.69E-03	-0.40407	-4.02E+11	-3935680	-1.64E-03	-0.39162
-3.92E+11	-3839640	-1.70E-03	-0.40647	-4.00E+11	-3922940	-1.65E-03	-0.39401
-3.91E+11	-3826900	-1.71E-03	-0.40886	-3.99E+11	-3909220	-1.66E-03	-0.39641
-3.89E+11	-3815140	-1.72E-03	-0.41126	-3.98E+11	-3896480	-1.67E-03	-0.3988
-3.88E+11	-3803380	-1.73E-03	-0.41365	-3.96E+11	-3883740	-1.68E-03	-0.4012
-3.87E+11	-3790640	-1.74E-03	-0.41605	-3.95E+11	-3871000	-1.69E-03	-0.40359
-3.86E+11	-3778880	-1.75E-03	-0.41844	-3.94E+11	-3858260	-1.70E-03	-0.40599
-3.85E+11	-3768100	-1.76E-03	-0.42084	-3.92E+11	-3845520	-1.71E-03	-0.40838
-3.83E+11	-3756340	-1.77E-03	-0.42323	-3.91E+11	-3833760	-1.72E-03	-0.41078
-3.82E+11	-3744580	-1.78E-03	-0.42563	-3.90E+11	-3821020	-1.73E-03	-0.41317
-3.81E+11	-3732820	-1.79E-03	-0.42802	-3.89E+11	-3809260	-1.74E-03	-0.41557
-3.80E+11	-3722040	-1.80E-03	-0.43042	-3.87E+11	-3796520	-1.75E-03	-0.41796
-3.79E+11	-3710280	-1.81E-03	-0.43281	-3.86E+11	-3784760	-1.76E-03	-0.42036
-3.78E+11	-3700480	-1.82E-03	-0.43521	-3.85E+11	-3773000	-1.77E-03	-0.42275
-3.77E+11	-3689700	-1.83E-03	-0.4376	-3.84E+11	-3761240	-1.78E-03	-0.42515
-3.75E+11	-3677940	-1.84E-03	-0.44	-3.83E+11	-3749480	-1.79E-03	-0.42754
-3.74E+11	-3667160	-1.85E-03	-0.4424	-3.81E+11	-3737720	-1.80E-03	-0.42994
-3.73E+11	-3656380	-1.86E-03	-0.44479	-3.80E+11	-3726940	-1.81E-03	-0.43234
-3.72E+11	-3645600	-1.87E-03	-0.44719	-3.79E+11	-3715180	-1.82E-03	-0.43473
-3.71E+11	-3634820	-1.88E-03	-0.44958	-3.78E+11	-3704400	-1.83E-03	-0.43713
-3.70E+11	-3624040	-1.89E-03	-0.45198	-3.77E+11	-3692640	-1.84E-03	-0.43952
-3.69E+11	-3613260	-1.90E-03	-0.45437	-3.76E+11	-3681860	-1.85E-03	-0.44192
-3.68E+11	-3603460	-1.91E-03	-0.45677	-3.75E+11	-3671080	-1.86E-03	-0.44431
-3.67E+11	-3593660	-1.92E-03	-0.45916	-3.74E+11	-3660300	-1.87E-03	-0.44671
-3.66E+11	-3583860	-1.93E-03	-0.46156	-3.72E+11	-3649520	-1.88E-03	-0.4491
-3.65E+11	-3574060	-1.94E-03	-0.46395	-3.71E+11	-3639720	-1.89E-03	-0.4515
-3.64E+11	-3564260	-1.95E-03	-0.46635	-3.70E+11	-3628940	-1.90E-03	-0.45389
-3.63E+11	-3554460	-1.96E-03	-0.46874	-3.69E+11	-3618160	-1.91E-03	-0.45629

-3.62E+11	-3544660	-1.97E-03	-0.47114	-3.68E+11	-3608360	-1.92E-03	-0.45868
-3.61E+11	-3534860	-1.98E-03	-0.47353	-3.67E+11	-3597580	-1.93E-03	-0.46108
-3.60E+11	-3526040	-1.99E-03	-0.47593	-3.66E+11	-3588760	-1.94E-03	-0.46347
-3.59E+11	-3517220	-2.00E-03	-0.47832	-3.65E+11	-3578960	-1.95E-03	-0.46587
-3.58E+11	-3509380	-2.01E-03	-0.48072	-3.64E+11	-3569160	-1.96E-03	-0.46826
-3.57E+11	-3500560	-2.02E-03	-0.48311	-3.63E+11	-3560340	-1.97E-03	-0.47066
-3.56E+11	-3492720	-2.03E-03	-0.48551	-3.62E+11	-3550540	-1.98E-03	-0.47305
-3.56E+11	-3484880	-2.04E-03	-0.4879	-3.61E+11	-3541720	-1.99E-03	-0.47545
-3.55E+11	-3476060	-2.05E-03	-0.4903	-3.61E+11	-3534860	-1.99E-03	-0.47737
-3.54E+11	-3468220	-2.06E-03	-0.49269	-3.60E+11	-3526040	-2.00E-03	-0.47976
-3.53E+11	-3460380	-2.07E-03	-0.49509	-3.59E+11	-3517220	-2.01E-03	-0.48216
-3.52E+11	-3452540	-2.08E-03	-0.49749	-3.58E+11	-3508400	-2.02E-03	-0.48455
-3.51E+11	-3443720	-2.09E-03	-0.49988	-3.57E+11	-3499580	-2.03E-03	-0.48695
-3.51E+11	-3436860	-2.10E-03	-0.50228	-3.56E+11	-3490760	-2.04E-03	-0.48934
-3.50E+11	-3429020	-2.11E-03	-0.50467	-3.55E+11	-3482920	-2.05E-03	-0.49174
-3.49E+11	-3422160	-2.12E-03	-0.50707	-3.55E+11	-3475080	-2.06E-03	-0.49413
-3.48E+11	-3414320	-2.13E-03	-0.50946	-3.54E+11	-3467240	-2.07E-03	-0.49653
-3.48E+11	-3407460	-2.14E-03	-0.51186	-3.53E+11	-3459400	-2.08E-03	-0.49892
-3.47E+11	-3399620	-2.15E-03	-0.51425	-3.52E+11	-3451560	-2.09E-03	-0.50132
-3.46E+11	-3392760	-2.16E-03	-0.51665	-3.51E+11	-3443720	-2.10E-03	-0.50371
-3.46E+11	-3385900	-2.17E-03	-0.51904	-3.51E+11	-3435880	-2.11E-03	-0.50611
-3.45E+11	-3378060	-2.18E-03	-0.52144	-3.50E+11	-3428040	-2.12E-03	-0.5085
-3.44E+11	-3371200	-2.19E-03	-0.52383	-3.49E+11	-3420200	-2.13E-03	-0.5109
-3.43E+11	-3364340	-2.20E-03	-0.52623	-3.48E+11	-3412360	-2.14E-03	-0.51329
-3.43E+11	-3357480	-2.21E-03	-0.52862	-3.48E+11	-3405500	-2.15E-03	-0.51569
-3.42E+11	-3350620	-2.22E-03	-0.53102	-3.47E+11	-3397660	-2.16E-03	-0.51808
-3.41E+11	-3343760	-2.23E-03	-0.53341	-3.46E+11	-3390800	-2.17E-03	-0.52048
-3.41E+11	-3336900	-2.24E-03	-0.53581	-3.45E+11	-3383940	-2.18E-03	-0.52287
-3.40E+11	-3330040	-2.25E-03	-0.5382	-3.45E+11	-3377080	-2.19E-03	-0.52527
-3.39E+11	-3324160	-2.26E-03	-0.5406	-3.44E+11	-3369240	-2.20E-03	-0.52766
-3.39E+11	-3318280	-2.27E-03	-0.54299	-3.43E+11	-3362380	-2.21E-03	-0.53006
-3.38E+11	-3311420	-2.28E-03	-0.54539	-3.42E+11	-3355520	-2.22E-03	-0.53246
-3.37E+11	-3305540	-2.29E-03	-0.54778	-3.42E+11	-3349640	-2.23E-03	-0.53485
-3.37E+11	-3299660	-2.30E-03	-0.55018	-3.41E+11	-3342780	-2.24E-03	-0.53725
-3.36E+11	-3292800	-2.31E-03	-0.55257	-3.40E+11	-3335920	-2.25E-03	-0.53964
-3.35E+11	-3286920	-2.32E-03	-0.55497	-3.40E+11	-3329060	-2.26E-03	-0.54204
-3.35E+11	-3281040	-2.33E-03	-0.55737	-3.39E+11	-3322200	-2.27E-03	-0.54443
-3.34E+11	-3275160	-2.34E-03	-0.55976	-3.38E+11	-3316320	-2.28E-03	-0.54683
-3.34E+11	-3269280	-2.35E-03	-0.56216	-3.38E+11	-3309460	-2.29E-03	-0.54922
-3.33E+11	-3263400	-2.36E-03	-0.56455	-3.37E+11	-3303580	-2.30E-03	-0.55162
-3.32E+11	-3257520	-2.37E-03	-0.56695	-3.36E+11	-3296720	-2.31E-03	-0.55401
-3.32E+11	-3251640	-2.38E-03	-0.56934	-3.36E+11	-3290840	-2.32E-03	-0.55641
-3.31E+11	-3245760	-2.39E-03	-0.57174	-3.35E+11	-3284960	-2.33E-03	-0.5588
-3.31E+11	-3239880	-2.40E-03	-0.57413	-3.35E+11	-3279080	-2.34E-03	-0.5612
-3.30E+11	-3234980	-2.41E-03	-0.57653	-3.34E+11	-3273200	-2.35E-03	-0.56359
-3.30E+11	-3229100	-2.42E-03	-0.57892	-3.33E+11	-3267320	-2.36E-03	-0.56599
-3.29E+11	-3224200	-2.43E-03	-0.58132	-3.33E+11	-3261440	-2.37E-03	-0.56838

-3.29E+11	-3219300	-2.44E-03	-0.58371	-3.32E+11	-3255560	-2.38E-03	-0.57078
-3.28E+11	-3214400	-2.45E-03	-0.58611	-3.32E+11	-3250660	-2.39E-03	-0.57317
-3.28E+11	-3209500	-2.46E-03	-0.5885	-3.31E+11	-3244780	-2.40E-03	-0.57557
-3.27E+11	-3204600	-2.47E-03	-0.5909	-3.31E+11	-3239880	-2.41E-03	-0.57796
-3.27E+11	-3199700	-2.48E-03	-0.59329	-3.30E+11	-3234000	-2.42E-03	-0.58036
-3.26E+11	-3194800	-2.49E-03	-0.59569	-3.29E+11	-3228120	-2.43E-03	-0.58275
-3.26E+11	-3189900	-2.50E-03	-0.59808	-3.29E+11	-3223220	-2.44E-03	-0.58515
-3.25E+11	-3185000	-2.51E-03	-0.60048	-3.28E+11	-3218320	-2.45E-03	-0.58754
-3.25E+11	-3181080	-2.52E-03	-0.60287	-3.28E+11	-3213420	-2.46E-03	-0.58994
-3.24E+11	-3176180	-2.53E-03	-0.60527	-3.27E+11	-3208520	-2.47E-03	-0.59234
-3.24E+11	-3171280	-2.54E-03	-0.60766	-3.27E+11	-3203620	-2.48E-03	-0.59473
-3.23E+11	-3166380	-2.55E-03	-0.61006	-3.26E+11	-3198720	-2.49E-03	-0.59713
-3.23E+11	-3161480	-2.56E-03	-0.61246	-3.26E+11	-3193820	-2.50E-03	-0.59952
-3.22E+11	-3157560	-2.57E-03	-0.61485	-3.25E+11	-3188920	-2.51E-03	-0.60192
-3.22E+11	-3152660	-2.58E-03	-0.61725	-3.25E+11	-3184020	-2.52E-03	-0.60431
-3.21E+11	-3147760	-2.59E-03	-0.61964	-3.24E+11	-3179120	-2.53E-03	-0.60671
-3.21E+11	-3142860	-2.60E-03	-0.62204	-3.24E+11	-3174220	-2.54E-03	-0.6091
-3.20E+11	-3138940	-2.61E-03	-0.62443	-3.23E+11	-3169320	-2.55E-03	-0.6115
-3.20E+11	-3134040	-2.62E-03	-0.62683	-3.23E+11	-3165400	-2.56E-03	-0.61389
-3.19E+11	-3130120	-2.63E-03	-0.62922	-3.23E+11	-3160500	-2.57E-03	-0.61629
-3.19E+11	-3126200	-2.64E-03	-0.63162	-3.22E+11	-3156580	-2.58E-03	-0.61868
-3.19E+11	-3122280	-2.65E-03	-0.63401	-3.22E+11	-3151680	-2.59E-03	-0.62108
-3.18E+11	-3118360	-2.66E-03	-0.63641	-3.21E+11	-3147760	-2.60E-03	-0.62347
-3.18E+11	-3114440	-2.67E-03	-0.6388	-3.21E+11	-3142860	-2.61E-03	-0.62587
-3.17E+11	-3109540	-2.68E-03	-0.6412	-3.20E+11	-3138940	-2.62E-03	-0.62826
-3.17E+11	-3105620	-2.69E-03	-0.64359	-3.20E+11	-3134040	-2.63E-03	-0.63066
-3.17E+11	-3101700	-2.70E-03	-0.64599	-3.19E+11	-3130120	-2.64E-03	-0.63305
-3.16E+11	-3097780	-2.71E-03	-0.64838	-3.19E+11	-3125220	-2.65E-03	-0.63545
-3.16E+11	-3093860	-2.72E-03	-0.65078	-3.19E+11	-3121300	-2.66E-03	-0.63784
-3.15E+11	-3089940	-2.73E-03	-0.65317	-3.18E+11	-3117380	-2.67E-03	-0.64024
-3.15E+11	-3086020	-2.74E-03	-0.65557	-3.18E+11	-3113460	-2.68E-03	-0.64263
-3.15E+11	-3082100	-2.75E-03	-0.65796	-3.17E+11	-3108560	-2.69E-03	-0.64503
-3.14E+11	-3078180	-2.76E-03	-0.66036	-3.17E+11	-3104640	-2.70E-03	-0.64743
-3.14E+11	-3074260	-2.77E-03	-0.66275	-3.17E+11	-3103660	-2.71E-03	-0.64814
-3.13E+11	-3070340	-2.78E-03	-0.66515	-3.16E+11	-3099740	-2.72E-03	-0.65054
-3.13E+11	-3066420	-2.79E-03	-0.66754	-3.16E+11	-3095820	-2.73E-03	-0.65293
-3.13E+11	-3062500	-2.80E-03	-0.66994	-3.16E+11	-3091900	-2.74E-03	-0.65533
-3.12E+11	-3058580	-2.81E-03	-0.67234	-3.15E+11	-3087980	-2.75E-03	-0.65772
-3.12E+11	-3054660	-2.82E-03	-0.67473	-3.15E+11	-3084060	-2.76E-03	-0.66012
-3.11E+11	-3050740	-2.83E-03	-0.67713	-3.14E+11	-3079160	-2.77E-03	-0.66251

Bulk Carrier (B4) Idchk = 1


70% damage

frame spa	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
8.79E+08	8610.28	1.00E-06	0.00024
1.76E+09	17199	2.00E-06	0.000479

Bulk Carrier (B4) Idchk = 2

70% damage

frame spa	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
8.69E+08	8511.3	1.00E-06	0.00024
1.74E+09	17003	2.00E-06	0.000479



2.02E+11	1975680	2.30E-04	0.05509	1.99E+11	1953140	2.30E-04	0.05509
2.10E+11	2061920	2.40E-04	0.057485	2.08E+11	2037420	2.40E-04	0.057485
2.19E+11	2148160	2.50E-04	0.05988	2.17E+11	2122680	2.50E-04	0.05988
2.28E+11	2233420	2.60E-04	0.062275	2.25E+11	2206960	2.60E-04	0.062275
2.37E+11	2319660	2.70E-04	0.064671	2.34E+11	2292220	2.70E-04	0.064671
2.46E+11	2405900	2.80E-04	0.067066	2.43E+11	2376500	2.80E-04	0.067066
2.54E+11	2491160	2.90E-04	0.069461	2.51E+11	2461760	2.90E-04	0.069461
2.63E+11	2577400	3.00E-04	0.071856	2.60E+11	2546040	3.00E-04	0.071856
2.72E+11	2662660	3.10E-04	0.074251	2.69E+11	2631300	3.10E-04	0.074251
2.81E+11	2748900	3.20E-04	0.076647	2.77E+11	2715580	3.20E-04	0.076647
2.89E+11	2834160	3.30E-04	0.079042	2.86E+11	2800840	3.30E-04	0.079042

2.98E+11	2920400	3.40E-04	0.081437	2.95E+11	2886100	3.40E-04	0.081437
3.07E+11	3006640	3.50E-04	0.083832	3.03E+11	2970380	3.50E-04	0.083832
3.16E+11	3091900	3.60E-04	0.086228	3.12E+11	3055640	3.60E-04	0.086228
3.24E+11	3178140	3.70E-04	0.088623	3.20E+11	3139920	3.70E-04	0.088623
3.33E+11	3263400	3.80E-04	0.091018	3.29E+11	3225180	3.80E-04	0.091018
3.42E+11	3349640	3.90E-04	0.093413	3.38E+11	3309460	3.90E-04	0.093413
3.51E+11	3435880	4.00E-04	0.095808	3.46E+11	3394720	4.00E-04	0.095808
3.59E+11	3521140	4.10E-04	0.098204	3.55E+11	3479000	4.10E-04	0.098204
3.68E+11	3607380	4.20E-04	0.100599	3.64E+11	3563280	4.20E-04	0.100599
3.77E+11	3692640	4.30E-04	0.102994	3.72E+11	3648540	4.30E-04	0.102994
3.86E+11	3778880	4.40E-04	0.105389	3.81E+11	3732820	4.40E-04	0.105389
3.94E+11	3864140	4.50E-04	0.107784	3.90E+11	3818080	4.50E-04	0.107784
4.03E+11	3950380	4.60E-04	0.11018	3.98E+11	3902360	4.60E-04	0.11018
4.12E+11	4035640	4.70E-04	0.112575	4.07E+11	3987620	4.70E-04	0.112575
4.21E+11	4121880	4.80E-04	0.11497	4.16E+11	4071900	4.80E-04	0.11497
4.29E+11	4207140	4.90E-04	0.117365	4.24E+11	4157160	4.90E-04	0.117365
4.38E+11	4293380	5.00E-04	0.11976	4.33E+11	4241440	5.00E-04	0.11976
4.47E+11	4379620	5.10E-04	0.122156	4.41E+11	4325720	5.10E-04	0.122156
4.56E+11	4464880	5.20E-04	0.124551	4.50E+11	4410980	5.20E-04	0.124551
4.64E+11	4551120	5.30E-04	0.126946	4.59E+11	4495260	5.30E-04	0.126946
4.73E+11	4636380	5.40E-04	0.129341	4.67E+11	4580520	5.40E-04	0.129341
4.82E+11	4722620	5.50E-04	0.131737	4.76E+11	4664800	5.50E-04	0.131737
4.91E+11	4807880	5.60E-04	0.134132	4.85E+11	4750060	5.60E-04	0.134132
4.99E+11	4894120	5.70E-04	0.136527	4.93E+11	4834340	5.70E-04	0.136527
5.08E+11	4979380	5.80E-04	0.138922	5.02E+11	4918620	5.80E-04	0.138922
5.17E+11	5065620	5.90E-04	0.141317	5.11E+11	5003880	5.90E-04	0.141317
5.26E+11	5150880	6.00E-04	0.143713	5.19E+11	5088160	6.00E-04	0.143713
5.34E+11	5237120	6.10E-04	0.146108	5.28E+11	5173420	6.10E-04	0.146108
5.43E+11	5322380	6.20E-04	0.148503	5.37E+11	5257700	6.20E-04	0.148503
5.52E+11	5408620	6.30E-04	0.150898	5.45E+11	5341980	6.30E-04	0.150898
5.61E+11	5493880	6.40E-04	0.153293	5.54E+11	5427240	6.40E-04	0.153293
5.69E+11	5580120	6.50E-04	0.155689	5.62E+11	5511520	6.50E-04	0.155689
5.78E+11	5665380	6.60E-04	0.158084	5.71E+11	5596780	6.60E-04	0.158084
5.87E+11	5751620	6.70E-04	0.160479	5.80E+11	5681060	6.70E-04	0.160479
5.96E+11	5836880	6.80E-04	0.162874	5.88E+11	5765340	6.80E-04	0.162874
6.04E+11	5923120	6.90E-04	0.165269	5.97E+11	5850600	6.90E-04	0.165269
6.13E+11	6008380	7.00E-04	0.167665	6.06E+11	5934880	7.00E-04	0.167665
6.22E+11	6094620	7.10E-04	0.17006	6.14E+11	6020140	7.10E-04	0.17006
6.31E+11	6179880	7.20E-04	0.172455	6.23E+11	6104420	7.20E-04	0.172455
6.39E+11	6266120	7.30E-04	0.17485	6.32E+11	6188700	7.30E-04	0.17485
6.48E+11	6351380	7.40E-04	0.177246	6.40E+11	6273960	7.40E-04	0.177246
6.57E+11	6437620	7.50E-04	0.179641	6.49E+11	6358240	7.50E-04	0.179641
6.66E+11	6522880	7.60E-04	0.182036	6.58E+11	6443500	7.60E-04	0.182036
6.74E+11	6609120	7.70E-04	0.184431	6.58E+11	6445460	7.60E-04	0.182108
6.83E+11	6694380	7.80E-04	0.186826	6.65E+11	6517980	7.69E-04	0.184144
6.92E+11	6780620	7.90E-04	0.189222	6.70E+11	6564040	7.76E-04	0.18582
7.01E+11	6865880	8.00E-04	0.191617	6.76E+11	6628720	7.86E-04	0.188216


7.09E+11	6951140	8.10E-04	0.194012	6.79E+11	6657140	7.90E-04	0.189269
7.18E+11	7037380	8.20E-04	0.196407	6.86E+11	6719860	8.00E-04	0.191665
7.21E+11	7069720	8.24E-04	0.197293	6.88E+11	6739460	8.03E-04	0.192407
7.29E+11	7144200	8.33E-04	0.199521	6.93E+11	6792380	8.12E-04	0.194419
7.35E+11	7206920	8.42E-04	0.201677	7.00E+11	6855100	8.22E-04	0.196814
7.40E+11	7248080	8.50E-04	0.203497	7.00E+11	6859020	8.22E-04	0.196958
7.44E+11	7295120	8.60E-04	0.205892	7.06E+11	6918800	8.32E-04	0.199353
7.47E+11	7319620	8.65E-04	0.207114	7.12E+11	6975640	8.42E-04	0.201605
7.52E+11	7364700	8.75E-04	0.209509	7.18E+11	7034440	8.52E-04	0.204
7.56E+11	7405860	8.84E-04	0.211713	7.21E+11	7064820	8.57E-04	0.205269
7.60E+11	7448000	8.94E-04	0.214108	7.27E+11	7119700	8.67E-04	0.207665
7.64E+11	7485240	9.03E-04	0.216263	7.27E+11	7122640	8.68E-04	0.207784
7.67E+11	7515620	9.11E-04	0.218108	7.32E+11	7173600	8.77E-04	0.21006
7.71E+11	7551880	9.21E-04	0.220503	7.37E+11	7220640	8.86E-04	0.212311
7.74E+11	7588140	9.31E-04	0.222898	7.42E+11	7266700	8.96E-04	0.214611
7.77E+11	7616560	9.38E-04	0.224743	7.46E+11	7309820	9.06E-04	0.216982
7.81E+11	7648900	9.48E-04	0.227138	7.50E+11	7351960	9.16E-04	0.219377
7.84E+11	7678300	9.57E-04	0.229222	7.50E+11	7351960	9.16E-04	0.219401
7.87E+11	7707700	9.67E-04	0.231521	7.54E+11	7391160	9.26E-04	0.221796
7.89E+11	7736120	9.77E-04	0.233916	7.54E+11	7392140	9.26E-04	0.221892
7.92E+11	7764540	9.87E-04	0.236311	7.58E+11	7427420	9.36E-04	0.224287
7.95E+11	7791980	9.97E-04	0.238707	7.58E+11	7428400	9.37E-04	0.224383
7.98E+11	7817460	1.01E-03	0.241198	7.61E+11	7453880	9.45E-04	0.226299
8.00E+11	7840000	1.02E-03	0.243114	7.64E+11	7482300	9.55E-04	0.228695
8.02E+11	7863520	1.03E-03	0.245509	7.66E+11	7507780	9.63E-04	0.230731
8.03E+11	7871360	1.03E-03	0.246228	7.69E+11	7532280	9.73E-04	0.233126
8.05E+11	7891940	1.04E-03	0.248623	7.71E+11	7557760	9.83E-04	0.235521
8.07E+11	7912520	1.05E-03	0.251018	7.73E+11	7578340	9.92E-04	0.237509
8.10E+11	7933100	1.06E-03	0.253413	7.76E+11	7599900	1.00E-03	0.24
8.10E+11	7938980	1.06E-03	0.254132	7.76E+11	7608720	1.01E-03	0.240719
8.12E+11	7954660	1.07E-03	0.256527	7.79E+11	7629300	1.02E-03	0.243114
8.13E+11	7970340	1.08E-03	0.258922	7.79E+11	7635180	1.02E-03	0.244072
8.15E+11	7986020	1.09E-03	0.261317	7.81E+11	7650860	1.03E-03	0.245749
8.15E+11	7987980	1.09E-03	0.261557	7.83E+11	7668500	1.04E-03	0.248144
8.16E+11	8000720	1.10E-03	0.263952	7.84E+11	7686140	1.05E-03	0.250539
8.18E+11	8013460	1.11E-03	0.266347	7.84E+11	7686140	1.05E-03	0.250539
8.19E+11	8027180	1.12E-03	0.268743	7.86E+11	7702800	1.06E-03	0.252934
8.19E+11	8028160	1.12E-03	0.268982	7.88E+11	7719460	1.07E-03	0.255329
8.20E+11	8038940	1.13E-03	0.271377	7.89E+11	7736120	1.08E-03	0.257725
8.21E+11	8048740	1.14E-03	0.273293	7.91E+11	7751800	1.09E-03	0.26012
8.22E+11	8057560	1.15E-03	0.275689	7.92E+11	7760620	1.09E-03	0.261557
8.23E+11	8066380	1.16E-03	0.278084	7.93E+11	7774340	1.10E-03	0.263952
8.24E+11	8075200	1.17E-03	0.280479	7.95E+11	7789040	1.11E-03	0.266347
8.25E+11	8085000	1.18E-03	0.282874	7.96E+11	7802760	1.12E-03	0.268743
8.25E+11	8085980	1.18E-03	0.283353	7.98E+11	7816480	1.13E-03	0.271138
8.26E+11	8093820	1.19E-03	0.285749	7.99E+11	7829220	1.14E-03	0.273293
8.27E+11	8100680	1.20E-03	0.287665	8.00E+11	7841960	1.15E-03	0.275689

8.27E+11	8106560	1.21E-03	0.29006	8.01E+11	7853720	1.16E-03	0.278084
8.28E+11	8112440	1.22E-03	0.292455	8.01E+11	7853720	1.16E-03	0.278084
8.28E+11	8118320	1.23E-03	0.29485	8.03E+11	7865480	1.17E-03	0.280479
8.29E+11	8125180	1.24E-03	0.297246	8.03E+11	7870380	1.18E-03	0.281437
8.30E+11	8131060	1.25E-03	0.299641	8.04E+11	7881160	1.19E-03	0.283832
8.30E+11	8136940	1.26E-03	0.302036	8.05E+11	7891940	1.20E-03	0.286228
8.31E+11	8142820	1.27E-03	0.304431	8.05E+11	7891940	1.20E-03	0.286228
8.32E+11	8148700	1.28E-03	0.306826	8.06E+11	7901740	1.21E-03	0.288623
8.32E+11	8155560	1.29E-03	0.309222	8.07E+11	7909580	1.21E-03	0.290778
8.33E+11	8161440	1.30E-03	0.311617	8.08E+11	7919380	1.22E-03	0.293174
8.33E+11	8167320	1.31E-03	0.314012	8.09E+11	7929180	1.23E-03	0.295569
8.34E+11	8173200	1.32E-03	0.316407	8.10E+11	7934080	1.24E-03	0.296766
8.35E+11	8179080	1.33E-03	0.318802	8.11E+11	7942900	1.25E-03	0.299162
8.35E+11	8185940	1.34E-03	0.321198	8.11E+11	7943880	1.25E-03	0.299162
8.36E+11	8191820	1.35E-03	0.323593	8.11E+11	7950740	1.26E-03	0.301557
8.37E+11	8197700	1.36E-03	0.325988	8.12E+11	7957600	1.27E-03	0.303952
8.37E+11	8203580	1.37E-03	0.328383	8.13E+11	7963480	1.28E-03	0.306347
8.38E+11	8209460	1.38E-03	0.330778	8.13E+11	7970340	1.29E-03	0.308743
8.38E+11	8215340	1.39E-03	0.333174	8.14E+11	7975240	1.30E-03	0.310659
8.39E+11	8222200	1.40E-03	0.335569	8.14E+11	7981120	1.31E-03	0.313054
8.40E+11	8228080	1.41E-03	0.337964	8.15E+11	7986020	1.32E-03	0.315449
8.40E+11	8233960	1.42E-03	0.340359	8.15E+11	7990920	1.33E-03	0.317844
8.41E+11	8239840	1.43E-03	0.342754	8.16E+11	7993860	1.33E-03	0.319042
8.41E+11	8245720	1.44E-03	0.34515	8.16E+11	7997780	1.34E-03	0.321437
8.42E+11	8251600	1.45E-03	0.347545	8.17E+11	8002680	1.35E-03	0.323832
8.43E+11	8257480	1.46E-03	0.34994	8.17E+11	8007580	1.36E-03	0.326228
8.43E+11	8263360	1.47E-03	0.352335	8.18E+11	8012480	1.37E-03	0.328623
8.44E+11	8269240	1.48E-03	0.354731	8.18E+11	8017380	1.38E-03	0.331018
8.44E+11	8271200	1.48E-03	0.355449	8.18E+11	8017380	1.38E-03	0.331018
8.44E+11	8274140	1.49E-03	0.357844	8.19E+11	8022280	1.39E-03	0.333413
8.45E+11	8276100	1.50E-03	0.36024	8.19E+11	8027180	1.40E-03	0.335808
8.45E+11	8279040	1.51E-03	0.362635	8.20E+11	8032080	1.41E-03	0.338204
8.45E+11	8281000	1.52E-03	0.36503	8.20E+11	8036980	1.42E-03	0.340599
8.45E+11	8283940	1.53E-03	0.367425	8.21E+11	8040900	1.43E-03	0.342994
8.46E+11	8285900	1.54E-03	0.36982	8.21E+11	8041880	1.43E-03	0.343473
8.46E+11	8288840	1.55E-03	0.372216	8.21E+11	8045800	1.44E-03	0.345868
8.46E+11	8290800	1.56E-03	0.374611	8.22E+11	8050700	1.45E-03	0.348263
8.46E+11	8293740	1.57E-03	0.377006	8.22E+11	8050700	1.45E-03	0.348263
8.46E+11	8294720	1.58E-03	0.378443	8.22E+11	8053640	1.46E-03	0.350659
8.47E+11	8297660	1.59E-03	0.380838	8.22E+11	8057560	1.47E-03	0.353054
8.47E+11	8299620	1.60E-03	0.383234	8.23E+11	8060500	1.48E-03	0.355449
8.47E+11	8301580	1.61E-03	0.385629	8.23E+11	8064420	1.49E-03	0.357844
8.47E+11	8304520	1.62E-03	0.388024	8.23E+11	8065400	1.50E-03	0.358563
8.48E+11	8306480	1.63E-03	0.390419	8.23E+11	8068340	1.51E-03	0.360958
8.48E+11	8309420	1.64E-03	0.392814	8.24E+11	8072260	1.52E-03	0.363353
8.48E+11	8311380	1.65E-03	0.39521	8.24E+11	8075200	1.53E-03	0.365749
8.48E+11	8313340	1.66E-03	0.397605	8.24E+11	8077160	1.53E-03	0.367186

8.49E+11	8316280	1.67E-03	0.4	8.25E+11	8081080	1.54E-03	0.369581
8.49E+11	8318240	1.68E-03	0.402395	8.25E+11	8084020	1.55E-03	0.371976
8.49E+11	8320200	1.69E-03	0.40479	8.25E+11	8086960	1.56E-03	0.374371
8.49E+11	8323140	1.70E-03	0.407186	8.26E+11	8090880	1.57E-03	0.376766
8.50E+11	8325100	1.71E-03	0.409581	8.26E+11	8093820	1.58E-03	0.379162
8.50E+11	8328040	1.72E-03	0.411976	8.26E+11	8097740	1.59E-03	0.381557
8.50E+11	8330000	1.73E-03	0.414371	8.27E+11	8100680	1.60E-03	0.383952
8.50E+11	8331960	1.74E-03	0.416766	8.27E+11	8103620	1.61E-03	0.385868
8.51E+11	8334900	1.75E-03	0.419162	8.27E+11	8106560	1.62E-03	0.388263
8.51E+11	8336860	1.76E-03	0.421557	8.28E+11	8109500	1.63E-03	0.390659
8.51E+11	8338820	1.77E-03	0.423952	8.28E+11	8113420	1.64E-03	0.393054
8.51E+11	8340780	1.78E-03	0.426347	8.28E+11	8116360	1.65E-03	0.395449
8.51E+11	8343720	1.79E-03	0.428743	8.29E+11	8120280	1.66E-03	0.397844
8.52E+11	8345680	1.80E-03	0.431138	8.29E+11	8123220	1.67E-03	0.40024
8.52E+11	8347640	1.81E-03	0.433533	8.29E+11	8124200	1.67E-03	0.400958
8.52E+11	8349600	1.82E-03	0.435928	8.29E+11	8127140	1.68E-03	0.403353
8.52E+11	8352540	1.83E-03	0.438323	8.30E+11	8131060	1.69E-03	0.405749
8.53E+11	8354500	1.84E-03	0.440719	8.30E+11	8134000	1.70E-03	0.408144
8.53E+11	8356460	1.85E-03	0.443114	8.30E+11	8136940	1.71E-03	0.410539
8.53E+11	8358420	1.86E-03	0.445509	8.31E+11	8139880	1.72E-03	0.412934
8.53E+11	8360380	1.87E-03	0.447904	8.31E+11	8140860	1.72E-03	0.412934
8.53E+11	8363320	1.88E-03	0.450299	8.31E+11	8143800	1.73E-03	0.415329
8.54E+11	8365280	1.89E-03	0.452695	8.31E+11	8146740	1.74E-03	0.417725
8.54E+11	8367240	1.90E-03	0.45509	8.32E+11	8149680	1.75E-03	0.42012
8.54E+11	8369200	1.91E-03	0.457485	8.32E+11	8151640	1.76E-03	0.421557
8.54E+11	8371160	1.92E-03	0.45988	8.32E+11	8154580	1.77E-03	0.423952
8.54E+11	8373120	1.93E-03	0.462275	8.32E+11	8157520	1.78E-03	0.426347
8.55E+11	8375080	1.94E-03	0.463713	8.33E+11	8160460	1.79E-03	0.428743
8.55E+11	8377040	1.95E-03	0.466108	8.33E+11	8162420	1.80E-03	0.43018
8.55E+11	8379000	1.96E-03	0.468503	8.33E+11	8165360	1.81E-03	0.432575
8.55E+11	8380960	1.97E-03	0.470898	8.34E+11	8168300	1.82E-03	0.43497
8.55E+11	8382920	1.98E-03	0.473293	8.34E+11	8171240	1.83E-03	0.437365
8.56E+11	8384880	1.99E-03	0.475689	8.34E+11	8174180	1.84E-03	0.43976
8.56E+11	8385860	1.99E-03	0.476886	8.34E+11	8177120	1.85E-03	0.442156
8.56E+11	8387820	2.00E-03	0.479281	8.35E+11	8180060	1.86E-03	0.444551
8.56E+11	8389780	2.01E-03	0.481677	8.35E+11	8182020	1.86E-03	0.446467
8.56E+11	8390760	2.02E-03	0.484072	8.35E+11	8184960	1.87E-03	0.448862
8.56E+11	8392720	2.03E-03	0.486467	8.36E+11	8187900	1.88E-03	0.451257
8.56E+11	8392720	2.03E-03	0.486946	8.36E+11	8190840	1.89E-03	0.453653
8.57E+11	8393700	2.04E-03	0.489341	8.36E+11	8191820	1.90E-03	0.454371
8.57E+11	8393700	2.05E-03	0.491737	8.36E+11	8194760	1.91E-03	0.456766
8.57E+11	8394680	2.06E-03	0.494132	8.37E+11	8197700	1.92E-03	0.459162
8.57E+11	8394680	2.07E-03	0.496527	8.37E+11	8200640	1.93E-03	0.461557
8.57E+11	8394680	2.08E-03	0.498922	8.37E+11	8203580	1.94E-03	0.463952
8.57E+11	8394680	2.09E-03	0.501317	8.37E+11	8205540	1.94E-03	0.465629
8.57E+11	8393700	2.10E-03	0.503713	8.38E+11	8207500	1.95E-03	0.468024
8.57E+11	8393700	2.11E-03	0.506108	8.38E+11	8210440	1.96E-03	0.470419

8.57E+11	8393700	2.12E-03	0.508503	8.38E+11	8212400	1.97E-03	0.472814
8.56E+11	8392720	2.13E-03	0.510898	8.38E+11	8215340	1.98E-03	0.47521
8.56E+11	8392720	2.14E-03	0.513293	8.38E+11	8216320	1.99E-03	0.476407
8.56E+11	8392720	2.15E-03	0.515689	8.39E+11	8217300	2.00E-03	0.478802
8.56E+11	8391740	2.16E-03	0.518084	8.39E+11	8218280	2.01E-03	0.481198
8.56E+11	8391740	2.17E-03	0.520479	8.39E+11	8219260	2.02E-03	0.483593
8.56E+11	8391740	2.18E-03	0.522874	8.39E+11	8219260	2.03E-03	0.485988
8.56E+11	8390760	2.19E-03	0.525269	8.39E+11	8220240	2.04E-03	0.488144
8.56E+11	8391740	2.20E-03	0.527665	8.39E+11	8221220	2.05E-03	0.490539
8.56E+11	8391740	2.21E-03	0.53006	8.39E+11	8222200	2.06E-03	0.492934
8.56E+11	8391740	2.22E-03	0.530778	8.39E+11	8222200	2.07E-03	0.495329
8.56E+11	8391740	2.23E-03	0.533174	8.39E+11	8223180	2.08E-03	0.497725
8.56E+11	8391740	2.24E-03	0.535569	8.39E+11	8223180	2.08E-03	0.497964
8.56E+11	8391740	2.25E-03	0.537964	8.39E+11	8224160	2.09E-03	0.500359
8.56E+11	8391740	2.26E-03	0.540359	8.39E+11	8224160	2.10E-03	0.502754
8.56E+11	8391740	2.27E-03	0.542754	8.39E+11	8225140	2.11E-03	0.50515
8.56E+11	8392720	2.28E-03	0.54515	8.39E+11	8225140	2.11E-03	0.506347
8.56E+11	8392720	2.29E-03	0.547545	8.39E+11	8225140	2.12E-03	0.508743
8.56E+11	8392720	2.30E-03	0.54994	8.39E+11	8225140	2.13E-03	0.511138
8.56E+11	8392720	2.31E-03	0.552335	8.39E+11	8225140	2.14E-03	0.513533
8.56E+11	8392720	2.32E-03	0.554731	8.39E+11	8226120	2.15E-03	0.515928
8.56E+11	8392720	2.32E-03	0.556168	8.39E+11	8226120	2.16E-03	0.518323
8.57E+11	8393700	2.33E-03	0.558563	8.39E+11	8226120	2.17E-03	0.520719
8.57E+11	8393700	2.34E-03	0.560958	8.39E+11	8226120	2.18E-03	0.523114
8.57E+11	8393700	2.35E-03	0.563353	8.39E+11	8226120	2.19E-03	0.525509
8.57E+11	8394680	2.36E-03	0.565749	8.39E+11	8226120	2.20E-03	0.527904
8.57E+11	8394680	2.36E-03	0.565988	8.39E+11	8226120	2.21E-03	0.530299
8.57E+11	8394680	2.37E-03	0.568383	8.39E+11	8226120	2.22E-03	0.532695
8.57E+11	8395660	2.38E-03	0.570778	8.39E+11	8226120	2.23E-03	0.532934
8.57E+11	8395660	2.39E-03	0.573174	8.39E+11	8226120	2.24E-03	0.535329
8.57E+11	8396640	2.40E-03	0.575569	8.39E+11	8225140	2.25E-03	0.537725
8.57E+11	8396640	2.41E-03	0.577964	8.39E+11	8225140	2.26E-03	0.54012
8.57E+11	8397620	2.42E-03	0.579162	8.39E+11	8225140	2.27E-03	0.542515
8.57E+11	8397620	2.43E-03	0.581557	8.39E+11	8225140	2.28E-03	0.54491
8.57E+11	8398600	2.44E-03	0.583952	8.39E+11	8225140	2.29E-03	0.547305
8.57E+11	8398600	2.45E-03	0.586347	8.39E+11	8225140	2.30E-03	0.549701
8.57E+11	8399580	2.46E-03	0.588743	8.39E+11	8225140	2.31E-03	0.552096
8.57E+11	8399580	2.47E-03	0.591138	8.39E+11	8225140	2.32E-03	0.554491
8.57E+11	8400560	2.48E-03	0.593533	8.39E+11	8226120	2.32E-03	0.554491
8.57E+11	8400560	2.49E-03	0.595928	8.39E+11	8226120	2.33E-03	0.556886
8.57E+11	8401540	2.50E-03	0.598323	8.39E+11	8226120	2.34E-03	0.559281
8.57E+11	8402520	2.51E-03	0.600719	8.39E+11	8226120	2.35E-03	0.561677
8.57E+11	8402520	2.52E-03	0.603114	8.39E+11	8226120	2.35E-03	0.562874
8.58E+11	8403500	2.53E-03	0.605509	8.39E+11	8225140	2.36E-03	0.565269
8.58E+11	8403500	2.54E-03	0.607904	8.39E+11	8224160	2.37E-03	0.567665
8.58E+11	8404480	2.55E-03	0.610299	8.39E+11	8223180	2.38E-03	0.57006
8.58E+11	8404480	2.55E-03	0.610539	8.39E+11	8223180	2.38E-03	0.570539

8.58E+11	8404480	2.56E-03	0.612934	8.39E+11	8222200	2.39E-03	0.572934
8.58E+11	8405460	2.57E-03	0.615329	8.39E+11	8221220	2.40E-03	0.575329
8.58E+11	8406440	2.58E-03	0.617725	8.39E+11	8220240	2.41E-03	0.577725
8.58E+11	8406440	2.59E-03	0.62012	8.39E+11	8220240	2.41E-03	0.577725
8.58E+11	8407420	2.60E-03	0.622515	8.39E+11	8218280	2.42E-03	0.58012
8.58E+11	8407420	2.61E-03	0.62491	8.38E+11	8216320	2.43E-03	0.582515
8.58E+11	8408400	2.62E-03	0.627305	8.38E+11	8214360	2.44E-03	0.58491
8.58E+11	8409380	2.63E-03	0.629701	8.38E+11	8213380	2.45E-03	0.585868
8.58E+11	8410360	2.64E-03	0.632096	8.38E+11	8210440	2.46E-03	0.588263
8.58E+11	8410360	2.65E-03	0.634491	8.37E+11	8206520	2.47E-03	0.590659
8.58E+11	8411340	2.66E-03	0.636886	8.37E+11	8203580	2.47E-03	0.592575
8.58E+11	8412320	2.67E-03	0.639281	8.37E+11	8197700	2.48E-03	0.59497
8.58E+11	8412320	2.68E-03	0.641677	8.36E+11	8191820	2.49E-03	0.597365
8.59E+11	8413300	2.69E-03	0.644072	8.35E+11	8185940	2.50E-03	0.59976
8.59E+11	8414280	2.70E-03	0.646467	8.35E+11	8181040	2.51E-03	0.602156
8.59E+11	8415260	2.71E-03	0.648862	8.35E+11	8179080	2.52E-03	0.603832
8.59E+11	8416240	2.72E-03	0.651257	8.34E+11	8173200	2.53E-03	0.606228
8.59E+11	8416240	2.73E-03	0.653653	8.34E+11	8168300	2.54E-03	0.608144
8.59E+11	8417220	2.74E-03	0.655329	8.33E+11	8163400	2.55E-03	0.610539
8.59E+11	8417220	2.75E-03	0.657725	8.33E+11	8159480	2.56E-03	0.612934
8.59E+11	8417220	2.76E-03	0.66012	8.32E+11	8154580	2.57E-03	0.615329
8.59E+11	8417220	2.77E-03	0.662515	8.32E+11	8149680	2.58E-03	0.617725
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-8.79E+08	-8610.28	-1.00E-06	-0.00024	-8.69E+08	-8511.3	-1.00E-06	-0.00024
-1.76E+09	-17199	-2.00E-06	-0.00048	-1.74E+09	-17003	-2.00E-06	-0.00048
-2.63E+09	-25793.6	-3.00E-06	-0.00072	-2.60E+09	-25489.8	-3.00E-06	-0.00072
-3.51E+09	-34378.4	-4.00E-06	-0.00096	-3.47E+09	-33976.6	-4.00E-06	-0.00096
-4.38E+09							
-5.26E+09							
-6.14E+09							
-7.01E+09							
-7.89E+09							
-8.77E+09							
-1.75E+10							
-2.63E+10							
-3.51E+10							
-4.38E+10							
-5.26E+10							
-6.14E+10							
-7.01E+10							
-7.89E+10							
-8.77E+10	-858970	-1.00E-04	-0.02395	-8.66E+10	-848974	-1.00E-04	-0.02395
-9.64E+10	-944818	-1.10E-04	-0.02635	-9.53E+10	-933744	-1.10E-04	-0.02635
-1.05E+11	-1030960	-1.20E-04	-0.02874	-1.04E+11	-1018220	-1.20E-04	-0.02874
-1.14E+11	-1116220	-1.30E-04	-0.03114	-1.13E+11	-1103480	-1.30E-04	-0.03114
-1.23E+11	-1202460	-1.40E-04	-0.03353	-1.21E+11	-1187760	-1.40E-04	-0.03353
-1.31E+11	-1287720	-1.50E-04	-0.03593	-1.30E+11	-1273020	-1.50E-04	-0.03593



-1.40E+11	-1372980	-1.60E-04	-0.03832	-1.39E+11	-1357300	-1.60E-04	-0.03832
-1.49E+11	-1459220	-1.70E-04	-0.04072	-1.47E+11	-1442560	-1.70E-04	-0.04072
-1.58E+11	-1544480	-1.80E-04	-0.04311	-1.56E+11	-1526840	-1.80E-04	-0.04311
-1.66E+11	-1630720	-1.90E-04	-0.04551	-1.64E+11	-1611120	-1.90E-04	-0.04551
-1.75E+11	-1715980	-2.00E-04	-0.0479	-1.73E+11	-1695400	-2.00E-04	-0.0479
-1.84E+11	-1801240	-2.10E-04	-0.0503	-1.82E+11	-1779680	-2.10E-04	-0.0503
-1.93E+11	-1886500	-2.20E-04	-0.05269	-1.90E+11	-1863960	-2.20E-04	-0.05269
-2.01E+11	-1971760	-2.30E-04	-0.05509	-1.99E+11	-1949220	-2.30E-04	-0.05509
-2.10E+11	-2057020	-2.40E-04	-0.05749	-2.08E+11	-2033500	-2.40E-04	-0.05749
-2.19E+11	-2142280	-2.50E-04	-0.05988	-2.16E+11	-2117780	-2.50E-04	-0.05988
-2.27E+11	-2227540	-2.60E-04	-0.06228	-2.25E+11	-2202060	-2.60E-04	-0.06228
-2.36E+11	-2312800	-2.70E-04	-0.06467	-2.33E+11	-2285360	-2.70E-04	-0.06467
-2.45E+11	-2398060	-2.80E-04	-0.06707	-2.42E+11	-2369640	-2.80E-04	-0.06707
-2.53E+11	-2483320	-2.90E-04	-0.06946	-2.50E+11	-2453920	-2.90E-04	-0.06946
-2.62E+11	-2568580	-3.00E-04	-0.07186	-2.59E+11	-2538200	-3.00E-04	-0.07186
-2.71E+11	-2653840	-3.10E-04	-0.07425	-2.68E+11	-2622480	-3.10E-04	-0.07425
-2.80E+11	-2739100	-3.20E-04	-0.07665	-2.76E+11	-2706760	-3.20E-04	-0.07665
-2.88E+11	-2824360	-3.30E-04	-0.07904	-2.85E+11	-2791040	-3.30E-04	-0.07904
-2.97E+11	-2908640	-3.40E-04	-0.08144	-2.93E+11	-2875320	-3.40E-04	-0.08144
-3.06E+11	-2993900	-3.50E-04	-0.08383	-3.02E+11	-2959600	-3.50E-04	-0.08383
-3.14E+11	-3079160	-3.60E-04	-0.08623	-3.11E+11	-3043880	-3.60E-04	-0.08623
-3.23E+11	-3164420	-3.70E-04	-0.08862	-3.19E+11	-3127180	-3.70E-04	-0.08862
-3.32E+11	-3249680	-3.80E-04	-0.09102	-3.28E+11	-3211460	-3.80E-04	-0.09102
-3.40E+11	-3333960	-3.90E-04	-0.09341	-3.36E+11	-3295740	-3.90E-04	-0.09341
-3.49E+11	-3419220	-4.00E-04	-0.09581	-3.45E+11	-3380020	-4.00E-04	-0.09581
-3.58E+11	-3504480	-4.10E-04	-0.0982	-3.54E+11	-3464300	-4.10E-04	-0.0982
-3.66E+11	-3588760	-4.20E-04	-0.1006	-3.62E+11	-3548580	-4.20E-04	-0.1006
-3.75E+11	-3674020	-4.30E-04	-0.10299	-3.71E+11	-3631880	-4.30E-04	-0.10299
-3.84E+11	-3759280	-4.40E-04	-0.10539	-3.79E+11	-3716160	-4.40E-04	-0.10539
-3.92E+11	-3844540	-4.50E-04	-0.10778	-3.88E+11	-3800440	-4.50E-04	-0.10778
-4.01E+11	-3928820	-4.60E-04	-0.11018	-3.96E+11	-3884720	-4.60E-04	-0.11018
-4.10E+11	-4014080	-4.70E-04	-0.11257	-4.05E+11	-3968020	-4.70E-04	-0.11257
-4.18E+11	-4098360	-4.80E-04	-0.11497	-4.14E+11	-4052300	-4.80E-04	-0.11497
-4.27E+11	-4183620	-4.90E-04	-0.11737	-4.22E+11	-4135600	-4.90E-04	-0.11737
-4.36E+11	-4267900	-5.00E-04	-0.11976	-4.31E+11	-4219880	-5.00E-04	-0.11976
-4.44E+11	-4353160	-5.10E-04	-0.12216	-4.39E+11	-4303180	-5.10E-04	-0.12216
-4.53E+11	-4437440	-5.20E-04	-0.12455	-4.48E+11	-4387460	-5.20E-04	-0.12455
-4.61E+11	-4521720	-5.30E-04	-0.12695	-4.56E+11	-4470760	-5.30E-04	-0.12695
-4.70E+11	-4606000	-5.40E-04	-0.12934	-4.65E+11	-4554060	-5.40E-04	-0.12934
-4.79E+11	-4690280	-5.50E-04	-0.13174	-4.73E+11	-4637360	-5.50E-04	-0.13174
-4.87E+11	-4774560	-5.60E-04	-0.13413	-4.82E+11	-4720660	-5.60E-04	-0.13413
-4.96E+11	-4857860	-5.70E-04	-0.13653	-4.90E+11	-4803960	-5.70E-04	-0.13653
-5.04E+11	-4941160	-5.80E-04	-0.13892	-4.99E+11	-4886280	-5.80E-04	-0.13892
-5.13E+11	-5025440	-5.90E-04	-0.14132	-5.07E+11	-4969580	-5.90E-04	-0.14132
-5.21E+11	-5108740	-6.00E-04	-0.14371	-5.16E+11	-5051900	-6.00E-04	-0.14371
-5.30E+11	-5192040	-6.10E-04	-0.14611	-5.24E+11	-5134220	-6.10E-04	-0.14611
-5.38E+11	-5275340	-6.20E-04	-0.1485	-5.32E+11	-5216540	-6.20E-04	-0.1485

-5.47E+11	-5357660	-6.30E-04	-0.1509	-5.41E+11	-5298860	-6.30E-04	-0.1509
-5.55E+11	-5440960	-6.40E-04	-0.15329	-5.49E+11	-5381180	-6.40E-04	-0.15329
-5.64E+11	-5523280	-6.50E-04	-0.15569	-5.57E+11	-5462520	-6.50E-04	-0.15569
-5.72E+11	-5605600	-6.60E-04	-0.15808	-5.66E+11	-5543860	-6.60E-04	-0.15808
-5.80E+11	-5687920	-6.70E-04	-0.16048	-5.74E+11	-5623240	-6.70E-04	-0.16048
-5.89E+11	-5769260	-6.80E-04	-0.16287	-5.82E+11	-5701640	-6.80E-04	-0.16287
-5.97E+11	-5850600	-6.90E-04	-0.16527	-5.90E+11	-5780040	-6.90E-04	-0.16527
-6.05E+11	-5931940	-7.00E-04	-0.16766	-5.98E+11	-5856480	-7.00E-04	-0.16766
-6.13E+11	-6011320	-7.10E-04	-0.17006	-6.03E+11	-5908420	-7.07E-04	-0.16929
-6.22E+11	-6090700	-7.20E-04	-0.17246	-6.11E+11	-5983880	-7.17E-04	-0.17169
-6.29E+11	-6168120	-7.30E-04	-0.17485	-6.12E+11	-5996620	-7.19E-04	-0.17214
-6.37E+11	-6243580	-7.40E-04	-0.17725	-6.13E+11	-6009360	-7.24E-04	-0.17334
-6.45E+11	-6318060	-7.50E-04	-0.17964	-6.15E+11	-6030920	-7.32E-04	-0.17528
-6.50E+11	-6369020	-7.57E-04	-0.18132	-6.17E+11	-6041700	-7.37E-04	-0.17641
-6.56E+11	-6430760	-7.66E-04	-0.1834	-6.19E+11	-6064240	-7.47E-04	-0.1788
-6.61E+11	-6473880	-7.73E-04	-0.18505	-6.19E+11	-6064240	-7.47E-04	-0.17885
-6.63E+11	-6501320	-7.80E-04	-0.18675	-6.21E+11	-6084820	-7.56E-04	-0.18113
-6.64E+11	-6508180	-7.86E-04	-0.18829	-6.23E+11	-6103440	-7.66E-04	-0.18352
-6.63E+11	-6492500	-7.93E-04	-0.18996	-6.23E+11	-6103440	-7.66E-04	-0.18354
-6.59E+11	-6462120	-8.03E-04	-0.19236	-6.23E+11	-6107360	-7.71E-04	-0.18465
-6.58E+11	-6450360	-8.07E-04	-0.19334	-6.23E+11	-6109320	-7.78E-04	-0.18637
-6.57E+11	-6434680	-8.13E-04	-0.1948	-6.23E+11	-6104420	-7.82E-04	-0.18728
-6.54E+11	-6410180	-8.22E-04	-0.19693	-6.22E+11	-6094620	-7.89E-04	-0.18893
-6.50E+11	-6369020	-8.32E-04	-0.19933	-6.19E+11	-6069140	-7.96E-04	-0.19059
-6.46E+11	-6325900	-8.41E-04	-0.20149	-6.15E+11	-6029940	-8.06E-04	-0.19298
-6.38E+11	-6255340	-8.51E-04	-0.20388	-6.14E+11	-6016220	-8.09E-04	-0.19387
-6.37E+11	-6243580	-8.53E-04	-0.20419	-6.10E+11	-5980940	-8.16E-04	-0.19547
-6.33E+11	-6202420	-8.57E-04	-0.20515	-6.07E+11	-5948600	-8.23E-04	-0.19708
-6.23E+11	-6101480	-8.65E-04	-0.20723	-6.04E+11	-5917240	-8.30E-04	-0.19875
-6.15E+11	-6030920	-8.71E-04	-0.2086	-6.00E+11	-5882940	-8.40E-04	-0.20115
-6.02E+11	-5901560	-8.81E-04	-0.21099	-6.00E+11	-5880980	-8.40E-04	-0.20125
-5.89E+11	-5771220	-8.91E-04	-0.21339	-5.98E+11	-5862360	-8.47E-04	-0.20283
-5.77E+11	-5656560	-9.01E-04	-0.21578	-5.95E+11	-5831980	-8.57E-04	-0.20522
-5.75E+11	-5633040	-9.04E-04	-0.21641	-5.94E+11	-5820220	-8.61E-04	-0.20625
-5.65E+11	-5533080	-9.14E-04	-0.2188	-5.91E+11	-5794740	-8.71E-04	-0.20865
-5.57E+11	-5453700	-9.24E-04	-0.2212	-5.91E+11	-5792780	-8.72E-04	-0.20881
-5.50E+11	-5386080	-9.34E-04	-0.22359	-5.88E+11	-5764360	-8.82E-04	-0.21121
-5.43E+11	-5323360	-9.44E-04	-0.22599	-5.88E+11	-5762400	-8.83E-04	-0.2114
-5.43E+11	-5316500	-9.45E-04	-0.22632	-5.85E+11	-5735940	-8.90E-04	-0.21313
-5.37E+11	-5261620	-9.55E-04	-0.22872	-5.81E+11	-5697720	-9.00E-04	-0.21552
-5.32E+11	-5209680	-9.65E-04	-0.23111	-5.79E+11	-5671260	-9.06E-04	-0.21705
-5.27E+11	-5163620	-9.74E-04	-0.23334	-5.76E+11	-5639900	-9.14E-04	-0.21892
-5.22E+11	-5118540	-9.84E-04	-0.23574	-5.71E+11	-5595800	-9.24E-04	-0.22132
-5.18E+11	-5075420	-9.94E-04	-0.23813	-5.68E+11	-5562480	-9.31E-04	-0.22299
-5.14E+11	-5035240	-1.00E-03	-0.24048	-5.63E+11	-5517400	-9.40E-04	-0.22503
-5.10E+11	-4998000	-1.01E-03	-0.24287	-5.57E+11	-5461540	-9.50E-04	-0.22743
-5.06E+11	-4962720	-1.02E-03	-0.24527	-5.52E+11	-5405680	-9.60E-04	-0.22982


-5.03E+11	-4928420	-1.03E-03	-0.24766	-5.49E+11	-5376280	-9.65E-04	-0.23114
-5.00E+11	-4895100	-1.04E-03	-0.25006	-5.44E+11	-5334140	-9.71E-04	-0.23257
-4.96E+11	-4864720	-1.05E-03	-0.25246	-5.37E+11	-5260640	-9.81E-04	-0.23497
-4.93E+11	-4835320	-1.06E-03	-0.25485	-5.30E+11	-5195960	-9.91E-04	-0.23737
-4.90E+11	-4805920	-1.07E-03	-0.25725	-5.24E+11	-5139120	-1.00E-03	-0.23976
-4.88E+11	-4777500	-1.08E-03	-0.25964	-5.23E+11	-5121480	-1.01E-03	-0.24072
-4.85E+11	-4750060	-1.09E-03	-0.26204	-5.17E+11	-5070520	-1.02E-03	-0.24311
-4.82E+11	-4723600	-1.10E-03	-0.26443	-5.13E+11	-5025440	-1.03E-03	-0.24551
-4.79E+11	-4698120	-1.11E-03	-0.26683	-5.09E+11	-4984280	-1.04E-03	-0.2479
-4.77E+11	-4672640	-1.12E-03	-0.26922	-5.05E+11	-4945080	-1.05E-03	-0.2503
-4.74E+11	-4649120	-1.13E-03	-0.27162	-5.01E+11	-4907840	-1.06E-03	-0.25269
-4.72E+11	-4625600	-1.14E-03	-0.27401	-4.97E+11	-4873540	-1.07E-03	-0.25509
-4.70E+11	-4602080	-1.15E-03	-0.27641	-4.95E+11	-4851000	-1.07E-03	-0.25653
-4.69E+11	-4597180	-1.16E-03	-0.27713	-4.92E+11	-4819640	-1.08E-03	-0.25892
-4.67E+11	-4573660	-1.17E-03	-0.27952	-4.89E+11	-4790240	-1.09E-03	-0.26132
-4.64E+11	-4551120	-1.18E-03	-0.28192	-4.86E+11	-4765740	-1.10E-03	-0.26347
-4.62E+11	-4530540	-1.19E-03	-0.28431	-4.84E+11	-4738300	-1.11E-03	-0.26587
-4.60E+11	-4509960	-1.20E-03	-0.28671	-4.81E+11	-4712820	-1.12E-03	-0.26826
-4.58E+11	-4489380	-1.21E-03	-0.2891	-4.78E+11	-4687340	-1.13E-03	-0.27066
-4.56E+11	-4468800	-1.22E-03	-0.2915	-4.76E+11	-4662840	-1.14E-03	-0.27305
-4.54E+11	-4449200	-1.23E-03	-0.29389	-4.73E+11	-4639320	-1.15E-03	-0.27545
-4.52E+11	-4429600	-1.24E-03	-0.29629	-4.71E+11	-4616780	-1.16E-03	-0.27784
-4.50E+11	-4410980	-1.25E-03	-0.29868	-4.69E+11	-4594240	-1.17E-03	-0.28024
-4.48E+11	-4392360	-1.26E-03	-0.30108	-4.67E+11	-4572680	-1.18E-03	-0.28263
-4.46E+11	-4373740	-1.27E-03	-0.30347	-4.64E+11	-4551120	-1.19E-03	-0.28503
-4.45E+11	-4356100	-1.28E-03	-0.30587	-4.62E+11	-4529560	-1.20E-03	-0.28743
-4.43E+11	-4338460	-1.29E-03	-0.30826	-4.60E+11	-4508980	-1.21E-03	-0.28982
-4.41E+11	-4320820	-1.30E-03	-0.31066	-4.58E+11	-4489380	-1.22E-03	-0.29222
-4.39E+11	-4304160	-1.31E-03	-0.31305	-4.56E+11	-4468800	-1.23E-03	-0.29461
-4.38E+11	-4288480	-1.32E-03	-0.31545	-4.54E+11	-4450180	-1.24E-03	-0.29701
-4.36E+11	-4271820	-1.33E-03	-0.31784	-4.52E+11	-4430580	-1.25E-03	-0.2994
-4.34E+11	-4256140	-1.34E-03	-0.32024	-4.50E+11	-4411960	-1.26E-03	-0.3018
-4.33E+11	-4239480	-1.35E-03	-0.32263	-4.48E+11	-4393340	-1.27E-03	-0.30419
-4.31E+11	-4223800	-1.36E-03	-0.32503	-4.47E+11	-4375700	-1.28E-03	-0.30659
-4.29E+11	-4208120	-1.37E-03	-0.32743	-4.45E+11	-4358060	-1.29E-03	-0.30898
-4.28E+11	-4193420	-1.38E-03	-0.32982	-4.43E+11	-4341400	-1.30E-03	-0.31138
-4.27E+11	-4179700	-1.39E-03	-0.33222	-4.41E+11	-4324740	-1.31E-03	-0.31377
-4.25E+11	-4165000	-1.40E-03	-0.33461	-4.40E+11	-4315920	-1.32E-03	-0.31497
-4.24E+11	-4150300	-1.41E-03	-0.33701	-4.39E+11	-4299260	-1.33E-03	-0.31737
-4.22E+11	-4136580	-1.42E-03	-0.3394	-4.37E+11	-4283580	-1.34E-03	-0.31976
-4.21E+11	-4122860	-1.43E-03	-0.3418	-4.35E+11	-4266920	-1.35E-03	-0.32216
-4.19E+11	-4109140	-1.44E-03	-0.34419	-4.34E+11	-4251240	-1.36E-03	-0.32455
-4.18E+11	-4094440	-1.45E-03	-0.34659	-4.32E+11	-4235560	-1.37E-03	-0.32695
-4.16E+11	-4079740	-1.46E-03	-0.34898	-4.31E+11	-4219880	-1.38E-03	-0.32934
-4.15E+11	-4065040	-1.47E-03	-0.35138	-4.29E+11	-4204200	-1.39E-03	-0.33174
-4.13E+11	-4049360	-1.48E-03	-0.35377	-4.27E+11	-4188520	-1.40E-03	-0.33413
-4.12E+11	-4034660	-1.49E-03	-0.35617	-4.26E+11	-4172840	-1.41E-03	-0.33653

-4.10E+11	-4019960	-1.50E-03	-0.35856	-4.24E+11	-4158140	-1.42E-03	-0.33892
-4.09E+11	-4005260	-1.51E-03	-0.36096	-4.23E+11	-4142460	-1.43E-03	-0.34132
-4.07E+11	-3991540	-1.52E-03	-0.36335	-4.21E+11	-4127760	-1.44E-03	-0.34371
-4.06E+11	-3976840	-1.53E-03	-0.36575	-4.20E+11	-4113060	-1.45E-03	-0.34611
-4.04E+11	-3963120	-1.54E-03	-0.36814	-4.18E+11	-4098360	-1.46E-03	-0.3485
-4.03E+11	-3949400	-1.55E-03	-0.37054	-4.17E+11	-4084640	-1.47E-03	-0.3509
-4.02E+11	-3935680	-1.56E-03	-0.37293	-4.15E+11	-4070920	-1.48E-03	-0.35329
-4.00E+11	-3921960	-1.57E-03	-0.37533	-4.14E+11	-4056220	-1.49E-03	-0.35569
-3.99E+11	-3908240	-1.58E-03	-0.37772	-4.13E+11	-4042500	-1.50E-03	-0.35808
-3.98E+11	-3895500	-1.59E-03	-0.38012	-4.11E+11	-4028780	-1.51E-03	-0.36048
-3.96E+11	-3881780	-1.60E-03	-0.38251	-4.10E+11	-4015060	-1.52E-03	-0.36287
-3.95E+11	-3868060	-1.61E-03	-0.38491	-4.08E+11	-4001340	-1.53E-03	-0.36527
-3.93E+11	-3855320	-1.62E-03	-0.38731	-4.07E+11	-3987620	-1.54E-03	-0.36766
-3.92E+11	-3841600	-1.63E-03	-0.3897	-4.06E+11	-3976840	-1.54E-03	-0.36958
-3.91E+11	-3828860	-1.64E-03	-0.3921	-4.04E+11	-3963120	-1.55E-03	-0.37198
-3.89E+11	-3815140	-1.65E-03	-0.39449	-4.03E+11	-3948420	-1.56E-03	-0.37437
-3.88E+11	-3802400	-1.66E-03	-0.39689	-4.02E+11	-3934700	-1.57E-03	-0.37677
-3.87E+11	-3789660	-1.67E-03	-0.39928	-4.00E+11	-3920980	-1.58E-03	-0.37916
-3.86E+11	-3777900	-1.68E-03	-0.40168	-3.99E+11	-3907260	-1.59E-03	-0.38156
-3.84E+11	-3765160	-1.69E-03	-0.40407	-3.97E+11	-3894520	-1.60E-03	-0.38395
-3.83E+11	-3752420	-1.70E-03	-0.40647	-3.96E+11	-3880800	-1.61E-03	-0.38635
-3.82E+11	-3740660	-1.71E-03	-0.40886	-3.95E+11	-3868060	-1.62E-03	-0.38874
-3.80E+11	-3727920	-1.72E-03	-0.41126	-3.93E+11	-3854340	-1.63E-03	-0.39114
-3.79E+11	-3716160	-1.73E-03	-0.41365	-3.92E+11	-3841600	-1.64E-03	-0.39353
-3.78E+11	-3704400	-1.74E-03	-0.41605	-3.91E+11	-3827880	-1.65E-03	-0.39593
-3.77E+11	-3692640	-1.75E-03	-0.41844	-3.89E+11	-3815140	-1.66E-03	-0.39832
-3.76E+11	-3680880	-1.76E-03	-0.42084	-3.88E+11	-3802400	-1.67E-03	-0.40072
-3.74E+11	-3669120	-1.77E-03	-0.42323	-3.87E+11	-3789660	-1.68E-03	-0.40311
-3.73E+11	-3657360	-1.78E-03	-0.42563	-3.85E+11	-3776920	-1.69E-03	-0.40551
-3.72E+11	-3646580	-1.79E-03	-0.42802	-3.84E+11	-3764180	-1.70E-03	-0.4079
-3.71E+11	-3636780	-1.80E-03	-0.42994	-3.83E+11	-3752420	-1.71E-03	-0.4103
-3.70E+11	-3625020	-1.81E-03	-0.43234	-3.82E+11	-3739680	-1.72E-03	-0.41269
-3.69E+11	-3614240	-1.82E-03	-0.43473	-3.80E+11	-3727920	-1.73E-03	-0.41509
-3.68E+11	-3602480	-1.83E-03	-0.43713	-3.79E+11	-3716160	-1.74E-03	-0.41749
-3.67E+11	-3591700	-1.84E-03	-0.43952	-3.78E+11	-3703420	-1.75E-03	-0.41988
-3.65E+11	-3580920	-1.85E-03	-0.44192	-3.77E+11	-3691660	-1.76E-03	-0.42228
-3.64E+11	-3570140	-1.86E-03	-0.44431	-3.76E+11	-3679900	-1.77E-03	-0.42467
-3.63E+11	-3558380	-1.87E-03	-0.44671	-3.74E+11	-3668140	-1.78E-03	-0.42707
-3.62E+11	-3547600	-1.88E-03	-0.4491	-3.73E+11	-3656380	-1.79E-03	-0.42946
-3.61E+11	-3537800	-1.89E-03	-0.4515	-3.72E+11	-3645600	-1.80E-03	-0.43186
-3.60E+11	-3527020	-1.90E-03	-0.45389	-3.71E+11	-3633840	-1.81E-03	-0.43425
-3.59E+11	-3517220	-1.91E-03	-0.45629	-3.70E+11	-3623060	-1.82E-03	-0.43665
-3.58E+11	-3507420	-1.92E-03	-0.45868	-3.69E+11	-3612280	-1.83E-03	-0.43904
-3.57E+11	-3497620	-1.93E-03	-0.46108	-3.67E+11	-3600520	-1.84E-03	-0.44144
-3.56E+11	-3487820	-1.94E-03	-0.46347	-3.66E+11	-3589740	-1.85E-03	-0.44383
-3.55E+11	-3478020	-1.95E-03	-0.46587	-3.65E+11	-3578960	-1.86E-03	-0.44623
-3.54E+11	-3468220	-1.96E-03	-0.46826	-3.64E+11	-3568180	-1.87E-03	-0.44862

-3.53E+11	-3458420	-1.97E-03	-0.47066	-3.63E+11	-3558380	-1.88E-03	-0.45102
-3.52E+11	-3449600	-1.98E-03	-0.47305	-3.62E+11	-3547600	-1.89E-03	-0.45341
-3.51E+11	-3440780	-1.99E-03	-0.47545	-3.61E+11	-3537800	-1.90E-03	-0.45581
-3.50E+11	-3432940	-2.00E-03	-0.47784	-3.60E+11	-3527020	-1.91E-03	-0.4582
-3.49E+11	-3424120	-2.01E-03	-0.48024	-3.59E+11	-3517220	-1.92E-03	-0.4606
-3.49E+11	-3416280	-2.02E-03	-0.48263	-3.58E+11	-3508400	-1.93E-03	-0.46299
-3.48E+11	-3407460	-2.03E-03	-0.48503	-3.57E+11	-3498600	-1.94E-03	-0.46539
-3.47E+11	-3399620	-2.04E-03	-0.48743	-3.56E+11	-3488800	-1.95E-03	-0.46778
-3.46E+11	-3391780	-2.05E-03	-0.48982	-3.55E+11	-3479980	-1.96E-03	-0.47018
-3.45E+11	-3382960	-2.06E-03	-0.49222	-3.54E+11	-3470180	-1.97E-03	-0.47257
-3.44E+11	-3375120	-2.07E-03	-0.49461	-3.53E+11	-3461360	-1.98E-03	-0.47497
-3.44E+11	-3367280	-2.08E-03	-0.49701	-3.52E+11	-3452540	-1.99E-03	-0.47737
-3.43E+11	-3359440	-2.09E-03	-0.4994	-3.51E+11	-3442740	-2.00E-03	-0.47976
-3.42E+11	-3351600	-2.10E-03	-0.5018	-3.50E+11	-3433920	-2.01E-03	-0.48216
-3.41E+11	-3344740	-2.11E-03	-0.50419	-3.50E+11	-3426080	-2.02E-03	-0.48455
-3.41E+11	-3336900	-2.12E-03	-0.50659	-3.49E+11	-3422160	-2.03E-03	-0.48575
-3.40E+11	-3330040	-2.13E-03	-0.50898	-3.48E+11	-3413340	-2.04E-03	-0.48814
-3.39E+11	-3322200	-2.14E-03	-0.51138	-3.47E+11	-3404520	-2.05E-03	-0.49054
-3.38E+11	-3315340	-2.15E-03	-0.51377	-3.47E+11	-3396680	-2.06E-03	-0.49293
-3.38E+11	-3307500	-2.16E-03	-0.51617	-3.46E+11	-3388840	-2.07E-03	-0.49533
-3.37E+11	-3300640	-2.17E-03	-0.51856	-3.45E+11	-3380020	-2.08E-03	-0.49772
-3.36E+11	-3293780	-2.18E-03	-0.52096	-3.44E+11	-3372180	-2.09E-03	-0.50012
-3.35E+11	-3286920	-2.19E-03	-0.52335	-3.43E+11	-3364340	-2.10E-03	-0.50251
-3.35E+11	-3279080	-2.20E-03	-0.52575	-3.43E+11	-3356500	-2.11E-03	-0.50491
-3.34E+11	-3272220	-2.21E-03	-0.52814	-3.42E+11	-3349640	-2.12E-03	-0.50731
-3.33E+11	-3265360	-2.22E-03	-0.53054	-3.41E+11	-3341800	-2.13E-03	-0.5097
-3.33E+11	-3258500	-2.23E-03	-0.53293	-3.40E+11	-3333960	-2.14E-03	-0.5121
-3.32E+11	-3252620	-2.24E-03	-0.53533	-3.39E+11	-3326120	-2.15E-03	-0.51449
-3.31E+11	-3245760	-2.25E-03	-0.53772	-3.39E+11	-3319260	-2.16E-03	-0.51689
-3.31E+11	-3239880	-2.26E-03	-0.54012	-3.38E+11	-3312400	-2.17E-03	-0.51928
-3.30E+11	-3234000	-2.27E-03	-0.54251	-3.37E+11	-3304560	-2.18E-03	-0.52168
-3.29E+11	-3227140	-2.28E-03	-0.54491	-3.37E+11	-3297700	-2.19E-03	-0.52407
-3.29E+11	-3221260	-2.29E-03	-0.54731	-3.36E+11	-3290840	-2.20E-03	-0.52647
-3.28E+11	-3214400	-2.30E-03	-0.5497	-3.35E+11	-3283980	-2.21E-03	-0.52886
-3.27E+11	-3208520	-2.31E-03	-0.5521	-3.34E+11	-3277120	-2.22E-03	-0.53126
-3.27E+11	-3202640	-2.32E-03	-0.55449	-3.34E+11	-3270260	-2.23E-03	-0.53365
-3.26E+11	-3196760	-2.33E-03	-0.55689	-3.33E+11	-3263400	-2.24E-03	-0.53605
-3.26E+11	-3190880	-2.34E-03	-0.55928	-3.32E+11	-3257520	-2.25E-03	-0.53844
-3.25E+11	-3185000	-2.35E-03	-0.56168	-3.32E+11	-3250660	-2.26E-03	-0.54084
-3.24E+11	-3178140	-2.36E-03	-0.56407	-3.31E+11	-3243800	-2.27E-03	-0.54323
-3.24E+11	-3172260	-2.37E-03	-0.56647	-3.30E+11	-3236940	-2.28E-03	-0.54563
-3.23E+11	-3166380	-2.38E-03	-0.56886	-3.30E+11	-3231060	-2.29E-03	-0.54802
-3.23E+11	-3161480	-2.39E-03	-0.57126	-3.29E+11	-3224200	-2.30E-03	-0.55042
-3.22E+11	-3155600	-2.40E-03	-0.57365	-3.28E+11	-3218320	-2.31E-03	-0.55281
-3.22E+11	-3150700	-2.41E-03	-0.57605	-3.28E+11	-3212440	-2.32E-03	-0.55521
-3.21E+11	-3145800	-2.42E-03	-0.57844	-3.27E+11	-3206560	-2.33E-03	-0.5576
-3.21E+11	-3140900	-2.43E-03	-0.58084	-3.27E+11	-3200680	-2.34E-03	-0.56

-3.20E+11	-3136000	-2.44E-03	-0.58323	-3.26E+11	-3194800	-2.35E-03	-0.5624
-3.20E+11	-3131100	-2.45E-03	-0.58563	-3.25E+11	-3188920	-2.36E-03	-0.56479
-3.19E+11	-3126200	-2.46E-03	-0.58802	-3.25E+11	-3183040	-2.37E-03	-0.56719
-3.19E+11	-3121300	-2.47E-03	-0.59042	-3.24E+11	-3178140	-2.38E-03	-0.56958
-3.18E+11	-3116400	-2.48E-03	-0.59281	-3.24E+11	-3172260	-2.39E-03	-0.57198
-3.18E+11	-3111500	-2.49E-03	-0.59521	-3.23E+11	-3166380	-2.40E-03	-0.57437
-3.17E+11	-3106600	-2.50E-03	-0.5976	-3.23E+11	-3161480	-2.41E-03	-0.57677
-3.17E+11	-3101700	-2.51E-03	-0.6	-3.22E+11	-3155600	-2.42E-03	-0.57916
-3.16E+11	-3096800	-2.52E-03	-0.6024	-3.22E+11	-3150700	-2.43E-03	-0.58156
-3.16E+11	-3091900	-2.53E-03	-0.60479	-3.21E+11	-3144820	-2.44E-03	-0.58395
-3.15E+11	-3087980	-2.54E-03	-0.60719	-3.20E+11	-3139920	-2.45E-03	-0.58635
-3.15E+11	-3083080	-2.55E-03	-0.60958	-3.20E+11	-3135020	-2.46E-03	-0.58874
-3.14E+11	-3078180	-2.56E-03	-0.61198	-3.19E+11	-3130120	-2.47E-03	-0.59114
-3.14E+11	-3073280	-2.57E-03	-0.61437	-3.19E+11	-3125220	-2.48E-03	-0.59353
-3.13E+11	-3068380	-2.58E-03	-0.61677	-3.18E+11	-3120320	-2.49E-03	-0.59593
-3.13E+11	-3064460	-2.59E-03	-0.61916	-3.18E+11	-3115420	-2.50E-03	-0.59832
-3.12E+11	-3059560	-2.60E-03	-0.62156	-3.17E+11	-3110520	-2.51E-03	-0.60072
-3.12E+11	-3055640	-2.61E-03	-0.62395	-3.17E+11	-3105620	-2.52E-03	-0.60311
-3.11E+11	-3050740	-2.62E-03	-0.62635	-3.16E+11	-3100720	-2.53E-03	-0.60551
-3.11E+11	-3046820	-2.63E-03	-0.62874	-3.16E+11	-3096800	-2.54E-03	-0.6079
-3.11E+11	-3042900	-2.64E-03	-0.63114	-3.16E+11	-3091900	-2.55E-03	-0.6103
-3.10E+11	-3038980	-2.65E-03	-0.63353	-3.15E+11	-3087000	-2.56E-03	-0.61269
-3.10E+11	-3035060	-2.66E-03	-0.63593	-3.15E+11	-3085040	-2.56E-03	-0.61413
-3.09E+11	-3031140	-2.67E-03	-0.63832	-3.14E+11	-3080140	-2.57E-03	-0.61653
-3.09E+11	-3027220	-2.68E-03	-0.64072	-3.14E+11	-3076220	-2.58E-03	-0.61892
-3.08E+11	-3022320	-2.69E-03	-0.64311	-3.13E+11	-3071320	-2.59E-03	-0.62132
-3.08E+11	-3018400	-2.70E-03	-0.64551	-3.13E+11	-3067400	-2.60E-03	-0.62371
-3.08E+11	-3014480	-2.71E-03	-0.6479	-3.13E+11	-3062500	-2.61E-03	-0.62611
-3.07E+11	-3010560	-2.72E-03	-0.6503	-3.12E+11	-3058580	-2.62E-03	-0.6285
-3.07E+11	-3006640	-2.73E-03	-0.65269	-3.12E+11	-3053680	-2.63E-03	-0.6309
-3.06E+11	-3002720	-2.74E-03	-0.65509	-3.11E+11	-3049760	-2.64E-03	-0.63329
-3.06E+11	-2998800	-2.75E-03	-0.65749	-3.11E+11	-3048780	-2.65E-03	-0.63401
-3.06E+11	-2994880	-2.76E-03	-0.65988	-3.11E+11	-3044860	-2.66E-03	-0.63641
-3.05E+11	-2990960	-2.77E-03	-0.66228	-3.10E+11	-3039960	-2.67E-03	-0.6388
-3.05E+11	-2987040	-2.78E-03	-0.66467	-3.10E+11	-3036040	-2.68E-03	-0.6412
-3.04E+11	-2983120	-2.79E-03	-0.66707	-3.09E+11	-3032120	-2.69E-03	-0.64359
-3.04E+11	-2979200	-2.80E-03	-0.66946	-3.09E+11	-3028200	-2.70E-03	-0.64599
-3.04E+11	-2975280	-2.81E-03	-0.67186	-3.09E+11	-3024280	-2.71E-03	-0.64838
-3.03E+11	-2971360	-2.82E-03	-0.67425	-3.08E+11	-3019380	-2.72E-03	-0.65078
-3.03E+11	-2967440	-2.83E-03	-0.67665	-3.08E+11	-3015460	-2.73E-03	-0.65317

Tanker (T4) Idchk = 1				Tanker (T4) Idchk = 2			
10% outer shell damage				10% outer shell damage			
frame spa	4.175	9.80E-06	1000	frame spa	4.175	9.80E-06	1000
Moment	Rotation		Curvature	Moment	Rotation		Curvature
1.77E+09	17336.2	1.00E-06	0.00024	1.77E+09	17306.8	1.00E-06	0.00024
3.54E+09	34682.2	2.00E-06	0.000479	3.53E+09	34603.8	2.00E-06	0.000479
5.31E+09	52018.4	3.00E-06	0.000719	5.30E+09	51900.8	3.00E-06	0.000719



3.89E+11	3814160	2.20E-04	0.052695	3.88E+11	3806320	2.20E-04	0.052695
4.07E+11	3987620	2.30E-04	0.05509	4.06E+11	3978800	2.30E-04	0.05509
4.25E+11	4161080	2.40E-04	0.057485	4.24E+11	4152260	2.40E-04	0.057485
4.42E+11	4334540	2.50E-04	0.05988	4.41E+11	4324740	2.50E-04	0.05988
4.60E+11	4508000	2.60E-04	0.062275	4.59E+11	4498200	2.60E-04	0.062275
4.78E+11	4680480	2.70E-04	0.064671	4.77E+11	4670680	2.70E-04	0.064671
4.95E+11	4853940	2.80E-04	0.067066	4.94E+11	4844140	2.80E-04	0.067066
5.13E+11	5027400	2.90E-04	0.069461	5.12E+11	5016620	2.90E-04	0.069461
5.31E+11	5200860	3.00E-04	0.071856	5.30E+11	5190080	3.00E-04	0.071856
5.48E+11	5374320	3.10E-04	0.074251	5.47E+11	5362560	3.10E-04	0.074251
5.66E+11	5547780	3.20E-04	0.076647	5.65E+11	5536020	3.20E-04	0.076647
5.84E+11	5721240	3.30E-04	0.079042	5.83E+11	5708500	3.30E-04	0.079042

6.02E+11	5894700	3.40E-04	0.081437	6.00E+11	5881960	3.40E-04	0.081437
6.19E+11	6068160	3.50E-04	0.083832	6.18E+11	6054440	3.50E-04	0.083832
6.37E+11	6241620	3.60E-04	0.086228	6.36E+11	6227900	3.60E-04	0.086228
6.55E+11	6415080	3.70E-04	0.088623	6.53E+11	6400380	3.70E-04	0.088623
6.72E+11	6587560	3.80E-04	0.091018	6.71E+11	6573840	3.80E-04	0.091018
6.90E+11	6761020	3.90E-04	0.093413	6.88E+11	6746320	3.90E-04	0.093413
7.08E+11	6934480	4.00E-04	0.095808	7.06E+11	6919780	4.00E-04	0.095808
7.25E+11	7107940	4.10E-04	0.098204	7.24E+11	7093240	4.10E-04	0.098204
7.43E+11	7281400	4.20E-04	0.100599	7.41E+11	7265720	4.20E-04	0.100599
7.61E+11	7454860	4.30E-04	0.102994	7.59E+11	7439180	4.30E-04	0.102994
7.78E+11	7628320	4.40E-04	0.105389	7.77E+11	7611660	4.40E-04	0.105389
7.96E+11	7801780	4.50E-04	0.107784	7.94E+11	7785120	4.50E-04	0.107784
8.14E+11	7975240	4.60E-04	0.11018	8.12E+11	7957600	4.60E-04	0.11018
8.31E+11	8147720	4.70E-04	0.112575	8.30E+11	8131060	4.70E-04	0.112575
8.49E+11	8321180	4.80E-04	0.11497	8.47E+11	8303540	4.80E-04	0.11497
8.67E+11	8494640	4.90E-04	0.117365	8.65E+11	8477000	4.90E-04	0.117365
8.85E+11	8668100	5.00E-04	0.11976	8.83E+11	8649480	5.00E-04	0.11976
9.02E+11	8841560	5.10E-04	0.122156	9.00E+11	8822940	5.10E-04	0.122156
9.20E+11	9015020	5.20E-04	0.124551	9.18E+11	8995420	5.20E-04	0.124551
9.38E+11	9188480	5.30E-04	0.126946	9.36E+11	9168880	5.30E-04	0.126946
9.55E+11	9361940	5.40E-04	0.129341	9.53E+11	9341360	5.40E-04	0.129341
9.73E+11	9535400	5.50E-04	0.131737	9.71E+11	9514820	5.50E-04	0.131737
9.91E+11	9707880	5.60E-04	0.134132	9.89E+11	9687300	5.60E-04	0.134132
1.01E+12	9878400	5.70E-04	0.136527	1.01E+12	9858800	5.70E-04	0.136527
1.03E+12	10054800	5.80E-04	0.138922	1.02E+12	10035200	5.80E-04	0.138922
1.04E+12	10231200	5.90E-04	0.141317	1.04E+12	10201800	5.90E-04	0.141317
1.06E+12	10397800	6.00E-04	0.143713	1.06E+12	10378200	6.00E-04	0.143713
1.08E+12	10574200	6.10E-04	0.146108	1.08E+12	10554600	6.10E-04	0.146108
1.10E+12	10750600	6.20E-04	0.148503	1.09E+12	10721200	6.20E-04	0.148503
1.11E+12	10917200	6.30E-04	0.150898	1.11E+12	10897600	6.30E-04	0.150898
1.13E+12	11093600	6.40E-04	0.153293	1.13E+12	11074000	6.40E-04	0.153293
1.15E+12	11270000	6.50E-04	0.155689	1.15E+12	11240600	6.50E-04	0.155689
1.17E+12	11446400	6.60E-04	0.158084	1.17E+12	11417000	6.60E-04	0.158084
1.18E+12	11515000	6.64E-04	0.159066	1.17E+12	11475800	6.63E-04	0.158826
1.19E+12	11632600	6.72E-04	0.16091	1.18E+12	11573800	6.70E-04	0.160383
1.20E+12	11750200	6.80E-04	0.162778	1.19E+12	11652200	6.76E-04	0.161868
1.21E+12	11848200	6.87E-04	0.164647	1.20E+12	11730600	6.83E-04	0.163497
1.22E+12	11926600	6.95E-04	0.166467	1.21E+12	11838400	6.92E-04	0.165749
1.22E+12	11995200	7.02E-04	0.168096	1.22E+12	11907000	6.99E-04	0.167305
1.23E+12	12044200	7.08E-04	0.169557	1.22E+12	11975600	7.05E-04	0.168862
1.24E+12	12103000	7.15E-04	0.171162	1.23E+12	12034400	7.11E-04	0.170299
1.24E+12	12181400	7.25E-04	0.173557	1.24E+12	12103000	7.18E-04	0.171952
1.25E+12	12259800	7.35E-04	0.175952	1.24E+12	12161800	7.24E-04	0.173509
1.25E+12	12279400	7.36E-04	0.176359	1.25E+12	12220600	7.31E-04	0.175186
1.26E+12	12348000	7.46E-04	0.178754	1.25E+12	12269600	7.38E-04	0.176719
1.27E+12	12426400	7.56E-04	0.18115	1.26E+12	12338200	7.47E-04	0.178898
1.28E+12	12495000	7.66E-04	0.183545	1.27E+12	12406800	7.57E-04	0.181293


1.28E+12	12573400	7.76E-04	0.18594	1.27E+12	12416600	7.58E-04	0.181581
1.29E+12	12612600	7.82E-04	0.187281	1.27E+12	12485200	7.68E-04	0.183976
1.29E+12	12671400	7.92E-04	0.189677	1.27E+12	12485200	7.69E-04	0.184096
1.30E+12	12740000	8.02E-04	0.192024	1.28E+12	12544000	7.79E-04	0.186491
1.30E+12	12759600	8.10E-04	0.194012	1.28E+12	12563600	7.81E-04	0.187018
1.31E+12	12798800	8.20E-04	0.196407	1.29E+12	12612600	7.90E-04	0.189269
1.31E+12	12808600	8.23E-04	0.197054	1.29E+12	12671400	8.00E-04	0.191665
1.31E+12	12847800	8.33E-04	0.199449	1.29E+12	12671400	8.01E-04	0.191904
1.31E+12	12867400	8.36E-04	0.200311	1.30E+12	12730200	8.11E-04	0.194299
1.32E+12	12896800	8.44E-04	0.202156	1.30E+12	12749800	8.14E-04	0.195066
1.32E+12	12936000	8.54E-04	0.204551	1.31E+12	12798800	8.24E-04	0.197413
1.33E+12	12985000	8.64E-04	0.206946	1.31E+12	12847800	8.34E-04	0.199808
1.33E+12	13004600	8.71E-04	0.208599	1.31E+12	12857600	8.36E-04	0.200311
1.33E+12	13043800	8.81E-04	0.210994	1.32E+12	12887000	8.44E-04	0.202204
1.33E+12	13073200	8.87E-04	0.212359	1.32E+12	12936000	8.54E-04	0.204599
1.34E+12	13112400	8.97E-04	0.214754	1.32E+12	12936000	8.55E-04	0.204743
1.34E+12	13112400	8.97E-04	0.214874	1.32E+12	12975200	8.65E-04	0.207138
1.34E+12	13151600	9.07E-04	0.217269	1.33E+12	12985000	8.66E-04	0.207521
1.34E+12	13171200	9.13E-04	0.218635	1.33E+12	13024200	8.76E-04	0.209916
1.35E+12	13200600	9.23E-04	0.22103	1.33E+12	13024200	8.78E-04	0.210299
1.35E+12	13210400	9.26E-04	0.22182	1.33E+12	13063400	8.88E-04	0.212695
1.35E+12	13249600	9.36E-04	0.224216	1.33E+12	13073200	8.91E-04	0.213317
1.35E+12	13249600	9.37E-04	0.224455	1.34E+12	13112400	8.99E-04	0.215425
1.36E+12	13279000	9.47E-04	0.22685	1.34E+12	13141800	9.09E-04	0.21782
1.36E+12	13279000	9.48E-04	0.226946	1.34E+12	13151600	9.13E-04	0.218563
1.36E+12	13308400	9.58E-04	0.229341	1.35E+12	13181000	9.23E-04	0.220958
1.36E+12	13328000	9.64E-04	0.230874	1.35E+12	13190800	9.25E-04	0.221581
1.36E+12	13357400	9.74E-04	0.233269	1.35E+12	13230000	9.35E-04	0.223976
1.37E+12	13386800	9.84E-04	0.235665	1.35E+12	13259400	9.45E-04	0.226371
1.37E+12	13416200	9.93E-04	0.237749	1.36E+12	13279000	9.51E-04	0.227856
1.37E+12	13435800	1.00E-03	0.24024	1.36E+12	13308400	9.61E-04	0.230251
1.37E+12	13455400	1.01E-03	0.241437	1.36E+12	13337800	9.70E-04	0.232359
1.38E+12	13475000	1.02E-03	0.243832	1.36E+12	13357400	9.80E-04	0.234754
1.38E+12	13494600	1.03E-03	0.246228	1.37E+12	13377000	9.87E-04	0.236311
1.38E+12	13514200	1.04E-03	0.247904	1.37E+12	13406400	9.97E-04	0.238707
1.38E+12	13533800	1.05E-03	0.250299	1.37E+12	13426000	1.01E-03	0.241198
1.38E+12	13543600	1.05E-03	0.250539	1.37E+12	13455400	1.02E-03	0.243593
1.38E+12	13563200	1.06E-03	0.252934	1.37E+12	13455400	1.02E-03	0.243832
1.38E+12	13563200	1.06E-03	0.253892	1.38E+12	13475000	1.03E-03	0.246228
1.39E+12	13582800	1.07E-03	0.256287	1.38E+12	13504400	1.04E-03	0.248623
1.39E+12	13602400	1.08E-03	0.258683	1.38E+12	13504400	1.04E-03	0.249341
1.39E+12	13612200	1.08E-03	0.259162	1.38E+12	13524000	1.05E-03	0.251737
1.39E+12	13622000	1.09E-03	0.261557	1.38E+12	13533800	1.05E-03	0.252455
1.39E+12	13631800	1.10E-03	0.263952	1.38E+12	13553400	1.06E-03	0.25485
1.39E+12	13641600	1.11E-03	0.266347	1.38E+12	13553400	1.07E-03	0.25509
1.39E+12	13641600	1.12E-03	0.267545	1.38E+12	13563200	1.08E-03	0.257485
1.39E+12	13641600	1.13E-03	0.26994	1.38E+12	13563200	1.08E-03	0.258204

1.39E+12	13622000	1.14E-03	0.272335	1.38E+12	13563200	1.09E-03	0.260599
1.39E+12	13622000	1.14E-03	0.273054	1.38E+12	13563200	1.09E-03	0.260838
1.39E+12	13602400	1.15E-03	0.275449	1.38E+12	13563200	1.10E-03	0.263234
1.39E+12	13582800	1.16E-03	0.277605	1.38E+12	13563200	1.10E-03	0.264192
1.39E+12	13573000	1.17E-03	0.28	1.38E+12	13563200	1.11E-03	0.266587
1.38E+12	13563200	1.18E-03	0.282395	1.38E+12	13563200	1.11E-03	0.266587
1.38E+12	13553400	1.19E-03	0.28479	1.38E+12	13563200	1.12E-03	0.268982
1.38E+12	13543600	1.20E-03	0.287186	1.38E+12	13563200	1.12E-03	0.268982
1.38E+12	13543600	1.21E-03	0.289581	1.38E+12	13563200	1.13E-03	0.271377
1.38E+12	13543600	1.22E-03	0.291976	1.38E+12	13563200	1.14E-03	0.272335
1.38E+12	13533800	1.22E-03	0.292934	1.38E+12	13563200	1.15E-03	0.274731
1.38E+12	13533800	1.23E-03	0.295329	1.38E+12	13563200	1.15E-03	0.27497
1.38E+12	13524000	1.24E-03	0.297725	1.38E+12	13563200	1.16E-03	0.277365
1.38E+12	13514200	1.25E-03	0.30012	1.38E+12	13563200	1.16E-03	0.277365
1.38E+12	13504400	1.26E-03	0.302515	1.38E+12	13553400	1.17E-03	0.27976
1.38E+12	13504400	1.27E-03	0.302994	1.38E+12	13553400	1.18E-03	0.281916
1.38E+12	13484800	1.28E-03	0.305389	1.38E+12	13543600	1.19E-03	0.284311
1.37E+12	13465200	1.29E-03	0.307784	1.38E+12	13543600	1.19E-03	0.28479
1.37E+12	13455400	1.30E-03	0.31018	1.38E+12	13533800	1.20E-03	0.287186
1.37E+12	13445600	1.30E-03	0.310659	1.38E+12	13524000	1.21E-03	0.289581
1.37E+12	13426000	1.31E-03	0.313054	1.38E+12	13514200	1.22E-03	0.291976
1.37E+12	13396600	1.32E-03	0.315449	1.38E+12	13514200	1.22E-03	0.291976
1.37E+12	13396600	1.32E-03	0.315449	1.38E+12	13504400	1.23E-03	0.294371
1.37E+12	13377000	1.33E-03	0.317844	1.38E+12	13494600	1.24E-03	0.296766
1.36E+12	13367200	1.34E-03	0.32	1.38E+12	13484800	1.24E-03	0.297006
1.36E+12	13337800	1.35E-03	0.322395	1.38E+12	13475000	1.25E-03	0.299401
1.36E+12	13318200	1.36E-03	0.32479	1.38E+12	13475000	1.25E-03	0.30012
1.36E+12	13298600	1.37E-03	0.327186	1.37E+12	13465200	1.26E-03	0.302275
1.36E+12	13288800	1.38E-03	0.329581	1.37E+12	13455400	1.27E-03	0.304671
1.36E+12	13279000	1.38E-03	0.331018	1.37E+12	13445600	1.28E-03	0.307066
1.35E+12	13259400	1.39E-03	0.333413	1.37E+12	13435800	1.29E-03	0.308743
1.35E+12	13249600	1.40E-03	0.335808	1.37E+12	13426000	1.30E-03	0.311138
1.35E+12	13230000	1.41E-03	0.338204	1.37E+12	13416200	1.31E-03	0.313054
1.35E+12	13220200	1.42E-03	0.340599	1.37E+12	13396600	1.32E-03	0.315449
1.35E+12	13210400	1.43E-03	0.342994	1.37E+12	13386800	1.32E-03	0.316407
1.35E+12	13200600	1.44E-03	0.345389	1.36E+12	13367200	1.33E-03	0.318802
1.35E+12	13190800	1.45E-03	0.347784	1.36E+12	13357400	1.34E-03	0.32024
1.35E+12	13181000	1.46E-03	0.349461	1.36E+12	13328000	1.35E-03	0.322635
1.34E+12	13171200	1.47E-03	0.351856	1.36E+12	13328000	1.35E-03	0.323353
1.34E+12	13161400	1.48E-03	0.353772	1.36E+12	13298600	1.36E-03	0.325749
1.34E+12	13141800	1.49E-03	0.356168	1.36E+12	13288800	1.37E-03	0.327665
1.34E+12	13132000	1.50E-03	0.358563	1.35E+12	13269200	1.38E-03	0.33006
1.34E+12	13122200	1.51E-03	0.360958	1.35E+12	13249600	1.39E-03	0.332455
1.34E+12	13102600	1.52E-03	0.363353	1.35E+12	13249600	1.39E-03	0.333174
1.34E+12	13102600	1.52E-03	0.364072	1.35E+12	13230000	1.40E-03	0.335569
1.34E+12	13092800	1.53E-03	0.366467	1.35E+12	13220200	1.41E-03	0.337964
1.33E+12	13073200	1.54E-03	0.368862	1.35E+12	13220200	1.41E-03	0.338204

1.33E+12	13063400	1.55E-03	0.371257	1.35E+12	13200600	1.42E-03	0.340599
1.33E+12	13053600	1.56E-03	0.373653	1.35E+12	13190800	1.43E-03	0.342994
1.33E+12	13043800	1.57E-03	0.37485	1.35E+12	13181000	1.44E-03	0.345389
1.33E+12	13034000	1.58E-03	0.377246	1.34E+12	13171200	1.45E-03	0.347305
1.33E+12	13014400	1.59E-03	0.379641	1.34E+12	13151600	1.46E-03	0.349701
1.33E+12	13004600	1.60E-03	0.382036	1.34E+12	13141800	1.47E-03	0.352096
1.33E+12	12994800	1.60E-03	0.383234	1.34E+12	13132000	1.48E-03	0.354491
1.33E+12	12985000	1.61E-03	0.385629	1.34E+12	13122200	1.48E-03	0.355449
1.32E+12	12975200	1.62E-03	0.388024	1.34E+12	13102600	1.49E-03	0.357844
1.32E+12	12965400	1.63E-03	0.390419	1.34E+12	13092800	1.50E-03	0.36024
1.32E+12	12965400	1.63E-03	0.390659	1.33E+12	13073200	1.51E-03	0.362635
1.32E+12	12945800	1.64E-03	0.393054	1.33E+12	13073200	1.52E-03	0.363353
1.32E+12	12936000	1.65E-03	0.395449	1.33E+12	13063400	1.53E-03	0.365749
1.32E+12	12916400	1.66E-03	0.397844	1.33E+12	13043800	1.54E-03	0.368144
1.32E+12	12906600	1.67E-03	0.40024	1.33E+12	13043800	1.54E-03	0.368862
1.32E+12	12896800	1.68E-03	0.402635	1.33E+12	13024200	1.55E-03	0.371257
1.32E+12	12887000	1.69E-03	0.40503	1.33E+12	13014400	1.56E-03	0.373653
1.31E+12	12867400	1.70E-03	0.407425	1.33E+12	13004600	1.57E-03	0.376048
1.31E+12	12857600	1.71E-03	0.40982	1.33E+12	12994800	1.58E-03	0.377246
1.31E+12	12847800	1.72E-03	0.412216	1.33E+12	12985000	1.59E-03	0.379641
1.31E+12	12838000	1.73E-03	0.414611	1.32E+12	12975200	1.59E-03	0.381557
1.31E+12	12828200	1.74E-03	0.416048	1.32E+12	12955600	1.60E-03	0.383952
1.31E+12	12808600	1.75E-03	0.418443	1.32E+12	12945800	1.61E-03	0.386347
1.31E+12	12808600	1.75E-03	0.418683	1.32E+12	12945800	1.61E-03	0.386347
1.31E+12	12798800	1.76E-03	0.421078	1.32E+12	12936000	1.62E-03	0.388743
1.30E+12	12779200	1.77E-03	0.423473	1.32E+12	12916400	1.63E-03	0.391138
1.30E+12	12769400	1.78E-03	0.425868	1.32E+12	12906600	1.64E-03	0.393533
1.30E+12	12759600	1.79E-03	0.428263	1.32E+12	12887000	1.65E-03	0.395928
1.30E+12	12740000	1.80E-03	0.430659	1.31E+12	12877200	1.66E-03	0.398323
1.30E+12	12730200	1.81E-03	0.433054	1.31E+12	12867400	1.67E-03	0.39976
1.30E+12	12730200	1.81E-03	0.433054	1.31E+12	12857600	1.68E-03	0.401437
1.30E+12	12720400	1.82E-03	0.435449	1.31E+12	12847800	1.69E-03	0.403832
1.30E+12	12700800	1.83E-03	0.437844	1.31E+12	12838000	1.69E-03	0.40503
1.30E+12	12700800	1.83E-03	0.438084	1.31E+12	12828200	1.70E-03	0.407425
1.30E+12	12691000	1.84E-03	0.440479	1.31E+12	12828200	1.70E-03	0.407904
1.29E+12	12671400	1.85E-03	0.442874	1.31E+12	12808600	1.71E-03	0.410299
1.29E+12	12661600	1.86E-03	0.445269	1.31E+12	12798800	1.72E-03	0.412695
1.29E+12	12642000	1.87E-03	0.447665	1.31E+12	12789000	1.73E-03	0.41509
1.29E+12	12642000	1.87E-03	0.448862	1.30E+12	12769400	1.74E-03	0.417485
1.29E+12	12622400	1.88E-03	0.451257	1.30E+12	12759600	1.75E-03	0.41988
1.29E+12	12612600	1.89E-03	0.453653	1.30E+12	12749800	1.76E-03	0.422275
1.29E+12	12602800	1.90E-03	0.454611	1.30E+12	12740000	1.77E-03	0.424671
1.29E+12	12593000	1.91E-03	0.457006	1.30E+12	12730200	1.78E-03	0.427066
1.28E+12	12583200	1.92E-03	0.459401	1.30E+12	12720400	1.79E-03	0.429461
1.28E+12	12563600	1.93E-03	0.461796	1.30E+12	12710600	1.80E-03	0.431856
1.28E+12	12553800	1.94E-03	0.464192	1.30E+12	12710600	1.80E-03	0.432096
1.28E+12	12553800	1.94E-03	0.464192	1.30E+12	12700800	1.81E-03	0.434491

1.28E+12	12544000	1.95E-03	0.466587	1.29E+12	12681200	1.82E-03	0.436886
1.28E+12	12534200	1.96E-03	0.468982	1.29E+12	12671400	1.83E-03	0.439281
1.28E+12	12524400	1.97E-03	0.470659	1.29E+12	12661600	1.84E-03	0.441677
1.28E+12	12514600	1.98E-03	0.473054	1.29E+12	12651800	1.85E-03	0.444072
1.28E+12	12504800	1.99E-03	0.475449	1.29E+12	12642000	1.86E-03	0.446228
1.27E+12	12485200	2.00E-03	0.477844	1.29E+12	12632200	1.87E-03	0.448623
1.27E+12	12475400	2.01E-03	0.48024	1.29E+12	12622400	1.88E-03	0.451018
1.27E+12	12465600	2.02E-03	0.482635	1.29E+12	12612600	1.89E-03	0.453413
1.27E+12	12455800	2.03E-03	0.48503	1.29E+12	12602800	1.90E-03	0.455808
1.27E+12	12446000	2.04E-03	0.487425	1.29E+12	12593000	1.91E-03	0.458204
1.27E+12	12436200	2.05E-03	0.48982	1.28E+12	12583200	1.92E-03	0.460599
1.27E+12	12426400	2.06E-03	0.492216	1.28E+12	12573400	1.93E-03	0.462994
1.27E+12	12416600	2.07E-03	0.494611	1.28E+12	12563600	1.94E-03	0.465389
1.27E+12	12406800	2.08E-03	0.497006	1.28E+12	12553800	1.95E-03	0.467784
1.27E+12	12397000	2.09E-03	0.499401	1.28E+12	12544000	1.96E-03	0.469461
1.26E+12	12387200	2.10E-03	0.501796	1.28E+12	12534200	1.97E-03	0.471856
1.26E+12	12377400	2.11E-03	0.504192	1.28E+12	12534200	1.97E-03	0.471856
1.26E+12	12367600	2.12E-03	0.506587	1.28E+12	12524400	1.98E-03	0.474251
1.26E+12	12357800	2.13E-03	0.508982	1.28E+12	12524400	1.99E-03	0.475449
1.26E+12	12348000	2.14E-03	0.511377	1.28E+12	12504800	2.00E-03	0.477844
1.26E+12	12348000	2.15E-03	0.513772	1.28E+12	12495000	2.01E-03	0.48024
1.26E+12	12338200	2.16E-03	0.516168	1.27E+12	12485200	2.02E-03	0.482635
1.26E+12	12328400	2.16E-03	0.517365	1.27E+12	12475400	2.03E-03	0.48503
1.26E+12	12318600	2.17E-03	0.51976	1.27E+12	12465600	2.04E-03	0.487425
1.26E+12	12308800	2.18E-03	0.522156	1.27E+12	12465600	2.04E-03	0.487904
1.26E+12	12299000	2.19E-03	0.524551	1.27E+12	12455800	2.05E-03	0.490299
1.26E+12	12299000	2.20E-03	0.526946	1.27E+12	12446000	2.06E-03	0.492695
1.25E+12	12289200	2.21E-03	0.529341	1.27E+12	12436200	2.06E-03	0.492934
1.25E+12	12279400	2.22E-03	0.531737	1.27E+12	12426400	2.07E-03	0.495329
1.25E+12	12269600	2.23E-03	0.534132	1.27E+12	12416600	2.08E-03	0.497725
1.25E+12	12269600	2.23E-03	0.534132	1.27E+12	12406800	2.09E-03	0.50012
1.25E+12	12259800	2.24E-03	0.536527	1.27E+12	12397000	2.10E-03	0.502515
1.25E+12	12250000	2.25E-03	0.538683	1.26E+12	12387200	2.11E-03	0.50491
1.25E+12	12240200	2.26E-03	0.541078	1.26E+12	12377400	2.12E-03	0.507305
1.25E+12	12240200	2.27E-03	0.543473	1.26E+12	12367600	2.12E-03	0.507545
1.25E+12	12230400	2.28E-03	0.545868	1.26E+12	12357800	2.13E-03	0.50994
1.25E+12	12220600	2.29E-03	0.548263	1.26E+12	12357800	2.13E-03	0.511138
1.25E+12	12210800	2.30E-03	0.550659	1.26E+12	12338200	2.14E-03	0.513533
1.25E+12	12201000	2.30E-03	0.551138	1.26E+12	12328400	2.15E-03	0.515928
1.24E+12	12191200	2.31E-03	0.553533	1.26E+12	12318600	2.16E-03	0.518084
1.24E+12	12181400	2.32E-03	0.555928	1.26E+12	12308800	2.17E-03	0.520479
1.24E+12	12181400	2.33E-03	0.557365	1.26E+12	12299000	2.18E-03	0.522874
1.24E+12	12171600	2.34E-03	0.55976	1.25E+12	12289200	2.19E-03	0.524311
1.24E+12	12161800	2.35E-03	0.562156	1.25E+12	12279400	2.20E-03	0.526707
1.24E+12	12152000	2.35E-03	0.563832	1.25E+12	12269600	2.21E-03	0.529102
1.24E+12	12142200	2.36E-03	0.566228	1.25E+12	12259800	2.22E-03	0.531497
1.24E+12	12132400	2.37E-03	0.568623	1.25E+12	12250000	2.23E-03	0.533892

1.24E+12	12122600	2.38E-03	0.571018	1.25E+12	12250000	2.23E-03	0.534132
1.24E+12	12112800	2.39E-03	0.573413	1.25E+12	12240200	2.24E-03	0.536527
1.24E+12	12103000	2.40E-03	0.575808	1.25E+12	12230400	2.24E-03	0.536527
1.23E+12	12083400	2.41E-03	0.578204	1.25E+12	12220600	2.25E-03	0.538922
1.23E+12	12073600	2.42E-03	0.580599	1.25E+12	12210800	2.26E-03	0.541317
1.23E+12	12063800	2.43E-03	0.582994	1.25E+12	12201000	2.27E-03	0.542754
1.23E+12	12054000	2.44E-03	0.585389	1.24E+12	12191200	2.28E-03	0.54515
1.23E+12	12044200	2.45E-03	0.587784	1.24E+12	12181400	2.29E-03	0.547545
1.23E+12	12034400	2.46E-03	0.59018	1.24E+12	12171600	2.30E-03	0.54994
1.23E+12	12024600	2.47E-03	0.592575	1.24E+12	12161800	2.31E-03	0.552335
1.23E+12	12014800	2.48E-03	0.59497	1.24E+12	12152000	2.32E-03	0.554731
1.23E+12	12014800	2.49E-03	0.597365	1.24E+12	12142200	2.33E-03	0.557126
1.23E+12	12005000	2.50E-03	0.597605	1.24E+12	12132400	2.34E-03	0.559521
1.22E+12	11995200	2.51E-03	0.6	1.24E+12	12122600	2.35E-03	0.561916
1.22E+12	11995200	2.52E-03	0.602395	1.24E+12	12112800	2.36E-03	0.564311
1.22E+12	11985400	2.53E-03	0.60479	1.24E+12	12103000	2.37E-03	0.566707
1.22E+12	11975600	2.54E-03	0.607186	1.23E+12	12093200	2.38E-03	0.569102
1.22E+12	11965800	2.55E-03	0.609581	1.23E+12	12083400	2.39E-03	0.571497
1.22E+12	11956000	2.56E-03	0.611976	1.23E+12	12073600	2.40E-03	0.573892
1.22E+12	11946200	2.57E-03	0.614371	1.23E+12	12063800	2.41E-03	0.576287
1.22E+12	11936400	2.57E-03	0.616287	1.23E+12	12054000	2.42E-03	0.578683
1.22E+12	11926600	2.58E-03	0.618683	1.23E+12	12044200	2.43E-03	0.581078
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-1.77E+09	-17336.2	-1.00E-06	-0.00024	-1.77E+09	-17306.8	-1.00E-06	-0.00024
-3.54E+09	-34662.6	-2.00E-06	-0.00048	-3.53E+09	-34594	-2.00E-06	-0.00048
-5.31E+09	-51989	-3.00E-06	-0.00072	-5.29E+09	-51881.2	-3.00E-06	-0.00072
-7.07E+11	-1559180	-9.00E-05	-0.02156	-7.07E+11	-1559240	-9.00E-05	-0.02156
-8.84E+11	-1732640	-1.00E-04	-0.02395	-8.84E+11	-1728720	-1.00E-04	-0.02395
-1.06E+12	-1906100	-1.10E-04	-0.02635	-1.06E+12	-1902180	-1.10E-04	-0.02635
-1.24E+12	-2079560	-1.20E-04	-0.02874	-1.24E+12	-2074660	-1.20E-04	-0.02874
-1.42E+12	-2252040	-1.30E-04	-0.03114	-1.42E+12	-2247140	-1.30E-04	-0.03114
-1.59E+12	-2425500	-1.40E-04	-0.03353	-1.59E+12	-2420600	-1.40E-04	-0.03353
-1.77E+11	-2598960	-1.50E-04	-0.03593	-1.76E+11	-2593080	-1.50E-04	-0.03593



-2.83E+11	-2772420	-1.60E-04	-0.03832	-2.82E+11	-2766540	-1.60E-04	-0.03832
-3.01E+11	-2944900	-1.70E-04	-0.04072	-3.00E+11	-2939020	-1.70E-04	-0.04072
-3.18E+11	-3118360	-1.80E-04	-0.04311	-3.18E+11	-3111500	-1.80E-04	-0.04311
-3.36E+11	-3291820	-1.90E-04	-0.04551	-3.35E+11	-3284960	-1.90E-04	-0.04551
-3.54E+11	-3465280	-2.00E-04	-0.0479	-3.53E+11	-3457440	-2.00E-04	-0.0479
-3.71E+11	-3637760	-2.10E-04	-0.0503	-3.70E+11	-3629920	-2.10E-04	-0.0503
-3.89E+11	-3811220	-2.20E-04	-0.05269	-3.88E+11	-3803380	-2.20E-04	-0.05269
-4.07E+11	-3984680	-2.30E-04	-0.05509	-4.06E+11	-3975860	-2.30E-04	-0.05509
-4.24E+11	-4158140	-2.40E-04	-0.05749	-4.23E+11	-4149320	-2.40E-04	-0.05749
-4.42E+11	-4330620	-2.50E-04	-0.05988	-4.41E+11	-4321800	-2.50E-04	-0.05988
-4.60E+11	-4504080	-2.60E-04	-0.06228	-4.59E+11	-4494280	-2.60E-04	-0.06228
-4.77E+11	-4677540	-2.70E-04	-0.06467	-4.76E+11	-4667740	-2.70E-04	-0.06467
-4.95E+11	-4851000	-2.80E-04	-0.06707	-4.94E+11	-4840220	-2.80E-04	-0.06707
-5.13E+11	-5023480	-2.90E-04	-0.06946	-5.12E+11	-5012700	-2.90E-04	-0.06946
-5.30E+11	-5196940	-3.00E-04	-0.07186	-5.29E+11	-5186160	-3.00E-04	-0.07186
-5.48E+11	-5370400	-3.10E-04	-0.07425	-5.47E+11	-5358640	-3.10E-04	-0.07425
-5.66E+11	-5542880	-3.20E-04	-0.07665	-5.64E+11	-5531120	-3.20E-04	-0.07665
-5.83E+11	-5716340	-3.30E-04	-0.07904	-5.82E+11	-5703600	-3.30E-04	-0.07904
-6.01E+11	-5889800	-3.40E-04	-0.08144	-6.00E+11	-5877060	-3.40E-04	-0.08144
-6.19E+11	-6062280	-3.50E-04	-0.08383	-6.17E+11	-6049540	-3.50E-04	-0.08383
-6.36E+11	-6235740	-3.60E-04	-0.08623	-6.35E+11	-6222020	-3.60E-04	-0.08623
-6.54E+11	-6409200	-3.70E-04	-0.08862	-6.53E+11	-6394500	-3.70E-04	-0.08862
-6.72E+11	-6581680	-3.80E-04	-0.09102	-6.70E+11	-6567960	-3.80E-04	-0.09102
-6.89E+11	-6755140	-3.90E-04	-0.09341	-6.88E+11	-6740440	-3.90E-04	-0.09341
-7.07E+11	-6927620	-4.00E-04	-0.09581	-7.05E+11	-6912920	-4.00E-04	-0.09581
-7.25E+11	-7101080	-4.10E-04	-0.0982	-7.23E+11	-7085400	-4.10E-04	-0.0982
-7.42E+11	-7273560	-4.20E-04	-0.1006	-7.41E+11	-7257880	-4.20E-04	-0.1006
-7.60E+11	-7447020	-4.30E-04	-0.10299	-7.58E+11	-7431340	-4.30E-04	-0.10299
-7.78E+11	-7619500	-4.40E-04	-0.10539	-7.76E+11	-7603820	-4.40E-04	-0.10539
-7.95E+11	-7792960	-4.50E-04	-0.10778	-7.94E+11	-7776300	-4.50E-04	-0.10778
-8.13E+11	-7965440	-4.60E-04	-0.11018	-8.11E+11	-7948780	-4.60E-04	-0.11018
-8.30E+11	-8137920	-4.70E-04	-0.11257	-8.29E+11	-8120280	-4.70E-04	-0.11257
-8.48E+11	-8311380	-4.80E-04	-0.11497	-8.46E+11	-8292760	-4.80E-04	-0.11497
-8.66E+11	-8483860	-4.90E-04	-0.11737	-8.64E+11	-8465240	-4.90E-04	-0.11737
-8.83E+11	-8656340	-5.00E-04	-0.11976	-8.81E+11	-8636740	-5.00E-04	-0.11976
-9.01E+11	-8827840	-5.10E-04	-0.12216	-8.99E+11	-8809220	-5.10E-04	-0.12216
-9.18E+11	-9000320	-5.20E-04	-0.12455	-9.16E+11	-8980720	-5.20E-04	-0.12455
-9.36E+11	-9171820	-5.30E-04	-0.12695	-9.34E+11	-9151240	-5.30E-04	-0.12695
-9.53E+11	-9343320	-5.40E-04	-0.12934	-9.51E+11	-9322740	-5.40E-04	-0.12934
-9.71E+11	-9514820	-5.50E-04	-0.13174	-9.69E+11	-9493260	-5.50E-04	-0.13174
-9.88E+11	-9685340	-5.60E-04	-0.13413	-9.86E+11	-9663780	-5.60E-04	-0.13413
-1.01E+12	-9858800	-5.70E-04	-0.13653	-1.00E+12	-9829400	-5.70E-04	-0.13653
-1.02E+12	-1E+07	-5.80E-04	-0.13892	-1.02E+12	-1E+07	-5.80E-04	-0.13892
-1.04E+12	-1E+07	-5.90E-04	-0.14132	-1.02E+12	-1E+07	-5.80E-04	-0.13895
-1.06E+12	-1E+07	-5.99E-04	-0.14357	-1.04E+12	-1E+07	-5.90E-04	-0.14134
-1.06E+12	-1E+07	-6.05E-04	-0.14489	-1.05E+12	-1E+07	-5.96E-04	-0.14283
-1.07E+12	-1E+07	-6.11E-04	-0.1464	-1.05E+12	-1E+07	-6.02E-04	-0.1441

-1.07E+12	-1E+07	-6.16E-04	-0.14762	-1.06E+12	-1E+07	-6.07E-04	-0.14539
-1.07E+12	-1.1E+07	-6.22E-04	-0.14898	-1.07E+12	-1E+07	-6.15E-04	-0.14721
-1.07E+12	-1.1E+07	-6.30E-04	-0.15092	-1.07E+12	-1E+07	-6.19E-04	-0.14836
-1.07E+12	-1.1E+07	-6.35E-04	-0.15202	-1.07E+12	-1E+07	-6.25E-04	-0.14958
-1.07E+12	-1E+07	-6.40E-04	-0.15327	-1.07E+12	-1E+07	-6.30E-04	-0.15078
-1.07E+12	-1E+07	-6.44E-04	-0.15432	-1.06E+12	-1E+07	-6.38E-04	-0.15291
-1.06E+12	-1E+07	-6.52E-04	-0.15607	-1.06E+12	-1E+07	-6.44E-04	-0.15428
-1.06E+12	-1E+07	-6.57E-04	-0.15739	-1.06E+12	-1E+07	-6.49E-04	-0.1555
-1.06E+12	-1E+07	-6.67E-04	-0.15969	-1.06E+12	-1E+07	-6.55E-04	-0.15696
-1.06E+12	-1E+07	-6.71E-04	-0.16079	-1.06E+12	-1E+07	-6.61E-04	-0.15823
-1.05E+12	-1E+07	-6.81E-04	-0.16319	-1.06E+12	-1E+07	-6.68E-04	-0.16005
-1.05E+12	-1E+07	-6.89E-04	-0.16508	-1.06E+12	-1E+07	-6.74E-04	-0.16141
-1.05E+12	-1E+07	-6.97E-04	-0.16697	-1.05E+12	-1E+07	-6.84E-04	-0.16381
-1.05E+12	-1E+07	-7.07E-04	-0.16937	-1.05E+12	-1E+07	-6.84E-04	-0.1639
-1.04E+12	-1E+07	-7.17E-04	-0.17176	-1.05E+12	-1E+07	-6.90E-04	-0.16527
-1.04E+12	-1E+07	-7.20E-04	-0.17255	-1.05E+12	-1E+07	-6.96E-04	-0.16659
-1.04E+12	-1E+07	-7.30E-04	-0.17495	-1.05E+12	-1E+07	-7.00E-04	-0.16769
-1.04E+12	-1E+07	-7.38E-04	-0.17686	-1.05E+12	-1E+07	-7.10E-04	-0.17008
-1.04E+12	-1E+07	-7.44E-04	-0.17811	-1.05E+12	-1E+07	-7.12E-04	-0.17047
-1.04E+12	-1E+07	-7.52E-04	-0.18017	-1.04E+12	-1E+07	-7.18E-04	-0.17195
-1.04E+12	-1E+07	-7.57E-04	-0.18129	-1.04E+12	-1E+07	-7.23E-04	-0.17313
-1.03E+12	-1E+07	-7.64E-04	-0.18302	-1.04E+12	-1E+07	-7.28E-04	-0.17428
-1.03E+12	-1E+07	-7.74E-04	-0.18541	-1.04E+12	-1E+07	-7.38E-04	-0.17667
-1.03E+12	-1E+07	-7.83E-04	-0.1875	-1.04E+12	-1E+07	-7.48E-04	-0.17907
-1.03E+12	-1E+07	-7.93E-04	-0.18989	-1.04E+12	-1E+07	-7.51E-04	-0.17988
-1.03E+12	-1E+07	-7.94E-04	-0.19018	-1.03E+12	-1E+07	-7.61E-04	-0.18228
-1.02E+12	-1E+07	-8.04E-04	-0.19257	-1.03E+12	-1E+07	-7.61E-04	-0.18235
-1.02E+12	-1E+07	-8.08E-04	-0.19349	-1.03E+12	-1E+07	-7.71E-04	-0.1846
-1.02E+12	-9976400	-8.18E-04	-0.19588	-1.03E+12	-1E+07	-7.81E-04	-0.18699
-1.02E+12	-9947000	-8.28E-04	-0.19828	-1.03E+12	-1E+07	-7.87E-04	-0.18843
-1.01E+12	-9937200	-8.32E-04	-0.19919	-1.03E+12	-1E+07	-7.92E-04	-0.18972
-1.01E+12	-9907800	-8.42E-04	-0.20158	-1.02E+12	-1E+07	-7.97E-04	-0.19095
-1.01E+12	-9888200	-8.50E-04	-0.20364	-1.02E+12	-1E+07	-8.07E-04	-0.1932
-1.01E+12	-9868600	-8.60E-04	-0.20604	-1.02E+12	-9996000	-8.12E-04	-0.19447
-1.01E+12	-9849000	-8.68E-04	-0.20783	-1.02E+12	-9966600	-8.22E-04	-0.19686
-1.00E+12	-9829400	-8.78E-04	-0.21023	-1.02E+12	-9956800	-8.27E-04	-0.19806
-1.00E+12	-9819600	-8.82E-04	-0.21128	-1.01E+12	-9927400	-8.37E-04	-0.20046
-1.00E+12	-9796080	-8.91E-04	-0.21351	-1.01E+12	-9907800	-8.45E-04	-0.20237
-9.98E+11	-9775500	-9.01E-04	-0.2159	-1.01E+12	-9888200	-8.54E-04	-0.20455
-9.96E+11	-9756880	-9.11E-04	-0.2183	-1.01E+12	-9858800	-8.64E-04	-0.20695
-9.94E+11	-9738260	-9.21E-04	-0.22069	-1.00E+12	-9839200	-8.74E-04	-0.20934
-9.92E+11	-9721600	-9.31E-04	-0.22309	-1.00E+12	-9819600	-8.82E-04	-0.21133
-9.90E+11	-9704940	-9.41E-04	-0.22549	-1.00E+12	-9800000	-8.92E-04	-0.21372
-9.90E+11	-9698080	-9.46E-04	-0.22647	-9.98E+11	-9780400	-9.02E-04	-0.21612
-9.88E+11	-9683380	-9.56E-04	-0.22886	-9.97E+11	-9773540	-9.06E-04	-0.21703
-9.87E+11	-9669660	-9.66E-04	-0.23126	-9.95E+11	-9753940	-9.16E-04	-0.21943
-9.85E+11	-9655940	-9.76E-04	-0.23365	-9.94E+11	-9736300	-9.26E-04	-0.22182

-9.84E+11	-9643200	-9.86E-04	-0.23605	-9.93E+11	-9732380	-9.28E-04	-0.22235
-9.83E+11	-9630460	-9.96E-04	-0.23844	-9.91E+11	-9714740	-9.38E-04	-0.22474
-9.82E+11	-9618700	-1.01E-03	-0.24072	-9.90E+11	-9702980	-9.46E-04	-0.22651
-9.81E+11	-9612820	-1.01E-03	-0.24216	-9.89E+11	-9688280	-9.56E-04	-0.22891
-9.80E+11	-9601060	-1.02E-03	-0.24431	-9.87E+11	-9674560	-9.66E-04	-0.23131
-9.78E+11	-9587340	-1.03E-03	-0.24671	-9.86E+11	-9665740	-9.72E-04	-0.23284
-9.77E+11	-9573620	-1.04E-03	-0.2491	-9.85E+11	-9649080	-9.82E-04	-0.23523
-9.76E+11	-9561860	-1.05E-03	-0.2515	-9.83E+11	-9635360	-9.92E-04	-0.23763
-9.75E+11	-9550100	-1.06E-03	-0.25389	-9.83E+11	-9630460	-9.96E-04	-0.23847
-9.74E+11	-9540300	-1.07E-03	-0.25581	-9.81E+11	-9617720	-1.01E-03	-0.24096
-9.72E+11	-9526580	-1.08E-03	-0.2582	-9.80E+11	-9604980	-1.02E-03	-0.24335
-9.71E+11	-9516780	-1.09E-03	-0.26012	-9.79E+11	-9598120	-1.02E-03	-0.24455
-9.70E+11	-9501100	-1.10E-03	-0.26251	-9.78E+11	-9584400	-1.03E-03	-0.24695
-9.68E+11	-9488360	-1.11E-03	-0.26491	-9.78E+11	-9579500	-1.04E-03	-0.2479
-9.68E+11	-9484440	-1.11E-03	-0.26539	-9.76E+11	-9565780	-1.05E-03	-0.2503
-9.66E+11	-9467780	-1.12E-03	-0.26778	-9.76E+11	-9564800	-1.05E-03	-0.25054
-9.65E+11	-9454060	-1.13E-03	-0.27018	-9.75E+11	-9552060	-1.06E-03	-0.25293
-9.63E+11	-9437400	-1.14E-03	-0.27257	-9.75E+11	-9550100	-1.06E-03	-0.25341
-9.63E+11	-9434460	-1.14E-03	-0.27281	-9.73E+11	-9534420	-1.07E-03	-0.25581
-9.61E+11	-9417800	-1.15E-03	-0.27521	-9.71E+11	-9519720	-1.08E-03	-0.2582
-9.59E+11	-9400160	-1.16E-03	-0.2776	-9.70E+11	-9506980	-1.09E-03	-0.26036
-9.58E+11	-9384480	-1.17E-03	-0.28	-9.69E+11	-9493260	-1.10E-03	-0.26275
-9.56E+11	-9367820	-1.18E-03	-0.2824	-9.67E+11	-9479540	-1.11E-03	-0.26491
-9.56E+11	-9367820	-1.18E-03	-0.2824	-9.66E+11	-9464840	-1.12E-03	-0.26731
-9.54E+11	-9352140	-1.19E-03	-0.28479	-9.65E+11	-9452100	-1.13E-03	-0.26946
-9.53E+11	-9335480	-1.20E-03	-0.28719	-9.63E+11	-9439360	-1.13E-03	-0.27138
-9.51E+11	-9318820	-1.21E-03	-0.28958	-9.62E+11	-9423680	-1.14E-03	-0.27377
-9.50E+11	-9309020	-1.22E-03	-0.29126	-9.60E+11	-9408000	-1.15E-03	-0.27617
-9.48E+11	-9291380	-1.23E-03	-0.29365	-9.60E+11	-9404080	-1.16E-03	-0.27689
-9.46E+11	-9274720	-1.24E-03	-0.29605	-9.58E+11	-9392320	-1.16E-03	-0.27856
-9.46E+11	-9269820	-1.24E-03	-0.29677	-9.57E+11	-9374680	-1.17E-03	-0.28096
-9.44E+11	-9253160	-1.25E-03	-0.29916	-9.55E+11	-9358020	-1.18E-03	-0.28335
-9.43E+11	-9237480	-1.26E-03	-0.30156	-9.53E+11	-9341360	-1.19E-03	-0.28575
-9.41E+11	-9222780	-1.27E-03	-0.30395	-9.52E+11	-9324700	-1.20E-03	-0.28814
-9.40E+11	-9208080	-1.28E-03	-0.30635	-9.50E+11	-9309020	-1.21E-03	-0.29054
-9.38E+11	-9193380	-1.29E-03	-0.30874	-9.49E+11	-9298240	-1.22E-03	-0.29222
-9.37E+11	-9177700	-1.30E-03	-0.31114	-9.47E+11	-9282560	-1.23E-03	-0.29461
-9.36E+11	-9170840	-1.30E-03	-0.31234	-9.46E+11	-9269820	-1.24E-03	-0.29677
-9.34E+11	-9154180	-1.31E-03	-0.31473	-9.44E+11	-9253160	-1.25E-03	-0.29916
-9.32E+11	-9136540	-1.32E-03	-0.31713	-9.44E+11	-9248260	-1.25E-03	-0.30012
-9.30E+11	-9117920	-1.33E-03	-0.31952	-9.42E+11	-9232580	-1.26E-03	-0.30251
-9.29E+11	-9101260	-1.34E-03	-0.32168	-9.41E+11	-9225720	-1.27E-03	-0.30371
-9.27E+11	-9081660	-1.35E-03	-0.32407	-9.40E+11	-9208080	-1.28E-03	-0.30611
-9.26E+11	-9076760	-1.36E-03	-0.32479	-9.38E+11	-9195340	-1.29E-03	-0.30802
-9.24E+11	-9057160	-1.37E-03	-0.32719	-9.37E+11	-9178680	-1.30E-03	-0.31042
-9.22E+11	-9038540	-1.38E-03	-0.32958	-9.35E+11	-9162020	-1.31E-03	-0.31281
-9.20E+11	-9019920	-1.39E-03	-0.33198	-9.33E+11	-9144380	-1.32E-03	-0.31521

-9.19E+11	-9003260	-1.40E-03	-0.33437	-9.31E+11	-9126740	-1.33E-03	-0.3176
-9.17E+11	-8985620	-1.41E-03	-0.33677	-9.30E+11	-9110080	-1.34E-03	-0.32
-9.15E+11	-8967980	-1.42E-03	-0.33916	-9.28E+11	-9092440	-1.35E-03	-0.3224
-9.13E+11	-8951320	-1.43E-03	-0.34156	-9.26E+11	-9076760	-1.36E-03	-0.32455
-9.12E+11	-8934660	-1.44E-03	-0.34395	-9.24E+11	-9058140	-1.37E-03	-0.32695
-9.10E+11	-8917020	-1.45E-03	-0.34635	-9.23E+11	-9040500	-1.38E-03	-0.32934
-9.09E+11	-8906240	-1.45E-03	-0.34802	-9.21E+11	-9022860	-1.39E-03	-0.33174
-9.07E+11	-8888600	-1.46E-03	-0.35042	-9.19E+11	-9005220	-1.40E-03	-0.33413
-9.05E+11	-8869980	-1.47E-03	-0.35281	-9.19E+11	-9003260	-1.40E-03	-0.33437
-9.04E+11	-8854300	-1.48E-03	-0.35473	-9.17E+11	-8985620	-1.41E-03	-0.33677
-9.02E+11	-8835680	-1.49E-03	-0.35713	-9.15E+11	-8967000	-1.42E-03	-0.33916
-9.01E+11	-8827840	-1.50E-03	-0.35808	-9.13E+11	-8948380	-1.43E-03	-0.34156
-8.99E+11	-8808240	-1.51E-03	-0.36048	-9.12E+11	-8938580	-1.43E-03	-0.34275
-8.97E+11	-8789620	-1.52E-03	-0.36287	-9.10E+11	-8919960	-1.44E-03	-0.34515
-8.95E+11	-8771980	-1.53E-03	-0.36527	-9.08E+11	-8901340	-1.45E-03	-0.34754
-8.93E+11	-8754340	-1.54E-03	-0.36766	-9.07E+11	-8883700	-1.46E-03	-0.34994
-8.91E+11	-8735720	-1.55E-03	-0.37006	-9.05E+11	-8866060	-1.47E-03	-0.35234
-8.90E+11	-8718080	-1.56E-03	-0.37246	-9.03E+11	-8849400	-1.48E-03	-0.35473
-8.88E+11	-8701420	-1.57E-03	-0.37485	-9.01E+11	-8831760	-1.49E-03	-0.35713
-8.86E+11	-8683780	-1.58E-03	-0.37725	-8.99E+11	-8814120	-1.50E-03	-0.35952
-8.84E+11	-8666140	-1.59E-03	-0.37964	-8.98E+11	-8797460	-1.51E-03	-0.36192
-8.83E+11	-8649480	-1.60E-03	-0.38204	-8.96E+11	-8779820	-1.52E-03	-0.36431
-8.82E+11	-8643600	-1.60E-03	-0.38299	-8.94E+11	-8762180	-1.53E-03	-0.36671
-8.80E+11	-8626940	-1.61E-03	-0.38539	-8.92E+11	-8744540	-1.54E-03	-0.3691
-8.79E+11	-8610280	-1.62E-03	-0.38778	-8.92E+11	-8743560	-1.54E-03	-0.3691
-8.77E+11	-8592640	-1.63E-03	-0.39018	-8.91E+11	-8726900	-1.55E-03	-0.3715
-8.76E+11	-8582840	-1.64E-03	-0.39162	-8.89E+11	-8708280	-1.56E-03	-0.37389
-8.74E+11	-8565200	-1.65E-03	-0.39401	-8.89E+11	-8708280	-1.56E-03	-0.37389
-8.72E+11	-8546580	-1.66E-03	-0.39641	-8.87E+11	-8688680	-1.57E-03	-0.37629
-8.71E+11	-8533840	-1.66E-03	-0.39808	-8.85E+11	-8671040	-1.58E-03	-0.37868
-8.69E+11	-8516200	-1.67E-03	-0.40048	-8.83E+11	-8652420	-1.59E-03	-0.38108
-8.68E+11	-8501500	-1.68E-03	-0.40263	-8.81E+11	-8634780	-1.60E-03	-0.38347
-8.66E+11	-8482880	-1.69E-03	-0.40503	-8.80E+11	-8625960	-1.61E-03	-0.38467
-8.64E+11	-8465240	-1.70E-03	-0.40743	-8.78E+11	-8608320	-1.62E-03	-0.38707
-8.62E+11	-8447600	-1.71E-03	-0.40982	-8.77E+11	-8590680	-1.63E-03	-0.38946
-8.60E+11	-8429960	-1.72E-03	-0.41222	-8.75E+11	-8574020	-1.64E-03	-0.39186
-8.58E+11	-8411340	-1.73E-03	-0.41461	-8.73E+11	-8556380	-1.65E-03	-0.39425
-8.57E+11	-8393700	-1.74E-03	-0.41701	-8.71E+11	-8539720	-1.66E-03	-0.39665
-8.55E+11	-8376060	-1.75E-03	-0.4194	-8.70E+11	-8528940	-1.66E-03	-0.39808
-8.53E+11	-8357440	-1.76E-03	-0.4218	-8.69E+11	-8512280	-1.67E-03	-0.40048
-8.51E+11	-8340780	-1.77E-03	-0.42419	-8.67E+11	-8494640	-1.68E-03	-0.40287
-8.49E+11	-8323140	-1.78E-03	-0.42659	-8.67E+11	-8491700	-1.68E-03	-0.40335
-8.49E+11	-8322160	-1.78E-03	-0.42683	-8.65E+11	-8474060	-1.69E-03	-0.40575
-8.48E+11	-8305500	-1.79E-03	-0.42922	-8.64E+11	-8464260	-1.70E-03	-0.40719
-8.46E+11	-8288840	-1.80E-03	-0.43162	-8.62E+11	-8446620	-1.71E-03	-0.40958
-8.44E+11	-8272180	-1.81E-03	-0.43401	-8.60E+11	-8429960	-1.72E-03	-0.41198
-8.42E+11	-8255520	-1.82E-03	-0.43641	-8.58E+11	-8412320	-1.73E-03	-0.41437

-8.41E+11	-8241800	-1.83E-03	-0.43856	-8.57E+11	-8394680	-1.74E-03	-0.41677
-8.39E+11	-8226120	-1.84E-03	-0.44096	-8.56E+11	-8389780	-1.74E-03	-0.41749
-8.38E+11	-8210440	-1.85E-03	-0.44335	-8.54E+11	-8373120	-1.75E-03	-0.41988
-8.36E+11	-8195740	-1.86E-03	-0.44575	-8.53E+11	-8363320	-1.76E-03	-0.42156
-8.35E+11	-8181040	-1.87E-03	-0.44814	-8.52E+11	-8345680	-1.77E-03	-0.42395
-8.34E+11	-8177120	-1.87E-03	-0.44886	-8.50E+11	-8329020	-1.78E-03	-0.42635
-8.33E+11	-8162420	-1.88E-03	-0.45126	-8.48E+11	-8313340	-1.79E-03	-0.42874
-8.32E+11	-8148700	-1.89E-03	-0.45365	-8.47E+11	-8297660	-1.80E-03	-0.43114
-8.30E+11	-8134000	-1.90E-03	-0.45605	-8.45E+11	-8281000	-1.81E-03	-0.43353
-8.29E+11	-8120280	-1.91E-03	-0.45844	-8.43E+11	-8265320	-1.82E-03	-0.43593
-8.27E+11	-8106560	-1.92E-03	-0.46084	-8.42E+11	-8248660	-1.83E-03	-0.43832
-8.26E+11	-8091860	-1.93E-03	-0.46323	-8.40E+11	-8232980	-1.84E-03	-0.44072
-8.24E+11	-8078140	-1.94E-03	-0.46563	-8.39E+11	-8217300	-1.85E-03	-0.44311
-8.23E+11	-8064420	-1.95E-03	-0.46802	-8.37E+11	-8204560	-1.86E-03	-0.44503
-8.22E+11	-8050700	-1.96E-03	-0.47042	-8.36E+11	-8189860	-1.87E-03	-0.44743
-8.20E+11	-8036000	-1.97E-03	-0.47281	-8.35E+11	-8179080	-1.88E-03	-0.4491
-8.19E+11	-8025220	-1.98E-03	-0.47473	-8.33E+11	-8163400	-1.89E-03	-0.4515
-8.18E+11	-8012480	-1.99E-03	-0.47713	-8.32E+11	-8148700	-1.90E-03	-0.45389
-8.16E+11	-7998760	-2.00E-03	-0.47952	-8.30E+11	-8134000	-1.91E-03	-0.45629
-8.15E+11	-7986020	-2.01E-03	-0.48192	-8.29E+11	-8121260	-1.91E-03	-0.45844
-8.14E+11	-7973280	-2.02E-03	-0.48431	-8.27E+11	-8106560	-1.92E-03	-0.46084
-8.12E+11	-7960540	-2.03E-03	-0.48671	-8.26E+11	-8091860	-1.93E-03	-0.46323
-8.11E+11	-7946820	-2.04E-03	-0.4891	-8.24E+11	-8078140	-1.94E-03	-0.46563
-8.10E+11	-7934080	-2.05E-03	-0.4915	-8.23E+11	-8063440	-1.95E-03	-0.46802
-8.08E+11	-7921340	-2.06E-03	-0.49389	-8.21E+11	-8049720	-1.96E-03	-0.47042
-8.07E+11	-7909580	-2.07E-03	-0.49629	-8.20E+11	-8036980	-1.97E-03	-0.47281
-8.06E+11	-7896840	-2.08E-03	-0.49868	-8.19E+11	-8023260	-1.98E-03	-0.47521
-8.05E+11	-7889980	-2.09E-03	-0.50012	-8.17E+11	-8010520	-1.99E-03	-0.4776
-8.04E+11	-7878220	-2.10E-03	-0.50251	-8.16E+11	-7997780	-2.00E-03	-0.48
-8.03E+11	-7866460	-2.11E-03	-0.50491	-8.15E+11	-7984060	-2.01E-03	-0.4824
-8.02E+11	-7856660	-2.12E-03	-0.50707	-8.13E+11	-7971320	-2.02E-03	-0.48479
-8.01E+11	-7844900	-2.13E-03	-0.50946	-8.12E+11	-7958580	-2.03E-03	-0.48719
-7.99E+11	-7833140	-2.14E-03	-0.51186	-8.11E+11	-7945840	-2.04E-03	-0.48958
-7.98E+11	-7821380	-2.15E-03	-0.51425	-8.10E+11	-7940940	-2.05E-03	-0.49054
-7.98E+11	-7818440	-2.15E-03	-0.51473	-8.09E+11	-7928200	-2.06E-03	-0.49293
-7.97E+11	-7805700	-2.16E-03	-0.51713	-8.08E+11	-7915460	-2.07E-03	-0.49533
-7.96E+11	-7802760	-2.16E-03	-0.5176	-8.07E+11	-7911540	-2.07E-03	-0.49605
-7.95E+11	-7790020	-2.17E-03	-0.52	-8.06E+11	-7898800	-2.08E-03	-0.49844
-7.94E+11	-7777280	-2.18E-03	-0.5224	-8.06E+11	-7894880	-2.08E-03	-0.49916
-7.92E+11	-7764540	-2.19E-03	-0.52479	-8.04E+11	-7882140	-2.09E-03	-0.50156
-7.91E+11	-7751800	-2.20E-03	-0.52719	-8.03E+11	-7869400	-2.10E-03	-0.50395
-7.90E+11	-7739060	-2.21E-03	-0.52958	-8.02E+11	-7856660	-2.11E-03	-0.50635
-7.89E+11	-7727300	-2.22E-03	-0.53198	-8.00E+11	-7843920	-2.12E-03	-0.50874
-7.87E+11	-7714560	-2.23E-03	-0.53437	-7.99E+11	-7832160	-2.13E-03	-0.51114
-7.86E+11	-7702800	-2.24E-03	-0.53677	-7.98E+11	-7819420	-2.14E-03	-0.51353
-7.85E+11	-7693000	-2.25E-03	-0.53892	-7.97E+11	-7806680	-2.15E-03	-0.51593
-7.84E+11	-7680260	-2.26E-03	-0.54132	-7.97E+11	-7805700	-2.16E-03	-0.51617


-7.82E+11	-7667520	-2.27E-03	-0.54371	-7.95E+11	-7792960	-2.17E-03	-0.51856
-7.81E+11	-7654780	-2.28E-03	-0.54611	-7.94E+11	-7780220	-2.18E-03	-0.52096
-7.80E+11	-7644980	-2.29E-03	-0.54802	-7.93E+11	-7767480	-2.19E-03	-0.52335
-7.79E+11	-7632240	-2.30E-03	-0.55042	-7.92E+11	-7759640	-2.19E-03	-0.52479
-7.78E+11	-7620480	-2.31E-03	-0.55281	-7.91E+11	-7747880	-2.20E-03	-0.52719
-7.77E+11	-7615580	-2.31E-03	-0.55377	-7.89E+11	-7735140	-2.21E-03	-0.52958
-7.76E+11	-7603820	-2.32E-03	-0.55617	-7.89E+11	-7734160	-2.21E-03	-0.52958
-7.75E+11	-7592060	-2.33E-03	-0.55856	-7.88E+11	-7722400	-2.22E-03	-0.53198
-7.74E+11	-7580300	-2.34E-03	-0.56096	-7.87E+11	-7710640	-2.23E-03	-0.53437
-7.72E+11	-7569520	-2.35E-03	-0.56335	-7.86E+11	-7703780	-2.24E-03	-0.53581
-7.71E+11	-7558740	-2.36E-03	-0.56575	-7.85E+11	-7691040	-2.25E-03	-0.5382
-7.70E+11	-7547960	-2.37E-03	-0.56814	-7.84E+11	-7679280	-2.26E-03	-0.5406
-7.69E+11	-7538160	-2.38E-03	-0.57054	-7.82E+11	-7667520	-2.27E-03	-0.54299
-7.68E+11	-7528360	-2.39E-03	-0.57269	-7.81E+11	-7655760	-2.28E-03	-0.54539
-7.67E+11	-7517580	-2.40E-03	-0.57509	-7.80E+11	-7644000	-2.29E-03	-0.54778
-7.66E+11	-7506800	-2.41E-03	-0.57749	-7.79E+11	-7632240	-2.30E-03	-0.55018
-7.65E+11	-7496020	-2.42E-03	-0.57988	-7.78E+11	-7628320	-2.30E-03	-0.5509
-7.64E+11	-7486220	-2.43E-03	-0.58228	-7.77E+11	-7616560	-2.31E-03	-0.55329
-7.63E+11	-7475440	-2.44E-03	-0.58467	-7.76E+11	-7603820	-2.32E-03	-0.55569
-7.62E+11	-7464660	-2.45E-03	-0.58707	-7.75E+11	-7592060	-2.33E-03	-0.55808
-7.61E+11	-7454860	-2.46E-03	-0.58946	-7.74E+11	-7581280	-2.34E-03	-0.56048
-7.60E+11	-7444080	-2.47E-03	-0.59186	-7.72E+11	-7569520	-2.35E-03	-0.56287
-7.59E+11	-7433300	-2.48E-03	-0.59425	-7.71E+11	-7558740	-2.36E-03	-0.56527
-7.58E+11	-7427420	-2.49E-03	-0.59569	-7.71E+11	-7554820	-2.36E-03	-0.56623
-7.57E+11	-7415660	-2.50E-03	-0.59808	-7.70E+11	-7544040	-2.37E-03	-0.56862
-7.56E+11	-7404880	-2.51E-03	-0.60048	-7.69E+11	-7532280	-2.38E-03	-0.57102
-7.55E+11	-7395080	-2.52E-03	-0.60287	-7.68E+11	-7521500	-2.39E-03	-0.57341
-7.54E+11	-7384300	-2.53E-03	-0.60527	-7.66E+11	-7510720	-2.40E-03	-0.57581
-7.53E+11	-7374500	-2.54E-03	-0.60766	-7.65E+11	-7499940	-2.41E-03	-0.5782
-7.52E+11	-7364700	-2.55E-03	-0.61006	-7.65E+11	-7495040	-2.42E-03	-0.57892
-7.51E+11	-7355880	-2.56E-03	-0.61246	-7.64E+11	-7485240	-2.43E-03	-0.58132
-7.50E+11	-7347060	-2.57E-03	-0.61485	-7.63E+11	-7474460	-2.44E-03	-0.58371
-7.49E+11	-7337260	-2.58E-03	-0.61725	-7.62E+11	-7463680	-2.45E-03	-0.58611
-7.48E+11	-7328440	-2.59E-03	-0.61964	-7.61E+11	-7452900	-2.46E-03	-0.5885
-7.47E+11	-7318640	-2.60E-03	-0.62204	-7.59E+11	-7442120	-2.47E-03	-0.5909
-7.46E+11	-7309820	-2.61E-03	-0.62443	-7.58E+11	-7432320	-2.48E-03	-0.59329
-7.45E+11	-7300020	-2.62E-03	-0.62683	-7.57E+11	-7421540	-2.49E-03	-0.59569
-7.45E+11	-7297080	-2.62E-03	-0.62731	-7.56E+11	-7412720	-2.50E-03	-0.5976
-7.44E+11	-7287280	-2.63E-03	-0.6297	-7.55E+11	-7401940	-2.51E-03	-0.6
-7.43E+11	-7277480	-2.64E-03	-0.6321	-7.54E+11	-7391160	-2.52E-03	-0.6024

Tanker (T4) Idchk = 1
20% outer shell damage

frame spa	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
1.75E+09	17159.8	1.00E-06	0.00024
3.50E+09	34319.6	2.00E-06	0.000479
5.25E+09	51479.4	3.00E-06	0.000719

Tanker (T4) Idchk = 2
20% outer shell damage

frame spa	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
1.74E+09	17091.2	1.00E-06	0.00024
3.49E+09	34182.4	2.00E-06	0.000479
5.23E+09	51273.6	3.00E-06	0.000719



3.85E+11	3774960	2.20E-04	0.052695
4.03E+11	3946460	2.30E-04	0.05509
4.20E+11	4117960	2.40E-04	0.057485
4.38E+11	4289460	2.50E-04	0.05988
4.55E+11	4460960	2.60E-04	0.062275
4.73E+11	4632460	2.70E-04	0.064671
4.90E+11	4803960	2.80E-04	0.067066
5.08E+11	4975460	2.90E-04	0.069461
5.25E+11	5147940	3.00E-04	0.071856
5.43E+11	5319440	3.10E-04	0.074251
5.60E+11	5490940	3.20E-04	0.076647
5.78E+11	5662440	3.30E-04	0.079042

3.84E+11	3760260	2.20E-04	0.052695
4.01E+11	3930780	2.30E-04	0.05509
4.19E+11	4101300	2.40E-04	0.057485
4.36E+11	4272800	2.50E-04	0.05988
4.53E+11	4443320	2.60E-04	0.062275
4.71E+11	4613840	2.70E-04	0.064671
4.88E+11	4785340	2.80E-04	0.067066
5.06E+11	4955860	2.90E-04	0.069461
5.23E+11	5127360	3.00E-04	0.071856
5.41E+11	5297880	3.10E-04	0.074251
5.58E+11	5468400	3.20E-04	0.076647
5.76E+11	5639900	3.30E-04	0.079042

5.95E+11	5833940	3.40E-04	0.081437	5.93E+11	5810420	3.40E-04	0.081437
6.13E+11	6005440	3.50E-04	0.083832	6.10E+11	5981920	3.50E-04	0.083832
6.30E+11	6176940	3.60E-04	0.086228	6.28E+11	6152440	3.60E-04	0.086228
6.48E+11	6348440	3.70E-04	0.088623	6.45E+11	6322960	3.70E-04	0.088623
6.65E+11	6519940	3.80E-04	0.091018	6.63E+11	6494460	3.80E-04	0.091018
6.83E+11	6691440	3.90E-04	0.093413	6.80E+11	6664980	3.90E-04	0.093413
7.00E+11	6862940	4.00E-04	0.095808	6.98E+11	6835500	4.00E-04	0.095808
7.18E+11	7034440	4.10E-04	0.098204	7.15E+11	7007000	4.10E-04	0.098204
7.35E+11	7206920	4.20E-04	0.100599	7.32E+11	7177520	4.20E-04	0.100599
7.53E+11	7378420	4.30E-04	0.102994	7.50E+11	7349020	4.30E-04	0.102994
7.70E+11	7549920	4.40E-04	0.105389	7.67E+11	7519540	4.40E-04	0.105389
7.88E+11	7721420	4.50E-04	0.107784	7.85E+11	7690060	4.50E-04	0.107784
8.05E+11	7892920	4.60E-04	0.11018	8.02E+11	7861560	4.60E-04	0.11018
8.23E+11	8064420	4.70E-04	0.112575	8.20E+11	8032080	4.70E-04	0.112575
8.40E+11	8235920	4.80E-04	0.11497	8.37E+11	8202600	4.80E-04	0.11497
8.58E+11	8407420	4.90E-04	0.117365	8.55E+11	8374100	4.90E-04	0.117365
8.75E+11	8578920	5.00E-04	0.11976	8.72E+11	8544620	5.00E-04	0.11976
8.93E+11	8750420	5.10E-04	0.122156	8.89E+11	8716120	5.10E-04	0.122156
9.10E+11	8921920	5.20E-04	0.124551	9.07E+11	8886640	5.20E-04	0.124551
9.28E+11	9093420	5.30E-04	0.126946	9.24E+11	9057160	5.30E-04	0.126946
9.45E+11	9264920	5.40E-04	0.129341	9.42E+11	9228660	5.40E-04	0.129341
9.63E+11	9436420	5.50E-04	0.131737	9.59E+11	9399180	5.50E-04	0.131737
9.81E+11	9608900	5.60E-04	0.134132	9.77E+11	9569700	5.60E-04	0.134132
9.98E+11	9780400	5.70E-04	0.136527	9.94E+11	9741200	5.70E-04	0.136527
1.02E+12	9947000	5.80E-04	0.138922	1.01E+12	9907800	5.80E-04	0.138922
1.03E+12	10123400	5.90E-04	0.141317	1.03E+12	10084200	5.90E-04	0.141317
1.05E+12	10290000	6.00E-04	0.143713	1.05E+12	10250800	6.00E-04	0.143713
1.07E+12	10466400	6.10E-04	0.146108	1.06E+12	10427200	6.10E-04	0.146108
1.09E+12	10633000	6.20E-04	0.148503	1.08E+12	10593800	6.20E-04	0.148503
1.10E+12	10809400	6.30E-04	0.150898	1.10E+12	10770200	6.30E-04	0.150898
1.12E+12	10976000	6.40E-04	0.153293	1.12E+12	10936800	6.40E-04	0.153293
1.14E+12	11152400	6.50E-04	0.155689	1.13E+12	11103400	6.50E-04	0.155689
1.16E+12	11319000	6.60E-04	0.158036	1.15E+12	11240600	6.58E-04	0.157485
1.17E+12	11436600	6.67E-04	0.159856	1.16E+12	11319000	6.64E-04	0.15897
1.18E+12	11544400	6.75E-04	0.161725	1.16E+12	11397400	6.70E-04	0.160455
1.19E+12	11642400	6.83E-04	0.163545	1.17E+12	11475800	6.77E-04	0.16206
1.20E+12	11730600	6.90E-04	0.165341	1.18E+12	11554200	6.84E-04	0.163737
1.20E+12	11789400	6.97E-04	0.16697	1.19E+12	11632600	6.91E-04	0.165461
1.21E+12	11838400	7.03E-04	0.168383	1.19E+12	11701200	6.98E-04	0.16721
1.21E+12	11887400	7.10E-04	0.169964	1.20E+12	11779600	7.06E-04	0.169006
1.22E+12	11965800	7.20E-04	0.172359	1.21E+12	11848200	7.13E-04	0.170826
1.23E+12	12044200	7.30E-04	0.174754	1.22E+12	11916800	7.21E-04	0.172623
1.23E+12	12054000	7.31E-04	0.175066	1.22E+12	11975600	7.28E-04	0.174443
1.24E+12	12122600	7.41E-04	0.177461	1.23E+12	12024600	7.35E-04	0.175976
1.24E+12	12191200	7.51E-04	0.179856	1.23E+12	12093200	7.43E-04	0.178036
1.25E+12	12210800	7.53E-04	0.180359	1.24E+12	12152000	7.53E-04	0.180431
1.25E+12	12279400	7.63E-04	0.182754	1.24E+12	12161800	7.55E-04	0.180719


1.26E+12	12348000	7.73E-04	0.18515	1.25E+12	12230400	7.65E-04	0.183114
1.26E+12	12367600	7.76E-04	0.185796	1.25E+12	12259800	7.69E-04	0.18424
1.27E+12	12426400	7.86E-04	0.188192	1.26E+12	12318600	7.79E-04	0.186635
1.28E+12	12495000	7.96E-04	0.190587	1.26E+12	12318600	7.80E-04	0.186802
1.28E+12	12553800	8.06E-04	0.192982	1.26E+12	12377400	7.90E-04	0.189198
1.29E+12	12612600	8.16E-04	0.195377	1.26E+12	12377400	7.91E-04	0.189533
1.29E+12	12632200	8.19E-04	0.196216	1.27E+12	12436200	8.01E-04	0.191928
1.29E+12	12661600	8.28E-04	0.198204	1.27E+12	12455800	8.06E-04	0.192934
1.30E+12	12691000	8.38E-04	0.200599	1.28E+12	12504800	8.16E-04	0.195329
1.30E+12	12700800	8.41E-04	0.201461	1.28E+12	12514600	8.17E-04	0.195737
1.30E+12	12740000	8.51E-04	0.203856	1.28E+12	12553800	8.26E-04	0.197725
1.30E+12	12749800	8.56E-04	0.20503	1.29E+12	12593000	8.33E-04	0.199497
1.31E+12	12789000	8.66E-04	0.207425	1.29E+12	12632200	8.43E-04	0.201892
1.31E+12	12808600	8.72E-04	0.208766	1.29E+12	12642000	8.43E-04	0.202012
1.31E+12	12847800	8.82E-04	0.211162	1.29E+12	12681200	8.53E-04	0.204407
1.32E+12	12887000	8.92E-04	0.213557	1.30E+12	12710600	8.61E-04	0.206156
1.32E+12	12887000	8.93E-04	0.21382	1.30E+12	12749800	8.71E-04	0.208551
1.32E+12	12926200	9.03E-04	0.216216	1.30E+12	12759600	8.73E-04	0.209174
1.32E+12	12945800	9.09E-04	0.217605	1.31E+12	12798800	8.83E-04	0.211569
1.32E+12	12975200	9.19E-04	0.22	1.31E+12	12808600	8.85E-04	0.212
1.32E+12	12975200	9.20E-04	0.220287	1.31E+12	12847800	8.95E-04	0.214251
1.33E+12	13004600	9.30E-04	0.222683	1.31E+12	12877200	9.03E-04	0.216168
1.33E+12	13004600	9.30E-04	0.222754	1.32E+12	12906600	9.12E-04	0.218323
1.33E+12	13034000	9.40E-04	0.22515	1.32E+12	12936000	9.22E-04	0.220719
1.33E+12	13063400	9.50E-04	0.227545	1.32E+12	12945800	9.23E-04	0.221174
1.34E+12	13083000	9.54E-04	0.228383	1.32E+12	12975200	9.33E-04	0.223569
1.34E+12	13102600	9.64E-04	0.230778	1.33E+12	12985000	9.38E-04	0.224743
1.34E+12	13132000	9.74E-04	0.233174	1.33E+12	13014400	9.48E-04	0.227138
1.34E+12	13141800	9.76E-04	0.233772	1.33E+12	13034000	9.53E-04	0.228144
1.34E+12	13171200	9.86E-04	0.236168	1.33E+12	13063400	9.63E-04	0.230539
1.35E+12	13190800	9.95E-04	0.238204	1.34E+12	13092800	9.73E-04	0.232934
1.35E+12	13210400	1.00E-03	0.240479	1.34E+12	13092800	9.75E-04	0.233581
1.35E+12	13239800	1.01E-03	0.242874	1.34E+12	13122200	9.85E-04	0.235976
1.35E+12	13259400	1.02E-03	0.245269	1.34E+12	13141800	9.91E-04	0.237389
1.35E+12	13259400	1.03E-03	0.245509	1.34E+12	13161400	1.00E-03	0.23976
1.36E+12	13288800	1.04E-03	0.247904	1.35E+12	13190800	1.01E-03	0.242156
1.36E+12	13298600	1.04E-03	0.24982	1.35E+12	13200600	1.02E-03	0.243353
1.36E+12	13318200	1.05E-03	0.252216	1.35E+12	13220200	1.03E-03	0.245749
1.36E+12	13337800	1.06E-03	0.254611	1.35E+12	13249600	1.04E-03	0.247904
1.36E+12	13347600	1.07E-03	0.255569	1.35E+12	13269200	1.05E-03	0.250299
1.36E+12	13367200	1.08E-03	0.257964	1.35E+12	13269200	1.05E-03	0.250299
1.37E+12	13386800	1.09E-03	0.26012	1.36E+12	13288800	1.06E-03	0.252695
1.37E+12	13406400	1.10E-03	0.262515	1.36E+12	13298600	1.07E-03	0.25509
1.37E+12	13416200	1.10E-03	0.263952	1.36E+12	13308400	1.07E-03	0.255808
1.37E+12	13435800	1.11E-03	0.266347	1.36E+12	13318200	1.08E-03	0.258204
1.37E+12	13445600	1.12E-03	0.268743	1.36E+12	13318200	1.08E-03	0.258683
1.37E+12	13465200	1.13E-03	0.271138	1.36E+12	13328000	1.09E-03	0.261078

1.37E+12	13465200	1.14E-03	0.271856	1.36E+12	13328000	1.09E-03	0.261557
1.37E+12	13465200	1.15E-03	0.274251	1.36E+12	13328000	1.10E-03	0.263952
1.38E+12	13475000	1.16E-03	0.276647	1.36E+12	13337800	1.11E-03	0.26491
1.38E+12	13475000	1.16E-03	0.276886	1.36E+12	13337800	1.12E-03	0.267305
1.37E+12	13465200	1.17E-03	0.279281	1.36E+12	13337800	1.12E-03	0.268503
1.37E+12	13445600	1.18E-03	0.281677	1.36E+12	13347600	1.13E-03	0.270898
1.37E+12	13445600	1.18E-03	0.282395	1.36E+12	13347600	1.14E-03	0.273293
1.37E+12	13426000	1.19E-03	0.28479	1.36E+12	13357400	1.15E-03	0.275689
1.37E+12	13416200	1.20E-03	0.286707	1.36E+12	13357400	1.15E-03	0.276407
1.37E+12	13406400	1.21E-03	0.289102	1.36E+12	13357400	1.16E-03	0.278802
1.37E+12	13396600	1.22E-03	0.291497	1.36E+12	13357400	1.17E-03	0.279521
1.37E+12	13396600	1.22E-03	0.291976	1.36E+12	13357400	1.18E-03	0.281916
1.37E+12	13386800	1.23E-03	0.294371	1.36E+12	13357400	1.18E-03	0.282395
1.37E+12	13377000	1.24E-03	0.296766	1.36E+12	13357400	1.19E-03	0.28479
1.37E+12	13377000	1.25E-03	0.299162	1.36E+12	13357400	1.19E-03	0.28503
1.36E+12	13367200	1.26E-03	0.301557	1.36E+12	13357400	1.20E-03	0.287425
1.36E+12	13367200	1.27E-03	0.303473	1.36E+12	13357400	1.21E-03	0.288862
1.36E+12	13367200	1.28E-03	0.305629	1.36E+12	13357400	1.22E-03	0.291257
1.36E+12	13357400	1.29E-03	0.308024	1.36E+12	13357400	1.23E-03	0.293653
1.36E+12	13347600	1.30E-03	0.310419	1.36E+12	13347600	1.23E-03	0.294132
1.36E+12	13337800	1.31E-03	0.312814	1.36E+12	13347600	1.24E-03	0.296527
1.36E+12	13337800	1.31E-03	0.313772	1.36E+12	13347600	1.24E-03	0.297246
1.36E+12	13318200	1.32E-03	0.316168	1.36E+12	13337800	1.25E-03	0.299641
1.36E+12	13308400	1.33E-03	0.318563	1.36E+12	13328000	1.26E-03	0.302036
1.36E+12	13288800	1.34E-03	0.320958	1.36E+12	13318200	1.26E-03	0.302754
1.36E+12	13279000	1.35E-03	0.322635	1.36E+12	13308400	1.27E-03	0.30515
1.35E+12	13259400	1.36E-03	0.324551	1.36E+12	13308400	1.28E-03	0.306587
1.35E+12	13230000	1.37E-03	0.326946	1.36E+12	13298600	1.29E-03	0.308743
1.35E+12	13220200	1.38E-03	0.329341	1.36E+12	13288800	1.30E-03	0.311138
1.35E+12	13200600	1.38E-03	0.331497	1.36E+12	13279000	1.31E-03	0.312575
1.35E+12	13181000	1.39E-03	0.333892	1.35E+12	13269200	1.32E-03	0.31497
1.34E+12	13171200	1.40E-03	0.334611	1.35E+12	13269200	1.32E-03	0.315689
1.34E+12	13151600	1.41E-03	0.337006	1.35E+12	13259400	1.33E-03	0.318084
1.34E+12	13141800	1.42E-03	0.339401	1.35E+12	13239800	1.34E-03	0.320479
1.34E+12	13122200	1.43E-03	0.341796	1.35E+12	13230000	1.35E-03	0.322635
1.34E+12	13112400	1.44E-03	0.343952	1.35E+12	13220200	1.36E-03	0.32503
1.34E+12	13092800	1.45E-03	0.346347	1.35E+12	13210400	1.37E-03	0.327425
1.34E+12	13083000	1.46E-03	0.348743	1.35E+12	13210400	1.37E-03	0.327425
1.33E+12	13073200	1.47E-03	0.351138	1.35E+12	13200600	1.38E-03	0.329341
1.33E+12	13053600	1.48E-03	0.353533	1.35E+12	13181000	1.39E-03	0.331737
1.33E+12	13043800	1.49E-03	0.355928	1.35E+12	13181000	1.39E-03	0.331976
1.33E+12	13034000	1.50E-03	0.358323	1.34E+12	13161400	1.39E-03	0.333892
1.33E+12	13024200	1.51E-03	0.360719	1.34E+12	13141800	1.40E-03	0.336287
1.33E+12	13014400	1.52E-03	0.363114	1.34E+12	13122200	1.41E-03	0.338204
1.33E+12	13014400	1.52E-03	0.364072	1.34E+12	13102600	1.42E-03	0.340599
1.33E+12	13004600	1.53E-03	0.366467	1.34E+12	13083000	1.43E-03	0.342994
1.33E+12	12994800	1.54E-03	0.368862	1.33E+12	13063400	1.44E-03	0.345389

1.33E+12	12985000	1.55E-03	0.370299	1.33E+12	13053600	1.45E-03	0.347784
1.32E+12	12975200	1.56E-03	0.372695	1.33E+12	13043800	1.46E-03	0.349222
1.32E+12	12955600	1.57E-03	0.37509	1.33E+12	13024200	1.47E-03	0.351617
1.32E+12	12945800	1.58E-03	0.377485	1.33E+12	13014400	1.48E-03	0.353772
1.32E+12	12936000	1.59E-03	0.37988	1.33E+12	13004600	1.49E-03	0.356168
1.32E+12	12926200	1.59E-03	0.381317	1.33E+12	12994800	1.49E-03	0.357605
1.32E+12	12916400	1.60E-03	0.383713	1.32E+12	12975200	1.50E-03	0.36
1.32E+12	12906600	1.61E-03	0.386108	1.32E+12	12965400	1.51E-03	0.361677
1.32E+12	12896800	1.62E-03	0.388503	1.32E+12	12955600	1.52E-03	0.363114
1.31E+12	12877200	1.63E-03	0.390898	1.32E+12	12945800	1.53E-03	0.365509
1.31E+12	12877200	1.63E-03	0.391377	1.32E+12	12936000	1.54E-03	0.367904
1.31E+12	12867400	1.64E-03	0.393772	1.32E+12	12926200	1.54E-03	0.369102
1.31E+12	12857600	1.65E-03	0.396168	1.32E+12	12916400	1.55E-03	0.371497
1.31E+12	12838000	1.66E-03	0.398563	1.32E+12	12896800	1.56E-03	0.373892
1.31E+12	12828200	1.67E-03	0.400479	1.32E+12	12887000	1.57E-03	0.376287
1.31E+12	12818400	1.68E-03	0.402874	1.31E+12	12877200	1.58E-03	0.378683
1.31E+12	12808600	1.69E-03	0.405269	1.31E+12	12857600	1.59E-03	0.381078
1.31E+12	12798800	1.70E-03	0.407665	1.31E+12	12847800	1.60E-03	0.383473
1.31E+12	12789000	1.71E-03	0.41006	1.31E+12	12838000	1.61E-03	0.38515
1.31E+12	12789000	1.71E-03	0.410299	1.31E+12	12818400	1.62E-03	0.387545
1.30E+12	12779200	1.72E-03	0.412695	1.31E+12	12808600	1.63E-03	0.38994
1.30E+12	12759600	1.73E-03	0.41509	1.31E+12	12798800	1.64E-03	0.391856
1.30E+12	12749800	1.74E-03	0.417485	1.30E+12	12779200	1.65E-03	0.394251
1.30E+12	12740000	1.75E-03	0.41988	1.30E+12	12779200	1.65E-03	0.395689
1.30E+12	12730200	1.76E-03	0.422275	1.30E+12	12759600	1.66E-03	0.398084
1.30E+12	12720400	1.77E-03	0.424671	1.30E+12	12749800	1.67E-03	0.400479
1.30E+12	12700800	1.78E-03	0.427066	1.30E+12	12740000	1.68E-03	0.401916
1.30E+12	12691000	1.79E-03	0.429461	1.30E+12	12730200	1.69E-03	0.403593
1.29E+12	12681200	1.80E-03	0.431856	1.30E+12	12720400	1.70E-03	0.405988
1.29E+12	12671400	1.81E-03	0.434251	1.30E+12	12710600	1.70E-03	0.407665
1.29E+12	12651800	1.82E-03	0.436647	1.30E+12	12700800	1.71E-03	0.41006
1.29E+12	12642000	1.83E-03	0.439042	1.30E+12	12691000	1.72E-03	0.412455
1.29E+12	12642000	1.84E-03	0.440479	1.29E+12	12681200	1.73E-03	0.41485
1.29E+12	12622400	1.85E-03	0.442874	1.29E+12	12671400	1.74E-03	0.417246
1.29E+12	12612600	1.86E-03	0.445269	1.29E+12	12651800	1.75E-03	0.419641
1.29E+12	12612600	1.86E-03	0.445269	1.29E+12	12651800	1.76E-03	0.421078
1.29E+12	12602800	1.87E-03	0.447665	1.29E+12	12642000	1.77E-03	0.423473
1.28E+12	12583200	1.88E-03	0.45006	1.29E+12	12622400	1.78E-03	0.425868
1.28E+12	12573400	1.89E-03	0.452455	1.29E+12	12612600	1.79E-03	0.428263
1.28E+12	12563600	1.90E-03	0.454132	1.29E+12	12602800	1.80E-03	0.430659
1.28E+12	12553800	1.91E-03	0.456527	1.29E+12	12593000	1.81E-03	0.433054
1.28E+12	12544000	1.92E-03	0.458922	1.28E+12	12583200	1.82E-03	0.435449
1.28E+12	12534200	1.93E-03	0.461317	1.28E+12	12573400	1.83E-03	0.437844
1.28E+12	12534200	1.93E-03	0.461796	1.28E+12	12573400	1.83E-03	0.438802
1.28E+12	12514600	1.94E-03	0.464192	1.28E+12	12563600	1.84E-03	0.441198
1.28E+12	12504800	1.95E-03	0.466587	1.28E+12	12553800	1.85E-03	0.443593
1.28E+12	12495000	1.96E-03	0.468982	1.28E+12	12553800	1.85E-03	0.444072

1.27E+12	12475400	1.97E-03	0.471377	1.28E+12	12544000	1.86E-03	0.446467
1.27E+12	12465600	1.98E-03	0.473293	1.28E+12	12534200	1.87E-03	0.448862
1.27E+12	12455800	1.99E-03	0.475689	1.28E+12	12524400	1.88E-03	0.451257
1.27E+12	12446000	2.00E-03	0.478084	1.28E+12	12524400	1.89E-03	0.452216
1.27E+12	12426400	2.01E-03	0.480479	1.28E+12	12514600	1.90E-03	0.454611
1.27E+12	12426400	2.01E-03	0.481198	1.28E+12	12504800	1.91E-03	0.457006
1.27E+12	12416600	2.02E-03	0.483593	1.28E+12	12495000	1.92E-03	0.459401
1.27E+12	12406800	2.03E-03	0.485988	1.27E+12	12485200	1.93E-03	0.461796
1.26E+12	12387200	2.04E-03	0.488383	1.27E+12	12475400	1.94E-03	0.464192
1.26E+12	12377400	2.05E-03	0.490778	1.27E+12	12465600	1.95E-03	0.466587
1.26E+12	12377400	2.05E-03	0.491257	1.27E+12	12455800	1.96E-03	0.468982
1.26E+12	12367600	2.06E-03	0.493653	1.27E+12	12446000	1.97E-03	0.471377
1.26E+12	12367600	2.07E-03	0.49485	1.27E+12	12446000	1.97E-03	0.471856
1.26E+12	12348000	2.08E-03	0.497246	1.27E+12	12436200	1.98E-03	0.474251
1.26E+12	12338200	2.09E-03	0.499641	1.27E+12	12426400	1.99E-03	0.476647
1.26E+12	12328400	2.10E-03	0.502036	1.27E+12	12416600	2.00E-03	0.479042
1.26E+12	12318600	2.11E-03	0.504431	1.27E+12	12406800	2.00E-03	0.47976
1.26E+12	12308800	2.12E-03	0.506826	1.27E+12	12397000	2.01E-03	0.482156
1.26E+12	12299000	2.13E-03	0.509222	1.27E+12	12397000	2.02E-03	0.482635
1.25E+12	12289200	2.14E-03	0.511617	1.26E+12	12387200	2.03E-03	0.48503
1.25E+12	12279400	2.15E-03	0.514012	1.26E+12	12377400	2.04E-03	0.487425
1.25E+12	12269600	2.16E-03	0.516407	1.26E+12	12367600	2.05E-03	0.48982
1.25E+12	12259800	2.17E-03	0.518802	1.26E+12	12357800	2.06E-03	0.492216
1.25E+12	12250000	2.18E-03	0.521198	1.26E+12	12348000	2.07E-03	0.494611
1.25E+12	12240200	2.19E-03	0.523593	1.26E+12	12348000	2.07E-03	0.49509
1.25E+12	12230400	2.20E-03	0.525988	1.26E+12	12338200	2.08E-03	0.497485
1.25E+12	12230400	2.21E-03	0.528383	1.26E+12	12328400	2.09E-03	0.49988
1.25E+12	12220600	2.22E-03	0.530778	1.26E+12	12328400	2.09E-03	0.500599
1.25E+12	12210800	2.23E-03	0.533174	1.26E+12	12318600	2.10E-03	0.502994
1.25E+12	12201000	2.24E-03	0.535569	1.26E+12	12308800	2.11E-03	0.505389
1.24E+12	12191200	2.25E-03	0.537964	1.26E+12	12299000	2.12E-03	0.507784
1.24E+12	12181400	2.26E-03	0.540359	1.25E+12	12289200	2.13E-03	0.51018
1.24E+12	12171600	2.27E-03	0.542754	1.25E+12	12279400	2.14E-03	0.512575
1.24E+12	12161800	2.28E-03	0.54515	1.25E+12	12259800	2.15E-03	0.51497
1.24E+12	12161800	2.28E-03	0.545868	1.25E+12	12250000	2.16E-03	0.517365
1.24E+12	12152000	2.29E-03	0.548263	1.25E+12	12240200	2.17E-03	0.51976
1.24E+12	12142200	2.30E-03	0.550659	1.25E+12	12230400	2.18E-03	0.522156
1.24E+12	12142200	2.31E-03	0.553054	1.25E+12	12220600	2.19E-03	0.524551
1.24E+12	12132400	2.32E-03	0.555449	1.25E+12	12220600	2.20E-03	0.526228
1.24E+12	12122600	2.33E-03	0.557844	1.25E+12	12210800	2.21E-03	0.528623
1.24E+12	12112800	2.34E-03	0.56024	1.25E+12	12201000	2.22E-03	0.531018
1.24E+12	12112800	2.35E-03	0.562156	1.24E+12	12191200	2.22E-03	0.532455
1.24E+12	12103000	2.36E-03	0.564551	1.24E+12	12181400	2.23E-03	0.53485
1.23E+12	12093200	2.37E-03	0.566946	1.24E+12	12171600	2.24E-03	0.537246
1.23E+12	12083400	2.38E-03	0.569102	1.24E+12	12161800	2.25E-03	0.539641
1.23E+12	12073600	2.39E-03	0.571497	1.24E+12	12152000	2.26E-03	0.542036
1.23E+12	12073600	2.39E-03	0.571976	1.24E+12	12142200	2.27E-03	0.544431

1.23E+12	12063800	2.40E-03	0.574371	1.24E+12	12132400	2.28E-03	0.546826
1.23E+12	12054000	2.41E-03	0.576766	1.24E+12	12122600	2.29E-03	0.548024
1.23E+12	12054000	2.42E-03	0.579162	1.24E+12	12112800	2.30E-03	0.550419
1.23E+12	12044200	2.43E-03	0.581557	1.24E+12	12103000	2.31E-03	0.552814
1.23E+12	12034400	2.44E-03	0.583952	1.23E+12	12093200	2.32E-03	0.55521
1.23E+12	12034400	2.44E-03	0.58515	1.23E+12	12083400	2.33E-03	0.557605
1.23E+12	12024600	2.45E-03	0.587545	1.23E+12	12073600	2.34E-03	0.56
1.23E+12	12014800	2.46E-03	0.588263	1.23E+12	12063800	2.35E-03	0.562156
1.23E+12	12005000	2.47E-03	0.590659	1.23E+12	12054000	2.36E-03	0.564551
1.22E+12	11995200	2.48E-03	0.593054	1.23E+12	12044200	2.37E-03	0.566946
1.22E+12	11995200	2.48E-03	0.59497	1.23E+12	12034400	2.38E-03	0.569341
1.22E+12	11975600	2.49E-03	0.597365	1.23E+12	12024600	2.39E-03	0.571737
1.22E+12	11965800	2.50E-03	0.59976	1.23E+12	12014800	2.40E-03	0.574132
1.22E+12	11956000	2.51E-03	0.602156	1.23E+12	12005000	2.41E-03	0.576527
1.22E+12	11946200	2.52E-03	0.604551	1.23E+12	12005000	2.41E-03	0.577485
1.22E+12	11936400	2.53E-03	0.606946	1.22E+12	11995200	2.42E-03	0.57988
1.22E+12	11926600	2.54E-03	0.609341	1.22E+12	11985400	2.43E-03	0.582275
1.22E+12	11916800	2.55E-03	0.611737	1.22E+12	11975600	2.44E-03	0.584671
1.22E+12	11907000	2.56E-03	0.614132	1.22E+12	11965800	2.45E-03	0.587066
1.21E+12	11897200	2.57E-03	0.616527	1.22E+12	11956000	2.46E-03	0.589461
1.21E+12	11887400	2.58E-03	0.618922	1.22E+12	11946200	2.47E-03	0.591856
1.21E+12	11877600	2.59E-03	0.621317	1.22E+12	11936400	2.48E-03	0.594251
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-1.75E+09	-17159.8	-1.00E-06	-0.00024	-1.74E+09	-17091.2	-1.00E-06	-0.00024
-3.50E+09	-34309.8	-2.00E-06	-0.00048	-3.49E+09	-34172.6	-2.00E-06	-0.00048
-5.25E+09	-51459.8	-3.00E-06	-0.00072	-5.23E+09	-51254	-3.00E-06	-0.00072
-7.00E+09							0.00096
-8.75E+09							-0.0012
-1.05E+10							0.00144
-1.23E+10							0.00168
-1.40E+10							0.00192
-1.58E+10							0.00216
-1.75E+10							-0.0024
-3.50E+10							0.00479
-5.25E+10							0.00719
-7.00E+10							0.00958
-8.75E+10							0.01198
-1.05E+11							0.01437
-1.23E+11							0.01677
-1.40E+11							0.01916
-1.58E+11	-1543500	-9.00E-05	-0.02156	-1.57E+11	-1537620	-9.00E-05	-0.02156
-1.75E+11	-1715000	-1.00E-04	-0.02395	-1.74E+11	-1708140	-1.00E-04	-0.02395
-1.93E+11	-1886500	-1.10E-04	-0.02635	-1.92E+11	-1878660	-1.10E-04	-0.02635
-2.10E+11	-2058000	-1.20E-04	-0.02874	-2.09E+11	-2049180	-1.20E-04	-0.02874
-2.28E+11	-2229500	-1.30E-04	-0.03114	-2.27E+11	-2220680	-1.30E-04	-0.03114
-2.45E+11	-2401000	-1.40E-04	-0.03353	-2.44E+11	-2391200	-1.40E-04	-0.03353
-2.63E+11	-2572500	-1.50E-04	-0.03593	-2.61E+11	-2561720	-1.50E-04	-0.03593



-2.80E+11	-2744000	-1.60E-04	-0.03832	-2.79E+11	-2732240	-1.60E-04	-0.03832
-2.97E+11	-2914520	-1.70E-04	-0.04072	-2.96E+11	-2903740	-1.70E-04	-0.04072
-3.15E+11	-3086020	-1.80E-04	-0.04311	-3.14E+11	-3074260	-1.80E-04	-0.04311
-3.32E+11	-3257520	-1.90E-04	-0.04551	-3.31E+11	-3244780	-1.90E-04	-0.04551
-3.50E+11	-3429020	-2.00E-04	-0.0479	-3.49E+11	-3415300	-2.00E-04	-0.0479
-3.67E+11	-3600520	-2.10E-04	-0.0503	-3.66E+11	-3586800	-2.10E-04	-0.0503
-3.85E+11	-3772020	-2.20E-04	-0.05269	-3.83E+11	-3757320	-2.20E-04	-0.05269
-4.02E+11	-3943520	-2.30E-04	-0.05509	-4.01E+11	-3927840	-2.30E-04	-0.05509
-4.20E+11	-4115020	-2.40E-04	-0.05749	-4.18E+11	-4098360	-2.40E-04	-0.05749
-4.37E+11	-4286520	-2.50E-04	-0.05988	-4.36E+11	-4268880	-2.50E-04	-0.05988
-4.55E+11	-4458020	-2.60E-04	-0.06228	-4.53E+11	-4440380	-2.60E-04	-0.06228
-4.72E+11	-4629520	-2.70E-04	-0.06467	-4.71E+11	-4610900	-2.70E-04	-0.06467
-4.90E+11	-4801020	-2.80E-04	-0.06707	-4.88E+11	-4781420	-2.80E-04	-0.06707
-5.07E+11	-4971540	-2.90E-04	-0.06946	-5.05E+11	-4951940	-2.90E-04	-0.06946
-5.25E+11	-5143040	-3.00E-04	-0.07186	-5.23E+11	-5122460	-3.00E-04	-0.07186
-5.42E+11	-5314540	-3.10E-04	-0.07425	-5.40E+11	-5292980	-3.10E-04	-0.07425
-5.60E+11	-5486040	-3.20E-04	-0.07665	-5.58E+11	-5464480	-3.20E-04	-0.07665
-5.77E+11	-5657540	-3.30E-04	-0.07904	-5.75E+11	-5635000	-3.30E-04	-0.07904
-5.95E+11	-5829040	-3.40E-04	-0.08144	-5.92E+11	-5805520	-3.40E-04	-0.08144
-6.12E+11	-5999560	-3.50E-04	-0.08383	-6.10E+11	-5976040	-3.50E-04	-0.08383
-6.30E+11	-6171060	-3.60E-04	-0.08623	-6.27E+11	-6146560	-3.60E-04	-0.08623
-6.47E+11	-6342560	-3.70E-04	-0.08862	-6.45E+11	-6317080	-3.70E-04	-0.08862
-6.65E+11	-6514060	-3.80E-04	-0.09102	-6.62E+11	-6487600	-3.80E-04	-0.09102
-6.82E+11	-6685560	-3.90E-04	-0.09341	-6.79E+11	-6658120	-3.90E-04	-0.09341
-7.00E+11	-6856080	-4.00E-04	-0.09581	-6.97E+11	-6828640	-4.00E-04	-0.09581
-7.17E+11	-7027580	-4.10E-04	-0.0982	-7.14E+11	-6999160	-4.10E-04	-0.0982
-7.35E+11	-7199080	-4.20E-04	-0.1006	-7.32E+11	-7169680	-4.20E-04	-0.1006
-7.52E+11	-7370580	-4.30E-04	-0.10299	-7.49E+11	-7340200	-4.30E-04	-0.10299
-7.70E+11	-7541100	-4.40E-04	-0.10539	-7.66E+11	-7510720	-4.40E-04	-0.10539
-7.87E+11	-7712600	-4.50E-04	-0.10778	-7.84E+11	-7681240	-4.50E-04	-0.10778
-8.04E+11	-7883120	-4.60E-04	-0.11018	-8.01E+11	-7851760	-4.60E-04	-0.11018
-8.22E+11	-8054620	-4.70E-04	-0.11257	-8.19E+11	-8021300	-4.70E-04	-0.11257
-8.39E+11	-8225140	-4.80E-04	-0.11497	-8.36E+11	-8191820	-4.80E-04	-0.11497
-8.57E+11	-8395660	-4.90E-04	-0.11737	-8.53E+11	-8361360	-4.90E-04	-0.11737
-8.74E+11	-8566180	-5.00E-04	-0.11976	-8.71E+11	-8530900	-5.00E-04	-0.11976
-8.92E+11	-8736700	-5.10E-04	-0.12216	-8.88E+11	-8700440	-5.10E-04	-0.12216
-9.09E+11	-8907220	-5.20E-04	-0.12455	-9.05E+11	-8869980	-5.20E-04	-0.12455
-9.26E+11	-9076760	-5.30E-04	-0.12695	-9.22E+11	-9038540	-5.30E-04	-0.12695
-9.44E+11	-9246300	-5.40E-04	-0.12934	-9.40E+11	-9208080	-5.40E-04	-0.12934
-9.61E+11	-9415840	-5.50E-04	-0.13174	-9.57E+11	-9375660	-5.50E-04	-0.13174
-9.78E+11	-9584400	-5.60E-04	-0.13413	-9.74E+11	-9544220	-5.60E-04	-0.13413
-9.95E+11	-9752960	-5.70E-04	-0.13653	-9.86E+11	-9662800	-5.67E-04	-0.13583
-1.01E+12	-9917600	-5.80E-04	-0.13892	-1.00E+12	-9829400	-5.77E-04	-0.13823
-1.03E+12	-1E+07	-5.90E-04	-0.14132	-1.02E+12	-9996000	-5.87E-04	-0.14062
-1.04E+12	-1E+07	-5.96E-04	-0.14263	-1.03E+12	-1E+07	-5.91E-04	-0.14146
-1.05E+12	-1E+07	-6.01E-04	-0.14395	-1.03E+12	-1E+07	-5.96E-04	-0.14283
-1.05E+12	-1E+07	-6.07E-04	-0.14544	-1.04E+12	-1E+07	-6.04E-04	-0.1446

-1.05E+12	-1E+07	-6.12E-04	-0.14663	-1.04E+12	-1E+07	-6.09E-04	-0.14592
-1.05E+12	-1E+07	-6.18E-04	-0.14795	-1.04E+12	-1E+07	-6.14E-04	-0.14711
-1.05E+12	-1E+07	-6.26E-04	-0.14984	-1.04E+12	-1E+07	-6.21E-04	-0.14865
-1.05E+12	-1E+07	-6.30E-04	-0.15097	-1.04E+12	-1E+07	-6.27E-04	-0.15006
-1.05E+12	-1E+07	-6.35E-04	-0.15219	-1.04E+12	-1E+07	-6.34E-04	-0.15188
-1.05E+12	-1E+07	-6.40E-04	-0.1532	-1.04E+12	-1E+07	-6.44E-04	-0.1542
-1.04E+12	-1E+07	-6.47E-04	-0.1549	-1.04E+12	-1E+07	-6.50E-04	-0.15559
-1.04E+12	-1E+07	-6.52E-04	-0.15614	-1.04E+12	-1E+07	-6.55E-04	-0.15693
-1.04E+12	-1E+07	-6.62E-04	-0.15854	-1.04E+12	-1E+07	-6.61E-04	-0.15835
-1.03E+12	-1E+07	-6.67E-04	-0.15974	-1.03E+12	-1E+07	-6.66E-04	-0.15945
-1.03E+12	-1E+07	-6.77E-04	-0.16213	-1.03E+12	-1E+07	-6.70E-04	-0.16053
-1.03E+12	-1E+07	-6.83E-04	-0.16366	-1.03E+12	-1E+07	-6.80E-04	-0.16292
-1.03E+12	-1E+07	-6.91E-04	-0.16553	-1.03E+12	-1E+07	-6.83E-04	-0.16364
-1.02E+12	-1E+07	-7.01E-04	-0.16793	-1.03E+12	-1E+07	-6.91E-04	-0.16544
-1.02E+12	-9996000	-7.11E-04	-0.17032	-1.02E+12	-1E+07	-6.97E-04	-0.16702
-1.02E+12	-9986200	-7.14E-04	-0.17097	-1.02E+12	-1E+07	-7.06E-04	-0.16917
-1.02E+12	-9956800	-7.24E-04	-0.17337	-1.02E+12	-9986200	-7.16E-04	-0.17157
-1.02E+12	-9947000	-7.32E-04	-0.17523	-1.02E+12	-9966600	-7.25E-04	-0.17372
-1.01E+12	-9917600	-7.42E-04	-0.17763	-1.02E+12	-9947000	-7.34E-04	-0.17576
-1.01E+12	-9907800	-7.45E-04	-0.17851	-1.01E+12	-9937200	-7.39E-04	-0.17691
-1.01E+12	-9888200	-7.55E-04	-0.18091	-1.01E+12	-9917600	-7.45E-04	-0.17854
-1.01E+12	-9878400	-7.57E-04	-0.18127	-1.01E+12	-9898000	-7.55E-04	-0.18093
-1.01E+12	-9858800	-7.67E-04	-0.18366	-1.01E+12	-9888200	-7.59E-04	-0.18177
-1.00E+12	-9839200	-7.76E-04	-0.18577	-1.01E+12	-9868600	-7.69E-04	-0.18417
-1.00E+12	-9809800	-7.86E-04	-0.18817	-1.01E+12	-9858800	-7.72E-04	-0.18481
-1.00E+12	-9809800	-7.86E-04	-0.18826	-1.00E+12	-9839200	-7.80E-04	-0.18685
-9.99E+11	-9789220	-7.96E-04	-0.19066	-1.00E+12	-9819600	-7.90E-04	-0.18925
-9.98E+11	-9780400	-8.00E-04	-0.19159	-1.00E+12	-9819600	-7.92E-04	-0.1896
-9.95E+11	-9752960	-8.10E-04	-0.19399	-1.00E+12	-9800000	-8.01E-04	-0.19176
-9.93E+11	-9727480	-8.20E-04	-0.19638	-9.98E+11	-9782360	-8.11E-04	-0.19416
-9.92E+11	-9716700	-8.25E-04	-0.19749	-9.97E+11	-9770600	-8.16E-04	-0.19533
-9.89E+11	-9692200	-8.35E-04	-0.19988	-9.95E+11	-9754920	-8.22E-04	-0.19698
-9.87E+11	-9675540	-8.42E-04	-0.20175	-9.94E+11	-9739240	-8.30E-04	-0.19868
-9.85E+11	-9654960	-8.52E-04	-0.20414	-9.92E+11	-9718660	-8.40E-04	-0.20108
-9.84E+11	-9641240	-8.60E-04	-0.20594	-9.90E+11	-9697100	-8.50E-04	-0.20347
-9.81E+11	-9616740	-8.70E-04	-0.20834	-9.89E+11	-9688280	-8.54E-04	-0.20443
-9.80E+11	-9606940	-8.75E-04	-0.20956	-9.86E+11	-9666720	-8.64E-04	-0.20683
-9.79E+11	-9591260	-8.83E-04	-0.21154	-9.84E+11	-9646140	-8.74E-04	-0.20922
-9.77E+11	-9573620	-8.93E-04	-0.21394	-9.84E+11	-9641240	-8.76E-04	-0.20982
-9.75E+11	-9556960	-9.03E-04	-0.21634	-9.82E+11	-9621640	-8.86E-04	-0.21222
-9.74E+11	-9540300	-9.13E-04	-0.21873	-9.81E+11	-9610860	-8.92E-04	-0.21358
-9.72E+11	-9525600	-9.23E-04	-0.22113	-9.79E+11	-9594200	-9.02E-04	-0.21598
-9.71E+11	-9510900	-9.33E-04	-0.22352	-9.77E+11	-9578520	-9.12E-04	-0.21837
-9.70E+11	-9504040	-9.38E-04	-0.22474	-9.77E+11	-9573620	-9.15E-04	-0.21911
-9.69E+11	-9491300	-9.48E-04	-0.22714	-9.75E+11	-9555980	-9.25E-04	-0.22151
-9.67E+11	-9478560	-9.58E-04	-0.22953	-9.74E+11	-9540300	-9.35E-04	-0.2239
-9.66E+11	-9466800	-9.68E-04	-0.23193	-9.73E+11	-9538340	-9.36E-04	-0.22414

-9.65E+11	-9456020	-9.78E-04	-0.23432	-9.73E+11	-9531480	-9.41E-04	-0.22537
-9.64E+11	-9445240	-9.88E-04	-0.23672	-9.71E+11	-9518740	-9.49E-04	-0.22733
-9.63E+11	-9434460	-9.98E-04	-0.23911	-9.70E+11	-9504040	-9.59E-04	-0.22972
-9.62E+11	-9429560	-1.00E-03	-0.24024	-9.68E+11	-9489340	-9.69E-04	-0.23212
-9.61E+11	-9417800	-1.01E-03	-0.24263	-9.68E+11	-9481500	-9.75E-04	-0.23341
-9.60E+11	-9406040	-1.02E-03	-0.24503	-9.66E+11	-9468760	-9.85E-04	-0.23581
-9.59E+11	-9393300	-1.03E-03	-0.24743	-9.65E+11	-9456020	-9.95E-04	-0.2382
-9.57E+11	-9381540	-1.04E-03	-0.24982	-9.64E+11	-9447200	-1.00E-03	-0.23976
-9.56E+11	-9370760	-1.05E-03	-0.25222	-9.63E+11	-9434460	-1.01E-03	-0.24216
-9.55E+11	-9362920	-1.06E-03	-0.25365	-9.62E+11	-9431520	-1.01E-03	-0.24287
-9.54E+11	-9351160	-1.07E-03	-0.25605	-9.61E+11	-9417800	-1.02E-03	-0.24527
-9.53E+11	-9339400	-1.08E-03	-0.25844	-9.61E+11	-9417800	-1.02E-03	-0.24527
-9.52E+11	-9324700	-1.09E-03	-0.26084	-9.60E+11	-9405060	-1.03E-03	-0.24766
-9.50E+11	-9312940	-1.10E-03	-0.26323	-9.60E+11	-9404080	-1.04E-03	-0.2479
-9.50E+11	-9310980	-1.10E-03	-0.26347	-9.58E+11	-9391340	-1.05E-03	-0.2503
-9.49E+11	-9295300	-1.11E-03	-0.26587	-9.57E+11	-9378600	-1.06E-03	-0.25269
-9.47E+11	-9280600	-1.12E-03	-0.26826	-9.57E+11	-9374680	-1.06E-03	-0.25317
-9.47E+11	-9279620	-1.12E-03	-0.26826	-9.55E+11	-9360960	-1.07E-03	-0.25557
-9.45E+11	-9264920	-1.13E-03	-0.27066	-9.55E+11	-9359980	-1.07E-03	-0.25605
-9.45E+11	-9262960	-1.13E-03	-0.27114	-9.54E+11	-9344300	-1.08E-03	-0.25844
-9.44E+11	-9246300	-1.14E-03	-0.27353	-9.52E+11	-9330580	-1.09E-03	-0.26084
-9.42E+11	-9229640	-1.15E-03	-0.27593	-9.51E+11	-9316860	-1.10E-03	-0.26323
-9.40E+11	-9214940	-1.16E-03	-0.27832	-9.50E+11	-9307060	-1.11E-03	-0.26491
-9.39E+11	-9201220	-1.17E-03	-0.28024	-9.49E+11	-9296280	-1.11E-03	-0.26683
-9.37E+11	-9186520	-1.18E-03	-0.28263	-9.47E+11	-9281580	-1.12E-03	-0.26922
-9.36E+11	-9170840	-1.19E-03	-0.28503	-9.46E+11	-9270800	-1.13E-03	-0.27114
-9.34E+11	-9155160	-1.20E-03	-0.28743	-9.44E+11	-9254140	-1.14E-03	-0.27353
-9.33E+11	-9145360	-1.21E-03	-0.2891	-9.43E+11	-9239440	-1.15E-03	-0.27593
-9.31E+11	-9127720	-1.22E-03	-0.2915	-9.41E+11	-9225720	-1.16E-03	-0.27832
-9.30E+11	-9112040	-1.23E-03	-0.29389	-9.41E+11	-9216900	-1.17E-03	-0.27976
-9.29E+11	-9106160	-1.23E-03	-0.29485	-9.39E+11	-9201220	-1.18E-03	-0.28216
-9.28E+11	-9090480	-1.24E-03	-0.29725	-9.39E+11	-9199260	-1.18E-03	-0.2824
-9.26E+11	-9074800	-1.25E-03	-0.29964	-9.37E+11	-9183580	-1.19E-03	-0.28479
-9.25E+11	-9061080	-1.26E-03	-0.30204	-9.36E+11	-9168880	-1.20E-03	-0.28719
-9.23E+11	-9047360	-1.27E-03	-0.30443	-9.34E+11	-9153200	-1.21E-03	-0.28958
-9.22E+11	-9033640	-1.28E-03	-0.30683	-9.33E+11	-9139480	-1.22E-03	-0.29198
-9.20E+11	-9018940	-1.29E-03	-0.30922	-9.32E+11	-9132620	-1.22E-03	-0.29293
-9.20E+11	-9014040	-1.29E-03	-0.30994	-9.31E+11	-9120860	-1.23E-03	-0.29509
-9.18E+11	-8998360	-1.30E-03	-0.31234	-9.29E+11	-9105180	-1.24E-03	-0.29749
-9.17E+11	-8981700	-1.31E-03	-0.31473	-9.27E+11	-9088520	-1.25E-03	-0.29988
-9.15E+11	-8964060	-1.32E-03	-0.31713	-9.27E+11	-9084600	-1.25E-03	-0.30036
-9.13E+11	-8947400	-1.33E-03	-0.31952	-9.25E+11	-9068920	-1.26E-03	-0.30275
-9.11E+11	-8928780	-1.34E-03	-0.32192	-9.24E+11	-9054220	-1.27E-03	-0.30515
-9.10E+11	-8921920	-1.35E-03	-0.32287	-9.23E+11	-9044420	-1.28E-03	-0.30683
-9.09E+11	-8903300	-1.36E-03	-0.32527	-9.21E+11	-9027760	-1.29E-03	-0.30922
-9.07E+11	-8884680	-1.37E-03	-0.32766	-9.20E+11	-9011100	-1.30E-03	-0.31162
-9.05E+11	-8867040	-1.38E-03	-0.33006	-9.18E+11	-8994440	-1.31E-03	-0.31401

-9.03E+11	-8850380	-1.39E-03	-0.33246	-9.16E+11	-8977780	-1.32E-03	-0.31641
-9.01E+11	-8833720	-1.40E-03	-0.33485	-9.14E+11	-8961120	-1.33E-03	-0.3188
-9.00E+11	-8817060	-1.41E-03	-0.33725	-9.13E+11	-8944460	-1.34E-03	-0.3212
-8.98E+11	-8800400	-1.42E-03	-0.33964	-9.11E+11	-8931720	-1.35E-03	-0.32287
-8.96E+11	-8783740	-1.43E-03	-0.34204	-9.10E+11	-8914080	-1.36E-03	-0.32527
-8.95E+11	-8767080	-1.44E-03	-0.34443	-9.09E+11	-8903300	-1.36E-03	-0.32671
-8.94E+11	-8759240	-1.44E-03	-0.34563	-9.07E+11	-8886640	-1.37E-03	-0.3291
-8.92E+11	-8741600	-1.45E-03	-0.34802	-9.05E+11	-8869000	-1.38E-03	-0.3315
-8.90E+11	-8723960	-1.46E-03	-0.35042	-9.03E+11	-8851360	-1.39E-03	-0.33389
-8.89E+11	-8707300	-1.47E-03	-0.35257	-9.03E+11	-8846460	-1.40E-03	-0.33461
-8.87E+11	-8688680	-1.48E-03	-0.35497	-9.01E+11	-8827840	-1.41E-03	-0.33701
-8.86E+11	-8682800	-1.49E-03	-0.35593	-8.99E+11	-8814120	-1.42E-03	-0.33892
-8.84E+11	-8664180	-1.50E-03	-0.35832	-8.98E+11	-8795500	-1.43E-03	-0.34132
-8.82E+11	-8646540	-1.51E-03	-0.36072	-8.96E+11	-8777860	-1.44E-03	-0.34371
-8.80E+11	-8627920	-1.52E-03	-0.36311	-8.94E+11	-8759240	-1.45E-03	-0.34611
-8.79E+11	-8611260	-1.53E-03	-0.36551	-8.92E+11	-8742580	-1.46E-03	-0.3485
-8.77E+11	-8593620	-1.54E-03	-0.3679	-8.90E+11	-8724940	-1.47E-03	-0.3509
-8.75E+11	-8575980	-1.55E-03	-0.3703	-8.89E+11	-8712200	-1.47E-03	-0.35281
-8.73E+11	-8559320	-1.56E-03	-0.37269	-8.87E+11	-8694560	-1.48E-03	-0.35521
-8.72E+11	-8541680	-1.57E-03	-0.37509	-8.86E+11	-8677900	-1.49E-03	-0.3576
-8.70E+11	-8525020	-1.58E-03	-0.37749	-8.84E+11	-8666140	-1.50E-03	-0.35928
-8.68E+11	-8508360	-1.59E-03	-0.37988	-8.83E+11	-8649480	-1.51E-03	-0.36168
-8.68E+11	-8507380	-1.59E-03	-0.38012	-8.81E+11	-8632820	-1.52E-03	-0.36407
-8.66E+11	-8490720	-1.60E-03	-0.38251	-8.80E+11	-8624980	-1.52E-03	-0.36503
-8.65E+11	-8475040	-1.61E-03	-0.38491	-8.78E+11	-8608320	-1.53E-03	-0.36743
-8.63E+11	-8457400	-1.62E-03	-0.38731	-8.78E+11	-8607340	-1.53E-03	-0.36743
-8.62E+11	-8444660	-1.62E-03	-0.38898	-8.77E+11	-8589700	-1.54E-03	-0.36982
-8.60E+11	-8428000	-1.63E-03	-0.39138	-8.75E+11	-8572060	-1.55E-03	-0.37222
-8.58E+11	-8410360	-1.64E-03	-0.39377	-8.73E+11	-8553440	-1.56E-03	-0.37461
-8.57E+11	-8395660	-1.65E-03	-0.39593	-8.72E+11	-8546580	-1.57E-03	-0.37557
-8.55E+11	-8378020	-1.66E-03	-0.39832	-8.70E+11	-8528940	-1.58E-03	-0.37796
-8.54E+11	-8365280	-1.67E-03	-0.40024	-8.70E+11	-8527960	-1.58E-03	-0.3782
-8.52E+11	-8346660	-1.68E-03	-0.40263	-8.68E+11	-8509340	-1.59E-03	-0.3806
-8.50E+11	-8330000	-1.69E-03	-0.40503	-8.67E+11	-8492680	-1.60E-03	-0.38299
-8.48E+11	-8313340	-1.70E-03	-0.40743	-8.65E+11	-8475040	-1.61E-03	-0.38539
-8.46E+11	-8294720	-1.71E-03	-0.40982	-8.63E+11	-8458380	-1.62E-03	-0.38778
-8.45E+11	-8277080	-1.72E-03	-0.41222	-8.61E+11	-8440740	-1.63E-03	-0.39018
-8.43E+11	-8260420	-1.73E-03	-0.41461	-8.60E+11	-8424080	-1.64E-03	-0.39257
-8.41E+11	-8241800	-1.74E-03	-0.41701	-8.58E+11	-8407420	-1.65E-03	-0.39497
-8.39E+11	-8225140	-1.75E-03	-0.4194	-8.57E+11	-8399580	-1.65E-03	-0.39593
-8.38E+11	-8207500	-1.76E-03	-0.4218	-8.55E+11	-8382920	-1.66E-03	-0.39832
-8.36E+11	-8191820	-1.77E-03	-0.42395	-8.55E+11	-8379980	-1.67E-03	-0.3988
-8.34E+11	-8175160	-1.78E-03	-0.42635	-8.53E+11	-8363320	-1.68E-03	-0.4012
-8.33E+11	-8158500	-1.79E-03	-0.42874	-8.52E+11	-8346660	-1.69E-03	-0.40359
-8.31E+11	-8142820	-1.80E-03	-0.43114	-8.50E+11	-8330000	-1.70E-03	-0.40599
-8.29E+11	-8126160	-1.81E-03	-0.43353	-8.49E+11	-8320200	-1.70E-03	-0.40743
-8.28E+11	-8112440	-1.82E-03	-0.43569	-8.47E+11	-8303540	-1.71E-03	-0.40982

-8.26E+11	-8096760	-1.83E-03	-0.43808	-8.46E+11	-8289820	-1.72E-03	-0.41174
-8.25E+11	-8082060	-1.84E-03	-0.44048	-8.44E+11	-8273160	-1.73E-03	-0.41413
-8.23E+11	-8067360	-1.85E-03	-0.44287	-8.43E+11	-8257480	-1.74E-03	-0.41653
-8.22E+11	-8052660	-1.86E-03	-0.44527	-8.41E+11	-8241800	-1.75E-03	-0.41892
-8.21E+11	-8046780	-1.86E-03	-0.44647	-8.39E+11	-8226120	-1.76E-03	-0.42132
-8.20E+11	-8032080	-1.87E-03	-0.44886	-8.38E+11	-8211420	-1.77E-03	-0.42371
-8.18E+11	-8018360	-1.88E-03	-0.45126	-8.37E+11	-8197700	-1.78E-03	-0.42587
-8.17E+11	-8004640	-1.89E-03	-0.45365	-8.35E+11	-8182020	-1.79E-03	-0.42826
-8.15E+11	-7990920	-1.90E-03	-0.45605	-8.33E+11	-8166340	-1.80E-03	-0.43066
-8.14E+11	-7978180	-1.91E-03	-0.45844	-8.32E+11	-8150660	-1.81E-03	-0.43305
-8.13E+11	-7963480	-1.92E-03	-0.46084	-8.30E+11	-8134980	-1.82E-03	-0.43545
-8.11E+11	-7949760	-1.93E-03	-0.46323	-8.29E+11	-8119300	-1.83E-03	-0.43784
-8.10E+11	-7937020	-1.94E-03	-0.46563	-8.27E+11	-8104600	-1.84E-03	-0.44024
-8.08E+11	-7922320	-1.95E-03	-0.46802	-8.25E+11	-8088920	-1.85E-03	-0.44263
-8.07E+11	-7908600	-1.96E-03	-0.47042	-8.24E+11	-8074220	-1.86E-03	-0.44503
-8.06E+11	-7895860	-1.97E-03	-0.47281	-8.23E+11	-8061480	-1.87E-03	-0.44719
-8.04E+11	-7883120	-1.98E-03	-0.47521	-8.21E+11	-8047760	-1.88E-03	-0.44934
-8.03E+11	-7870380	-1.99E-03	-0.4776	-8.20E+11	-8033060	-1.89E-03	-0.45174
-8.02E+11	-7857640	-2.00E-03	-0.48	-8.18E+11	-8018360	-1.90E-03	-0.45413
-8.01E+11	-7844900	-2.01E-03	-0.4824	-8.17E+11	-8003660	-1.91E-03	-0.45653
-7.99E+11	-7832160	-2.02E-03	-0.48479	-8.15E+11	-7988960	-1.92E-03	-0.45892
-7.98E+11	-7819420	-2.03E-03	-0.48719	-8.14E+11	-7974260	-1.93E-03	-0.46132
-7.97E+11	-7806680	-2.04E-03	-0.48958	-8.13E+11	-7962500	-1.93E-03	-0.46323
-7.95E+11	-7794920	-2.05E-03	-0.49198	-8.11E+11	-7948780	-1.94E-03	-0.46563
-7.94E+11	-7782180	-2.06E-03	-0.49437	-8.10E+11	-7935060	-1.95E-03	-0.46802
-7.93E+11	-7772380	-2.07E-03	-0.49653	-8.08E+11	-7922320	-1.96E-03	-0.47042
-7.92E+11	-7760620	-2.08E-03	-0.49892	-8.07E+11	-7909580	-1.97E-03	-0.47281
-7.91E+11	-7748860	-2.09E-03	-0.50132	-8.06E+11	-7896840	-1.98E-03	-0.47521
-7.90E+11	-7738080	-2.10E-03	-0.50371	-8.05E+11	-7884100	-1.99E-03	-0.4776
-7.89E+11	-7734160	-2.11E-03	-0.50443	-8.03E+11	-7871360	-2.00E-03	-0.48
-7.88E+11	-7722400	-2.12E-03	-0.50683	-8.02E+11	-7862540	-2.01E-03	-0.48192
-7.87E+11	-7710640	-2.13E-03	-0.50922	-8.01E+11	-7849800	-2.02E-03	-0.48431
-7.86E+11	-7698880	-2.14E-03	-0.51162	-8.00E+11	-7838040	-2.03E-03	-0.48647
-7.85E+11	-7695940	-2.14E-03	-0.51234	-7.99E+11	-7825300	-2.04E-03	-0.48886
-7.84E+11	-7683200	-2.15E-03	-0.51473	-7.98E+11	-7822360	-2.04E-03	-0.48934
-7.83E+11	-7670460	-2.16E-03	-0.51713	-7.97E+11	-7808640	-2.05E-03	-0.49174
-7.82E+11	-7658700	-2.17E-03	-0.51952	-7.96E+11	-7795900	-2.06E-03	-0.49413
-7.80E+11	-7645960	-2.18E-03	-0.52192	-7.94E+11	-7783160	-2.07E-03	-0.49653
-7.79E+11	-7633220	-2.19E-03	-0.52431	-7.93E+11	-7773360	-2.08E-03	-0.49844
-7.78E+11	-7621460	-2.20E-03	-0.52671	-7.92E+11	-7760620	-2.09E-03	-0.50084
-7.76E+11	-7608720	-2.21E-03	-0.5291	-7.91E+11	-7747880	-2.10E-03	-0.50323
-7.75E+11	-7596960	-2.22E-03	-0.5315	-7.90E+11	-7739060	-2.11E-03	-0.50491
-7.74E+11	-7585200	-2.23E-03	-0.53389	-7.88E+11	-7726320	-2.12E-03	-0.50731
-7.73E+11	-7575400	-2.24E-03	-0.53581	-7.87E+11	-7713580	-2.13E-03	-0.5097
-7.72E+11	-7562660	-2.25E-03	-0.5382	-7.86E+11	-7700840	-2.14E-03	-0.5121
-7.71E+11	-7550900	-2.26E-03	-0.5406	-7.85E+11	-7688100	-2.15E-03	-0.51449
-7.69E+11	-7538160	-2.27E-03	-0.54299	-7.83E+11	-7675360	-2.16E-03	-0.51689


-7.68E+11	-7526400	-2.28E-03	-0.54539	-7.82E+11	-7663600	-2.17E-03	-0.51928
-7.67E+11	-7514640	-2.29E-03	-0.54778	-7.81E+11	-7655760	-2.17E-03	-0.52072
-7.66E+11	-7502880	-2.30E-03	-0.55018	-7.80E+11	-7644000	-2.18E-03	-0.52311
-7.65E+11	-7498960	-2.30E-03	-0.55114	-7.79E+11	-7631260	-2.19E-03	-0.52551
-7.64E+11	-7487200	-2.31E-03	-0.55353	-7.78E+11	-7619500	-2.20E-03	-0.5279
-7.63E+11	-7475440	-2.32E-03	-0.55593	-7.76E+11	-7608720	-2.21E-03	-0.53006
-7.62E+11	-7464660	-2.33E-03	-0.55832	-7.75E+11	-7596960	-2.22E-03	-0.53246
-7.61E+11	-7452900	-2.34E-03	-0.56072	-7.74E+11	-7586180	-2.23E-03	-0.53485
-7.60E+11	-7443100	-2.35E-03	-0.56311	-7.73E+11	-7574420	-2.24E-03	-0.53725
-7.58E+11	-7432320	-2.36E-03	-0.56551	-7.72E+11	-7563640	-2.25E-03	-0.53964
-7.57E+11	-7422520	-2.37E-03	-0.5679	-7.72E+11	-7560700	-2.26E-03	-0.54012
-7.57E+11	-7414680	-2.38E-03	-0.56958	-7.70E+11	-7548940	-2.27E-03	-0.54251
-7.56E+11	-7403900	-2.39E-03	-0.57198	-7.70E+11	-7541100	-2.27E-03	-0.54443
-7.55E+11	-7394100	-2.40E-03	-0.57437	-7.68E+11	-7529340	-2.28E-03	-0.54683
-7.54E+11	-7384300	-2.41E-03	-0.57677	-7.67E+11	-7517580	-2.29E-03	-0.54922
-7.52E+11	-7373520	-2.42E-03	-0.57916	-7.66E+11	-7505820	-2.30E-03	-0.55162
-7.51E+11	-7363720	-2.43E-03	-0.58156	-7.65E+11	-7494060	-2.31E-03	-0.55401
-7.50E+11	-7352940	-2.44E-03	-0.58395	-7.64E+11	-7483280	-2.32E-03	-0.55641
-7.49E+11	-7343140	-2.45E-03	-0.58635	-7.62E+11	-7471520	-2.33E-03	-0.5588
-7.48E+11	-7333340	-2.46E-03	-0.58874	-7.61E+11	-7460740	-2.34E-03	-0.5612
-7.47E+11	-7322560	-2.47E-03	-0.59114	-7.60E+11	-7449960	-2.35E-03	-0.56359
-7.47E+11	-7315700	-2.48E-03	-0.59281	-7.59E+11	-7439180	-2.36E-03	-0.56599
-7.45E+11	-7303940	-2.49E-03	-0.59521	-7.58E+11	-7428400	-2.37E-03	-0.56838
-7.44E+11	-7293160	-2.50E-03	-0.5976	-7.57E+11	-7417620	-2.38E-03	-0.57078
-7.43E+11	-7283360	-2.51E-03	-0.6	-7.56E+11	-7412720	-2.39E-03	-0.57174
-7.42E+11	-7272580	-2.52E-03	-0.6024	-7.55E+11	-7401940	-2.40E-03	-0.57413
-7.41E+11	-7262780	-2.53E-03	-0.60479	-7.55E+11	-7395080	-2.40E-03	-0.57581
-7.40E+11	-7253960	-2.54E-03	-0.60719	-7.54E+11	-7384300	-2.41E-03	-0.5782
-7.39E+11	-7245140	-2.55E-03	-0.60958	-7.52E+11	-7373520	-2.42E-03	-0.5806
-7.38E+11	-7235340	-2.56E-03	-0.61198	-7.51E+11	-7363720	-2.43E-03	-0.58299
-7.37E+11	-7226520	-2.57E-03	-0.61437	-7.50E+11	-7353920	-2.44E-03	-0.58515
-7.37E+11	-7217700	-2.58E-03	-0.61677	-7.49E+11	-7343140	-2.45E-03	-0.58754
-7.36E+11	-7208880	-2.59E-03	-0.61916	-7.48E+11	-7332360	-2.46E-03	-0.58994
-7.35E+11	-7200060	-2.60E-03	-0.62156	-7.47E+11	-7321580	-2.47E-03	-0.59234
-7.34E+11	-7190260	-2.61E-03	-0.62395	-7.46E+11	-7310800	-2.48E-03	-0.59473
-7.34E+11	-7189280	-2.61E-03	-0.62419	-7.46E+11	-7306880	-2.49E-03	-0.59545
-7.33E+11	-7179480	-2.62E-03	-0.62659	-7.45E+11	-7297080	-2.50E-03	-0.59784
-7.32E+11	-7170660	-2.63E-03	-0.62898	-7.44E+11	-7286300	-2.51E-03	-0.60024
-7.31E+11	-7160860	-2.64E-03	-0.63138	-7.43E+11	-7276500	-2.52E-03	-0.60263
-7.30E+11	-7151060	-2.65E-03	-0.63377	-7.42E+11	-7266700	-2.53E-03	-0.60503

Tanker (T4) Idchk = 1
40% outer shell damage

frame spa	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
1.74E+09	17061.8	1.00E-06	0.00024
3.48E+09	34113.8	2.00E-06	0.000479
5.22E+09	51175.6	3.00E-06	0.000719

Tanker (T4) Idchk = 2
40% outer shell damage

frame spa	4.175	9.80E-06	1000
Moment	Rotation	Curvature	
1.73E+09	16954	1.00E-06	0.00024
3.46E+09	33898.2	2.00E-06	0.000479
5.19E+09	50852.2	3.00E-06	0.000719



3.83E+11	3752420	2.20E-04	0.052695
4.00E+11	3922940	2.30E-04	0.05509
4.18E+11	4093460	2.40E-04	0.057485
4.35E+11	4263980	2.50E-04	0.05988
4.53E+11	4434500	2.60E-04	0.062275
4.70E+11	4605020	2.70E-04	0.064671
4.87E+11	4775540	2.80E-04	0.067066
5.05E+11	4946060	2.90E-04	0.069461
5.22E+11	5116580	3.00E-04	0.071856
5.40E+11	5287100	3.10E-04	0.074251
5.57E+11	5457620	3.20E-04	0.076647
5.74E+11	5628140	3.30E-04	0.079042

3.81E+11	3728900	2.20E-04	0.052695
3.98E+11	3898440	2.30E-04	0.05509
4.15E+11	4067980	2.40E-04	0.057485
4.32E+11	4237520	2.50E-04	0.05988
4.50E+11	4407060	2.60E-04	0.062275
4.67E+11	4576600	2.70E-04	0.064671
4.84E+11	4746140	2.80E-04	0.067066
5.02E+11	4915680	2.90E-04	0.069461
5.19E+11	5085220	3.00E-04	0.071856
5.36E+11	5254760	3.10E-04	0.074251
5.53E+11	5423320	3.20E-04	0.076647
5.71E+11	5592860	3.30E-04	0.079042

5.92E+11	5798660	3.40E-04	0.081437	5.88E+11	5762400	3.40E-04	0.081437
6.09E+11	5969180	3.50E-04	0.083832	6.05E+11	5931940	3.50E-04	0.083832
6.27E+11	6139700	3.60E-04	0.086228	6.23E+11	6101480	3.60E-04	0.086228
6.44E+11	6310220	3.70E-04	0.088623	6.40E+11	6271020	3.70E-04	0.088623
6.61E+11	6480740	3.80E-04	0.091018	6.57E+11	6440560	3.80E-04	0.091018
6.79E+11	6651260	3.90E-04	0.093413	6.75E+11	6610100	3.90E-04	0.093413
6.96E+11	6821780	4.00E-04	0.095808	6.92E+11	6779640	4.00E-04	0.095808
7.14E+11	6992300	4.10E-04	0.098204	7.09E+11	6949180	4.10E-04	0.098204
7.31E+11	7163800	4.20E-04	0.100599	7.26E+11	7118720	4.20E-04	0.100599
7.48E+11	7334320	4.30E-04	0.102994	7.44E+11	7288260	4.30E-04	0.102994
7.66E+11	7504840	4.40E-04	0.105389	7.61E+11	7457800	4.40E-04	0.105389
7.83E+11	7675360	4.50E-04	0.107784	7.78E+11	7627340	4.50E-04	0.107784
8.01E+11	7845880	4.60E-04	0.11018	7.96E+11	7796880	4.60E-04	0.11018
8.18E+11	8016400	4.70E-04	0.112575	8.13E+11	7966420	4.70E-04	0.112575
8.35E+11	8186920	4.80E-04	0.11497	8.30E+11	8135960	4.80E-04	0.11497
8.53E+11	8357440	4.90E-04	0.117365	8.48E+11	8305500	4.90E-04	0.117365
8.70E+11	8527960	5.00E-04	0.11976	8.65E+11	8474060	5.00E-04	0.11976
8.88E+11	8698480	5.10E-04	0.122156	8.82E+11	8643600	5.10E-04	0.122156
9.05E+11	8869000	5.20E-04	0.124551	8.99E+11	8813140	5.20E-04	0.124551
9.22E+11	9039520	5.30E-04	0.126946	9.17E+11	8982680	5.30E-04	0.126946
9.40E+11	9210040	5.40E-04	0.129341	9.34E+11	9152220	5.40E-04	0.129341
9.57E+11	9380560	5.50E-04	0.131737	9.51E+11	9321760	5.50E-04	0.131737
9.75E+11	9551080	5.60E-04	0.134132	9.69E+11	9491300	5.60E-04	0.134132
9.92E+11	9721600	5.70E-04	0.136527	9.86E+11	9660840	5.70E-04	0.136527
1.01E+12	9888200	5.80E-04	0.138922	1.00E+12	9829400	5.80E-04	0.138922
1.03E+12	10064600	5.90E-04	0.141317	1.02E+12	9996000	5.90E-04	0.141317
1.04E+12	10231200	6.00E-04	0.143713	1.04E+12	10172400	6.00E-04	0.143713
1.06E+12	10407600	6.10E-04	0.146108	1.06E+12	10339000	6.10E-04	0.146108
1.08E+12	10574200	6.20E-04	0.148503	1.07E+12	10505600	6.20E-04	0.148503
1.10E+12	10740800	6.30E-04	0.150898	1.09E+12	10682000	6.30E-04	0.150898
1.11E+12	10917200	6.40E-04	0.153293	1.11E+12	10848600	6.40E-04	0.153293
1.13E+12	11083800	6.50E-04	0.155689	1.11E+12	10887800	6.43E-04	0.15394
1.14E+12	11191600	6.56E-04	0.15715	1.13E+12	11044600	6.52E-04	0.156096
1.15E+12	11309200	6.64E-04	0.158946	1.13E+12	11113200	6.57E-04	0.157413
1.17E+12	11417000	6.71E-04	0.16079	1.15E+12	11221000	6.66E-04	0.159569
1.17E+12	11505200	6.79E-04	0.162587	1.15E+12	11309200	6.74E-04	0.161389
1.18E+12	11583600	6.86E-04	0.164359	1.16E+12	11397400	6.82E-04	0.163257
1.19E+12	11642400	6.93E-04	0.16594	1.17E+12	11475800	6.90E-04	0.165174
1.19E+12	11691400	6.99E-04	0.167353	1.18E+12	11554200	6.98E-04	0.167162
1.20E+12	11740400	7.05E-04	0.16891	1.19E+12	11642400	7.06E-04	0.169198
1.21E+12	11818800	7.15E-04	0.171305	1.19E+12	11691400	7.13E-04	0.170659
1.21E+12	11887400	7.25E-04	0.173701	1.20E+12	11740400	7.19E-04	0.172096
1.21E+12	11897200	7.26E-04	0.173916	1.21E+12	11818800	7.28E-04	0.174419
1.22E+12	11965800	7.36E-04	0.176311	1.21E+12	11887400	7.37E-04	0.176575
1.23E+12	12034400	7.46E-04	0.178707	1.22E+12	11946200	7.46E-04	0.178683
1.24E+12	12103000	7.56E-04	0.181102	1.22E+12	11995200	7.54E-04	0.180671
1.24E+12	12171600	7.66E-04	0.183497	1.23E+12	12034400	7.61E-04	0.182228


1.24E+12	12171600	7.67E-04	0.183784	1.23E+12	12093200	7.71E-04	0.184623
1.25E+12	12240200	7.77E-04	0.18618	1.24E+12	12103000	7.73E-04	0.185126
1.26E+12	12299000	7.87E-04	0.188575	1.24E+12	12161800	7.83E-04	0.187473
1.26E+12	12357800	7.97E-04	0.19097	1.25E+12	12201000	7.91E-04	0.189341
1.27E+12	12416600	8.07E-04	0.193365	1.25E+12	12250000	8.01E-04	0.191737
1.27E+12	12475400	8.17E-04	0.19576	1.25E+12	12250000	8.01E-04	0.191904
1.28E+12	12495000	8.21E-04	0.196623	1.25E+12	12289200	8.10E-04	0.19394
1.28E+12	12544000	8.31E-04	0.199018	1.26E+12	12338200	8.20E-04	0.196335
1.28E+12	12573400	8.37E-04	0.200551	1.26E+12	12338200	8.21E-04	0.196599
1.29E+12	12602800	8.46E-04	0.202611	1.26E+12	12387200	8.31E-04	0.198994
1.29E+12	12622400	8.56E-04	0.205006	1.27E+12	12426400	8.40E-04	0.201293
1.29E+12	12632200	8.60E-04	0.205916	1.27E+12	12465600	8.50E-04	0.203689
1.29E+12	12671400	8.70E-04	0.208311	1.27E+12	12475400	8.52E-04	0.204024
1.30E+12	12691000	8.75E-04	0.209677	1.28E+12	12514600	8.62E-04	0.206419
1.30E+12	12720400	8.85E-04	0.212072	1.28E+12	12524400	8.64E-04	0.207018
1.30E+12	12730200	8.87E-04	0.212383	1.28E+12	12563600	8.74E-04	0.209413
1.30E+12	12759600	8.97E-04	0.214778	1.28E+12	12583200	8.80E-04	0.210826
1.31E+12	12789000	9.05E-04	0.216743	1.29E+12	12622400	8.90E-04	0.213222
1.31E+12	12818400	9.15E-04	0.21909	1.29E+12	12651800	8.99E-04	0.215329
1.31E+12	12847800	9.25E-04	0.221485	1.29E+12	12681200	9.09E-04	0.217725
1.31E+12	12867400	9.31E-04	0.223042	1.30E+12	12700800	9.13E-04	0.218683
1.32E+12	12887000	9.41E-04	0.225437	1.30E+12	12730200	9.23E-04	0.221078
1.32E+12	12896800	9.45E-04	0.226395	1.30E+12	12740000	9.26E-04	0.221868
1.32E+12	12926200	9.55E-04	0.22879	1.30E+12	12769400	9.36E-04	0.224263
1.32E+12	12945800	9.61E-04	0.230132	1.30E+12	12779200	9.39E-04	0.224934
1.32E+12	12965400	9.71E-04	0.232527	1.31E+12	12808600	9.49E-04	0.227329
1.33E+12	12994800	9.81E-04	0.234922	1.31E+12	12838000	9.58E-04	0.229557
1.33E+12	12994800	9.82E-04	0.235257	1.31E+12	12857600	9.68E-04	0.231952
1.33E+12	13014400	9.92E-04	0.237653	1.31E+12	12867400	9.72E-04	0.23291
1.33E+12	13024200	9.95E-04	0.238275	1.32E+12	12896800	9.82E-04	0.235305
1.33E+12	13043800	1.01E-03	0.240719	1.32E+12	12906600	9.86E-04	0.236048
1.33E+12	13043800	1.01E-03	0.240719	1.32E+12	12926200	9.96E-04	0.238443
1.33E+12	13063400	1.02E-03	0.243114	1.32E+12	12936000	9.97E-04	0.238683
1.34E+12	13092800	1.03E-03	0.245509	1.32E+12	12955600	1.01E-03	0.240958
1.34E+12	13092800	1.03E-03	0.246228	1.32E+12	12975200	1.02E-03	0.243114
1.34E+12	13112400	1.04E-03	0.248623	1.33E+12	13004600	1.03E-03	0.245509
1.34E+12	13132000	1.05E-03	0.250778	1.33E+12	13024200	1.04E-03	0.247904
1.34E+12	13151600	1.06E-03	0.253174	1.33E+12	13034000	1.04E-03	0.248862
1.34E+12	13171200	1.07E-03	0.255569	1.33E+12	13053600	1.05E-03	0.251257
1.35E+12	13190800	1.08E-03	0.257964	1.33E+12	13063400	1.06E-03	0.252934
1.35E+12	13200600	1.08E-03	0.259162	1.34E+12	13083000	1.07E-03	0.255329
1.35E+12	13220200	1.09E-03	0.261557	1.34E+12	13083000	1.07E-03	0.256287
1.35E+12	13239800	1.10E-03	0.263952	1.34E+12	13102600	1.08E-03	0.258683
1.35E+12	13239800	1.10E-03	0.264431	1.34E+12	13102600	1.08E-03	0.259401
1.35E+12	13259400	1.11E-03	0.266826	1.34E+12	13112400	1.09E-03	0.261796
1.35E+12	13259400	1.11E-03	0.266826	1.34E+12	13112400	1.10E-03	0.262994
1.35E+12	13269200	1.12E-03	0.269222	1.34E+12	13122200	1.11E-03	0.265389

1.36E+12	13288800	1.13E-03	0.271617	1.34E+12	13132000	1.11E-03	0.266347
1.36E+12	13298600	1.14E-03	0.272096	1.34E+12	13132000	1.12E-03	0.268743
1.36E+12	13308400	1.15E-03	0.274491	1.34E+12	13141800	1.13E-03	0.269461
1.36E+12	13308400	1.15E-03	0.27521	1.34E+12	13141800	1.14E-03	0.271856
1.36E+12	13318200	1.16E-03	0.277605	1.34E+12	13151600	1.14E-03	0.273054
1.36E+12	13337800	1.17E-03	0.28	1.34E+12	13151600	1.15E-03	0.275449
1.36E+12	13337800	1.17E-03	0.28	1.34E+12	13151600	1.15E-03	0.276168
1.36E+12	13337800	1.18E-03	0.282395	1.34E+12	13161400	1.16E-03	0.278563
1.36E+12	13347600	1.19E-03	0.28479	1.34E+12	13161400	1.17E-03	0.279521
1.36E+12	13347600	1.20E-03	0.287186	1.34E+12	13171200	1.18E-03	0.281916
1.36E+12	13347600	1.21E-03	0.289341	1.34E+12	13171200	1.18E-03	0.283353
1.36E+12	13337800	1.22E-03	0.291497	1.35E+12	13181000	1.19E-03	0.285749
1.36E+12	13328000	1.23E-03	0.293892	1.35E+12	13181000	1.20E-03	0.288144
1.36E+12	13318200	1.23E-03	0.29509	1.35E+12	13181000	1.21E-03	0.288862
1.36E+12	13298600	1.24E-03	0.297485	1.35E+12	13181000	1.22E-03	0.291257
1.36E+12	13288800	1.25E-03	0.298683	1.35E+12	13181000	1.22E-03	0.291976
1.36E+12	13288800	1.26E-03	0.301078	1.35E+12	13181000	1.23E-03	0.294371
1.36E+12	13279000	1.27E-03	0.303473	1.35E+12	13181000	1.23E-03	0.294611
1.35E+12	13269200	1.28E-03	0.305868	1.35E+12	13181000	1.24E-03	0.297006
1.35E+12	13269200	1.29E-03	0.308263	1.35E+12	13181000	1.24E-03	0.297725
1.35E+12	13259400	1.30E-03	0.310659	1.34E+12	13171200	1.25E-03	0.30012
1.35E+12	13259400	1.31E-03	0.313054	1.34E+12	13171200	1.26E-03	0.300599
1.35E+12	13249600	1.32E-03	0.315449	1.34E+12	13171200	1.27E-03	0.302994
1.35E+12	13249600	1.32E-03	0.317126	1.34E+12	13171200	1.27E-03	0.304192
1.35E+12	13239800	1.33E-03	0.319521	1.34E+12	13161400	1.28E-03	0.306587
1.35E+12	13239800	1.34E-03	0.321437	1.34E+12	13161400	1.28E-03	0.307305
1.35E+12	13230000	1.35E-03	0.323832	1.34E+12	13161400	1.29E-03	0.309701
1.35E+12	13220200	1.36E-03	0.326228	1.34E+12	13161400	1.30E-03	0.311377
1.35E+12	13220200	1.37E-03	0.328144	1.34E+12	13151600	1.31E-03	0.313772
1.35E+12	13200600	1.38E-03	0.330539	1.34E+12	13151600	1.32E-03	0.316168
1.35E+12	13190800	1.39E-03	0.332934	1.34E+12	13151600	1.33E-03	0.317605
1.35E+12	13181000	1.40E-03	0.335329	1.34E+12	13141800	1.34E-03	0.32
1.34E+12	13151600	1.41E-03	0.337725	1.34E+12	13141800	1.34E-03	0.320479
1.34E+12	13151600	1.41E-03	0.337964	1.34E+12	13132000	1.35E-03	0.322635
1.34E+12	13141800	1.42E-03	0.339641	1.34E+12	13112400	1.36E-03	0.32503
1.34E+12	13122200	1.43E-03	0.341796	1.34E+12	13112400	1.36E-03	0.325749
1.34E+12	13102600	1.44E-03	0.344192	1.34E+12	13102600	1.37E-03	0.328144
1.34E+12	13083000	1.45E-03	0.346587	1.34E+12	13092800	1.37E-03	0.328623
1.34E+12	13083000	1.45E-03	0.346826	1.34E+12	13083000	1.38E-03	0.331018
1.33E+12	13063400	1.46E-03	0.349222	1.33E+12	13073200	1.39E-03	0.332695
1.33E+12	13063400	1.46E-03	0.349461	1.33E+12	13063400	1.40E-03	0.33509
1.33E+12	13053600	1.47E-03	0.351856	1.33E+12	13053600	1.41E-03	0.337485
1.33E+12	13043800	1.47E-03	0.352575	1.33E+12	13043800	1.41E-03	0.338683
1.33E+12	13034000	1.48E-03	0.35497	1.33E+12	13034000	1.42E-03	0.341078
1.33E+12	13014400	1.49E-03	0.357365	1.33E+12	13034000	1.43E-03	0.341796
1.33E+12	13004600	1.50E-03	0.35976	1.33E+12	13024200	1.44E-03	0.344192
1.33E+12	12994800	1.51E-03	0.361198	1.33E+12	13014400	1.45E-03	0.346587

1.32E+12	12975200	1.52E-03	0.363593	1.33E+12	13004600	1.45E-03	0.348263
1.32E+12	12965400	1.53E-03	0.365988	1.33E+12	12985000	1.46E-03	0.350659
1.32E+12	12955600	1.54E-03	0.368383	1.32E+12	12975200	1.47E-03	0.353054
1.32E+12	12945800	1.55E-03	0.370778	1.32E+12	12975200	1.47E-03	0.353054
1.32E+12	12936000	1.56E-03	0.373174	1.32E+12	12955600	1.48E-03	0.355449
1.32E+12	12926200	1.57E-03	0.375569	1.32E+12	12955600	1.49E-03	0.355689
1.32E+12	12916400	1.58E-03	0.377964	1.32E+12	12936000	1.50E-03	0.358084
1.32E+12	12906600	1.59E-03	0.380359	1.32E+12	12926200	1.50E-03	0.35976
1.32E+12	12896800	1.60E-03	0.382754	1.32E+12	12906600	1.51E-03	0.361437
1.32E+12	12896800	1.60E-03	0.383234	1.32E+12	12887000	1.52E-03	0.363832
1.32E+12	12887000	1.61E-03	0.385629	1.31E+12	12867400	1.53E-03	0.366228
1.31E+12	12877200	1.62E-03	0.388024	1.31E+12	12857600	1.54E-03	0.367904
1.31E+12	12867400	1.63E-03	0.390419	1.31E+12	12838000	1.55E-03	0.370299
1.31E+12	12857600	1.64E-03	0.392335	1.31E+12	12828200	1.56E-03	0.372695
1.31E+12	12847800	1.65E-03	0.394731	1.31E+12	12808600	1.57E-03	0.37509
1.31E+12	12838000	1.66E-03	0.397126	1.31E+12	12798800	1.58E-03	0.377485
1.31E+12	12818400	1.67E-03	0.399521	1.31E+12	12789000	1.58E-03	0.378443
1.31E+12	12808600	1.68E-03	0.401916	1.30E+12	12779200	1.59E-03	0.380838
1.31E+12	12798800	1.69E-03	0.404311	1.30E+12	12769400	1.59E-03	0.381796
1.31E+12	12789000	1.70E-03	0.406707	1.30E+12	12759600	1.60E-03	0.384192
1.30E+12	12779200	1.71E-03	0.409102	1.30E+12	12740000	1.61E-03	0.386587
1.30E+12	12769400	1.72E-03	0.411497	1.30E+12	12730200	1.62E-03	0.388982
1.30E+12	12759600	1.72E-03	0.412934	1.30E+12	12720400	1.63E-03	0.390419
1.30E+12	12749800	1.73E-03	0.415329	1.30E+12	12710600	1.64E-03	0.392814
1.30E+12	12740000	1.74E-03	0.417725	1.30E+12	12691000	1.65E-03	0.39521
1.30E+12	12730200	1.75E-03	0.42012	1.30E+12	12691000	1.66E-03	0.396407
1.30E+12	12720400	1.76E-03	0.422515	1.29E+12	12671400	1.67E-03	0.398802
1.30E+12	12710600	1.77E-03	0.423234	1.29E+12	12671400	1.67E-03	0.399281
1.30E+12	12700800	1.78E-03	0.425629	1.29E+12	12661600	1.68E-03	0.401677
1.30E+12	12691000	1.79E-03	0.428024	1.29E+12	12642000	1.69E-03	0.404072
1.29E+12	12681200	1.80E-03	0.430419	1.29E+12	12632200	1.70E-03	0.406467
1.29E+12	12681200	1.81E-03	0.432814	1.29E+12	12622400	1.71E-03	0.408862
1.29E+12	12671400	1.82E-03	0.43521	1.29E+12	12612600	1.72E-03	0.411257
1.29E+12	12661600	1.82E-03	0.436168	1.29E+12	12602800	1.73E-03	0.413653
1.29E+12	12651800	1.83E-03	0.438563	1.29E+12	12593000	1.73E-03	0.41509
1.29E+12	12642000	1.84E-03	0.440958	1.28E+12	12583200	1.74E-03	0.417485
1.29E+12	12632200	1.85E-03	0.443353	1.28E+12	12573400	1.75E-03	0.418683
1.29E+12	12612600	1.86E-03	0.445749	1.28E+12	12563600	1.76E-03	0.421078
1.29E+12	12602800	1.87E-03	0.448144	1.28E+12	12553800	1.77E-03	0.423473
1.29E+12	12593000	1.88E-03	0.450539	1.28E+12	12544000	1.78E-03	0.425868
1.28E+12	12583200	1.89E-03	0.452934	1.28E+12	12534200	1.79E-03	0.428263
1.28E+12	12573400	1.90E-03	0.455329	1.28E+12	12524400	1.80E-03	0.430659
1.28E+12	12563600	1.91E-03	0.457725	1.28E+12	12514600	1.81E-03	0.433054
1.28E+12	12553800	1.92E-03	0.46012	1.28E+12	12504800	1.82E-03	0.435449
1.28E+12	12544000	1.93E-03	0.462515	1.28E+12	12495000	1.83E-03	0.437844
1.28E+12	12524400	1.94E-03	0.46491	1.27E+12	12485200	1.84E-03	0.44024
1.28E+12	12514600	1.95E-03	0.467305	1.27E+12	12475400	1.85E-03	0.442635

1.28E+12	12504800	1.96E-03	0.469461	1.27E+12	12465600	1.86E-03	0.44503
1.28E+12	12495000	1.97E-03	0.471856	1.27E+12	12455800	1.87E-03	0.447425
1.27E+12	12485200	1.98E-03	0.474251	1.27E+12	12446000	1.88E-03	0.44982
1.27E+12	12475400	1.99E-03	0.475689	1.27E+12	12446000	1.88E-03	0.450539
1.27E+12	12465600	2.00E-03	0.478084	1.27E+12	12436200	1.89E-03	0.452934
1.27E+12	12465600	2.01E-03	0.48024	1.27E+12	12436200	1.90E-03	0.453892
1.27E+12	12455800	2.02E-03	0.482635	1.27E+12	12426400	1.91E-03	0.456287
1.27E+12	12446000	2.03E-03	0.48503	1.27E+12	12416600	1.92E-03	0.458683
1.27E+12	12436200	2.04E-03	0.487425	1.27E+12	12406800	1.92E-03	0.46012
1.27E+12	12416600	2.05E-03	0.48982	1.27E+12	12406800	1.93E-03	0.462515
1.27E+12	12406800	2.06E-03	0.492216	1.27E+12	12397000	1.94E-03	0.464671
1.27E+12	12406800	2.06E-03	0.493653	1.26E+12	12387200	1.95E-03	0.467066
1.26E+12	12387200	2.07E-03	0.496048	1.26E+12	12377400	1.96E-03	0.468263
1.26E+12	12377400	2.08E-03	0.498443	1.26E+12	12367600	1.97E-03	0.470659
1.26E+12	12367600	2.09E-03	0.500838	1.26E+12	12367600	1.98E-03	0.473054
1.26E+12	12357800	2.10E-03	0.503234	1.26E+12	12357800	1.99E-03	0.475449
1.26E+12	12348000	2.11E-03	0.505629	1.26E+12	12348000	2.00E-03	0.477844
1.26E+12	12338200	2.11E-03	0.506347	1.26E+12	12348000	2.00E-03	0.478084
1.26E+12	12328400	2.12E-03	0.508743	1.26E+12	12338200	2.01E-03	0.480479
1.26E+12	12318600	2.13E-03	0.511138	1.26E+12	12328400	2.02E-03	0.482635
1.26E+12	12308800	2.14E-03	0.513533	1.26E+12	12318600	2.03E-03	0.48503
1.26E+12	12299000	2.15E-03	0.515928	1.26E+12	12308800	2.04E-03	0.487425
1.25E+12	12289200	2.16E-03	0.517126	1.26E+12	12299000	2.05E-03	0.48982
1.25E+12	12279400	2.17E-03	0.519521	1.25E+12	12289200	2.05E-03	0.491497
1.25E+12	12269600	2.18E-03	0.521916	1.25E+12	12279400	2.06E-03	0.493892
1.25E+12	12259800	2.19E-03	0.524311	1.25E+12	12269600	2.07E-03	0.496287
1.25E+12	12250000	2.20E-03	0.526707	1.25E+12	12269600	2.08E-03	0.498683
1.25E+12	12250000	2.20E-03	0.526946	1.25E+12	12259800	2.08E-03	0.498922
1.25E+12	12240200	2.21E-03	0.529341	1.25E+12	12250000	2.09E-03	0.501317
1.25E+12	12230400	2.22E-03	0.531737	1.25E+12	12240200	2.10E-03	0.503713
1.25E+12	12220600	2.23E-03	0.534132	1.25E+12	12240200	2.11E-03	0.506108
1.25E+12	12210800	2.24E-03	0.536527	1.25E+12	12230400	2.12E-03	0.508503
1.25E+12	12201000	2.25E-03	0.538922	1.25E+12	12220600	2.13E-03	0.510898
1.24E+12	12191200	2.26E-03	0.541317	1.25E+12	12210800	2.14E-03	0.513293
1.24E+12	12181400	2.27E-03	0.543713	1.25E+12	12201000	2.15E-03	0.515689
1.24E+12	12171600	2.28E-03	0.546108	1.24E+12	12191200	2.16E-03	0.518084
1.24E+12	12161800	2.29E-03	0.548503	1.24E+12	12191200	2.17E-03	0.518563
1.24E+12	12152000	2.30E-03	0.550898	1.24E+12	12181400	2.18E-03	0.520958
1.24E+12	12142200	2.31E-03	0.553293	1.24E+12	12171600	2.19E-03	0.523353
1.24E+12	12132400	2.32E-03	0.555689	1.24E+12	12161800	2.20E-03	0.525749
1.24E+12	12122600	2.33E-03	0.558084	1.24E+12	12152000	2.21E-03	0.528144
1.24E+12	12122600	2.34E-03	0.560479	1.24E+12	12142200	2.21E-03	0.52982
1.24E+12	12112800	2.35E-03	0.562874	1.24E+12	12132400	2.22E-03	0.532216
1.24E+12	12103000	2.36E-03	0.565269	1.24E+12	12122600	2.23E-03	0.534611
1.23E+12	12093200	2.37E-03	0.567665	1.24E+12	12112800	2.24E-03	0.537006
1.23E+12	12083400	2.38E-03	0.57006	1.24E+12	12103000	2.25E-03	0.539401
1.23E+12	12073600	2.39E-03	0.572455	1.23E+12	12093200	2.26E-03	0.541796

1.23E+12	12073600	2.40E-03	0.57485	1.23E+12	12083400	2.27E-03	0.544192
1.23E+12	12063800	2.41E-03	0.577246	1.23E+12	12073600	2.28E-03	0.546587
1.23E+12	12054000	2.42E-03	0.579641	1.23E+12	12063800	2.29E-03	0.548982
1.23E+12	12044200	2.43E-03	0.582036	1.23E+12	12054000	2.30E-03	0.551377
1.23E+12	12044200	2.43E-03	0.582994	1.23E+12	12054000	2.31E-03	0.552575
1.23E+12	12034400	2.44E-03	0.585389	1.23E+12	12044200	2.32E-03	0.55497
1.23E+12	12024600	2.45E-03	0.587784	1.23E+12	12034400	2.33E-03	0.557365
1.23E+12	12024600	2.46E-03	0.59018	1.23E+12	12024600	2.34E-03	0.55976
1.23E+12	12014800	2.47E-03	0.592575	1.23E+12	12014800	2.35E-03	0.562156
1.23E+12	12005000	2.48E-03	0.59497	1.23E+12	12014800	2.36E-03	0.564551
1.22E+12	11995200	2.49E-03	0.597365	1.23E+12	12005000	2.37E-03	0.566946
1.22E+12	11995200	2.50E-03	0.598563	1.22E+12	11995200	2.38E-03	0.569341
1.22E+12	11985400	2.51E-03	0.600958	1.22E+12	11985400	2.39E-03	0.571737
1.22E+12	11985400	2.52E-03	0.603353	1.22E+12	11975600	2.40E-03	0.574132
1.22E+12	11975600	2.53E-03	0.605749	1.22E+12	11965800	2.41E-03	0.576527
1.22E+12	11975600	2.53E-03	0.606228	1.22E+12	11956000	2.42E-03	0.578922
1.22E+12	11965800	2.54E-03	0.608623	1.22E+12	11956000	2.43E-03	0.581317
1.22E+12	11956000	2.55E-03	0.611018	1.22E+12	11946200	2.44E-03	0.583713
1.22E+12	11946200	2.56E-03	0.613413	1.22E+12	11936400	2.45E-03	0.586108
1.22E+12	11946200	2.57E-03	0.615808	1.22E+12	11936400	2.45E-03	0.586587
1.22E+12	11946200	2.57E-03	0.616048	1.22E+12	11926600	2.46E-03	0.588982
1.22E+12	11936400	2.58E-03	0.618443	1.22E+12	11916800	2.47E-03	0.591377
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-1.74E+09	-17061.8	-1.00E-06	-0.00024	-1.73E+09	-16954	-1.00E-06	-0.00024
-3.48E+09	-34104	-2.00E-06	-0.00048	-3.46E+09	-33888.4	-2.00E-06	-0.00048
-5.22E+09	-51146.2	-3.00E-06	-0.00072	-5.19E+09	-50832.6	-3.00E-06	-0.00072
-6.96E+09							00096
-8.70E+09							00012
-1.04E+10							00144
-1.22E+10							00168
-1.39E+10							00192
-1.57E+10							00216
-1.74E+10							00024
-3.48E+10							00479
-5.22E+10							00719
-6.96E+10							00958
-8.70E+10							01198
-1.04E+11							01437
-1.22E+11							01677
-1.39E+11							01916
-1.57E+11	-1535700	-9.00E-05	-0.02156	-1.56E+11	-1524880	-9.00E-05	-0.02156
-1.74E+11	-1704220	-1.00E-04	-0.02395	-1.73E+11	-1693440	-1.00E-04	-0.02395
-1.91E+11	-1874740	-1.10E-04	-0.02635	-1.90E+11	-1862980	-1.10E-04	-0.02635
-2.09E+11	-2045260	-1.20E-04	-0.02874	-2.07E+11	-2032520	-1.20E-04	-0.02874
-2.26E+11	-2215780	-1.30E-04	-0.03114	-2.25E+11	-2202060	-1.30E-04	-0.03114
-2.44E+11	-2386300	-1.40E-04	-0.03353	-2.42E+11	-2371600	-1.40E-04	-0.03353
-2.61E+11	-2556820	-1.50E-04	-0.03593	-2.59E+11	-2541140	-1.50E-04	-0.03593



-2.78E+11	-2727340	-1.60E-04	-0.03832	-2.77E+11	-2709700	-1.60E-04	-0.03832
-2.96E+11	-2897860	-1.70E-04	-0.04072	-2.94E+11	-2879240	-1.70E-04	-0.04072
-3.13E+11	-3067400	-1.80E-04	-0.04311	-3.11E+11	-3048780	-1.80E-04	-0.04311
-3.30E+11	-3237920	-1.90E-04	-0.04551	-3.28E+11	-3218320	-1.90E-04	-0.04551
-3.48E+11	-3408440	-2.00E-04	-0.0479	-3.46E+11	-3387860	-2.00E-04	-0.0479
-3.65E+11	-3578960	-2.10E-04	-0.0503	-3.63E+11	-3556420	-2.10E-04	-0.0503
-3.83E+11	-3749480	-2.20E-04	-0.05269	-3.80E+11	-3725960	-2.20E-04	-0.05269
-4.00E+11	-3920000	-2.30E-04	-0.05509	-3.98E+11	-3895500	-2.30E-04	-0.05509
-4.17E+11	-4090520	-2.40E-04	-0.05749	-4.15E+11	-4065040	-2.40E-04	-0.05749
-4.35E+11	-4261040	-2.50E-04	-0.05988	-4.32E+11	-4233600	-2.50E-04	-0.05988
-4.52E+11	-4430580	-2.60E-04	-0.06228	-4.49E+11	-4403140	-2.60E-04	-0.06228
-4.70E+11	-4601100	-2.70E-04	-0.06467	-4.67E+11	-4572680	-2.70E-04	-0.06467
-4.87E+11	-4771620	-2.80E-04	-0.06707	-4.84E+11	-4742220	-2.80E-04	-0.06707
-5.04E+11	-4942140	-2.90E-04	-0.06946	-5.01E+11	-4910780	-2.90E-04	-0.06946
-5.22E+11	-5112660	-3.00E-04	-0.07186	-5.18E+11	-5080320	-3.00E-04	-0.07186
-5.39E+11	-5283180	-3.10E-04	-0.07425	-5.36E+11	-5249860	-3.10E-04	-0.07425
-5.56E+11	-5452720	-3.20E-04	-0.07665	-5.53E+11	-5419400	-3.20E-04	-0.07665
-5.74E+11	-5623240	-3.30E-04	-0.07904	-5.70E+11	-5587960	-3.30E-04	-0.07904
-5.91E+11	-5793760	-3.40E-04	-0.08144	-5.88E+11	-5757500	-3.40E-04	-0.08144
-6.09E+11	-5964280	-3.50E-04	-0.08383	-6.05E+11	-5927040	-3.50E-04	-0.08383
-6.26E+11	-6133820	-3.60E-04	-0.08623	-6.22E+11	-6095600	-3.60E-04	-0.08623
-6.43E+11	-6304340	-3.70E-04	-0.08862	-6.39E+11	-6265140	-3.70E-04	-0.08862
-6.61E+11	-6474860	-3.80E-04	-0.09102	-6.57E+11	-6434680	-3.80E-04	-0.09102
-6.78E+11	-6645380	-3.90E-04	-0.09341	-6.74E+11	-6603240	-3.90E-04	-0.09341
-6.95E+11	-6814920	-4.00E-04	-0.09581	-6.91E+11	-6772780	-4.00E-04	-0.09581
-7.13E+11	-6985440	-4.10E-04	-0.0982	-7.08E+11	-6941340	-4.10E-04	-0.0982
-7.30E+11	-7155960	-4.20E-04	-0.1006	-7.26E+11	-7110880	-4.20E-04	-0.1006
-7.48E+11	-7325500	-4.30E-04	-0.10299	-7.43E+11	-7279440	-4.30E-04	-0.10299
-7.65E+11	-7496020	-4.40E-04	-0.10539	-7.60E+11	-7448980	-4.40E-04	-0.10539
-7.82E+11	-7665560	-4.50E-04	-0.10778	-7.77E+11	-7617540	-4.50E-04	-0.10778
-8.00E+11	-7836080	-4.60E-04	-0.11018	-7.95E+11	-7786100	-4.60E-04	-0.11018
-8.17E+11	-8005620	-4.70E-04	-0.11257	-8.12E+11	-7954660	-4.70E-04	-0.11257
-8.34E+11	-8175160	-4.80E-04	-0.11497	-8.29E+11	-8123220	-4.80E-04	-0.11497
-8.52E+11	-8344700	-4.90E-04	-0.11737	-8.46E+11	-8291780	-4.90E-04	-0.11737
-8.69E+11	-8514240	-5.00E-04	-0.11976	-8.63E+11	-8459360	-5.00E-04	-0.11976
-8.86E+11	-8683780	-5.10E-04	-0.12216	-8.80E+11	-8627920	-5.10E-04	-0.12216
-9.03E+11	-8852340	-5.20E-04	-0.12455	-8.98E+11	-8795500	-5.20E-04	-0.12455
-9.21E+11	-9021880	-5.30E-04	-0.12695	-9.15E+11	-8962100	-5.30E-04	-0.12695
-9.38E+11	-9190440	-5.40E-04	-0.12934	-9.32E+11	-9129680	-5.40E-04	-0.12934
-9.55E+11	-9358020	-5.50E-04	-0.13174	-9.49E+11	-9296280	-5.50E-04	-0.13174
-9.72E+11	-9525600	-5.60E-04	-0.13413	-9.57E+11	-9374680	-5.55E-04	-0.13289
-9.89E+11	-9692200	-5.70E-04	-0.13653	-9.74E+11	-9541280	-5.65E-04	-0.13528
-1.01E+12	-9858800	-5.80E-04	-0.13892	-9.90E+11	-9703960	-5.75E-04	-0.13768
-1.02E+12	-1E+07	-5.90E-04	-0.14132	-1.01E+12	-9858800	-5.85E-04	-0.14005
-1.03E+12	-1E+07	-5.92E-04	-0.14182	-1.01E+12	-9927400	-5.91E-04	-0.14151
-1.03E+12	-1E+07	-5.98E-04	-0.14311	-1.02E+12	-9956800	-5.95E-04	-0.14256
-1.04E+12	-1E+07	-6.04E-04	-0.14457	-1.02E+12	-9976400	-6.00E-04	-0.14378

-1.04E+12	-1E+07	-6.09E-04	-0.14577	-1.02E+12	-9986200	-6.05E-04	-0.14493
-1.04E+12	-1E+07	-6.14E-04	-0.14704	-1.02E+12	-9986200	-6.10E-04	-0.14606
-1.04E+12	-1E+07	-6.22E-04	-0.14886	-1.02E+12	-9986200	-6.16E-04	-0.14754
-1.04E+12	-1E+07	-6.26E-04	-0.15004	-1.02E+12	-9986200	-6.21E-04	-0.14874
-1.04E+12	-1E+07	-6.31E-04	-0.15121	-1.02E+12	-9986200	-6.26E-04	-0.14996
-1.03E+12	-1E+07	-6.38E-04	-0.15284	-1.02E+12	-9976400	-6.33E-04	-0.15154
-1.03E+12	-1E+07	-6.42E-04	-0.15387	-1.02E+12	-9976400	-6.39E-04	-0.15313
-1.03E+12	-1E+07	-6.47E-04	-0.15504	-1.02E+12	-9966600	-6.48E-04	-0.15521
-1.02E+12	-1E+07	-6.57E-04	-0.15744	-1.02E+12	-9956800	-6.55E-04	-0.15686
-1.02E+12	-1E+07	-6.57E-04	-0.15746	-1.01E+12	-9937200	-6.61E-04	-0.1583
-1.02E+12	-9986200	-6.62E-04	-0.15856	-1.01E+12	-9917600	-6.67E-04	-0.15978
-1.01E+12	-9937200	-6.72E-04	-0.16096	-1.01E+12	-9898000	-6.73E-04	-0.16113
-1.01E+12	-9917600	-6.78E-04	-0.16237	-1.01E+12	-9858800	-6.83E-04	-0.16352
-1.01E+12	-9888200	-6.86E-04	-0.16422	-1.01E+12	-9858800	-6.86E-04	-0.16419
-1.01E+12	-9849000	-6.96E-04	-0.16661	-1.00E+12	-9819600	-6.96E-04	-0.16659
-1.00E+12	-9819600	-7.06E-04	-0.16901	-1.00E+12	-9819600	-6.98E-04	-0.16719
-1.00E+12	-9809800	-7.08E-04	-0.16946	-1.00E+12	-9795100	-7.05E-04	-0.16881
-9.98E+11	-9780400	-7.18E-04	-0.17186	-9.98E+11	-9777460	-7.11E-04	-0.1702
-9.96E+11	-9759820	-7.25E-04	-0.17365	-9.95E+11	-9754920	-7.17E-04	-0.17178
-9.93E+11	-9727480	-7.35E-04	-0.17605	-9.92E+11	-9725520	-7.27E-04	-0.17418
-9.92E+11	-9717680	-7.38E-04	-0.17686	-9.90E+11	-9705920	-7.34E-04	-0.17586
-9.89E+11	-9691220	-7.47E-04	-0.17892	-9.88E+11	-9679460	-7.44E-04	-0.17825
-9.86E+11	-9662800	-7.57E-04	-0.18132	-9.85E+11	-9653980	-7.54E-04	-0.18065
-9.83E+11	-9634380	-7.67E-04	-0.18371	-9.84E+11	-9640260	-7.60E-04	-0.18206
-9.83E+11	-9632420	-7.68E-04	-0.18386	-9.82E+11	-9623600	-7.68E-04	-0.18393
-9.80E+11	-9603020	-7.77E-04	-0.18606	-9.80E+11	-9602040	-7.78E-04	-0.18632
-9.77E+11	-9573620	-7.87E-04	-0.18846	-9.79E+11	-9598120	-7.80E-04	-0.18678
-9.76E+11	-9563820	-7.90E-04	-0.18932	-9.77E+11	-9576560	-7.90E-04	-0.18917
-9.73E+11	-9533440	-8.00E-04	-0.19171	-9.77E+11	-9575580	-7.91E-04	-0.18937
-9.70E+11	-9505020	-8.10E-04	-0.19411	-9.75E+11	-9555000	-8.01E-04	-0.19176
-9.69E+11	-9491300	-8.15E-04	-0.19528	-9.73E+11	-9536380	-8.11E-04	-0.19416
-9.66E+11	-9463860	-8.25E-04	-0.19768	-9.73E+11	-9532460	-8.13E-04	-0.19471
-9.64E+11	-9449160	-8.32E-04	-0.19916	-9.71E+11	-9512860	-8.23E-04	-0.1971
-9.62E+11	-9424660	-8.42E-04	-0.20156	-9.70E+11	-9503060	-8.27E-04	-0.19813
-9.60E+11	-9408980	-8.49E-04	-0.20333	-9.69E+11	-9492280	-8.32E-04	-0.19928
-9.58E+11	-9385460	-8.59E-04	-0.20572	-9.67E+11	-9471700	-8.42E-04	-0.20168
-9.57E+11	-9373700	-8.65E-04	-0.20709	-9.66E+11	-9466800	-8.44E-04	-0.20225
-9.55E+11	-9359980	-8.71E-04	-0.20869	-9.64E+11	-9447200	-8.54E-04	-0.20465
-9.53E+11	-9341360	-8.81E-04	-0.21109	-9.62E+11	-9427600	-8.64E-04	-0.20704
-9.51E+11	-9322740	-8.91E-04	-0.21349	-9.62E+11	-9424660	-8.66E-04	-0.20743
-9.50E+11	-9306080	-9.01E-04	-0.21588	-9.60E+11	-9404080	-8.76E-04	-0.20982
-9.48E+11	-9289420	-9.11E-04	-0.21828	-9.58E+11	-9383500	-8.86E-04	-0.21222
-9.46E+11	-9274720	-9.21E-04	-0.22067	-9.56E+11	-9365860	-8.96E-04	-0.21461
-9.46E+11	-9265900	-9.27E-04	-0.22204	-9.55E+11	-9359000	-9.00E-04	-0.21557
-9.44E+11	-9252180	-9.37E-04	-0.22443	-9.54E+11	-9346260	-9.07E-04	-0.21732
-9.43E+11	-9238460	-9.47E-04	-0.22683	-9.52E+11	-9329600	-9.17E-04	-0.21971
-9.41E+11	-9225720	-9.57E-04	-0.22922	-9.51E+11	-9314900	-9.27E-04	-0.22211


-9.40E+11	-9213960	-9.67E-04	-0.23162	-9.50E+11	-9312940	-9.28E-04	-0.22237
-9.39E+11	-9202200	-9.77E-04	-0.23401	-9.49E+11	-9299220	-9.37E-04	-0.22448
-9.38E+11	-9191420	-9.87E-04	-0.23641	-9.47E+11	-9283540	-9.47E-04	-0.22687
-9.38E+11	-9188480	-9.90E-04	-0.23708	-9.47E+11	-9280600	-9.49E-04	-0.22728
-9.36E+11	-9176720	-1.00E-03	-0.23947	-9.46E+11	-9269820	-9.56E-04	-0.22901
-9.36E+11	-9175740	-1.00E-03	-0.23976	-9.44E+11	-9255120	-9.66E-04	-0.2314
-9.35E+11	-9164960	-1.01E-03	-0.24216	-9.43E+11	-9242380	-9.75E-04	-0.23363
-9.35E+11	-9164960	-1.01E-03	-0.24216	-9.42E+11	-9229640	-9.84E-04	-0.23564
-9.34E+11	-9153200	-1.02E-03	-0.24455	-9.40E+11	-9214940	-9.94E-04	-0.23804
-9.33E+11	-9142420	-1.03E-03	-0.24695	-9.39E+11	-9203180	-1.00E-03	-0.24
-9.32E+11	-9131640	-1.04E-03	-0.24934	-9.38E+11	-9189460	-1.01E-03	-0.2424
-9.31E+11	-9126740	-1.05E-03	-0.2503	-9.36E+11	-9175740	-1.02E-03	-0.24479
-9.30E+11	-9114980	-1.06E-03	-0.25269	-9.36E+11	-9175740	-1.02E-03	-0.24479
-9.29E+11	-9103220	-1.07E-03	-0.25509	-9.35E+11	-9163000	-1.03E-03	-0.24719
-9.29E+11	-9101260	-1.07E-03	-0.25533	-9.34E+11	-9150260	-1.04E-03	-0.24958
-9.27E+11	-9087540	-1.08E-03	-0.25772	-9.33E+11	-9138500	-1.05E-03	-0.25198
-9.26E+11	-9077740	-1.09E-03	-0.26012	-9.32E+11	-9129680	-1.06E-03	-0.25365
-9.25E+11	-9062060	-1.10E-03	-0.26251	-9.30E+11	-9116940	-1.07E-03	-0.25605
-9.23E+11	-9048340	-1.11E-03	-0.26491	-9.30E+11	-9114000	-1.07E-03	-0.25677
-9.23E+11	-9045400	-1.11E-03	-0.26539	-9.29E+11	-9102240	-1.08E-03	-0.25916
-9.22E+11	-9031680	-1.12E-03	-0.26778	-9.29E+11	-9100280	-1.08E-03	-0.25964
-9.22E+11	-9030700	-1.12E-03	-0.26802	-9.27E+11	-9086560	-1.09E-03	-0.26204
-9.20E+11	-9016980	-1.13E-03	-0.27042	-9.26E+11	-9073820	-1.10E-03	-0.26443
-9.19E+11	-9001300	-1.14E-03	-0.27281	-9.25E+11	-9061080	-1.11E-03	-0.26683
-9.17E+11	-8988560	-1.15E-03	-0.27521	-9.24E+11	-9055200	-1.12E-03	-0.26802
-9.16E+11	-8978760	-1.16E-03	-0.27665	-9.23E+11	-9042460	-1.13E-03	-0.27042
-9.15E+11	-8965040	-1.17E-03	-0.27904	-9.22E+11	-9033640	-1.14E-03	-0.27186
-9.13E+11	-8951320	-1.18E-03	-0.28144	-9.21E+11	-9021880	-1.15E-03	-0.27425
-9.12E+11	-8936620	-1.19E-03	-0.28383	-9.20E+11	-9014040	-1.15E-03	-0.27593
-9.11E+11	-8927800	-1.19E-03	-0.28551	-9.19E+11	-9001300	-1.16E-03	-0.27832
-9.09E+11	-8912120	-1.20E-03	-0.2879	-9.17E+11	-8988560	-1.17E-03	-0.28072
-9.08E+11	-8897420	-1.21E-03	-0.2903	-9.17E+11	-8988560	-1.17E-03	-0.28072
-9.07E+11	-8889580	-1.22E-03	-0.29174	-9.16E+11	-8975820	-1.18E-03	-0.28311
-9.06E+11	-8874880	-1.23E-03	-0.29413	-9.15E+11	-8967980	-1.19E-03	-0.28455
-9.04E+11	-8860180	-1.24E-03	-0.29653	-9.14E+11	-8954260	-1.20E-03	-0.28671
-9.03E+11	-8848420	-1.25E-03	-0.29892	-9.12E+11	-8939560	-1.21E-03	-0.2891
-9.02E+11	-8835680	-1.26E-03	-0.30132	-9.11E+11	-8924860	-1.22E-03	-0.2915
-9.00E+11	-8822940	-1.27E-03	-0.30371	-9.10E+11	-8921920	-1.22E-03	-0.29198
-8.99E+11	-8809220	-1.28E-03	-0.30611	-9.09E+11	-8907220	-1.23E-03	-0.29437
-8.99E+11	-8807260	-1.28E-03	-0.30635	-9.07E+11	-8892520	-1.24E-03	-0.29677
-8.97E+11	-8793540	-1.29E-03	-0.30874	-9.06E+11	-8877820	-1.25E-03	-0.29916
-8.96E+11	-8777860	-1.30E-03	-0.31114	-9.05E+11	-8870960	-1.25E-03	-0.30036
-8.94E+11	-8762180	-1.31E-03	-0.31353	-9.04E+11	-8856260	-1.26E-03	-0.30275
-8.93E+11	-8746500	-1.32E-03	-0.31593	-9.02E+11	-8840580	-1.27E-03	-0.30515
-8.91E+11	-8727880	-1.33E-03	-0.31832	-9.01E+11	-8825880	-1.28E-03	-0.30754
-8.90E+11	-8719060	-1.33E-03	-0.31952	-8.99E+11	-8811180	-1.29E-03	-0.30994
-8.88E+11	-8700440	-1.34E-03	-0.32192	-8.98E+11	-8796480	-1.30E-03	-0.3121

-8.86E+11	-8682800	-1.35E-03	-0.32431	-8.96E+11	-8779820	-1.31E-03	-0.31449
-8.84E+11	-8666140	-1.36E-03	-0.32671	-8.94E+11	-8763160	-1.32E-03	-0.31689
-8.83E+11	-8649480	-1.37E-03	-0.3291	-8.93E+11	-8746500	-1.33E-03	-0.31928
-8.81E+11	-8633800	-1.38E-03	-0.3315	-8.92E+11	-8743560	-1.34E-03	-0.31976
-8.79E+11	-8618120	-1.39E-03	-0.33389	-8.90E+11	-8724940	-1.35E-03	-0.32216
-8.78E+11	-8602440	-1.40E-03	-0.33629	-8.89E+11	-8707300	-1.36E-03	-0.32455
-8.76E+11	-8586760	-1.41E-03	-0.33868	-8.87E+11	-8690640	-1.37E-03	-0.32695
-8.75E+11	-8570100	-1.42E-03	-0.34108	-8.85E+11	-8673980	-1.38E-03	-0.32934
-8.74E+11	-8566180	-1.43E-03	-0.34156	-8.83E+11	-8656340	-1.39E-03	-0.33174
-8.73E+11	-8550500	-1.44E-03	-0.34395	-8.83E+11	-8652420	-1.39E-03	-0.33222
-8.71E+11	-8533840	-1.45E-03	-0.34635	-8.81E+11	-8635760	-1.40E-03	-0.33461
-8.69E+11	-8515220	-1.46E-03	-0.34874	-8.81E+11	-8628900	-1.40E-03	-0.33557
-8.69E+11	-8513260	-1.46E-03	-0.34922	-8.79E+11	-8611260	-1.41E-03	-0.33796
-8.67E+11	-8496600	-1.47E-03	-0.35162	-8.77E+11	-8594600	-1.42E-03	-0.34036
-8.67E+11	-8493660	-1.47E-03	-0.35186	-8.76E+11	-8582840	-1.43E-03	-0.34204
-8.65E+11	-8475040	-1.48E-03	-0.35425	-8.74E+11	-8567160	-1.44E-03	-0.34443
-8.63E+11	-8457400	-1.49E-03	-0.35665	-8.74E+11	-8561280	-1.44E-03	-0.34515
-8.61E+11	-8439760	-1.50E-03	-0.35904	-8.72E+11	-8543640	-1.45E-03	-0.34754
-8.59E+11	-8422120	-1.51E-03	-0.36144	-8.71E+11	-8531880	-1.46E-03	-0.34922
-8.58E+11	-8405460	-1.52E-03	-0.36383	-8.69E+11	-8514240	-1.47E-03	-0.35162
-8.56E+11	-8388800	-1.53E-03	-0.36623	-8.68E+11	-8505420	-1.47E-03	-0.35281
-8.54E+11	-8372140	-1.54E-03	-0.36862	-8.66E+11	-8487780	-1.48E-03	-0.35521
-8.53E+11	-8355480	-1.55E-03	-0.37102	-8.64E+11	-8471120	-1.49E-03	-0.3576
-8.51E+11	-8339800	-1.56E-03	-0.37341	-8.63E+11	-8455440	-1.50E-03	-0.35976
-8.50E+11	-8329020	-1.57E-03	-0.37509	-8.61E+11	-8437800	-1.51E-03	-0.36216
-8.48E+11	-8312360	-1.58E-03	-0.37749	-8.59E+11	-8420160	-1.52E-03	-0.36455
-8.47E+11	-8296680	-1.59E-03	-0.37988	-8.58E+11	-8403500	-1.53E-03	-0.36695
-8.45E+11	-8280020	-1.60E-03	-0.38228	-8.56E+11	-8386840	-1.54E-03	-0.36934
-8.43E+11	-8263360	-1.61E-03	-0.38467	-8.55E+11	-8374100	-1.55E-03	-0.37126
-8.43E+11	-8263360	-1.61E-03	-0.38467	-8.53E+11	-8357440	-1.56E-03	-0.37365
-8.42E+11	-8246700	-1.62E-03	-0.38707	-8.51E+11	-8339800	-1.57E-03	-0.37605
-8.40E+11	-8229060	-1.63E-03	-0.38946	-8.49E+11	-8323140	-1.58E-03	-0.37844
-8.38E+11	-8211420	-1.64E-03	-0.39186	-8.48E+11	-8306480	-1.59E-03	-0.38084
-8.38E+11	-8210440	-1.64E-03	-0.3921	-8.47E+11	-8297660	-1.60E-03	-0.38204
-8.36E+11	-8193780	-1.65E-03	-0.39449	-8.45E+11	-8281000	-1.61E-03	-0.38443
-8.35E+11	-8183980	-1.65E-03	-0.39593	-8.44E+11	-8272180	-1.61E-03	-0.38563
-8.33E+11	-8166340	-1.66E-03	-0.39832	-8.42E+11	-8255520	-1.62E-03	-0.38802
-8.32E+11	-8149680	-1.67E-03	-0.40072	-8.42E+11	-8246700	-1.63E-03	-0.38922
-8.30E+11	-8133020	-1.68E-03	-0.40311	-8.40E+11	-8230040	-1.64E-03	-0.39162
-8.28E+11	-8116360	-1.69E-03	-0.40551	-8.39E+11	-8226120	-1.64E-03	-0.39234
-8.26E+11	-8098720	-1.70E-03	-0.4079	-8.38E+11	-8209460	-1.65E-03	-0.39473
-8.25E+11	-8082060	-1.71E-03	-0.4103	-8.36E+11	-8193780	-1.66E-03	-0.39713
-8.23E+11	-8064420	-1.72E-03	-0.41269	-8.35E+11	-8178100	-1.67E-03	-0.39952
-8.21E+11	-8046780	-1.73E-03	-0.41509	-8.33E+11	-8161440	-1.68E-03	-0.40192
-8.19E+11	-8030120	-1.74E-03	-0.41749	-8.31E+11	-8145760	-1.69E-03	-0.40431
-8.19E+11	-8021300	-1.75E-03	-0.41892	-8.30E+11	-8130080	-1.70E-03	-0.40671
-8.17E+11	-8004640	-1.76E-03	-0.42132	-8.28E+11	-8115380	-1.71E-03	-0.4091

-8.15E+11	-7988960	-1.77E-03	-0.42371	-8.27E+11	-8099700	-1.72E-03	-0.4115
-8.14E+11	-7972300	-1.78E-03	-0.42611	-8.25E+11	-8085000	-1.73E-03	-0.41389
-8.12E+11	-7956620	-1.79E-03	-0.4285	-8.23E+11	-8069320	-1.74E-03	-0.41629
-8.10E+11	-7940940	-1.80E-03	-0.4309	-8.23E+11	-8064420	-1.74E-03	-0.41725
-8.10E+11	-7939960	-1.80E-03	-0.4309	-8.21E+11	-8049720	-1.75E-03	-0.41964
-8.09E+11	-7924280	-1.81E-03	-0.43329	-8.21E+11	-8047760	-1.75E-03	-0.41988
-8.07E+11	-7909580	-1.82E-03	-0.43569	-8.20E+11	-8033060	-1.76E-03	-0.42228
-8.06E+11	-7894880	-1.83E-03	-0.43808	-8.18E+11	-8018360	-1.77E-03	-0.42467
-8.04E+11	-7881160	-1.84E-03	-0.44048	-8.17E+11	-8003660	-1.78E-03	-0.42707
-8.03E+11	-7871360	-1.85E-03	-0.4424	-8.15E+11	-7989940	-1.79E-03	-0.42946
-8.02E+11	-7856660	-1.86E-03	-0.44479	-8.14E+11	-7975240	-1.80E-03	-0.43186
-8.00E+11	-7842940	-1.87E-03	-0.44719	-8.12E+11	-7961520	-1.81E-03	-0.43401
-7.99E+11	-7830200	-1.88E-03	-0.44958	-8.11E+11	-7945840	-1.82E-03	-0.43641
-7.98E+11	-7816480	-1.89E-03	-0.45198	-8.09E+11	-7931140	-1.83E-03	-0.4388
-7.96E+11	-7803740	-1.90E-03	-0.45437	-8.08E+11	-7916440	-1.84E-03	-0.4412
-7.95E+11	-7790020	-1.91E-03	-0.45677	-8.06E+11	-7901740	-1.85E-03	-0.44359
-7.94E+11	-7776300	-1.92E-03	-0.45916	-8.05E+11	-7887040	-1.86E-03	-0.44599
-7.92E+11	-7764540	-1.93E-03	-0.46132	-8.03E+11	-7871360	-1.87E-03	-0.44838
-7.91E+11	-7750820	-1.94E-03	-0.46371	-8.02E+11	-7856660	-1.88E-03	-0.45078
-7.90E+11	-7737100	-1.95E-03	-0.46611	-8.00E+11	-7841960	-1.89E-03	-0.45317
-7.88E+11	-7723380	-1.96E-03	-0.4685	-7.99E+11	-7828240	-1.90E-03	-0.45557
-7.87E+11	-7710640	-1.97E-03	-0.4709	-7.98E+11	-7819420	-1.91E-03	-0.45701
-7.86E+11	-7698880	-1.98E-03	-0.47329	-7.96E+11	-7804720	-1.92E-03	-0.4594
-7.84E+11	-7686140	-1.99E-03	-0.47569	-7.95E+11	-7791000	-1.93E-03	-0.4618
-7.83E+11	-7673400	-2.00E-03	-0.47808	-7.94E+11	-7777280	-1.94E-03	-0.46419
-7.82E+11	-7661640	-2.01E-03	-0.48048	-7.93E+11	-7767480	-1.95E-03	-0.46611
-7.81E+11	-7648900	-2.02E-03	-0.48287	-7.91E+11	-7753760	-1.96E-03	-0.4685
-7.80E+11	-7644000	-2.02E-03	-0.48383	-7.90E+11	-7741020	-1.97E-03	-0.4709
-7.79E+11	-7632240	-2.03E-03	-0.48623	-7.90E+11	-7737100	-1.97E-03	-0.47138
-7.78E+11	-7619500	-2.04E-03	-0.48862	-7.88E+11	-7723380	-1.98E-03	-0.47377
-7.76E+11	-7607740	-2.05E-03	-0.49102	-7.87E+11	-7710640	-1.99E-03	-0.47617
-7.75E+11	-7598920	-2.06E-03	-0.49293	-7.85E+11	-7696920	-2.00E-03	-0.47856
-7.74E+11	-7587160	-2.07E-03	-0.49533	-7.84E+11	-7684180	-2.01E-03	-0.48096
-7.73E+11	-7576380	-2.08E-03	-0.49772	-7.83E+11	-7670460	-2.02E-03	-0.48335
-7.72E+11	-7565600	-2.09E-03	-0.50012	-7.82E+11	-7667520	-2.02E-03	-0.48407
-7.72E+11	-7565600	-2.09E-03	-0.50012	-7.81E+11	-7653800	-2.03E-03	-0.48647
-7.71E+11	-7553840	-2.10E-03	-0.50251	-7.80E+11	-7640080	-2.04E-03	-0.48886
-7.70E+11	-7543060	-2.11E-03	-0.50491	-7.78E+11	-7626360	-2.05E-03	-0.49126
-7.69E+11	-7531300	-2.12E-03	-0.50731	-7.77E+11	-7613620	-2.06E-03	-0.49365
-7.68E+11	-7528360	-2.12E-03	-0.50778	-7.76E+11	-7608720	-2.07E-03	-0.49461
-7.67E+11	-7516600	-2.13E-03	-0.51018	-7.75E+11	-7595980	-2.08E-03	-0.49701
-7.66E+11	-7503860	-2.14E-03	-0.51257	-7.74E+11	-7583240	-2.09E-03	-0.4994
-7.65E+11	-7492100	-2.15E-03	-0.51497	-7.73E+11	-7570500	-2.10E-03	-0.5018
-7.63E+11	-7479360	-2.16E-03	-0.51737	-7.72E+11	-7560700	-2.10E-03	-0.50371
-7.62E+11	-7466620	-2.17E-03	-0.51976	-7.70E+11	-7547960	-2.11E-03	-0.50611
-7.61E+11	-7454860	-2.18E-03	-0.52216	-7.69E+11	-7535220	-2.12E-03	-0.5085
-7.60E+11	-7443100	-2.19E-03	-0.52455	-7.68E+11	-7523460	-2.13E-03	-0.5109

-7.58E+11	-7431340	-2.20E-03	-0.52695	-7.66E+11	-7510720	-2.14E-03	-0.51329
-7.57E+11	-7419580	-2.21E-03	-0.52934	-7.65E+11	-7498960	-2.15E-03	-0.51569
-7.57E+11	-7413700	-2.22E-03	-0.53054	-7.64E+11	-7487200	-2.16E-03	-0.51808
-7.55E+11	-7400960	-2.23E-03	-0.53293	-7.63E+11	-7474460	-2.17E-03	-0.52048
-7.54E+11	-7389200	-2.24E-03	-0.53533	-7.62E+11	-7470540	-2.18E-03	-0.5212
-7.53E+11	-7377440	-2.25E-03	-0.53772	-7.61E+11	-7458780	-2.19E-03	-0.52359
-7.52E+11	-7365680	-2.26E-03	-0.54012	-7.60E+11	-7447020	-2.20E-03	-0.52599
-7.51E+11	-7362740	-2.26E-03	-0.5406	-7.59E+11	-7436240	-2.21E-03	-0.52838
-7.50E+11	-7350980	-2.27E-03	-0.54299	-7.58E+11	-7424480	-2.22E-03	-0.53078
-7.49E+11	-7339220	-2.28E-03	-0.54539	-7.57E+11	-7413700	-2.23E-03	-0.53317
-7.49E+11	-7335300	-2.28E-03	-0.54635	-7.55E+11	-7401940	-2.24E-03	-0.53557
-7.47E+11	-7323540	-2.29E-03	-0.54874	-7.54E+11	-7391160	-2.25E-03	-0.53796
-7.46E+11	-7312760	-2.30E-03	-0.55114	-7.53E+11	-7382340	-2.25E-03	-0.53988
-7.45E+11	-7301000	-2.31E-03	-0.55353	-7.52E+11	-7371560	-2.26E-03	-0.54228
-7.44E+11	-7290220	-2.32E-03	-0.55593	-7.51E+11	-7359800	-2.27E-03	-0.54467
-7.43E+11	-7279440	-2.33E-03	-0.55832	-7.50E+11	-7349020	-2.28E-03	-0.54707
-7.42E+11	-7269640	-2.34E-03	-0.56072	-7.49E+11	-7338240	-2.29E-03	-0.54946
-7.41E+11	-7258860	-2.35E-03	-0.56311	-7.48E+11	-7326480	-2.30E-03	-0.55186
-7.40E+11	-7254940	-2.35E-03	-0.56383	-7.47E+11	-7315700	-2.31E-03	-0.55425
-7.39E+11	-7245140	-2.36E-03	-0.56623	-7.46E+11	-7313740	-2.32E-03	-0.55473
-7.38E+11	-7235340	-2.37E-03	-0.56862	-7.45E+11	-7302960	-2.33E-03	-0.55713
-7.37E+11	-7225540	-2.38E-03	-0.57102	-7.44E+11	-7291200	-2.34E-03	-0.55952
-7.36E+11	-7215740	-2.39E-03	-0.57341	-7.44E+11	-7288260	-2.34E-03	-0.56048
-7.35E+11	-7205940	-2.40E-03	-0.57581	-7.43E+11	-7276500	-2.35E-03	-0.56287
-7.34E+11	-7195160	-2.41E-03	-0.5782	-7.41E+11	-7265720	-2.36E-03	-0.56527
-7.33E+11	-7185360	-2.42E-03	-0.5806	-7.40E+11	-7254940	-2.37E-03	-0.56766
-7.32E+11	-7175560	-2.43E-03	-0.58299	-7.39E+11	-7244160	-2.38E-03	-0.57006
-7.31E+11	-7164780	-2.44E-03	-0.58539	-7.38E+11	-7233380	-2.39E-03	-0.57246
-7.30E+11	-7156940	-2.45E-03	-0.58754	-7.37E+11	-7222600	-2.40E-03	-0.57485
-7.29E+11	-7146160	-2.46E-03	-0.58994	-7.36E+11	-7212800	-2.41E-03	-0.57725
-7.28E+11	-7135380	-2.47E-03	-0.59234	-7.35E+11	-7202020	-2.42E-03	-0.57964
-7.27E+11	-7124600	-2.48E-03	-0.59473	-7.34E+11	-7192220	-2.43E-03	-0.58204
-7.26E+11	-7114800	-2.49E-03	-0.59713	-7.33E+11	-7181440	-2.44E-03	-0.58443
-7.25E+11	-7105000	-2.50E-03	-0.59952	-7.33E+11	-7181440	-2.44E-03	-0.58443
-7.24E+11	-7095200	-2.51E-03	-0.60192	-7.32E+11	-7171640	-2.45E-03	-0.58683
-7.23E+11	-7085400	-2.52E-03	-0.60431	-7.31E+11	-7164780	-2.46E-03	-0.58826
-7.22E+11	-7076580	-2.53E-03	-0.60671	-7.30E+11	-7154000	-2.47E-03	-0.59066
-7.21E+11	-7067760	-2.54E-03	-0.6091	-7.29E+11	-7148120	-2.47E-03	-0.59186
-7.20E+11	-7058940	-2.55E-03	-0.6115	-7.28E+11	-7137340	-2.48E-03	-0.59425
-7.19E+11	-7050120	-2.56E-03	-0.61389	-7.27E+11	-7126560	-2.49E-03	-0.59665

Tanker (T4) Idchk = 1				Tanker (T4) Idchk = 2			
70% outer shell damage				70% outer shell damage			
frame spa	4.175	9.80E-06	1000	frame spa	4.175	9.80E-06	1000
Moment	Rotation		Curvature	Moment	Rotation		Curvature
1.74E+09	17042.2	1.00E-06	0.00024	1.73E+09	16914.8	1.00E-06	0.00024
3.48E+09	34084.4	2.00E-06	0.000479	3.45E+09	33829.6	2.00E-06	0.000479
5.22E+09	51116.8	3.00E-06	0.000719	5.18E+09	50744.4	3.00E-06	0.000719



3.83E+11	3748500	2.20E-04	0.052695	3.80E+11	3721060	2.20E-04	0.052695
4.00E+11	3919020	2.30E-04	0.05509	3.97E+11	3889620	2.30E-04	0.05509
4.17E+11	4089540	2.40E-04	0.057485	4.14E+11	4059160	2.40E-04	0.057485
4.35E+11	4260060	2.50E-04	0.05988	4.31E+11	4227720	2.50E-04	0.05988
4.52E+11	4429600	2.60E-04	0.062275	4.49E+11	4397260	2.60E-04	0.062275
4.69E+11	4600120	2.70E-04	0.064671	4.66E+11	4566800	2.70E-04	0.064671
4.87E+11	4770640	2.80E-04	0.067066	4.83E+11	4735360	2.80E-04	0.067066
5.04E+11	4941160	2.90E-04	0.069461	5.01E+11	4904900	2.90E-04	0.069461
5.22E+11	5111680	3.00E-04	0.071856	5.18E+11	5073460	3.00E-04	0.071856
5.39E+11	5282200	3.10E-04	0.074251	5.35E+11	5243000	3.10E-04	0.074251
5.56E+11	5452720	3.20E-04	0.076647	5.52E+11	5411560	3.20E-04	0.076647
5.74E+11	5622260	3.30E-04	0.079042	5.70E+11	5581100	3.30E-04	0.079042

5.91E+11	5792780	3.40E-04	0.081437	5.87E+11	5750640	3.40E-04	0.081437
6.09E+11	5963300	3.50E-04	0.083832	6.04E+11	5919200	3.50E-04	0.083832
6.26E+11	6133820	3.60E-04	0.086228	6.21E+11	6088740	3.60E-04	0.086228
6.43E+11	6304340	3.70E-04	0.088623	6.39E+11	6257300	3.70E-04	0.088623
6.61E+11	6474860	3.80E-04	0.091018	6.56E+11	6426840	3.80E-04	0.091018
6.78E+11	6644400	3.90E-04	0.093413	6.73E+11	6595400	3.90E-04	0.093413
6.95E+11	6814920	4.00E-04	0.095808	6.90E+11	6764940	4.00E-04	0.095808
7.13E+11	6985440	4.10E-04	0.098204	7.08E+11	6934480	4.10E-04	0.098204
7.30E+11	7155960	4.20E-04	0.100599	7.25E+11	7103040	4.20E-04	0.100599
7.48E+11	7326480	4.30E-04	0.102994	7.42E+11	7272580	4.30E-04	0.102994
7.65E+11	7497000	4.40E-04	0.105389	7.59E+11	7441140	4.40E-04	0.105389
7.82E+11	7667520	4.50E-04	0.107784	7.77E+11	7610680	4.50E-04	0.107784
8.00E+11	7837060	4.60E-04	0.11018	7.94E+11	7779240	4.60E-04	0.11018
8.17E+11	8007580	4.70E-04	0.112575	8.11E+11	7948780	4.70E-04	0.112575
8.35E+11	8178100	4.80E-04	0.11497	8.28E+11	8118320	4.80E-04	0.11497
8.52E+11	8348620	4.90E-04	0.117365	8.46E+11	8286880	4.90E-04	0.117365
8.69E+11	8519140	5.00E-04	0.11976	8.63E+11	8456420	5.00E-04	0.11976
8.87E+11	8689660	5.10E-04	0.122156	8.80E+11	8624980	5.10E-04	0.122156
9.04E+11	8860180	5.20E-04	0.124551	8.97E+11	8794520	5.20E-04	0.124551
9.21E+11	9029720	5.30E-04	0.126946	9.15E+11	8963080	5.30E-04	0.126946
9.39E+11	9200240	5.40E-04	0.129341	9.32E+11	9132620	5.40E-04	0.129341
9.56E+11	9370760	5.50E-04	0.131737	9.49E+11	9301180	5.50E-04	0.131737
9.74E+11	9541280	5.60E-04	0.134132	9.66E+11	9470720	5.60E-04	0.134132
9.91E+11	9711800	5.70E-04	0.136527	9.84E+11	9640260	5.70E-04	0.136527
1.01E+12	9878400	5.80E-04	0.138922	1.00E+12	9809800	5.80E-04	0.138922
1.03E+12	10054800	5.90E-04	0.141317	1.02E+12	9976400	5.90E-04	0.141317
1.04E+12	10221400	6.00E-04	0.143713	1.04E+12	10143000	6.00E-04	0.143713
1.06E+12	10397800	6.10E-04	0.146108	1.05E+12	10319400	6.10E-04	0.146108
1.08E+12	10564400	6.20E-04	0.148503	1.07E+12	10486000	6.20E-04	0.148503
1.10E+12	10731000	6.30E-04	0.150898	1.09E+12	10652600	6.30E-04	0.150898
1.11E+12	10907400	6.40E-04	0.153293	1.10E+12	10731000	6.35E-04	0.151976
1.13E+12	11074000	6.50E-04	0.155689	1.11E+12	10848600	6.41E-04	0.153605
1.14E+12	11162200	6.55E-04	0.156886	1.12E+12	10927000	6.47E-04	0.154994
1.15E+12	11279800	6.63E-04	0.158683	1.12E+12	11015200	6.55E-04	0.156814
1.16E+12	11377800	6.70E-04	0.160503	1.14E+12	11123000	6.64E-04	0.15897
1.17E+12	11475800	6.78E-04	0.162299	1.14E+12	11211200	6.72E-04	0.160886
1.18E+12	11554200	6.85E-04	0.164072	1.15E+12	11299400	6.80E-04	0.162874
1.19E+12	11613000	6.92E-04	0.165629	1.16E+12	11368000	6.86E-04	0.164359
1.19E+12	11652200	6.97E-04	0.167018	1.17E+12	11426800	6.93E-04	0.165988
1.19E+12	11701200	7.04E-04	0.168575	1.17E+12	11505200	7.01E-04	0.167976
1.20E+12	11779600	7.14E-04	0.17097	1.18E+12	11564000	7.08E-04	0.169533
1.21E+12	11858000	7.24E-04	0.173365	1.19E+12	11632600	7.16E-04	0.171521
1.21E+12	11858000	7.25E-04	0.173533	1.20E+12	11711000	7.26E-04	0.173772
1.22E+12	11926600	7.35E-04	0.175928	1.20E+12	11779600	7.36E-04	0.176168
1.22E+12	11995200	7.45E-04	0.178323	1.20E+12	11779600	7.36E-04	0.176168
1.23E+12	12054000	7.55E-04	0.180719	1.21E+12	11838400	7.44E-04	0.178156
1.24E+12	12122600	7.65E-04	0.183114	1.21E+12	11887400	7.52E-04	0.18


1.24E+12	12142200	7.68E-04	0.183976	1.22E+12	11936400	7.62E-04	0.182395
1.25E+12	12201000	7.78E-04	0.186371	1.22E+12	11946200	7.63E-04	0.182635
1.25E+12	12269600	7.88E-04	0.188766	1.22E+12	11995200	7.73E-04	0.18503
1.26E+12	12328400	7.98E-04	0.191162	1.23E+12	12024600	7.77E-04	0.186156
1.26E+12	12387200	8.08E-04	0.193557	1.23E+12	12054000	7.84E-04	0.187737
1.27E+12	12446000	8.18E-04	0.195952	1.24E+12	12103000	7.93E-04	0.189988
1.27E+12	12446000	8.18E-04	0.195952	1.24E+12	12142200	8.01E-04	0.191928
1.28E+12	12495000	8.28E-04	0.198347	1.24E+12	12181400	8.11E-04	0.194323
1.28E+12	12544000	8.38E-04	0.200743	1.24E+12	12191200	8.13E-04	0.194731
1.28E+12	12583200	8.46E-04	0.202707	1.25E+12	12230400	8.23E-04	0.197126
1.29E+12	12602800	8.55E-04	0.20479	1.25E+12	12259800	8.30E-04	0.198683
1.29E+12	12622400	8.65E-04	0.207186	1.26E+12	12299000	8.40E-04	0.201078
1.29E+12	12642000	8.69E-04	0.20812	1.26E+12	12299000	8.40E-04	0.201078
1.29E+12	12671400	8.79E-04	0.210515	1.26E+12	12338200	8.50E-04	0.203473
1.29E+12	12681200	8.81E-04	0.211018	1.26E+12	12377400	8.59E-04	0.205844
1.30E+12	12710600	8.91E-04	0.213413	1.27E+12	12406800	8.69E-04	0.20824
1.30E+12	12730200	8.98E-04	0.215114	1.27E+12	12416600	8.71E-04	0.208719
1.30E+12	12759600	9.08E-04	0.217437	1.27E+12	12446000	8.81E-04	0.211114
1.31E+12	12789000	9.18E-04	0.219832	1.27E+12	12475400	8.89E-04	0.213006
1.31E+12	12818400	9.28E-04	0.222204	1.28E+12	12504800	8.99E-04	0.215401
1.31E+12	12838000	9.38E-04	0.224599	1.28E+12	12524400	9.05E-04	0.216719
1.31E+12	12857600	9.43E-04	0.225964	1.28E+12	12553800	9.15E-04	0.219114
1.32E+12	12887000	9.53E-04	0.228359	1.28E+12	12583200	9.22E-04	0.220766
1.32E+12	12906600	9.63E-04	0.230754	1.29E+12	12602800	9.31E-04	0.222922
1.32E+12	12926200	9.73E-04	0.23315	1.29E+12	12632200	9.41E-04	0.225317
1.32E+12	12955600	9.83E-04	0.235545	1.29E+12	12642000	9.43E-04	0.225892
1.32E+12	12955600	9.85E-04	0.236	1.29E+12	12661600	9.53E-04	0.228287
1.32E+12	12975200	9.95E-04	0.238395	1.30E+12	12691000	9.63E-04	0.230683
1.32E+12	12975200	9.96E-04	0.238467	1.30E+12	12700800	9.70E-04	0.232263
1.33E+12	12994800	1.01E-03	0.240958	1.30E+12	12730200	9.80E-04	0.234659
1.33E+12	13014400	1.02E-03	0.243353	1.30E+12	12740000	9.87E-04	0.236335
1.33E+12	13043800	1.03E-03	0.245749	1.30E+12	12769400	9.97E-04	0.238731
1.33E+12	13063400	1.04E-03	0.248144	1.31E+12	12789000	1.00E-03	0.240479
1.33E+12	13063400	1.04E-03	0.248383	1.31E+12	12808600	1.01E-03	0.242874
1.34E+12	13083000	1.05E-03	0.250778	1.31E+12	12828200	1.02E-03	0.245269
1.34E+12	13102600	1.06E-03	0.253174	1.31E+12	12838000	1.03E-03	0.245988
1.34E+12	13122200	1.07E-03	0.255569	1.31E+12	12857600	1.04E-03	0.248383
1.34E+12	13141800	1.08E-03	0.257964	1.31E+12	12867400	1.05E-03	0.250778
1.34E+12	13151600	1.09E-03	0.260359	1.32E+12	12887000	1.06E-03	0.253174
1.34E+12	13161400	1.09E-03	0.261557	1.32E+12	12887000	1.06E-03	0.253413
1.35E+12	13181000	1.10E-03	0.263952	1.32E+12	12906600	1.07E-03	0.255808
1.35E+12	13190800	1.11E-03	0.266347	1.32E+12	12906600	1.07E-03	0.255808
1.35E+12	13210400	1.12E-03	0.268743	1.32E+12	12926200	1.08E-03	0.258204
1.35E+12	13230000	1.13E-03	0.271138	1.32E+12	12926200	1.08E-03	0.258922
1.35E+12	13230000	1.13E-03	0.271617	1.32E+12	12936000	1.09E-03	0.261317
1.35E+12	13249600	1.14E-03	0.274012	1.32E+12	12945800	1.10E-03	0.263234
1.35E+12	13249600	1.15E-03	0.27521	1.32E+12	12955600	1.11E-03	0.265629

1.35E+12	13269200	1.16E-03	0.277605	1.32E+12	12965400	1.11E-03	0.266587
1.35E+12	13269200	1.17E-03	0.279521	1.32E+12	12975200	1.12E-03	0.268982
1.36E+12	13288800	1.18E-03	0.281916	1.32E+12	12975200	1.13E-03	0.26994
1.36E+12	13288800	1.19E-03	0.284311	1.33E+12	12985000	1.14E-03	0.272335
1.36E+12	13298600	1.20E-03	0.286707	1.33E+12	12985000	1.14E-03	0.272814
1.36E+12	13308400	1.21E-03	0.289102	1.33E+12	12994800	1.15E-03	0.27521
1.36E+12	13308400	1.22E-03	0.291497	1.33E+12	12994800	1.15E-03	0.275928
1.36E+12	13318200	1.23E-03	0.293892	1.33E+12	13004600	1.16E-03	0.278323
1.36E+12	13318200	1.24E-03	0.296287	1.33E+12	13004600	1.17E-03	0.279042
1.36E+12	13318200	1.24E-03	0.297725	1.33E+12	13004600	1.18E-03	0.281437
1.36E+12	13308400	1.25E-03	0.29988	1.33E+12	13004600	1.18E-03	0.282395
1.36E+12	13298600	1.26E-03	0.302275	1.33E+12	13014400	1.19E-03	0.28479
1.36E+12	13288800	1.27E-03	0.303473	1.33E+12	13014400	1.20E-03	0.287186
1.35E+12	13269200	1.28E-03	0.305868	1.33E+12	13014400	1.21E-03	0.289581
1.35E+12	13269200	1.28E-03	0.306347	1.33E+12	13014400	1.22E-03	0.291976
1.35E+12	13249600	1.29E-03	0.308743	1.33E+12	13014400	1.22E-03	0.291976
1.35E+12	13239800	1.30E-03	0.311138	1.33E+12	13024200	1.23E-03	0.294371
1.35E+12	13239800	1.31E-03	0.313533	1.33E+12	13024200	1.24E-03	0.296766
1.35E+12	13230000	1.32E-03	0.315928	1.33E+12	13024200	1.25E-03	0.299162
1.35E+12	13230000	1.33E-03	0.318323	1.33E+12	13024200	1.26E-03	0.301317
1.35E+12	13220200	1.34E-03	0.320719	1.33E+12	13024200	1.27E-03	0.303713
1.35E+12	13220200	1.35E-03	0.323114	1.33E+12	13024200	1.28E-03	0.305629
1.35E+12	13220200	1.36E-03	0.325269	1.33E+12	13024200	1.29E-03	0.308024
1.35E+12	13210400	1.37E-03	0.327665	1.33E+12	13024200	1.29E-03	0.308982
1.35E+12	13210400	1.38E-03	0.33006	1.33E+12	13024200	1.30E-03	0.311377
1.35E+12	13200600	1.38E-03	0.330539	1.33E+12	13024200	1.31E-03	0.313054
1.35E+12	13200600	1.39E-03	0.332934	1.33E+12	13024200	1.32E-03	0.315449
1.35E+12	13190800	1.40E-03	0.335329	1.33E+12	13014400	1.33E-03	0.317365
1.35E+12	13181000	1.40E-03	0.336048	1.33E+12	13014400	1.34E-03	0.31976
1.34E+12	13171200	1.41E-03	0.338443	1.33E+12	13014400	1.35E-03	0.322156
1.34E+12	13151600	1.42E-03	0.340838	1.33E+12	13014400	1.35E-03	0.322395
1.34E+12	13141800	1.43E-03	0.343234	1.33E+12	13004600	1.36E-03	0.32479
1.34E+12	13112400	1.44E-03	0.345629	1.33E+12	13004600	1.36E-03	0.326707
1.34E+12	13112400	1.44E-03	0.345868	1.33E+12	12994800	1.37E-03	0.329102
1.34E+12	13092800	1.45E-03	0.348263	1.33E+12	12994800	1.38E-03	0.329581
1.34E+12	13083000	1.46E-03	0.348982	1.33E+12	12994800	1.39E-03	0.331976
1.33E+12	13063400	1.47E-03	0.351377	1.33E+12	12985000	1.40E-03	0.334371
1.33E+12	13043800	1.48E-03	0.353772	1.33E+12	12985000	1.40E-03	0.334611
1.33E+12	13043800	1.48E-03	0.354012	1.33E+12	12985000	1.41E-03	0.337006
1.33E+12	13034000	1.49E-03	0.356407	1.33E+12	12985000	1.41E-03	0.337246
1.33E+12	13024200	1.49E-03	0.356886	1.32E+12	12975200	1.42E-03	0.339641
1.33E+12	13014400	1.50E-03	0.359281	1.32E+12	12975200	1.43E-03	0.342036
1.33E+12	13004600	1.51E-03	0.360479	1.32E+12	12965400	1.44E-03	0.343713
1.33E+12	12985000	1.52E-03	0.362874	1.32E+12	12955600	1.45E-03	0.346108
1.32E+12	12975200	1.53E-03	0.365269	1.32E+12	12955600	1.45E-03	0.346347
1.32E+12	12955600	1.54E-03	0.367665	1.32E+12	12945800	1.46E-03	0.348743
1.32E+12	12955600	1.54E-03	0.368383	1.32E+12	12945800	1.46E-03	0.34994

1.32E+12	12945800	1.55E-03	0.370778	1.32E+12	12926200	1.47E-03	0.352335
1.32E+12	12926200	1.56E-03	0.373174	1.32E+12	12926200	1.47E-03	0.352335
1.32E+12	12916400	1.57E-03	0.375569	1.32E+12	12916400	1.48E-03	0.354731
1.32E+12	12906600	1.58E-03	0.377964	1.32E+12	12916400	1.49E-03	0.355689
1.32E+12	12896800	1.59E-03	0.380359	1.32E+12	12906600	1.50E-03	0.358084
1.32E+12	12887000	1.60E-03	0.382754	1.32E+12	12896800	1.50E-03	0.358802
1.31E+12	12877200	1.61E-03	0.38515	1.32E+12	12887000	1.51E-03	0.361198
1.31E+12	12867400	1.62E-03	0.387545	1.31E+12	12877200	1.52E-03	0.363593
1.31E+12	12857600	1.63E-03	0.38994	1.31E+12	12877200	1.52E-03	0.363593
1.31E+12	12847800	1.64E-03	0.392335	1.31E+12	12867400	1.53E-03	0.365988
1.31E+12	12838000	1.65E-03	0.394731	1.31E+12	12847800	1.54E-03	0.368383
1.31E+12	12828200	1.66E-03	0.397126	1.31E+12	12838000	1.55E-03	0.37006
1.31E+12	12818400	1.67E-03	0.399281	1.31E+12	12828200	1.56E-03	0.372455
1.31E+12	12808600	1.68E-03	0.401677	1.31E+12	12828200	1.56E-03	0.372934
1.31E+12	12789000	1.69E-03	0.404072	1.31E+12	12808600	1.57E-03	0.375329
1.30E+12	12779200	1.70E-03	0.406467	1.31E+12	12798800	1.58E-03	0.377725
1.30E+12	12769400	1.71E-03	0.408862	1.30E+12	12779200	1.59E-03	0.38012
1.30E+12	12759600	1.72E-03	0.410778	1.30E+12	12779200	1.59E-03	0.381557
1.30E+12	12749800	1.73E-03	0.413174	1.30E+12	12759600	1.60E-03	0.383952
1.30E+12	12740000	1.74E-03	0.415569	1.30E+12	12749800	1.61E-03	0.384671
1.30E+12	12730200	1.75E-03	0.417964	1.30E+12	12730200	1.62E-03	0.387066
1.30E+12	12720400	1.75E-03	0.418683	1.30E+12	12720400	1.63E-03	0.389461
1.30E+12	12710600	1.76E-03	0.421078	1.30E+12	12720400	1.63E-03	0.389701
1.30E+12	12700800	1.77E-03	0.423473	1.30E+12	12700800	1.64E-03	0.392096
1.30E+12	12691000	1.78E-03	0.425868	1.30E+12	12691000	1.64E-03	0.393772
1.29E+12	12681200	1.79E-03	0.428263	1.29E+12	12671400	1.65E-03	0.396168
1.29E+12	12681200	1.79E-03	0.428503	1.29E+12	12671400	1.65E-03	0.396168
1.29E+12	12671400	1.80E-03	0.430898	1.29E+12	12661600	1.66E-03	0.398323
1.29E+12	12661600	1.81E-03	0.433293	1.29E+12	12651800	1.67E-03	0.400719
1.29E+12	12651800	1.82E-03	0.435689	1.29E+12	12642000	1.68E-03	0.401677
1.29E+12	12642000	1.83E-03	0.438084	1.29E+12	12632200	1.69E-03	0.403593
1.29E+12	12632200	1.84E-03	0.440479	1.29E+12	12622400	1.70E-03	0.405988
1.29E+12	12622400	1.84E-03	0.440958	1.29E+12	12602800	1.71E-03	0.408383
1.29E+12	12612600	1.85E-03	0.443353	1.29E+12	12593000	1.72E-03	0.410778
1.29E+12	12602800	1.86E-03	0.445749	1.28E+12	12573400	1.73E-03	0.413174
1.28E+12	12583200	1.87E-03	0.448144	1.28E+12	12563600	1.73E-03	0.415329
1.28E+12	12573400	1.88E-03	0.450539	1.28E+12	12553800	1.74E-03	0.417725
1.28E+12	12563600	1.89E-03	0.452934	1.28E+12	12544000	1.75E-03	0.42012
1.28E+12	12553800	1.90E-03	0.455329	1.28E+12	12534200	1.76E-03	0.422515
1.28E+12	12544000	1.91E-03	0.457725	1.28E+12	12514600	1.77E-03	0.42491
1.28E+12	12524400	1.92E-03	0.46012	1.28E+12	12514600	1.78E-03	0.425389
1.28E+12	12514600	1.93E-03	0.462515	1.28E+12	12504800	1.79E-03	0.427784
1.28E+12	12504800	1.94E-03	0.46491	1.28E+12	12495000	1.80E-03	0.42994
1.27E+12	12485200	1.95E-03	0.467305	1.27E+12	12485200	1.81E-03	0.432335
1.27E+12	12475400	1.96E-03	0.469701	1.27E+12	12475400	1.82E-03	0.434731
1.27E+12	12475400	1.97E-03	0.470898	1.27E+12	12475400	1.82E-03	0.43521
1.27E+12	12455800	1.98E-03	0.473293	1.27E+12	12465600	1.83E-03	0.437605

1.27E+12	12446000	1.99E-03	0.475689	1.27E+12	12455800	1.84E-03	0.44
1.27E+12	12446000	1.99E-03	0.476886	1.27E+12	12446000	1.85E-03	0.442395
1.27E+12	12436200	2.00E-03	0.479281	1.27E+12	12446000	1.85E-03	0.443593
1.27E+12	12426400	2.01E-03	0.480479	1.27E+12	12436200	1.86E-03	0.445988
1.27E+12	12416600	2.02E-03	0.482874	1.27E+12	12426400	1.87E-03	0.448383
1.27E+12	12406800	2.03E-03	0.485269	1.27E+12	12416600	1.88E-03	0.450778
1.26E+12	12387200	2.04E-03	0.487665	1.27E+12	12406800	1.89E-03	0.453174
1.26E+12	12377400	2.05E-03	0.49006	1.27E+12	12406800	1.90E-03	0.455569
1.26E+12	12367600	2.06E-03	0.492455	1.27E+12	12397000	1.91E-03	0.456527
1.26E+12	12357800	2.07E-03	0.49485	1.26E+12	12387200	1.92E-03	0.458922
1.26E+12	12338200	2.08E-03	0.497246	1.26E+12	12387200	1.92E-03	0.460359
1.26E+12	12328400	2.09E-03	0.499641	1.26E+12	12377400	1.93E-03	0.462754
1.26E+12	12308800	2.10E-03	0.502036	1.26E+12	12367600	1.94E-03	0.46515
1.26E+12	12308800	2.10E-03	0.503234	1.26E+12	12357800	1.95E-03	0.467545
1.25E+12	12289200	2.11E-03	0.505629	1.26E+12	12357800	1.95E-03	0.468024
1.25E+12	12279400	2.12E-03	0.508024	1.26E+12	12348000	1.96E-03	0.470419
1.25E+12	12259800	2.13E-03	0.510419	1.26E+12	12338200	1.97E-03	0.472814
1.25E+12	12250000	2.14E-03	0.512096	1.26E+12	12328400	1.98E-03	0.47521
1.25E+12	12240200	2.15E-03	0.514491	1.26E+12	12328400	1.99E-03	0.475449
1.25E+12	12230400	2.16E-03	0.516886	1.26E+12	12318600	2.00E-03	0.477844
1.25E+12	12220600	2.17E-03	0.519281	1.26E+12	12318600	2.00E-03	0.478323
1.25E+12	12210800	2.17E-03	0.520719	1.26E+12	12308800	2.01E-03	0.480719
1.25E+12	12201000	2.18E-03	0.523114	1.26E+12	12299000	2.02E-03	0.483114
1.24E+12	12181400	2.19E-03	0.525509	1.25E+12	12289200	2.03E-03	0.485509
1.24E+12	12171600	2.20E-03	0.527904	1.25E+12	12279400	2.04E-03	0.487904
1.24E+12	12161800	2.21E-03	0.530299	1.25E+12	12269600	2.05E-03	0.490299
1.24E+12	12152000	2.22E-03	0.532695	1.25E+12	12269600	2.05E-03	0.491018
1.24E+12	12132400	2.23E-03	0.53509	1.25E+12	12259800	2.06E-03	0.493413
1.24E+12	12122600	2.24E-03	0.537485	1.25E+12	12250000	2.07E-03	0.495808
1.24E+12	12112800	2.25E-03	0.53988	1.25E+12	12240200	2.08E-03	0.498204
1.24E+12	12103000	2.26E-03	0.542275	1.25E+12	12230400	2.09E-03	0.500599
1.23E+12	12093200	2.27E-03	0.544671	1.25E+12	12220600	2.10E-03	0.502994
1.23E+12	12083400	2.28E-03	0.547066	1.25E+12	12210800	2.11E-03	0.505389
1.23E+12	12073600	2.29E-03	0.549461	1.25E+12	12201000	2.12E-03	0.507784
1.23E+12	12063800	2.30E-03	0.551856	1.25E+12	12201000	2.13E-03	0.51018
1.23E+12	12054000	2.31E-03	0.554251	1.24E+12	12191200	2.13E-03	0.510898
1.23E+12	12044200	2.32E-03	0.556647	1.24E+12	12191200	2.14E-03	0.513293
1.23E+12	12034400	2.33E-03	0.559042	1.24E+12	12181400	2.15E-03	0.515689
1.23E+12	12024600	2.34E-03	0.561437	1.24E+12	12171600	2.16E-03	0.517605
1.23E+12	12014800	2.35E-03	0.563832	1.24E+12	12161800	2.17E-03	0.52
1.23E+12	12005000	2.36E-03	0.566228	1.24E+12	12152000	2.18E-03	0.522395
1.23E+12	12005000	2.37E-03	0.567186	1.24E+12	12142200	2.19E-03	0.52479
1.22E+12	11995200	2.38E-03	0.569581	1.24E+12	12142200	2.20E-03	0.527186
1.22E+12	11985400	2.39E-03	0.571976	1.24E+12	12132400	2.21E-03	0.528623
1.22E+12	11975600	2.40E-03	0.574371	1.24E+12	12122600	2.22E-03	0.531018
1.22E+12	11965800	2.41E-03	0.576766	1.24E+12	12112800	2.23E-03	0.533413
1.22E+12	11956000	2.42E-03	0.579162	1.24E+12	12103000	2.24E-03	0.535808

1.22E+12	11956000	2.42E-03	0.580599	1.23E+12	12093200	2.25E-03	0.538204
1.22E+12	11946200	2.43E-03	0.582994	1.23E+12	12093200	2.26E-03	0.540599
1.22E+12	11936400	2.44E-03	0.585389	1.23E+12	12083400	2.26E-03	0.541078
1.22E+12	11926600	2.45E-03	0.586826	1.23E+12	12083400	2.27E-03	0.543473
1.22E+12	11926600	2.46E-03	0.589222	1.23E+12	12073600	2.28E-03	0.545868
1.22E+12	11916800	2.47E-03	0.591617	1.23E+12	12063800	2.29E-03	0.548263
1.22E+12	11916800	2.47E-03	0.591856	1.23E+12	12054000	2.30E-03	0.550659
1.22E+12	11907000	2.48E-03	0.594251	1.23E+12	12044200	2.31E-03	0.553054
1.21E+12	11897200	2.49E-03	0.596647	1.23E+12	12034400	2.32E-03	0.555449
1.21E+12	11877600	2.50E-03	0.599042	1.23E+12	12024600	2.33E-03	0.557844
1.21E+12	11867800	2.51E-03	0.601437	1.23E+12	12024600	2.34E-03	0.56024
1.21E+12	11867800	2.52E-03	0.602395	1.23E+12	12014800	2.35E-03	0.562635
1.21E+12	11858000	2.53E-03	0.60479	1.23E+12	12005000	2.36E-03	0.56503
1.21E+12	11848200	2.54E-03	0.607186	1.22E+12	11995200	2.37E-03	0.567425
1.21E+12	11838400	2.55E-03	0.609581	1.22E+12	11985400	2.38E-03	0.56982
1.21E+12	11838400	2.55E-03	0.60982	1.22E+12	11985400	2.38E-03	0.570539
1.21E+12	11828600	2.56E-03	0.612216	1.22E+12	11975600	2.39E-03	0.572934
1.21E+12	11818800	2.57E-03	0.614611	1.22E+12	11975600	2.40E-03	0.575329
1.20E+12	11799200	2.58E-03	0.617006	1.22E+12	11965800	2.41E-03	0.576527
1.20E+12	11789400	2.59E-03	0.619401	1.22E+12	11956000	2.42E-03	0.578922
1.20E+12	11779600	2.60E-03	0.621796	1.22E+12	11956000	2.43E-03	0.581317
1.20E+12	11769800	2.61E-03	0.624192	1.22E+12	11946200	2.44E-03	0.583713
0.00E+00	0	0.00E+00		0.00E+00	0	0.00E+00	
-1.74E+09	-17042.2	-1.00E-06	-0.00024	-1.73E+09	-16914.8	-1.00E-06	-0.00024
-3.48E+09	-34064.8	-2.00E-06	-0.00048	-3.45E+09	-33819.8	-2.00E-06	-0.00048
-5.21E+09	-51097.2	-3.00E-06	-0.00072	-5.18E+09	-50715	-3.00E-06	-0.00072
-6.95E+09							00096
-8.69E+09							00012
-1.04E+10							00144
-1.22E+10							00168
-1.39E+10							00192
-1.56E+10							00216
-1.74E+10							00024
-3.48E+10							00479
-5.21E+10							00719
-6.95E+10							00958
-8.69E+10							01198
-1.04E+11							01437
-1.22E+11							01677
-1.39E+11							01916
-1.56E+11	-1532720	-9.00E-05	-0.02156	-1.55E+11	-1520960	-9.00E-05	-0.02156
-1.74E+11	-1703240	-1.00E-04	-0.02395	-1.73E+11	-1690500	-1.00E-04	-0.02395
-1.91E+11	-1872780	-1.10E-04	-0.02635	-1.90E+11	-1859060	-1.10E-04	-0.02635
-2.09E+11	-2043300	-1.20E-04	-0.02874	-2.07E+11	-2028600	-1.20E-04	-0.02874
-2.26E+11	-2213820	-1.30E-04	-0.03114	-2.24E+11	-2197160	-1.30E-04	-0.03114
-2.43E+11	-2383360	-1.40E-04	-0.03353	-2.41E+11	-2365720	-1.40E-04	-0.03353
-2.61E+11	-2553880	-1.50E-04	-0.03593	-2.59E+11	-2535260	-1.50E-04	-0.03593



-2.78E+11	-2724400	-1.60E-04	-0.03832	-2.76E+11	-2703820	-1.60E-04	-0.03832
-2.95E+11	-2894920	-1.70E-04	-0.04072	-2.93E+11	-2873360	-1.70E-04	-0.04072
-3.13E+11	-3064460	-1.80E-04	-0.04311	-3.10E+11	-3041920	-1.80E-04	-0.04311
-3.30E+11	-3234980	-1.90E-04	-0.04551	-3.28E+11	-3211460	-1.90E-04	-0.04551
-3.48E+11	-3405500	-2.00E-04	-0.0479	-3.45E+11	-3380020	-2.00E-04	-0.0479
-3.65E+11	-3575040	-2.10E-04	-0.0503	-3.62E+11	-3548580	-2.10E-04	-0.0503
-3.82E+11	-3745560	-2.20E-04	-0.05269	-3.79E+11	-3718120	-2.20E-04	-0.05269
-4.00E+11	-3916080	-2.30E-04	-0.05509	-3.97E+11	-3886680	-2.30E-04	-0.05509
-4.17E+11	-4085620	-2.40E-04	-0.05749	-4.14E+11	-4056220	-2.40E-04	-0.05749
-4.34E+11	-4256140	-2.50E-04	-0.05988	-4.31E+11	-4224780	-2.50E-04	-0.05988
-4.52E+11	-4426660	-2.60E-04	-0.06228	-4.48E+11	-4393340	-2.60E-04	-0.06228
-4.69E+11	-4596200	-2.70E-04	-0.06467	-4.66E+11	-4562880	-2.70E-04	-0.06467
-4.86E+11	-4766720	-2.80E-04	-0.06707	-4.83E+11	-4731440	-2.80E-04	-0.06707
-5.04E+11	-4937240	-2.90E-04	-0.06946	-5.00E+11	-4900000	-2.90E-04	-0.06946
-5.21E+11	-5106780	-3.00E-04	-0.07186	-5.17E+11	-5069540	-3.00E-04	-0.07186
-5.39E+11	-5277300	-3.10E-04	-0.07425	-5.35E+11	-5238100	-3.10E-04	-0.07425
-5.56E+11	-5447820	-3.20E-04	-0.07665	-5.52E+11	-5406660	-3.20E-04	-0.07665
-5.73E+11	-5617360	-3.30E-04	-0.07904	-5.69E+11	-5576200	-3.30E-04	-0.07904
-5.91E+11	-5787880	-3.40E-04	-0.08144	-5.86E+11	-5744760	-3.40E-04	-0.08144
-6.08E+11	-5957420	-3.50E-04	-0.08383	-6.03E+11	-5913320	-3.50E-04	-0.08383
-6.25E+11	-6127940	-3.60E-04	-0.08623	-6.21E+11	-6082860	-3.60E-04	-0.08623
-6.43E+11	-6298460	-3.70E-04	-0.08862	-6.38E+11	-6251420	-3.70E-04	-0.08862
-6.60E+11	-6468000	-3.80E-04	-0.09102	-6.55E+11	-6419980	-3.80E-04	-0.09102
-6.77E+11	-6638520	-3.90E-04	-0.09341	-6.72E+11	-6588540	-3.90E-04	-0.09341
-6.95E+11	-6808060	-4.00E-04	-0.09581	-6.90E+11	-6758080	-4.00E-04	-0.09581
-7.12E+11	-6978580	-4.10E-04	-0.0982	-7.07E+11	-6926640	-4.10E-04	-0.0982
-7.29E+11	-7148120	-4.20E-04	-0.1006	-7.24E+11	-7095200	-4.20E-04	-0.1006
-7.47E+11	-7317660	-4.30E-04	-0.10299	-7.41E+11	-7263760	-4.30E-04	-0.10299
-7.64E+11	-7488180	-4.40E-04	-0.10539	-7.58E+11	-7432320	-4.40E-04	-0.10539
-7.81E+11	-7657720	-4.50E-04	-0.10778	-7.76E+11	-7600880	-4.50E-04	-0.10778
-7.99E+11	-7827260	-4.60E-04	-0.11018	-7.93E+11	-7769440	-4.60E-04	-0.11018
-8.16E+11	-7997780	-4.70E-04	-0.11257	-8.10E+11	-7937020	-4.70E-04	-0.11257
-8.33E+11	-8167320	-4.80E-04	-0.11497	-8.27E+11	-8104600	-4.80E-04	-0.11497
-8.51E+11	-8335880	-4.90E-04	-0.11737	-8.44E+11	-8273160	-4.90E-04	-0.11737
-8.68E+11	-8505420	-5.00E-04	-0.11976	-8.61E+11	-8440740	-5.00E-04	-0.11976
-8.85E+11	-8674960	-5.10E-04	-0.12216	-8.78E+11	-8607340	-5.10E-04	-0.12216
-9.02E+11	-8843520	-5.20E-04	-0.12455	-8.95E+11	-8774920	-5.20E-04	-0.12455
-9.20E+11	-9012080	-5.30E-04	-0.12695	-9.12E+11	-8941520	-5.30E-04	-0.12695
-9.37E+11	-9179660	-5.40E-04	-0.12934	-9.29E+11	-9108120	-5.40E-04	-0.12934
-9.54E+11	-9348220	-5.50E-04	-0.13174	-9.42E+11	-9234540	-5.48E-04	-0.13116
-9.71E+11	-9514820	-5.60E-04	-0.13413	-9.59E+11	-9400160	-5.58E-04	-0.13356
-9.88E+11	-9681420	-5.70E-04	-0.13653	-9.76E+11	-9563820	-5.68E-04	-0.13595
-1.01E+12	-9849000	-5.80E-04	-0.13892	-9.92E+11	-9723560	-5.78E-04	-0.13835
-1.02E+12	-1E+07	-5.90E-04	-0.14132	-9.93E+11	-9733360	-5.78E-04	-0.13849
-1.02E+12	-1E+07	-5.91E-04	-0.14158	-1.00E+12	-9796080	-5.84E-04	-0.13998
-1.03E+12	-1E+07	-5.96E-04	-0.14285	-1.00E+12	-9819600	-5.89E-04	-0.14098
-1.03E+12	-1E+07	-6.03E-04	-0.14431	-1.00E+12	-9839200	-5.95E-04	-0.1424



-1.04E+12	-1E+07	-6.08E-04	-0.14551	-1.01E+12	-9849000	-6.01E-04	-0.14388
-1.04E+12	-1E+07	-6.13E-04	-0.14675	-1.01E+12	-9858800	-6.06E-04	-0.1451
-1.04E+12	-1E+07	-6.20E-04	-0.14853	-1.01E+12	-9858800	-6.11E-04	-0.14637
-1.04E+12	-1E+07	-6.25E-04	-0.1497	-1.01E+12	-9858800	-6.18E-04	-0.14802
-1.03E+12	-1E+07	-6.30E-04	-0.15085	-1.01E+12	-9858800	-6.26E-04	-0.14987
-1.03E+12	-1E+07	-6.37E-04	-0.15246	-1.00E+12	-9839200	-6.36E-04	-0.15226
-1.03E+12	-1E+07	-6.41E-04	-0.15346	-1.00E+12	-9839200	-6.39E-04	-0.15298
-1.02E+12	-1E+07	-6.45E-04	-0.15459	-1.00E+12	-9829400	-6.49E-04	-0.15538
-1.02E+12	-9956800	-6.55E-04	-0.15698	-1.00E+12	-9829400	-6.49E-04	-0.1554
-1.02E+12	-9956800	-6.56E-04	-0.15701	-1.00E+12	-9819600	-6.54E-04	-0.1566
-1.01E+12	-9937200	-6.60E-04	-0.15804	-1.00E+12	-9800000	-6.59E-04	-0.1578
-1.01E+12	-9888200	-6.70E-04	-0.16043	-9.99E+11	-9786280	-6.64E-04	-0.15914
-1.01E+12	-9868600	-6.75E-04	-0.16175	-9.97E+11	-9765700	-6.70E-04	-0.16036
-1.00E+12	-9829400	-6.83E-04	-0.16357	-9.92E+11	-9725520	-6.80E-04	-0.16275
-9.99E+11	-9793140	-6.93E-04	-0.16596	-9.92E+11	-9725520	-6.80E-04	-0.16275
-9.95E+11	-9753940	-7.03E-04	-0.16836	-9.89E+11	-9688280	-6.90E-04	-0.16515
-9.95E+11	-9749040	-7.04E-04	-0.16869	-9.88E+11	-9680440	-6.92E-04	-0.16572
-9.91E+11	-9714740	-7.14E-04	-0.17109	-9.84E+11	-9645160	-7.02E-04	-0.16812
-9.89E+11	-9692200	-7.21E-04	-0.17279	-9.83E+11	-9636340	-7.05E-04	-0.16877
-9.85E+11	-9655940	-7.31E-04	-0.17519	-9.81E+11	-9615760	-7.11E-04	-0.1703
-9.84E+11	-9645160	-7.35E-04	-0.17595	-9.78E+11	-9584400	-7.20E-04	-0.17253
-9.82E+11	-9621640	-7.42E-04	-0.17763	-9.75E+11	-9554020	-7.30E-04	-0.17478
-9.79E+11	-9589300	-7.52E-04	-0.18002	-9.72E+11	-9524620	-7.39E-04	-0.17705
-9.75E+11	-9556960	-7.62E-04	-0.18242	-9.69E+11	-9496200	-7.49E-04	-0.17945
-9.75E+11	-9552060	-7.63E-04	-0.18275	-9.68E+11	-9488360	-7.52E-04	-0.18014
-9.72E+11	-9520700	-7.71E-04	-0.18477	-9.66E+11	-9462880	-7.62E-04	-0.18254
-9.68E+11	-9488360	-7.81E-04	-0.18716	-9.66E+11	-9462880	-7.62E-04	-0.18261
-9.67E+11	-9476600	-7.85E-04	-0.18795	-9.63E+11	-9438380	-7.72E-04	-0.18501
-9.63E+11	-9441320	-7.95E-04	-0.19035	-9.62E+11	-9423680	-7.79E-04	-0.18659
-9.60E+11	-9408980	-8.05E-04	-0.19274	-9.60E+11	-9405060	-7.88E-04	-0.18862
-9.59E+11	-9393300	-8.09E-04	-0.19384	-9.57E+11	-9382520	-7.98E-04	-0.19102
-9.55E+11	-9362920	-8.19E-04	-0.19624	-9.57E+11	-9377620	-8.00E-04	-0.19154
-9.54E+11	-9348220	-8.24E-04	-0.19744	-9.56E+11	-9364880	-8.06E-04	-0.19308
-9.51E+11	-9319800	-8.34E-04	-0.19983	-9.53E+11	-9343320	-8.16E-04	-0.19547
-9.49E+11	-9302160	-8.41E-04	-0.20151	-9.52E+11	-9324700	-8.25E-04	-0.19768
-9.46E+11	-9273740	-8.51E-04	-0.2039	-9.49E+11	-9303140	-8.35E-04	-0.20007
-9.45E+11	-9260020	-8.57E-04	-0.20529	-9.49E+11	-9299220	-8.37E-04	-0.20041
-9.44E+11	-9247280	-8.63E-04	-0.20659	-9.48E+11	-9286480	-8.42E-04	-0.2017
-9.41E+11	-9223760	-8.73E-04	-0.20898	-9.46E+11	-9274720	-8.47E-04	-0.2029
-9.39E+11	-9201220	-8.83E-04	-0.21138	-9.45E+11	-9259040	-8.55E-04	-0.20469
-9.37E+11	-9180640	-8.93E-04	-0.21377	-9.43E+11	-9242380	-8.62E-04	-0.2064
-9.35E+11	-9160060	-9.03E-04	-0.21617	-9.41E+11	-9220820	-8.72E-04	-0.20879
-9.33E+11	-9141440	-9.13E-04	-0.21856	-9.39E+11	-9200240	-8.82E-04	-0.21119
-9.32E+11	-9131640	-9.17E-04	-0.21974	-9.39E+11	-9199260	-8.82E-04	-0.21123
-9.30E+11	-9114000	-9.27E-04	-0.22213	-9.36E+11	-9175740	-8.92E-04	-0.21363
-9.28E+11	-9096360	-9.37E-04	-0.22453	-9.36E+11	-9172800	-8.93E-04	-0.21399
-9.27E+11	-9080680	-9.47E-04	-0.22692	-9.34E+11	-9154180	-9.02E-04	-0.21602

-9.25E+11	-9065000	-9.57E-04	-0.22932	-9.32E+11	-9132620	-9.12E-04	-0.21842
-9.23E+11	-9049320	-9.67E-04	-0.23171	-9.31E+11	-9126740	-9.15E-04	-0.21909
-9.22E+11	-9035600	-9.77E-04	-0.23401	-9.29E+11	-9105180	-9.25E-04	-0.22149
-9.20E+11	-9019920	-9.87E-04	-0.23641	-9.29E+11	-9105180	-9.25E-04	-0.22153
-9.20E+11	-9016980	-9.88E-04	-0.23674	-9.28E+11	-9090480	-9.32E-04	-0.22323
-9.19E+11	-9002280	-9.98E-04	-0.23914	-9.26E+11	-9070880	-9.42E-04	-0.22563
-9.17E+11	-8987580	-1.01E-03	-0.24144	-9.24E+11	-9059120	-9.49E-04	-0.22719
-9.16E+11	-8971900	-1.02E-03	-0.24383	-9.22E+11	-9038540	-9.59E-04	-0.22958
-9.14E+11	-8957200	-1.03E-03	-0.24623	-9.21E+11	-9023840	-9.66E-04	-0.2314
-9.14E+11	-8957200	-1.03E-03	-0.24647	-9.19E+11	-9005220	-9.76E-04	-0.2338
-9.13E+11	-8943480	-1.04E-03	-0.24838	-9.19E+11	-9001300	-9.78E-04	-0.23435
-9.11E+11	-8927800	-1.05E-03	-0.25078	-9.17E+11	-8986600	-9.86E-04	-0.23612
-9.10E+11	-8918000	-1.05E-03	-0.25222	-9.15E+11	-8967980	-9.96E-04	-0.23851
-9.08E+11	-8902320	-1.06E-03	-0.25461	-9.13E+11	-8949360	-1.01E-03	-0.24096
-9.07E+11	-8892520	-1.07E-03	-0.25605	-9.13E+11	-8943480	-1.01E-03	-0.24168
-9.06E+11	-8875860	-1.08E-03	-0.25844	-9.11E+11	-8926820	-1.02E-03	-0.24407
-9.04E+11	-8858220	-1.09E-03	-0.26084	-9.09E+11	-8910160	-1.03E-03	-0.24647
-9.03E+11	-8852340	-1.09E-03	-0.2618	-9.08E+11	-8893500	-1.04E-03	-0.24886
-9.02E+11	-8836660	-1.10E-03	-0.26395	-9.06E+11	-8877820	-1.05E-03	-0.25126
-9.00E+11	-8820000	-1.11E-03	-0.26635	-9.04E+11	-8863120	-1.06E-03	-0.25365
-8.98E+11	-8802360	-1.12E-03	-0.26874	-9.04E+11	-8861160	-1.06E-03	-0.25413
-8.96E+11	-8784720	-1.13E-03	-0.27114	-9.03E+11	-8847440	-1.07E-03	-0.25653
-8.96E+11	-8780800	-1.14E-03	-0.27186	-9.01E+11	-8833720	-1.08E-03	-0.25892
-8.94E+11	-8764140	-1.15E-03	-0.27425	-9.00E+11	-8821960	-1.09E-03	-0.26108
-8.93E+11	-8746500	-1.16E-03	-0.27665	-8.99E+11	-8810200	-1.10E-03	-0.26299
-8.91E+11	-8729840	-1.17E-03	-0.27904	-8.98E+11	-8798440	-1.11E-03	-0.26491
-8.90E+11	-8721020	-1.17E-03	-0.28048	-8.96E+11	-8784720	-1.12E-03	-0.26731
-8.88E+11	-8704360	-1.18E-03	-0.28287	-8.96E+11	-8782760	-1.12E-03	-0.26754
-8.87E+11	-8687700	-1.19E-03	-0.28527	-8.95E+11	-8768060	-1.13E-03	-0.26994
-8.85E+11	-8676920	-1.20E-03	-0.28695	-8.93E+11	-8755320	-1.14E-03	-0.27234
-8.84E+11	-8659280	-1.21E-03	-0.28934	-8.92E+11	-8741600	-1.15E-03	-0.27473
-8.82E+11	-8643600	-1.22E-03	-0.29174	-8.91E+11	-8735720	-1.15E-03	-0.27569
-8.81E+11	-8628900	-1.23E-03	-0.29413	-8.90E+11	-8722980	-1.16E-03	-0.27808
-8.79E+11	-8615180	-1.24E-03	-0.29653	-8.90E+11	-8722000	-1.16E-03	-0.27856
-8.78E+11	-8600480	-1.25E-03	-0.29892	-8.89E+11	-8708280	-1.17E-03	-0.28096
-8.77E+11	-8591660	-1.25E-03	-0.30036	-8.87E+11	-8696520	-1.18E-03	-0.28287
-8.75E+11	-8576960	-1.26E-03	-0.30275	-8.86E+11	-8682800	-1.19E-03	-0.28527
-8.74E+11	-8561280	-1.27E-03	-0.30515	-8.85E+11	-8676920	-1.20E-03	-0.28623
-8.72E+11	-8544620	-1.28E-03	-0.30754	-8.84E+11	-8661240	-1.21E-03	-0.28862
-8.70E+11	-8529920	-1.29E-03	-0.3097	-8.83E+11	-8656340	-1.21E-03	-0.28958
-8.69E+11	-8511300	-1.30E-03	-0.3121	-8.82E+11	-8641640	-1.22E-03	-0.29198
-8.67E+11	-8498560	-1.31E-03	-0.31401	-8.81E+11	-8634780	-1.22E-03	-0.29317
-8.65E+11	-8478960	-1.32E-03	-0.31641	-8.80E+11	-8619100	-1.23E-03	-0.29557
-8.63E+11	-8460340	-1.33E-03	-0.3188	-8.78E+11	-8602440	-1.24E-03	-0.29796
-8.62E+11	-8443680	-1.34E-03	-0.3212	-8.76E+11	-8586760	-1.25E-03	-0.30036
-8.60E+11	-8426040	-1.35E-03	-0.32359	-8.75E+11	-8573040	-1.26E-03	-0.30228
-8.58E+11	-8409380	-1.36E-03	-0.32599	-8.73E+11	-8556380	-1.27E-03	-0.30467

-8.56E+11	-8392720	-1.37E-03	-0.32838	-8.71E+11	-8539720	-1.28E-03	-0.30707
-8.55E+11	-8376060	-1.38E-03	-0.33078	-8.71E+11	-8531880	-1.29E-03	-0.30826
-8.53E+11	-8359400	-1.39E-03	-0.33317	-8.69E+11	-8514240	-1.30E-03	-0.31066
-8.52E+11	-8348620	-1.40E-03	-0.33461	-8.67E+11	-8497580	-1.31E-03	-0.31305
-8.50E+11	-8331960	-1.41E-03	-0.33701	-8.67E+11	-8495620	-1.31E-03	-0.31329
-8.48E+11	-8314320	-1.42E-03	-0.3394	-8.65E+11	-8477980	-1.32E-03	-0.31569
-8.47E+11	-8295700	-1.43E-03	-0.3418	-8.63E+11	-8460340	-1.33E-03	-0.31808
-8.46E+11	-8287860	-1.43E-03	-0.34275	-8.62E+11	-8444660	-1.34E-03	-0.32048
-8.44E+11	-8273160	-1.44E-03	-0.34467	-8.60E+11	-8429960	-1.35E-03	-0.32263
-8.42E+11	-8255520	-1.45E-03	-0.34707	-8.58E+11	-8411340	-1.36E-03	-0.32503
-8.41E+11	-8236900	-1.46E-03	-0.34946	-8.56E+11	-8392720	-1.37E-03	-0.32743
-8.39E+11	-8219260	-1.47E-03	-0.35186	-8.55E+11	-8380960	-1.37E-03	-0.32886
-8.37E+11	-8201620	-1.48E-03	-0.35425	-8.53E+11	-8363320	-1.38E-03	-0.33126
-8.35E+11	-8184960	-1.49E-03	-0.35665	-8.52E+11	-8345680	-1.39E-03	-0.33365
-8.34E+11	-8168300	-1.50E-03	-0.35904	-8.50E+11	-8329020	-1.40E-03	-0.33605
-8.32E+11	-8151640	-1.51E-03	-0.36144	-8.48E+11	-8312360	-1.41E-03	-0.33844
-8.30E+11	-8134980	-1.52E-03	-0.36383	-8.47E+11	-8295700	-1.42E-03	-0.34084
-8.29E+11	-8122240	-1.53E-03	-0.36575	-8.46E+11	-8286880	-1.43E-03	-0.34204
-8.27E+11	-8105580	-1.54E-03	-0.36814	-8.44E+11	-8270220	-1.44E-03	-0.34443
-8.26E+11	-8089900	-1.55E-03	-0.3703	-8.42E+11	-8253560	-1.45E-03	-0.34683
-8.24E+11	-8073240	-1.56E-03	-0.37269	-8.41E+11	-8236900	-1.46E-03	-0.34922
-8.22E+11	-8056580	-1.57E-03	-0.37509	-8.40E+11	-8234940	-1.46E-03	-0.34946
-8.21E+11	-8047760	-1.57E-03	-0.37653	-8.39E+11	-8218280	-1.47E-03	-0.35186
-8.19E+11	-8030120	-1.58E-03	-0.37892	-8.37E+11	-8202600	-1.48E-03	-0.35425
-8.18E+11	-8012480	-1.59E-03	-0.38132	-8.35E+11	-8186920	-1.49E-03	-0.35665
-8.16E+11	-7994840	-1.60E-03	-0.38371	-8.35E+11	-8178100	-1.49E-03	-0.35784
-8.15E+11	-7987980	-1.61E-03	-0.38467	-8.33E+11	-8160460	-1.50E-03	-0.36024
-8.13E+11	-7971320	-1.62E-03	-0.38707	-8.31E+11	-8143800	-1.51E-03	-0.36263
-8.13E+11	-7967400	-1.62E-03	-0.38754	-8.29E+11	-8127140	-1.52E-03	-0.36503
-8.11E+11	-7950740	-1.63E-03	-0.38994	-8.28E+11	-8111460	-1.53E-03	-0.36743
-8.10E+11	-7934080	-1.64E-03	-0.39234	-8.26E+11	-8095780	-1.54E-03	-0.36982
-8.08E+11	-7917420	-1.65E-03	-0.39473	-8.25E+11	-8080100	-1.55E-03	-0.37222
-8.06E+11	-7900760	-1.66E-03	-0.39713	-8.23E+11	-8064420	-1.56E-03	-0.37461
-8.05E+11	-7884100	-1.67E-03	-0.39952	-8.21E+11	-8049720	-1.57E-03	-0.37701
-8.03E+11	-7867440	-1.68E-03	-0.40192	-8.20E+11	-8035020	-1.58E-03	-0.3794
-8.01E+11	-7850780	-1.69E-03	-0.40431	-8.18E+11	-8020320	-1.59E-03	-0.3818
-7.99E+11	-7833140	-1.70E-03	-0.40671	-8.17E+11	-8010520	-1.60E-03	-0.38323
-7.98E+11	-7816480	-1.71E-03	-0.4091	-8.16E+11	-7995820	-1.61E-03	-0.38563
-7.97E+11	-7811580	-1.71E-03	-0.41006	-8.14E+11	-7981120	-1.62E-03	-0.38802
-7.95E+11	-7794920	-1.72E-03	-0.41246	-8.13E+11	-7965440	-1.63E-03	-0.39042
-7.94E+11	-7779240	-1.73E-03	-0.41485	-8.11E+11	-7950740	-1.64E-03	-0.39281
-7.92E+11	-7763560	-1.74E-03	-0.41725	-8.10E+11	-7936040	-1.65E-03	-0.39521
-7.91E+11	-7747880	-1.75E-03	-0.41964	-8.08E+11	-7921340	-1.66E-03	-0.3976
-7.89E+11	-7734160	-1.76E-03	-0.4218	-8.07E+11	-7906640	-1.67E-03	-0.4
-7.88E+11	-7719460	-1.77E-03	-0.42419	-8.07E+11	-7903700	-1.67E-03	-0.40048
-7.86E+11	-7704760	-1.78E-03	-0.42659	-8.05E+11	-7888020	-1.68E-03	-0.40287
-7.85E+11	-7690060	-1.79E-03	-0.42898	-8.03E+11	-7872340	-1.69E-03	-0.40527

-7.83E+11	-7675360	-1.80E-03	-0.43138	-8.02E+11	-7857640	-1.70E-03	-0.40766
-7.82E+11	-7661640	-1.81E-03	-0.43377	-8.00E+11	-7842940	-1.71E-03	-0.41006
-7.82E+11	-7659680	-1.81E-03	-0.43425	-7.99E+11	-7828240	-1.72E-03	-0.41246
-7.80E+11	-7644980	-1.82E-03	-0.43665	-7.97E+11	-7814520	-1.73E-03	-0.41485
-7.79E+11	-7631260	-1.83E-03	-0.43904	-7.96E+11	-7800800	-1.74E-03	-0.41725
-7.77E+11	-7618520	-1.84E-03	-0.44144	-7.95E+11	-7786100	-1.75E-03	-0.41964
-7.76E+11	-7605780	-1.85E-03	-0.44383	-7.93E+11	-7772380	-1.76E-03	-0.42204
-7.75E+11	-7592060	-1.86E-03	-0.44623	-7.92E+11	-7761600	-1.77E-03	-0.42395
-7.73E+11	-7579320	-1.87E-03	-0.44862	-7.91E+11	-7747880	-1.78E-03	-0.42635
-7.72E+11	-7566580	-1.88E-03	-0.45102	-7.89E+11	-7734160	-1.79E-03	-0.42874
-7.71E+11	-7552860	-1.89E-03	-0.45341	-7.88E+11	-7719460	-1.80E-03	-0.43114
-7.69E+11	-7539140	-1.90E-03	-0.45581	-7.87E+11	-7714560	-1.80E-03	-0.4321
-7.68E+11	-7526400	-1.91E-03	-0.4582	-7.86E+11	-7699860	-1.81E-03	-0.43449
-7.67E+11	-7512680	-1.92E-03	-0.4606	-7.85E+11	-7692020	-1.82E-03	-0.43593
-7.66E+11	-7502880	-1.93E-03	-0.46228	-7.83E+11	-7677320	-1.83E-03	-0.43832
-7.64E+11	-7490140	-1.94E-03	-0.46467	-7.82E+11	-7665560	-1.84E-03	-0.44024
-7.63E+11	-7478380	-1.95E-03	-0.46707	-7.81E+11	-7651840	-1.85E-03	-0.44263
-7.62E+11	-7465640	-1.96E-03	-0.46946	-7.79E+11	-7637140	-1.86E-03	-0.44503
-7.61E+11	-7453880	-1.97E-03	-0.47186	-7.78E+11	-7622440	-1.87E-03	-0.44743
-7.59E+11	-7442120	-1.98E-03	-0.47425	-7.76E+11	-7607740	-1.88E-03	-0.44982
-7.58E+11	-7430360	-1.99E-03	-0.47665	-7.75E+11	-7593040	-1.89E-03	-0.45222
-7.57E+11	-7418600	-2.00E-03	-0.47904	-7.75E+11	-7592060	-1.89E-03	-0.45246
-7.56E+11	-7406840	-2.01E-03	-0.48144	-7.73E+11	-7576380	-1.90E-03	-0.45485
-7.56E+11	-7405860	-2.01E-03	-0.48168	-7.72E+11	-7561680	-1.91E-03	-0.45725
-7.55E+11	-7394100	-2.02E-03	-0.48407	-7.70E+11	-7546980	-1.92E-03	-0.45964
-7.53E+11	-7382340	-2.03E-03	-0.48647	-7.69E+11	-7532280	-1.93E-03	-0.46204
-7.52E+11	-7370580	-2.04E-03	-0.48886	-7.67E+11	-7517580	-1.94E-03	-0.46443
-7.51E+11	-7359800	-2.05E-03	-0.49102	-7.67E+11	-7514640	-1.94E-03	-0.46491
-7.50E+11	-7348040	-2.06E-03	-0.49341	-7.65E+11	-7499940	-1.95E-03	-0.46731
-7.49E+11	-7336280	-2.07E-03	-0.49581	-7.64E+11	-7486220	-1.96E-03	-0.4697
-7.48E+11	-7325500	-2.08E-03	-0.4982	-7.64E+11	-7486220	-1.96E-03	-0.4697
-7.47E+11	-7322560	-2.08E-03	-0.49892	-7.63E+11	-7472500	-1.97E-03	-0.4721
-7.46E+11	-7310800	-2.09E-03	-0.50132	-7.61E+11	-7457800	-1.98E-03	-0.47449
-7.45E+11	-7298060	-2.10E-03	-0.50371	-7.60E+11	-7451920	-1.99E-03	-0.47569
-7.44E+11	-7286300	-2.11E-03	-0.50611	-7.59E+11	-7438200	-2.00E-03	-0.47808
-7.42E+11	-7274540	-2.12E-03	-0.5085	-7.58E+11	-7424480	-2.01E-03	-0.48048
-7.41E+11	-7261800	-2.13E-03	-0.5109	-7.57E+11	-7415660	-2.01E-03	-0.48216
-7.40E+11	-7250040	-2.14E-03	-0.51329	-7.55E+11	-7401940	-2.02E-03	-0.48455
-7.39E+11	-7238280	-2.15E-03	-0.51569	-7.54E+11	-7389200	-2.03E-03	-0.48671
-7.37E+11	-7226520	-2.16E-03	-0.51808	-7.53E+11	-7376460	-2.04E-03	-0.4891
-7.36E+11	-7216720	-2.17E-03	-0.52	-7.52E+11	-7364700	-2.05E-03	-0.4915
-7.35E+11	-7204960	-2.18E-03	-0.5224	-7.50E+11	-7351960	-2.06E-03	-0.49389
-7.34E+11	-7192220	-2.19E-03	-0.52479	-7.49E+11	-7344120	-2.07E-03	-0.49557
-7.33E+11	-7180460	-2.20E-03	-0.52719	-7.48E+11	-7331380	-2.08E-03	-0.49796
-7.32E+11	-7168700	-2.21E-03	-0.52958	-7.47E+11	-7319620	-2.09E-03	-0.50036
-7.31E+11	-7159880	-2.22E-03	-0.53126	-7.46E+11	-7306880	-2.10E-03	-0.50275
-7.30E+11	-7149100	-2.23E-03	-0.53365	-7.44E+11	-7295120	-2.11E-03	-0.50515

-7.28E+11	-7137340	-2.24E-03	-0.53605	-7.43E+11	-7283360	-2.12E-03	-0.50754
-7.28E+11	-7134400	-2.24E-03	-0.53677	-7.42E+11	-7270620	-2.13E-03	-0.50994
-7.27E+11	-7122640	-2.25E-03	-0.53916	-7.41E+11	-7257880	-2.14E-03	-0.51234
-7.26E+11	-7111860	-2.26E-03	-0.54156	-7.40E+11	-7253960	-2.14E-03	-0.51329
-7.25E+11	-7101080	-2.27E-03	-0.54395	-7.39E+11	-7241220	-2.15E-03	-0.51569
-7.24E+11	-7090300	-2.28E-03	-0.54635	-7.38E+11	-7228480	-2.16E-03	-0.51808
-7.22E+11	-7079520	-2.29E-03	-0.54874	-7.36E+11	-7216720	-2.17E-03	-0.52048
-7.21E+11	-7068740	-2.30E-03	-0.55114	-7.35E+11	-7204960	-2.18E-03	-0.52287
-7.21E+11	-7061880	-2.31E-03	-0.55257	-7.34E+11	-7193200	-2.19E-03	-0.52527
-7.20E+11	-7051100	-2.32E-03	-0.55497	-7.33E+11	-7181440	-2.20E-03	-0.52766
-7.18E+11	-7040320	-2.33E-03	-0.55737	-7.32E+11	-7169680	-2.21E-03	-0.53006
-7.17E+11	-7030520	-2.34E-03	-0.55976	-7.30E+11	-7157920	-2.22E-03	-0.53246
-7.16E+11	-7020720	-2.35E-03	-0.56216	-7.29E+11	-7147140	-2.23E-03	-0.53485
-7.16E+11	-7011900	-2.36E-03	-0.56455	-7.29E+11	-7142240	-2.24E-03	-0.53581
-7.15E+11	-7002100	-2.37E-03	-0.56695	-7.28E+11	-7130480	-2.25E-03	-0.5382
-7.14E+11	-6992300	-2.38E-03	-0.56934	-7.27E+11	-7119700	-2.26E-03	-0.5406
-7.13E+11	-6983480	-2.39E-03	-0.57174	-7.26E+11	-7110880	-2.26E-03	-0.54228
-7.12E+11	-6973680	-2.40E-03	-0.57413	-7.24E+11	-7099120	-2.27E-03	-0.54467
-7.11E+11	-6963880	-2.41E-03	-0.57653	-7.23E+11	-7088340	-2.28E-03	-0.54707
-7.10E+11	-6961920	-2.41E-03	-0.57701	-7.22E+11	-7076580	-2.29E-03	-0.54946
-7.09E+11	-6952120	-2.42E-03	-0.5794	-7.21E+11	-7065800	-2.30E-03	-0.55186
-7.08E+11	-6941340	-2.43E-03	-0.5818	-7.20E+11	-7055020	-2.31E-03	-0.55425
-7.07E+11	-6931540	-2.44E-03	-0.58419	-7.19E+11	-7045220	-2.32E-03	-0.55665
-7.06E+11	-6921740	-2.45E-03	-0.58659	-7.18E+11	-7034440	-2.33E-03	-0.55904
-7.05E+11	-6911940	-2.46E-03	-0.58898	-7.17E+11	-7026600	-2.34E-03	-0.56096
-7.04E+11	-6901160	-2.47E-03	-0.59138	-7.16E+11	-7015820	-2.35E-03	-0.56335
-7.03E+11	-6891360	-2.48E-03	-0.59377	-7.15E+11	-7006020	-2.36E-03	-0.56575
-7.02E+11	-6882540	-2.49E-03	-0.59617	-7.14E+11	-6995240	-2.37E-03	-0.56814
-7.01E+11	-6872740	-2.50E-03	-0.59856	-7.13E+11	-6985440	-2.38E-03	-0.57054
-7.00E+11	-6863920	-2.51E-03	-0.60096	-7.12E+11	-6975640	-2.39E-03	-0.57293
-7.00E+11	-6855100	-2.52E-03	-0.60335	-7.11E+11	-6965840	-2.40E-03	-0.57533
-6.99E+11	-6846280	-2.53E-03	-0.60575	-7.10E+11	-6956040	-2.41E-03	-0.57772
-6.98E+11	-6836480	-2.54E-03	-0.60814	-7.09E+11	-6946240	-2.42E-03	-0.58012
-6.97E+11	-6827660	-2.55E-03	-0.61054	-7.09E+11	-6943300	-2.43E-03	-0.58084
-6.96E+11	-6818840	-2.56E-03	-0.61293	-7.08E+11	-6933500	-2.44E-03	-0.58323
-6.95E+11	-6810020	-2.57E-03	-0.61533	-7.06E+11	-6922720	-2.45E-03	-0.58563
-6.94E+11	-6801200	-2.58E-03	-0.61772	-7.05E+11	-6912920	-2.46E-03	-0.58802
-6.93E+11	-6792380	-2.59E-03	-0.62012	-7.04E+11	-6903120	-2.47E-03	-0.59042
-6.92E+11	-6785520	-2.60E-03	-0.62204	-7.04E+11	-6894300	-2.48E-03	-0.59281
-6.92E+11	-6776700	-2.61E-03	-0.62443	-7.03E+11	-6884500	-2.49E-03	-0.59521







Fig. 11 Comparison of residual hull girder strength M_V between the simplified method and the progressive collapse analysis

Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

Muhammad Zubair Muis Alie

Department of Naval Architect and Ocean Engineering, Engineering Faculty, Hasanuddin University
Gowa, South Sulawesi, Indonesia

ABSTRACT

The objective of the present study is to investigate the ultimate hull girder strength of asymmetrically damaged ship under sagging condition. Two kinds of ship are taken as the object of the analysis. The cross section of the ship is considered and assumed to be remained plane. The simply supported of boundary condition is applied to both sides of the cross section. The ultimate hull girder strength is attained when a plate and/or stiffened plate element at the specified location called “critical element” reach their ultimate strength. To investigate the ultimate hull girder strength, a simplified approach is proposed. The result obtained by simplified approach is compared to the progressive collapse analysis for the effectiveness and validation.

KEY WORDS: Single hull bulk carrier, double hull oil tanker, cross section, neutral axis, asymmetrically damaged, ultimate strength, simplified approach.

INTRODUCTION

The ability to predict accurately the ultimate strength of ship hull girder when subjected to longitudinal bending is one of the most important aspects of ship structural design. A collision and grounding damages may takes place on ship's hull, which may threaten safety ship and surrounding environment. In this regard, to enhance the safety of ship's structure and minimize the risks, the International Maritime Organization (IMO, 2009) has required in Goal Based Standard for New Ship Construction (GBS) to consider the residual strength of the hull girder in specified damage conditions as one of the functional requirements for the structural rules for bulk carriers and tankers.

Many studies have been conducted on the analyses of the residual hull girder strength due to collision and grounding damaged. Pedersen (1994) presented a mathematical modeling to estimate the contact pressure between the grounded ship and the sea bottom. The grounded contact force was compared to the force which would crush the forward bottom of the ship. The sectional bending moment due to grounding was determined and compared to the ultimate hull girder strengths. The model experiments and full-scale controlled grounding experiments were also performed to validate the mathematical model. Paik et al. (1998) developed a rapid procedure to identify the possibility of hull girder failure after collision and grounding damages based on the closed-form formulae of the ultimate hull girder strength and section modulus after the damages. Soares et al. (2008) evaluated the ability of simplified structural analysis methods based on the Smith's formulation to predict the ultimate strength of damage ship's hull. Toh et al. (2012) developed simplified calculation program to calculate the ultimate strength in intact and damage condition and the reduction of hull girder ultimate strength is investigated. The calculation result of simplified method is compared to the FE result for both intact and damage condition. Muis Alie, M.Z et al. (2012) investigated the incidence of neutral axis rotation on residual hull

girder strength for asymmetrical damaged ships under longitudinal bending, applying the progressive collapse method and finding an explicit expression of neutral axis rotation. After performing a series of progressive collapse analyses on several bulk carriers and tanker, it was found that residual hull girder strength, considering the instantaneous neutral axis is generally lower than the relevant one, obtained by constraining the rotation, as it is commonly assumed in classical procedures. Ohtsubo et al. (1994) showed the experimental and numerical work on the ship structural damages due to collision and grounding. This was one of the first attempts to apply the explicit Finite Element Method codes, such as LS-DYNA and DYTRAN, to the collision and grounding problems of ships. Ozguc et al. (2005) investigated the collision resistance and residual strength of single skin and double skin bulk carriers subjected to damages. Lee et al. (2008) calculate the ultimate strength with collision damage using LS-DYNA and compared with the experiment results. It is found that the ultimate strength is reduced as a damage size increased as expected. Notaro et al. (2010) carried out full nonlinear FE assessments of hull girder capacity in intact and damage conditions. The effects of several influences factors such as model extend and complexity, damage representations and model imperfections are investigated on the different vessels. It was found that the effect of damage extent in vertical direction is more critical than in longitudinal direction, and the damage varies the location of the neutral axes including higher stresses in proximity of the damage areas. The various probability levels are considered for the damage extent estimation.

When a hull-girder cross section is symmetric with respect to the centerline and subjected to pure vertical bending moment, the neutral axis for vertical bending is always horizontal and moves only vertically during the progressive collapse behavior. However, when the cross section is asymmetrically damaged due, for example, to a collision, the neutral axis rotates. Both rotation and translation need to be taken into account during the progressive collapse behavior even when only a vertical bending moment is applied, and the problem needs to be treated as a biaxial bending problem. Previous studies using the Smith's method on the ultimate strength of hull girders under biaxial thrust (Ozguc and Barltrop, 2008) and the residual strength of damaged hulls (Fang and Das, 2004; Hussein and Guedes

Soares, 2009; Choung et al, 2011) consider the rotation and translation of neutral axis in a reasonable way. However, they employ a trial and error approach to detect the position of neutral axis. More easy approach to detect the position of neutral axis is demanded.

BASIC ASSUMPTION

1 The following assumption is made for the prediction of the residual hull girder strength under the sagging condition:

- (1) The ultimate sagging strength is attained when a stiffened panel element at the specified location (hereafter called ‘critical element’) reached the ultimate strength.
- (2) The hull girder cross section is elastic until the failure of the critical member.
- (3) The ultimate strength of the critical member is predicted from the average axial stress and average axial strain relationship calculated by HULLST (Yao and Nikolov).

ESTIMATION OF THE ULTIMATE HULL GIRDER STRENGTH NEUTRAL AXIS EFFECT

In the elastic cross section, the bending stress at the i -th element (see Fig.1), σ_i , is expressed as

$$\sigma_i = E \left[(y_i - y_G) \phi_H + (z_i - z_G) \phi_V \right] \quad (1)$$

where E is Young's modulus, y_G and z_G the centroid coordinates, and ϕ_H and ϕ_V the horizontal and vertical curvatures, respectively. y_G and z_G are given by

$$y_G = \frac{\left(\sum_{i=1}^N y_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (2)$$

$$z_G = \frac{\left(\sum_{i=1}^N z_i D_i A_i \right)}{\left(\sum_{i=1}^N D_i A_i \right)} \quad (3)$$




Fig. 1 Neutral axes of the elastic hull girder cross section with

asymmetric damage

The biaxial moment and curvature relationship is given in the form

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (4)$$

where

$$\begin{aligned} I_{HV} &= I_{VH} = \sum_{i=1}^N (y_i - y_G)(z_i - z_G) A_i \\ I_{HH} &= \sum_{i=1}^N (y_i - y_G)^2 A_i \\ I_{VV} &= \sum_{i=1}^N (z_i - z_G)^2 A_i \end{aligned} \quad (5)$$

When the vertical bending moment is applied to the cross section with no constraint on the horizontal curvature (Case 1), the horizontal curvature as well as the vertical curvature is induced under the condition of $M_H = 0$. The incremental equation to be solved is

$$\begin{Bmatrix} 0 \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} \quad (6)$$

Therefore,

$$\begin{Bmatrix} \phi_H \\ \phi_V \end{Bmatrix} = \frac{1}{E(I_{HH} I_{VV} - I_{HV}^2)} \begin{Bmatrix} -I_{HV} M_V \\ I_{HH} M_V \end{Bmatrix} \quad (7)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{-(y_i - y_G) I_{HV} + (z_i - z_G) I_{HH}}{(I_{HH} I_{VV} - I_{HV}^2)} M_V \quad (8)$$

The terms including the moment of inertia, I_{HV} , represent the effect of the rotation of the neutral axis.

On the other hand, when the vertical bending moment is applied to the cross section with the horizontal curvature constrained (Case 2), the bending moment are induced under the condition of $\phi_H = 0$, that is,

$$\begin{Bmatrix} M_H \\ M_V \end{Bmatrix} = \begin{bmatrix} EI_{HH} & EI_{HV} \\ EI_{VH} & EI_{VV} \end{bmatrix} \begin{Bmatrix} 0 \\ \phi_V \end{Bmatrix} \quad (9)$$

Substituting Eq. (7) to Eq. (1), the bending stress σ_i is given by

$$\sigma_i = \frac{(z_i - z_G)}{I_{VV}} M_V \quad (10)$$

Here, it is assumed that the residual hull girder strength in the sagging condition M_V^u is attained when a critical member at the location of $(y_C - z_C)$ reached its ultimate strength, σ_C^u , namely for Case 1

$$M_V^u|_{CASE\ 1} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \sigma_C^u \quad (11)$$

And for Case 2

$$M_V^u|_{CASE\ 2} = \frac{I_{VV}}{(z_C - z_G)} \sigma_C^u \quad (12)$$

Therefore, the reduction rate of the residual strength due to the rotation of the neutral axis in the framework of the proposed approximate approach is given by ratio of Eq. (12) to Eq. (13) as

$$\frac{M_V^u|_{CASE\ 1}}{M_V^u|_{CASE\ 2}} = \frac{I_{HH} I_{VV} - I_{HH}^2}{-(y_C - y_G) I_{HV} + (z_C - z_G) I_{HH}} \frac{(z_C - z_G)}{I_{VV}} \quad (13)$$

CASE STUDY

Two single-hull bulk carriers, B1 and B4, and one double-hull oil tanker, T2, are taken as the subject ships as shown in Table 1. Ship B1 is designed according to Pre-UR rule and built in 1987 and Ship B4 according to CSR-B having larger cross section and scantling sizes. Ship T2 is designed according to CSR-T.

Ship	B1	B4	T2
L (mm)	217,000	219,000	234,000
B (mm)	32,236	32,240	44,000
D (mm)	18,300	19,900	21,200
Design criteria	Pre-IACS UR	IACS CSR-B	IACS CSR-T

Table 1 Subject ships

The damage of the upper part of side shell due to collision is assumed. The vertical damage extent is taken as 10%, 20%, 40% and 70% of the depth D for both bulk carrier and tanker. The horizontal damage extent is taken as $B/16$, and it is kept constant for all damaged cases. The damaged cross sections of Ship B1 are illustrated in Fig. 2 and those of Ship T2 in Fig. 3. The stiffness of the elements in the damaged area is completely removed. For the double hull tanker, only outer side shell is assumed to be damaged. The locations of the critical deck element are presented in Fig. 4 for single hull bulk carrier and double hull oil tanker, respectively.




Fig. 2 Single hull bulk carrier (Ship B1)






Fig. 3 Double hull oil tanker (Ship T2)



(a) Single hull bulk carrier



(b) Double hull oil tanker

Fig. 4 Locations of the critical deck elements

RESULT AND DISCUSSION

The results obtained by progressive collapse analysis under sagging condition for 20% and 70% damage are presented in Fig. 5 and Fig. 6, respectively. Case1 considers the rotation of neutral axis and Case 2 does not. The mome-curvature relationship is given as follow,




Fig. 5 Single hull bulk carrier (Ship B1) with 20% damage




Fig. 6 Single hull bulk carrier (Ship B1) with 70% damage




Fig. 7 Single hull bulk carrier (Ship B2) with 20% damage




Fig. 8 Single hull bulk carrier (Ship B2) with 70% damage




Fig. 9 Double hull oil tanker (Ship T2) with 20% damage

Fig. 7 and Fig. 8 shows the results of the mome-curvature relationship obtained by progressive collapse analysis for single hull bulk carrier (B2). It is found that Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The effect is largest in Ship B1, smaller in Ship B4, and

almost negligible in Ship T2. For Ship B1, Case 1 strength is 7.3% smaller than Case 2 in sagging condition. The difference between Ship B1 and Ship B4 may be related to that of the depth to breadth ratio, member scantlings etc. Fig. 9 and Fig. 10 represent the moment-curvature relationship under sagging condition for double hull oil tanker (T2) for 20% and 70% of damaged, respectively. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.




Fig. 10 Double hull oil tanker (T2) with 70% damage

The investigation of the residual hull girder strength under sagging condition is performed by taking two locations of the critical deck elements as shown in Fig. 4.

hatch coaming on the damage side. For the case of double hull oil tanker (T2), L_1 is located at the center line and L_2 at the distance of $B/4$ from the damage side shell.

The residual strengths of Ship B1, Ship B2 and Ship T2 obtained for the four different damage extents are summarized in Fig. 11. It is found that Eq. (11) gives an estimate of the residual strength which is in good agreement with the result of the progressive collapse analysis. For bulk carriers, the critical element at the location L_2 gives a better estimate of the residual strength. This is consistent with the observed collapse behavior in which the ultimate strength is attained when topside tank region of the damage side almost fully failed. The location L_1 cannot well take account of the effect of the horizontal curvature induce by M_V , resulting in the slight overestimate of the strength. In the case of tankers, the location L_1 gives better estimate of the residual strength than L_2 . This is also consistent with the failure behavior of T2 in which the ultimate strength is attained when the deck part almost fully failed.

Fig. 12 shows the comparison the reduction rates of the residual strength due to rotation of the neutral axis obtained by Eq. (13) and progressive collapse analysis. The influence of the rotation of the neutral axis is larger for a larger damage extent in general. For the case of the subject ships and damages under consideration, the influence is larger in bulk carriers than in tankers. Eq. (13) gives a relatively good estimate of the reduction rate. It can be a good basis of a rational expression of the influence of the rotation of the neutral axis on the reserved hull girder strength, as required in ship structural. More systematic analyses are definitely needed to develop the formula having larger applicability in ship types and damaged cases.





Fig. 11 Comparison of residual hull girder strength M_V between the simplified method and the progressive collapse analysis

Single hull bulk carrier (B1 and B2), the locations of the critical element are L_1 and L_2 , L_1 is located at the center line and L_2 at the






Fig. 12 Comparison of reduction ratio of residual hull girder due to rotation of neutral axis between the simplified method and the progressive collapse analysis (Case 1/Case 2)

CONCLUSIONS

The ultimate hull girder strength analysis of single hull bulk carriers and a double hull oil tanker with asymmetrically damaged has been performed using the simplified approach under sagging condition by performing the elastic cross-sectional properties and critical member elements. A closed form formulae of residual strength and that of the reduction ratio of the residual strength due to the rotation of neutral axis are proposed. It is found through a comparison with the results obtained by the progressive collapse analysis that the residual hull girder strength of asymmetrically damaged ships under sagging bending moment can be predicted by the proposed formulae with a reasonable accuracy.

The ultimate strength obtained by Case 2 generally gives larger ultimate strength than Case 1 because the horizontal curvature is constrained. The effect is largest in Ship B1, smaller in Ship B4, and almost negligible in Ship T2. The difference between Ship B1 and Ship B4 may be related to that of the depth to breadth ratio, member scantlings etc. According to the result obtained by progressive collapse analysis of double hull oil tanker (Ship T2), the effect of rotation of neural axis on the ultimate longitudinal bending strength is small when only the outer side shell is damaged.

REFERENCES

- Choung, J, Nam, JM and Ha, TB (2011). "A New Convergence Criterion of Progressive Collapse Method for the Assessment of Residual Ultimate Strength of Asymmetrically Damaged Hulls," *Proc 25th Asian-Pacific Technical Exchange and Advisory Meeting on Marine Structure*, TEAM, Incheon, Korea, 143-150.
- Fang, C and Das, PK (2004). "Hull Girder Ultimate Strength of Damaged Ship," *Proc 9th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Luebeck-Travemuende, Germany, Vol 1, pp 309-316.
- Hussein, AW and Guedes Soares, C (2009). "Reliability and Residual Strength of Double Hull Tankers Designed According to the New IACS Common Structural Rules," *Ocean Engineering*, Vol 36, 1446-1459.
- IACS (2010). Common Structural Rules for Bulk Carriers and Double Hull Oil tankers.
- International Maritime Organization (2009). "Goal-Based New Ship Construction Standards," MSC 86/5.
- Notaro, G, Kippenes, J, Amlashi, H, Russo, M and Steen, E (2010). "Residual Hull Girder Strength of Ships with Collision or Grounding Damages," *Proc 11th Int Sym on Practical Design of Ships and Other Floating Structures*, PRADS, Rio de Janeiro, Brazil, pp 941-951.
- Ozguc, O and Bartrop, NDP (2008). "Analysis on the Hull Girder Ultimate Strength of a Bulk Carrier Using Simplified Method Based on an Incremental-Iterative Approach," *J Offshore Mechanics and Arctic Engineering*, Vol 130, 021013-1.
- Paik, J K, Thayamballi, AK and Jung, S C (1996). "Ultimate Strength of Ship Hulls under Combined Vertical Bending, Horizontal Bending and Shearing Forces," *Trans SNAME*, Vol 104, 31-59.
- Paik, JK, Thayamballi, AK and Yang, SH (1998). "Residual Strength Assessment of Ships after Collision and Grounding," *Marine Technology*, Vol 35, 38-54.
- Smith, CS (1977). "Influence of Local Compression Failure on Ultimate Longitudinal Strength of a Ship's Hull," *Proc Int Sym on Practical Design of Shipbuilding*, PRADS, Tokyo, Japan, 73-79.
- Smith, MJ and Pegg, NG (2003). "Automated Assessment of Ultimate Hull Girder Strength," *J Offshore Mechanics and Arctic Engineering*, Vol 125, 211-218.
- Yao, T. and Nikolov, P.I. (1992). "Progressive Collapse Analysis of a Ship's Hull Girder under Longitudinal Bending (2nd Report)," *J Soc. Naval Arch. of Japan*, 172, 437-446.

TRANSFER OF COPYRIGHT

(Papers will not be published unless this Form is signed and returned.)

Under the terms of the Copyright Law, The Society is required specifically to obtain a written transfer of copyright from all authors in order to hold copyright on the transactions Journal papers and technical papers presented at the conference or symposium. Verbatim reproduction of this paper by anyone or republication by the authors, after the publication or presentation at the meeting below, will be permitted by The Society provided full credit is given to the author(s) and to the conference, symposium or journal, specifically spelled out. The permission does not extend to copying for resale. The purpose in this copyrighting is to control, when necessary, abuses of the privileges. The statements and opinions advanced in papers are understood as individual expressions of their authors, not of The Society or publisher.

In submitting the paper listed below to the meeting, I hereby transfer the Copyright and attendant privileges to The International Society of Offshore and Polar Engineers.

Paper No. JC-708
Paper Title Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships

☒ International Journal of Offshore and Polar Engineering

☐ Presentation at the meeting (conference, symposium, or other): _____

I certify that to the best of my knowledge this paper will represent (check one box):

- ☒ The first publication of original publication, and this paper has neither been published nor submitted elsewhere for publication.
☐ An original compilation of information from a number of sources with specific references

Check appropriate box only if you wish:

☐ This paper was produced in the course of my employment by the U.S. Government and hence is in the public domain.

(Lead Author) Signature [Signature] Date 20-12-2016

Author Muhammad Zubair Muis Alie
First Middle LAST

Co./Univ Hasanuddin University
Mailing Address Jalan Poros Malino km.6 Bontomarannu
Kampus Fakultas Teknik UNHAS Gowa

E-mail/Fax: zubair.m@eng.unhas.ac.id

(3) Signature _____ Date _____

Co-author First Middle LAST

Co./Univ _____
Mailing Address _____

E-mail/Fax: _____

(2) Signature _____ Date _____

Co-author First Middle LAST

Co./Univ _____
Mailing Address _____

E-mail/Fax: _____

(4) Signature _____ Date _____

Co-author First Middle LAST

Co./Univ _____
Mailing Address _____

E-mail/Fax: _____

This form may be copied for use by individual authors.



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE paper JC-708: Re-review is completed (rev)

Claude Chung <isope4@gmail.com>

Fri, Mar 24, 2017 at 4:40 AM

To: Muhammad Zubair Muis Alie <zubair.m@eng.unhas.ac.id>

Cc: Jin S Chung <isope@sbcglobal.net>, Janice Chung <isope-2@sbcglobal.net>

Ref. IJOPE Paper JC-708, "Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships"

Dear Dr. Muis Alie,

Re-review has been completed on your paper.

In the opinion of the reviewers, with which I also agree, your paper in its present revised form is still not judged to be acceptable for publication in the Journal, but you may revise it one more time according to the comments in the attached file and below.

Reviewer 2:

I think it is OK except the following one point.

In the article just before equation4, equation 9 is referred. Please change from "Eqs. 9 and (10)" to "Eqs. (9) and (10)".

Also, Reviewer 3 found your response to his review comments unsatisfactory, so we recommend that you provide a more helpful response along with any related revisions.

Please confirm when you receive this message and whether you will be able to submit your further revised paper by **April 6**.

Sincerely yours,

Prof. Jin S Chung, Technical Editor

IJOPE

JSC/cc

 **JC-708 Muis Alie-Rereview-Reviewer1.pdf**
233K



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE paper JC-708: Review is completed

Claude Chung <isope4@gmail.com>

Sat, Jan 28, 2017 at 5:27 AM

To: Muhammad Zubair Muis Alie <zubair.m@eng.unhas.ac.id>

Cc: ISOPE <isope@sbcglobal.net>, Janice Chung <isope-2@sbcglobal.net>

Ref. IJOPE Paper JC-708, "Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships"

Dear Dr. Muis Alie,

Review has been completed on your paper. In the opinion of the reviewers, with which I also agree, your paper in its present form is not judged to be acceptable for publication in the International Journal of Offshore and Polar Engineers (IJOPE). Some of the reasons for this decision are contained in the reviewer comments, which are attached for your information.

If you wish, you may revise the paper thoroughly based on the reviewer comments and resubmit for further journal evaluation. If so, please promptly let us know approximately when you plan to submit the revised paper (within one month). Thank you.

Sincerely yours,

Prof. Jin S Chung, Technical Editor

IJOPE

JSC/cc

Attachments: Reviews (3), Author Information

5 attachments

 **JC-708 Muis Alie-Review1.pdf**
154K

 **JC-708 Muis Alie-Review2.pdf**
73K

 **JC-708 Muis Alie-Review3.pdf**
408K

 **ijope-Info-Au-042616.pdf**
49K

 **CALL-2018 Sapporo-1020DL-0113.pdf**
654K



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

IJOPE Paper JC-708, Received Your MS

Claude Chung <isope4@gmail.com>

Sat, Dec 17, 2016 at 8:55 AM

To: zubair.m@eng.unhas.ac.id

Cc: ISOPE <isope@sbcglobal.net>, Janice Chung <isope-2@sbcglobal.net>

December 16, 2016

IJOPE Paper No. JC-708 "Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships"

Dear Dr. Muis Alie,

Thank you for your manuscript for possible publication in the International Journal of Offshore and Polar Engineering (IJOPE). Promptly return the copyright form in order to initiate peer-review.

As soon as the manuscript has been reviewed and evaluated, **Professor Jin S. Chung** (ISOPE, USA) will advise you as to the recommendation for its acceptability. Any changes in length, content, or style that seem desirable will be indicated. This evaluation requires at least two months, and frequently longer, but we will do our best not to delay the review process unnecessarily. Until then, please keep all the illustration files with you. In case you are not notified as to the review results in three months, please contact me.

We would like to thank you for sending your paper to our Journal. In future correspondence, please refer to this paper by its number above.

Sincerely yours,

Claude Chung, Managing Editor

IJOPE

Encl. Copyright, Author Information

4 attachments



Copyright-J-2016-EZ-fill.pdf

80K



ijope-Info-Au-042616.pdf

49K



Form-New Memb-2017-EZ-fill.pdf

323K



CALL-2018 Sapporo-1020DL-1203.pdf

310K



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

Re: IJOPE paper JC-708 Newly Revised

Claude Chung <isope4@gmail.com>

Thu, Mar 2, 2017 at 1:42 AM

To: Zubair <zubair.m@eng.unhas.ac.id>

Dear Dr. Muis Alie,

Thank you for the revised manuscript. Could you please also send a file that highlights the changes made in this version? It will be very helpful to complete the review process. Thank you.

Best regards,

Claude
For Prof. Jin S. Chung
IJOPE

On 2/28/17, 5:23 PM, "Zubair" <zubair.m@eng.unhas.ac.id> wrote:

>Dear Claude Chung

>

>I have revised my full paper according to reviewers comments.

>Thank you and looking forward for your information.

>

>Sincerely yours,

>Muhammad Zubair Muis Alie

>

>

>

>

>

>On 2017-01-31 02:40, Claude Chung wrote:

>> Dear Dr. Muis Alie,

>>

>> Please let us know if you will need more than one month to revise your paper. Thank you.

>>

>> Best regards,

>>

>> Claude
>> For Prof. Jin S. Chung
>> IJOPE
>>
>> On 1/30/17, 5:56 AM, "Zubair" <zubair.m@eng.unhas.ac.id> wrote:
>>
>>> Dear Claude Chung
>>>
>>> Thank you for your information regarding my article and i am sorry for
>>> my late reply. I will revise my article based on the reviewers
>>> comments.
>>> Please give me time to revise it.
>>> Again, thank you so much.
>>>
>>> Sincerely yours,
>>> Muhammad Zubair Muis Alie
>>>
>>>
>>> On 2017-01-28 04:27, Claude Chung wrote:
>>>> Ref. IJOPE Paper JC-708, "Simplified Approach on the Ultimate Hull
>>>> Girder Strength of Asymmetrically Damaged Ships"
>>>>
>>>> Dear Dr. Muis Alie,
>>>>
>>>> Review has been completed on your paper. In the opinion of the
>>>> reviewers, with which I also agree, your paper in its present form is
>>>> not judged to be acceptable for publication in the International
>>>> Journal of Offshore and Polar Engineers (IJOPE). Some of the reasons
>>>> for this decision are contained in the reviewer comments, which are
>>>> attached for your information.
>>>>
>>>> If you wish, you may revise the paper thoroughly based on the
>>>> reviewer
>>>> comments and resubmit for further journal evaluation. If so, please
>>>> promptly let us know approximately when you plan to submit the
>>>> revised
>>>> paper (within one month). Thank you.
>>>>
>>>> Sincerely yours,
>>>>
>>>> Prof. Jin S Chung, Technical Editor
>>>>
>>>> IJOPE
>>>>

>>>> JSC/cc

>>>>

>>>> Attachments: Reviews (3), Author Information



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

Re: IJOPE paper JC-708: Newly Revised

Claude Chung <isope4@gmail.com>
To: Zubair <zubair.m@eng.unhas.ac.id>
Cc: Jin S Chung <jschung@isope.org>

Fri, Apr 28, 2017 at 2:21 AM

Dear Dr. Muis Alie,

Reviewer 3 had the following assessment of your validation:

The attached validation file contains six curvature -Moment plots. They are detailed data to support Fig.11 results. That is, Fig. 11 compares only peak values for six cases but the plots of the attached validation file contains entire curves. These are not additional validation works and don't match with my comments.

If you would like to respond to this comment, please send me your response by May 5, and I will forward to the reviewer. Thank you.

Best regards,

Claude
For Prof. Jin S. Chung
IJOPE

On 4/6/17, 4:47 PM, "Zubair" <zubair.m@eng.unhas.ac.id> wrote:

>Dear Claude Chung
>
>
>Attachment, please find the revision of my full paper including response
>from the reviewer's comments. The sentence with color and underlined is
>newly revised. I also prepare a validation of the ultimate strength
>based on the 3rd reviewer comment as the previous email. The validation
>of the ultimate strength is taken for 20% damage of Single Hull Bulk
>Carrier (Ship B1 and Ship B2) and a Double Hull Oil Tanker (Ship T2).
>Thank you.

>
>Faithfully yours,
>Muhammad Zubair Muis Alie
>
>
>
>On 2017-03-24 03:40, Claude Chung wrote:
>> Ref. IJOPE Paper JC-708, "Simplified Approach on the Ultimate Hull
>> Girder Strength of Asymmetrically Damaged Ships"
>>
>> Dear Dr. Muis Alie,
>>
>> Re-review has been completed on your paper.
>>
>> In the opinion of the reviewers, with which I also agree, your paper
>> in its present revised form is still not judged to be acceptable for
>> publication in the Journal, but you may revise it one more time
>> according to the comments in the attached file and below.
>>
>> Reviewer 2:
>>
>> I think it is OK except the following one point.
>>
>> In the article just before equation4, equation 9 is referred. Please
>> change from "Eqs. 9 and (10)" to "Eqs. (9) and (10)".
>>
>> Also, Reviewer 3 found your response to his review comments
>> unsatisfactory, so we recommend that you provide a more helpful
>> response along with any related revisions.
>>
>> Please confirm when you receive this message and whether you will be
>> able to submit your further revised paper by APRIL 6.
>>
>> Sincerely yours,
>>
>> Prof. Jin S Chung, Technical Editor
>>
>> IJOPE
>>
>> JSC/cc



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

Re: IJOPE Paper JC-708, Galley Proof due April 12

Claude Chung <isope4@gmail.com>

Fri, Apr 13, 2018 at 8:37 AM

To: Zubair <zubair.m@eng.unhas.ac.id>

Dear Dr. Muis Alie,

Yes, I did receive your email, including the Reprint Order form, which I forwarded to the ISOPE Office. They should have emailed you asking for your full mailing address and phone number for shipping purposes.

Best regards,

Claude Chung
Managing Editor
IJOPE

On 4/12/18, 5:23 PM, "Zubair" <zubair.m@eng.unhas.ac.id> wrote:

>Dear Claude Chung
>Managing Editor of IJOPE

>

>

>I just would like to confirm that did you receive this email ?
>Something problem with our email administrator system.

>

>

>Sincerely yours,
>Muhammad Zubair Muis Alie

>

>

>----- Original Message -----

>Subject: Re: IJOPE Paper JC-708, Galley Proof due April 12

>Date: 2018-04-12 16:06

>From: Zubair <zubair.m@eng.unhas.ac.id>

>To: Claude Chung <isope4@gmail.com>

>Cc: jschung@isope.org

>

>Dear Claude Chung

>Managing Editor of IJOPE
>cc : Professor Jin S Chung
>
>I have checked my full paper with the title "Simplified Approach on the
>Ultimate Hull Girder Strength of Asymmetrically Damaged Ships." with "No
>corrections".
>
>I also attach the Journal Reprint Order Form according to the previous
>attachment. Please check of this form whether if it is wright or wrong.
>
>Thank you and looking forward for your reply.
>
>
>Faithfully yours,
>Muhammad Zubair Muis Alie
>
>
>
>On 2018-04-10 23:59, Claude Chung wrote:
>> *
>> *
>> *
>>
>> Dear Dr. Muis Alie,
>>
>> See attached for your galley proof of Journal Paper JC-708 "Simplified
>> Approach on the Ultimate Hull Girder Strength of Asymmetrically
>> Damaged Ships."
>>
>> Please E-mail (with annotation for corrections on the PDF itself) back
>> to me at isope4@gmail.com with cc: to Prof. Chung at
>> "jschung@isope.org" with your corrections by APRIL 12 our time.
>>
>> Please take care to double-check ALL equations and figures to ensure
>> that they were transcribed correctly. Your close attention is
>> required. Per journal policy, replacing figures at this stage (except
>> in case of our error) will incur a \$100/figure charge.
>>
>> Your timely response is essential for our scheduling purposes and will
>> be appreciated. Even if there are no corrections, your reply with "No
>> corrections" is required.
>>
>> * Reprint form is attached.
>>
>> Sincerely,

>>
>> Claude Chung
>>
>> Managing Editor
>>
>> ISOPE
>>
>> isope4@gmail.com; www.isope.org [1]
>>
>>
>>
>> Links:
>> -----
>> [1] <http://www.isope.org>



Muhammad Zubair Muis Alie, Ph.D <zubair.m@eng.unhas.ac.id>

RE: IJOPE Paper JC-708, Reprints

isope-2@sbcglobal.net <isope-2@sbcglobal.net>

Fri, Aug 31, 2018 at 5:56 AM

To: Muhammad Zubair Muis Alie <zubair.m@eng.unhas.ac.id>

Cc: zubair.m@eng.unhas.ac.id

Dear Dr. Muis Alie,

First I apologize for the delay in sending you your Journal paper reprints. During the April madness of conference paper final PDFs, it fell through the cracks, and only now we are shipping 100 reprints of your paper (printed in June issue), by DHL courier service.

Sorry again.

Janice

ISOPE, [495 North Whisman Road, Suite 300](#)

[Mountain View, California 94043, USA](#)

T 1-650-254-1871; F 1-650-254-2038; isope-2@sbcglobal.net; isope-2@isope.org

[www. isope.org](http://www.isope.org)

From: isope-2@sbcglobal.net <isope-2@sbcglobal.net>

Sent: Thursday, April 12, 2018 9:57 AM

To: 'Muhammad Zubair Muis Alie' <zubair.m@eng.unhas.ac.id>

Subject: RE: IJOPE Paper JC-708, Galley Proof due April 12

Dear Dr. Muis Alie,

We received your Reprint order. We ship reprints by DHL courier service, and we need your contact phone number as well as your full mailing address.

Regards,

Janice

ISOPE

495 North Whisman Road, Suite 300, Mountain View, CA 94043, USA

Fax 1-650-254-2038; Tel 1-650-254-1871

isope-2@sbcglobal.net; isope-2@isope.org; www.isope.org

From: Claude Chung [<mailto:isope4@gmail.com>]
Sent: Tuesday, April 10, 2018 10:00 AM
To: Muhammad Zubair Muis Alie
Cc: Jin S Chung; Janice Chung
Subject: IJOPE Paper JC-708, Galley Proof due April 12

Dear Dr. Muis Alie,

See attached for your galley proof of Journal Paper JC-708 "Simplified Approach on the Ultimate Hull Girder Strength of Asymmetrically Damaged Ships."

Please E-mail (with annotation for corrections on the PDF itself) back to me at isope4@gmail.com with cc: to Prof. Chung at "jschung@isope.org" with your corrections by **April 12** our time.

Please take care to double-check ALL equations and figures to ensure that they were transcribed correctly. Your close attention is required. Per journal policy, replacing figures at this stage (except in case of our error) will incur a \$100/figure charge.

Your timely response is essential for our scheduling purposes and will be appreciated. Even if there are no corrections, your reply with "No corrections" is required.

* Reprint form is attached.


Sincerely,

Claude Chung


Managing Editor

ISOPE


isope4@gmail.com; www.isope.org




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B1) with 20% damage for Case 1.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B1) with 20% damage for Case 2.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B2) with 20% damage for Case 1.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B2) with 20% damage for Case 2.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of double hull oil tanker (Ship T2) with 20% damage for Case 1.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of double hull oil tanker (Ship T2) with 20% damage for Case 2.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B1) with 20% damage for Case 1.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B1) with 20% damage for Case 2.




Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B2) with 20% damage for Case 1.



Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of single hull bulk carrier (Ship B2) with 20% damage for Case 2.



Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of double hull oil tanker (Ship T2) with 20% damage for Case 1.



Validation of **HULLST** with **Beam Theory** for the ultimate strength in Sagging condition of double hull oil tanker (Ship T2) with 20% damage for Case 2.