

The Potential Of Rice Husk For Electrical Energy Generation In South Sulawesi, Indonesia

Yusran, Hanser Aprusmin, Untung S. Rumengan, Gassing, Indar Chaerah G, Tajuddin Waris, Ikhlas Kitta

Departement of Electrical Engineering
Hasanuddin University
Makassar, Indonesia
yusranibnu@yahoo.com

Abstract—The alternative energy searching for electrical generation should be pursued, along with fossil fuel reserves reducing. The rice husk is a biomass type with very abundant availability in South Sulawesi and had not been utilized optimally for electrical generation. Currently, the average production of rice husk in South Sulawesi around 964,359.64 tons/year and increases every year. Based on linear regression method, the rice husk production in 2024 estimated at 2,055,762 tons. The results showed that 1 kg of rice husk is able to generate 1.3 kWh of electrical energy. For South Sulawesi, rice husk can generate 305 MW electrical power in 2024.

Index Terms—biomass, rice husk, electrical energy, South Sulawesi

I. INTRODUCTION

The population growth and economical development in an area will correlate with the electric energy consumption growth. Now, the regional development is largely determined by the availability of electrical power infrastructure. The development acceleration in South Sulawesi requires the availability of electrical power in sufficient quantities. The new industrial park development will contribute for large electrical power supply. The growth of electrical power needs indicates increasingly year to year. The electrical peak load projection in South Sulawesi Province for year 2016 – 2024 is shown in Table 1.

TABLE 1 SOUTH SULAWESI LOAD PEAK GROWTH PREDICTION 2016-2024 [1]

No	Year	Economic Growth (%)	Load Peak (MW)
1	2016	8.9	941
2	2017	9.4	1.128
3	2018	9.7	1.383
4	2019	9.9	1.502
5	2020	9.5	1.683
6	2021	9.5	1.822
7	2022	9.5	1.975
8	2023	9.5	2.143
9	2024	9.5	2.326
10	2025	9.5	2.527
Growth		11.9 %	11.7 %

The average of South Sulawesi economic growth projection is 11.9 %. The economic growth have a correlation with the electrical load growth. In 2016, the projection of peak load will reach 1,002 MW. In 2024, the peak load will reach more than twice comparing to 2016 year. The value is around 2,449 MW.

The increasing needs of electrical power annually, of course require a solution in the form of electrical infrastructure development. The action consider such as power plants, transmission lines, substations and distribution networks development.

For electrical power plant, it takes effort to find new and renewable energy-source. The alternative energy sources are basically widely available. For example: solar energy, wind energy, hydropower, ocean energy, geothermal, etc. The alternative energy sources searching for electrical energy generation must be pursued, along with fossil fuel reserves reducing.

In addition there is an alternative energy source that may be less known, namely biomass. The biomass is one of alternative energy to generate electrical power [2]. The rice husk is a biomass type with very abundant availability in South Sulawesi, Indonesia.



Fig 1. The rice husk

The rice husk is the coating of seed or grain of rice. The husk protects the seed during the growing season, since it is formed from hard materials, including opaline silica and lignin. The husk is mostly indigestible to humans. The rice husk is hard layer covering kariopsis which consists of two parts, called lemma and palea that are interlocked. In the process of milling, paddy will be separated from the grain of rice and are made of waste grinding. At each millers, we will see piles of rice husk mountains even higher and higher.

The rice husk waste in South Sulawesi are generally not utilized, more than 80%. The small portion of rice husk had been used for industry fuel ($\pm 12\%$), and compost/fertilizer ($\pm 3\%$). Approximately, less than 3% used for the base of the enclosure, especially for the chicken coop, heap and household using. The detail data are shown in Table 2.

TABLE 2 PERCENTAGE OF RICE HUSK UTILIZATION IN SOUTH SULAWESI [3]

No	Utilization	Percentage (%)
1	Fertilizer	3.29
2	Small Industrial Fuel	12.40
3	Other	2.82
4	Not Utilized	81.49
Total		100

The rice husk industrial users as a fuel mainly rice mill, corn dryers, industrial bricks, and ceramics. The waste husk was found piled in locations millers, left such a way and can be taken for free by the public or users. Based on the interview, the rice milling industry and maize dryers have utilized husk as fuel and willing to pay compensation for the price about Rp 200,000/ton.

From the rice milling process usually acquired approximately 20-30% of rice husk. The rice husk has 3300-3600 kcal/ kg calorie content. Currently, rice husk as fuel only used in the rice milling, corn dryers, industrial bricks, and ceramics.

This study aimed to determine the rice husk potential as an alternative energy source for steam power plant in South Sulawesi. The paddy and rice husk production forecasting performed by linear regression method.

II. THE RICE HUSK POTENTIAL

The South Sulawesi Province is the fourth largest rice producer in Indonesia and thus also has very large potential production of rice husk. From the total paddy production, we can get around 20% rice husk production. In 2010,2011, 2012 and 2013 paddy production reached each 4,345,806, 4,478,915, 4,941,264, and 4,916,911 tons. The paddy production indicated increasing every year.

Finally in 2014, South Sulawesi paddy production increased to 5,426,096 tons. The paddy production data in South Sulawesi Province are shown in Table 3. The rice husk production data are shown in Table 4. The data of of rice husk production is obtained through data processing based on below formula:

$$\text{Production of Rice Husk} = 20\% \times \text{Paddy Production} \quad (1)$$

TABLE 3 THE PADDY PRODUCTION IN SOUTH SULAWESI PROVINCE 2010-2014 [4]

No	Year	Paddy Production (Ton)
1	2010	4,345,806
2	2011	4,478,915
3	2012	4,941,264
4	2013	4,916,911
5	2014	5,426,096

TABLE 4 THE RICE HUSK PRODUCTION IN SOUTH SULAWESI PROVINCE 2010-2014

No	Year	Rice Husk Production (Ton)
1	2010	869,161
2	2011	895,783
3	2012	988,253
4	2013	983,382
5	2014	1,085,219

Source : Calculation Result

The paddy and rice husk production forecasting in South Sulawesi until 2024 conducted by simple linear regression of Y and X, using the least square method. The forecasting using trend analysis based on the dependent variable and X as specific variable.

If the variable of X is already known, it can be used to predict or estimate the Y value. The trend analysis using simple linear regression coefficient, in which a set of data is a number that was obtained within a certain period. The trend analysis may yield curve a straight line/simple linear Y and X, formulated by:

$$Y = a + bX \quad (2)$$

With Y as the dependent variable, the amount of power connected forecasting results in a given year, and X as a determinant variable is a variable year. The values a and b calculated by the formula:

$$a = \frac{\sum Y \cdot \sum X^2 - \sum X \cdot \sum X \cdot Y}{n \sum X^2 - (\sum X)^2} \quad (3)$$

$$b = \frac{\sum Y \cdot \sum XY - \sum X \cdot \sum Y}{n \sum X^2 - (\sum X)^2} \quad (4)$$

The using of the formula (3) and (4) needed a pair of data of the X and Y. The data prepared in the table. The columns X and Y can be written according to their meanings. The column X contains $x_1, x_2, x_3, \dots, x_n$ which in fact contains a number of the observations determinant variables X. Similarly with the column Y, the value of X and Y in the form of a couple pairing with $y_1, x_1, x_2, y_2, x_n, y_n$.

The South Sulawesi paddy and rice husk production forecasting are shown in Table 5. In 2016, paddy production estimated 8,199,947 tons and rice husk production around 1,639,989 tons. In 2024, the paddy production will increase to 10,278,808 ton. The rice husk will increase to 2,055,762 ton.

Based on the forecasting, the paddy and rice husk production increase every year.

TABLE 5 THE RICE HUSK PRODUCTION FORECASTING IN SOUTH SULAWESI 2016-2024

Year	Paddy Production (Tons)	Rice Husk Production (Tons)
2016	8,199,947	1,639,989
2017	8,459,804	1,691,961
2018	8,719,662	1,743,932
2019	8,979,520	1,795,904
2020	9,239,377	1,847,875
2021	9,499,235	1,899,847
2022	9,759,093	1,951,819
2023	10,018,950	2,003,790
2024	10,278,808	2,055,762

III. THE ELECTRICAL ENERGY FROM RICE HUSK

The rice husk has 3300 kcal / kg calorific value. For 1 kWh of electrical energy need 0.8 kg rice husk. Thus, 1 kg of rice husk can produce 1.3 kWh electrical energy. From the prediction of rice husk, the prediction of electrical energy generating was made. The prediction of electrical energy that can be generated by rice husk is shown in Table 6.

TABLE 6 THE RICE HUSK PRODUCTION FORECASTING IN SOUTH SULAWESI 2016-2024

Year	Energy (GWh)*	Equivalent of Power (MW)*	Peak Load (MW)**	Power Percentage*
2016	2,064	243	941	25.8
2017	2,131	251	1,128	22.3
2018	2,199	259	1,383	18.7
2019	2,267	266	1,502	17.7
2020	2,334	274	1,683	16.3
2021	2,402	282	1,822	15.5
2022	2,469	290	1,975	14.7
2023	2,537	297	2,143	13.9
2024	2,604	305	2,326	13.1
Average	2,334	274.1	1,655.9	17.5

*Source : The calculation results

** Source : PLN Electricity Supply Business Plan 2015-2024 [4]

IV. THE FLUIDIZED BED COMBUSTION TECHNOLOGY

The fluidized bed combustion (FBC) technology has advantage to convert various types of material like rubbish, waste, biomass or fossil fuels low calorie. The FBC is one of the best technology to convert rice husk into electricity. The FBC have operating temperatures between 800-900°C so it is an environmentally friendly technology [5].

The higher combustion efficiency may be obtained from FBC technology when compared to conventional combustion systems. This is caused by very good heat transfer process in the system. In the energy conversion process with FBC technology, the combustion chamber initially heated externally to near operating temperature. The overlay material

(bed material) that using commonly to heat absorbing is silica sand [5],[6].




Fig 2. The FBC schematic diagram for rice husk fuel [5]

V. THE RICE HUSK UTILIZATION CHALLENGING FOR ALTERNATIVE ENERGY SOURCES

The rice husk has enormous potential as an alternative energy source for electricity generation in South Sulawesi Province, but there are some challenging for utilization as follows:

1. Collection and Transport Processes

The rice husk existence in South Sulawesi are scattered in various areas on small-scale mills. This of course would pose an obstacle in the collection process. The rice husk collection also entails substantial costs given the rice husk properties (bulky). This is further complicated by the lack of rice husk compaction means more efficient and easier. So that the transport process requires more transportation vehicles.

2. Storage

The rice husk storage would require a very large warehouse considering very light weighting (low bulk density), amount of 70-110 kg/m³. The rice husk storage in a long time also require additional costs to maintain the rice husk condition.

From these challenging, it is suitable to develop electrical power plant with distributed generation model rather than central generation [7],[8].

VI. CONCLUSION

1. The rice husk potential production in South Sulawesi Province is very large. The rice husk production in 2024 was predicted 2,055,762 tons. The rice husk can be used as an alternative fuel for steam power plant.
2. The electrical energy consumption of South Sulawesi will be increase year to year and rice husk assumed supplying 305 MW electrical power in 2024.

REFERENCES

- [1] Ministry of Energy and Mineral Resources of Indonesia Republic, "Electrical Power Supply Business Planning PLN 2016-2024, 2016.

- [2] Yokoyama Shinya, "Asia Biomass Handbook" The Japan Institute of Energy, 2008.
- [3] Basir Nappu, "The Distribution Potential of Waste Paddy and Corn with Its Utilization in South Sulawesi", Agricultural Technology Innovation National Conference, 2013.
- [4] South Sulawesi Central Bureau of Statistics, "South Sulawesi Province In Number", 2015.
- [5] I Nyoman Suprpta Winaya, "The Energy Prospects of Rice Husk with Fluidized Bed Combustion Technology" Journal of Inovasi Vol.11/XX/2008, 2008.
- [6] Andy Chandra, et al, "Isolation and Characteristics of Silica from Rice Husk", Katolik Parahyangan University, 2012.
- [7] Yusran, Ashari, M., and Soeprijanto, A., "Optimization Scheme of Distributed Generation Installation Growth Considering Network Power Quality", Journal of Theoretical and Applied Information (JATIT), Vol. 53, No.1, pp. 30-39, 2013.
- [8]. Yusran, "Electrical Network Power Quality Improvement Through Distributed Generation Optimum Placement Based on Breeder Genetic Algorithm Method" The 4th Makassar International Conference on Electrical Engineering and Informatics (MICEEI), 2014.

ISBN: 978-602-60436-0-3

**THE 3rd
INTERNATIONAL SYMPOSIUM
on
SMART MATERIAL AND
MECHATRONICS 2016**

Editors:

- Rafiuddin Syam, PhD - Hsanuddin University - Indonesia
- Prof. Keigo Watanabe - Okayama University - Japan
- Prof. Mitsuhiro Okayasu - Okayama University - Japan
- Prof. Shibata Satoru - Ehima University - Japan



**FACULTY OF ENGINEERING
UNIVERSITY OF HASANUDDIN**

Makassar-Gowa, 15-17 November 2016
Campus II, Engineering Faculty of Hasanuddin University
Jl. Poros Malino No. 72, Gowa, Sulawesi Selatan, Indonesia

ISBN: 978-602-60436-0-3

**PROCEEDING OF
THE 3rd INTERNATIONAL SYMPOSIUM
ON SMART MATERIAL AND
MECHATRONICS 2016**

Makassar-Gowa, 15-18, November, 2016
Campus II , Engineering Faculty of Hasanuddin University
Jl. Poros Malino No 72, Gowa, Sulawesi Selatan, Indonesia

Editor :

- Rafiuddin Syam, PhD – Hasanuddin University—Indonesia
- Prof. Keigo Watanabe-Okayama University-Japan
- Prof. Mitsuhiro Okayasu-Okayama University-Japan
- Prof. Shibata Satoru-Ehime Univesity-Japan

**FACULTY OF ENGINEERING
UNIVERSITY OF HASANUDDIN**

PROCEEDING OF THE 3rd INTERNATIONAL SYMPOSIUM ON SMART MATERIAL AND MECHATRONICS 2016

ISBN: 978-602-60436-0-3

© 2016 Faculty of Engineering, University of Hasanuddin

This work is copyright. no part may be reproduced by any process without prior written permission from the Editors. Requests and inquiries concerning reproduction and rights should be addressed to Rafiuddin Syam, PhD –Faculty of Engineering, University of Hasanuddin –Makassar-Indonesia email to rafiuddinsyam@unhas.ac.id

The intellectual property of each paper included in these proceedings remains vested in the Authors as listed on the papers.

Published by :
Engineering Faculty of Hasanuddin University
Jl. P. Kemerdekaan Km 10 Makassar
Sulawesi Selatan, Indonesia 90221
Telp/Fax : (0411) 586015
Email : teknik@unhas.ac.id
Website: eng.unhas.ac.id

Foreword

First, we would like to thank all participants who are willing to send the results of scientific research papers and participated in the 3rd International Symposium on Smart Material and Mechatronics 2016. This year is the third of International Symposium conducted by Engineering Faculty, Hasanuddin University. Our challenge theme is Smart Material and System Mechatronics, and it's derivate. This year we start to run **The Institute of Smart Material and Mechatronics**, Non-profit organization concern to do research, seminar and discussion group as community in the field of Smart Material and Mechatronics.

Themes have been given an important role of Indonesian Development of Industrial Manufacture strategic plan, where the Indonesian people are still in desperate need of technology in these areas, material and mechatronics. For that some steps are to conduct research and publications acceleration in the field Science and Engineering include Materials, and Mechatronics. Furthermore, the results of science and engineering research are good intake for accelerating industry from upstream to downstream.

In this symposium we invite on the field of research area, but not limited to:

- Metal Material, Smart Material, Concrete Material, Composite Material, Strength and stress of Material, Structure Analysis, Cad and Cam, Vibration and Acoustic, Transportation System, Environmental Study, Mining, Chemistry, Naval Architecture, Hydrodynamics, Machining, Production, Heat and Mass Transfer, Thermodynamics, Fluid Mechanics, Agriculture Engineering, Education Engineering, conservation energy, new energy and renewable energy, internal and external combustion engine, Civil Engineering.
- Mechatronics, Mobile Robot, Manipulator Robot, Intelligence Systems, Softcomputing, Artificial Intelligent System, Simulation System, Modeling Systems, Industrial engineering, Ergonomics, Physics, Applied Mathematics, Computer Science, Information Science, Smart System on Building, Mechanical System, Design systems, Control System, Control Practice, Adaptive Control, Sensor Engineering, Electrical and Electronics Engineering, Material on Electrical and Electronics, Environmental Engineering, Rescue Systems, Smart Vehicle, Smart Building, Biological Engineering, medical Engineering, Artificial Systems, Fuzzy Logic Theory and Application.

Thanks to all of my college in Faculty of Engineering Hasanuddin University.

Makassar-Gowa, November 16, 2016

Yours

Rafiuddin Syam, PhD
Chairman

Editorial Board

Editor In Chief Rafiuddin Syam, PhD

Senior Editors

Prof. Keigo Watanabe-Okayama University-Japan
Prof. Satoru Shibata-Ehime University-Japan
Prof. Satrio Soemantri Brodjonegoro-ITB-Indonesia
Prof. Mitsu Okamura-Ehime University-Japan
Prof. Kiyotaka Izumi—Saga University-Japan
Dr. Ir. Dyah Rini Indriyanti (Associate Editor DOAJ)
Prof. Dadang A Suryamiharja– Hasanuddin University-Indonesia
Prof. Friso de Boer-Charles Darwin University - Australia
Prof. Dr.Adi Maimun bin Abdul Malik-UTM-Malaysia
Prof. Jackrit Suthakorn, PhD- Mahidol University, Thailand
Prof. Sherwin Guirnaldo, PhD – Mindanao State University-Philippine
Prof. Lanka Udawatta, PhD – Moratuwa University - Srilanka
Prof. Samy F. M. Assal, PhD, Alexandria University- Egypt
Prof. Bondan T. Sofyan-UI-Indonesia
Prof. Dr.H.Hammada Abbas – Hasanuddin University-Indonesia
Prof. Effendi Arief– Hasanuddin University-Indonesia
Prof. Zhiqiang Wu-Ehime University-Indonesia
Dr.-Ing Wahyu H Piarah— Hasanuddin University-Indonesia
Dr. Gesang Nugroho, ST, MT-UGM-Yogyakarta-Indonesia
Heru Santoso Budi Raharjo-Ir.M.Eng.Dr-UGM-Yogyakarta-Indonesia
Dr. Indrawanto-ITB-Bandung-Indonesia
Dr. Kusmono–UGM-Yogyakarta-Indonesia
Dr.Ir. Yudi Satria Gondokaryono ITB-Bandung-Indonesia
Dr. Johannes Leonard – Hasanuddin University-Indonesia
Dr. Abdul Kadir Muhammad-PNUP-Makassar-Indonesia
Dr. Ir. Samiadji Herdjunanto, M. Sc – UGM-Yogyakarta -Indonesia.
Ir. Oyas Wahyunggoro, M.T., Ph.D–UGM-Yogyakarta-Indonesia
Hendro Nurhadi, Dipl. Ing., Ph.D–ITS-Surabaya-Indonesia
Dr. Abdul Muis, UI-Jakarta-Indonesia

Editors

Dr. Eng Armin Lawi, MSc--Hasanuddin University-Indonesia
Dr. Jalaluddin, ST,MT--Hasanuddin University-Indonesia
Dr. Irzal Nur, MT--Hasanuddin University-Indonesia
Dr. Ir. Johannes Leonard--Hasanuddin University-Indonesia
Dr. Eng Wardi, MEng--Hasanuddin University-Indonesia
Dr. Kimiko Motonaka-Okayama University-Japan
Dr. Abdul Kadir Muhammad, ST, MEng
Dr. Haerul Arsyad- Hasanuddin University-Indonesia
Dr. Muh Syahid--Hasanuddin University-Indonesia

Assistant Editors

Arham, SSI--Hasanuddin University-Indonesia

Amiruddin, ST--Hasanuddin University-Indonesia

Takdir, ST-Hasanuddin University-Indonesia

Secretariat

Journal Room, Faculty of Engineering, Hasanuddin University

email: ijsmm14@gmail.com

Phone: +62411586015 Fax: +62411586015

Contents of The 3rd International Symposium on Smart Material and Mechatronics 2016

No	Authors	Title	Pages
1	Keigo Watanabe Department of Intelligent Mechanical Systems, Division of Industrial Innovation Sciences Graduate School of Natural Science and Technology, Okayama University 3-1-1 Tsushima-naka, Kita-ku, Okayama 700-8530, Japan, watanabe@sys.okayama-u.ac.jp	Some Unmanned Vehicles in Aerial, Terrestrial and Underwater Environments	1
2	Mitsuhiro Okayasu, Yoon-Seok LEE, Muhammad Syahid* Graduate School of Natural Science & Technology Okayama University 3-1-1 Tsushima-naka Kita-ku, Okayama, Japan mitsuhiro.okayasu@utoronto.ca *Department of Mechanical Engineering Hasanuddin University syahid.arsjad@gmail.com	Mechanical properties of engineering material-Crack closure characteristic-	2
3	Zhiqiang Wu, Yutaka Arimitsu, Yuji Sogabe and Satoru Shibata Department of Mechanical Engineering Ehime University Matsuyama, Japan wu.zhiqiang.mh@ehime-u.ac.jp	A Study on Developing Percussion Instrument with Tobe Pottery	5
4	Faizal Arya Samman, Syafaruddin, Muslimin* Dept. of Electrical Engineering Faculty of Engineering, University of Hasanuddin Jl. Poros Malino Km. 20, Gowa, Indonesia faizalas@unhas.ac.id1 , syafaruddin@unhas.ac.id2 *Politeknik ATI (Akademi Teknik Industri) Makassar, Jl. Sunu No. 220 Makassar stmuslimin@ymail.com	Weeper Control Design based on Microcontroller for Photovoltaic Panel Cleaning System	11
5	Abdul Hay (1), Johannes Leonard (2), Harfan.(3) Departemen Teknik Mesin Universitas Hasanuddin abdulhay_mukh@yahoo.co.id (1), johannesleonard55@yahoo.com (2) harfan09@gmail.com (3)	The Effect of Welding Pre Heating of SMAW and GTAW on Mechanical Properties of SA .106 Gr. B Pipe of PT. Energi Sengkang	16
6	Tomohiko Hasegawa, Keigo Watanabe* and Isaku Nagai Graduate School of Natural Science and Technology, Okayama University 3-1-1 Tsushima-naka, Kita-ku, Okayama 700-8350 Japan, hasegawa-t@usmm.sys.okayama-u.ac.jp *Department of Intelligent Mechanical Systems, Okayama University 3-1-1 Tsushima-naka, Kita-ku, Okayama 700-8350 Japan {watanbe,in}@okayama-u.ac.jp	Production of a Tilt Rotor System and a Speed Control of a DC Motor for Quadrotors	21
7	Kimiko Motonaka, Keigo Watanabe* and Shoichi Maeyama*	Basic Simulations of Kinodynamic Control Using Local Environmental Information	25

	<p>Department of Electrical and Electronic Engineering Kansai University, Osaka, Japan, motonaka@kansai-u.ac.jp</p> <p>*Graduate School of Natural Science and Technology Okayama University, Okayama, Japan {watanabe, maeyama}@sys.okayama-u.ac.jp</p>		
8	<p>Jalaluddin, Rustan Tarakka, Akio Miyara*</p> <p>Department of Mechanical Engineering, Hasanuddin University, Tamalanrea, Makassar 90245, Indonesia jalaluddin_had@yahoo.com, rustan_tarakka@yahoo.com</p> <p>*Department of Mechanical Engineering, Saga University, 1 Honjomachi, Saga-shi 840-8502, Japan miyara@me.saga-uc.ac.jp</p>	Performance of Short spiral-Tube Ground Heat Exchanger for Air Conditioning System	29
9	<p>Yu Lang*, Maierdan Maimaitimin and Keigo Watanabe</p> <p>*Division of Mechanical and Systems Engineering Okayama University, Okayama, Japan lang@usmm.sys.okayama-u.ac.jp</p> <p>Department of Intelligent Mechanical Systems Okayama University, Okayama, Japan merdan-m@usmm.sys.okayama-u.ac.jp watanabe@sys.okayama-u.ac.jp</p>	Design and Implementation of HMM for 3D Emotion Recognition	34
10	<p>Imron Rosyadi, Rina Lusiani</p> <p>Mechanical Engineering Departement University Of Sultan Ageng Tirtayasa Serang, Indonesia imron_hrs@yahoo.co.id, rina_lusiani@yahoo.com</p>	Characteristics Of Diesel Fuel Double Based Methane Gas Water Hyacinth And Biodiesel With Variation Of Gas Heater Kit Converter	38
11	<p>Irzal Nur, Ulva Ria Irfan, Sufriadin and Asran Ilyas</p> <p>Mining Engineering Study Program Faculty of Engineering, Hasanuddin University Gowa, South Sulawesi, Indonesia irzal_nur@yahoo.com, ulvairfan@yahoo.com, asran_ilyas@yahoo.com</p>	Mineralogical and Geochemical Characteristics of the Volcanogenic Massive Sulphide Deposits in Sangkaropi District, North Toraja, Indonesia	42
12	<p>Abdul Azis Rahmansyah*, Faizal Arya Samman, Syafaruddin</p> <p>*Dept. of Power Engineering, Politeknik Bosowa Makassar, Indonesia, maxmicro.azis@gmail.com</p> <p>Dept. of Electrical Engineering Faculty of Engineering, Hasanuddin University Makassar, Indonesia faizalas@unhas.ac.id, syafaruddin@unhas.ac.id</p>	SPICE Modeling based Maximum Power Point Analysis of 300W Solar Module using Boost Converter	48
13	<p>Naharuddin, B. Bakri, S. Chandrabakty, M. Nasir, Y.T. Allo</p> <p>Mechanical Engineering Department Tadulako University Palu, Indonesia bakri@untad.ac.id</p>	Theoretical and Experimental Analysis of Deflection on Hybrid Composite with Coir and Agave angustifolia Haw Reinforcement	53

14	Ryoji Osaki, Shoichi Maeyama, and Keigo Watanabe	Obstacle Avoidance by a Hyperelliptic Potential and a Virtual Spring Method for Omnidirectional Cooperative Transportations	58
	Graduate School of Natural Science and Technology Okayama University Okayama, Japan osaki-r@usmm.sys.okayama-u.ac.jp, {maeyama, watanabe}@sys.okayama-u.ac.jp		
15	Daiki Sasakura*, Isaku Nagai, Keigo Watanabe	Correcting Path of a Shopping Cart Using a Particle Filter and an Environment Map	62
	*Department of mechanical engineers Okayama University, 3-1-1 Tsushima-naka, Kita-ku, Okayama 700-8530, Japan sasakura-d@usmm.sys.okayama-u.ac.jp Department of intelligence mechanical systems Okayama University 3-1-1 Tsushima-naka, Kita-ku, Okayama 700-8530, Japan, in,watanabe@usmm.sys.okayama-u.ac.jp		
16	Yin Yin Aye, Keigo Watanabe, Shoichi Maeyama, and Isaku Nagai	An Intelligent Parking System for Vehicles Using an Image-based Fuzzy Controller	66
	Department of Intelligent Mechanical Systems Okayama University Okayama, Japan aye@usmm.sys.okayama-u.ac.jp, {watanabe, maeyama, in}@sys.okayama-u.ac.jp		
17	Syahrul and Sukmawaty*	The Effect of Initial Mass of Shelled Corn for Fluidized Bed Drying System	71
	Dept. of Mechanical Engineering Faculty of Engineering, UNRAM Mataram, Indonesia syahrul_husain@yahoo.com *Dept. of Agricultural Engineering Faculty of Food and Agroindustry Technology, UNRAM Mataram, Indonesia sukmawaty14@yahoo.com		
18	Tomoki Shigeoka and Mitsuhiro Okayasu*	Mechanical properties of crystalline and amorphous Ti alloys	74
	Graduate School of Natural Science and Technology, Okayama University 3-1-1 Tsushimanaka, Kita-ku, Okayama, 700-8530, Japan p1fd4z52@s.okayama-u.ac.jp *Graduate School of Natural Science and Technology Okayama University Kita-ku, Okayama, Japan, okayasu@okayama-u.ac.jp		
19	Sapta Asmal	PERFORMANCE INDICATOR ANALYSIS METHODS IN SYSTEM DESIGN MOTIF BATIK CAD	79
	Department of Industrial Engineering, Faculty of Engineering, Hasanuddin University Jl. Perintis Kemerdekaan KM.10 , Makassar, South Sulawesi, email: saptaasmal@yahoo.com		

20	Toshiki Yamasaki and Mitsuhiro Okayasu*	Failure characteristics of PZT ceramic during cyclic loading	89
	Graduate School of Natural Science and Technology Okayama University 3-1-1 Tsushimanaka, Kita-ku, Okayama, 700-8530, Japan p6jc1rn6@s.okayama-u.ac.jp *Graduate School of Natural Science and Technology Okayama University Kita-ku, Okayama, Japan okayasu@okayama-u.ac.jp		
21	Yusran, Hanser Aprusmin, Untung S. Rumengan,	The Potential Of Rice Husk For Electrical Energy Generation In South Sulawesi, Indonesia	91
	Gassing, Indar Chaerah G, Tajuddin Waris, Ikhlas Kitta Departement of Electrical Engineering Hasanuddin University Makassar, Indonesia yusranibnu@yahoo.com		
22	Shoichiro Baba and *Mitsuhiro Okayasu	Connecting Technology and Connectability of Carbon Fiber Reinforced Plastic	95
	Graduate School of Natural Science and Technology Okayama University, 3-1-1 Tsushimanaka, Kita-ku, Okayama, 700-8530, Japan, en422065@s.okayama- u.ac.jp *Graduate School of Natural Science and Technology Okayama University, Kita-ku, Okayama, Japan okayasu@okayama-u.ac.jp		
23	Simon Ka'ka*, Syukri Himran, Ilyas Renreng, Onny Sutresman	A Method to Compute Dimension of an Air Distribution Channel of a Pneumatic Cylinder	99
	*Mechanical Engineering Department State Polytechnic of Ujung Pandang Makassar 90245, South Sulawesi, Indonesia E-mail: kakasimon@ymail.com Mechanical Engineering Department Engineering Faculty, Hasanuddin University Makassar 90245, South Sulawesi, Indonesi		
24	Abdul Hay, Dwita R.K Pertiwi, Muhammad Syahid, and Rustan Tarakka	The Effect of Artificial Aging on Mechanical Properties and Microstructure of Al-10Si-5Mg	105
	Dept. of Mechanical Engineering Hasanuddin University Makassar, South Sulawesi, Indonesia Syahid.arsjad@gmail.com		
25	Maierdan Maimaitimin, Keigo Watanabe, and Shoichi Maeyama	An Emotional Recognition System for Facial Expressions with Surface Common Features	109
	Department of Intelligent Mechanical Systems Okayama University Okayama, Japan merdan-m@usmm.sys.okayama-u.ac.jp, {watanabe, maeyama}@sys.okayama-u.ac.jp		
26	Mulyadi*, A. Erwin E. Putra, Novriany Amaliyah, Muhammad Noor Umar, Azwar Hayat	Bio-ethanol production from Nipa (Nypa fruticans) saps with distillation process utilizing Flat-plate collector.	113
	* Department of Industrial Engineering Faculty of Engineering, Hasanuddin University Poros Malino KM. 6 Gowa, South Sulawesi, Indonesia mulyadihambali@ymail.com		

	Department of Mechanical Engineering Faculty of Engineering, Hasanuddin University Poros Malino KM. 6 Gowa, South Sulawesi, Indonesia		
27	Satoru Shibata, Tomonori Yamamoto, and Zhiqiang Wu Graduate School of Science and Engineering Ehime University Matsuyama, Japan shibata.satoru.mg@ehime-u.ac.jp	A System Reducing Pressure of Buttock while Seating Using Pneumatic Actuators	117
28	Rafiuddin Syam, Abdullah Mappaita, Rahmat Hidayat, Amiruddin Departement of Mechanical Engineering, Faculty of Engineering, University of Hasanuddin Makassar-Indonesia, Email: rafiuddin@unhas.ac.id	Simple Design of VTOL Hexacopter for Simple Navigation	122
29	Kennedy, Khairil Anwar, Moch. Briand Anggara Mechanical Engineering Department Engineering Faculty of Tadulako University Palu, Indonesia kennedy@untad.ac.id ; k_edy_m@yahoo.com	Experimental Study of Thermoelectric Refrigerator Performances: Effect of Air Flow Rate at the cold side Heat sink	127
30	Xiongshi Xu, Keigo Watanabe, and Isaku Nagai Division of Mechanical and Systems Engineering Okayama University, Okayama, Japan xu@usmm.sys.okayama-u.ac.jp Department of Intelligent Mechanical Systems Okayama University, Okayama, Japan, {watanabe, in}@sys.okayama-u.ac.jp	A Servo Control System for the Thruster of a Small-sized X4-AUV	134

Schedule of of The 3rd International Symposium on Smart Material and Mechatronics

November 16, 2016

Keynote Speakers, Room A (Lecture Theatre 1),

1	Keigo Watanabe	Some Unmanned Vehicles in Aerial, Terrestrial and Underwater Environments	Moderator: Dr. Jalaluddin
	Department of Intelligent Mechanical Systems, Division of Industrial Innovation Sciences Graduate School of Natural Science and Technology, Okayama University 3-1-1 Tsushima-naka, Kita-ku, Okayama 700-8530, Japan watanabe@sys.okayama-u.ac.jp		
2	Mitsuhiro Okayasu, Yoon-Seok LEE, Muhammad Syahid*	Mechanical properties of engineering material-Crack closure characteristic-	Moderator: Dr. Muh Syahid
	Graduate School of Natural Science & Technology Okayama University 3-1-1 Tsushima-naka Kita-ku, Okayama, Japan mitsuhiro.okayasu@utoronto.ca *Department of Mechanical Engineering Hasanuddin University syahid.arsjad@gmail.com		

November 17, 2016

Keynote Speaker, Room A (Lecture Theatre 1),

1	Zhiqiang Wu, Yutaka Arimitsu, Yuji Sogabe and Satoru Shibata	A Study on Developing Percussion Instrument with Tobe Pottery	Moderator: Dr. Faizal Arya Samman
	Department of Mechanical Engineering Ehime University Matsuyama, Japan wu.zhiqiang.mh@ehime-u.ac.jp		
2	Satoru Shibata, Tomonori Yamamoto, and Zhiqiang Wu	A System Reducing Pressure of Buttock while Seating Using Pneumatic Actuators	Moderator: Rafiuddin Syam, PhD
	Graduate School of Science and Engineering Ehime University Matsuyama, Japan shibata.satoru.mg@ehime-u.ac.jp		

November 16, 2016
Room A (Lecture Theatre 1), Session 1

No	Authors	Title	Chairman of Session
1	Faizal Arya Samman, Syafaruddin, Muslimin*	Weeper Control Design based on Microcontroller for Photovoltaic Panel Cleaning System	Rafiuddin Syam, PhD
2	Tomohiko Hasegawa, Keigo Watanabe* and Isaku Nagai	Production of a Tilt Rotor System and a Speed Control of a DC Motor for Quadrotors	
3	Kimiko Motonaka, Keigo Watanabe* and Shoichi Maeyama*	Basic Simulations of Kinodynamic Control Using Local Environmental Information	
4	Maierdan Maimaitimin, Keigo Watanabe, and Shoichi Maeyama	An Emotional Recognition System for Facial Expressions with Surface Common Features	
5	Yu Lang*, Maierdan Maimaitimin and Keigo Watanabe	Design and Implementation of HMM for 3D Emotion Recognition	
6	Rafiuddin Syam, Abdullah Mappaita, Rahmat Hidayat, Amiruddin	Simple Design of VTOL Hexacopter for Simple Navigation	
7	Xiongshi Xu, Keigo Watanabe, and Isaku Nagai	A Servo Control System for the Thruster of a Small-sized X4-AUV	

November 16, 2016
Room A (Lecture Theatre 1), Session 2

No	Authors	Title	Chairman of Session
1	Daiki Sasakura*, Isaku Nagai, Keigo Watanabe	Correcting Path of a Shopping Cart Using a Particle Filter and an Environment Map	Dr. Faizal Arya Samman
2	Yin Yin Aye, Keigo Watanabe, Shoichi Maeyama, and Isaku Nagai	An Intelligent Parking System for Vehicles Using an Image-based Fuzzy Controller	
3	Abdul Azis Rahmansyah*, Faizal Arya Samman, Syafaruddin	SPICE Modeling based Maximum Power Point Analysis of 300W Solar Module using Boost Converter	
4	Ryoji Osaki, Shoichi Maeyama, and Keigo Watanabe	Obstacle Avoidance by a Hyperelliptic Potential and a Virtual Spring Method for Omnidirectional Cooperative Transportations	
5	Mulyadi*, A. Erwin E. Putra, Novriany Amaliyah, Muhammad Noor Umar, Azwar Hayat	Bio-ethanol production from Nipa (<i>Nypa fruticans</i>) saps with distillation process utilizing Flat-plate collector.	
6	Jalaluddin, Rustan Tarakka, Akio Miyara*	Performance of Short spiral-Tube Ground Heat Exchanger for Air Conditioning System	

November 16, 2016
Room B (Lecture Theatre 1), Session 1

No	Authors	Title	Chairman of Session
1	Naharuddin, B. Bakri, S. Chandrabakty, M. Nasir, Y.T. Allo	Theoretical and Experimental Analysis of Deflection on Hybrid Composite with Coir and Agave angustifolia Haw Reinforcement	Dr. Haerul Arsyad
2	Irzal Nur, Ulva Ria Irfan, Sufriadin and Asran Ilyas	Mineralogical and Geochemical Characteristics of the Volcanogenic Massive Sulphide Deposits in Sangkaropi District, North Toraja, Indonesia	
3	Imron Rosyadi, Rina Lusiani	Characteristics Of Diesel Fuel Double Based Methane Gas Water Hyacinth And Biodiesel With Variation Of Gas Heater Kit Converter	
4	Syahrul and Sukmawaty*	The Effect of Initial Mass of Shelled Corn for Fluidized Bed Drying System	
5	Tomoki Shigeoka and Mitsuhiro Okayasu*	Mechanical properties of crystalline and amorphous Ti alloys	
6	Abdul Hay (1), Johannes Leonard (2), Harfan.(3)	The Effect of Welding Pre Heating of SMAW and GTAW on Mechanical Properties of SA .106 Gr. B Pipe of PT. Energi Sengkang	
7	Kennedy, Khairil Anwar, Moch. Briand Anggara	Experimental Study of Thermoelectric Refrigerator Performances: Effect of Air Flow Rate at the cold side Heat sink	

November 16, 2016
Room B, (Lecture Theatre 3) Session 2

No	Authors	Title	Chairman of Session
1	Sapta Asmal	PERFORMANCE INDICATOR ANALYSIS METHODS IN SYSTEM DESIGN MOTIF BATIK CAD	Dr. Azwar Hayat
2	Toshiki Yamasaki and Mitsuhiro Okayasu*	Failure characteristics of PZT ceramic during cyclic loading	
3	Yusran, Hanser Aprusmin, Untung S. Rumengan,	The Potential Of Rice Husk For Electrical Energy Generation In South Sulawesi, Indonesia	
4	Shoichiro Baba and *Mitsuhiro Okayasu	Connecting Technology and Connectability of Carbon Fiber Reinforced Plastic	
5	Simon Ka'ka*, Syukri Himran, Ilyas Renreng, Onny Sutresman	A Method to Compute Dimension of an Air Distribution Channel of a Pneumatic Cylinder	
6	Abdul Hay, Dwita R.K Pertiwi, Muhammad Syahid, and Rustan Tarakka	The Effect of Artificial Aging on Mechanical Properties and Microstructure of Al-10Si-5Mg	