

12_Bioactivity_of_Nypa_fruticans_Leaves.pdf

by

Submission date: 29-May-2023 10:46AM (UTC+0700)

Submission ID: 2104222854

File name: 12_Bioactivity_of_Nypa_fruticans_Leaves.pdf (339.04K)

Word count: 3403

Character count: 18827



Bioactivity of *Nypa fruticans* Leaves as A Candidate for Anticancer Compounds Against MCF-7 Breast Cancer Cells

Evya Noviana^{1*}, Eva Johannes¹, Sjaferaenan¹

¹ Department of Biology, Faculty of Mathematics and Natural Sciences, Hasanuddin University, Makassar 90245, Indonesia.

14

Abstract

Breast cancer is the highest incidence of cancer for among women worldwide. The use of anticancer compounds from natural ingredients as cancer therapeutics is to reduce chemotherapy side effects. Indonesia has high biodiversity especially its pharmacologically beneficial such as Nipah (*Nypa fruticans* W.) is a type of palm-shaped mangrove plant which widely found in watershed areas. This study aims to explore the bioactivity of ethanol extract from *N. fruticans* leaves against MCF-7 breast cancer cells. Screening for bioactive compounds was performed by Gas chromatography-mass spectrometry (GC-MS). Anticancer pre-screening was assessed by brine shrimp lethality (BSL) test and anticancer activity was assessed by 3-(4,5-Dimethylthiazol-2-yl)-2,5-Diphenyltetrazolium Bromide (MTT) assay. According of GC-MS analysis showed the presence of 54 phytochemical compounds. Some of them have bioactivity as anticancer including Sitosterol, Tocopherol, and Phytol. The BSLT method showed potent activity with LC50 was 84.25 µg/mL. Anticancer activity using MTT assays results showed low IC50 value was 88.77 µg/mL that showed high anticancer activity by growth inhibition in MCF-7 breast cancer cells. This study delivers information that ethanol extract from *N. fruticans* leaves possesses bioactive compounds could be use as a candidate for anticancer compounds for cancer treatment.

Article History

Received December 8, 2021

Accepted June 14, 2022

Keyword

bioactive compounds;
Nypa fruticans;
 breast cancer;
 MCF-7 cells;
 gas chromatography-mass spectrometry

Introduction

Cancer is an abnormal cell growth and uncontrolled proliferation that will form a tumor mass (Greaves M and Maley CC, 2012). Nearly 90% of cancer-related deaths are caused by metastatic processes that can invade other tissues and cause damage to vital functions (Suhail et al., 2019). Breast cancer is one of the most common cancers in women worldwide, accounting for approximately 627,000 atau sekitar 11,6 % deaths in 2018 (WHO, 2018). In Indonesia, the highest incidence of cancer for women is breast cancer, which is 1 per 100,000 population with an average death rate of 17 per 100,000 population, followed by cervical cancer at 4 per 100,000 population (Kemenkes RI, 2019). Breast tumors usually start from the ductal hyperproliferation, and then develop into benign tumors or even metastatic carcinomas after constantly stimulation by various carcinogenic factors (Sun, Y. S., et al., 2017).

Cancer treatment have been carried out, namely through surgery, radiation, chemotherapy, and biological therapy. Cancer treatment using chemotherapy can cause side effects in the form of damage to healthy cells. Some side effects of chemotherapy drugs can induce cardiotoxicity (Akazawa, 2017) and heart failure has been documented in women receiving doxorubicin (Watkins, 2019). The risk of endometrial cancer, stroke, pulmonary embolism, and deep-vein thrombosis is increased in Tamoxifen-treated patients (Yang Y, 2017). In addition, the use of chemotherapy can also cause problems with gene mutations and drug resistance (Fisusi and Akala, 2019). Better medicines with less adverse effects and afavorable risk-benefit ratio need to be developed in the future. Reducing risk factors and taking chemoprevention are two main measures to prevent breast cancer.

One of the plants that can be used is Nipah (*Nypa fruticans*). Research conducted by (Edu et al., 2015; Ebana et al., 2015; Lestari et al., 2016; Habibi, 2017; Lovly and Merlee, 2018; Ubulom et al., 2019; Gazali et al., 2019) found that Nipah leaves extract contains polyphenolic compounds, flavonoids, triterpenoids/ steroids, saponins, alkaloids, tannins, and cardiac glycosides, with various bioactivities such as antioxidant, anticancer, antimicrobial, antifungal, antiviral, and others.

In addition to anticancer potential, Nipah leaves also have potential as antioxidants.

Nipah leaves contain high concentrations of phenolic compounds and an antioxidant value with an IC50 value of 0.32 mg/ml (Aziz and Jack, 2015). The results of Putri et al. (2012) showed that the antioxidant activity of nipah leaf extract had an IC50 value of 17.72 ppm where the value was close to the standard value of antioxidant vitamin C. Not much different, Lovly and Merlee (2017) reported that the methanol extract of Nipah leaves showed high antioxidant activity with an IC50 value of 6.11 g/ml. Supporting the results of previous studies, the results of the antioxidant activity test of the methanol extract of Nipah leaves showed an IC50 value of 9.31 g/mL (Gazali et al., 2019). Anticancer activity can be related to its antioxidant activity.

One of the causes of cancer is free radicals that attack the cells of the human body. Antioxidants can prevent cells from oxidative damage, which causes cancer and cardiovascular disorders (Muniyandi et al., 2019).

Materials and Methods

Equipment and Materials

The tools used are Ultrasonic Homogenizer Merek Hielscher UP200St, filter paper, Rotary Evaporatory, Vacuum Pump, Chiller, analytical balance, funnel, erlenmeyer, beaker glass, micropipette, dropper pipette, vial bottle, 96-well plate, Biosafety Cabinet (BSC), Centrifuge, CO2 Incubator, Misroscope, Multimode Reader, UV-Vis spectrophotometer, tissue culture flask, microtube, tube, GC-MS (Gas Chromatography Spectrofotometry Massa) QP2010 Simadzu. The ingredients used are *Nypa fruticans* leaves powder, ethanol 96 %, *Artemia salina* larvae, Artificial sea water, Cisplatin, Ceftriaxon, Dimethyl sulfoxide (DMSO), Phosphate Buffered Saline (PBS), Prestobblue, Roswell Park memorial Institute Medium (RPMI), Fetal Bovine Serum (FBS), Trypsin EDTA, Trypsin Blue.

Research Procedures

Nipah Leaf Extraction

Nipah leaf powder samples as much as 300 grams were extracted using 3 liters of 96% ethanol solvent by ultrasonic method at 100% amplitude and 26 Khz frequency for 30 minutes. Extraction was carried out for 30 minutes. Then the filtrate was filtered and obtained about 800 ml. The filtrate was then concentrated with a rotary evaporator (RE) and 70 ml of dark green thick extract was obtained.

Brine Shrimp Lethality Test (BSLT) Method

Preparation of *Artemia salina* larvae was carried out by incubating eggs placed in bottles filled with artificial seawater prepared by dissolving 35 g of sodium chloride in 1 L of distilled water, for 48 hours until hatching was incubated at room temperature (28-30 °C) under aeration conditions. strong and continuous light, larvae (nauplii) hatch within 48 hours. Adding 10 *Artemia salina* shrimp larvae to each extract that had been dissolved in dimethyl sulfoxide (DMSO) and prepared at concentrations of 0.01, 0.1, 1, 10, 100, 1000 ppm in 3 replicates for control and each extract solution. After incubation for 24 hours, observations were made under light and counted the surviving larvae.

MTT Method

Prepared 8 pieces of 1.5 mL microtubes, then each microtube was labeled with the appropriate dilution concentration, then the stock sample was diluted into 8 concentration variants using a media solvent. Take out 96 wellplates containing cells from the incubator.

Labeled on the plate along the left margin for which rows will be standardized and which rows will be sampled. Then removed the media from each well. Using a micropipette, transfer 100 L of each sample and positive control of cisplatin from the microtube into each of the corresponding wells, 96 well plates containing cells. Incubate for 48 hours. Discarded media on each well. Prepare 9 ml of media in a tube, add 1 ml of PrestoBlue Cell Viability Reagent then add 100 l of the solution mixture into each well of the microplate and then incubate for 1- 2 hours until changes are seen color.

GC-MS Analysis

The ethanol extract of Nipah leaves was analyzed using GCMS QP2010 Simadzu. Identification of phytochemical compounds using the Willey database version 7.0 by comparing the mass spectrum pattern and the fragmentation pattern of reference compounds stored in the Willey library.

Results and Discussion

The results of toxicity test using the Brine Shrimp Lethality Test (BSLT) method was shown in Table I. Table I shows that the higher the sample concentration, the higher the mortality percentage of *Artemia salina* larvae. The lowest concentration of Nipah leaf extract, 1 g/mL, gave a mortality effect on *Artemia salina* larvae of 13%, while the highest concentration of Nipah leaf extract of 100 g/mL gave a mortality effect on *Artemia salina* larvae of 50%. The results showed potent activity with LC50 was 84.25 µg/mL, included in the toxic category and has potential as an anticancer compound.

7
Table 1. The results of the toxicity test using the Brine Shrimp Lethality Test method.

Sample Code	[Sample Concentration] ($\mu\text{g/mL}$)	Axis x (log [Sample])	% Kematian larvae - control	Axis y (Probit Value)
Nipah	1	0,00	13	3,87
Leaves	10	1,00	33	4,56
Extract	100	2,00	50	5,00

4
The Brine Shrimp Lethality Test (BSLT) is a preliminary test to determine the toxicity of a compound or extract acutely using shrimp larvae experimental animals (*Artemia salina* nauplii). Parameter shown to indicate the presence of biological activity in a compound in *Artemia salina* Leach is the number of shrimp larvae mortality due to the influence of administration of the compound at a predetermined dose (Kurniawan and Ropiqa, 2021). The low value of LC50 of BSLT method has been evidenced of the presence of anticancer compounds in plant extracts (Geetha S., et al., 2013).

The test results of MCF-7 breast cancer cells using the MTT method was shown in Figure 1. Ethanol extract from Nipah leaves has the low value of IC50 about 88.77 $\mu\text{g/mL}$. It states that viability of MCF-7 cells will decrease in line with increase or decrease in extract concentration from a concentration of 88.77 $\mu\text{g/mL}$.




Figure 1. Cytotoxicity graph of Nipah leaves ethanol extract against MCF-7 cancer cells

25
These results indicate that the higher the concentration of Nipah leaves extract, the smaller the percentage of live cells. Based on Figure 1, showed that as the concentration of the sample increased, the number of living cells decreased. The IC50 value of 88.77 $\mu\text{g/mL}$ was obtained and was included in the very toxic category, which means that it has the potential to inhibit the growth of MCF-7 breast cancer cells and also potential as candidate for anticancer compounds. This is supported by the presence of bioactive compounds which, based on previous research, can act as anticancer compounds.

34
Ethanol extract of Nipah leaves possessed many bioactive compounds. GC-MS analysis

revealed the presence of more than fifty four compounds, and some of them found in larger quantity than other compounds which showed in Table 2.

Table 2. The majority of phytochemical compounds contained in the ethanol extract of *Nypa fruticans* using the GC-MS method

Retention Time	Compound Name	% Peak Area
11,554	Phytol	8.54
18,699	Tocopherol	7.01
20,604	Sitosterol	12.11

In Table 2, it can be seen that the phytochemical compounds that have been identified in the ethanol extract of *Nypa fruticans* leaves by GC-MS method include sitosterol, tocopherol, and phytol. From the results of the chromatogram (Figure 2), there is one compound whose composition is larger (indicated by % total the largest, 12.11%) was sitosterol.




Figure 2. GC-MS chromatogram of *Nypa fruticans* ethanol extract

Sitosterol is a phytosterol widely distributed throughout the plant and its function to be involved in the stabilization of cell membranes. Sitosterol can treating different types of cancer via different pathways (Bin Sayeed, M.S. and Ameen, S.S., 2015). Sitosterol function was could inhibits the growth of cultured cancer cell lines that are associated with stimulation of apoptotic cell death (Awad, A., et al., 2007), inhibition of cancer cell proliferation at low concentrations with no cytotoxic effect on noncancerous cells (Jayaprakasha, G., 2007), arresting of cells at G2/M phase in cancer cells and decreasing free radical generation in vitro (Shahdaat M., et al., 2016). Dietary sitosterol supplementation could decreased mammary hyperplastic lesions and total tumor burden in female mice fed with a high-fat diet but not in those with a low-fat diet (Salehi B., et al., 2020).

α -tocopherols (Vitamin E) have the role, as a potent antioxidant is to uphold the legitimacy of long-chain fatty acids (unsaturated) in superficial surface of membrane and thus sustaining a normal genetic commotion (Batool1 M., et al., 2020). They scavenge lipid peroxyl radicals by donating hydrogen from the phenolic group on the chromanol ring.

22

Alpha-tocopherol mainly inhibits the production of new free radicals. Oxidation has been linked to numerous possible conditions/diseases including: cancer, ageing, arthritis and cataracts. Thus, tocopherols (Vitamin E) might help prevent or delay the chronic diseases associated with reactive oxygen species molecules (Rizvi S., et al., 2013; Jiang, 2014).

Phytol is terpenoid compounds found in leaf extract. Phytol produced the removal of OH[•], exhibiting antioxidant activity which may be capable of inhibiting cell damage caused by this radical (Carolina, et al. 2013). Many papers indicate also that phytol (1) exhibits cytotoxic potential against certain cancer cell lines: leukemia (MV4-11 and HeLa), breast (MCF-7), prostate (PC-3) and lungs (A-549) (37–39). Phytol is the substance promising for the treatment of cancer (Gliszczyńska, et al., 2021). Phytol induces apoptosis and reactive oxygen species-mediated protective autophagy in human gastric adenocarcinoma cells (Song and Cho, 2015).

Conclusions

Based on the results of the study, it can be concluded that Nipah leaves extract has potential as an anticancer compounds which is supported by the results of the BSLT method and the MTT method with an IC50 value which is categorized as toxic against MCF-7 breast cancer cells. The toxic nature of nipah leaf extract is due to the presence of bioactive compounds that have antioxidant and anticancer activity such as sitosterol, tocopherol, and phytol.

References

- Akazawa H. 2017. Cardiotoxicity of Cancer Chemotherapy - Mechanisms and Therapeutic Approach. *Gan To Kagaku Ryoho*. 44(13):2058-2063.
- Awad, A.; Chinnam, M.; Fink, C.; Bradford, P. B-sitosterol activates fas signaling in human breast cancer cells. *Phytomedicine* 2007, 14, 747–754.
- Aziz A, Jack R. 2015. Total Phenolic Content And Antioxidant Activity In *Nypa Fruticans* Extract. *Journal of Sustainability Science and Management*, 10(1): 87-91. ISSN: 1823-8556.
- Batool M., Kauser S., Nadeem HR., Perveen R., Irfan S. 2020. A Critical Review on Alpha Tocopherol: Sources, RDA And Health Benefits Vol. 12: 2020. p. 19- 42
- Bin Sayeed, M.S.; Ameen, S.S. Beta-sitosterol: A promising but orphan nutraceutical to fight against cancer. *Nutr. Cancer* 2015, 67, 1–7.
- Carolina C., Salvadori M., GomesMota V., Costa LM. Antinociceptive and Antioxidant Activities of Phytol In Vivo and In Vitro Models. *Hindawi Publishing Corporation Neuroscience Journal* Volume 2013, Article ID 949452, 9 pages <http://dx.doi.org/10.1155/2013/949452>
- Ebana RUB, Etok CA, Edet UO. 2015. Phytochemical Screening and Antimicrobial Activity of *Nypa fruticans* Harvested from Oporo River in the Niger Delta Region of Nigeria. *International Journal of Innovation and Applied Studies*, 10(4):1120-1124. ISSN 2028-9324.
- Edu EAB, Edwin WNL, Udensi OU. 2015. Evaluation of Bioactive Compounds in Mangroves: A Panacea towards Exploiting and Optimizing Mangrove Resources. *Journal of Natural Sciences Research*, 5(23):1-10. ISSN 2224-3186 (Paper) ISSN 2225-0921 (Online).
- Fisusi FA, Akala EO. 2019. Drug Combinations in Breast Cancer Therapy. *Pharm Nanotechnol*, 7(1): 3-23. doi: 10.2174/2211738507666190122111224.
- Gazali M, Nufus H, Nurjanah, Zuriat. 2019. Eksplorasi potensi senyawa bioaktif ekstrak daun nipah (*Nypa fruticans* Wurmb) asal pesisir Aceh Barat sebagai Antioksidan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(1): 155-163. doi: 10.17844/jphpi.v22i1.25892.
- Gliszczynska A., Danciewicz K., Gabrys B., Świtalska M. 2021. Synthesis of novel phytol-derived γ -butyrolactones and evaluation of their biological activity. *Scientific Reports* 228 11:4262. <https://doi.org/10.1038/s41598-021-83736-6>.
- Greaves M, Maley CC. 2012. Clonal evolution in cancer. *Nature*, 481(7381):306-313. doi: 10.1038/nature10762.
- Geethaa, S., et al. 2013. Interference from ordinarily used solvents in the outcomes of *Artemia salina* lethality test. *Journal of Advanced Pharmaceutical Technology & Research* Vol 4 Issue 4. Res. DOI: 10.4103/2231-4040.121411.

- Habibi RA. 2017. Uji aktivitas antibakteri ekstrak kasar daun Nipah (*Nypa fruticans*) terhadap bakteri *Listeria monocytogenes* dan *Vibrio parahaemolyticus* secara in vitro. [Skripsi]. Malang: Universitas Brawijaya.
- Jayaprakasha, G.; Mandadi, K.; Poulouse, S.M.; Jadegoud, Y.; Gowda, G.N.; Patil, B.S. Inhibition of colon cancer cell growth and antioxidant activity of bioactive compounds from *Poncirus trifoliata* (L.) Raf. *Bioorg. Med. Chem.* 2007, 15, 4923–4932.
- Jiang, Qing. 2014. Natural forms of vitamin E: metabolism, antioxidant and anti-inflammatory activities and the role in disease prevention and therapy. *Free Radic Biol Med.* 2014 July ; 72: 76–90. doi:10.1016/j.freeradbiomed.2014.03.035.
- Kemendes RI. 2019. Riset Kesehatan Dasar. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Kurniawan and Ropiqa. 2021. Uji Toksisitas Ekstrak Etanol Daun Ekor Kucing (*Acalypha hispida* Burm.f.) Dengan Metode Brine Shrimp Lethality Test (BSLT). *Journal Syifa Sciences and Clinical Research.* 3(1): 52-62. E-ISSN: 2656-9612 P-ISSN:2656-8187.
- Lestari Y, Ardiningsih P, Nurlina. 2016. Aktivitas antibakteri gram positif dan negatif dari ekstrak dan fraksi daun Nipah (*Nypa fruticans* wurmb.) asal pesisir sungai kakap Kalimantan Barat. *Jurnal Kimia Khatulistiwa,* 5(4):1-8. ISSN 2303-1077.
- Lovly MS, Merlee TMV. 2017. In vitro bioactivity and phytochemical characterization *Nypa fruticans* of Wurmb: a mangrove from Kerala. *Int. Res. J. Biological Sci.,* 6(6): 42-52. ISSN 2278-3202.
- Lovly MS, Merlee TMV. 2018. Phytochemical analysis and antimicrobial properties of *Nypa fruticans* Wurmb. from Kerala. *Journal of Pharmacognosy and Phytochemistry,* 7(4): 688-693.
- Muniyandi K, George E, Sathyanarayanan S, George BP, Abrahamse H, Thamburaj S, Thangaraj P. 2019. Phenolics, tannins, flavonoids and anthocyanins contents influenced antioxidant and anticancer activities of *Rubus* fruits from Western Ghats, India. *Food Science and Human Wellness,* 8(1): 73-81. <https://doi.org/10.1016/j.fshw.2019.03.005>.
- Putri IJ, Fauziah, Elvita. 2012. Aktivitas Antioksidan Daun dan Biji Buah Nipah (*Nypa fruticans*) asal pesisir Banyuasin Sumatera Selatan dengan metode DPPH. *Maspari Journal.* 5(1):16-21.
- Rizvi S., Raza T., Ahmed F., Ahmad A., Abbas S., Mahdi F. 2013. The Role of Vitamin E in Human Health and Some Diseases. *Sultan Qaboos University Med J,* May 2014, Vol. 14, Iss. 2, pp. e157-165.
- Salehi B, Quispe C, Sharifi-Rad J, Cruz Martins N, Nigam M, Mishra AP, Konovalov DA, Orobinskaya V, Abu-Reidah IM, Zam W, Sharopov F, Venneri T, Capasso R, Kukula-Koch W, Wawruszak A and Koch W. 2021. Phytosterols: From Preclinical Evidence to

- Potential Clinical Applications. *Front. Pharmacol.* 11:599959. doi: 10.3389/fphar.2020.599959.
- Shahdaat M., Karim SM., Sharmin T., Morshed MM. 2016. Critical Analysis on Characterization, Systemic Effect, and Therapeutic Potential of Beta-Sitosterol: A Plant-Derived Orphan Phytosterol. *Medicines* 2016, 3, 29; doi: 10.3390/medicines3040029 www.mdpi.com/journal/medicines.
- Song YW, Somi KC. 2015. Phytol induces apoptosis and ROS-mediated protective autophagy in human gastric adenocarcinoma AGS cells. *Biochem Anal Biochem.* DOI: 10.4172/2161-1009.1000211.
- Suhail Y, Cain MP, Vanaja K, Kurywchak PA, Levchenko A, Kalluri R, Kshitiz. 2019. Systems Biology of Cancer Metastasis. *Cell Syst*, 9(2):109-127. doi: 10.1016/j.cels.2019.07.003.
- Sun, Y. S., Zhao, Z., Yang, Z. N., Xu, F., Lu, H. J., Zhu, Z. Y., Shi, W., Jiang, J., Yao, P. P., & Zhu, H. P. (2017). Risk Factors and Preventions of Breast Cancer. *International journal of biological sciences*, 13(11), 1387–1397. <https://doi.org/10.7150/ijbs.21635>.
- Ubulom PME, Umoh GS, Asuquo EM, Umohata IA. 2019. Evaluation of the potency of ethanol extracts of *Nypa fruticans* against *Culex quinquefasciatus* and *Aedes aegypti* larvae: An exploratory study. *Journal of Wetlands and Waste Management*, 3(2):85-91.
- Watkins, Elyse J. 2019. Overview of breast cancer. DOI:10.1097/01.JAA.0000580524.95733.3d. *Journal of the American Academy of Pas.*
- WHO. 2018. Organization WHO: Breast Cancer. Diunduh pada tanggal 13 September 2020 dari <https://www.who.int/cancer/prevention/diagnosis-screening/breastcancer/en/>.
- Yang Y, Pan W, Tang X, et al. A meta-analysis of randomized controlled trials comparing the efficacy and safety of anastrozole versus tamoxifen for breast cancer. *Oncotarget.* 2017; 294 18: 48362-48374.).

12_Bioactivity_of_Nypa_fruticans_Leaves.pdf

ORIGINALITY REPORT

21 %
SIMILARITY INDEX

%
INTERNET SOURCES

21 %
PUBLICATIONS

%
STUDENT PAPERS

PRIMARY SOURCES

- 1** Slavica Čolić, Zorica Basić, Gordan Zec, Ivana Bakić et al. "The Effect of Changing Climatic Conditions on the Morphological Traits and Chemical Composition of Almond Kernels", *Horticulturae*, 2022
Publication **1** %
- 2** Danni Ramdhani, Eva Maria Widyasari, Maula Eka Sriyani, Quinzheilla Putri Arnanda, Hiroshi Watabe. "Iodine-131 labeled genistein as a potential radiotracer for breast cancer", *Heliyon*, 2020
Publication **1** %
- 3** Bahare Salehi, Cristina Quispe, Javad Sharifi-Rad, Natália Cruz-Martins et al. "Phytosterols: From Preclinical Evidence to Potential Clinical Applications", *Frontiers in Pharmacology*, 2021
Publication **1** %
- 4** Dian Pramana Putra, Novelina Novelina, Alfi Asben. "Stability and Toxicity Test of Angkak Pigment Powder from Sago Hampas- Rice **1** %

Flour Substrate as Natural Dyes", Journal of Applied Agricultural Science and Technology, 2021

Publication

5

N Khaerah, A Ahmad, Yusriadi, R A Arfah, A Karim. " Purification, characterization and anticancer potential tests of L-asparaginase enzyme from the leaves siam weed (Linn) ", Journal of Physics: Conference Series, 2019

Publication

1 %

6

Muhammad Farhan Nazarudin, Azizul Isha, Siti Nurulhuda Mastuki, Nooraini Mohd. Ain et al. "Chemical Composition and Evaluation of the α -Glucosidase Inhibitory and Cytotoxic Properties of Marine Algae *Ulva intestinalis*, *Halimeda macroloba*, and *Sargassum ilicifolium*", Evidence-Based Complementary and Alternative Medicine, 2020

Publication

1 %

7

Pince Salempa, Muharram, Oslan Jumadi. " Phytochemical Test and Toxicity Test for Methanol Extract of Belajang Susu Hassk.) ", Journal of Physics: Conference Series, 2019

Publication

1 %

8

R.A Larayetan, Ayeni Gideon, Yahaya Abdulrazaq, Ajayi Abayomi et al. "Chemical Composition of *Gossypium Herbaceum* Linn and its Antioxidant, Antibacterial, Cytotoxic

1 %

and Antimalarial Activities", Clinical
Complementary Medicine and Pharmacology,
2021

Publication

9

Rahmah Rahmah, Yoni Astuti, Harsono Salimo, Eti Poncorini Pamungkasari, Brian Wasita. "Beneficial Effect of *Mesona palustris* BL: A Review on Human and Animal Intervention", Open Access Macedonian Journal of Medical Sciences, 2022

Publication

1 %

10

Yong Joo Park, In Jae Bang, Mi Ho Jeong, Ha Ryong Kim, Da Eun Lee, Jong Hwan Kwak, Kyu Hyuck Chung. "Effects of β -Sitosterol from Corn Silk on TGF- β 1-Induced Epithelial-Mesenchymal Transition in Lung Alveolar Epithelial Cells", Journal of Agricultural and Food Chemistry, 2019

Publication

1 %

11

Muzaimi Mustapha, Che Mohd Nasril Che Mohd Nassir, Yuen Kah Hay, Fung Wai Yee, Hafizah Abdul Hamid. "Chapter 10 Neuroprotective Potentials of Natural Vitamin E for Cerebral Small Vessel Disease", IntechOpen, 2020

Publication

1 %

12

"Antioxidants in Fruits: Properties and Health Benefits", Springer Science and Business

1 %

13

Qing Jiang. "Natural forms of vitamin E: metabolism, antioxidant, and anti-inflammatory activities and their role in disease prevention and therapy", *Free Radical Biology and Medicine*, 2014

Publication

1 %

14

Bui Thanh Tung. "chapter 23 Natural Product Compounds for Breast Cancer Treatment", *IGI Global*, 2021

Publication

1 %

15

Alejandro Martínez-Ceja, Antonio Romero-Estrada, María Crystal Columba-Palomares, Israel Hurtado-Díaz et al. "Anti-inflammatory, antibacterial and antioxidant activity of leaf and cell cultures extracts of *Randia aculeata* L. and its chemical components by GC-MS", *South African Journal of Botany*, 2022

Publication

1 %

16

Wanyoike, G.N.. "Brine shrimp toxicity and antiplasmodial activity of five Kenyan medicinal plants", *Journal of Ethnopharmacology*, 200401

Publication

1 %

17

"Anti-inflammatory Nutraceuticals and Chronic Diseases", *Springer Science and Business Media LLC*, 2016

1 %

18

Mohammad Varzandeh, Jaleh Varshosaz, Sheyda Labbaf, Nafiseh Esmaeil. "Sodium-borohydride exfoliated bismuthene loaded with Mitomycin C for chemo-photo-radiotherapy of triple negative breast cancer", *International Journal of Pharmaceutics*, 2023

Publication

1 %

19

Chinnaperumal Kamaraj, Sengodan Karthi, Appadurai Daniel Reegan, Govindhasamy Balasubramani et al. "GREEN synthesis of gold nanoparticles using Gracilaria crassa leaf extract and their ecotoxicological potential: Issues to be considered", *Environmental Research*, 2022

Publication

<1 %

20

I Ketut Yante, Desak Gede Agung Suprabawati, Iskandar Ali. "Comparison of Recurrence Rates in Patients with Locally Advanced Breast Cancer after Mastectomy and Received Aromatase Inhibitor Therapy with Steroids and Nonsteroids", *Bioscientia Medicina : Journal of Biomedicine and Translational Research*, 2021

Publication

<1 %

21

Nicole Daum, Andrea Neumeyer, Birgit Wahl, Michael Bur, Claus-Michael Lehr. "Chapter 11 In Vitro Systems for Studying Epithelial

<1 %

Transport of Macromolecules", Springer
Science and Business Media LLC, 2009

Publication

22

Sumedha Mitra, Radhika Natarajan, Douglas Ziedonis, Xiaoduo Fan. "Antioxidant and anti-inflammatory nutrient status, supplementation, and mechanisms in patients with schizophrenia", Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017

Publication

<1 %

23

Yirui Kuang, Wenyue Shen, Hecheng Zhu, Haoxuan Huang et al. "The role of lncRNA just proximal to XIST (JPX) in human disease phenotypes and RNA methylation: The novel biomarker and therapeutic target potential", Biomedicine & Pharmacotherapy, 2022

Publication

<1 %

24

Zhang-qi Cao, Xue-xi Wang, Li Lu, Jing-wen Xu, Xiao-bin Li, Guang-ru Zhang, Zhan-jun Ma, An-chen Shi, Yan Wang, Yu-jun Song. " β -Sitosterol and Gemcitabine Exhibit Synergistic Anti-pancreatic Cancer Activity by Modulating Apoptosis and Inhibiting Epithelial-Mesenchymal Transition by Deactivating Akt/GSK-3 β Signaling", Frontiers in Pharmacology, 2019

Publication

<1 %

25

Jhon Smith Wongkar, Max R. J. Runtuwene, Jemmy Abidjulu. "Uji Toksisitas Ekstrak Daun Benalu Langsung (*Dendrophthoe petandra* (L) Miq) dengan Metode Brine Shrimp Lethality Test (BSLT) LC50", *Jurnal MIPA*, 2015

Publication

<1 %

26

Wessam M. Aziz, Manal A. Hamed, Howaida I. Abd-Alla, Samia A. Ahmed. "mitigates nephrotoxicity induced by carbon tetrachloride in rats regulation oxidative, inflammatory, tubular and glomular indices ", *Biomarkers*, 2021

Publication

<1 %

27

A N Damayanti, P H Riyadi, E N Dewi. "Characteristic and boactive potential of brewed *Sargassum* sp. with the additional bay leaf (*Syzygium polyanthum*)", *IOP Conference Series: Earth and Environmental Science*, 2021

Publication

<1 %

28

Kasipandi Muniyandi, Elizabeth George, Saikumar Sathyanarayanan, Blassan P. George et al. "Phenolics, tannins, flavonoids and anthocyanins contents influenced antioxidant and anticancer activities of *Rubus* fruits from Western Ghats, India", *Food Science and Human Wellness*, 2019

Publication

<1 %

29

Lyvia Eloiza de Freitas Meirelles, Maria Vitória Felipe de Souza, Lucimara Rodrigues Carobeli, Fabrício Morelli et al. "Combination of Conventional Drugs with Biocompounds Derived from Cinnamic Acid: A Promising Option for Breast Cancer Therapy", *Biomedicines*, 2023

Publication

<1 %

30

Moses Andima, Gabriella Costabile, Lorenz Isert, Albert Ndakala, Solomon Derese, Olivia Merkel. "Evaluation of β -Sitosterol Loaded PLGA and PEG-PLA Nanoparticles for Effective Treatment of Breast Cancer: Preparation, Physicochemical Characterization, and Antitumor Activity", *Pharmaceutics*, 2018

Publication

<1 %

31

R. U. B. Ebaná, U. O. Edet, I. K. Anosike, C. A. Etok, V. B. Ekpenyong. "Bread Production from Different Flours Using Strains of Baker's and Palm Wine Yeasts", *Asian Food Science Journal*, 2018

Publication

<1 %

32

Reza Mohammadinejad, Alessio Biagioni, Ganesan Arunkumar, Rebecca Shapiro et al. "EMT signaling: potential contribution of CRISPR/Cas gene editing", *Cellular and Molecular Life Sciences*, 2020

Publication

<1 %

33

Tuong Kha Vo, Qui Thanh Hoai Ta, Quang Truyen Chu, Thuy Trang Nguyen, Van Giau Vo. "Anti-Hepatocellular-Cancer Activity Exerted by β -Sitosterol and β -Sitosterol-Glucoside from *Indigofera zollingeriana* Miq", *Molecules*, 2020

Publication

<1 %

34

Wei-Liang Liu, Bai-Fen Wu, Jian-Hua Shang, Yun-Li Zhao, Ai-Xiang Huang. " Lam Seed Oil Augments Pentobarbital-Induced Sleeping Behaviors in Mice via GABAergic Systems ", *Journal of Agricultural and Food Chemistry*, 2020

Publication

<1 %

35

Durdana Yasin, Md. Zafaryab, Sabbir Ansari, Nazia Ahmad, Noor Fatima Khan, Almaz Zaki, M. Moshahid Alam Rizvi, Tasneem Fatma. "Evaluation of antioxidant and anti-proliferative efficacy of *Nostoc muscorum* NCCU-442", *Biocatalysis and Agricultural Biotechnology*, 2019

Publication

<1 %

36

Prabhakar Semwal, Sakshi Painuli. "Antioxidant, antimicrobial, and GC-MS profiling of *Saussurea obvallata* (Brahma Kamal) from Uttarakhand Himalaya", *Clinical Phytoscience*, 2019

Publication

<1 %

37

Jacek Zielonka, Joy Joseph, Adam Sikora, Micael Hardy et al. "Mitochondria-Targeted Triphenylphosphonium-Based Compounds: Syntheses, Mechanisms of Action, and Therapeutic and Diagnostic Applications", *Chemical Reviews*, 2017

Publication

<1 %

38

Roshanak Khandanlou, Vinuthaa Murthy, Hao Wang. "Gold nanoparticle-assisted enhancement in bioactive properties of Australian native plant extracts, *Tasmannia lanceolata* and *Backhousia citriodora*", *Materials Science and Engineering: C*, 2020

Publication

<1 %

Exclude quotes On

Exclude matches < 4 words

Exclude bibliography On