

A Literature Review Of Regarding The Use Of Herbal Medicines In Pediatric Dentistry

by Harun Achmad 49

Submission date: 11-Aug-2020 11:36AM (UTC+0700)

Submission ID: 1368322484

File name: Regarding_The_Use_Of_Herbal_Medicines_In_Pediatric_Dentistry.pdf (665.82K)

Word count: 6931

Character count: 39924

A Literature Review Of Regarding The Use Of Herbal Medicines In Pediatric Dentistry

HARUN ACHMAD^{1*}, ARNI IRAWATY DJAIS², SYAKRIANI SYAHRIR³, YAYAH INAYAH⁴, WIWIK ELNANGTI W.⁵, AMELIA FITRI⁶, YUNITA FEBY RAMADHANY⁷

^{1,3,4,5}Department of Pediatric Dentistry, Faculty of Dentistry, Hasanuddin University, Indonesia

²Department of Periodontology, Faculty of Dentistry, Hasanuddin University, Indonesia

⁶Clinical Dental Student, Faculty of Dentistry, Hasanuddin University, Indonesia

⁷Dentist, Faculty of Dentistry, Hasanuddin University, Indonesia

*Corresponding Author

Email ID: harunachmader@gmail.com

Received: 10.04.20, Revised: 26.05.20, Accepted: 01.06.20

ABSTRACT

Writing this review aims to review herbal medicines used in Pediatric Dentistry (IKGA) on how to use herbal ingredients in the dental care of children, the benefits of the herbal ingredients themselves, and their effectiveness in caring for children's teeth. A comprehensive and systematic search was carried out on PubMed and the Google Scholar database for works published from January 1999 to 2020, using the following terms in the search: pediatric dentistry and herbal medicines. Additional manual searches from other sources are also carried out. Only scientific articles in English and Indonesian are considered for this review. Electronic and manual search results in 234 article identification. Based on the inclusion criteria, a full text copy of 71 articles was selected for analysis. Specific analysis was then made from 39 articles describing herbal medicines that can and have the potential to be used in Pediatric Dentistry to be very important for researchers and child health practitioners. Herbal medicines are expected to be an alternative solution when chemicals that are commercially used in the field of pediatric dentistry do not have advantages and good effectiveness when compared with herbal medicines to be discussed.

Keywords: Pediatric dentistry, Herbal medicine

INTRODUCTION

Nature has given us various plants that are useful in medicine to cure various diseases. This herbal plant has been described for medicinal use in history since 5000 BC. The use of natural ingredients as traditional medicine has been done since centuries ago. Herbal medicine has been widely accepted in almost all countries in the world. The use of herbal ingredients for traditional medicine is also widely practiced by the people of Indonesia. Traditional medicine can be used as an alternative to the main treatment ingredients. Raw materials for traditional medicines are easily obtained and the prices are relatively cheap.^{1,2}

Herbal medicine is a form of Complementary and Alternative Medicine (CAM). Herbal medicine, botany is a plant that does not have the characteristics of a network of wood shrubs or trees. More specifically, herbal plants are plants that can be used medically or as ingredients to provide aroma. Herbs with useful and effective properties are a source of treatment for various diseases. Many medicines used in Western medicine are called allopathic medicine derived from medicinal plants. Many support herbal

therapy, it is believed because herbal extracts contain active ingredients.^{3,4}

The use of herbal medicines must pay attention to pharmacology, side effects, herbal drug interactions and dosages, as well as the benefits of herbal medicines in dentistry. Because it does not rule out bad effects can occur when someone uses herbal medicines such as allergies.³

Herbal formulations consist of several different herbal combinations. Each of these herbs has extraordinary potential to cure dental disease. Herbal formulations can nourish our teeth by playing a role in countering various organisms that cause dental disease. The increasing interest in the potential benefits of herbal formulations along with its popularity as an ingredient has led researchers to conduct research on the chemical constituents and biological activities of herbal plants to be used as economical, feasible and provide cost-effective alternative treatments to cure dental diseases.^{2,4}

Synthetic drugs are associated with several problems for example; drug resistance, high treatment costs and side effects especially when synthetic treatment is given to children which can have higher side effects than when giving herbal treatments to children. Traditional medicine is not

only easily available but also affordable. Recently, there has been an increase in the importance of using plants and vegetable products to treat dental diseases. The global market is starting to turn to herbal medicines which are considered as a prospective and realistic source of ingredients for dental care products especially in children.⁴

MATERIALS AND METHODS

Inclusion criteria:

- 42 search articles on results
- In vivo and in vitro studies
- The articles emphasize the efficacy of herbs in the field of pediatric dentistry

Exclusion criteria:

- Article review
- Articles whose abstract can only be read
- Studies are conducted on adults
- Study of diseases other than the field of pediatric dentistry

Search Methodology:

A comprehensive electronic search was conducted in the PubMed and Google Scholar databases to select full-text scientific articles in English published from January 1999 to December 2020, using the following terms in the search: pediatric dentistry and herbal medicine. Additional manual searches from other sources are also carried out. Only scientific articles in English and Indonesian are considered for this review. An electronic and manual search resulted in the identification of 234 articles.

According to the inclusion criteria, the article is needed to describe about herbal medicines that can and have the potential to be used in pediatric dentistry as many as 39 articles are identified. Abstracts are filtered beforehand to eliminate duplicates and articles that clearly fail to meet the search criteria. A copy of the manuscripts is then examined methodically to determine whether the inclusion criteria are met (Figure 1).




Fig.1: Flow chart explaining the search methodology and the number of articles included/excluded at each stage.

RESULTS

Table 1:Herbal Medicines in Children's Dentistry⁵⁻⁴⁴

No.	Author and Title	Years	Conclusion
1.	Fani M, et al. Inhibitory activity of Aloe vera gel on some clinically isolated cariogenic and periodontopathic bacteria	2012	Aloe vera (L.): has antidiabetic properties and increases immunity. Research has shown antimicrobial activity of toothpaste containing aloe vera in oral microorganisms, such as A. Viscosus, S. Mutans, and C. Albicans. The use of aloe vera gel at optimal concentrations in toothpaste.
	Journal: J Oral Sci. 2012; 54: 15-21		
2.	Begne MG, et al. Clinical effect of Mexican samguinari extract (polygonum aviculare L.) on gingivitis	2001	Polygonum aviculare L.: A clinical study in students using Mexican sanguinaria extract as oral rinse for 14 days significantly reduced gingival inflammation.

	Journal: Journal of Ethnopharmacology 2001; 74: 49		
3.	Marco AB, et al.	2008	Chatterjee et al evaluated 0.19% of <i>A. indica</i> mouthwash in tests carried out in vivo and observed that <i>Azadirachta indica</i> mouthwash was as effective in reducing the periodontal index.
	Efficacy of a neem mouthrinse (<i>Azadirachta indica</i>) in the treatment of patients with chronic gingivitis		
	Journal: Med Plant Res. 2008; 2(11): 341-6		
4.	Patil AG, et al	2017	<i>Mangifera indica</i> : Many popular herbal products are known to control dental plaque. <i>Indica mangifera</i> leaves have biomedical applications including antioxidants or free radicals, cardioprotective hypo-allergenic, anticancer, hepatoprotective, analgesic, and immune modulator activity. Rich source of various biologically active compounds.
	Herbal formulation for the treatment of dental diseases : perfectives, potential, and applications		
	Journal: Researchgate. 2017: 31-40		
5.	Leal LSS, et al.	2016	<i>Acacia farnesiana</i> (L.): Ethanol extract obtained from the leaves has been shown to have anti-inflammatory activity. Proteins such as lectins with anti-inflammatory activity from the albumin fraction of <i>A. farnesiana</i> . Apart from anti-inflammatory and analgesic activity it is also found in the globulin fraction obtained from <i>A. farnesiana</i> seeds so that in dentistry, this plant can be used in treating toothache.
	The anti-inflammatory and antinociceptive effects of proteins extracted from <i>Acacia farnesiana</i> seeds		
	Journal: Revista Brasileira de Plantas Mediciniais. 2016; 18(1): 38-47		
6.	Bihana S, et al.	2018	<i>Asclepias curassavica</i> L.: <i>Asclepias curassavica</i> Linn. is an upright and green bush belonging to the <i>Asclepiadaceae</i> family which can be used as an herbal plant, introduced as an ornamental plant in India. Ethanol extracts from all <i>A. curassavica</i> plants are reported to induce a lot of cardiovascular, anti-inflammatory, cytotoxic activity, antioxidant activity, effects of uterine stimulants, and many other pharmacological activities. <i>Asclepias curassavica</i> Linn has the composition of <i>Dotriacontane</i> which plays a role in Antimicrobial, antioxidant and antispasmodic.
	Gas chromatography-mass spectroscopy analysis of bioactive compounds in the whole plant parts of ethanolic extract of <i>Asclepias Curassavica</i> L.		
	Journal: International Journal of Green Pharmacy. 2018: 107-114		
7.	Gutierrez RMP	2016	<i>Byrsonima crassifolia</i> (L.): The bioactivity of this plant extract contains esters, epicatechin and glycolipids. Extracts from leaves, fruits, and bark show neuropharmacological, antioxidant, antibacterial, and anti-trypanocidal effects.
	Anti-inflammatory effect of birsonimadiol from seeds of <i>byrsonima crassifolia</i>		
	Journal: Food Sci Biotechnol. 2016; 25(2): 561-566		
8.	Lopez VGC, et al	2010	<i>Heliopsis longipes</i> : <i>Heliopsis longipes</i> S.F. Blake (<i>Asteraceae</i>) is an endemic herb plant in Sierra Gorda and Sierra Alvarez, where the root is used as a spice in sauces and spicy foods because it
	Analgesic activity of <i>Heliopsis longipes</i> and its effect on the		

	nervous system		has a flavor similar to chili;
9.	Bhat SS, et al.	2017	Carica papaya L.: Natural toothpaste or mouthwash marketed in Europe. Based on Sukardiman 2000 research showed that papaya leaf methanol extract has inhibitory activity against the enzyme DNA Topoisomerase II.
	Comprative evaluation of mangivera indica leaf mouthwash with chlorhexidine on plaque accumulation gingival inflammation, and salivary streptococcal growth.		
	Journal: Original Research. 2017; 28(2): 151-55		
10.	Setianingtyas P, et al.	2018	Black Tea: The content of chemical compounds in tea leaves can be classified into 4 major groups, namely: (1) phenol group; (2) Non-phenol groups; (3) aromatic group; and (4) enzymes. Catechins contained in black tea, especially epigallo-catechin (EGC), and epigallo-catechin gallate (EGCG) are able to inhibit the activity of the glucosil transferase enzymes (GTFs) produced by Streptococcus mutans.
	Effectiveness of black tea gargling on decreasing plaque accumulation in children aged 7-8 years		
	Journal: ODONTO Dental Journal. 2018; 5(1): 61-64		
	Setianingtyas P, et al.	2018	Tea Leaves (Camelia sinensis L.): Black tea (Camellia sinensis) is a type of tea commonly consumed by Indonesians and can also be used as a mouthwash. Black tea contains substances that prevent caries by blocking plaque formation. The ability to reduce plaque or anti-plaque effects on tea is known because of the presence of catechins which play an active role in inhibiting plaque formation.
	Effectiveness of black tea gargling on decreasing plaque accumulation in children aged 7-8 years		Carrot (Daucus-Carota) Aceh and Medan Carrot: Consuming carrots Aceh and Medan Carrot have a mechanical effect in reducing index debris. Decrease in Debris Index can occur due to consuming fibrous and solid food resulting in increased intensity and length of mastication carried out. Chewing movement will stimulate salivary secretion that contains anti-bacterial agents. Saliva can also remove food debris or rinse teeth, neutralize the acidic substances present and dissolve the sugar component from food scraps trapped in between the pits and fissures of the tooth surface. Carrot Aceh and Medan Carrot statistically proven to have the same effectiveness in reducing the debris index. This is due to Aceh carrots and field carrots have similarities that can help eliminate the debris index on the tooth surface. The equation is the same as having the same fiber and water content, and the texture of the fruit flesh is solid and hard.
	ODONTO Dental Journal. 2018; 5(1): 61-64		
12.	Ladytama, et al.	2014	Citrus Aurantifolia: Lime extract with various concentrations can reduce the plaque index. This is evident from the decrease in the dental plaque index for mouthwash lime extract. Decrease in dental plaque can occur because lime contains an alkaloid that functions as an anti-bacterial. Lime
	Effectiveness of lime extract solution (citrus aurantifolia) as a mouthwash to reduce plaque index in adolescents aged 12-15 years -		

	study at Nurul Islami Middle School, Mijen, Semarang		also contains flavonoids and attrition oils which have strong anti-microbial activity. Lime flavonoids also have the ability to modulate the activity of enzymes that can inhibit cell proliferation which is useful as an anti-microbial, anti-fungal, anti-viral
	ODONTO Dental Journal. 2014; 1 (1): 42-43		
13.	Aljufri	2017	Green tea: The nutritional content of green tea includes antioxidant polyphenols, fluoride, vitamin C, manganese, L-teinin, catechins, and caffeine. Catechin contained in green tea contains flour which can strengthen the structure of tooth enamel and reduce levels of acid produced by plaque bacteria. Flouride makes teeth more resistant to demineralization by acids and activates remineralization on the surface of the tooth so that caries does not easily occur.
	The effect of gargling with green tea on saliva ph in grade v students of grade 04 of malintang nervous, padang padang sub-district, padang city		
	Journal: Tower of Science. 2017; 11 (74): 26-28		
14.	Sasmita IS, et al.	2012	Guava (Psidium Guajava): Guava fruit has efficacy as an anti-oxidant, and increases body power. Chemical content of guava: tannins, essential oils, fatty oils, tanned substances, resin, triterpenoids and malic acid. Guava fruit contains amino acids (tryptophan and lysine), pectin, calcium, phosphorus, iron, fluorine, manganese, sulfur, vitamins A, B1 and C. Based on research guava fruit has pharmacological effects, in vitro decoction of guava leaves can inhibits the growth of bacteria that cause plaque Staphylococcus aureus.
	Utilization of guava (psidium guajava) as a source of fluorine in the prevention of dental caries in children in the villages of Cikadu and Cileuleus Tasikmalaya Regency.		
	Journal of science and technology applications for the community, 2012; 1 (1): 19-21.		
15.	Achmad H, et al.	2017	Chitosan: Chitosan alternative material is an attractive ingredient as an antibacterial. Chitosan as an antibacterial against degradation in bacterial cell walls, the resulting damage to the cytoplasmic membrane cytoplasmic nucleus out of the bacterial cell wall. The solubility of organic chitosan ions inhibits hydroxapatitic acid, which is highly reactive with cariogenic foods.
	Effectiveness of chitosan tooth paste from white shrimp (litopenaeusvannamei) to reduce number of streptococcus mutans in the case of early childhood caries		
	Journal of International Dental and Medical Research. 2017; 10(2): 359		
16.	Doostkam A, et al.	2019	Punica granatum Linn.: Various kinds of pomegranate phytochemical compounds that show antimicrobial activity. Phytochemical analysis indicated that most pomegranate extracts were flavo-noids, tannins and polyphenols. Pomegranates also contain ellagitannin, hydroxybenzoic acid, such as ellagic acid. Quantitative pomegranate peel extract by the chromatography (HPLC) method. Pomegranate skin tracts contain gallic acid (34.03%) and catechins (3.31%).
	Punica granatum l. (pomegranate): a potential anti-microbial agent.		
	Journal: Anti-Infective Agents. 2019; 17(1): 1-2.		
17.	Faria RL, et al.	2011	Calendula officinalis L.: Extracts produced from C. officinalis have been widely used in Europe since the 12th century as topical anti-inflammatory
	Antimicrobial activity of calendula		

	officinalis, camellia sinensis and chlorhexidine against the adherence of microorganisms to sutures after extraction of unerupted third molars		agents. Mouthwash containing C. officinalis shows the efficacy of this plant in reducing gingival bleeding.
	Journal: J Appl Oral Sci. 2011; 19(5): 477		
	Faria RL, et al.	2011	Polyphenol-Rich Cranberry: Cranberries are uniquely rich in several classes of bioactive flavonoids including flavonols, anthocyanins, and proanthocyanidins (PACs) (Type A), which provide significant therapeutic potential. Its richness in polyphenols has the ability which can be proven to inhibit bacterial adhesion in the formation of caries or cavities and chronic periodontitis (likes Streptococcus mutans, Streptococcus gordonii, or Porphyromonas gingivalis).
	Antimicrobial activity of calendula officinalis, camellia sinensis and chlorhexidine against the adherence of microorganisms to sutures after extraction of unerupted third molars		
	Faria RL, et al.	2011	Glycyrrhiza uralensis: Potential beneficial effects of licorice on dental disease. Glycyrrhizol A compound, ethanol extract from licorice, has been shown to show strong antibacterial activity against S. mutans.
	Antimicrobial activity of calendula officinalis, camellia sinensis and chlorhexidine against the adherence of microorganisms to sutures after extraction of unerupted third molars		
	Journal: J Appl Oral Sci. 2011; 19(5): 197		44
18.	Jovito, et al.	2016	Extracts from leaves, stems and fruits can be used as antimicrobial and anti-inflammatory and are safe for consumption. The active component activity of experimental toothpaste can be directly linked to certain pathways of the inflammatory.
	Eugenia uniflora dentifrice for treating gingivitis in children: antibacterial assay and randomized clinical trial		
	Journal: Brazilian Dental Journal. 2016; 27(1)		18
19.	Wanga Y, et al.	2018	Cinnamomum zeylanicum: Cinnamon bark essential oil (CBEO) usually contains very high concentrations of cinnamaldehyde and a small concentration of eugenol, among many other aromatic compounds.
	Antibacterial effects of cinnamon (cinnamomum zeylanicum) bark essential oil on bonou Porphyromonas gingivalis		
	Journal: 4evier. 2018		
20.	Bonou J, et al.	2016	Cymbopogon citratus: Cymbopogon citratus family Poaceae with essential oil content of 98.16%, Myrcene (11.48%), neral (33.53%), geranial (43.10%), geraniol (5.58%) and geranyl acetate (4 , 47%).
	Effectiveness assessment of mouthwashes formulated from the essential oils of some beninese medicinal plants against oral germs		
	Journal: African Journal of microbiology research. 2016		
21.	Benso B, et al.	2015	Malva sylvestris: Malva sylvestris and its

	⁶ Malva sylvestris inhibits inflammatory response in oral human cells: an in vitro infection model			⁶ chloroform fraction minimize infection with A. actinomycetemcomitans and inflammation processes in human oral cells by suspected pathways involving.
	Plos One. 20 ²			
22.	Bettega PVC, et al.	2016		² Nasturtium officinale: Nasturtium officinale R.Br. (Brassicaceae), is an herbal plant that is widely consumed as food. Along with this, it is used in traditional medicine to help in treating asthma, bronchitis, hypertension, as well as other diseases.
	Experimental confirmation of the utility of Nasturtium officinale used empirically as mouth lesion repairing promotor			
	Journal: Clinical & Experimental Pharmacology. 2016			
23.	Kong M, et al.	2016		Magnolia officinalis: Herbal-based flos caryophylli (clove) mouthwash is prepared orally to inhibit halitosis and consists of cloves, Fructus schisandrae, Radix glycyrrhizae, and Magnolia officinalis.
	The effect of clove-based herbal mouthwash on radiation-induced oral mucositis in patients with head and neck cancer: a single-blind randomized preliminary study			
	Journal: ¹³ press. 2016			
24.	Rouy B, et al.	2015		Salvia officinalis: Studies on the antimicrobial potential of the Salvia genus show wide variability, depending on the sensitivity of microorganisms and the efficiency of the compounds being tested.
	The antibacterial effect of sage extract (Salvia officinalis) mouthwash against Streptococcus mutans in dental plaque: a randomized clinical trial			
	Journal: IJM. 2015			
25.	Adyanthaya A, et al.	2016		Spilanthes acmella: Bioactive components including lipophilic alkylamides, especially Spilanthal which are isolated from flower buds that are found to act against microbes including streptococcus, Enterococcus, Escherichia, Klebsiella and Salmonella species.
	Indian traditional medicinal herbs against dental caries – an unsung past to a bright future			
	Journal: Saudi Journal of Oral and Dental Research. 2016			
26.	Philip N, et al.	2019		Cranberry: In ancient times, cranberries were used to treat stomachaches, scurvy, and other liver diseases. They are rich in polyphenols and flavonoids. Dental caries can be treated with them. They have antibacterial and antimicrobial properties, thus preventing the inhibition of many pathogens and biofilms. Cranberries are uniquely rich in several classes of bioactive flavonoids including flavonols, anthocyanins, and proanthocyanidins (PACs) (Type A), which provide significant therapeutic potential.
	⁹ Polyphenol-rich cranberry extracts modulate virulence of streptococcus mutans candida albicans biofilms implicated in the pathogenesis of early childhood caries			
	Journal: Pediatric Dentistry. 2019; 41(I)			
27.	Ananda A, et al.	2018		³³ Dayak Onion Bulbs (Eleutherine palmifolia (L.) Merr): It is a typical herbal plant of Kalimantan

	³⁵ bitory power of Dayak onion (eleutherine palmifolia (L.) Merr) extract on the growth of streptococcus mutans		which has the potential as an alternative mouthwash. Dayak bulb extract contains antibacterial properties, one of which is phenol as the largest content with a concentration of 34.20% which can damage bacterial cells so that the growth of Streptococcus mutans decreases and lysis.
	Journal: DENTIN. 2018; 2 (1)		
28.	Abdelmagyda HA, et al.	2019	Coriandrum sativum L.: Coriandrum sativum a member of the Umbelliferae family is an important component of ancient Iranian medical practices used for the treatment of flatulence. It can reduce bacterial activity in the periodontium and are therefore a combination of choices in clinical studies. Oral g ³⁸ oes not show significant advantages compared to scaling and root planing ²⁶ addition to the results of periodontal therapy.
	³ Herbal medicine as adjunct in periodontal therapies- Clinical trials in past decade		
	Journal: Elsevier. 2019		
29.	Chandwani M, et al.	2017	Morinda citrifolia: Morinda Citrifolia, commonly known as noni which is a tree in the coffee family, Rubiaceae. Citrifolia juice (MCJ) has various therapeutic effects including immune enhancing effects. The antibacterial effect of MCJ is mainly associated with L-asperuloside and alizarin compounds.
	¹² Effectiveness of morinda citrifolia juice as an intracanal irrigant in deciduous molars: an in vivo study		
	Journal: Dent Res J. 2017; 14: 246-51		
30.	Kumar VM, et al.	2014	Propolis: Propolis is a natural product that is increasingly in demand because of its antimicrobial activity against various pathogenic microorganisms. It consists of resins and balms (50-60%), pollen (5-10%), and other constituents.
	²⁵ The antimicrobial effectiveness of 25% propolis extract in root canal irrigation of primary teeth		
	³⁴ Journal: Journal of Indian Society of Pedodontics and Preventive Dentistry. 20 ¹⁷ ; 32(2)		
31.	Sotomil JM, et al	2019	Curcuma Longa: Among natural compounds with ¹¹ own anti-inflammatory and antimicrobial, curcumin is a plant derived agent (turmeric root) which also shows antioxidant and anticancer effects, so it has significant clinical relevance related to the prevention and treatment of various diseases. ¹⁶
	⁸ Curcumin—a natural medicament for root canal disinfection: effects of irrigation, drug release, and photoactivation		
	Journal: J. Endod. 2019.		
32.	Elheeny AAH	2019	Allium sativum (garlic): A. sativum has a therapeutic effect through a broad spectrum antibacterial effect and fewer cytotoxic effects. The antimicrobial properties of allicin a ¹⁶ mainly associated with inhibition of total RNA, suggesting that RNA is the main target of allicin action.
	Allium sativum extract as an irrigant in pulpectomy of primary molars: A 12-month short-term evaluation		
	Journal: Clin Exp Dent Res. 2019; 1-7		
33.	Divya S, et al.	2019	Triphala: Triphala has very good antibacterial and anti-inflammatory properties. Several in vitro and microbiological studies have supported the use of triphala as an irrigation root canal and intracanal medical. There is some literature about in vivo studies using triphala as an irrigant root canal in primary teeth. Triphala is used as an irrigant test
	Evaluation of antimicrobial effect of triphala versus conventional root canal irrigants in primary teeth - an in vivo study		

	Journal: Research J. Pharm. and Tech. 2019; 12(2)		because it is proven safe, which contains active ingredients derived from three different herbal medicinal plants. They are responsible for its beneficial properties such as antioxidants, anti-inflammatory and may have additional effects on the traditional root canals of irrigants.
34.	AlSadhan RI, et al. 23 Miswak (Chewing stick): A cultural and scientific heritage	1999	Neem: Miswak extract has higher antimicrobial properties against various types of microorganisms than E. faecalis, when used as a mouthwash or toothpaste.
	Journal: Saudi Dent J. 1999; 11(2): 80-8		
35.	Tewari RK, et al.	2016	Orange oil: Orange oil consists of limonene, aliphatic hydrocarbon alcohols, and aldehydes such as octanal. This material serves as a substitute for chloroform and xylene which are good for softening GP and releasing endodontic sealers in dental re-treatment. Orange oil has no harmful effects, has low solubility in water, and dissolves in alcohol. It processed orange oil, and tetrachlorethylene can be used to soften GP/resilon during re-treatment with various techniques.
	Role of herbs in endodontics		
	Journal: Journal of Oral Research and Review. 2016; 8(2): 95-99		
	Tewari RK, et al.	2016	Arctium lappa (Burdock): Arctium lappa is used for intracanal dressing because it contains ethyl acetate. Arctium lappa has antifungal, antioxidant, and anxiolytic properties. Other benefits include the anti-aggregation effect of platelets, and the treatment of immunodeficiency virus inhibition in humans. In endodontics, Arctium lappa is mainly used to treat root canal infections because of its antimicrobial properties which prevent biofilm formation and are effective against harmful pathogens.
	Role of herbs in endodontics		
	Journal: Journal of Oral Research and Review. 2016; 8(2): 95-99		
	Tewari RK, et al.	2016	Casearia sylvestris: Casearia sylvestris is an herbal plant from Brazil originating from the silicaceae plant class. This plant is in great demand in the population of people in Brazil because this plant has a good anti-inflammation effect. Casearia sylvestris is rich in phospholipase A2 inhibitors which makes it an ideal anti-inflammatory drug for use as an intracanal medicine.
	Role of herbs in endodontics		
	Journal: Journal of Oral Research and Review. 2016; 8(2): 95-99		
36.	Ambati NR, et al.	2017	Curcumin: Curcumin is a phenolic compound that has shown bactericidal properties when tested clinically with greater drug effects such as antioxidants, anti-inflammatory and anti-microbial properties that might prove beneficial in dentistry. Endoplast has the advantage of having the ability to disinfect dentinal tubules and accessory channels that are difficult to reach, at the same time being associated with losses causing periapical irritation caused by its liquid component, eugenol.
	Journal of biomedical and pharmaceutical research case report the success rate of endoflas powder mixed with curcumin gel as obturating material in primary molars: case-series		
	Journal: Journal of Biomedical and Pharmaceutical Research. 2017; 6(2): 100-106		

37.	Adamkova H, et al.	2004	Chordata macleya and Prunella vulgaris: It shows the presence of cytoprotective, antioxidant, antiviral and anti-inflammatory effects.
	Macleya cordata and prunella vulgaris in oral hygiene products – their efficacy in the control of gingivitis		
	Journal: Biomed Papers. 2004; 148(1): 103–105		
38.	Taheri JB, et al.	2011	Chamomile: Other active constituents include flavonoids, apigenin, luteolin, and quercetin. This active ingredient contributes to the anti-inflammatory and antispasmodic relaxation actions and is used for inflammation of the gums and periodontal disease as a mouthwash and also made as toothpaste.
	Herbs in dentistry		
	Journal: International Dental Journal. 2011; 61: 287–296		
39.	Savarkar S, et al.	2019	Lemon (Citrus Limon (L) and Salt (Sodium Carbonate): Lemon extract which contains higher amounts of citric acid and helps whiten some areas of yellow teeth naturally. Acidic ingredients also help improve oral hygiene. Among natural products, salt and Lemon is known in teeth whitening, vinegar / acid solution plays an important role in teeth whitening.
	Efficacy study of whitening toothpaste containing lemon (citruslimon (l) and salt (sodium carbonate)		
	Journal: On J Dent & Oral Health 2019. 2(3)		

DISCUSSION

This review reveals the potential and high use of herbs in pediatric dentistry. Herbal medicines have been used for years, and their history can be rooted in ancient civilizations, where their role as the main source of treatment has been proven in table 1.

Utilization of herbal plants in pediatric dentistry is very diverse in its usefulness, especially used as an active ingredient in toothpaste to suppress the bacteria that causes caries and prevent the formation of dental plaque in children. Herbal remedies that can be used for toothpaste include Aloe vera (L.), Chamomile, Chordata macleya and Prunella vulgaris, Eugenia uniflora L, Carica papaya L., Neem, propolis, Cranberry, Spilanthes acmella, Salvia officinallis, Malva sylvestris, Cymbopogon citratus, Cymbopogon citratus, Cinnamomum zeylanicum, Glycyrrhiza uralensis, Polyphenol-Rich Cranberry, Punica granatum Linn, Chitosan, Green Tea, Black Tea, and Mangifera indica. This is because these plants have high antimicrobial properties against various types of carious microorganisms such as Streptococcus mutans.^{45,46,47}

Besides caries, periodontal disease can also be treated with herbal plants. Herbal remedies used to cure periodontal disease based on this review are Aloe vera (L.), Chamomile, Neem, Azadirachta indica, Eleutherine palmifolia (L.), Magnolia officinallis, Malva sylvestris, Cinnamomum

zeylanicum, Psidium Guajava, Citrus Aurantifolia, L. Daucus-Carota), Camelia sinensis L., Polygonum aviculare L., and Coriandrum sativum L. The active ingredients of this herbal plant generally reduce plaque and gingivitis so that they are also used in the treatment of periodontal therapy. The active ingredient of this herbal plant also contributes to the anti-inflammatory action of ³⁷ mouth, especially the gums.^{48,49,50}

The use of herbal medicines in the field of endodontics in pediatric dentistry is also growing rapidly. This herbal medicine is derived from Morinda citrifolia, Curcumin, Casearia sylvestris, Arctium lappa, Orange oil, Curcuma Longa, Allium sativum, Triphala, Calendula officinalis L., and Propolis. The herbal remedy has excellent antibacterial and anti-inflammatory and antioxidant properties as an irrigation root canal and intracanal medical. There is some literature about in vivo studies using this herbal medicine as an irrigant root canal in deciduous teeth. This herbal medicine is also used as an irrigant test because it is proven safe.^{51,52,53}

Herbal remedies are also used in teeth whitening in Citrus Limon (L) and Salt (Sodium Carbonate) plants. Lemon extract contains a higher amount of citric acid and helps whiten some areas of yellow teeth naturally. Acidic ingredients also help improve oral hygiene. Not only that, the occurrence of canker sores can also be treated with herbal medicine namely Nasturtium officinale.

N. officinale as an assistant in treating thrush and accelerated the process improvement. So this herbal medicine is a better alternative for patients suffering from canker sores.^{11,43,44,54}

Then, herbal medicine in dentistry is also used to treat or treat toothache. These herbal remedies are *Acacia farnesiana* (L.), *Heliopsis longipes*, *Byrsonima crassifolia* (L.), and *Asclepias curassavica* L. These herbal medicines have analgesic properties that play a role in anti-inflammatory, and antihistamines.^{49,55}

CONCLUSION

Herbal medicines in the field of pediatric dentistry are very diverse. Very many herbal plants that have benefits in treating dental and oral diseases in children. Further development and research on the use of herbal plants will greatly assist in creating the latest therapeutic innovations with the use of herbal medicines.

REFERENCES

1. Sari LORK. Utilization of traditional medicine with consideration of the benefits and safety. *Pharmacy Science Magazine*. 2006; 3 (1): 01-07.
2. Darjono UNA. Analysis of lemongrass essential oil (*Cymbopogon citratus*) as an alternative for irrigation of root canals by inhibiting the growth of *enterococcus faecalis*. UNISSULA Faculty of Dentistry. 1-10.
3. Taheri JB, Azimi S, Rafieian N & Zanjani HA. Herbs in dentistry. *International Dental Journal*. 2011; 61: 287-296.
4. Patil AG, Patil PO, Jobanputra AH, & Verma DK. Herbal formulations for Treatment of dental diseases: perspectives, potential, and applications. *Engineering Interventions in Foods and Plants*. 2017. 27-50.
5. Fani M, Kohanteb J. Inhibitory activity of Aloe vera gel on some clinically isolated cariogenic and periodontopathic bacteria. *J Oral Sci*. 2012; 54: 15-21.
6. Begne MG, Yslas N, Reyes E, et al. Clinical effect of Mexican sanguinari extract (*Polygonum aviculare* L.) on gingivitis. *Journal of Ethnopharmacology* 2001; 74: 49.
7. Marco AB, Rinaldo AS, Jose GM, Cintia OC, Cláudio AR, Dinalva BQ, et al. Efficacy of a neem mouthrinse (*Azadirachta indica*) in the treatment of patients with chronic gingivitis. *J Med Plant Res*. 2008; 2 (11): 341-6.
8. Patil AG, Patil PO, Jobanputra AH, Verma DK. Herbal formulations for the treatment of dental diseases: perfectives, potential, and applications. *Researchgate*. 2017: 31-40.
9. Leal LSS, Silva RO, Araujo TSL, Silva VG, Barbosa ALR, Medeiros JVR, et al. The anti-inflammatory and antinociceptive effects of proteins are extracted from *Acacia farnesiana* seeds. *Revista Brasileira de Plantas Medicinai*s. 2016; 18 (1): 38-47.
10. Bihana S, Dhiman A, Singh G, Satija S. Gas chromatography-mass spectroscopy analysis of bioactive compounds in the whole plant parts of ethanolic extract of *Asclepias Curassavica* L. *International Journal of Green Pharmacy*. 2018: 107-114.
11. Gutierrez RMP. Anti-inflammatory effect of birsonimadiol from seeds of *byrsonima crassifolia*. *Food Sci Biotechnol*. 2016; 25 (2): 561-566.
12. Lopez VGC, Flores BIJ, Rivera JRA & Aguero JAR. Analgesic activity of *Heliopsis longipes* and its effect on the nervous system. *Pharmaceutical Biology*. 2010; 48 (2): 195-200.
13. Bhat SS, Hegde KS, Mathew C, Bhat SV, Shyamjith M. Comprative evaluation of mangivera indica leaf mouthwash with chlorhexidine on plaque accumulation gingival inflammation, and salivary streptococcal growth. *Original Research*. 2017; 28 (2): 151-55.
14. Setianingtyas P, Prihastari & Wardhani N. Effectiveness of black tea gargling on decreasing plaque accumulation in children aged 7-8 years. *ODONTO Dental Journal*. 2018; 5 (1): 61-64.
15. Ratna W. Effectiveness of consuming carrots (*daucus-carota*) Aceh and carrot terrain against changes in index debris in elementary school children. *Action Journal*. 2017; 2 (2): 129-31.
16. Ladytama, Arlina N & Baehaqi M. Effectiveness of lime extract (*citrus aurantifolia*) as a mouthwash to reduce plaque index in adolescents aged 12-15 years - study at Nurul Islami Middle School, Mijen, Semarang. *ODONTO Dental Journal*. 2014; 1 (1): 42-43.
17. Aljufri. The effect of gargling with green tea on saliva ph in grade v students of grade 04 malintang nervous Padang Panjang sub-district east of Padang city Tower of Science. 2017; 11 (74): 26-28.
18. Sasmita IS, Darwati & Anggraeni A. Journal of science and technology applications for the community. Utilization of guava (*psidium guajava*) as a source of fluorine in the prevention of dental caries in children in the villages of Cikadu and Cileuleus in Tasikmalaya Regency. 2012; 1 (1): 19-21.
19. Achmad H, Ramadhany YF. Effectiveness of chitosan tooth paste from white shrimp (*litopenaeus vannamei*) to reduce the number of streptococcus mutans in the case of early childhood caries. *Journal of International Dental and Medical Research*. 2017; 10 (2): 359.
20. Doostkam A, Iravani K, Jahromi SB. Punica granatum L. (pomegranate): a potential antimicrobial agent. *Anti-Infective Agents*. 2019; 17 (1): 1-2.

21. Faria RL, Cardoso LML, Akisue G, Pereira CA, Junqueira JC, Jorge AOC, et al. Antimicrobial activity of calendula officinalis, camellia sinensis and chlorhexidine on the adherence of microorganisms to sewing after extraction of unerupted third molars. 2011; 19 (5): 477.
22. Philip N, ShLeishman SJ, Airport, Walsh LJ. Cranberry extract rich in polyphenols modulates the virulence of streptococcus mutans candida albicans biofilms involved in the pathogenesis of early childhood caries. Pediatric Dentistry. 2019; 41 (1).
23. Jovito, Freires, Ferreira, Paulo, Castro. Eugenia uniflora toothpaste to treat gum inflammation in children: antibacterial testing and randomized clinical trials. Brazilian Dental Journal. 2016; 27 (me).
24. Wanga Y, Zhangb Y, Shi Y, Pana XH, Lub Y, Cao Y. Antibacterial effects of cinnamon (cinnamomum zeylanicum) bark essential oils on Porphyromonas gingivalis. Elsevier. 2018.
25. Bonou J, Baba-Moussa F, Noumavo PA, Zannou A, Aloukoutou D, Kpavode L, Ahouandjinou H., Gbénou JD, Toukourou F, Baba-Moussa L. against oral germs. African Journal of Microbiology Research. 2016.
26. Benso B, Rosalen LP, Alencar SM, Ramiro M. Malva sylvestris inhibits the inflammatory response in oral human cells. In Vitro Infection Model. Plos One. 2015
27. Bettega PVC, Johann ACBR, Alanis LRA, IF Bazei, Miguel OG, Kocler CC, Lim AAS, Machado MAN, Machado RP, Rosa EAR, Yusuf S Althobaiti, Atiah H Almalki, Abuhammad S, Grégio AMT. Experimental confirmation of the utility of Nasturtium of the cinale is used empirically as an oral motor-repairing lesion. Clinical & Experimental Pharmacology. 2016.
28. Kong M, Hwang, YoonKim J. Effects of clove-based herbal mouthwash on oral inducible radiation-induced oral mucositis in patients with head and neck cancer: a randomized single-blind preliminary study. Push. 2016.
29. Rouy B, Azarsina M, Soufi R, Alikhani MY, Roshanaie G, Komaki S. Antibacterial effect of sage extract (Salvia officinalis) mouthwash against Streptococcus mutans in dental plaque: a randomized clinical trial. IJM. 2015.
30. Adyanthaya A. Ismail S, Sreelakshmi N. The concoction of traditional Indian medicine against dental caries - an unsung past for a bright future. Saudi Journal of Oral and Dental Research. 2016.
31. Ananda A, Putri T, Diana S. Inhibition of Dayak onion (eleutherine palmifolia (left) Merr) extract on the growth of streptococcus mutans. DENTIN. 2018; 2 (1).
32. Abdelmagyda HA, Shettyc SR, MMM Al-Ahmari. Herbal remedies in addition to periodontal therapy - A clinical trial in the last decade. Elsevier. 2019.
33. Chandwani M, Mittal R, Chandak S, Pimpale J. Effectiveness of morinda citrifolia juice as intracanal irrigant in primary molars: an in vivo study. Dents Res J. 2017; 14: 246 51.
34. Kumar VM, PR Kumar, Richa K, Jyotsna A. Journal of Indian Pedodontic Society and Preventive Dentistry. 2014; 32 (2).
35. Sotomil JM, et al. Curcumin - natural remedy for root canal disinfection: effects of irrigation, drug release, and photoactivation, J. Endod. 2019.
36. Elheeny AAH. Allium sativum extract as an irrigant in primary molar pulpectomy: Short-term evaluation 12 months Clin Exp Dent Res. 2019; 1-7.
37. Divya S, Sujatha S. Evaluate the antimicrobial effect of triphala versus conventional root-analog irrigant in primary teeth - in vivo study. J. Pharm. Research and Tech. 2019; 12 (2).
38. Duke J. Green pharmacy, the main summary of natural remedies for world-leading authorities for healing and herbs. Rodale Press. 1997: 80-492.
39. Fani M, Kohanteb J. Inhibited activity of aloe vera gel on several clinically isolated cariogenic and periodontopathic bacteria. J Oral Sci. 2012; 54: 15-21.
40. Marco AB, Rinaldo AS, Jose GM, Cintia OC, Claudio AR, Dinalva BQ, et al. Efficacy of a neem mouthrinse (Azadirachta indica) in the treatment of patients with chronic gingivitis. J Med Plant Res. 2008; 2 (11): 341-6.
41. AlSadhan RI, Almas K. Miswak (Chewing stick): A cultural and scientific heritage. Saudi Dent J. 1999; 11 (2): 80 8.
42. Britton, NF, Brown, Addison. An illustrated flora of the northern United States and Canada: from Newfoundland to the parallel of the southern boundary of Virginia, and from the Atlantic Ocean westward to the 102d meridian. New York: Dover Publications. 1970: 315.
43. Tewari RK, Kapoor B, Mishra SK, Kumar A. Role of herbs in endodontics. Journal of Oral Research and Review. 2016; 8 (2): 95-99.
44. Ambati NR, Prasad MGS & Menni AC. Journal of biomedical and pharmaceutical research case report the success rate of endophasal powder mixed with curcumin gel as obturating material in primary molars: case-series. Journal of Biomedical and Pharmaceutical Research. 2017; 6 (2): 100-106.
45. Adamkova H, Vicar J, Palasovac J, Ulrichova J & Simanek V. Macleya cordata and prunella vulgaris in oral hygiene products - their efficacy in the control of gingivitis. Biomed Papers. 2004; 148 (1): 103-105.
46. Sudhir Savarkar, Jayaganesh Sankar, Furtado Mellissa Andrea. Efficacy study of whitening

- toothpaste containing lemon (citruslimon (l) and salt (sodium carbonate). On J Dent & Oral Health 2019. 2 (3).
47. Achmad H, Huldani, Ramadhany YF. Antimicrobial Activity and Sulfated Polysaccharides Antibiofilms in Marine Algae Against Dental Plaque Bacteria: A Literature Review. Systematic Reviews in Pharmacy. 2020; 11(6): 459-465. doi: 10.31838/srp.2020.6.72
 48. Abbott P J. Comfrey: assessing the low-dose health risk. Med.J.Aust. 1988; 149 (11-12): 678-682.
 49. Ingber A. Seasonal allergic contact dermatitis from *Taraxacum officinale* (dandelion) in an Israeli florist. Contact Dermatitis. 2000; 43 (1): 49.
 50. Guo J, et.al. Antioxidants from Chinese medicinal herb. *Psoralea corylifolia* L Food Chemistry. 2005; 91: 287-29.
 51. Achmad H, Sri Ramadhany, Philip Eric Suryajaya. 2019. Streptococcus Colonial Growth of Dental Plaque Inhibition Using Flavonoid Extract of Ants Nest (*Myrmecodia pendans*): An in Vitro Study. Pesquisa Brasileira em Odontopediatria e Clinica Integrada. ISSN 1519-0501, 19 (1): e4250.
 52. Ramadhany S, Achmad H, Handayani H, Tanumihardja M, Singgih MF, Inayah NH, Ramadhany YF. Formulation of Ethanol Extract (*Myrmecodia pendans*) as an Antibacterial *Streptococcus mutans* in Chewable Lozenges for Children with Early Childhood Caries. Systematic Reviews in Pharmacy. 2020; 11(4): 252-257. doi: 10.31838/srp.2020.4.37
 53. Achmad H, Tanumihardja M, Sartini, Ramadhany S, Singgih MF, Ramadhany YF, Mutmainnah N. Chewable Lozenges using White Shrimp Waste (*Litopenaeus vannamei*) in Reduce Colonization of Bacteria *Streptococcus mutans* in the Case of Early Childhood Caries. Systematic Reviews in Pharmacy. 2020; 11(4): 293-299.
 54. Riyanti E, Maskoen AM, Oewen RR, Pratidina NB, Achmad H, Ramadhany YF. Antibacterial Activity of *Allium sativum* against *Streptococcus mutans* ATCC 25175 in Indonesia. Systematic Reviews in Pharmacy. 2020; 11(4): 313-318. doi: 10.31838/srp.2020.4.45
 55. Achmad H, Handayani H, Singgih MF, Horax S, Ramadhany S, Setiawati F, Ramadhany YF. Analysis of Dental Caries & Gingivitis with the Occurrence of Stunting in Children in Makassar City (Tamalanrea Subdistrict). Systematic Reviews in Pharmacy. 2020; 11(4): 371-376. doi: 10.31838/srp.2020.4.55

A Literature Review Of Regarding The Use Of Herbal Medicines In Pediatric Dentistry

ORIGINALITY REPORT

16%

SIMILARITY INDEX

10%

INTERNET SOURCES

11%

PUBLICATIONS

8%

STUDENT PAPERS

PRIMARY SOURCES

- 1 A. Santillan, W.E. Zink, J. Knopman, H.A. Riina, Y.P. Gobin. "Early Endovascular Management of Oculomotor Nerve Palsy Associated with Posterior Communicating Artery Aneurysms", *Interventional Neuroradiology*, 2010
Publication 1%
 - 2 www.omicsonline.org
Internet Source 1%
 - 3 Hossam Abdelatty Eid Abdelmagyd, Dr Shishir Ram Shetty, Dr Manea Musa Musleh Al-Ahmari. "Herbal medicine as adjunct in periodontal therapies- A review of clinical trials in past decade", *Journal of Oral Biology and Craniofacial Research*, 2019
Publication 1%
 - 4 www.academicjournals.org
Internet Source 1%
 - 5 article.sciencepublishinggroup.com
Internet Source 1%
-

6	www.ncbi.nlm.nih.gov Internet Source	<1%
7	www.jbpr.in Internet Source	<1%
8	www.clinicaltrials.gov Internet Source	<1%
9	espace.library.uq.edu.au Internet Source	<1%
10	www.ayurvedjournal.com Internet Source	<1%
11	Julian M. Sotomil, Eliseu A. Münchow, Divya Pankajakshan, Kenneth J. Spolnik et al. "Curcumin—A Natural Medicament for Root Canal Disinfection: Effects of Irrigation, Drug Release, and Photoactivation", Journal of Endodontics, 2019 Publication	<1%
12	repository-tnmgrmu.ac.in Internet Source	<1%
13	Submitted to The Koc School Student Paper	<1%
14	Jamile B. Taheri. "Herbs in dentistry : Herbs in dentistry", International Dental Journal, 12/2011 Publication	<1%

worldwidescience.org

15

Internet Source

<1%

16

Ahmad Abdel Hamid Elheeny. " extract as an irrigant in pulpectomy of primary molars: A 12-month short-term evaluation ", Clinical and Experimental Dental Research, 2019

Publication

<1%

17

Submitted to Universidad Estadual Paulista

Student Paper

<1%

18

Yue Wang, Yi Zhang, Yan-qin Shi, Xian-hua Pan, Yan-hua Lu, Ping Cao. "Antibacterial effects of cinnamon (*Cinnamomum zeylanicum*) bark essential oil on *Porphyromonas gingivalis*", Microbial Pathogenesis, 2018

Publication

<1%

19

Submitted to Abilene Christian University

Student Paper

<1%

20

www.cloudheap.com:8080

Internet Source

<1%

21

Mariana Leonel Martins, Mariana Batista Ribeiro-Lages, Daniele Masterson, Marcela Baraúno Magno et al. "Efficacy of natural antimicrobials derived from phenolic compounds in the control of biofilm in children and adolescents compared to synthetic antimicrobials: A systematic review and meta-

<1%

analysis", Archives of Oral Biology, 2020

Publication

22	healthwithherba.blogspot.com Internet Source	<1%
23	s3.amazonaws.com Internet Source	<1%
24	klinikakinetics.blogspot.com Internet Source	<1%
25	Submitted to M.M. International School, Mullana Student Paper	<1%
26	www.useloveshare.com Internet Source	<1%
27	pubs.rsc.org Internet Source	<1%
28	mafiadoc.com Internet Source	<1%
29	www.eurekaselect.com Internet Source	<1%
30	ns2.quintpub.com Internet Source	<1%
31	Submitted to Higher Education Commission Pakistan Student Paper	<1%
32	www.ijahs.net	

<1%

33

R Annisa, E Hendradi, M Yuwono. " Analysis of 1,4 naphthoquinone in the Indonesian medical plant from extract (L.) Merr by UHPLC ", IOP Conference Series: Earth and Environmental Science, 2020

Publication

<1%

34

hdl.handle.net

Internet Source

<1%

35

Submitted to Universiti Sains Malaysia

Student Paper

<1%

36

Cindy Cruz Martínez, Martha Diaz Gómez, Myung Sook Oh. "Use of traditional herbal medicine as an alternative in dental treatment in Mexican dentistry: a review", Pharmaceutical Biology, 2017

Publication

<1%

37

Submitted to King's College

Student Paper

<1%

38

allie.dbcls.jp

Internet Source

<1%

39

ijbms.mums.ac.ir

Internet Source

<1%

40

www.researchsquare.com

<1%

41

Shahid Akbar. "Handbook of 200 Medicinal Plants", Springer Science and Business Media LLC, 2020

Publication

<1%

42

Nazli Samadi, Hassan Mozaffari-Khosravi, Masoud Rahmanian, Mohsen Askarishahi. "Effects of bee propolis supplementation on glycemic control, lipid profile and insulin resistance indices in patients with type 2 diabetes: a randomized, double-blind clinical trial", Journal of Integrative Medicine, 2017

Publication

<1%

43

Ghédira, K., and P. Goetz. "Malva sylvestris L. (Malvaceae): Mauve", Phytothérapie, 2016.

Publication

<1%

44

Vanessa de Carvalho Jovito, Irlan Almeida Freires, Danilo Augusto de Holanda Ferreira, Marçal de Queiroz Paulo et al. "Eugenia uniflora Dentifrice for Treating Gingivitis in Children: Antibacterial Assay and Randomized Clinical Trial", Brazilian Dental Journal, 2016

Publication

<1%

Exclude quotes On

Exclude bibliography On

Exclude matches < 5 words