

Soft_Soil_in_Radial_Zone,_M_P anjaitan_et_al,_Book_Chapter_1. pdf

by

FILE	SOFT_SOIL_IN_RADIAL_ZONE,_M_PANJAITAN_ET_AL,_BOOK_CHAPTER_1.PDF (1.27M)	WORD COUNT	4072
TIME SUBMITTED	22-JUN-2020 01:49PM (UTC+0700)	CHARACTER COUNT	26197
SUBMISSION ID	1347901226		



**Material Science and
Engineering Technology VIII**

Prof. Ramesh K. Agarwal



**11 Material Science and
Engineering Technology VIII**

Selected peer-reviewed papers from
8th International Conference on Material Science
and Engineering Technology (ICMSET 2019)

Edited by
Prof. Ramesh K. Agarwal

TTT TRANS TECH PUBLICATIONS



9 783035 716061

ISBN: 978-3-0357-1606-1

Materials Science Forum Vol. 998
Electronically available at www.scientific.net

Founding Editor:
Fred H. Wöhler

Honorary Editor:
Prof. Graeme E. Muir, University of Newcastle, CRC for Geotechnical Science and Engineering, School of Engineering, University Drive, Callaghan, Australia, NSW 2308;

Editor in Chief:
Prof. Iulian Antoniac, University Politehnica of Bucharest, Faculty of Materials Science and Engineering, 313 Splaiul Independentei, Bucharest, 060042, Romania;

Editorial Advisory Board: see back inside cover.

Aims and Scope: "Materials Science Forum" specializes in the publication of thematically complete volumes from international conference proceedings and complete special topic volumes. We do not publish stand-alone papers by individual authors.

"Materials Science Forum" is a peer-reviewed journal which covers all aspects of theoretical and practical research of materials science: synthesis, analysis of properties, technology of materials processing and their use. "Materials Science Forum" is one of the largest periodicals in its field.

43 Traced/Indexed in:

SCOPUS www.scopus.com

REAXYS www.reaxys.com

EI Compendex www.ei.org/

Chemica <https://www.elsevier.com/solutions/engineering> <https://www.elsevier.com/chemica>

SCImago Journal & Country Rank (SJR) www.scimagojr.com

Inspec (IET, Institution of Engineering Technology) www.iet.org

Chemical Abstracts Service (CAS) www.cas.org

Google Scholar scholar.google.com

39 Ref. www.americanphysics.org/georef

NASA Astrophysics Data System (ADS) <http://www.adsabs.harvard.edu/>

NIS Atomindex (International Nuclear Information System) <https://inis.iaea.org/>

Cambridge Scientific Abstracts (CSA) www.csa.com

ProQuest www.proquest.com

Ulrichweb www.proquest.com/products-services/ulrichweb.html

EBSCOhost Research Databases www.ebscohost.com/

CiteSeerX citeseerx.ist.psu.edu

Zetoc zetoc.jisc.ac.uk

EVisA <http://www.speciation.net/Public/LinkLists/EVISA.html>

Index Copernicus Journals Master List www.indexcopernicus.com

WorldCat (OCLC) www.worldcat.org

Internet:

The book/book is available in full text via www.scientific.net/book

54

ISSN | print 0255-5476 | ISSN web 1662-9752

Scientific.Net
Publisher in Materials Science & Engineering

Trans Tech Publications Ltd
Kapellweg 8 • CH-8806 Bâch • Switzerland
Fax +41 (44) 922 10 33 • office@scientific.net
<http://www.scientific.net>

Editorial Board:

15 Prof. Jai Sung Lee
Hanyang University, Department of Metallurgy and Materials Science, 55 Daehak-ro, Sangrok-gu, Ansan, Korea, South, 426-791;

27 Prof. Eric J. Mittemeijer
Max Planck Institute for Intelligent Systems; Heisenbergstraße 7, Stuttgart, 70569, Germany;

30 Prof. Stephen J. Pearton
University of Florida, Department of Materials Science and Engineering, Gainesville, USA, 32611-6400;

Prof. Vassilis Pontikis
Commissariat à l'Énergie Atomique et les Énergies Alternatives (CEA), CEA-Saclay, Bld. 524, Gif-sur-Yvette, 91191, France;

Prof. András Rósz
Hungarian Academy of Sciences, Miskolc University (HANS-MU); Miskolc-Egységtudós, 3515, Hungary;

26 Prof. David N. Seidman
Northwestern University, Department of Materials Science and Engineering, Cook Hall, 2220 Campus Drive, Evanston, USA, 60208;

40 Dr. Ching Hua Su
NASA/Marshall Space Flight Center, EM31 NASA/Marshall Space Flight Center, Huntsville, USA, 35892;

25 Prof. David Tomaneck
Michigan State University, Physics and Astronomy Department, 567 Wilson Road, East Lansing, USA, MI 48824-6455;

Prof. A.S. Wronski
University of Bradford, School of Engineering, Design and Technology, West Yorkshire, Bradford, United Kingdom, BD7 1DP;

24 Prof. David J. Young
University of New South Wales, School of Materials Science and Engineering, Sydney, Australia, NSW 2052;

16 Prof. Dezsi L. Bekk
University of Debrecen, Department for Solid State Physics, Bem tér 18b, Debrecen, 4026, Hungary;

Prof. Giorgio Benedek
University of Milan, Department of Materials Science; Università di Milano-Bicocca, Via R. Cozzi 55, Milano, 20125, Italy;

Prof. Anil K. Bhanuagar
University of Hyderabad, School of Physics and School of Engineering, Hyderabad, India, 500046;

7 Prof. Chi Ming Chan
Hong Kong University of Science and Technology, Department of Chemical and Biomolecular Engineering, Clear Water Bay, Kowloon, China;

20 Prof. B. Figueiredo
Federal University of Minas Gerais, Department of Metallurgical and Materials Engineering; Belo Horizonte, MG, 30, Brazil, 31270-901;

31 Hermann G. Grimmeis
Lund University, Department of Solid State Physics; Box 118, Lund, 221 00, Sweden;

14 Jerzy Jedlinski
AGH University of Science and Technology, Faculty of Materials Science and Ceramics, Department of Physical Chemistry and Modeling of Processes and Surface Engineering; al. Mickiewicza 30, Kraków, 30-059, Poland;

19 Megumi Kawasaki
Oregon State University, School of Mechanical Industrial and Manufacturing Engineering; 204 Rogers Hall, Corvallis, USA, 97331;

32 Pentti O. Kettunen
Tampere University of Technology, Department of Materials Science, Faculty of Automation, Energy and Materials Engineering; PO Box 589, Tampere, 33101, Finland;

41 Torrance G. Langdon
University of Southampton, Faculty of Engineering and the Environment, Lancaster Building (Bldg 7), Highfield Campus, Southampton, United Kingdom, SO17 1BJ;

5

Table of Contents

Preface	v
Committees	vi
Chapter 1: Cast Iron, Steel and Alloys, Casting and Processing Technologies	
Study on the Modification Effect of Al-Sr Master Alloy on A356 Aluminum Alloy	
8 G.Q. Chen, G.S. Fu, K.H. Yang and C.S. Lin	3
Microstructure and Mechanical Properties Investigation of New	
Al₁₀8₁₂Mn₂₈Fe_(50-x)Ni_(x) High Entropy Alloys	
7 A.W. Abdel-Ghany, S. Elkatatny and M.A.H. Gepreel	9
Effect of Grain Structure on the Mechanical and Corrosion Behavior of Advanced	
Medium Mn Stainless TWIP Steel	
M.H.A. Gadelhaq, A.S. Hamada, I.M. Ghayad, A. Järvenpää, M. Jaskari and M. Hossam	15
Microstructure Evolution of the as Tempered P92 Steel at High Temperature	
Exposure	
Y. Xu, T. Lei, X.S. Yang, C. Chang, L.F. Qian and Q. Gong	21
Abrasion Wear Resistance of Ni - Mo Alloyed High-Chromium Cast Iron	
M. Pokusova, Z. Gabrisova, A. Brusilova, A. Pribulová and P. Futaš	30
Possibilities Reducing of Energy Consumption by Cast Iron Production in Foundry	
P. Futaš, A. Pribulová and M. Pokusova	36
Influence of Charge Composition on EN-GJS-500-7 Ductile Iron Properties	
in Foundry Operating Conditions	
9 A. Pribulová, P. Futaš and M. Pokusova	42
Influence of Ni Content on Erosive Wear and Destabilization Heat Treatment	
Conditions Behavior of Multi Component White Cast Iron	
K. Kusumoto and K. Shimizu	48
Multi-Objective Optimization of Electrical Discharge Machining Parameters	
for 2024 Aluminum Alloy Using Grey-Taguchi Method	
J. Phimoolchat and A. Muttamara	55
51 Multi-Criteria Optimization of Dressing Parameters for Surface Grinding 90CrSi	
Tool Steel Using Taguchi Method and Grey Relational Analysis	
T.H. Tran, N.V. Cuong, H.K. Le, Q.T. Nguyen, B.T. Long, A.T. Luu, T.T. Nguyen and V.N. Pi	61
Chapter 2: Materials and Technologies of Environmental Engineering	
and Waste Processing	
Enhancement of Photocatalytic Performance of Anatase by Silver Deposition	
through Chemical Reduction Process at Room Temperature	
50 T. Narkbuakaew and P. Sujaridworakul	71
Effect of Anatase/Rutile Phase Ratio on the Photodegradation of Methylene Blue	
under UV Irradiation	
Y.Y. Zaw, D.A.D. Channei, T. Threrujirapong, W. Khanitchaidecha and A. Nakaruk	78

Influence of Preparation Methods of TiO₂ Nano-Particle on Photodegradation of Methylene Blue	
J. Sirichokthanasarp, D.T.T. Trinh, D.A.D. Channei, K. Chansaenpak, W. Khanitchaidecha and A. Nakaruk.....	84
Changing of Particle Size and Pore Structures of Calcium Oxide during Calcinations of Industrial Eggshell Waste	
A. Putkham, S. Ladhan and A.I. Putkham.....	90
Effect of Thermal Treatment on Thermal Properties, Surface Chemistry, Crystalline Structure and Methylene Blue Removal of Polyvinyl Alcohol/TiO₂ Nanocomposite Films	
S. Ratchawong, S. Wacharawichanant and S. Tanodekaew	96
Characterization of Low-Pressure Nitrogen Plasma Discharge and Pre-Oxidation on the Surface Characteristics of Activated Carbons	
R.G. Abdon, T.A. Dela Peña, C. Punongbayan and J.A. Ricafrente	102
Effect of Silver Addition on the Adsorption Properties of Y Zeolite	
V.L. Temerev, A.A. Vedyagin, K.N. Iost, S.V. Cherepanova and M.V. Trenikhin.....	108
Pyrolysis Kinetics of Mixture Polypropylene and High Density Polyethylene Plastic Wastes Using Kaolin Catalyst	
E. Erawati, Hamid and R.A. Febriansyar.....	114
 Chapter 3: Materials and Technologies of Chemical Production	
<i>In Situ</i> ATR Infrared Study of Cobalt-Borate Water Oxidation Catalysts	
L.F. Xi, C. Schwanke, K.M. Lange and M. Risch	123
Continuous Methyl Ester Production Process from Refined Palm Oil Using 3D-Printed Static Mixers	
K. Pongraktham and K. Somnuk	134
Continuous Hydrosonic Reactor for Methyl Esters Production Process from Low Free Fatty Acid Oil Using 3D-Printed Rotor	
M.O. Ye and K. Somnuk.....	140
Process Intensification of Liquid-Liquid Extraction in Rotating Packed Bed	
S. Karmakar, A. Bhowal and P. Das.....	146
Partial Miscibility of Metals as a Key for Improved Properties	
A.A. Vedyagin, P.E. Plyusnin, R.M. Kenzhin, V.O. Stoyanovskii, A.V. Zadesenets and Y.V. Shubin.....	151
Fabrication of the Functionalized Carbon Nanomaterials via Catalytic Pyrolysis of Nitrogen-Containing Compounds	
A.A. Vedyagin, I.V. Mishakov, Y.I. Bauman and R.M. Kenzhin.....	157
Fabrication and Characterization of Biocomposite Membranes from Polycaprolactone and Native Arrowroot (<i>Maranta arundinacea</i> L.) Extracted Starch	
K.B.B.T. Damian, K.A.C. Bermundo, Y.B.L. Macatol, G.P.C. Marino and R.R. Aquino.....	163
Dispersion Stability of Nanocellulose in Nonpolar Solvent: Chloroform	
E. Indarti, Marwan and W. Wan Daud	170

Chapter 4: Functional and Special Materials

10	A Comparison between $\Sigma 3$ Asymmetrical Tilt Grain Boundary Energies in Niobium Obtained Analytically and through Molecular Dynamics Based Simulations	
	D. Singh and A. Parashar	179
	Synthesis and Electrical Resistance Property of Vanadium Oxide Thin Films by DC Magnetron Sputtering	
	L. Chotirat, S. Niyomwas, S. Supothina, W. Wongpisan and K. Waree	185
	The Use of Silane-Aniline as Coupling Agent between Titanium (IV) Oxide Core and Polyaniline Emeraldine Salt Shell	
	M.M.P. Parel, I.R. Colambo and M.U. Herrera	191
	Temperature Dependent Up-Conversion Luminescence Properties of Er³⁺ Doped KNN Ultrafine Powders Prepared by Pulsed Laser Ablation in Liquid	
	Z. Liu and D.H. Chen	197
18	Design of Tapered Periodic Meta-Surfaces for Suppressing Edge Electromagnetic Scattering	
	H.Y. Chen, G.Y. Li, L.J. Lu, D.F. Liang, X.L. Weng, H.Y. Xie and L.J. Deng	203
	Novel Proton-Conducting Oxygen-Deficient Complex Oxides: Synthesis, Hydration Processes, Transport Properties	
	N. Tarasova, I. Animitsa and A. Galisheva	209
	XRD and SEM Analyses of Bulk Ga-Doped Li₇La₃Zr₂O₁₂ Li- Ion Conducting Solid Electrolyte Prepared via Hot-Pressing Method	
	A.L. Blaquera, C.M. Macalisang, J.C. Palomares, R.M. Garcia and R.B. Cervera.....	215
	New Efficient Technique for Finite Element Modeling of Macro Fiber Composite Piezoelectric Materials	
	D. Emad, M.A. Fanni and A.M. Mohamed	221
	The Effect of Sn(II) Precursor on Morphology and Surface Area of as Synthesis SnO₂ Nanotube	
	P. Choopool, K. Kooptarnond, M. Khangkhamano and V. Rachpech	227
	Carboxylate-Functionalized Imidazolium-Based Binary Ionic Liquids as Electrolytes for Symmetric Carbon-Based Supercapacitors	
	J.N. Patricio, S.J.L.P. Perez and S.D. Arco.....	233
	Machine Learning Approach to Predict Dielectric Permittivity of PE/TiO₂ Nanocomposites	
	B. Zazoum	239
	Novelty and Applications of MMCs with Aluminium Metal Base Using Stir Casting Technique - A Review	
	K.K. Mohan Reddy, C.K. Reddy, P. Karthik and M.G. Krishna.....	246
 Chapter 5: Biomaterials		
	Synthesis and Characterization of Polycaprolactone(PCL)/ Organo-Montmorillonite(O-MMT) Blend via Solvent Casting	
	R.M.A. Ramos, R.R. Aquino, M.S. Tolentino, E.G. Eleazar and B.A. Basilia	255
	Anthocyanin and Flavonoid Extracted from Watermelon Rind (<i>Citrullus lanatus</i>) with Two Different Colors of Watermelon Flesh: Yellow and Red	
	V.A.S. Augustia, I.I. Oktaviani and W. Setyati	261

Pectin Based Edible Film for Cinnamaldehyde Delivery System: Effect of Calcium Chloride Content on the Physical Characteristics of the Films V.A.S. Augustia, Y. Kusumastuti and S.K. Wirawan.....	266
Microwave-Assisted Synthesis of PGS/PCL Nanocomposite Films: Effect of Organo-Modified Montmorillonite J.P.M. Jandayan, R.R. Aquino, M.S. Tolentino and C.M.E. Tan.....	271
Preparation and Optimization of Capsaicin-Loaded Chitosan Nanoparticles as Delivery Systems Using Box-Behnken Design N. Kulpreechanan and F.N. Sorasithiyanukarn	277
Simulation Study of Structural and Dynamic Properties of Bi-Disperse Colloidal Suspensions D. Irfachsyad and H. Meidia.....	283
Chapter 6: Building Materials	
The Influence of the Waste Foundry Sand on the Microstructure and the Physico-Mechanical Properties of Autoclaved Aerated Concrete J. Melichar, V. Černý and R. Drochytka.....	293
Effect of Aggregate Packing on Strength of Reactive Powder Concrete: Modeling and Experimental Evaluation U. Bektimirova, I. Mukhammedrakhym, C.S. Shon, D.C. Zhang and J. Kim.....	299
Influence of Type of Secondary Raw Material on Consistency of Fresh Mixture for AAC Production V. Černý, M. Lédl, J. Melichar and R. Drochytka.....	305
Correlation of UCS and CBR on Lightweight Geocomposite of Soil-EPS Stabilized by Waste of Buton Asphalt I. Rauf, L. Samang, T. Harianto and A. Arsyad.....	311
Influence of Sodium Hydroxide Grade on the Strength of Fly Ash-Based Geopolymer Cement T. Suwan, B. Paphawasit, P. Jitsangiam and P. Chindaprasirt	317
Correlation of Unconfined Compressive Strength and California Bearing Ratio in Laterite Soil Stabilization Using Varied Zeolite Content Activated by Waterglass A.B. Muhiddin and M.M. Tangkeallo	323
The Effect of Heat Induction on Shear Strength of Soft Soil in Radial Zone M. Panjaitan, L. Samang, A.B. Muhiddin and T. Harianto	329
Study of Soil Layer Stratigraphy Based on Georesistivity and Geological Techniques Antarissubhi, L. Samang, T. Harianto and Indrabayu	335
Keyword Index	341
Author Index	345

The Effect of Heat Induction on Shear Strength of Soft Soil in Radial Zone

Maraden Panjaitan^a, Lawalenna Samang^b, Achmad Bakri Muhiddin^c
and Tri Harianto^d

Department of Civil Engineering, Hasanuddin University, Makassar, Indonesia

^amaradenpanjaitan27@gmail.com, ^bsamang_l@yahoo.com, ^cachmad_muhammad@yahoo.com,
^dtriharianto@gmail.com

Keywords: Soft clay, radial zone, heat induction, shear strength, temperature.

Abstract. The main problem in infrastructure development at the soft clay was its bearing capacity therefore it needs to be improved. In this research, the improvement method was carried out by modeling in small scale of preloading and heat induction combination. Location of soft soil sampling was in Takalar, Indonesia. The purpose of this study was to investigate the range of the shear strength of soft soil corresponding with heat induction at the radial zone. The shear strength was obtained by vane shear test and compressive strength from unconfined compressive test (UCT). The heat applied ranging from 100° C, 200° C, 300° C, and 400° C with static preloading load 0.20 kg/cm². The strengths of the soil in radial zones have been tested at R0, R1, and R2. At lowest temperature 100° at R0 the compressive strength was 0.203 kg/cm², at highest temperature 400° at R0 the compressive strength 0.467 kg/cm², there was a significant increasing of compressive strength value with the change of temperature. At the highest temperature 400° the shear strength from vane shear tests resulting at R0 0.240 kg/cm², R1 of 0.128 kg/cm², R2 of 0.077 kg/cm². At the lowest temperature of 100° C shows R0 at 0.116 kg/cm², R1 at 0.070 kg/cm², R3 of 0.046 kg/cm². The results show a tendency of declining strength value as the soil farther away from center of heat induction. The experimental result from this model produces strength that can be used as a parameter of the foundation model on soft soil.

Introduction

In Indonesia about 10 % or 20 million hectares land areas was covered by soft clays, so it became necessary to deal with its soil improvement. The available improvement methods were preloading, prefabricated vertical drain (PVD), electro-osmosis, vacuum consolidation, electro-heating. In this research, the improvement method was carried out by modeling in small scale of combination of preloading and heat induction.

Preloading can accelerate the process of consolidation and settlement on soft clay. In this case, the static load was applied to give uniform condition for all soil tested. Heat was inducted by stick copper with the help of electric power. When clayey soil inducted by the heat, according to Francois [1] it will have several disturbances, such as significant deformation, increase pore water pressure, etc. Also, one important aspect upon heating in soil was explained by Sridharan and Venkata Rao [2], Morgenstern and Balasubramonian [3], and Mitchell [4] that temperature changes have significant effect on the physico-chemical forces between the clay particles which control the mechanical behavior of the saturated fine-grained soil (soft clays). Therefore, it is evident that changes in the temperature may alter the shear strength behavior and induce volumetric strain.

Testing Program

Location of Soft Clay Samples. The soft clay for this research were obtained from Takalar, Indonesia. The location is shown in Fig. 1 below. The test was carried out in Hasanuddin University's geotechnical and environmental research laboratory.



Fig. 1 Soft clay location

Preloading. The soil was transferred from the sampling site to the laboratory for further testing. The first preparation was reconstitution of the soil for resembling the natural condition of [17] sampling site. Then preloading was carried out with load 0.20 kg/cm^2 , it was illustrated in Figure 2.

Unconfined Compressive Test (UCT). Unconfined compressive strength tests of cohesive soils can be performed on intact, remolded or reconstituted soil specimens but in this case the reconstituted specimens were tested. The compressive strength of soil can be calculated by equation below:

$$\sigma_c = \frac{P}{A} \quad (1)$$

Where, σ_c = The compressive stress (kg/cm^2)

P = Given applied load (kg/cm^2)

A = Corresponding average cross-sectional area (cm^2)

The peak [36] the maximum value of σ_c report as q_u (kg/cm^2) where described as the unconfined compressive strength of the soil. [3]

Vane Shear Test. The vane shear test is a method of measuring the undrained shear strength of a cohesive soil. The equipment consists of a straight rod with four vanes on one end, arranged in a cruciform pattern, and a combined handle [47] torque gauge. The vane shear test can be done both in the laboratory and field. The laboratory vane shear tests were carried out with undisturbed and undrained condition to resemble the field conditions. The expression to calculate the shear strength using equation by Merrifield [5] below:

$$Su = \frac{T}{\pi \left(\frac{HD^2}{2} + \frac{D^3}{6} \right)}$$

$$(2)$$

Where, Su = The shear strength (kg/cm^2)

T = Torque (kg-cm)

D = Diameter of vane (cm)

H = Height of vane (cm)

Heat Induction Test Model on Soft Soil. The research conducted in test tub, the preloading and heat induction model shown in Figure 2 with the dimensions of $50 \times 70 \times 150 \text{ cm}$ of soil tested, in the figure it showed a post-reconstitution conditions.




Fig. 2 The preloading and heat induction

Thermal induction was induced with 40 cm length metal rod with temperature regulator up to 400⁰ C. The soft clay tested for vane shear was carried out in the radial zone R0, R1, R2. The R0 located in center of soil heat induction, R1 located 20 cm away from the center, and R2 located 40cm away from center of heat induction. The layout of radial zone and position for R0,R1 and R2 shown in Fig. 3.




Fig. 3 The layout of radial zone and position for R0, R1 and R2

Result and Discussion

13 Characteristics of Soft Soils and Their Classification. The results showed that the type of soil based on Unified Soil Classification System (USCS) was CH and based on the American Association of State Highway and Transportation Officials (AASHTO) was A-7-5. The summary of index properties of soil tested was shown in Table 1.

Table 1 Soil properties index test results

Parameter	Value	Testing Method
1. Volumetric Parameter		
- Specific Gravity	2.71	ASTM D-162
- Water Content (%)	73.55	ASTM D-2216-98
- Density (kg/cm ³)	1.66	
2. Grain size distribution		ASTM C-136-06
- Clay (%)	50.42	
- Silt (%)	41.37	
- Sand (%)	8.21	
45 - Gravel (%)	0.00	
3. Atterberg Limit		35
- Liquid Limit (%)	69.90	ASTM D-423-66
- Plastic Limit (%)	33.30	ASTM D-424-74
- Plasticity Index (%)	36.60	ASTM D-4318

The Strength with Unconfined Compressive Test (UCT). The UCT result after the soil inducted by heat at temperature 100°, 200°, 300°, 400° at R0, R1, and R2 is shown in Table 2.

Table 2 The result of UCT with various temperature

Temperature (°C)	UCT (kg/cm ²)		
	R0	R1	R2
100	0.203	0.129	0.093
200	0.247	0.154	0.107
300	0.375	0.222	0.134
400	0.467	0.250	0.155

The compressive strength of a soil under static loading (0.20 kg/cm²) decreases with an increasing of distance from the center of soil heating induction. This conclusion is drawn from the laboratory experiments also shown in the Fig. 4. At lowest temperature 100° at R0 the compressive strength was 0.203 kg/cm², at highest temperature 400° at R0 the compressive strength was 0.467 kg/cm², there was a significant increasing of compressive strength value with the change of temperature. Whereas, at R1, the highest temperature the compressive strength 0.250 kg/cm² and the lowest temperature 0.129 kg/cm². However, at R2 (the farthest soil from soil heat induction) seemingly did not have significant effect to the compressive strength, because the change value of compressive strength not very large. It suspected that the temperature effect only effective (in term of increasing the strength of soil) only at R0 and R1. In general, the farther the soil from the center of heat induction, the less shear strength obtained.




Fig. 4 Radial-unconfined compressive strength relation at different temperature (heat induction)

12

Shear Strength Measurement with Vane Shear Test. The vane shear test result after the soil induced by heat at temperature 100°, 200°, 300°, 400° at R0, R1, and R2 is shown in Table 3.

Table 3 The result of vane shear test with various temperature

Temperature (°C)	Shear Strength (kg/cm ²)		
	R0	R1	R2
100	0.116	0.070	0.046
200	0.155	0.085	0.054
300	0.186	0.101	0.062
400	0.240	0.128	0.077

21

From vane shear test the shear strength plotted with radial of soil tested R0, R1, R2 which had 20 cm distance for each point is shown in Figure 5 below. The result shows that the farther the soil from the center of heat induction, the less shear strength obtained.




Fig. 5 Radial-shear strength relation at different temperature (heat induction)

The result of vane shear test shows similar behavior from UCT result. It was suspected that the difference between value of both testing because the principle of their testing procedure, the vane shear test, shearing the soil with horizontal shearing while UCT applied load in vertical axis. It shows an obvious effect upon heating, it is suspected that the temperature hardening the bond of clay particle due to water evaporation but only effective in radial zone R0 and R1.

Conclusions

From the results of the research, it could be concluded that:

1. The soil used in the study was classified as clay type or CH by USCS which has characteristics that the change in water content will affect the value of the shear strength.

2. At the highest temperature 400° the shear strength from vane-shear tests resulting at R0 0.240 kg/cm², R1 of 0.128 kg/cm², R3 of 0.077 kg/cm². At the lowest temperature of 100° C shows R0 at 0.116 kg/cm², R1 at 0.070 kg/cm², R2 of 0.046 kg/cm².

3. It shows an obvious effect upon heating, it is suspected that the temperature hardening the bond of clay particle due to water evaporation but only effective in radial zone R0 and R1.

Acknowledgment

Author would like to express gratitude and thank to LPDP (Indonesia Endowment Fund for Education) for all kind of support so that this research could be carried out to date, and also would like to thank to all colleague at Geotechnical Laboratory of Hasanuddin University who had been involved to this research until the completion.

References

- [1] Francois, B., Laloui, L., Laurent, C. *Thermo-hydro-mechanical simulation of atlas in situ large scale test in Boom clay*. Comput. Geotech. 36, 626–640. (2009)
- [2] Sridhan, A. and Venkatappa Rao, G. *Mechanism controlling volume change of saturated clays and the role of the effective stress concept*. Geotechnique. 23:359-382. (1973)
- [3] Morgenstern, N. M., and Balasubramonian, B. I. *Effects of pore fluid on the swelling of clay-shale*. Proceedings, 4th International Conference on Expansive Soils, Denver, Colorado, pp. 190-205. (1980)
- [4] Mitchell, J. K. *Fundamental of Soil Behavior*. John Wiley& Sons, Inc., New York. (1993)
- [5] Merrifield, C. M. *Factors affecting the interpretation of the in-situ shear vane test* (Doctoral dissertation, University of Surrey). (1980)

ORIGINALITY REPORT

%**21**

SIMILARITY INDEX

%**13**

INTERNET SOURCES

%**10**

PUBLICATIONS

%**13**

STUDENT PAPERS

PRIMARY SOURCES

1	gerd.eng.ku.ac.th Internet Source	%1
2	eprints.ugd.edu.mk Internet Source	%1
3	en.wikipedia.org Internet Source	%1
4	www.inicop.org Internet Source	%1
5	Submitted to Udayana University Student Paper	%1
6	Submitted to Prince of Songkla University Student Paper	%1
7	www.internetchemistry.com Internet Source	%1
8	Ahmed H. Awad, Mohamed Abdel-Hady Gepreel. "Basic characterization of new Ti-Mn-Zr alloys", Materials Today: Proceedings, 2020 Publication	%1

9	rdsoran.muroran-it.ac.jp Internet Source	<% 1
10	www.iitr.ernet.in Internet Source	<% 1
11	link.umsl.edu Internet Source	<% 1
12	www.ircen.gov.in Internet Source	<% 1
13	Submitted to University of South Florida Student Paper	<% 1
14	Submitted to University of Queensland Student Paper	<% 1
15	asm.confex.com Internet Source	<% 1
16	www.tandfonline.com Internet Source	<% 1
17	Submitted to Universiti Pertahanan Nasional Malaysia Student Paper	<% 1
18	"Final program", 2018 IEEE International Symposium on Electromagnetic Compatibility and 2018 IEEE Asia-Pacific Symposium on Electromagnetic Compatibility (EMC/APEMC), 2018 Publication	<% 1

19

Submitted to Oregon State University

Student Paper

<% 1

20

Guilherme Yuuki Koga, Ana Martha Branquinho e Silva, Witor Wolf, Claudio Shyinti Kiminami et al. "Microstructure and mechanical behavior of Al92Fe3Cr2X3 (X = Ce, Mn, Ti, and V) alloys processed by centrifugal force casting", Journal of Materials Research and Technology, 2019

Publication

<% 1

21

Submitted to University Tun Hussein Onn Malaysia

Student Paper

<% 1

22

Submitted to Ohio University

Student Paper

<% 1

23

Jing-Jing Li, Bao-Lin Zhu, Gui-Chang Wang, Zun-Feng Liu, Wei-Ping Huang, Shou-Min Zhang. " Enhanced CO catalytic oxidation over an Au–Pt alloy supported on TiO nanotubes: investigation of the hydroxyl and Au/Pt ratio influences ", Catalysis Science & Technology, 2018

Publication

<% 1

24

www.publish.csiro.au

Internet Source

<% 1

25

www.nanoten.com

Internet Source

<% 1

26

Gulsu Simsek, A. Emel Geckinli. "An assessment study of tiles from Topkapı Palace Museum with energy-dispersive X-ray and Raman spectrometers", Journal of Raman Spectroscopy, 2012

Publication

<% 1

27

Mittemeijer, . "Front Matter", Modern Diffraction Methods MITTEMEIJER DIFFRACTION O-BK, 2013.

Publication

<% 1

28

Suyoto, Sugihartono Iskandar, Adit Kurniawan. "Timing estimation based on normalized 4-th order moment for OFDM-based cognitive radio systems", 2016 International Conference on Computer, Control, Informatics and its Applications (IC3INA), 2016

Publication

<% 1

29

Roman M. Kenzhin, Yuri I. Bauman, Alexander M. Volodin, Ilya V. Mishakov, Aleksey A. Vedyagin. "One-step synthesis of nitrogen-doped carbon nanofibers from melamine over nickel alloy in a closed system", Chemical Physics Letters, 2017

Publication

<% 1

30

www.mrs.org

Internet Source

<% 1

www.ostp.gov

31

Internet Source

<% 1

32

Brandolini, Luca, Leonardo Colzani, Giacomo Gigante, and Giancarlo Travaglini. "Low-discrepancy sequences for piecewise smooth functions on the two-dimensional torus", Journal of Complexity, 2016.

Publication

<% 1

33

Seyednima Salimi Eshkevari, Andrew J. Abbo, George Kouretzis. "Bearing capacity of strip footings on layered sands", Computers and Geotechnics, 2019

Publication

<% 1

34

Gerry McKiernan. "E-profile GeoScienceWorld™: A Premier Science Portal", Library Hi Tech News, 2005

Publication

<% 1

35

Submitted to Sriwijaya University

Student Paper

<% 1

36

Submitted to The London College UCK

Student Paper

<% 1

37

worldwidescience.org

Internet Source

<% 1

38

Submitted to Chulalongkorn University

Student Paper

<% 1

39

Immo Appenzeller. "High-Redshift Galaxies",
Springer Science and Business Media LLC,
2009

Publication

<% 1

40

mafiadoc.com

Internet Source

<% 1

41

Submitted to Engineers Australia

Student Paper

<% 1

42

Submitted to Technical University of Cluj-
Napoca

Student Paper

<% 1

43

Submitted to So. Orange County Community
College District

Student Paper

<% 1

44

Submitted to De La Salle University - Manila

Student Paper

<% 1

45

www.e3s-conferences.org

Internet Source

<% 1

46

B. Bikas Maiti, Dr. Ajayswarup. "Vane Shear
Footing-Integrated Rational Approach for
Seismic Bearing Capacity of Foundations &
Seismic Pressure", Open Journal of Earthquake
Research, 2019

Publication

<% 1

47

Submitted to University of Hong Kong

Student Paper

<% 1

48

Submitted to Université Saint-Esprit Kaslik

Student Paper

<% 1

49

mdmetric.com

Internet Source

<% 1

50

Submitted to University of Technology, Sydney

Student Paper

<% 1

51

Luu Anh Tung, Vu Ngoc Pi, Vu Thi Lien, Tran Thi Hong, Le Xuan Hung, Banh Tien Long.
"Optimization of dressing parameters of grinding wheel for 9CrSi tool steel using the taguchi method with grey relational analysis", IOP Conference Series: Materials Science and Engineering, 2019

Publication

<% 1

52

www.ipfdd.de

Internet Source

<% 1

53

ead.nb.admin.ch

Internet Source

<% 1

54

conferencealerts.com

Internet Source

<% 1

55

Handke, M.. "Vibrational spectroscopy of the double 4-, 6-membered rings in silicates and siloxanes", Journal of Molecular Structure,

<% 1

20050603

Publication

56

"Front Matter", Wiley, 2008

Publication

<% 1

EXCLUDE QUOTES ON

EXCLUDE
BIBLIOGRAPHY ON

EXCLUDE MATCHES < 5
WORDS