

MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub>  
Nanocomposites: Microwave-  
Assisted Synthesis,  
Characterization and  
Photocatalytic Performance  
*by*

---

**Submission date:** 02-Jun-2022 05:09PM (UTC+0700)

**Submission ID:** 1849026034

**File name:** MnCo<sub>2</sub>O<sub>4</sub>-Co<sub>3</sub>O<sub>4</sub>\_Nanocomposites.pdf (1.14M)

**Word count:** 3043

**Character count:** 17039

RESEARCH PAPER

## MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites: Microwave-Assisted Synthesis, Characterization and Photocatalytic Performance

Indah Raya<sup>1</sup>, Gumawan Widjaja<sup>2</sup>, Kadda Hachem<sup>3</sup>, Rodin M.N.<sup>4</sup>, Ahmed A. Ali<sup>5\*</sup>, Mustafa M. Kadhim<sup>6</sup>, Yasser Fakri Mustafa<sup>7</sup>, Zaid Hameed Mahmood<sup>8</sup>, Surendar Aravindhana<sup>9</sup>

<sup>1</sup> Department of Chemistry, Faculty Mathematics and Natural Science, Hasanuddin University, Makassar, South Sulawesi, Indonesia

<sup>2</sup> Faculty of Public Health, Universitas Indonesia, Indonesia

<sup>3</sup> Department of biology, Faculty of sciences, University of Saida - Dr. Moulay Tahar, Algeria

<sup>4</sup> Sechenov First Moscow State Medical University, Moscow, 119991, Russian Federation

<sup>5</sup> College of Petroleum Engineering, Al-Ayen University, Thi-Qar, Iraq

<sup>6</sup> Dentistry Department, Kut University College, Kut, Wasit, Iraq

<sup>7</sup> Department of Pharmaceutical Chemistry, College of Pharmacy, University of Mosul, Mosul, Iraq

<sup>8</sup> Chemistry department, college of science, Diyala university, Iraq

<sup>9</sup> Department of Pharmacology, Saveetha dental College and hospital, Saveetha institute of medical and technical sciences, Chennai, India

### ARTICLE INFO

#### Article History:

Received 23 July 2021

Accepted 09 September 2021

Published 01 October 2021

#### Keywords:

Microwave

MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub>

Nanocomposites

Photocatalysis

### ABSTRACT

In this research, MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites were prepared via simple and fast microwave method. The effect of irradiation power and irradiation type (continuous and non-continuous irradiation) on crystalline structure, particle size and morphological properties of products were investigated via X-ray diffraction (XRD) analysis, energy dispersive spectroscopy (EDS), Transmission Electron Microscopy (TEM), FT-IR and Scanning Electron Microscopy (SEM) respectively. Results revealed that shape and morphological properties of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites can be affected via power and time of microwave irradiation. In the next step, prepared nanocomposites were applied for photodegradation of rhodamine B and methyl violet as organic pollutants. Findings demonstrated that MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites can degrade rhodamine B and methyl violet via 58% and 61% efficiency.

### How to cite this article

Raya I, Widjaja G, Kadda Hachem et al.. MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites: Microwave-Assisted Synthesis, Characterization and Photocatalytic Performance. J Nanostruct, 2021; 11(4):728-735. DOI: 10.22052/JNS.2021.04.010

### INTRODUCTION

Transition-metal oxides based nanocomposites exhibit novel properties that significantly have different physical and chemical properties than those matrix material and the filler resulting [1-4]. In other hand, nanocomposites have a unique

and attractive properties due to small size effect [5, 6]. Magnetic nanocomposites not only have unique size-dependent properties but also get benefits from interesting magnetic properties. The magnetic nanocomposites due to vast variety of different materials have high capability in different

\* Corresponding Author Email: [ahmed.ali@alayan.edu.iq](mailto:ahmed.ali@alayan.edu.iq)

application fields, ranging from biomedical to photocatalysis applications [7-9]. Photocatalysis is a type of catalysis that speeding up the rate of a photoreaction - a chemical reaction that involves the absorption of light by one or more reacting species - by adding catalysts that participate in the chemical reaction without being consumed [10, 11]. A photocatalyst is defined as a material that is capable of absorbs Ultraviolet (UV) radiation from sunlight or illuminated, producing electron-hole pairs that enable chemical transformations of the reaction participants and regenerate its chemical composition after each cycle of such interactions. An efficient photocatalyst should benefits desirable optical features, suitable morphological properties and reusability [12-14].

Cobalt oxide (Co<sub>3</sub>O<sub>4</sub>) is an important magnetic and P-type semiconductor. Till now, wide range of Co<sub>3</sub>O<sub>4</sub> based nanocomposites have been prepared and applied in photocatalysis field [15, 16]. Yong sheng Yan and et al. prepared carbon modified Co<sub>3</sub>O<sub>4</sub>/BiVO<sub>4</sub> p-n heterojunction photocatalyst (Co<sub>3</sub>O<sub>4</sub>/BiVO<sub>4</sub>/C) for enhancing light absorption and the facilitating separation of photogenerated charge carriers through forming a p-n heterojunction. They reported that optimum activity of the Co<sub>3</sub>O<sub>4</sub>/BiVO<sub>4</sub>/C p-n heterojunction is higher than that of pure Co<sub>3</sub>O<sub>4</sub> and BiVO<sub>4</sub> for the degradation of tetracycline under visible light [17]. In other work, Xinfu Dong and et al. prepared Co<sub>3</sub>O<sub>4</sub>/Cd<sub>0.9</sub>Zn<sub>0.1</sub> nanocomposites via solvothermal method. Under visible light, they showed Co<sub>3</sub>O<sub>4</sub>/Cd<sub>0.9</sub>Zn<sub>0.1</sub> H<sub>2</sub> evolution is 15.88 times higher than that obtained over the bare Cd<sub>0.9</sub>Zn<sub>0.1</sub>S [18]. Ashok Kumar Chakraborty synthesized Co<sub>3</sub>O<sub>4</sub>/WO<sub>3</sub> nanocomposites by dispersing p-type semiconductor Co<sub>3</sub>O<sub>4</sub> on the surface of n-type semiconductor WO<sub>3</sub>. Results revealed that prepared nanocomposites have higher photocatalytic activity than WO<sub>3</sub>, Co<sub>3</sub>O<sub>4</sub> nanoparticles for the complete decomposition of 2-propanol in gas phase and phenol in aqueous phase and evolution of CO<sub>2</sub> under visible light irradiation [19].

In this work, MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites were prepared via simple and low-cost microwave-assisted method. The as-prepared products were characterized by different analyses such as XRD, SEM, TEM, FT-IR, and UV-Vis and the photocatalytic performance of the products was investigated by degradation percent of methylene blue as an organic pollutant under UV irradiation.

## MATERIALS AND METHOD

Co(CH<sub>3</sub>COO)<sub>2</sub>·4H<sub>2</sub>O and Mn(CH<sub>3</sub>COO)<sub>2</sub>·4H<sub>2</sub>O and ethylene glycol was purchased from Merck and all the chemicals were used as received without further purifications. XRD patterns were recorded by a Philips, X-ray diffractometer using Ni-filtered CuKα radiation. Fourier transform infrared (FTIR) spectra were detected by means of Nicolet Magna-550 spectrometer in KBr pellets. The UV-Vis diffuse reflectance analysis of the prepared nanocomposite was done by applying a UV-vis spectrophotometer (Shimadzu, UV-2550, Japan). SEM images were obtained using a TESCAN instrument model Mira3 to taking images, the samples were coated by a very thin layer of Pt to make the sample surface conductor and prevent charge accumulation, and obtaining a better contrast. Transmission electron microscopy (TEM) image was achieved via a Philips EM208 transmission electron microscope with an accelerating voltage of 200 kV.

### Synthesis MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposite

Co(CH<sub>3</sub>COO)<sub>2</sub>·4H<sub>2</sub>O and of Mn(CH<sub>3</sub>COO)<sub>2</sub>·4H<sub>2</sub>O with 1:1 molar ratio were dissolved in water/ethylene glycol solvent, which was mixed with a ratio of 2:1. After completely dissolving, the gained transparent solution was transferred to the microwave oven and placed under irradiation at various time and power. The obtained precipitate was washed with distilled water and dry at 85 °C for 5h. Eventually, the product was calcined at 600 °C for 3h. Three samples were prepared at 10 minutes irradiation with power of 900 and 750.

### Photocatalytic test

For photocatalyst testing, the amount of 0.05 g of nanocomposites is added to a dye with 10 ppm concentration in the quartz reactor. Then the mixture was placed in photoreactor after stirred for 30 min at dark, the UV light was applied. Then MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites was separated from the 5 ml samples, taken from the degraded solution at various time intervals, using 5 min centrifuging at 12,000 rpm. The dye concentration was determined with aid of a UV-vis spectrophotometer. The test was performed for 120 minutes.

## RESULTS AND DISCUSSION

XRD analysis, which is the most useful and functional technique for both existence and




Fig. 1. XRD pattern of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites prepared at 10 min in 900 W.

identification of crystalline structure, was hired to investigate the synthesized samples. Fig. 1 shows XRD pattern of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites. It can be observed Cubic phase of Co<sub>3</sub>O<sub>4</sub> (JCPDS: 43-1003) with space group of Fd3m and cell constants  $a = b = c = 8.0840 \text{ \AA}$  and Cubic phase of MnCo<sub>2</sub>O<sub>4</sub> (JCPDS: 23-1237) with space group of Fd3m and cell constants  $a = b = c = 8.2690 \text{ \AA}$  were confirmed. The crystalline size was calculated from Scherrer equation,  $D_c = K\lambda/\beta\cos\theta$ , where  $\beta$  is the width of the observed diffraction peak at its half maximum intensity (FWHM), K is the shape factor, which takes a value of about 0.9, and  $\lambda$  is the X-ray wavelength (CuK $\alpha$  radiation, equals to 0.154 nm) was about 19 nm.

Fourier transform infrared (FT-IR) spectroscopy has been employed for analysis of the surface functional groups of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites at 10 min in 900 W after calcination at 600 °C for 3h. As shown in Fig. 2, the most prominent absorption bands at 657 cm<sup>-1</sup> and 560 cm<sup>-1</sup> are corresponding to metal-oxygen bonds in spinel structure of composite [20]. Due to the calcination of the sample at 600 °C, no further peaks were observed in the sample. Furthermore, the broad bands observed at 3436 cm<sup>-1</sup> were

attributed to the OH groups stretching vibrations of the water molecules [21].

The elemental composition analysis of the synthesized MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites at 10 min in 900 W were further confirmed by EDS analysis. As can be seen in Fig. 3, the MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites were composed of stoichiometric Co, Mn and O elements, which indicate the high purity of the products. This result is consistent with the results of XRD pattern presented in Fig. 1.

To investigate the effect of the power and type of irradiation on the morphology and particle size of the MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites the samples were fabricated by using the power of 900 and 750 W for 10 min, and 900 W with cyclic reaction (1 min on and 30 sec off). To assess the effect of these conditions SEM images were investigated. As can be seen in Fig. 4, when the power is set to (a) 750 W, larger particles are formed due to the moderate radiation power. At (b) 900 W, Due to the high radiation power, the ratio of nucleation to growth speeds up, resulting in smaller particles. Also in (c) cyclic reaction, when radiation is present, nucleation occurs and the particles are formed but when radiation is cut off, the particles




Fig. 2. FT-IR spectrum of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites prepared at 10 min in 900 W.

of opportunity grow, resulting in larger particles. According to SEM images, the sample obtained at 900 W and 10 min was selected as the optimum sample.

TEM analysis was applied to in-depth investigation of size and morphological

properties of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites. It is worth bearing in mind that SEM analysis cannot distinguish between Co<sub>3</sub>O<sub>4</sub> and MnCo<sub>2</sub>O<sub>4</sub> in MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites. Fig. 5 illustrated TEM images in different magnification validate uniform nanoparticles of as-prepared




Fig. 3. EDS spectrum of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites prepared at 10 min in 900 W.




Fig. 4. SEM images of the MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> samples synthesized with different condition in two magnification: (a) 10 min at 750 W, (b) 10 min at 900 W, (c) 10 min at 900 W cyclic reaction (1min on 30 sec off).

nanocomposites via 35 nm in diameter.

Fig. 6 presents the UV-Vis diffuse reflectance spectra (DRS) of the as-prepared MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites (samples). It can be

observed that the nanocomposites have strong and broad absorption peaks in the range of 250-400 nm. The value of energy band gap (E<sub>g</sub>) of the corresponding nanoparticles is calculated 3.3 eV,





Fig. 5. TEM images of the MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites prepared at 10 min in 900 W



26 Fig. 6. (a) UV-Vis diffuse reflectance spectrum (DRS) of the MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites prepared at 10 min in 900 W, and (b) the plot of  $(\alpha h\nu)^2$  against  $h\nu$  to determine the band gaps.

based on Tauc's equation [22], which indicating the nanocomposites can be employed as a potential photocatalyst for degradation water soluble dye as

a pollution.

Optical properties of product implies that prepared nanocomposites can be applied






Fig. 7. Photocatalytic activity of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites against the rhodamine B and methyl violet


in photocatalytic process. Rhodamine B and methyl violet are selected as organic pollutants for investigation of photocatalytic efficiency of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites under UV irradiation. Results are presented in Fig. 7. For methyl violet case, it can be seen that dye is degraded very faster in early 30 min irradiation. After 30 min, degradation rate was gone down gradually. It can be related to occupying active sites on the MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites (adsorption route). After 120 min, approximately 61% of methyl violet was degraded. For rhodamine B, degradation rate keeps constant after 80 min. After 120 min, approximately 58% of rhodamine B was degraded under UV irradiation. The electronic band structure of prepared MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites make it very good candidate for photocatalytic degradation. As well as mentioned in Fig. 6, the band gap of prepared nanocomposites was calculated 3.3 eV. This means that under UV irradiation, electrons can be moved from valance band to conducting band in MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub>

nanocomposites. This movement can be lead to generation of holes (h<sup>+</sup>). Photogenerated holes can convert water to hydroxide ions (OH<sup>-</sup>). OH<sup>-</sup> reacts with h<sup>+</sup> and produce hydroxyl radical (OH<sup>•</sup>). Produced OH<sup>•</sup> could give rise to oxidation of dyes [24].



In the parallel pathway, photogenerated OH<sup>-</sup> in reaction (2) can be reacted with dissolved oxygen and produce ozone (O<sub>3</sub>). Produced ozone can be converted to O<sub>3</sub><sup>•-</sup> through reaction with photogenerated electron in conducting band. Generated O<sub>3</sub><sup>•-</sup> could be degraded dye.





## CONCLUSION

In conclusion, microwave-assisted route was applied for preparation of MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites. Prepared products were characterized via XRD, FT-IR, EDS, SEM and TEM analysis. Optical properties of products was investigated via UV-Vis spectroscopy. Results cleared that prepared MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites are good candidate for photocatalytic process. For this purpose, MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> nanocomposites were applied for photodegradation of rhodamine B and methyl violet. Findings showed that rhodamine B and methyl violet were degraded via 58% and 61% efficiency.

9

## CONFLICT OF INTEREST

The authors declare that there are no conflicts of interest regarding the publication of this manuscript.

## REFERENCES

- Guo X, Zhang G, Li Q, Xue H, Pang H. Non-noble metal-transition metal oxide materials for electrochemical energy storage. *Energy Storage Materials*. 2018;15:171-201.
- Goswami C, Hazarika KK, Bharali P. Transition metal oxide nanocatalysts for oxygen reduction reaction. *Materials Science for Energy Technologies*. 2018;1(2):117-128.
- Raveau B, Caignaert V, Hardy V, Seikh MM. Transition metal oxides with triangular metallic sublattices: From multiferroics to low-dimensional magnets. *Comptes Rendus Chimie*. 2018;21(10):952-957.
- Luches P. Ultrathin Transition Metal Oxide Films. In: Wandelt K, editor. *Encyclopedia of Interfacial Chemistry*. Oxford: Elsevier; 2018. p. 388-397.
- Serenko OA, Roldughin VI, Askadskii AA, Serkova ES, Strashnov PV, Shifrina ZB. The effect of size and concentration of nanoparticles on the glass transition temperature of polymer nanocomposites. *RSC Advances*. 2017;7(79):50113-50120.
- Yoon KH, Park SB, Yang BD. Size effect of nanoparticles on the conjugated polymer in PPV/SiO<sub>2</sub> nanocomposites. *Materials Chemistry and Physics*. 2004;87(1):39-43.
- Burke NAD, Stöver HDH, Dawson FP. Magnetic Nanocomposites: Preparation and Characterization of Polymer-Coated Iron Nanoparticles. *Chemistry of Materials*. 2002;14(11):4752-4761.
- Soto GD, Meiorin C, Actis DG, Mendoza Zélis P, Moscoso Londoño O, Muraca D, et al. Magnetic nanocomposites based on shape memory polyurethanes. *European Polymer Journal*. 2018;109:8-15.
- Zhuang Y, Zhang X, Chen Q, Li S, Cao H, Huang Y. Co<sub>3</sub>O<sub>4</sub>/CuO hollow nanocage hybrids with high oxidase-like activity for biosensing of dopamine. *Materials Science and Engineering: C*. 2019;94:858-866.
- Yahya N, Aziz F, Jamaludin NA, A. Mutalib M, Ismail AF, W. Salleh WN, et al. A review of integrated photocatalyst adsorbents for wastewater treatment. *Journal of Environmental Chemical Engineering*. 2018.
- Hassanpour M, Safardoust-Hojaghan H, Salavati-Niasari M. Rapid and eco-friendly synthesis of NiO/ZnO nanocomposite and its application in decolorization of dye. *Journal of Materials Science: Materials in Electronics*. 2017;28(15):10830-10837.
- Liu N, Li Z. Bimetal-organic frameworks derived carbon doped ZnO/Co<sub>3</sub>O<sub>4</sub> heterojunction as visible-light stabilized photocatalysts. *Materials Science in Semiconductor Processing*. 2018;79:24-31.
- Zhang Y, Jin Z, Yuan H, Wang G, Ma B. Well-regulated nickel nanoparticles functional modified ZIF-67 (Co) derived Co<sub>3</sub>O<sub>4</sub>/CdS p-n heterojunction for efficient photocatalytic hydrogen evolution. *Applied Surface Science*. 2018;462:213-225.
- Zheng J, Lei Z. Incorporation of CoO nanoparticles in 3D marigold flower-like hierarchical architecture MnCo<sub>2</sub>O<sub>4</sub> for highly boosting solar light photo-oxidation and reduction ability. *Applied Catalysis B: Environmental*. 2018;237:1-8.
- Hassanpour M, Safardoust-Hojaghan H, Salavati-Niasari M. Degradation of methylene blue and Rhodamine B as water pollutants via green synthesized Co<sub>3</sub>O<sub>4</sub>/ZnO nanocomposite. *Journal of Molecular Liquids*. 2017;229:293-299.
- Zhang H, Tian W, Guo X, Zhou L, Sun H, Tadé MO, et al. Flower-like Cobalt Hydroxide/Oxide on Graphitic Carbon Nitride for Visible-Light-Driven Water Oxidation. *ACS Applied Materials & Interfaces*. 2016;8(51):35203-35212.
- Zhao X, Lu Z, Ma W, Zhang M, Ji R, Yi C, et al. One-step fabrication of carbon decorated Co<sub>3</sub>O<sub>4</sub>/BiVO<sub>4</sub> p-n heterostructure for enhanced visible-light photocatalytic properties. *Chemical Physics Letters*. 2018;706:440-447.
- Han Y, Liang Z, Dang H, Dong X. Extremely high photocatalytic H<sub>2</sub> evolution of novel Co<sub>3</sub>O<sub>4</sub>/Cd<sub>0.9</sub>Zn<sub>0.1</sub>S p-n heterojunction photocatalyst under visible light irradiation. *Journal of the Taiwan Institute of Chemical Engineers*. 2018;87:196-203.
- Chakraborty AK, Shanjeda Akter M, Ahsanul Haque M, Arifuzzaman Khan GM, Shamsul Alam M. Synthesis of Co<sub>3</sub>O<sub>4</sub>/WO<sub>3</sub> Nanoheterojunction Photocatalyst for the Decomposition of Organic Pollutants Under Visible Light Irradiation. *Journal of Cluster Science*. 2013;24(3):701-713.
- Antunović V, Ilić M, Baošić R, Jelić D, Lolić A. Synthesis of MnCo<sub>2</sub>O<sub>4</sub> nanoparticles as modifiers for simultaneous determination of Pb (II) and Cd (II). *PloS one*. 2019;14(2):e0210904.
- Sangsefidi FS, Salavati-Niasari M. Thermal decomposition synthesis, characterization and electrochemical hydrogen storage characteristics of Co<sub>3</sub>O<sub>4</sub>-CeO<sub>2</sub> porous nanocomposite. *International Journal of Hydrogen Energy*. 2017;42(31):20071-20081.
- Tauc J, Grigorovici R, Vancu A. Optical Properties and Electronic Structure of Amorphous Germanium. *physica status solidi (b)*. 1966;15(2):627-637.

# MnCo<sub>2</sub>O<sub>4</sub>/Co<sub>3</sub>O<sub>4</sub> Nanocomposites: Microwave-Assisted Synthesis, Characterization and Photocatalytic Performance

## ORIGINALITY REPORT

**22%**  
SIMILARITY INDEX

**14%**  
INTERNET SOURCES

**21%**  
PUBLICATIONS

**8%**  
STUDENT PAPERS

## PRIMARY SOURCES

**1** **1library.net** **2%**  
Internet Source

**2** Xiaoxu Zhao, Ziyang Lu, Wei Ma, Menghan Zhang, Rong Ji, Chengwu Yi, Yongsheng Yan. "One-step fabrication of carbon decorated Co<sub>3</sub>O<sub>4</sub>/BiVO<sub>4</sub> p-n heterostructure for enhanced visible-light photocatalytic properties", Chemical Physics Letters, 2018  
Publication **2%**

**3** Hendrik Naatz, Ron Hoffmann, Andreas Hartwig, Fabio La Mantia, Suman Pokhrel, Lutz Mädler. "Determination of the Flat Band Potential of Nanoparticles in Porous Electrodes by Blocking the Substrate-Electrolyte Contact", The Journal of Physical Chemistry C, 2018  
Publication **2%**

**4** Submitted to International School of Panama **2%**  
Student Paper

5	<p>Ali Shabani, Gholamreza Nabiyouni, Jilla Saffari, Davood Ghanbari. "Photo-catalyst Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> nanocomposites: green synthesis and investigation of magnetic nanoparticles coated on cotton", Journal of Materials Science: Materials in Electronics, 2016</p>	2%
Publication		
6	<p>Davood Ghanbari, Masoud Salavati-Niasari, Shahab Khaghani, Farshad Beshkar. "Preparation of Polyvinyl Acetate (PVAc) and PVAc–Ag–Fe<sub>3</sub>O<sub>4</sub> Composite Nanofibers by Electro-spinning Method", Journal of Cluster Science, 2016</p>	1%
Publication		
7	<p><a href="http://journals.plos.org">journals.plos.org</a></p>	1%
Internet Source		
8	<p><a href="http://pubs.acs.org">pubs.acs.org</a></p>	1%
Internet Source		
9	<p><a href="http://www.transresurology.com">www.transresurology.com</a></p>	1%
Internet Source		
10	<p>Ali Abbasi, Davood Ghanbari, Masoud Salavati-Niasari, Masood Hamadani. "Photo-degradation of methylene blue: photocatalyst and magnetic investigation of Fe<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> nanoparticles and nanocomposites", Journal of Materials Science: Materials in Electronics, 2016</p>	1%

11

Cao, Xuecheng, Wenning Yan, Chao Jin, Jinghua Tian, Ke Ke, and Ruizhi Yang. "Surface modification of MnCo<sub>2</sub>O<sub>4</sub> with conducting polypyrrole as a highly active bifunctional electrocatalyst for oxygen reduction and oxygen evolution reaction", *Electrochimica Acta*, 2015.

Publication

---

1 %

12

Maryam Masjedi-Arani, Mahnaz Amiri, Omid Amiri, Meysam Ahmadi, Masoud Salavati-Niasari. "Glioma cells eradication by photoexcitation of bioengineered molybdenum trioxide nanoparticles synthesized by wet chemical and microwave route: Dose dependent photosensitizer bioactivity", *International Journal of Pharmaceutics*, 2020

Publication

---

1 %

13

Seyede Raheleh Yousefi, Davood Ghanbari, Masoud Salavati-Niasari, Mohammad Hassanpour. "Photo-degradation of organic dyes: simple chemical synthesis of Ni(OH)<sub>2</sub> nanoparticles, Ni/Ni(OH)<sub>2</sub> and Ni/NiO magnetic nanocomposites", *Journal of Materials Science: Materials in Electronics*, 2015

Publication

---

1 %

14

Archita Bhattacharjee, Md. Ahmaruzzaman, Tanur Sinha. "Surfactant effects on the synthesis of durable tin-oxide nanoparticles and its exploitation as a recyclable catalyst for the elimination of toxic dye: a green and efficient approach for wastewater treatment", RSC Adv., 2014

Publication

---

1 %

15

Yongkang Quan, Guorong Wang, Zhiliang Jin. " Tactfully Assembled CuMOF/CdS S-Scheme Heterojunction for High-Performance Photocatalytic H Evolution under Visible Light ", ACS Applied Energy Materials, 2021

Publication

---

1 %

16

Wee-Jun Ong, Lling-Ling Tan, Yun Hau Ng, Siek-Ting Yong, Siang-Piao Chai. " Graphitic Carbon Nitride (g-C N )-Based Photocatalysts for Artificial Photosynthesis and Environmental Remediation: Are We a Step Closer To Achieving Sustainability? ", Chemical Reviews, 2016

Publication

---

1 %

17

Yongke Zhang, Zhiliang Jin. " Boosting Photocatalytic Hydrogen Evolution Achieved by NiS<sub>x</sub> Coupled with g-C N @ZIF-67 Heterojunction ", The Journal of Physical Chemistry C, 2019

Publication

---

&lt;1 %

18

[www.semanticscholar.org](http://www.semanticscholar.org)

Internet Source

&lt;1 %

19

Ferenc Billes, Ildikó Mohammed - Ziegler. "Vibrational Spectroscopy of Phenols and Phenolic Polymers. Theory, Experiment, and Applications", Applied Spectroscopy Reviews, 2007

Publication

&lt;1 %

20

Hongwei Huang, Xu Han, Xiaowei Li, Shichao Wang, Paul K. Chu, Yihe Zhang. "Fabrication of Multiple Heterojunctions with Tunable Visible-Light-Active Photocatalytic Reactivity in BiOBr–BiOI Full-Range Composites Based on Microstructure Modulation and Band Structures", ACS Applied Materials & Interfaces, 2015

Publication

&lt;1 %

21

[academic.hep.com.cn](http://academic.hep.com.cn)

Internet Source

&lt;1 %

22

Edwar Fuentes, María E. Báez, Dana Reyes. "Microwave-assisted extraction through an aqueous medium and simultaneous cleanup by partition on hexane for determining pesticides in agricultural soils by gas chromatography: A critical study", Analytica Chimica Acta, 2006

Publication

&lt;1 %

23

Zhiliang Jin, Yongke Zhang, Qingxiang Ma.  
"Orthorhombic WP co-catalyst coupled with  
electron transfer bridge UiO-66 for efficient  
visible-light-driven H<sub>2</sub> evolution", Journal of  
Colloid and Interface Science, 2019

Publication

&lt;1 %

24

Gholamreza Nabiyouni, Elaheh Azizi, Nazanin  
Nasrollahi. "A Simple Microwave Method for  
Synthesis of CdS Nanoparticles", Journal of  
Cluster Science, 2013

Publication

&lt;1 %

25

Submitted to Institute of Technology, Nirma  
University

Student Paper

&lt;1 %

26

[pubs.rsc.org](https://pubs.rsc.org)

Internet Source

&lt;1 %

27

Kumud Malika Tripathi, Tuan Sang Tran, Yoon  
Jin Kim, TaeYoung Kim. "Green Fluorescent  
Onion-Like Carbon Nanoparticles from  
Flaxseed Oil for Visible Light Induced  
Photocatalytic Applications and Label-Free  
Detection of Al(III) Ions", ACS Sustainable  
Chemistry & Engineering, 2017

Publication

&lt;1 %

28

Anna Kubacka, Marcos Fernández-García,  
Gerardo Colón. "Advanced Nanoarchitectures

&lt;1 %

for Solar Photocatalytic Applications",  
Chemical Reviews, 2011

Publication

---

29

Mohammad Ebadi, Majid Ramezani,  
Zabihullah Zarghami. "A Facile Hydrothermal  
Route to the Synthesis of ZnIn<sub>2</sub>S<sub>4</sub> Quantum  
Dots in the Presence of Thioglycolic Acid and  
Investigation Its Light Harvesting Application",  
Journal of Cluster Science, 2015

Publication

---

<1 %

---

Exclude quotes      On

Exclude matches      < 5 words

Exclude bibliography      On