

# 2022\_Bu\_Yaya\_2a.pdf

*by*

---

**Submission date:** 27-Oct-2022 08:09AM (UTC+0700)

**Submission ID:** 1936415765

**File name:** 2022\_Bu\_Yaya\_2a.pdf (1.9M)

**Word count:** 7698

**Character count:** 39416



# Structural Properties and Degradation Efficiency Photocatalyst-based Composite Titanium Dioxide/Activated Carbon by Charge Trap System for Groundwater Reach Phenol Treatment

Bidayatul Armynah<sup>1</sup> · Sitti Hajar<sup>1</sup> · Roni Rahmat<sup>1</sup> · Ahmad Nurul Fahri<sup>1</sup> · Paulus Lobo Gareso<sup>1</sup> · Heryanto Heryanto<sup>1</sup> · Dahlang Tahir<sup>1</sup>

Received: 14 May 2022 / Accepted: 20 September 2022  
© King Fahd University of Petroleum & Minerals 2022

## Abstract

High recombination of the photoexcited electron-hole pairs leading to a drop in the photocatalytic performance. The pore of activated carbon (AC) can be act as a trap of the charge of electron/hole (e/h) which can suppress recombination. The objective in this study maximizing function of the pore of AC for create composite combine with TiO<sub>2</sub> that can act in visible light. In the pore, the reaction occurs between the charge and the H<sub>2</sub>O or O<sub>2</sub> produces OH<sup>\*</sup> radicals. These radicals entering the chemical site of pollution to break up the bonding with the final product are harmless. The prepared composite TiO<sub>2</sub>/activated carbon (TAC) by wet impregnation method were characterized by X-ray diffraction, Fourier-transform infrared, and ultraviolet-visible spectroscopy. Composite TAC with ratio 0.5:1.5, 1:1, 1.5:0.5 shows degradation 94.06%, 94.91%, and 88.98%, respectively, for only 45 min irradiation, indicated that the pore successfully suppressing recombination of the charge. We have performed good efficiency for five adsorption-desorption cycles of TAC. The TAC 1:1 ratio shows the best photocatalyst performance which degraded 94.91% for 45 min irradiation. The composite TAC shows high potential in suppressing recombination of charge, means that, effective and efficient ground wastewater treatment materials in future for improvement human access to the clean water.

**Keywords** Photodegradation · Composite titanium dioxide/activated carbon · Bandgap · Kinetic study · Fourier-transform infrared

## 1 Introduction

Raizada et al. [1] and Zhang et al. [2] reported that the development of the textile industry has a significant impact on environmental pollution and human health. Gaya et al. [3] reported that the waste produced from the textile industry consists of organic dyes, inorganic, acids, and heavy metals. Theerthagiri et al. [4] reported that one of these products is dye waste, generally non-biodegradable organic compound, and causes environmental pollution, especially the aquatic environment. Alinsafi et al. [5] reported that a more effective and developed system is the photodegradation method using semiconductor materials. Fayazi et al. [6] reported that the photodegradation process using energy derived from light

(sunlight or UV lamps) to activate the catalysis process on the surface of the semiconductor material. This process produces hydroxyl radicals OH<sup>\*</sup> to degrade organic pollutants and dyes. Several studies reported that TiO<sub>2</sub> is a promising photocatalyst for reducing waste due to its photostability, low energy consumption, low cost, and non-toxicity [7–9]. The TiO<sub>2</sub> bandgap, which only absorbs UV sunlight, requires supporting materials to increase photocatalytic activity [10, 11]. Khalyavka et al. [12] and Ren et al. [13] reported that the photocatalytic activity of TiO<sub>2</sub> can be increasing by modifying the structure, surface area, and particle size by adding dopant ions such as carbon. Matos et al. [14] said that carbon-doped TiO<sub>2</sub> has a higher photocatalytic activity than without doping.

It has been well reported by several research groups that the incorporation carbon atoms into TiO<sub>2</sub> lattice is an efficient method for improving the adsorption capacities in photocatalyst system [15]. It has been used for expanding the photon absorption to the visible region [16] and for increasing the

Dahlang Tahir  
dtahir@fmipa.unhas.ac.id

Departement of Physic, Hasanuddin University, Makassar  
90245, Indonesia



TiO<sub>2</sub> conductivity, which can help the charge transfer from the bulk to the surface TiO<sub>2</sub> consequently the oxidation reactions at the surface of TiO<sub>2</sub> increases [17].

Some studies reported successfully designed photocatalyst working at visible light using carbon-doped titania at low temperature, combination carbon-titania [13], and the atoms carbon incorporated into TiO<sub>2</sub> framework. For activated carbon (AC) combine with TiO<sub>2</sub> for photocatalyst is used to find possibilities the pore of AC in increasing efficiency of TiO<sub>2</sub>. In our previous study, our group reported the materials for photocatalyst which used a combination some material with activated carbon (AC): Fe<sub>3</sub>O<sub>4</sub>-AC [18], Fe-AC [19], AC plays dual roles of capable electron-acceptor and charge trap for avoiding recombination, which keeps the charge react with H<sub>2</sub>O or O<sub>2</sub> to increase efficiency photocatalyst TiO<sub>2</sub>-based. The pore of carbon-based materials also used the pore in various application including photocatalyst and energy storage.

Carbon-based materials for supercapacitors application by electrochemical energy storage through reversible ion adsorption by the complex structure the porous carbons as electrodes. The supercapacitors for the same average pore size with ordered structure has higher capacitance compared with that than the disordered structure and a broader pore size distribution. They reported that the number of ions adsorbed in the ordered pore carbon shows larger quantities compared with that of disordered pore carbon [20].

Reference [21] was reported that the space confinement in nanopores used in the collision frequency which are increased linearly with increasing pore size up to 3 nm. The pore is also efficient reaction space used for reduction of oxygen.

The existence ionic states of As and surface charge states of hydrous zirconium oxides (HCO) was reported by Li et al. [22]. The surface of HCO nanoparticles was negatively charged with no existed repulsive force between surface HCO nanoparticle surface. For high pH (> 9.2), the surface negatively charged HCO nanoparticle will start to have the coulomb repulsive force. The electric repulsion increased with the increasing the pH solution but the As ion removal continued to decrease [22].

The carbon as a nonmetallic element is used to substitute lattice oxygen anions of Ti cations to create energy levels as an active site in the bandgap. This energy level is acted as an electron trapper to suppress indirect recombination of charge (electrons and holes). It can be shifts to lower energy of TiO<sub>2</sub> optical absorption edge for extend the photoactive region in the visible light. For large surface area could provide the more active sites at the surface and in photocatalytic centers for suppressing recombination of charge (e/h) lead to higher absorption of organic pollutants consequently higher photocatalytic efficiency. For higher crystallinity degree and low surface defects will facilitating charge carrier transform

and hindered charge (e/h) recombination which beneficial for increasing photocatalytic efficiency [23].

The surface function of activated carbon (AC) plays an essential role in the photoactivity of TiO<sub>2</sub> as a support material to adsorb many organic pollutants. Elshaghi et al. [24] was reported that the AC has a good surface area and a porous structure to be used as an absorbent. The nature of AC can help the absorption process in catalytic activity. For our knowledge, few reported in references for using pore of AC as a magnetic trap of the charge (e/h). In our previous study showed that the pore of AC could be used as a trapped charge (e/h) and successfully increase photocatalyst performance [18, 19, 25]. In the pore, the reaction between the charge and the H<sub>2</sub>O or O<sub>2</sub> produces OH<sup>•</sup> radicals. These radicals entering the chemical site of pollution/phenol to break up the bonding with the final product are harmless. Hence, in this study, we synthesized TAC by wet impregnation method with the weight ratio between TiO<sub>2</sub> and AC are 0.5:1, 1:1, and 1.5:0.5. We are continue characterizing the TAC by X-ray diffraction (XRD) for determining the structural properties, Fourier-transform infrared (FTIR) for bonding characteristics, scanning electron microscope (SEM) image for surface functional (pore), and kinetic study of composite TiO<sub>2</sub>/AC for various ratio between TiO<sub>2</sub> and AC using the visible light and the ability of these materials by the process photodegradation using several theoretical methods.

## 2 Materials and Method

### 2.1 Materials

TiO<sub>2</sub> (Merck), activated carbon (AC) (supplied by PT. Cahaya Indo Abadi Indonesia with sizing an average diameter < 10 μm, purity > 95%, surface area > 240 m/g), Ethanol (C<sub>2</sub>H<sub>5</sub>OH) (Merck), Methylene Blue (MB) (Merck) and Aquadest.

### 2.2 Synthesis TiO<sub>2</sub>/AC

TiO<sub>2</sub> and activated carbon were synthesized by wet impregnation method with the weight ratio between TiO<sub>2</sub> and AC are 0.5:1.5, 1:1, and 1.5:0.5 to form TAC. The TAC is added with 30 mL ethanol then stirring by magnetic stirrer for the constant speed of 200 rpm at the temperature 60 °C until form gel, and then calcined by using furnace at 100 °C for 3 h to form powder.

### 2.3 Characterization

Samples characterized using X-ray diffraction (XRD) (Shimadzu 700) with CuKα (λ = 1.5405 Å = 0.154 nm) at an angle of range 20° < 2θ < 70° operating at 30 kV and 10 mA



to determine the structural properties. Fourier-transform infrared (FTIR) to determine the bonding characteristics of the sample and UV-Vis spectroscopy (Shimadzu UV-Vis Spectrophotometer UV-1800) determines the bandgap and the absorption properties.

### 3 Result and Discussion

Figure 1a shows XRD spectra of TiO<sub>2</sub>/AC composites for various concentration ratio. The diffraction spectra from the individual of TiO<sub>2</sub> and carbon from AC. The TiO<sub>2</sub> diffraction peaks at  $2\theta$ : 25.20°, 32.60°, 33.24°, 35.90°, 47.98°, 53.63°, 53.89°, and 64.48° (JCPDS: 01-088-1172) corresponding to the crystalline phase (101), (111), (203), (101), (212), (105), (211), and (310), respectively (Zhu et al. [26]). The activated carbon diffraction peaks at  $2\theta$ : 26.49°, 26.58°, 29.33°, 30.91°, 42.98°, and 54.51° (JCPDS: 00-050-0926) corresponding to the crystalline phase (002), (103), (113), (122), (100), and (103), respectively (Brown et al. [27]). The XRD spectra show the diffraction intensity decreases and the diffraction peak is slightly shifted due to the addition of activated carbon. TiO<sub>2</sub>/AC shows that the synthesis product is still in the anatase TiO<sub>2</sub> phase, where the anatase phase has a high activation, a larger surface area and a smaller particle size.

The crystallite size calculated using the Debye-Scherrer equation as follows Zhu et al. [26]:

$$d = \frac{0.9 \cdot \lambda}{\beta \cos \theta} \quad (1)$$

where  $d$  is the crystal size,  $\lambda$  is the X-ray wavelength ( $\lambda = 1.5406 \text{ \AA}$ ),  $\beta$  is the full width at half maximum (FWHM) and  $\theta$  is the X-ray diffraction angle at the highest peak (radians). The mean crystallite size was found 7.98 nm, 8.31 nm, and 8.19 nm, respectively, for TAC 1:1, 0.5:1.5, and 1.5:0.5. It is appearing that the lowest crystallite size is for TAC 1:1 may be due to the stable match electronic structure between TiO<sub>2</sub> and carbon from AC [28–32]. Based on our previous research group, the particle size determining from the quantitative analysis of scanning electron microscope (SEM) or transmission electron microscope (TEM) image showed that generally two or three times higher than that of crystallite size for CuO/Carbon [25], Co/Fe<sub>2</sub>O<sub>3</sub>/AC [33], and Carbon-bilgin/Zinc Oxide [34]. This proof for the results in this study the particle size is higher than 20 nm.

Pambudi et al. [35] was reported that the FTIR analysis in determining the functional groups of materials and for composites TAC in this study, the wave number in the range 500–1700 cm<sup>-1</sup> shown in Fig. 1b. For the wave numbers 538 cm<sup>-1</sup> and 906 cm<sup>-1</sup> indicated the presence of aromatic rings in the form of C=C-C bonds bonding with Ti-O caused


by tensile vibrations as reported by Suganthi et al. [36] and Ulum et al. [34]. Peri et al. [37] was reported for the wave numbers 677 cm<sup>-1</sup> and 1446 cm<sup>-1</sup> there are C-Ti-O and O-Ti-O bonds, respectively, which indicated the presence TiO<sub>2</sub> in TAC [38]. Ulum et al. [34] in the 1826 cm<sup>-1</sup> wave there is a C=C-C bond. Rauf et al. [39] for the Ti<sup>2+</sup> probably bonding with -OH bond appears at the 2343 cm<sup>-1</sup> wave number which causes the vibration of the hydroxyl or water molecule bonds adsorbed on the activated carbon similar reported by Eshaghi et al. [24] in the 3844 cm<sup>-1</sup> for OH<sup>-</sup> bond from the absorbed water molecule as reported in the wave number 3649–3844 cm<sup>-1</sup> by Rizkayanti et al. [40]. Samsudin et al. [41] for the 2540 cm<sup>-1</sup> wave number there is a Ti-OH bond. Yu et al. [42] and Yang et al. [43] for the wave number 2910–3041 cm<sup>-1</sup> there are -OH bonds. Munguti et al. [44] reported for a strain vibration from the C-H bond in the 3421 cm<sup>-1</sup> due to the absorption of the alkane groups. Brown et al. [27] reported for 3682 cm<sup>-1</sup> indicated the presence of Ti-OH bonds in the interactions between the carbon atoms.

The intensity of C=C-C and O-H bonds increases with increasing the amount of AC contributed to the change's crystallinity and surface state of TAC [45]. The FTIR spectra show some absorption peaks (C=C-C and O-Ti-O) shifts to higher wave numbers due to the carbon aromatic groups in TAC contributed in increase oxygen vacancies at surface state of the pore.

The pore and agglomeration of TAC clearly can be seen in SEM image in Fig. 2. The agglomeration is due to the small size of particles joint together to form big particle and the pore come from the AC shows increase disorder size and shape when the amount of AC decrease from (a) to (c) in composite TAC. For high amount AC (a) shows some of the TiO<sub>2</sub> particle approach to the surface state of the pore and for low amount of AC shows TiO<sub>2</sub> particle start to bind and filled the pore of AC. For same amount of TiO<sub>2</sub> and AC in composite TAC (b) shows the TiO<sub>2</sub> particle tightly bonded at surface state of AC probably due to the oxygen vacancies replaced by C atoms indicated by the pore size increased. For large surface area could provide more active sites at the surface and in photocatalytic centers for suppressing recombination of charge (e/h) lead to higher absorption of organic pollutants consequently boosting photocatalytic efficiency [23]. Lahrar et al. [20] was reported for the same average pore size with ordered structure has high capacitance (capture ion) compared with that than the disordered structure and a broader pore size distribution. They also reported that the larger quantities ions adsorbed for AC with ordered pore compared with that of disordered pore.


From Fig. 2 also clearly agglomeration occurred, and the shape, the pore size, and particle size distributions are non-uniform which probably leading to increasing oxygen vacancies as reported recently by Zhang et al. [47] and






39 **Fig. 1** a X-diffraction (XRD) spectra and b FTIR spectra for ratio  $\text{TiO}_2/\text{AC}$ : 0.5:1.5, 1:1, and 1.5:0.5 46

**Fig. 2** Scanning electron microscopy (SEM) images of composites TAC for ratio between  $\text{TiO}_2$  and AC: a 0.5:1.5, b 1:1, and c 1.5:0.5 for the left side and corresponding zoom in for right side





**Fig. 3** a–c Bandgap from the analysis of absorption spectra **d** and **e** the absorbance spectra for TiO<sub>2</sub>/AC (TAC) ratio: 0.5:1.5 (left **a** and **d**), 1:1 (middle **b** and **e**), and 1.5:0.5 (right **c** and **f**)

Yakovenko et al. [48]. The charge state from Ti<sup>+2</sup> at the surface state of the pore changes due to the oxygen vacancy content increase and consequence changes electrical properties and optical bandgap [23]. The oxygen vacancies also contributed for destroy the grain size and increase unit cell parameter as reported by Ref. [49], consequently changes in structure and orientation of the grains size lead to the change porosity, consequently decrease active site for suppressing recombination of charge (e/h). Kozlovskiy et al. [50] was reported that the metal oxide will be influenced to the morphology and electronic properties of the composite TAC due to oxygen vacancies redistribution, consequently affected to the ability in hindered charge (e/h) for increase performance photocatalysis [23].


Bandgap energy is the minimum energy required to excite from the valence band to the conduction band (Munguti et al. [44]). Figure 3a–c shows the bandgap of composite TAC obtained from the absorbance spectrum by applying the

Tauc's plot method. This method is determining the optical bandgap by taking the linear graph in the figure relationship between photon energy on the *x*-axis and absorption coefficient  $(\alpha h\nu)^2$  on the *y*-axis. The bandgap of TAC composite increases with increasing the amount of TiO<sub>2</sub> in TAC composite even the AC higher bandgap than the TiO<sub>2</sub> may be due to the deficiency oxygen atom from the AC [51].

Figure 3d–f shows the absorbance spectra from the UV–Vis spectroscopy for TAC composite in the methylene blue solvent during irradiation of visible light for every 15 min. The absorbance values for methylene blue are in the range of 200–400 nm wavelength. The absorbance decreases with increasing irradiation time. The maximum absorbance was observed for methylene blue at the wavelength of 293 nm.

Figure 4a shows the degradation of TAC during irradiation time up to 45 min. Ulum et al. [34] reported the calculation





**Fig. 4** **a** Photodegradation efficiency, **b** the performance of the photocatalyst, **c** the kinetic rate, **d** equilibrium parameter ( $R_L$ ), and **e** the adsorption capacity of the TAC Composite for ratio  $TiO_2/AC$ : 0.5:1.5, 1:1, and 1.5:0.5

of the degradation by:

$$\%D = \left( \frac{C_0 - C_t}{C_0} \right) \times 100\% \quad (2)$$

where  $\%D$  is the degradation percentage,  $C_0$  is the initial absorbance (before irradiation), and  $C_t$  is the absorbance during irradiation  $t$  time. For TAC composite 0.5:1.5, 1:1,

1.5:0.5 shows maximum degradation for 45 min irradiation is 94.06%, 94.91%, and 88.98%, respectively. We have included in Table 1 the previous reported references using various type of carbon: activated carbon, carbon nanotubes, and multi-wall carbon nanotubes (MWCNT) from the different synthesized methods for comparison in this study. From Table 1, clearly the effectiveness composite  $TiO_2/AC$  (TAC) synthesized by wet impregnation only 45 min irradiation to reach degradation 94.06%. The TAC synthesized by sol-gel

**Table 1** The TiO<sub>2</sub>/activated carbon (TAC) in this study synthesized by wet impregnation, and we have included the composite TiO<sub>2</sub>/various type of carbon from the previous published reference for comparison

Material	Method	Pollutant	Efficiency	Refs.
TiO <sub>2</sub> /activated carbon	Sol-gel synthetic method	Tetracycline (50 mg L <sup>-1</sup> )	100% in 150 min	[52]
TiO <sub>2</sub> /activated carbon	wet impregnation	Methylene Blue (50 mg L <sup>-1</sup> )	94.05% in 45 min	Present study
TiO <sub>2</sub> @C	Heat treatment and solid-state method	Tetracycline (20 mg L <sup>-1</sup> )	97.12% in 30 min	[53]
Carbon-TiO <sub>2</sub> nanotubes	Electrospinning and heat treatment method	Unsymmetrical dimethylhydrazine (50 mg L <sup>-1</sup> )	90% in 2 h	[54]
TiO <sub>2</sub> /amorphous carbon/carbon nanotube film	Simple atomization spray method	Rhodamine B	91.29% in 120 min	[55]
Multi-wall carbon nanotube (MWCNT)/titanium dioxide nanocomposites	Low-temperature sol-gel method and a simple evaporation and drying process	Bismarck brown R dye (100 mL; 5 × 10 <sup>-5</sup> M)	82.7% in 90 min	[56]
TiO <sub>2</sub> /Multi-wall carbon nanotube	Sol-gel and ultrasound waves method	Methylene blue (10 ppm)	61.6% in 70 min	[57]

methods was reported by Ref. [52] need 150 min for degraded tetracycline 100%, but Ref. [53] was reported synthesized TiO<sub>2</sub>/carbon by heat treatment and solid-state method shows more shorter which need only 30 min.

Figure 4b and c shows the kinetic rate of the TAC composite for the photodegradation of methylene blue, in Fig. 4b the performance during irradiation causes the concentration of contaminants decrease sharply for TAC 1:1. Figure 4c shows the kinetic rate of TAC composite (Rauf et al. [39]) by  $\ln(C_0/C_t)$  versus irradiation time with  $k$  is kinetic rate constant calculated as follows:

$$\ln \frac{C_0}{C_t} = k \cdot t \quad (3)$$

where  $C_0$  is the initial absorbance (before being irradiated),  $C_t$  is the absorbance after the photocatalyst process at the time  $t$ ,  $t$  is the time of the photodegradation process and  $R^2$  is the correlation coefficient.

The uptake at equilibrium,  $q_e$  (mg g<sup>-1</sup>), was calculated by the following equation:

$$q_e = \frac{(C_{01} - C_e)V}{W} \quad (4)$$

where  $C_0$  is the initial concentration of solution (in this study, 50 mg L<sup>-1</sup>),  $C_e$  (mg L<sup>-1</sup>) is the equilibrium concentration of solution,  $V$  is the volume of solution (in this study is 0.03 L), and  $W$  is the weight of activated carbon.

The adsorption capacity at time  $t$ ,  $q_t$  (mg g<sup>-1</sup>) as shown in Fig. 4, was calculated using the following equation:

$$q_t = \frac{(C_{01} - C_t)V}{W} \quad (5)$$

where  $C_t$  (mg L<sup>-1</sup>) is the equilibrium concentration of solution at time  $t$  (min).

Figure. 4e shows that the adsorption capacity is increasing for TAC 0.5:1.5, this is due to the higher carbon concentration where the pore use as a trap in adsorption process.

Cheng et al. [58] was reported for pseudo-first order and pseudo-second order kinetic models by choose the best fitted model to the correlation coefficient ( $R^2$ ) and the standard deviation ( $\Delta q$ ) as follow:

$$\Delta q = 100 \sqrt{\frac{1}{N-1} \sum_{i=1}^{i=N} \left[ \frac{q_{t, \text{exp}} - q_{t, \text{cal}}}{q_{t, \text{exp}}} \right]^2} \quad (6)$$

The ( $R^2$ ) and  $\Delta q$  values for adsorption kinetic models were calculated where  $q_{t, \text{cal}}$  means calculated and  $q_{t, \text{exp}}$  means experiment adsorption values. The pseudo-first order model:

$$\ln(q_e - q_t) = \ln q_e - k_1 t \quad (7)$$

and the pseudo-second order model:

$$\frac{t}{q_t} = \frac{1}{K_2 q_e^2} + \frac{t}{q_e} \quad (8)$$

Benedetto et al. [59] reported diffusion model developed by Weber and Morris for the adsorption mechanism with the intraparticle:

$$q_t = K_{id} \sqrt{t} + A \quad (9)$$

where  $K_{id}$  is diffusion rate constant of the intraparticle (mg g<sup>-1</sup> min<sup>-0.5</sup>) and  $A$  (mg g<sup>-1</sup>) is a constant proportional



**Table 2** Kinetic rate constant determined by Eq. (3) for  $k_1$ , pseudo-first order for  $k_1$ , and pseudo-second order for  $k_2$ , and correlation coefficient ( $R^2$ ) of TAC composites

TAC	$k$ ( $\text{min}^{-1}$ )	$k_1$ ( $\text{min}^{-1}$ )	$k_2$ ( $\text{min}^{-1}$ )	$R^2$
0.5:1.5	0.062	0.025	0.082	0.90918
1:1	0.066	0.031	0.075	0.96061
1.5:0.5	0.048	0.019	0.063	0.99558

of the boundary layer. By plotting  $q_t$  versus  $t^{1/2}$  will provide the dependency of adsorption on intraparticle diffusion. For only intraparticle diffusion is affect to the adsorption process, the plot produces a straight line but for additional another phenomena contribution to the adsorption process will multi-linear lines.

For understand the adsorption behavior, the Langmuir and Freundlich isotherms models were the most used to analyze the experimental data.

Langmuir isotherms:

$$\frac{C_e}{q_e} = \frac{1}{K_L q_{\max}} + \frac{C_e}{q_{\max}} \quad (10)$$

Freundlich isotherms:

$$\ln q_e = \ln K_f + \frac{1}{n} \ln C_e \quad (11)$$

Fernandez et al. [60] reported that the characteristics of the Langmuir isotherm in a term of equilibrium parameter ( $R_L$ ) as follows:

$$R_L = \frac{1}{1 + K_L C_0} \quad (12)$$


where  $K_L$  is the Langmuir isotherm constant and  $C_0$  is the initial absorbance concentration. The value of  $R_L$  indicates the nature of the adsorption: for irreversible the  $R_L$  is 0, for favorable the  $R_L$  is in between 0 and 1, for linear the  $R_L$  is 1, and for unfavorable the  $R_L$  is  $> 1$ . In this study shows the  $R_L$  is in betw 0 and 1 indicated the nature of adsorption in favorab. as can be seen in Fig. 4d.

Table 2 shows the value of the kinetic rate constant and the correlation coefficient. For the pseudo-second order shows linear depend with the amount of AC in TAC composite, indicated that the AC play an important role in the proses of adsorption. For another method shows the TAC 1:1 higher than other TAC indicated that the strong atomic bonding and very good matching electronic structure between  $\text{TiO}_2$  and carbon [18]. Based on the calculated data, the concentration TAC 1:1 has the highest kinetic rate constant value, this is related to the efficiency of as a smaller crystal size of 7.98 nm. Based on research conducted by Selvi et al. [63] showed that decreasing the crystal size has the potential to increase the specific surface area of catalyst. This affects the active reaction in increasing the photocatalytic activity.

Figure 5c shows the results of the catalyst being reused 5 times in a row with the best results on TAC composites at a concentration of 1:1 with an irradiation time of 45 min. The catalyst that is used repeatedly in methylene blue dye is used to see the efficiency as reported by Xu et al. [62] The percentage of degradation clearly can still reduce the dye solution, repeated use the catalyst has decreased the percentage of degradation, due to the loss of catalyst mass during the washing process. This shows the efficiency of the catalyst being reused with a significant reduction. Based on the results, the concentration of 1:1 TAC in cycle 5, has the best degradation with a value 71.24%.


The schematic illustration mechanism of methylene blue degradation using TAC is shown in Fig. 5a and b. The photon from the UV and visible will transfer their energy to the electron at the valence band (VB) of  $\text{TiO}_2$  for jump to the conduction band (CB) and remain hole at the VB [28]. For Fig. 5b the electron from CB jump to VB of AC and then receive energy to jump to the CB of AC, this process for suppressing recombination of (e/h). The AC as a nonmetallic element is substituted lattice oxygen for  $\text{TiO}_2$  to create active site energy levels in the bandgap which acted as an electron trapper to suppress indirect recombination of charge (e/h). The active site energy levels are contributed for shifting optical absorption edge of  $\text{TiO}_2$  to lower energy level for extend to the visible light of the photoactive region. Reference. [23] also was reported that for the small amount of N or Fe ions act as the trap sites for charge (e/h) and inhibit the charge (e/h) recombination will improve dramatically the photocatalytic performance. For Fig. 5a shows the pore of AC use as a trap of the charge for reduce recombination [30]. The electron and hole will be trapped in the pore and interact with  $\text{O}_2$  and  $\text{H}_2\text{O}$ , respectively, for resulting radical's atoms  $\text{O}_2^-$  and  $\text{OH}^-$ . These radicals will be processing degradation by breaking the bond of pollutant (indicated by scissor in Fig. 5a) with the final product is  $\text{H}_2\text{O}$  and  $\text{CO}_2$  [19].

The AC in composite  $\text{TiO}_2/\text{AC}$  is used to prevent leaching, recovery, and reuse of the composite for photodegradation MB by the process as follows:








at the valence band:





**Fig. 5** Methylene blue degradation process **a** the scheme for pore of AC as a trap the charge **b** for Z scheme photocatalyst using TiO<sub>2</sub>/AC, and **c** The photocatalyst degradation cycle of TiO<sub>2</sub>/AC (TAC) composites 1:1

at the conduction band:



## 4 Conclusion

**23** FTIR showed intensity of C=C-C and O-H bonds increases with increasing the amount of AC play important role to the change's crystallinity and surface state of TAC. The AC was substituted lattice oxygen of TiO<sub>2</sub> to create active site in the bandgap to suppress indirect recombination of charge (e/h) which contributed for shifting optical absorption edge of TAC for extend to the visible light of the photoactive region. The C=C-C and O-Ti-O absorption peaks shifts to higher wave numbers due to the oxygen vacancies increase at the surface state of the pore.

The SEM clearly showed pore and agglomeration of TAC indicated by increases disorder size and shape when the amount of AC decreasing in composite TAC. For high amount AC the TiO<sub>2</sub> particle approach to the surface state of the pore and tightly bonded with AC probably due to the oxygen vacancies replaced by C atoms indicated by the pore size increased. We found that the best samples in this study is for ratio composite TAC is 1:1, indicated by the best photocatalyst performance which was supported by the analysis **12** D spectra showed the smaller crystal size (7.98 nm). The pore of AC is a trap of the charge (electron and hole) for reduce recombination indicated by the TAC faster degradation up to



94.05% for only 45 min and can be reused for 5 cycles with efficiency higher than 70%. The TAC in this study as a new composite shows high potentials for effective and efficient wastewater treatment.

**Funding** Not available.

4

## Declarations

**Conflict of interest** The authors declared no potential conflict of interest with respect to the research, authorship, and/or publication of this article.

## References

- Raizada, P.; Kumari, J.; Shandilya, P.; Dhiman, R.; Pratap Singh, V.; Singh, P.: Magnetically retrievable Bi<sub>2</sub>WO<sub>6</sub>/Fe<sub>3</sub>O<sub>4</sub> immobilized on graphene sand composite for investigation of photocatalytic mineralization of oxytetracycline and ampicillin. *Process Saf. Environ. Prot.* **106**, 104–116 (2017). <https://doi.org/10.1016/j.psep.2016.12.012>
- Zhang, H.; Huang, H.; Ming, H.; Li, H.; Zhang, L.; Liu, Y.; Kang, Z.: Carbon quantum dots/Ag<sub>3</sub>PO<sub>4</sub> complex photocatalysts with enhanced photocatalytic activity and stability under visible light. *J. Mater. Chem.* **22**, 10501–10506 (2012). <https://doi.org/10.1039/C2JM30703K>
- Gaya, U.I.; Abdullah, A.H.: Heterogeneous photocatalytic degradation of organic contaminants over titanium dioxide: a review of fundamentals, progress and problems. *J. Photochem. Photobiol. C Photochem. Rev.* **9**, 1–12 (2008). <https://doi.org/10.1016/j.jphotochemrev.2007.12.003>
- Theerthagiri, J.; Chandrasekaran, S.; Salla, S.; Elakkiya, V.; Senthil, R.A.; Nithyadarseni, P.; Maiyalagan, T.; Micheal, K.; Ayeshamariam, A.; Arasu, M.V.; Al-Dhabi, N.A.; Kim, H.-S.: Recent developments of metal oxide based heterostructures for photocatalytic applications towards environmental remediation. *J. Solid State Chem.* **267**, 35–52 (2018). <https://doi.org/10.1016/j.jssc.2018.08.006>
- Alinsafi, A.; Evenou, F.; Abdulkarim, E.M.; Pons, M.N.; Zahraa, O.; Benhammou, A.; Yaacoubi, A.; Nejmeddine, A.: Treatment of textile industry wastewater by supported photocatalysis. *Dyes Pigments* **74**, 439–445 (2007). <https://doi.org/10.1016/j.dyepig.2006.02.024>
- Fayazi, M.; Taher, M.A.; Afzali, D.; Mostafavi, A.: Enhanced Fenton-like degradation of methylene blue by magnetically activated carbon/hydrogen peroxide with hydroxylamine as Fenton enhancer. *J. Mol. Liq.* **216**, 781–787 (2016). <https://doi.org/10.1016/j.molliq.2016.01.093>
- Tan, J.; Li, Z.; Li, J.; Wu, J.; Yao, X.; Zhang, T.: Graphitic carbon nitride-based materials in activating persulfate for aqueous organic pollutants degradation: a review on materials design and mechanisms. *Chemosphere* **262**, 127675 (2021). <https://doi.org/10.1016/j.chemosphere.2020.127675>
- Lang, X.; Zhao, J.; Chen, X.: Visible-light-induced photoredox catalysis of dye-sensitized titanium dioxide: selective aerobic oxidation of organic sulfides. *Angew. Chem. Int. Ed.* **55**, 4697–4700 (2016). <https://doi.org/10.1002/anie.201600405>
- Sedaghati, N.; Habibi-Yangjeh, A.; Pirhashemi, M.; Vadiel, S.: Boosted visible-light photocatalytic performance of TiO<sub>2-x</sub> decorated by BiOI and AgBr nanoparticles. *J. Photochem. Photobiol. A Chem.* **384**, 112066 (2019). <https://doi.org/10.1016/j.jphotochem.2019.112066>
- Wang, P.; Zhou, T.; Wang, R.; Lim, T.-T.: Carbon-sensitized and nitrogen-doped TiO<sub>2</sub> for photocatalytic degradation of sulfanilamide under visible-light irradiation. *Water Res.* **45**, 5015–5026 (2011). <https://doi.org/10.1016/j.watres.2011.07.002>
- Huang, H.; Song, Y.; Li, N.; Chen, D.; Xu, Q.; Li, H.; He, J.; Lu, J.: One-step in-situ preparation of N-doped TiO<sub>2</sub>@C derived from Ti<sub>3</sub>C<sub>2</sub> MXene for enhanced visible-light driven photodegradation. *Appl. Catal. B* **251**, 154–161 (2019). <https://doi.org/10.1016/j.apcatb.2019.03.066>
- Khalyavka, T.; Bondarenko, M.; Shcherban, N.; Petrik, I.; Melnyk, A.: Effect of the C and S additives on structural, optical, and photocatalytic properties of TiO<sub>2</sub>. *Appl. Nanosci.* **9**, 695–702 (2019). <https://doi.org/10.1007/s13204-018-0838-1>
- Ren, W.; Ai, Z.; Jia, F.; Zhang, L.; Fan, X.; Zou, Z.: Low temperature preparation and visible light photocatalytic activity of mesoporous carbon-doped crystalline TiO<sub>2</sub>. *Appl. Catal. B* **69**, 138–144 (2007). <https://doi.org/10.1016/j.apcatb.2006.06.015>
- Matos, J.; García, A.; Zhao, L.; Titirici, M.M.: Solvothermal carbon-doped TiO<sub>2</sub> photocatalyst for the enhanced methylene blue degradation under visible light. *Appl. Catal. A Gen.* **390**, 175–182 (2010). <https://doi.org/10.1016/j.apcata.2010.10.009>
- Alsaiairi, M.: Biomass-derived active carbon (AC) modified TiO<sub>2</sub> photocatalyst for efficient photocatalytic reduction of chromium (VI) under visible light. *Arab. J. Chem.* **14**, 103258 (2021). <https://doi.org/10.1016/j.arabjc.2021.103258>
- Liu, G.; Xia, H.; Niu, Y.; Zhao, X.; Zhang, G.; Song, L.; Chen, H.: Photocatalytic performance of doped TiO<sub>2</sub>/AC coating and its UV stability research. *Prog. Org. Coat.* **148**, 105882 (2020). <https://doi.org/10.1016/j.porgcoat.2020.105882>
- Jiang, Z.; Zhang, X.; Yuan, Z.; Chen, J.; Huang, B.; Dionysiou, D.D.; Yang, G.: Enhanced photocatalytic CO<sub>2</sub> reduction via the synergistic effect between Ag and activated carbon in TiO<sub>2</sub>/AC-Ag ternary composite. *Chem. Eng. J.* **348**, 592–598 (2018). <https://doi.org/10.1016/j.cej.2018.04.180>
- Ilyas, S.; Abdullah, B.; Tahir, D.: Enhancement of absorbing frequency and photo-catalytic performance by temperature treatment of composites Fe<sub>3</sub>O<sub>4</sub>-AC nanoparticle. *Adv. Powder Technol.* **31**, 905–913 (2020). <https://doi.org/10.1016/j.apt.2019.11.007>
- Tahir, D.; Abdullah, B.; Ilyas, S.; Fahri, A.N.; Anugrah, M.A.; Kim, K.; Kang, H.J.: Decreasing charge recombination by magnetic trap of iron-carbon (Fe-AC) composite for enhanced photocatalytic performance. *Surf. Interface Anal.* **53**, 446–459 (2021). <https://doi.org/10.1002/sia.6932>
- Lahrar, E.H.; Simon, P.; Merlet, C.: Carbon-carbon supercapacitors: beyond the average pore size or how electrolyte confinement and inaccessible pores affect the capacitance. *J. Chem. Phys.* **155**, 184703 (2021). <https://doi.org/10.1063/5.0065150>
- Mo, Z.; Yang, W.; Gao, S.; Shang, J.K.; Ding, Y.; Sun, W.; Li, Q.: Efficient oxygen reduction reaction by a highly porous, nitrogen-doped carbon sphere electrocatalyst through space confinement effect in nanopores. *J. Adv. Ceram.* **10**, 714–728 (2021). <https://doi.org/10.1007/s40145-021-0466-1>
- Li, R.; Yang, W.; Gao, S.; Shang, J.; Li, Q.: Hydrous cerium oxides coated glass fiber for efficient and long-lasting arsenic removal from drinking water. *J. Adv. Ceram.* **10**, 247–257 (2021). <https://doi.org/10.1007/s40145-020-0435-0>
- Sadeghzadeh-Attar, A.: Photocatalytic degradation evaluation of N-Fe codoped aligned TiO<sub>2</sub> nanorods based on the effect of annealing temperature. *J. Adv. Ceram.* **9**, 107–122 (2020). <https://doi.org/10.1007/s40145-019-0353-1>
- Eshaghi, A.; Moradi, H.: Optical and photocatalytic properties of the Fe-doped TiO<sub>2</sub> nanoparticles loaded on the activated carbon. *Adv. Powder Technol.* **29**, 1879–1885 (2018). <https://doi.org/10.1016/j.apt.2018.04.026>



25. Ilyas, S.; Heryanto, H.; Tahir, D.: Correlation between structural and optical properties of CuO/carbon nanoparticle in supports the photocatalytic performance and attenuate the electromagnetic wave. *J. Environ. Chem. Eng.* **9**, 104670 (2021). <https://doi.org/10.1016/j.jece.2020.104670>
26. Zhu, X.; Li, Q.; Fang, Y.; Liu, X.; Xiao, L.; Ai, X.; Yang, H.; Cao, Y.: Graphene-modified TiO<sub>2</sub> microspheres synthesized by a facile spray-drying route for enhanced sodium-ion storage. *Part. Part. Syst. Charact.* **33**, 545–552 (2016). <https://doi.org/10.1002/ppsc.201500216>
27. Brown, G.N.; Birks, J.W.; Koval, C.A.: Development and characterization of a titanium dioxide-based semiconductor photoelectrochemical detector. *Anal. Chem.* **64**, 427–434 (1992). <https://doi.org/10.1021/ac00028a018>
28. Abdullah, B.; Ilyas, S.; Tahir, D.: Nanocomposites Fe/activated carbon/PVA for microwave absorber: synthesis and characterization. *J. Nanomater.* **2018**, 9823263 (2018). <https://doi.org/10.1155/2018/9823263>
29. Heryanto, H.; Abdullah, B.; Tahir, D.: Analysis of structural properties of X-ray diffraction for composite copper-activated carbon by modified Williamson–Hall and size-strain plotting methods. *J. Phys. Conf. Ser.* **1080**, 012007 (2018). <https://doi.org/10.1088/1742-6596/1080/1/012007>
30. Rauf, N.; Ilyas, S.; Heryanto, H.; Rahmat, R.; Fahri, A.N.; Rahmi, M.H.; Tahir, D.: The correlation between structural and optical properties of zinc hydroxide nanoparticle in supports photocatalytic performance. *Opt. Mater. (Amst.)* **112**, 110780 (2021). <https://doi.org/10.1016/j.optmat.2020.110780>
31. Anugrahwidya, R.; Yudasari, N.; Tahir, D.: Optical and structural investigation of synthesis ZnO/Ag Nanoparticles prepared by laser ablation in liquid. *Mater. Sci. Semicond. Process.* **105**, 104712 (2020). <https://doi.org/10.1016/j.mssp.2019.104712>
32. Tahir, D.; Suarga, Sari, N.H.; Yulianti: Stopping powers and inelastic mean free path of 200eV–50keV electrons in polymer PMMA, PE, and PVC. *Appl. Radiat. Isotopes* **95**, 59–62 (2015). <https://doi.org/10.1016/j.apradiso.2014.10.001>
33. Tahir, D.; Heryanto, H.; Ilyas, S.; Fahri, A.N.; Rahmat, R.; Rahmi, M.H.; Taryana, Y.; Sukaryo, S.G.: Excellent electromagnetic wave absorption of Co/Fe<sub>2</sub>O<sub>3</sub> composites by additional activated carbon for tuning the optical and the magnetic properties. *J. Alloys Compd.* **864**, 158780 (2021). <https://doi.org/10.1016/j.jallcom.2021.158780>
34. Ulum, B.; Ilyas, S.; Fahri, A.N.; Mutmainna, I.; Anugrah, M.A.; Yudasari, N.; Demmalino, E.B.; Tahir, D.: Composite carbon-lignin/zinc oxide nanocrystalline ball-like hexagonal mediated from *Jatropha curcas* L leaf as photocatalyst for industrial dye degradation. *J. Inorg. Organomet. Polym. Mater.* **30**, 4905–4916 (2020). <https://doi.org/10.1007/s10904-020-01631-5>
35. Pambudi, A.B.; Kurniawati, R.; Iryani, A.; Hartanto, D.: Effect of calcination temperature in the synthesis of carbon doped TiO<sub>2</sub> without external carbon source. *AIP Conf. Proc.* **2049**, 020074 (2018). <https://doi.org/10.1063/1.5082479>
36. Suganthi, N.; Thangavel, S.; Kannan, K.: Hibiscus subdariffa leaf extract mediated 2-D fern-like ZnO/TiO<sub>2</sub> hierarchical nanoleaf for photocatalytic degradation. *FlatChem* **24**, 100197 (2020). <https://doi.org/10.1016/j.flatc.2020.100197>
37. Bagheri, S.; Shameli, K.; Abd Hamid, S.B.: Synthesis and characterization of anatase titanium dioxide nanoparticles using egg white solution via sol–gel method. *J. Chem.* **2013**, 848205 (2013). <https://doi.org/10.1155/2013/848205>
38. Indira, K.; KamachiMudali, U.; Rajendran, N.: In vitro bioactivity and corrosion resistance of Zr incorporated TiO<sub>2</sub> nanotube arrays for orthopaedic applications. *Appl. Surf. Sci.* **316**, 264–275 (2014). <https://doi.org/10.1016/j.apsusc.2014.08.001>
39. Rauf, M.; Ashraf, S.: Fundamental principles and application of heterogeneous photocatalytic degradation of dyes in solution. *Chem. Eng. J.* **151**, 10–18 (2009). <https://doi.org/10.1016/j.cej.2009.02.026>
40. Rizkayanti, Y.; Yusuf, Y.: Optimization of the temperature synthesis of hydroxyapatite from Indonesian crab shells. *Int. J. Nanoelectron. Mater.* **12**, 85–92 (2019)
41. Fakhrol Ridhwan Samsudin, M.; Sufian, S.; Bashiri, R.; Muti Mohamed, N.; Tau Siang, L.; Mahirah Ramli, R.: Optimization of photodegradation of methylene blue over modified TiO<sub>2</sub>/BiVO<sub>4</sub> photocatalysts: effects of total TiO<sub>2</sub> loading and different type of co-catalyst. *Mater. Today Proc.* **5**, 21710–21717 (2018). <https://doi.org/10.1016/j.matpr.2018.07.023>
42. Yu, H.; Zhao, Y.; Zhou, C.; Shang, L.; Peng, Y.; Cao, Y.; Wu, L.-Z.; Tung, C.-H.; Zhang, T.: Carbon quantum dots/TiO<sub>2</sub> composites for efficient photocatalytic hydrogen evolution. *J. Mater. Chem. A Mater.* **2**, 3344–3351 (2014). <https://doi.org/10.1039/C3TA14108J>
43. Yang, Y.; Gao, P.; Wang, Y.; Sha, L.; Ren, X.; Zhang, J.; Chen, Y.; Wu, T.; Yang, P.; Li, X.: A direct charger transfer from interface to surface for the highly efficient spatial separation of electrons and holes: the construction of Ti–C bonded interfaces in TiO<sub>2</sub>-C composite as a touchstone for photocatalytic water splitting. *Nano Energy* **33**, 29–36 (2017). <https://doi.org/10.1016/j.nanoen.2017.01.030>
44. Munguti, L.; Dejene, F.: Influence of annealing temperature on structural, optical and photocatalytic properties of ZnO–TiO<sub>2</sub> composites for application in dye removal in water. *Nano-Struct. Nano-Obj.* **24**, 100594 (2020). <https://doi.org/10.1016/j.nanoso.2020.100594>
45. Nemoto, S.; Ueno, T.; Watthanaphanit, A.; Hieda, J.; Saito, N.: Crystallinity and surface state of cellulose in wet ball-milling process: ARTICLE. *J. Appl. Polym. Sci.* (2017). <https://doi.org/10.1002/app.44903>
46. Xiao, Y.; Wang, Y.; Xiao, M.; Liu, C.; Hou, S.; Ge, J.; Xing, W.: Regulating the pore structure and oxygen vacancies of cobalt-oxide hollow dodecahedra for an enhanced oxygen evolution reaction. *NPG Asia Mater.* **12**, 73 (2020). <https://doi.org/10.1038/s41427-020-00255-y>
47. Zhang, J.; Li, J.: The oxygen vacancy defect of ZnO/NiO nanomaterials improves photocatalytic performance and ammonia sensing performance. *Nanomaterials* **12**, 433 (2022). <https://doi.org/10.3390/nano12030433>
48. Yakovenko, O.; Matzui, L.; Vovchenko, L.; Viktor, O.; Zagorodnii, V.; Trukhanov, S.; Trukhanov, A.: Electromagnetic properties of carbon nanotube/BaFe<sub>12-x</sub>Ga<sub>x</sub>O<sub>19</sub>/epoxy composites with random and oriented filler distributions. *Nanomaterials (Basel)* **11**, 2873 (2021). <https://doi.org/10.3390/nano1112873>
49. Kozlovskiy, A.L.; Zdorovets, M.: v: Study of hydrogenation processes in radiation-resistant nitride ceramics. *J. Mater. Sci. Mater. Electron.* **31**, 11227–11237 (2020). <https://doi.org/10.1007/s10854-020-03671-6>
50. Kozlovskiy, A.; Egizbek, K.; Zdorovets, M.V.; Ibragimova, M.; Shumskaya, A.; Rogachev, A.A.; Ignatovich, Z.V.; Kadyrzhanov, K.: Evaluation of the efficiency of detection and capture of manganese in aqueous solutions of fecexon nanocomposites doped with nb2o5. *Sensors* **20**, 4851 (2020)
51. Wang, B.; Yang, S.-Z.; Chen, H.; Gao, Q.; Weng, Y.-X.; Zhu, W.; Liu, G.; Zhang, Y.; Ye, Y.; Zhu, H.; Li, H.; Xia, J.: Revealing the role of oxygen vacancies in bimetallic PbBiO<sub>2</sub>Br atomic layers for boosting photocatalytic CO<sub>2</sub> conversion. *Appl. Catal. B* **277**, 119170 (2020). <https://doi.org/10.1016/j.apcatb.2020.119170>
52. Martins, A.C.; Cazetta, A.L.; Pezoti, O.; Souza, J.R.B.; Zhang, T.; Pilau, E.J.; Asefa, T.; Almeida, V.C.: Sol–gel synthesis of new TiO<sub>2</sub>/activated carbon photocatalyst and its application for degradation of tetracycline. *Ceram. Int.* **43**, 4411–4418 (2017). <https://doi.org/10.1016/j.ceramint.2016.12.088>
53. Gao, X.; Ren, P.-G.; Wang, J.; Ren, F.; Dai, Z.; Jin, Y.-L.: Fabrication of visible-light responsive TiO<sub>2</sub>@C photocatalyst with



- an ultra-thin carbon layer to efficiently degrade organic pollutants. *Appl. Surf. Sci.* **532**, 147482 (2020). <https://doi.org/10.1016/j.apsusc.2020.147482>
54. Ji, L.; Zhang, Y.; Miao, S.; Gong, M.; Liu, X.: In situ synthesis of carbon doped TiO<sub>2</sub> nanotubes with an enhanced photocatalytic performance under UV and visible light. *Carbon NY* **125**, 544–550 (2017). <https://doi.org/10.1016/j.carbon.2017.09.094>
55. Xin, Z.; Zhao, X.; Ji, H.; Ma, T.; Li, H.; Zhong, S.; Shen, Z.: Amorphous carbon-linked TiO<sub>2</sub>/carbon nanotube film composite with enhanced photocatalytic performance: the effect of interface contact and hydrophilicity. *Chin. Chem. Lett.* **32**, 2151–2154 (2021). <https://doi.org/10.1016/j.ccllet.2020.11.054>
56. Kamil, A.M.; Mohammed, H.T.; Balakit, A.A.; Hussein, F.H.; Bahnemann, D.W.; El-Hiti, G.A.: Synthesis, characterization and photocatalytic activity of carbon nanotube/titanium dioxide nanocomposites. *Arab. J. Sci. Eng.* **43**, 199–210 (2018). <https://doi.org/10.1007/s13369-017-2861-z>
57. Askari, M.B.; Tavakoli Banizi, Z.; Seifi, M.; Bagheri Dehaghi, S.; Veisi, P.: Synthesis of TiO<sub>2</sub> nanoparticles and decorated multi-wall carbon nanotube (MWCNT) with anatase TiO<sub>2</sub> nanoparticles and study of optical properties and structural characterization of TiO<sub>2</sub>/MWCNT nanocomposite. *Optik (Stuttg)* **149**, 447–454 (2017). <https://doi.org/10.1016/j.ijleo.2017.09.078>
58. Cheng, L.; Sun, L.; Xue, W.; Zeng, Z.; Li, S.: Adsorption equilibrium and kinetics of Pb(II) from aqueous solution by modified walnut shell. *Environ. Prog. Sustain. Energy* **35**, 1724–1731 (2016). <https://doi.org/10.1002/ep.12424>
59. de Benedetto, C.; Macario, A.; Siciliano, C.; Nagy, J.B.; de Luca, P.: Adsorption of reactive blue 116 dye and reactive yellow 81 dye from aqueous solutions by multi-walled carbon nanotubes. *Materials* **13**, 1–14 (2020). <https://doi.org/10.3390/ma13122757>
60. Fernandez, M.E.; Ledesma, B.; Román, S.; Bonelli, P.R.; Cukierman, A.L.: Development and characterization of activated hydrochars from orange peels as potential adsorbents for emerging organic contaminants. *Bioresour. Technol.* **183**, 221–228 (2015). <https://doi.org/10.1016/j.biortech.2015.02.035>
61. Selvi, N.; Sankar, S.; Dinakaran, K.: Effect of shell ZnO on the structure and optical property of TiO<sub>2</sub> core@shell hybrid nanoparticles. *J. Mater. Sci. Mater. Electron.* **26**, 2271–2277 (2015). <https://doi.org/10.1007/s10854-015-2680-5>
62. Xu, F.; Chen, J.; Kalytchuk, S.; Chu, L.; Shao, Y.; Kong, D.; Chu, K.-H.; Sit, P.H.-L.; Teoh, W.Y.: Supported gold clusters as effective and reusable photocatalysts for the abatement of endocrine-disrupting chemicals under visible light. *J. Catal.* **354**, 1–12 (2017). <https://doi.org/10.1016/j.jcat.2017.07.027>

Springer Nature or its licensor holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.



ORIGINALITY REPORT

**22%**  
SIMILARITY INDEX

**15%**  
INTERNET SOURCES

**19%**  
PUBLICATIONS

**5%**  
STUDENT PAPERS

PRIMARY SOURCES

- 1** Zoubida Kecira, Oumessaâd Benturki, Asma Benturki, Mounir Daoud, Pierre Girods. "High adsorption capacity of nitrobenzene from aqueous solution using activated carbons prepared from vegetable waste", *Environmental Progress & Sustainable Energy*, 2020  
Publication **2%**
- 2** Nurul Awaliyah Muhammad, Bidayatul Armynah, Dahlang Tahir. "High transparent wood composite for effective X-ray shielding applications", *Materials Research Bulletin*, 2022  
Publication **2%**
- 3** Submitted to Taibah University  
Student Paper **1%**
- 4** [www.researchgate.net](http://www.researchgate.net)  
Internet Source **1%**
- 5** Sri Suryani, Asni Damayanti, Heryanto Heryanto, Roni Rahmat, Syarifuddin Syarifuddin, Dahlang Tahir. "High efficiency

self-cleaning of nanocomposites ZnO with additional chitosan for helping electron and hole transport", International Journal of Biological Macromolecules, 2022

Publication

---

6	<a href="http://dc.tsinghuajournals.com">dc.tsinghuajournals.com</a> Internet Source	1 %
7	<a href="http://repository.unhas.ac.id">repository.unhas.ac.id</a> Internet Source	1 %
8	F Adam, A Himawan, M Aswad, S Ilyas, Heryanto, M A Anugrah, D Tahir. "Green synthesis of zinc oxide nanoparticles using Moringa oleifera l. water extract and its photocatalytic evaluation", Journal of Physics: Conference Series, 2021 Publication	1 %
9	<a href="http://ogma.newcastle.edu.au">ogma.newcastle.edu.au</a> Internet Source	1 %
10	<a href="http://iopscience.iop.org">iopscience.iop.org</a> Internet Source	1 %
11	<a href="http://oatao.univ-toulouse.fr">oatao.univ-toulouse.fr</a> Internet Source	1 %
12	Andi Tessiwoja Tenri Ola, Roni Rahmat, Ahmad Nurul Fahri, Heryanto Heryanto, Inayatul Mutmainna, Elisa Sesa, Dahlang Tahir. "Synergistic Effect of Chitosan and	1 %

Activated Carbon (AC) in Suppressing  
Recombination Charge of Composite  
Ca<sub>2</sub>Fe<sub>2</sub>O<sub>5</sub>-AC/Chitosan for High  
Photodegradation of Fipronil Wastewater",  
Journal of Polymers and the Environment,  
2022

Publication

13

Mabkhoot Alsaiani. "Biomass-derived active carbon (AC) modified TiO<sub>2</sub> photocatalyst for efficient photocatalytic reduction of chromium (VI) under visible light", Arabian Journal of Chemistry, 2021

Publication

1 %

14

[www.hindawi.com](http://www.hindawi.com)

Internet Source

1 %

15

Ronghui Li, Weiyi Yang, Shuang Gao, Jianku Shang, Qi Li. "Hydrous cerium oxides coated glass fiber for efficient and long-lasting arsenic removal from drinking water", Journal of Advanced Ceramics, 2021

Publication

<1 %

16

[pubs.rsc.org](http://pubs.rsc.org)

Internet Source

<1 %

17

[mdpi-res.com](http://mdpi-res.com)

Internet Source

<1 %

18

[openaccess.hku.edu.tr](http://openaccess.hku.edu.tr)

Internet Source

<1 %

19	eprints.qut.edu.au Internet Source	<1 %
20	journal.gnest.org Internet Source	<1 %
21	test2.home.tsinghuajournals.com Internet Source	<1 %
22	Dahlang Tahir, Heryanto Heryanto, Sultan Ilyas, Ahmad Nurul Fahri et al. "Excellent electromagnetic wave absorption of Co/Fe <sub>2</sub> O <sub>3</sub> composites by additional activated carbon for tuning the optical and the magnetic properties", Journal of Alloys and Compounds, 2021 Publication	<1 %
23	Dahlang Tahir, Sultan Ilyas, Bualkar Abdullah, Bidayatul Armynah, Kyousik Kim, Hee Jae Kang. "Modification in electronic, structural, and magnetic properties based on composition of composites Copper (II) Oxide (CuO) and Carbonaceous material", Materials Research Express, 2018 Publication	<1 %
24	Submitted to University of Glasgow Student Paper	<1 %
25	Dahlang Tahir, Bualkar Abdullah, Sultan Ilyas, Ahmad Nurul Fahri, Muhammad Angga	<1 %

Anugrah, Kyousik Kim, Hee Jae Kang.  
"Decreasing charge recombination by  
magnetic trap of iron - carbon (Fe - AC)  
composite for enhanced photocatalytic  
performance", Surface and Interface Analysis,  
2021

Publication

---

26

[dokumen.pub](https://dokumen.pub)

Internet Source

<1 %

---

27

D Heltina, U Avisa, M I Fermi. " The role of  
surfactant to enhance photocatalyst  
performance on phenol degradation in TiO -  
CNT composite-modified CNT  
(Cetyltrimethylammonium bromide) ", IOP  
Conference Series: Materials Science and  
Engineering, 2021

Publication

---

28

Jianzhong Wu. "Understanding the Electric  
Double-Layer Structure, Capacitance, and  
Charging Dynamics", Chemical Reviews, 2022

Publication

---

29

[academic.oup.com](https://academic.oup.com)

Internet Source

<1 %

---

30

[www.science.gov](http://www.science.gov)

Internet Source

<1 %

---

31

Submitted to (school name not available)

Student Paper

---

<1 %

32

Xiaoyong Wu, Shu Yin, Qiang Dong, Chongshen Guo, Takeshi Kimura, Jun-ichi Matsushita, Tsugio Sato. " Photocatalytic Properties of Nd and C Codoped TiO with the Whole Range of Visible Light Absorption ", The Journal of Physical Chemistry C, 2013

Publication

&lt;1 %

33

Yong-Jun Yuan, Zhi-Jun Ye, Hong-Wei Lu, Bin Hu, Yong-Hui Li, Da-Qin Chen, Jia-Song Zhong, Zhen-Tao Yu, Zhi-Gang Zou. " Constructing Anatase TiO Nanosheets with Exposed (001) Facets/Layered MoS Two-Dimensional Nanojunctions for Enhanced Solar Hydrogen Generation ", ACS Catalysis, 2015

Publication

&lt;1 %

34

K. Bhuvaneshwari, G. Palanisamy, T. Pazhanivel, T. Maiyalagan, P. Shanmugam, Andrews Nirmala Grace. "In-situ development of Metal Organic Frameworks assisted ZnMgAl layered triple hydroxide 2D/2D hybrid as an efficient photocatalyst for organic dye degradation", Chemosphere, 2020

Publication

&lt;1 %

35

[nardus.mpn.gov.rs](http://nardus.mpn.gov.rs)

Internet Source

&lt;1 %

36

[www.frontiersin.org](http://www.frontiersin.org)

Internet Source

&lt;1 %

37

Deivisson L. Cunha, Alexei Kuznetsov, Joyce R. Araujo, Rodrigo S. Neves et al. "Optimization of Benzodiazepine Drugs Removal from Water by Heterogeneous Photocatalysis Using TiO<sub>2</sub>/Activated Carbon Composite", *Water, Air, & Soil Pollution*, 2019

Publication

---

<1 %

38

Rongchao Jin, Gao Li, Sachil Sharma, Yingwei Li, Xiangsha Du. "Toward Active-Site Tailoring in Heterogeneous Catalysis by Atomically Precise Metal Nanoclusters with Crystallographic Structures", *Chemical Reviews*, 2020

Publication

---

<1 %

39

Wenya Ao, Junshen Qu, Hejie Yu, Yang Liu, Chenglong Liu, Jie Fu, Jianjun Dai, Xiaotao Bi, Yanxin Yuan, Yajie Jin. "TiO<sub>2</sub>/activated carbon synthesized by microwave-assisted heating for tetracycline photodegradation", *Environmental Research*, 2022

Publication

---

<1 %

40

Yun-Long Wu, Wilfried Engl, Benhui Hu, Pingqiang Cai, Wan Ru Leow, Nguan Soon Tan, Chwee Teck Lim, Xiaodong Chen. "Nanomechanically Visualizing Drug–Cell Interaction at the Early Stage of Chemotherapy", *ACS Nano*, 2017

Publication

---

<1 %

41 Zhenzhong Bian, Yali Feng, Haoran Li, Jing Zhan. "Fabrication of Ag<sub>3</sub>PO<sub>4</sub>/TiO<sub>2</sub>@molecular sieve (MS) ternary composites with remarkably enhanced visible light-responded photocatalytic activity and mechanism insight", Environmental Research, 2020  
Publication

---

42 [repositorio.uam.es](https://repositorio.uam.es)  
Internet Source

---

43 Ren, W.. "Low temperature preparation and visible light photocatalytic activity of mesoporous carbon-doped crystalline TiO<sub>2</sub>", Applied Catalysis B, Environmental, 20070115  
Publication

---

44 Sultan Ilyas, Heryanto Heryanto, Dahlang Tahir. "Correlation between structural and optical properties of CuO/carbon nanoparticle in supports the photocatalytic performance and attenuate the electromagnetic wave", Journal of Environmental Chemical Engineering, 2021  
Publication

---

45 Xiaobo Chen, Shaohua Shen, Liejin Guo, Samuel S. Mao. "Semiconductor-based Photocatalytic Hydrogen Generation", Chemical Reviews, 2010  
Publication

---

46

[aip.scitation.org](http://aip.scitation.org)

Internet Source

&lt;1 %

47

[discovery.ucl.ac.uk](http://discovery.ucl.ac.uk)

Internet Source

&lt;1 %

48

[ipicyt.repositorioinstitucional.mx](http://ipicyt.repositorioinstitucional.mx)

Internet Source

&lt;1 %

49

[nanojournal.ifmo.ru](http://nanojournal.ifmo.ru)

Internet Source

&lt;1 %

50

[research.vit.ac.in](http://research.vit.ac.in)

Internet Source

&lt;1 %

51

[www.ias.ac.in](http://www.ias.ac.in)

Internet Source

&lt;1 %

52

Nurlaela Rauf, Sultan Ilyas, Heryanto Heryanto, Roni Rahmat, Ahmad Nurul Fahri, Mufti Hatur Rahmi, Dahlang Tahir. "The Correlation between Structural and Optical Properties of Zinc Hydroxide Nanoparticle in Supports Photocatalytic Performance", Optical Materials, 2021

Publication

&lt;1 %

53

Charitha Thambiliyagodage. "Efficient photocatalysis of carbon coupled TiO<sub>2</sub> to degrade pollutants in wastewater – A review", Environmental Nanotechnology, Monitoring & Management, 2022

Publication

&lt;1 %

---

Exclude quotes      On

Exclude matches      < 5 words

Exclude bibliography      On