

# ous\_carbon\_for\_electrochemical\_supercapacitor\_applications -1.pdf *by*

---


**Submission date:** 09-Jun-2023 06:14PM (UTC+0700)

**Submission ID:** 2112437866

**File name:** ous\_carbon\_for\_electrochemical\_supercapacitor\_applications-1.pdf (6.6M)

**Word count:** 6634

**Character count:** 36262



## Biowaste-derived oxygen-self-doped three-dimensional interconnected porous carbon for electrochemical supercapacitor applications

Bidayatul Armynah, Erwinda Erwinda, Agustino Agustino, Erman Taer, Syahir Mahmud & Dahlang Tahir

To cite this article: Bidayatul Armynah, Erwinda Erwinda, Agustino Agustino, Erman Taer, Syahir Mahmud & Dahlang Tahir (2023) Biowaste-derived oxygen-self-doped three-dimensional interconnected porous carbon for electrochemical supercapacitor applications, Energy Sources, Part A: Recovery, Utilization, and Environmental Effects, 45:2, 6331-6342, DOI: 10.1080/15567036.2023.2215198

To link to this article: <https://doi.org/10.1080/15567036.2023.2215198>



Published online: 18 May 2023.



Submit your article to this journal [↗](#)



Article views: 38



View related articles [↗](#)



View Crossmark data [↗](#)



## Biowaste-derived oxygen-self-doped three-dimensional interconnected porous carbon for electrochemical supercapacitor applications

46 Bayatul Armynah<sup>a</sup>, Erwinda Erwinda<sup>a</sup>, Agustino Agustino<sup>b</sup>, Erman Taer<sup>b</sup>, Syahir Mahmud<sup>c</sup>, and Dahlang Tahir<sup>a</sup>

<sup>a</sup>Department of Physics, Hasanuddin University, Makassar, Indonesia; <sup>b</sup>Department of Physics, Universitas Riau, Pekanbaru, Indonesia; <sup>c</sup>Department of Electrical Engineering, Universitas Atmajaya Makassar, Makassar, Indonesia

### ABSTRACT

Biowaste for producing a biomaterial is an inexpensive, profuse, widely available, and viable natural source and has been extensively investigated and applied in a wide range of research fields. In this work, jackfruit leaf waste as a biowaste source was utilized to prepare a three-dimensional (3D) interconnected porous carbon framework self-doped with oxygen by impregnation, carbonization, and activation under a CO<sub>2</sub> atmosphere. The as-prepared porous carbon has a 3D interconnected porous framework with a rich oxygen content of 36.82%, and high BET surface area of 455.687 m<sup>2</sup> g<sup>-1</sup> with a pore volume of 0.522 cm<sup>3</sup> g<sup>-1</sup>. The 3D interconnected porous framework exhibits a high specific capacitance of 199 F g<sup>-1</sup> with a maximum energy density of 27.64 Wh kg<sup>-1</sup> at a power density of 99.60 W kg<sup>-1</sup> at a sweep rate of 1 mV s<sup>-1</sup> in a two-electrode setup. The correlation between structure and performance of electrode materials is deeply studied. The great capacitive performance of porous carbon materials can be assigned to its 3D interconnected porous framework, high specific surface area, suitable pore size distributions, and advantageous heteroatom-doping, resulting in the rapid ion diffusion and sufficient charge storage along with the contributed pseudocapacitance behavior. Hence, the exciting results reveal an efficient, cost-effective, time-saving, and facile method to prepare 3D interconnected porous carbon frameworks self-doped with oxygen derived from natural biowaste sources for developing supercapacitor devices.

55

### ARTICLE HISTORY

Received 9 February 2023  
Revised 12 May 2023  
Accepted 13 May 2023




### KEYWORDS

Biowaste; Jackfruit leaf waste; 3D interconnected porous carbon framework; oxygen-self-doped; supercapacitor

## Introduction

The rapid economic growth around the world worsens the energy crisis; thus, it is significant to expand green, sustainable, efficient, and environmentally amiable energy storage systems (ESSs). As one of the ESSs, supercapacitors (SCs) have fascinated tremendous attention due to their benefits such as high power density (Hor and Hashmi 2020; Liang, and Qi 2022), long lifetime cycle (Dai et al. 2020; Wang et al. 2020), low maintenance cost (Ali et al. 2021; Ma et al. 2019), and wide operating temperature range (Yanilmaz et al. 2019). The capacitive performance of a supercapacitor depends on electrodes, type of electrolyte, and type of device configuration. Several electrode materials such as porous activated carbon (Alcaraz et al. 2020; Rajesh et al. 2020), metal oxide (Khot and Kiani 2022; Racik et al. 2020), and carbon/polymer (Pourjavadi et al. 2018) have been synthesized to fabricate SC electrodes. Among them, porous activated carbon is the material of choice for SCs owing to its high surface, excellent physical and chemical stability, highly porous structure, and good electrical conductivity.

15

**CONTACT** Bayatul Armynah  armynah63@gmail.com; Dahlang Tahir  dtahir@fmi.pa.unhas.ac.id  Department of Physics, Hasanuddin University, Makassar 90245, Indonesia

© 2023 Taylor & Francis Group, LLC

Recently, biowaste-derived porous carbon for SC fabrication has garnered attention from researchers owing to its highly porous network, high surface area, renewability, abundance, and cost-effectiveness. Various biowaste sources such as cotton waste (Liu et al. 2023), tea seed meal (You et al. 2023), rice husk (Liu et al. 2022), *Zizania latifolia* (Zhao et al. 2022), *Tectona grandis* leaf (Taer et al. 2021), *lycium chinensis* (Xu et al. 2021), poplar catkin (Yang et al. 2021), pineapple leaf (Agustino et al. 2020), foxtail grass seeds (Liang, Liu, and Wu 2021), and so on have been studied and utilized for SC electrodes. However, porous carbon has lower specific capacitance and energy density compared to graphene and carbon nanotubes due to its poor electrical conductivity and disarranged and cramped porous structure (Panja, Bhattacharjya, and Yu 2015). To address this problem, designing porous carbon with excellent capacitive performance is urgently needed. Currently, various methods, including increasing porosity and heteroatom doping, enhance the chemical surface structure and increase electron distribution have been used to further enhance the capacitive performance of SC electrode materials (Z. Liu et al. 2020; Xu et al. 2022). Moreover, heteroatom doping is another impressive route to improve the performance of porous carbon and provides a combination of electric double-layer capacitance (EDL) and pseudocapacitance behaviors. In addition to producing a definite pseudocapacitance effect, heteroatoms can enhance the wettability and polarity of the electrode material surface, thus boosting the capacitive performance of the electrode materials (Liu et al. 2022; You et al. 2023). Heteroatom doping can be categorized into two strategies: (i) self-doping can be prepared via direct carbonization of biowaste sources to perform heteroatom doping, and (ii) external doping involves multiple steps that are tedious, complicated, and long-time processes.

In this work, a 3D interconnected porous carbon framework self-doped with oxygen was prepared from jackfruit leaf waste by KOH impregnation, carbonization, and activation under a CO<sub>2</sub> atmosphere. The main objective of this work was to prepare a 3D interconnected porous carbon framework self-doped with oxygen via the efficient, cost-effective, time-saving, and facile method. Afterward, the framework was applied as electrode material for SC devices.

The preparation process of the porous carbon framework did not include an external dopant such as urea, thiourea, melamine, phosphoric acid, and amines become as novelty in this work. In comparison with some reported references using external dopant such as urea (Ma et al. 2017), melamine (Miao et al. 2022), phosphoric acid (Li et al. 2022), ammonia (Kolanowski et al. 2022), boric acid (Sun, Xu, and Wang 2022), and so on. However, none of these studies analyzed the 3D interconnected porous framework based on jackfruit leaf waste as a porous carbon source. Thus, compared with external doping, self-doping is a more cost-effective, facile, and green process. The as-prepared porous carbon material has a high specific surface area of 455.687 m<sup>2</sup> g<sup>-1</sup>, 3D interconnected porous framework, and pore size in the micropore range. These physical characteristics have resulted in a high specific capacitance of 199 F g<sup>-1</sup> in a symmetrical two-electrode setup. Thus, the jackfruit leaf waste can be an alternative porous carbon source for synthesizing oxygen-self-doped activated carbon as an electrode material for SC devices.

## Experimental methods

### Jackfruit leaf porous-activated carbon (JLPAC) preparation

Jackfruit leaf waste was collected from Tamalanrea Regency, South Sulawesi, Indonesia. The leaf waste was dried under direct sunlight for 2 days. Afterward, the leaf was cut into small pieces and dried in an electric oven at 110 °C for 2 h. The dried leaf was precarbonized at 250 °C for 2.5 h to remove water molecules to obtain self-adhesive properties on the samples. The precarbonized sample was ground to fine particles of fewer than 23 microns. Fine particles (50 g) were impregnated into 0.3 mol L<sup>-1</sup> KOH solution and were stirred in a hot plate at 80 °C for 2 h. The reaction of carbon precursors against KOH is provided by the following equation:  $6\text{KOH} + 2\text{C} \rightarrow 2\text{K} + 3\text{H}_2 + 2\text{K}_2\text{CO}_3$  (Lillo-Ródenas et al. 2004; Lillo-Ródenas, Cazorla-Amorós, and Linares-Solano 2003). This is a solid/liquid redox reaction with the main products being potassium (K), hydrogen (H<sub>2</sub>), and potassium carbonate (K<sub>2</sub>CO<sub>3</sub>). The

as-activated samples were dried for  $3 \times 24$  h at  $110^\circ\text{C}$ . After that, under a pressure of 8 metric tons, the as-activated samples were molded into a coin-like shape using a hydraulic press. Then, the samples were carbonized at different temperatures, that is,  $500^\circ\text{C}$ ,  $600^\circ\text{C}$ , and  $700^\circ\text{C}$ , followed by activation at  $850^\circ\text{C}$  for an hour under a  $\text{CO}_2$  atmosphere. The as-obtained samples were immersed in distilled water until neutral pH and were labeled as JLPAC-500, JLPAC-600, and JLPAC-700. The schematic diagram for the preparation of porous carbon is provided in Figure 1.

### Physical parameter characterizations

Various techniques were used to evaluate the physical characteristics of the as-prepared JLPAC. Microstructures and elemental composition were inspected by SEM-EDX, JEOL-JSM 6510 LA. Purity and crystal phase were characterized by X-ray diffractometers with  $\text{CuK}\alpha$  ( $\lambda = 0.154$  nm) in the range of  $20^\circ$ – $80^\circ$ . Adsorption/desorption isotherms of  $\text{N}_2$  were collected using Quantachrome Instruments Nova version 10.01 to investigate the porous characteristics of the JLPACs. Before physisorption measurements at 77.3 K, the samples were degassed at  $120^\circ\text{C}$  for 4 hrs in a vacuum. Specific surface area (SSA) was measured by the Brunauer–Emmett–Teller (BET) equation. The t-plot theory was employed to obtain the micropore surface area and pore volume. Barrett–Joyner–Halenda (BJH) method was applied to calculate pore size distributions.

### Self-standing electrode preparation

The electrodes were prepared using a self-standing model without any adhesive material, polymer pigment, and carbon black. First, two pieces of electrodes for each variation were pressed until a thickness of 0.2 mm, diameter of 0.8 cm, and mass loading of  $\pm 0.008$   $\text{g cm}^{-2}$ . Then, the two pieces of electrodes were assembled into a coin-like structure with a duck eggshell membrane as the separator.  $\text{H}_2\text{SO}_4$  ( $1$  mol  $\text{L}^{-1}$ ) and stainless steel plate type 316 L were used as the electrolyte and current collector. Finally, the electrodes and duck eggshell membrane were soaked in a  $1$  mol  $\text{L}^{-1}$   $\text{H}_2\text{SO}_4$  electrolyte before use.

### Electrochemical measurement

The electrochemical performance of the self-standing JLPAC electrodes was measured by cyclic voltammetry (CV) tests in a symmetrical two-electrode setup. These measurements were operated in the voltage range of 0–1 V with sweep rates 1–10  $\text{mV s}^{-1}$  at room temperature. The specific capacitance ( $C_s$ ) and areal capacitance ( $C_A$ ) of the JLPACs based on the CV test were determined using the following formula:

$$C_s = \frac{4I}{s \times m} \quad (1)$$

$$C_A = M \times C_s \quad (2)$$




Figure 1. Schematic diagram for the preparation of porous carbon.

where  $I$  (A),  $s$  ( $\text{mV s}^{-1}$ ),  $m$  (g), and  $M$  ( $\text{g cm}^{-2}$ ) are the charge/d<sup>33</sup> charge current, sweep rates, total mass of both electrodes, and electrode mass loading, respectively. The energy and power densities of the self-standing JLPAC electrodes were determined using equations (3) and (4):

$$E_d = \frac{C_s(\Delta V^2)}{2 \times 3.6} \quad (3)$$


$$P_d = 3600 \times \frac{E_d}{\Delta t} \quad (4)$$

where  $E_d$  ( $\text{Wh kg}^{-1}$ ),  $P_d$  ( $\text{W kg}^{-1}$ ), and  $\Delta t$  (s) is energy density, power density, and discharge time, respectively.

## Results and discussion

### Physical parameter analysis

37: microstructures of JLPAC-600 and JLPAC-700 based on SEM images at different magnifications can be seen in Figure 2. Figure 2 (a-b) shows the surface structure of JLPAC-600. Its surface has a 3D interconnected porous framework with numerous micro-mesopores. The structure contains abundant porous networks as a result of KOH impregnation in the raw materials. Figure 2 (c-d) depicts the surface structure of JLPAC-700. The figures show that, after increasing the carbonization temperature from 600 to 700°C and activating at 850°C, its surface structure remains as a 3D bonded pore framework. However, the 3D pores on the surface tend to be fewer than those on the surface of JLPAC-600. 3D porous networks have greater advantages over 2D networks for ESSs, owing to their large contact areas, numerous active sites, and structural stability (Liang et al. 2020). In addition, the



**Figure 2.** SEM photomicrograph of JLPAC-600 at 5000× (a), JLPAC-600 at 40,000× (b), JLPAC-700 at 5000× (c), and JLPAC-700 at 40,000× (d).




Figure 3. EDS spectra of JLPAC-600 (a) and JLPAC-700 (b).

interconnected porous structure in the JLPAC sample is helpful in the transfer of ions in electrochemical reactions.

The EDX spectra of the JLPAC-600 and JLPAC-700 are shown in Figure 3. From Figure 3, if the carbonization temperature is increased, the carbon content of the sample increases, and the oxygen content decreases. As seen in Figure 2(a) and (b), JLPAC-600 and JLPAC-700 have carbon contents of 47.10% and the highest 54.96%, respectively. The as-prepared samples are also rich in oxygen content, with 36.82% for JLPAC-600 and 32.54% for JLPAC-700. JLPAC-600 contains oxygen and has an interconnected porous framework, thus facilitating effective ion diffusion, thereby improving hydrophilicity and wettability on electrode surfaces, generating the pseudocapacitance effect (He et al. 2021; Jia et al. 2022), thereby enhancing the capacitive performance of JLPAC-600. The complete chemical compositions of JLPAC-600 and JLPAC-700 are listed in Table 1.

Figure 4 (a – b) depicts the XRD spectra of JLPAC-600 and JLPAC-700. Both samples show similar XRD spectra including the peak positions at different intensities for both peaks. JLPAC-600 and JLPAC-700 show two characteristic peaks at 22°–24° and 42°–44°, assigned to the (002) and (100) crystal planes, related to the graphite structure and amorphous carbon framework, respectively. Sharp peaks at 29.77°, 37.79°, 44.03°, and 64.39° are found in the JLPAC-600 spectrum, while those at 29.69°, 37.76°, 44.03°, and 64.41° are found in the JLPAC-700 spectrum. These peaks correspond to the

Table 1. Elemental composition of the JLPACs.

Samples	Elemental composition				
	C (%)	O (%)	Si (%)	Ca (%)	Cu (%)
JLPAC-600	47.10	36.82	10.29	5.75	0.04
JLPAC-700	54.96	32.54	8.30	4.21	-





Figure 4. XRD spectra of JLPAC-600 (a) and JLPAC-700 (b).



21 **Figure 5.** (a) Adsorption/desorption isotherms of  $N_2$  and (b) pore size distributions of the JLPAC samples.

**Table 2.** Porous characteristics of the JLPACs.

Samples	$S_{BET}$ ( $m^2 g^{-1}$ )	$S_{micro}$ ( $m^2 g^{-1}$ )	$S_{meso}$ ( $m^2 g^{-1}$ )	$V_{micro}$ ( $cm^3 g^{-1}$ )	$V_{tot}$ ( $cm^3 g^{-1}$ )	$D_{pore}$ (nm)
JLPAC-600	455.687	141.870	313.817	0.081	0.522	4.59
JLPAC-700	356.991	81.310	275.681	0.046	0.479	5.37


crystalline features of  $SiO_2$ ,  $MgO$ ,  $CaCO_3$ , and  $CaO$  according to the JCPDS card nos. 89–1668, 89–77–51, 82–1690, and 82–1691, respectively.

Adsorption/desorption isotherms of  $N_2$  were used to analyze the SSA and pore characteristics of JLPAC-600 and JLPAC-700. As shown in Figure 5(a), JLPAC-600 and JLPAC-700 display type IV isotherms with H3-type hysteresis loop at  $P/P_0 > 0.4$  atm, which is revealing of the existence of mesoporosity (Liang et al. 2019; S. Ma et al. 2019) and pore slit-like shape (Sui et al. 2014; Surya and Michael 2020). When the relative pressure ( $P/P_0$ ) approaches 1,  $N_2$  adsorption is significantly larger, suggesting the presence of macropores (Guo et al. 2021). JLPAC-600 and JLPAC-700 have BET surface areas ( $S_{BET}$ ) of 455.687 and 356.991  $m^2 g^{-1}$ , respectively. This value is higher than those of 3D porous carbon from *Moringa oleifera* leaves (412.196  $m^2 g^{-1}$ ) (Taslim, Apriwandi, and Taer 2022) and activated carbon from palm petiole (436  $m^2 g^{-1}$ ) (Sujana et al. 2021). Furthermore, JLPAC-600 and JLPAC-700 have pore volumes of 0.522 and 0.479  $cm^3 g^{-1}$ , respectively.

The pore size distributions in the micropore range of JLPAC-600 and JLPAC-700 are illustrated in Figure 5(b). Both samples contain various types of pores with sizes of 0.44–1.94 nm, in agreement with the SEM results. It is shown that JLPAC-600 has a 3D interconnected porous framework, which is advantageous to enhance the capacitive performance of electrodes. It is believed that micropores can serve as absorption sites for EDLC, the mesopores serve as diffusion promoters, and the macropores serve as the storage areas of electrolyte (Lin et al. 2019). Moreover, the ultra-micropores in both samples, which are about less than 0.7 nm in diameter, can be made the dissolved ions closer to the carbon walls (by distorted solvation, the electric double-layer is closer to the electrode materials, which increases capacitance) in the electrolytes (Shao et al. 2020). As a result, JLPAC-600 has the capability to provide excellent capacitive performance because of its large SSA and appropriate pore size distributions. The completely porous characteristics of JLPAC-600 and JLPAC-700 are summarized in Table 2.

### Electrochemical behavior analysis

As discussed in the previous sections, the physical parameters of the JLPAC samples play a crucial role in improving the electrochemical accessibility of the electrode material for charge storage (Scheers, Fantini, and Johansson 2014). To confirm the electrochemical behavior of the self-standing JLPAC samples carbonized at different temperatures, CV was employed using a symmetrical two-electrode



27 Figure 6. CV plots of JLPAC samples at sweep rate of  $1 \text{ mV s}^{-1}$ .

setup with a  $1 \text{ mol L}^{-1} \text{ H}_2\text{SO}_4$  electrolyte, and 38 results are displayed in Figure 6 (a). All the CV plots of JLPAC-500, JLPAC-600, and JLPAC-700 at a sweep rate of  $1 \text{ mV s}^{-1}$  present quasi-rectangular shapes, demonstrating that the JLPACs have an ideal electric double-layer formation. Among them, the JLPAC-600 electrode has excellent performance, as shown by the high 49 enclosed area, indicating the largest capacitance value, also in agreement with the SEM-EDS, surface area, and pore size ana 17 s. The specific capacitances of JLPAC-500, JLPAC-600, and JLPAC-700 are 161, 1 24 and  $109 \text{ F g}^{-1}$ , respectively. Meanwhile, the calculated areal capacitance of JLPAC electrodes is  $1.56 \text{ F cm}^{-2}$ ,  $1.04 \text{ F cm}^{-2}$ , and  $0.77 \text{ F cm}^{-2}$ , respectively. These results demonstrate that JLPAC-600 exceeds storage capacity and its v 70 is higher than those of JLPAC-500 and JLPAC-700. The high specific and areal capacitances may be attributed to the 3D interconnected porous framework of 16 the electrode material, which provides a short and direct path for ion diffusion into electrode pores (Shan et al. 2016; Wang et al. 2022). In addition, the chemical composition effect observed for JLPAC-600 by physical parameter analysis seems to be favorable for assisting diffusion of  $\text{SO}_4^{2-}$  ions and interface chemical reactions, leading to higher specific capacitance. For JLPAC-600, having various pore size distributions has proven more effective for storing and releasing ions during the electrochemical process. In addition, JLPAC-600 having a higher SSA and pore volume serves as a supporting porous material that provides ac 48 sites and transports ions to facilitate electrochemical reactions.

Figure 7(a–c) presented the CV plots of JLPAC electrodes at 1 different sweep rates. Generally, all the CV plots of the JLPAC-50 68 JLPAC-600, and JLPAC700 electrodes at different sweep rates of 1, 2, and 5  $\text{mV s}^{-1}$  have still retained its quasi-rectangular shapes, indicating the electrical double-layer 31 behavior for porous carbon based on biowaste materials. However, th 66 V plot of JLPAC-600 at sweep rates of 2 and  $5 \text{ mV s}^{-1}$  (see Figure 7b) shows a quasi-rectangular shape with an obvious hump at a voltage range of 0.01–0.25 V, indicating that JLPAC-600 has 62 combination of electric double-layer and pseudocapacitance behavior. This behavior can be ascribed to the existence of a high oxygen amount in JLPAC-600, as shown in the EDX analysis, leading to a significant pseudocapacitive behavior contribution. Meanwhile, the CV plots of JLPAC-500 and JLPAC-700 (see Figure 7(a and c)) did not show the existence of a 42 up at a certain voltage range, indicating that electric double-layer behavior dominates in both samples. Figure 7(d) shows the specific capacitances as a function of sweep rates. The specific capacitance of JLPAC-600 declines with a raising sweep rate because of the diffusion time limitation of the electrolyte ions and vice versa. Further, at




Figure 7. CV plots at various sweep rates of JLPAC-500 (a), JLPAC-600 (b), JLPAC-700 (c), and (d) specific capacitances vs. sweep rates.

Table 3. The specific capacitance of the JLPACs at different sweep rates.

Samples	Specific capacitance ( $F g^{-1}$ )			
	$1 mV s^{-1}$	$2 mV s^{-1}$	$5 mV s^{-1}$	$10 mV s^{-1}$
JLPAC-500	161	128	116	105
JLPAC-600	199	175	143	90
JLPAC-700	109	102	94	83

a low sweep rate, the specific capacitances of the JLPACs are larger owing to the involvement of micropores, which contribute to the charge of the double-layer capacitive system. Meanwhile, at a high sweep rate, mesopores and micropores become more pronounced and accessible for efficient charging. In all these contexts, the quasi-rectangular shapes are found without any change because of the interconnected porous framework, which indicates rapid ion diffusion even at a high sweep rate (Iozzo et al. 2015; Sun and Gogotsi 2008). The specific capacitances of the JLPACs at various sweep rates are listed in Table 3. When the sweep rate is  $1 mV s^{-1}$ , the specific capacitances of JLPAC-500, JLPAC-600, and JLPAC-700 are  $161 F g^{-1}$ ,  $199 F g^{-1}$ , and  $109 F g^{-1}$ , respectively. When the sweep rate is raised to  $10 mV s^{-1}$ , the capacitance retentions of JLPAC-500, JLPAC-600, and JLPAC-700 are 34.7%, 54.8%, and 23.8%, respectively.

Another parameter like power densities and energy is crucial to evaluate the performance of supercapacitors. From the formulas (3) and (4), the energy density of the JLPAC-500, JLPAC-600, and JLPAC-700 are 22.36, 27.64, 15.14  $Wh kg^{-1}$  with corresponding power densities of at 80.58, 99.60, and 54.56  $W kg^{-1}$ , respectively. The calculated energy densities of the JLPAC samples are comparable to the values reported previously for porous carbon-based supercapacitors with heteroatom-doping and are summarized in Table 4. Generally, the synergistic effects of the 3D interconnected porous framework, rich in oxygen content, high surface area, and advantageous heteroatom-doping provide an excellent capacitive performance of the porous carbon materials derived from jackfruit leaf.

**Table 4.** The capacitive performance of JLPACs compared to other biowaste derived from heteroatom-doped activated carbon.

Precursor	Dopants	$S_{44}$ ( $m^2 g^{-1}$ )	$C_s$ ( $F g^{-1}$ )	$E_d$ ( $Wh kg^{-1}$ )	$P_d$ ( $W kg^{-1}$ )	References
Juncus	N-doped	1379.9	205	28.6	502.5	(He et al. 2020)
Cicada slough	N-O-codoped	2086	290	9.8	62.2	(Y. Liu et al. 2020)
Lotus leaves	O, N, S, self-doped	3601	294	-	-	(Liu et al. 2020)
Chitin	N, O heteroatoms-doped	1488	69.6	9.67	-	(Y. Wang et al. 2020)
Sorghum seeds	N, O-codoped	2132	279.3	13.8	298	(Feng et al. 2021)
Allium cepa peel	O self-doped	2962	189.4	22.1	39.6	(Ali et al. 2021)
Black fungus	O, N-codoped	1227.3	209.3	7.3	-	(Zhong et al. 2021)
Cotton fabric	O, N, P and S heteroatoms-doped	643.7	140.5	28.4	120	(Sun et al. 2021)
Euphorbia milii	N, S, P self-doped	2349	290.3	39.75	496.5	(Nanda and Badhulika 2022)
Turtle shells	O and N self-doped	2828	100.1	45.1	450	(Chen et al. 2022)
Cotton seed meal	Heteroatom self-doped	2361	71.8	10	125	(Jia et al. 2022)
Shrimp shell waste	N self-doped	1508	163	11.23	248.8	(Nanda et al. 2022)
Chitosan and graphene oxide	N, O heteroatoms-doped	984	58.7	14.7	-	(Mo et al. 2022)
Jackfruit leaf waste	O self-doped	455.687	199	27.64	99.60	This work

## Conclusion

The findings demonstrate that the oxygen-self-doped 3D interconnected porous carbon framework derived from jackfruit leaf waste prepared by KOH impregnation, carbonization at different temperatures, and activation under a CO<sub>2</sub> atmosphere and successfully applied as an electrode material in SC devices with conclusion as follows:

- The samples were doped without the addition of external-doping agents such as urea, thiourea, and melamine, which means that green process.
- The 3D interconnected porous framework, rich oxygen content, high surface area, and advantageous heteroatom-doping, the porous carbon materials exhibit a rapid ion diffusion, enough charge storage, and contribute to pseudo capacitance behavior.
- JLPAC-600 and JLPAC-700 show diffraction peaks at 22°–24° and 42°–44° for (002) and (100) crystal planes indicating graphite structure and amorphous carbon, respectively.
- The JLPAC-600 electrode demonstrates an excellent electrochemical performance with a specific capacitance as high as 199 F g<sup>-1</sup> and delivered maximum energy density 27.64 Wh kg<sup>-1</sup>, which is of good competition with various reported porous carbon materials.
- This work shows efficient, cost-effective, time-saving, and facile method for preparing an oxygen-self-doped 3D interconnected porous carbon framework from a natural biowaste source reveals potential for developing porous carbon-based SC devices.

## Acknowledgements

The authors are grateful to the faculty of mathematics and natural sciences, Hasanuddin University for the financial support through the research grants faculty of mathematics and natural sciences, Hasanuddin University.

## Disclosure statement

No potential conflict of interest was reported by the authors.

## Notes on contributors

*Dr. Bidayatul Armynah* is a scientist/ senior lecturer and head of physics master degree study program at Hasanuddin University.

*Ms. Erwinda Erwinda* is an project fellow at Energy for Environment at Hasanuddin University

*Mr. Agustino Agustino* is an project fellow at energy for environment at Riau University.

*Prof. Erman Taer* is a senior professor at Riau university, He was appointed as a Professor in Material Physics especially for supercapacitor.

*Mr. Syahir Mahmud* is a senior lecturer for electrical engineering at Aniversitas Atmajaya Makassar.

*Prof. Dahlang Tahir* is as a Professor in Material Physics in 2014. His research activities included nanocomposite material for food packaging (bioplastics), for medical physics (phantom and shielding), and for environment (Energy, photocatalyst and adsorbent heavy metals). He is currently director of publication management centre at UNHAS.

## ORCID

 stino Agustino  <http://orcid.org/0000-0002-3669-1064>

 Dahlang Tahir  <http://orcid.org/0000-0002-8241-3604>

## References

- Agustino, A., A. Taslim, R. Amri, E. Taer, and E. Taer. 2020. The physical and electrochemical properties of activated carbon electrode derived from pineapple leaf waste for supercapacitor applications. *Journal of Physics Conference Series* 1655 (1):012008-012008-7. doi:10.1088/1742-6596/1655/1/012008.
- Alcaraz, L., A. Adán-Más, P. Arévalo-Cid, M. D. F. Montemor, and F. A. López. 2020. Activated carbons from winemaking biowastes for electrochemical double-layer capacitors preparation of the activated carbons from. *Frontiers in Chemistry* 8 (August):1-10. doi:10.3389/fchem.2020.00686.
- Ali, G. A. M., S. Supriya, K. F. Chong, E. R. Shaaban, H. Algarni, T. Maiyalagan, and G. Hegde. 2021. Superior supercapacitance behavior of oxygen self-doped carbon nanospheres: A conversion of Allium cepa peel to energy storage system. *Biomass Conversion and Biorefinery* 11 (4):1311-23. doi:10.1007/s13399-019-00520-3.
- Chen, H., X. Lei, T. Yu, X. Guan, and H. Yuan. 2022. Ultra-high specific capacitance of self-doped 3D hierarchical porous turtle shell-derived activated carbon for high-performance supercapacitors. *Ceramics International* 48 (4):5289-98. doi:10.1016/j.ceramint.2021.11.072.
- Dai, Z., P. G. Ren, W. He, X. Hou, F. Ren, Q. Zhang, and Y. L. Jin. 2020. Boosting the electrochemical performance of nitrogen-oxygen co-doped carbon nanofibers based supercapacitors through esterification of lignin precursor. *Renewable Energy* 162:613-23. doi:10.1016/j.renene.2020.07.152.
- Feng, T., S. Wang, Y. Hua, P. Zhou, G. Liu, K. Ji, Z. Lin, S. Shi, X. Jiang, and R. Zhang. 2021. Synthesis of biomass-derived N,O-codoped hierarchical porous carbon with large surface area for high-performance supercapacitor. *Journal of Energy Storage* 44 (PA):103286. doi:10.1016/j.est.2021.103286.
- Guo, Y., T. Wang, D. Wu, and Y. Tan. 2021. One-step synthesis of in-situ N, S self-doped carbon nanosheets with hierarchical porous structure for high performance supercapacitor and oxygen reduction reaction electrocatalyst. *Electrochimica acta* 366:137404. doi:10.1016/j.electacta.2020.137404.
- He, W., P. Ren, Z. Dai, X. Hou, F. Ren, and Y. Jin. 2021. Hierarchical porous carbon composite constructed with 1-D CNT and 2-D GNS anchored on 3-D carbon skeleton from spent coffee grounds for supercapacitor. *Applied Surface Science* 558 (April):149899. doi:10.1016/j.apsusc.2021.149899.
- He, G., G. Yan, Y. Song, L. Wang, and L. Wang. 2020. Biomass juncus derived nitrogen-doped porous carbon materials for supercapacitor and oxygen reduction reaction. *Frontiers in Chemistry* 8 (April):1-10. doi:10.3389/fchem.2020.00226.
- Hor, A. A., and S. A. Hashmi. 2020. Optimization of hierarchical porous carbon derived from a biomass pollen-cone as high-performance electrodes for supercapacitors. *Electrochimica acta* 356:136826. doi:10.1016/j.electacta.2020.136826.
- Iozzo, D. A. B., M. Tong, G. Wu, and E. P. Furlani. 2015. Numerical analysis of electric double layer capacitors with mesoporous electrodes: effects of electrode and electrolyte properties. *The Journal of Physical Chemistry C* 119 (45):25235-42. doi:10.1021/acs.jpcc.5b08409.
- Jia, B., Q. Mian, D. Wu, and T. Wang. 2022. Heteroatoms self-doped porous carbon from cottonseed meal using K<sub>2</sub>CO<sub>3</sub> as activator and DES electrolyte for supercapacitor with high energy density. *Materials Today Chemistry* 24:100828. doi:10.1016/j.mtchem.2022.100828.

- Kanjana, K., P. Harding, T. Kwamman, W. Kingkam, and T. Chutimasakul. 2021. Biomass-derived activated carbons with extremely narrow pore size distribution via eco-friendly synthesis for supercapacitor application. *Biomass & Bioenergy* 153 (August):106206. doi:10.1016/j.biombioe.2021.106206.
- Khot, M., and A. Kiani. 2022. Synthesis of self-grown nanostructured NiO via pulse ionization for binderless pseudocapacitor electrode. *Journal of Energy Storage* 55 (PD):105779. doi:10.1016/j.est.2022.105779.
- Kolanowski, L., M. Graś-Ligocka, P. Krawczyk, T. Buchwald, K. Lota, and G. Lota. 2022. Ozonation with ammoxidation as a method of obtaining O, N-doped carbon electrode material to electrochemical capacitors. *Electrochimica Acta* 413 (February):1–7. doi:10.1016/j.electacta.2022.140130.
- Liang, Y., X. Liu, and X. Qi. 2022. Hierarchical nanoarchitectonics of ordered mesoporous carbon from lignin for high-performance supercapacitors. *International Journal of Biological Macromolecules* 213 (38):610–20. doi:10.1016/j.ijbiomac.2022.06.005.
- Liang, X., R. Liu, and X. Wu. 2021. Biomass waste derived functionalized hierarchical porous carbon with high gravimetric and volumetric capacitances for supercapacitors. *Microporous and Mesoporous Materials* 310 (June 2020):110659. doi:10.1016/j.micromeso.2020.110659.
- Liang, Y., Y. Lu, G. Xiao, J. Zhang, H. Chi, and Y. Dong. 2020. Hierarchical porous nitrogen-doped carbon microspheres after thermal rearrangement as high performance electrode materials for supercapacitors. *Applied Surface Science* 529:147141. doi:10.1016/j.apsusc.2020.147141.
- Liang, J., Z. Xiao, Y. Gao, X. Xu, D. Kong, M. Wagner, and L. Zhi. 2019. Ionothermal strategy towards template-free hierarchical porous carbons for supercapacitive energy storage. *Carbon* 143:487–93. doi:10.1016/j.carbon.2018.11.065.
- Li, D., Y. Guo, Y. Li, Z. Liu, and Z. Chen. 2022. Waste-biomass tar functionalized carbon spheres with N/P Co-doping and hierarchical pores as sustainable low-cost energy storage materials. *Renewable Energy* 188:61–69. doi:10.1016/j.renene.2022.01.109.
- Lillo-Ródenas, M. A., D. Cazorla-Amorós, and A. Linares-Solano. 2003. Understanding chemical reactions between carbons and NaOH and KOH: An insight into the chemical activation mechanism. *Carbon* 41 (2):267–75. doi:10.1016/S0008-6223(02)00279-8.
- Lillo-Ródenas, M. A., J. Juan-Juan, D. Cazorla-Amorós, and A. Linares-Solano. 2004. About reactions occurring during chemical activation with hydroxides. *Carbon* 42 (7):1371–75. doi:10.1016/j.carbon.2004.01.008.
- Lin, Y., Z. Chen, C. Yu, and W. Zhong. 2019. Heteroatom-doped sheet-like and hierarchical porous carbon based on natural biomass small molecule peach gum for high-performance supercapacitors. *ACS Sustainable Chemistry & Engineering* 7 (3):3389–403. doi:10.1021/acssuschemeng.8b05593.
- Liu, H., R. Liu, C. Xu, Y. Ren, D. Tang, C. Zhang, F. Li, X. Wei, and R. Zhang. 2020. Oxygen–nitrogen–sulfur self-doping hierarchical porous carbon derived from lotus leaves for high-performance supercapacitor electrodes. *Journal of Power Sources* 479 (May):228799. doi:10.1016/j.jpowsour.2020.228799.
- Liu, Y., H. Tan, Z. Tan, and X. Cheng. 2022. Rice husk derived capacitive carbon prepared by one-step molten salt carbonization for supercapacitors. *Journal of Energy Storage* 55 (PA):105437. doi:10.1016/j.est.2022.105437.
- Liu, D., G. Xu, X. Yuan, Y. Ding, and B. Fan. 2023. Pore size distribution modulation of waste cotton-derived carbon materials via citrate activator to boost supercapacitive performance. *Fuel* 332 (P1):126044. doi:10.1016/j.fuel.2022.126044.
- Liu, Z., S. Zhang, L. Wang, T. Wei, Z. Qiu, and Z. Fan. 2020. High-efficiency utilization of carbon materials for supercapacitors. *Nano Select* 1 (2):244–62. doi:10.1002/nano.202000011.
- Ma, F., S. Ding, H. Ren, and Y. Liu. 2019. Sakura-based activated carbon preparation and its performance in supercapacitor applications. *RSC Advances* 9 (5):2474–83. doi:10.1039/c8ra09685f.
- Ma, G., W. Tang, K. Sun, Z. Zhang, E. Feng, and Z. Lei. 2017. Coprinus comatus-based nitrogen-doped active carbon for high performance supercapacitor. *Nano* 12 (8):1–15. doi:10.1142/S179329201750103X.
- Miao, J., Z. Zhai, S. Wang, Y. Xu, S. Du, X. Wang, X. Dong, B. Ren, and Z. Liu. 2022. Facile synthesis of hierarchical porous two-dimensional N-doped carbon nanosheets as bi-functional electrode for superior supercapacitor and photo-catalyst. *Journal of Cleaner Production* 369 (August):133369. doi:10.1016/j.jclepro.2022.133369.
- Mo, F., H. Zhang, Y. Wang, C. Chen, and X. Wu. 2022. Heteroatom-doped hierarchical porous carbon for high performance flexible all-solid-state symmetric supercapacitors. *Journal of Energy Storage* 49 (February):104122. doi:10.1016/j.est.2022.104122.
- Nanda, O. P., and S. Badhulika. 2022. Biomass derived Nitrogen, Sulphur, and Phosphorus self-doped micro-meso porous carbon for high-energy symmetric supercapacitor – with a detailed study of the effect of different current collectors. *Journal of Energy Storage* 56 (October):106042. doi:10.1016/j.est.2022.106042.
- Nanda, O. P., N. K. Das, P. Sekar, A. Ramadoss, and B. Saravanakumar. 2022. Bio-waste derived self-templated, nitrogen self-doped porous carbon for supercapacitors. *Bioresour. Technol. Reports* 19 (August):101198. doi:10.1016/j.biteb.2022.101198.
- Panja, T., D. Bhattacharjya, and J. S. Yu. 2015. Nitrogen and phosphorus co-doped cubic ordered mesoporous carbon as a supercapacitor electrode material with extraordinary cyclic stability. *Journal of Materials Chemistry A* 3 (35):18001–09. doi:10.1039/c5ta04169d.

- Pourjavadi, A., M. Doroudian, A. Ahadpour, and B. Pourbadiei. 2018. Preparation of flexible and free-standing graphene-based current collector via a new and facile self-assembly approach: Leading to a high performance porous graphene/polyaniline supercapacitor. *Energy* 152:178–89. doi:10.1016/j.energy.2018.03.138.
- Racik, K. M., A. Manikandan, M. Mahendiran, P. Prabhakaran, J. Madhavan, and M. V. Antony. 2020. Fabrication of manganese oxide decorated copper oxide (MnO<sub>2</sub>/CuO) nanocomposite electrodes for energy storage supercapacitor devices. *Physica E Low-Dimensional Systems & Nanostructures* 119 (January):114033. doi:10.1016/j.physe.2020.114033.
- Rajesh, M., R. Manikandan, S. Park, B. C. Kim, W. J. Cho, K. H. Yu, and C. J. Raj. 2020. Pinecone biomass-derived activated carbon: The potential electrode material for the development of symmetric and asymmetric supercapacitors. *International Journal of Energy Research* 44 (11):8591–605. doi:10.1002/er.5548.
- Scheers, J., S. Fantini, and P. Johansson. 2014. A review of electrolytes for lithium-sulphur batteries. *Journal of Power Sources* 255:204–18. doi:10.1016/j.jpowsour.2014.01.023.
- Shan, D., J. Yang, W. Liu, J. Yan, and Z. Fan. 2016. Biomass-derived three-dimensional honeycomb-like hierarchical structured carbon for ultrahigh energy density asymmetric supercapacitors. *Journal of Materials Chemistry A* 4 (35):13589–602. doi:10.1039/c6ta05406d.
- Shao, H., Y. Wu, Z. Lin, P. Simon, and P. Simon. 2020. Nanoporous carbon for electrochemical capacitive energy storage. *Chemical So* 49 (10):3005–39. doi:10.1039/d0cs00059k.
- Simon, P., and Y. Gogotsi. 2008. Materials for electrochemical capacitors. *Nature Materials* 7 (11):845–54.
- Sui, Z. Y., Q. H. Meng, J. T. Li, J. H. Zhu, Y. Cui, and B. H. Han. 2014. High surface area porous carbons produced by steam activation of graphene aerogels. *Journal of Materials Chemistry A* 2 (25):9891–98. doi:10.1039/c4ta01387e.
- Sun, C., Z. Guo, M. Zhou, X. Li, Z. Cai, and F. Ge. 2021. Heteroatoms-doped porous carbon electrodes with three-dimensional self-supporting structure derived from cotton fabric for high-performance wearable supercapacitors. *Journal of Power Sources* 482 (May 2020):228934. doi:10.1016/j.jpowsour.2020.228934.
- Sun, Y., D. Xu, and S. Wang. 2022. Self-assembly of biomass derivatives into multiple heteroatom-doped 3D-interconnected porous carbon for advanced supercapacitors. *Carbon* 199 (August):258–67. doi:10.1016/j.carbon.2022.08.026.
- Surya, K., and M. S. Michael. 2020. Novel interconnected hierarchical porous carbon electrodes derived from bio-waste of corn husk for supercapacitor applications. *Journal of Electroanalytical Chemistry* 878:114674. doi:10.1016/j.jelechem.2020.114674.
- Taer, E., M. Melisa, A. Agustino, R. Taslim, W. Sinta, and A. Apriwandi. 2021. Biomass-based activated carbon monolith from *Tectona grandis* leaf as supercapacitor electrode materials. *Energy Sources, Part A: Recovery, Utilization, & Environmental Effects* 00 (00):1–12. doi:10.1080/15567036.2021.1950871.
- Taslim, R., A. Apriwandi, and E. Taer. 2022. Novel moringa oleifera leaves 3D porous carbon-based electrode material as a high-performance EDLC supercapacitor. *ACS Omega* 7:36489–502. doi:10.1021/acsomega.2c04301.
- Wang, T., X. He, W. Gong, Z. Kou, Y. Yao, S. Fulbright, K. F. Reardon, and M. Fan (2022). Three-dimensional, heteroatom-enriched, porous carbon nanofiber flexible paper for free-standing supercapacitor electrode materials derived from microalgae oil. *Fuel Processing Technology*, 225(July 2021), 107055. doi:10.1016/j.fuproc.2021.107055
- Wang, J., X. Zhang, Z. Li, Y. Ma, and L. Ma. 2020. Recent progress of biomass-derived carbon materials for supercapacitors. *Journal of Power Sources* 451 (October 2019):227794. doi:10.1016/j.jpowsour.2020.227794.
- Xu, P., J. Tong, L. Zhang, Y. Yang, X. Chen, J. Wang, and S. Zhang. 2022. Dung beetle forewing-derived nitrogen and oxygen self-doped porous carbon for high performance solid-state supercapacitors. *Journal of Alloys and Compounds* 892:162129. doi:10.1016/j.jallcom.2021.162129.
- Xu, H., Y. Zhang, L. Wang, Y. Chen, and S. Gao. 2021. Hierarchical porous biomass-derived carbon framework with ultrahigh surface area for outstanding capacitance supercapacitor. *Renewable Energy* 179:1826–35. doi:10.1016/j.renene.2021.08.008.
- Yang, J., K. X. Liu, Q. Y. Liu, and X. C. Zheng. 2021. Biomass waste-derived mesopore-dominant porous carbon for high-efficiency capacitive energy storage. *Journal of Alloys and Compounds* 885:161218. doi:10.1016/j.jallcom.2021.161218.
- Yanilmaz, M., M. Dirican, A. M. Asiri, and X. Zhang. 2019. Flexible polyaniline-carbon nanofiber supercapacitor electrodes. *Journal of Energy Storage* 24:100766. doi:10.1016/j.est.2019.100766.
- You, Z., L. Zhao, K. Zhao, H. Liao, S. Wen, Y. Xiao, B. Cheng, and S. Lei. 2023. Highly tunable three-dimensional porous carbon produced from tea seed meal crop by-products for high performance supercapacitors. *Applied Surface Science* 607 (June 2022):155080. doi:10.1016/j.apsusc.2022.155080.
- Zhao, K., L. Zhao, W. Zhou, L. Rao, S. Wen, Y. Xiao, B. Cheng, and S. Lei. 2022. Pore regulation of well-developed honeycomb-like carbon materials from *Zizania latifolia* for supercapacitors. *Journal of Energy Storage* 52 (PB):104910. doi:10.1016/j.est.2022.104910.
- Zhong, X., Q. Mao, Z. Li, Z. Wu, Y. Xie, S. H. Li, G. Liang, and H. Wang. 2021. Biomass-derived O, N-codoped hierarchically porous carbon prepared by black fungus and *Hericium erinaceus* for high performance supercapacitor. *RSC Advances* 11 (45):27860–67. doi:10.1039/d1ra03699h.

ORIGINALITY REPORT

**21** %  
SIMILARITY INDEX

%  
INTERNET SOURCES

**21** %  
PUBLICATIONS

%  
STUDENT PAPERS

PRIMARY SOURCES

- 1** Rika Taslim, Apriwandi Apriwandi, Erman Taer. " Novel Leaves 3D Porous Carbon-Based Electrode Material as a High-Performance EDLC Supercapacitor ", ACS Omega, 2022  
Publication **1** %
- 2** N. Sudhan, K. Subramani, M. Karnan, N. Ilayaraja, M. Sathish. "Biomass-Derived Activated Porous Carbon from Rice Straw for a High-Energy Symmetric Supercapacitor in Aqueous and Non-aqueous Electrolytes", Energy & Fuels, 2016  
Publication **1** %
- 3** "Advanced Functional Porous Materials", Springer Science and Business Media LLC, 2022  
Publication **1** %
- 4** D. R. Ivanović, Dj. A Valjarević, R. D. Srećković-Batoćanin, N. M. Martić-Bursać, D. Ž. Vukoičić, R. M. Ivanović.  
"Hydrogeothermal potentials of Rogozna mountain and possibility of their valorization", Open Geosciences, 2019 **1** %

**5** Yi Lin, Zeyu Chen, Chuying Yu, Wenbin Zhong. "Heteroatom-Doped Sheet-Like and Hierarchical Porous Carbon Based on Natural Biomass Small Molecule Peach Gum for High-Performance Supercapacitors", ACS Sustainable Chemistry & Engineering, 2019 1 %

Publication

---

**6** K. Surya, M.S. Michael. "Novel interconnected hierarchical porous carbon electrodes derived from bio-waste of corn husk for supercapacitor applications", Journal of Electroanalytical Chemistry, 2020 <1 %

Publication

---

**7** Xiangfei CHEN, Shiyun WAN, Jianhua DING, Tianxiang JIN, Limin LU, Yong QIAN. "Oxygen-sulfur-phosphorus co-doped activated carbon derived from lotus stamens for high-performance supercapacitors", Chinese Journal of Analytical Chemistry, 2021 <1 %

Publication

---

**8** Shenghui Jiao, Liqiong Zhang, Changwei Li, Huixin Zhang et al. "Efficient construction of a carbon-based symmetric supercapacitor from soybean straw by coupling multi-stage carbonization and mild activation", Industrial Crops and Products, 2022 <1 %

Publication

---

9

Daba T. Bakhom, Ndeye F. Sylla, Samba Sarr, Vusani M. Maphiri et al. "Nitrogen-phosphorous co-doped porous carbon from cross-linked polymers for supercapacitor applications", Journal of Energy Storage, 2023

Publication

<1 %

10

Haonan Chen, Xiping Lei, Ting Yu, Xiaolin Guan, Hudie Yuan. "Ultra-high specific capacitance of self-doped 3D hierarchical porous turtle shell-derived activated carbon for high-performance supercapacitors", Ceramics International, 2021

Publication

<1 %

11

Yusik Myung, Sunghoon Jung, Tran Thanh Tung, Kumud Malika Tripathi, TaeYoung Kim. "Graphene-Based Aerogels Derived from Biomass for Energy Storage and Environmental Remediation", ACS Sustainable Chemistry & Engineering, 2019

Publication

<1 %

12

"The 2nd International Conference on Science (ICOS)", Journal of Physics: Conference Series, 2018

Publication

<1 %

13

Tianxiang Zhou, Shanshan Mo, Shuangli Zhou, Wujun Zou, Yingliang Liu, Dingsheng Yuan. "Mn<sub>3</sub>O<sub>4</sub>/worm-like mesoporous carbon synthesized via a microwave

<1 %

method for supercapacitors", Journal of Materials Science, 2011

Publication

---

- 14 Zhi-Qiang Hao, Jing-Pei Cao, Ya-Li Dang, Yan Wu, Xiao-Yan Zhao, Xian-Yong Wei. "Three-Dimensional Hierarchical Porous Carbon with High Oxygen Content Derived from Organic Waste Liquid with Superior Electric Double Layer Performance", ACS Sustainable Chemistry & Engineering, 2019  $<1\%$
- Publication
- 

- 15 Rahma Anugrahwidya, Nurfini Yudasari, Dahlang Tahir. "Optical and structural investigation of synthesis ZnO/Ag Nanoparticles prepared by laser ablation in liquid", Materials Science in Semiconductor Processing, 2020  $<1\%$
- Publication
- 

- 16 "Engineered Biochar", Springer Science and Business Media LLC, 2022  $<1\%$
- Publication
- 

- 17 Lian Chen, Feng Wang, Zhiwei Tian, Hongtao Guo et al. " Wood - Derived High - Mass - Loading MnO Composite Carbon Electrode Enabling High Energy Density and High - Rate Supercapacitor ", Small, 2022  $<1\%$
- Publication
- 

- 18 Agustino, Awitdrus, Amun Amri, Rika Taslim, Erman Taer. "The Physical and Electrochemical Properties of Activated  $<1\%$

Carbon Electrode Derived from Pineapple Leaf Waste for Supercapacitor Applications", Journal of Physics: Conference Series, 2020  
Publication

---

19 Cuihui Cao, Xiaofeng Wu, Yuming Zheng, Yunfa Chen. "Three-dimensional cubic ordered mesoporous carbon with chitosan for capacitive deionization disinfection of water", Environmental Science and Pollution Research, 2020  
Publication

---

20 Dhinesh Subramanian, Gobi Raju, Baskaran Palanivel, Nabil Al-Zaqri, Md Shahadat Hossain. "Exploration of O-N-S heteroatom self-doped mesoporous activated carbon derived from Datura stramonium seed pods as a potential electrode for supercapacitor application", Ionics, 2022  
Publication

---

21 Tianxiang Jin, Jingwei Su, Qingyun Luo, Wei Zhu, Haizhen Lai, Dejuan Huang, Chunyan Wang. "Preparation of N,P Co-doped Porous Carbon Derived from Daylily for Supercapacitor Applications", ACS Omega, 2022  
Publication

---

22 Wei Ruan, Yuan Wang, Chaoran Liu, Dawei Xu, Ping Hu, Yueyuan Ye, Dechao Wang, Yunquan Liu, Zhifeng Zheng, Duo Wang. "One-step fabrication of N-doped activated

carbon by NH<sub>3</sub> activation coupled with air oxidation for supercapacitor and CO<sub>2</sub> capture applications", Journal of Analytical and Applied Pyrolysis, 2022

Publication

---

23

Bin Jia, Qianghui Mian, Dongling Wu, Tao Wang. "Heteroatoms self-doped porous carbon from cottonseed meal using K<sub>2</sub>CO<sub>3</sub> as activator and DES electrolyte for supercapacitor with high energy density", Materials Today Chemistry, 2022

Publication

---

24

Rui Li, Senlin Wang, Jianpeng Wang, Zongchuan Huang. " Ni S @CoS core-shell nano-triangular pyramid arrays on Ni foam for high-performance supercapacitors ", Physical Chemistry Chemical Physics, 2015

Publication

---

25

Ruofei Chen, Liqing Li, Zheng Liu, Mingming Lu, Chunhao Wang, Hailong Li, Weiwu Ma, Shaobin Wang. "Preparation and characterization of activated carbons from tobacco stem by chemical activation", Journal of the Air & Waste Management Association, 2017

Publication

---

26

Sadjia Benhabiles, Kamel Rida. "Production of efficient activated carbon from sawdust for the removal of dyes in single and binary

<1 %

<1 %

<1 %

<1 %

systems – a full factorial design", Particulate Science and Technology, 2020

Publication

---

27

Shuai Hou, Wendong Cheng, Fen Guo. "Fast joule-heating synthesized heteroatom-doped carbon and its impressive electrochemical performance", Sustainable Materials and Technologies, 2023

Publication

---

<1 %

28

Zhe Yuan, Yunhan Ma, Pengxue Zhang, Minghao Zhai, Chuanli Qin, Xiankai Jiang. "N-, P-, and Ni-Co-doped Porous Carbon from Poplar Powder and Graphene Oxide Composites as Electrode Materials for Supercapacitors", Energy & Fuels, 2023

Publication

---

<1 %

29

Bolang Chen, Dongling Wu, Tao Wang, Fang Yuan, Dianzeng Jia. "Rapid preparation of porous carbon by flame burning carbonization method for supercapacitor", Chemical Engineering Journal, 2023

Publication

---

<1 %

30

Changming Zhang, Wen Song, Xiaochao Zhang, Rui Li, Songjian Zhao, Caimei Fan. "Synthesis and evaluation of activated carbon spheres with copper modification for gaseous elemental mercury removal", Journal of Porous Materials, 2018

Publication

---

<1 %

31

Erman Taer, Agustino, Rika Taslim. "Matoa Fruit peel-based Activated Carbon and its Application as an Electrode Materials in Supercapacitor Devices", Journal of Physics: Conference Series, 2021

Publication

&lt;1 %

32

Xiaodong Wang, Sining Yun, Wen Fang, Chen Zhang, Xu Liang, Zhibin Lei, Zonghuai Liu. "Layer-Stacking Activated Carbon Derived from Sunflower Stalk as Electrode Materials for High-Performance Supercapacitors", ACS Sustainable Chemistry & Engineering, 2018

Publication

&lt;1 %

33

Xin Cui, Yuchen Jiang, Zhifeng He, Zeyi Liu, Xiaoyang Yang, Jiafeng Wan, Yifu Liu, Fangwei Ma. "Preparation of tank-like resin-derived porous carbon sphere for supercapacitor: The influence of KOH activator and activation temperature on structure and performance", Diamond and Related Materials, 2023

Publication

&lt;1 %

34

Yushuai Yao, Yi Yu, Cheng Du, Liu Wan, Yan Zhang, Jian Chen, Ting Xiao, Mingjiang Xie. "Superbases-templated carbons doped with electrochemically active oxygen as advanced supercapacitor electrodes", Journal of Colloid and Interface Science, 2022

Publication

&lt;1 %

35

Zijie Tang, Zengxia Pei, Zifeng Wang, Hongfei Li, Jie Zeng, Zhaoheng Ruan, Yan Huang, Minshen Zhu, Qi Xue, Jie Yu, Chunyi Zhi. "Highly anisotropic, multichannel wood carbon with optimized heteroatom doping for supercapacitor and oxygen reduction reaction", Carbon, 2018

Publication

&lt;1 %

36

Dandan Chen, Lijun Yang, Jiangfeng Li, Qingsheng Wu. "Effect of Self-Doped Heteroatoms in Biomass-Derived Activated Carbon for Supercapacitor Applications", ChemistrySelect, 2019

Publication

&lt;1 %

37

Erman Taer, Muhammad Ali Akbar Tsalis, Apriwandi, Novi Yanti, Awitdrus, Lazuardi, Rika Taslim. "Porous Activated Carbon Binder-free Scleria sumatrensis Stem-Based for Supercapacitor Application", Journal of Physics: Conference Series, 2021

Publication

&lt;1 %

38

Jia Liu, Xiuwen Mei, Feng Peng. "Boosting Capacity Performance of Bio-Waste Lignin-Derived Hierarchical Porous Carbon with Self-Doped Oxygen-Heteroatoms", Batteries, 2022

Publication

&lt;1 %

39

Nanostructure Science and Technology, 2016.

Publication

&lt;1 %

40

Rajesh Kumar, Sally M. Youssry, Kyaw Zay Ya, Wai Kian Tan, Go Kawamura, Atsunori Matsuda. "Microwave-assisted synthesis of Mn<sub>3</sub>O<sub>4</sub>-Fe<sub>2</sub>O<sub>3</sub>/Fe<sub>3</sub>O<sub>4</sub>@rGO ternary hybrids and electrochemical performance for supercapacitor electrode", *Diamond and Related Materials*, 2020

Publication

&lt;1 %

41

Rong-Xia Xu, Yun-Peng Zhao, Guang-Hui Liu, Jun-Sheng Zhu, Rui-Yu Wang, Jing-Pei Cao, Xian-Yong Wei. "N/O co-doped porous interconnected carbon nanosheets from the co-hydrothermal treatment of soybean stalk and nickel nitrate for high-performance supercapacitors", *Journal of Colloid and Interface Science*, 2020

Publication

&lt;1 %

42

Yaohui Wang, Quan Min Yang, Igor Zhitomirsky. "Fabrication of Ni-Plaque-Based Manganese Dioxide Electrodes for Electrochemical Supercapacitors", *Materials and Manufacturing Processes*, 2011

Publication

&lt;1 %

43

Adinata, D.. "Preparation and characterization of activated carbon from palm shell by chemical activation with K<sub>2</sub>CO<sub>3</sub>", *Bioresource Technology*, 200701

Publication

&lt;1 %

44

Apriwandi Apriwandi, Erman Taer, Rakhmawati Farma, Rahmondia Nanda

&lt;1 %

Setiadi, Erwin Amiruddin. "A facile approach of micro-mesopores structure binder-free coin/monolith solid design activated carbon for electrode supercapacitor", Journal of Energy Storage, 2021

Publication

---

45

Bakhytzhan Lesbayev, Moldir Auyelkhankyzy, Gauhar Ustayeva, Mukhtar Yeleuov, Nurgali Rakhymzhan, Anar Maltay, Yerkebulan Maral. "RECENT ADVANCES: BIOMASS-DERIVED POROUS CARBON MATERIALS", South African Journal of Chemical Engineering, 2022

Publication

---

46

Bualkar Abdullah, Sultan Ilyas, Dahlang Tahir. "Nanocomposites Fe/Activated Carbon/PVA for Microwave Absorber: Synthesis and Characterization", Journal of Nanomaterials, 2018

Publication

---

47

Dahlang Tahir, Sultan Ilyas, Bualkar Abdullah, Bidayatul Armynah, Kyousik Kim, Hee Jae Kang. "Modification in electronic, structural, and magnetic properties based on composition of composites Copper (II) Oxide (CuO) and Carbonaceous material", Materials Research Express, 2018

Publication

---

48

Erman Taer, Novi Yanti, Rika Taslim, Apriwandi Apriwandi. "Interconnected

<1 %

<1 %

<1 %

<1 %

micro-mesoporous carbon nanofiber derived from lemongrass for high symmetric supercapacitor performance", Journal of Materials Research and Technology, 2022

Publication

---

49 Gurten, I.I.. "Preparation and characterisation of activated carbon from waste tea using  $K_2CO_3$ ", Biomass and Bioenergy, 201202

Publication

---

50 Huanxi Liao, Longsheng Zhong, Yatian Deng, Hongneng Chen, Guohua Liao, Yanhe Xiao, Baochang Cheng, Shuijin Lei. "A systematic study on Equisetum ramosissimum Desf. derived honeycomb porous carbon for supercapacitors: Insight into the preparation-structure-performance relationship", Applied Surface Science, 2023

Publication

---

51 Jinwei Luo, Wenbin Zhong, Yubo Zou, Changlun Xiong, Wantai Yang. "Metal-Organic Coordination Polymer to Prepare Density Controllable and High Nitrogen-Doped Content Carbon/Graphene for High Performance Supercapacitors", ACS Applied Materials & Interfaces, 2016

Publication

---

52 Long Yan, Xianjie Wang, Yufei Wang, Jian Li, Qianqian Liu, Xiang Zhong, Yuan Chang,

Qingchao Li, Santosh Kumar Verma. "Self-doped N, S porous carbon from semi-coking wastewater-based phenolic resin for supercapacitor electrodes", *Frontiers in Chemistry*, 2022

Publication

---

53

Meimei Wang, Kuihua Han, Jianhui Qi, Jinxiao Li, Zhaocai Teng, Jigang Zhang. "Heteroatom-Rich Porous Carbons Derived from Nontoxic Green Organic Crystals for High-Performance Symmetric and Asymmetric Supercapacitors with Aqueous/Gel Electrolyte", *ACS Sustainable Chemistry & Engineering*, 2020

Publication

---

54

Om Priya Nanda, Nishat Kumar Das, Prasanna Sekar, Ananthakumar Ramadoss, Balasubramaniam Saravanakumar. "Bio-waste derived self-templated, nitrogen self-doped porous carbon for supercapacitors", *Bioresource Technology Reports*, 2022

Publication

---

55

Tao Wang, Dongling Wu, Qian Liu, Yafen Zheng, Minshan Shi, Jing Feng. " Use of Fe-H BTC and GO Compounds To Prepare N/Fe-Doped Carbon for a High-Performance Oxygen Reduction Reaction Catalyst ", *Langmuir*, 2023

Publication

---

<1 %

<1 %

<1 %

56

Xia, Kaisheng, Qiyang Li, Lin Zheng, Kun You, Xiangle Tian, Bo Han, Qiang Gao, Zhiyuan Huang, Gang Chen, and Chenggang Zhou. "Controllable fabrication of 2D and 3D porous graphene architectures using identical thermally exfoliated graphene oxides as precursors and their application as supercapacitor electrodes", *Microporous and Mesoporous Materials*, 2017.

Publication

&lt;1 %

57

Ying Zhang, Qi Sun, Kaisheng Xia, Bo Han, Chenggang Zhou, Qiang Gao, Hongquan Wang, Song Pu, Jinping Wu. "Facile Synthesis of Hierarchically Porous N/P Codoped Carbon with Simultaneously High-Level Heteroatom-Doping and Moderate Porosity for High-Performance Supercapacitor Electrodes", *ACS Sustainable Chemistry & Engineering*, 2019

Publication

&lt;1 %

58

Zhong Dai, Peng-Gang Ren, Wenwei He, Xin Hou, Fang Ren, Qian Zhang, Yan-Ling Jin. "Boosting the electrochemical performance of nitrogen-oxygen co-doped carbon nanofibers based supercapacitors through esterification of lignin precursor", *Renewable Energy*, 2020

Publication

&lt;1 %

59

Chao Long, Mingtao Zheng, Yong Xiao, Bingfu Lei, Hanwu Dong, Haoran Zhang,

&lt;1 %

Hang Hu, Yingliang Liu. "Amorphous Ni-Co Binary Oxide with Hierarchical Porous Structure for Electrochemical Capacitors", ACS Applied Materials & Interfaces, 2015

Publication

---

60

D.S. Priya, L.J. Kennedy, G.T. Anand. "Emerging trends in biomass-derived porous carbon materials for energy storage application: A critical review", Materials Today Sustainability, 2023

Publication

---

61

Dan Xu, Mingpan Wan, Yumei Yang, Bixiang Pan, Qianlin Chen. "Mesopore-dominated porous carbon derived from vinasse for high performance supercapacitors with different electrolytes", Industrial Crops and Products, 2022

Publication

---

62

Eva Wahyuni Harahap, Erman Taer, Ari Sulistyio Rini, Rika Taslim, Apriwandi Apriwandi. "Cassava peel derived self-doped and hierarchical porous carbon as an optimized electrode for the ultra-high energy density of supercapacitor", Diamond and Related Materials, 2022

Publication

---

63

Jie Yang, Ke-Xin Liu, Qiao-Yun Liu, Xiu-Cheng Zheng. "Biomass waste-derived mesopore-dominant porous carbon for high-efficiency

<1 %

<1 %

<1 %

<1 %

capacitive energy storage", Journal of Alloys and Compounds, 2021

Publication

---

64

Pamidi Venkateswarlu, Ediga Umeshbabu, U. Naveen Kumar, Pernapati Nagaraja, Patri Tirupathi, G. Ranga Rao, Ponniah Justin. "Facile hydrothermal synthesis of urchin-like cobalt manganese spinel for high-performance supercapacitor applications", Journal of Colloid and Interface Science, 2017

Publication

---

<1 %

65

Rubén Cota-López, Gonzalo Velazquez, Guadalupe Méndez-Montealvo, Iza F. Pérez-Ramírez et al. "Effect of adding high concentrations of retrograded starch with different amylose content on the physicochemical properties and sensory attributes of Greek-style yogurt", International Journal of Biological Macromolecules, 2023

Publication

---

<1 %

66

Shenghui Jiao, Yutong Yao, Junliu Zhang, Liqiong Zhang, Changwei Li, Huixin Zhang, Xin Zhao, Honglei Chen, Jianchun Jiang. "Nano-flower-like porous carbon derived from soybean straw for efficient N-S co-doped supercapacitors by coupling in-situ heteroatom doping with green activation method", Applied Surface Science, 2023

Publication

---

<1 %

67

Shun Zhang, Ke Tian, Bin-Hai Cheng, Hong Jiang. "Preparation of N-Doped Supercapacitor Materials by Integrated Salt Templating and Silicon Hard Templating by Pyrolysis of Biomass Wastes", ACS Sustainable Chemistry & Engineering, 2017

Publication

&lt;1 %

68

Taotao Guan, Jianghong Zhao, Guoli Zhang, Jianlong Wang, Dongdong Zhang, Kaixi Li. "Template-Free Synthesis of Honeycomblike Porous Carbon Rich in Specific 2–5 nm Mesopores from a Pitch-Based Polymer for a High-Performance Supercapacitor", ACS Sustainable Chemistry & Engineering, 2018

Publication

&lt;1 %

69

Wu, Yongjian, Quan Jin, Chunlin Xie, Jianghu Cui, and Yingliang Liu. "Monodisperse Activated Carbon Spheres from Colloidal Carbon Spheres by Steam Activation and Their Electrochemical Properties", Chemistry Letters, 2012.

Publication

&lt;1 %

70

Yongmin He, Wanjun Chen, Xiaodong Li, Zhenxing Zhang, Jiecai Fu, Changhui Zhao, Erqing Xie. " Freestanding Three-Dimensional Graphene/MnO Composite Networks As Ultralight and Flexible Supercapacitor Electrodes ", ACS Nano, 2012

Publication

&lt;1 %

71

Zhao, Xiao, Hanwu Dong, Yong Xiao, Hang Hu, Yijin Cai, Yeru Liang, Luyi Sun, Yingliang Liu, and Mingtao Zheng. "Three-dimensional Nitrogen-doped graphene as binder-free electrode materials for supercapacitors with high volumetric capacitance and the synergistic effect between nitrogen configuration and supercapacitive performance", *Electrochimica Acta*, 2016.

Publication

&lt;1 %

72

Zhou-Rui Hu, Dan-Dan Li, Tae-Hee Kim, Min-Seok Kim, Ting Xu, Ming-Guo Ma, Sun-Eun Choi, Chuanling Si. "Lignin-Based/Polypyrrole Carbon Nanofiber Electrode With Enhanced Electrochemical Properties by Electrospun Method", *Frontiers in Chemistry*, 2022

Publication

&lt;1 %

73

Zicheng Huang, Guangfa Zheng, Zhi Liu. "Self-Template Synthesis of Multiheteroatom Codoped Porous Carbon with Rational Mesoporosity from Traditional Chinese Medicine Dregs for High-Performance Supercapacitors", *ACS Sustainable Chemistry & Engineering*, 2020

Publication

&lt;1 %

74

Diego Cortés-Arriagada, Daniela E. Ortega. "Interaction mechanism of triclosan on pristine microplastics", *Science of The Total Environment*, 2023

Publication

&lt;1 %

75

Hong Ha Vu, Heide Behrmann, Maja Hanić, Gayathri Jeyasankar et al. "A marine cryptochrome with an inverse photo-oligomerization mechanism", Cold Spring Harbor Laboratory, 2023

Publication

&lt;1 %

76

Shuya Wang, Yidong Mei, Zishuo Shao, Jingru Wang, Zhenzhen Tan, Zurui Qiu, Minghao Wang, Hong Zheng. "Biomass Hierarchical Porous Carbonized Typha angustifolia Prepared by Green Pore-Making Technology for Energy Storage", ACS Omega, 2022

Publication

&lt;1 %

77

Wei Liu, Jie Mei, Guolong Liu, Qian Kou, Tingfeng Yi, Saijun Xiao. "Nitrogen-Doped Hierarchical Porous Carbon from Wheat Straw for Supercapacitors", ACS Sustainable Chemistry & Engineering, 2018

Publication

&lt;1 %

78

Erman Taer, Novi Yanti, Juwita Ade Putri, Apriwandi Apriwandi, Rika Taslim. " Novel macaroni - sponge - like pore structure biomass ( Rosc. leaves) - based electrode material for excellent energy gravimetric supercapacitor ", Journal of Chemical Technology & Biotechnology, 2023

Publication

&lt;1 %

79

Huanlei Wang, Zhanwei Xu, Alireza Kohandehghan, Zhi Li et al. "Interconnected

&lt;1 %

## Carbon Nanosheets Derived from Hemp for Ultrafast Supercapacitors with High Energy", ACS Nano, 2013

Publication

---

80

Lin-Lin Zhang, Huan-Huan Li, Yan-Hong Shi, Chao-Ying Fan, Xing-Long Wu, Hai-Feng Wang, Hai-Zhu Sun, Jing-Ping Zhang. "A Novel Layered Sedimentary Rocks Structure of the Oxygen-Enriched Carbon for Ultrahigh-Rate-Performance Supercapacitors", ACS Applied Materials & Interfaces, 2016

Publication

---

<1 %

81

Liu Xiaorui, Yang Haiping. "A state-of-the-art review of N self-doped biochar development in supercapacitor applications", Frontiers in Energy Research, 2023

Publication

---

<1 %

82

Sarita Patil, Nanasaheb D. Thorat, Joanna Bauer, Syed A.M. Tofail. "Metal oxide-based nanocomposites for supercapacitive applications", Elsevier BV, 2022

Publication

---

<1 %

83

Syed Aizaz Ali Shah, Ramsha Idrees, Shaukat Saeed. "A critical review on polyimide derived carbon materials for high-performance supercapacitor electrodes", Journal of Energy Storage, 2022

Publication

---

<1 %

84

Xianjun Wei, Xiaoqiang Jiang, Jishi Wei, Shuyan Gao. "Functional Groups and Pore Size Distribution Do Matter to Hierarchically Porous Carbons as High-Rate-Performance Supercapacitors", Chemistry of Materials, 2016

Publication

<1 %

85

Zehong Chen, Hao Zhuo, Yijie Hu, Linxin Zhong et al. "Self-Biotemplate Preparation of Hierarchical Porous Carbon with Rational Mesopore Ratio and High Oxygen Content for an Ultrahigh Energy-Density Supercapacitor", ACS Sustainable Chemistry & Engineering, 2018

Publication

<1 %

Exclude quotes  On

Exclude matches  < 4 words

Exclude bibliography  On